



## Third Party Software List Sugar 7.6.2.1 and 7.6.2.2

This document is a courtesy "one-stop" summary of the third party software used in the SugarCRM Inc. ("SugarCRM") product. The actual features that may be available in your version of the product (e.g., Professional versus Enterprise) may be different. Links provided in this document may, however, be disabled or otherwise become useable over time for reasons outside of SugarCRM Inc.'s control. Copies of required copyright notices and full text of licenses can be found further below.

| Library Name   | Version (if any) | Brief Description   | Project Page  | License             | Links to License Terms  |
|--|------------------|---|---|---------------------|---|
| <b>Adobe Font Metrics for PDF Core 14 Fonts</b>      |                  | .afm (Adobe Font Metrics) files contain general font information and font metrics information.  | <a href="http://www.images.adobe.com/content/dam/Adobe/en/devnet/font/pdfs/Core14_AFM.zip">http://www.images.adobe.com/content/dam/Adobe/en/devnet/font/pdfs/Core14_AFM.zip</a> | Attribution         | <a href="http://www.images.adobe.com/content/dam/Adobe/en/devnet/font/pdfs/Core14_AFM.zip">http://www.images.adobe.com/content/dam/Adobe/en/devnet/font/pdfs/Core14_AFM.zip</a> |
| <b>Algorithm for Sorting Multidimensional Arrays</b> |                  | Sort an array by columns.   | <a href="http://us2.php.net/manual/en/function.array-multisort.php">http://us2.php.net/manual/en/function.array-multisort.php</a>   | PHP Website License | <a href="http://us2.php.net/copyright.php">http://us2.php.net/copyright.php</a>   |
| <b>Antlr</b>   |                  | ANTLR, Another Tool for Language Recognition, is a language tool that provides a framework for constructing recognizers, interpreters, compilers, and translators from grammatical descriptions.  | <a href="http://www.antlr3.org/">http://www.antlr3.org/</a>   | BSD 3-Clause        | <a href="http://opensource.org/licenses/BSD-3-Clause">http://opensource.org/licenses/BSD-3-Clause</a>   |
| <b>Async</b>   | 0.1.22<br>0.4.0  | Async is a utility module which provides straight-forward, powerful functions for working with asynchronous JavaScript. Although originally designed for use with <a href="http://nodejs.org">node.js</a> , it can also be used directly in the browser.                          | <a href="https://github.com/caolan/async/">https://github.com/caolan/async/</a>   | MIT                 | <a href="https://github.com/caolan/async/blob/master/LICENSE">https://github.com/caolan/async/blob/master/LICENSE</a>   |
| <b>Backbone</b>                                      | 0.9.2<br>0.9.10  | Backbone.js gives structure to web applications by providing models with key-value binding and custom events, collections with a rich API of enumerable functions, views with declarative event handling, and connects it all to your existing API over a RESTful JSON interface. | <a href="http://backbonejs.org/">http://backbonejs.org/</a>   | MIT                 | <a href="https://github.com/documentcloud/backbone/blob/master/LICENSE">https://github.com/documentcloud/backbone/blob/master/LICENSE</a>                                       |
| <b>Bootstrap</b>                                     | 2.1.1            | Bootstrap is a sleek, intuitive, and powerful front-end framework for faster and easier web development.  | <a href="https://github.com/twbs/bootstrap/tree/v2.1.1">https://github.com/twbs/bootstrap/tree/v2.1.1</a>   | Apache 2.0          | <a href="https://github.com/twbs/bootstrap/blob/v2.1.1/LICENSE">https://github.com/twbs/bootstrap/blob/v2.1.1/LICENSE</a>   |

| Library Name                               | Version (if any) | Brief Description  | Project Page  | License      | Links to License Terms  |
|--|------------------|--|---|--------------|---|
| <b>Bootstrap-colorpicker</b>               |                  | Allows for an input field for selecting colors.  | <a href="http://eyecon.ro/bootstrap-colorpicker/">http://eyecon.ro/bootstrap-colorpicker/</a>                               | Apache 2.0   | <a href="https://github.com/xaguilars/bootstrap-colorpicker/blob/master/LICENSE">https://github.com/xaguilars/bootstrap-colorpicker/blob/master/LICENSE</a> |
| <b>Bootstrap-datepicker</b>                |                  | Allows for an input field for selecting dates.   | <a href="http://www.eyecon.ro/bootstrap-datepicker/">http://www.eyecon.ro/bootstrap-datepicker/</a>                         | Apache 2.0   | <a href="https://github.com/twbs/bootstrap/blob/3.0.0-wip/LICENSE">https://github.com/twbs/bootstrap/blob/3.0.0-wip/LICENSE</a>                             |
| <b>Bootstrapx Clickover</b>                |                  | Bootstrap Extension for Click managed popovers.  | <a href="https://github.com/lecar-red/bootstrapx-clickover">https://github.com/lecar-red/bootstrapx-clickover</a>           | Apache 2.0   | <a href="http://www.apache.org/licenses/LICENSE-2.0">http://www.apache.org/licenses/LICENSE-2.0</a>   |
| <b>Canvg</b>                               | 1.3              | This is a javascript SVG parser and renderer on Canvas.  | <a href="http://code.google.com/p/canvg/">http://code.google.com/p/canvg/</a>   | MIT          | <a href="https://code.google.com/p/canvg/source/browse/trunk/MIT-LICENSE.txt">https://code.google.com/p/canvg/source/browse/trunk/MIT-LICENSE.txt</a>       |
| <b>CMIS PHP Client Programming Library</b> |                  | This is starting out more as an example and instructional site, to allow programmers to understand programming against CMIS compliant repositories. The code here may evolve to become a production library. | <a href="http://code.google.com/p/cmisis-php-client-programming">http://code.google.com/p/cmisis-php-client-programming</a> | Apache 2.0   | <a href="http://www.apache.org/licenses/LICENSE-2.0">http://www.apache.org/licenses/LICENSE-2.0</a>   |
| <b>Crosstab</b>                            | 0.2.7            | A utility library for cross-tab communication using localStorage.  | <a href="https://github.com/tejacques/crosstab">https://github.com/tejacques/crosstab</a>                                   | Apache 2.0   | <a href="https://github.com/tejacques/crosstab/blob/master/LICENSE">https://github.com/tejacques/crosstab/blob/master/LICENSE</a>                           |
| <b>Crypt_Blowfish</b>                      | 1.0.1            | Allows for quick two-way blowfish encryption without requiring the MCRYPT PHP extension.   | <a href="http://pear.php.net/package/Crypt_Blowfish/">http://pear.php.net/package/Crypt_Blowfish/</a>                       | PHP 3.0      | <a href="http://www.php.net/license/3_0.txt">http://www.php.net/license/3_0.txt</a><br>(as per information in the code header)                              |
| <b>CssMin</b>                              | 1.0.1b3          | A css parser and minifier.   | <a href="http://code.google.com/p/cssmin/">http://code.google.com/p/cssmin/</a>   | MIT          | <a href="http://www.opensource.org/licenses/mit-license.php">http://www.opensource.org/licenses/mit-license.php</a>   |
| <b>Cubiq iScroll</b>                       | 3.7.1            | The overflow:scroll for mobile webkit. Native scrolling inside a fixed width/height element.   | <a href="http://cubiq.org/iscroll">http://cubiq.org/iscroll</a>   | MIT          | <a href="http://cubiq.org/dropbox/mit-license.txt">http://cubiq.org/dropbox/mit-license.txt</a>   |
| <b>D3</b>                                  | 3..5.4           | D3.js is a JavaScript library for manipulating documents based on data.  | <a href="http://d3js.org/">http://d3js.org/</a>   | BSD 3-Clause | <a href="https://github.com/mbostock/d3/blob/master/LICENSE">https://github.com/mbostock/d3/blob/master/LICENSE</a>   |
| <b>Date</b>                                | 1                | Datejs is an open source javascript date library.  | <a href="http://www.datejs.com">http://www.datejs.com</a>   | MIT          | <a href="http://www.datejs.com/">http://www.datejs.com/</a>   |
| <b>Elastica</b>                            | 1.0.0.0          | A PHP client for Elasticsearch.  | <a href="https://github.com/rufin/Elastica">https://github.com/rufin/Elastica</a>   | MIT          | <a href="https://github.com/rufin/Elastica/blob/master/LICENSE.txt">https://github.com/rufin/Elastica/blob/master/LICENSE.txt</a>                           |
| <b>Facebook-php-sdk</b>                    | 2.0.6            | Allows for the access of the Facebook platform from a PHP application.   | <a href="https://github.com/facebook/facebook-php-sdk">https://github.com/facebook/facebook-php-sdk</a>                     | Apache 2.0   | <a href="http://www.apache.org/licenses/LICENSE-2.0.html">http://www.apache.org/licenses/LICENSE-2.0.html</a>   |

| Library Name             | Version (if any) | Brief Description   | Project Page  | License  | Links to License Terms  |
|--------------------------|------------------|---|---|--|---|
| <b>Fastclick</b>         |                  | FastClick is a simple, easy-to-use library for eliminating the 300ms delay between a physical tap and the firing of a click event on mobile browsers.   | <a href="https://github.com/ftlabs/fastclick">https://github.com/ftlabs/fastclick</a>                         | MIT  | <a href="https://github.com/ftlabs/fastclick/blob/master/LICENSE">https://github.com/ftlabs/fastclick/blob/master/LICENSE</a>   |
| <b>Firebug</b>           | 1.4              | Firebug integrates with Firefox to put a wealth of web development tools at your fingertips while you browse. You can edit, debug, and monitor CSS, HTML, and JavaScript live in any web page.  | <a href="http://getfirebug.com/firebuglite">http://getfirebug.com/firebuglite</a>                             | BSD 3-Clause   | <a href="https://github.com/firebug/firebug/blob/master/extension/license.txt">https://github.com/firebug/firebug/blob/master/extension/license.txt</a>   |
| <b>FlashCanvas</b>       | 1.5              | FlashCanvas is a JavaScript library which adds the HTML5 Canvas support to Internet Explorer. It renders shapes and images via Flash drawing API. It supports almost all Canvas APIs and, in many cases, runs faster than other similar libraries which use VML or Silverlight. | <a href="http://flashcanvas.net/">http://flashcanvas.net/</a>   | MIT  | <a href="http://www.opensource.org/licenses/mit-license.php">http://www.opensource.org/licenses/mit-license.php</a>   |
| <b>FontAwesome</b>       | 3<br>4.2         | Font Awesome gives you scalable vector icons that can instantly be customized — size, color, drop shadow, and anything that can be done with the power of CSS.  | <a href="http://fontawesome.github.io/Font-Awesome/">http://fontawesome.github.io/Font-Awesome/</a>           | Font is licensed under SIL Open Font License 1.1<br><br>Code (CSS and LESS) are licensed under MIT | <a href="http://fontawesome.io/license/">http://fontawesome.io/license/</a>   |
| <b>Google Data APIs</b>  |                  | The Google Data APIs (GData) provide a simple protocol for reading and writing data on the web.   | <a href="https://code.google.com/p/google-gdata/">https://code.google.com/p/google-gdata/</a>                 | Apache 2.0   | <a href="http://www.apache.org/licenses/LICENSE-2.0">http://www.apache.org/licenses/LICENSE-2.0</a>   |
| <b>Google PHP Client</b> |                  | The Google API Client Library enables you to work with Google APIs such as Google+, Drive, or YouTube on your server.   | <a href="https://github.com/google/google-api-php-client">https://github.com/google/google-api-php-client</a> | Apache 2.0   | <a href="https://github.com/google/google-api-php-client/blob/master/LICENSE">https://github.com/google/google-api-php-client/blob/master/LICENSE</a>   |
| <b>Handlebars</b>        | 1.0.0.beta.6     | Handlebars provides the power necessary to let you build semantic templates effectively with no frustration.  | <a href="http://handlebarsjs.com/">http://handlebarsjs.com/</a>   | MIT  | <a href="https://github.com/wycats/handlebars.js/blob/f8a346b3ceeb764064f60f80a3034794dad9d750/LICENSE">https://github.com/wycats/handlebars.js/blob/f8a346b3ceeb764064f60f80a3034794dad9d750/LICENSE</a> |
| <b>Handlebars</b>        | 1.0.0            | Handlebars provides the power necessary to let you build semantic   | <a href="http://handlebarsjs.com/">http://handlebarsjs.com/</a>   | MIT  | <a href="https://github.com/wycats/handlebars.js/blob/master/LICENSE">https://github.com/wycats/handlebars.js/blob/master/LICENSE</a>   |

| Library Name        | Version (if any)        | Brief Description   | Project Page  | License   | Links to License Terms  |
|---------------------|-------------------------|---|---|---|---|
|                     |                         | templates effectively with no frustration.  |   |   |   |
| HTML Purifier       | 4.3.0                   | HTML Purifier is a standards-compliant HTML filter library written in PHP.                              | <a href="http://htmlpurifier.org/">http://htmlpurifier.org/</a>   | LGPL 2.1  | <a href="http://www.gnu.org/licenses/lgpl-2.1.html">http://www.gnu.org/licenses/lgpl-2.1.html</a>   |
| Htm12Text           |                         | PHP library to convert HTML to formatted plain text.  | <a href="https://github.com/mtibben/html2text">https://github.com/mtibben/html2text</a>   | GPL 2.0   | <a href="http://www.gnu.org/licenses/old-licenses/gpl-2.0.html">http://www.gnu.org/licenses/old-licenses/gpl-2.0.html</a>   |
| htmlfilter          |                         | Filter html in order to remove any malicious tags from it.  | <a href="https://code.google.com/a/apache-extras.org/p/phpmailer/source/browse/trunk/extras/htmlfilter.php?r=Z">https://code.google.com/a/apache-extras.org/p/phpmailer/source/browse/trunk/extras/htmlfilter.php?r=Z</a> | LGPL 2.1  | <a href="http://www.gnu.org/licenses/lgpl-2.1.html">http://www.gnu.org/licenses/lgpl-2.1.html</a>   |
| Jasmine             | 1.2.0                   | Jasmine is a behavior-driven development framework for testing JavaScript code.                         | <a href="http://pivotal.github.io/jasmine/">http://pivotal.github.io/jasmine/</a>   | MIT   | <a href="https://github.com/pivotal/jasmine/blob/master/MIT.LICENSE">https://github.com/pivotal/jasmine/blob/master/MIT.LICENSE</a>   |
| Jasmine-jquery      | 1.5.2                   | Jasmine JsTestDriver Adapter.   | <a href="https://github.com/ibolmo/jasmine-jstd-adapter">https://github.com/ibolmo/jasmine-jstd-adapter</a>   | MIT   | <a href="https://github.com/velesin/jasmine-jquery/blob/2c25fe6f08e10769ea6ba8db9142131ba2da4129/lib/jasmine-jquery.js">https://github.com/velesin/jasmine-jquery/blob/2c25fe6f08e10769ea6ba8db9142131ba2da4129/lib/jasmine-jquery.js</a> |
| Jasmine Test Driver |                         | Jasmine JsTestDriver Adapter. Write Jasmine BDD code, and run it on JSTD.                               | <a href="https://github.com/ibolmo/jasmine-jstd-adapter/blob/master/MIT.LICENSE">https://github.com/ibolmo/jasmine-jstd-adapter/blob/master/MIT.LICENSE</a>   | MIT   | <a href="https://github.com/ibolmo/jasmine-jstd-adapter/blob/master/MIT.LICENSE">https://github.com/ibolmo/jasmine-jstd-adapter/blob/master/MIT.LICENSE</a>   |
| jCore (Colosa)      |                         |   |   | Commercial  | Licensed from Spinsit.com, Inc.   |
| Jit                 | 2.0.0b                  | The JavaScript InfoVis Toolkit provides tools for creating Interactive Data Visualizations for the Web. | <a href="http://philogb.github.io/jit/">http://philogb.github.io/jit/</a>   | BSD 3-Clause  | <a href="http://opensource.org/licenses/BSD-3-Clause">http://opensource.org/licenses/BSD-3-Clause</a>   |
| jpeg Encoder        |                         | JPEG encoder ported to JavaScript.  | <a href="https://github.com/UWMLI/sifter-js/blob/master/js/jpeg-encoder.js">https://github.com/UWMLI/sifter-js/blob/master/js/jpeg-encoder.js</a>   | BSD 3-Clause, except the basic GUI blocking the jpeg encoder which is under MIT | <a href="https://github.com/UWMLI/sifter-js/blob/master/js/jpeg-encoder.js">https://github.com/UWMLI/sifter-js/blob/master/js/jpeg-encoder.js</a>   |
| jQuery              | 1.6.4<br>1.7.1<br>1.9.1 | Javascript libraries for the presentation layer.  | <a href="http://jquery.org">http://jquery.org</a>   | MIT   | <a href="http://jquery.org/license">http://jquery.org/license</a>   |
| Jquery placeholder  | 2.0.8                   | A JQuery plugin that enables HTML5 placeholder behavior for browsers that don't support it.             | <a href="https://github.com/mathiasbynens/jquery-placeholder">https://github.com/mathiasbynens/jquery-placeholder</a>   | MIT   | <a href="https://github.com/mathiasbynens/jquery-placeholder/blob/master/LICENSE-MIT.txt">https://github.com/mathiasbynens/jquery-placeholder/blob/master/LICENSE-MIT.txt</a>   |

| Library Name                           | Version (if any) | Brief Description  | Project Page  | License                                    | Links to License Terms  |
|--|------------------|--|---|--|---|
| <b>jQuery Plugin: datatable</b>        | 1.9.1            | Plug-in for the <a href="#">jQuery</a> Javascript library.   | <a href="http://www.datatables.net/">http://www.datatables.net/</a>   | GPL or BSD 3-Clause, BSD 3-Clause selected | <a href="http://www.datatables.net/license_bsd">http://www.datatables.net/license_bsd</a>   |
| <b>jQuery Plugin: droparea</b>         | 0.6              | jQuery plugin to create an html5 drag and drop file uploader.  | <a href="https://github.com/brainsqueezier/jquery-droparea">https://github.com/brainsqueezier/jquery-droparea</a>   | MIT  | <a href="https://github.com/brainsqueezier/jquery-droparea/blob/master/LICENCE">https://github.com/brainsqueezier/jquery-droparea/blob/master/LICENCE</a> |
| <b>jQuery Plugin: elementready</b>     | 0.6              | jQuery plugin to call a function when an element is available, even before the DOM is ready.   | <a href="http://thunderguy.com/semicolon/2007/08/14/elementready-jquery-plugin/">http://thunderguy.com/semicolon/2007/08/14/elementready-jquery-plugin/</a>   | MIT  | <a href="http://www.opensource.org/licenses/mit-license.php">http://www.opensource.org/licenses/mit-license.php</a><br>(per email permission from author) |
| <b>jQuery Plugin: highlight</b>        | 4                | jQuery plugin to allow for highlighting specified text.  | <a href="http://johannburkard.de/blog/programming/javascript/highlight-javascript-text-highlighting-jquery-plugin.html">http://johannburkard.de/blog/programming/javascript/highlight-javascript-text-highlighting-jquery-plugin.html</a> | MIT  | <a href="http://jquery.org/license">http://jquery.org/license</a>   |
| <b>jQuery Plugin: hotkeys</b>          | 1                | Allows for easily adding/removing keyboard event handlers anywhere in your code.   | <a href="https://code.google.com/p/js-hotkeys/">https://code.google.com/p/js-hotkeys/</a>   | MIT  | <a href="http://jquery.org/license">http://jquery.org/license</a>   |
| <b>jQuery Plugin: hoverintent</b>      | r5               | hoverIntent is a plug-in that attempts to determine the user's intent... like a crystal ball, only with mouse movement!  | <a href="http://cherne.net/brian/resources/jquery.hoverIntent.html">http://cherne.net/brian/resources/jquery.hoverIntent.html</a>   | MIT  | <a href="http://www.opensource.org/licenses/mit-license.php">http://www.opensource.org/licenses/mit-license.php</a><br>(as per header code)               |
| <b>jQuery Plugin: hoverscroll</b>      | 0.2.4            | hoverscroll is a jQuery plugin for scrolling by hovering the mouse over it.  | <a href="https://github.com/RasCarlito/hoverscroll">https://github.com/RasCarlito/hoverscroll</a>   | Free Beer License v 1.02                   | <a href="http://rascarlito.free.fr/hoverscroll/">rascarlito.free.fr/hoverscroll/</a>  |
| <b>jQuery Plugin: iframe-transport</b> |                  | This <a href="#">jQuery</a> plugin implements an <code>&lt;iframe&gt;</code> <code>transport</code> so that <code>\$.ajax()</code> calls support the uploading of files using standard HTML file input fields. | <a href="http://cmlenz.github.io/jquery-iframe-transport/">http://cmlenz.github.io/jquery-iframe-transport/</a>   | GPL and MIT, MIT selected                  | <a href="http://www.opensource.org/licenses/mit-license.php">http://www.opensource.org/licenses/mit-license.php</a>                                       |
| <b>jQuery Plugin: jeditable</b>        | 1.7.2            | Inplace editor plugin for <a href="#">jQuery</a> .   | <a href="http://www.appelsiini.net/projects/jeditable">http://www.appelsiini.net/projects/jeditable</a>   | MIT  | <a href="http://www.opensource.org/licenses/mit-license.php">http://www.opensource.org/licenses/mit-license.php</a>                                       |
| <b>jQuery Plugin: json</b>             | 2.3              | Plugin to simplify the conversion from and to the JSON format.   | <a href="https://code.google.com/p/jquery-ison/">https://code.google.com/p/jquery-ison/</a>   | MIT  | <a href="http://www.opensource.org/licenses/mit-license.php">http://www.opensource.org/licenses/mit-license.php</a>                                       |

| Library Name                      | Version (if any) | Brief Description  | Project Page  | License                                       | Links to License Terms  |
|-----------------------------------|------------------|--|---|---|---|
| <b>jQuery Plugin: jsTree</b>      | 1.0-rc3          | jsTree is a javascript based, cross browser tree component. It is packaged as a jQuery plugin.   | <a href="http://www.jstree.com/">http://www.jstree.com/</a>   | Dual licensed under GPL and MIT, MIT selected | <a href="http://opensource.org/licenses/MIT">http://opensource.org/licenses/MIT</a>   |
| <b>jQuery Plugin: layout</b>      | 1.31             | Layout recreates the <a href="#">extJS border-layout</a> as a jQuery plug-in   | <a href="http://plugins.jquery.com/layout">http://plugins.jquery.com/layout</a>   | Dual licensed under GPL and MIT, MIT selected | <a href="http://layout.jquery-dev.com/index.cfm">http://layout.jquery-dev.com/index.cfm</a>   |
| <b>jQuery Plugin: nouslider</b>   | 2.5.4            | Slider plugin for jquery.  | <a href="http://refreshless.com/nouislider/">http://refreshless.com/nouislider/</a>                                       | WTF Public License v 2                        | <a href="http://www.wtfpl.net/about/">www.wtfpl.net/about/</a>  |
| <b>jQuery Plugin: showloading</b> | 1                | This plugin is designed to show a loading graphic over a specific area of the screen (e.g. a specific <div>) while an ajax request is running. | <a href="http://contextllc.com/tools/jquery-showLoading">http://contextllc.com/tools/jquery-showLoading</a>               | Dual licensed under GPL and MIT, MIT selected | <a href="http://www.opensource.org/licenses/mit-license.php">http://www.opensource.org/licenses/mit-license.php</a> (as per header notice)    |
| <b>jQuery Plugin: timepicker</b>  | 1.4.10           | A lightweight, customizable jQuery timepicker plugin inspired by Google Calendar.  | <a href="http://jonthornton.github.io/jquery-timepicker/">http://jonthornton.github.io/jquery-timepicker/</a>             | MIT   | <a href="https://github.com/jonthornton/jquery-timepicker">https://github.com/jonthornton/jquery-timepicker</a>                               |
| <b>jQuery Plugin: tiptip</b>      | 1.3              | TipTip detects the edges of the browser window and will make sure the tooltip stays within the current window size.                            | <a href="http://code.drewwilson.com/entry/tiptip-jquery-plugin">http://code.drewwilson.com/entry/tiptip-jquery-plugin</a> | Dual licensed under GPL and MIT, MIT selected | <a href="http://www.opensource.org/licenses/mit-license.php">http://www.opensource.org/licenses/mit-license.php</a>                           |
| <b>jQuery plugin: Watch</b>       | 2.0              | Watches elements for changes in the attributes defined and executes callback.  | <a href="https://github.com/darcyclarke/jquery-Watch-Plugin">https://github.com/darcyclarke/jquery-Watch-Plugin</a>       | MIT   | <a href="http://opensource.org/licenses/MIT">http://opensource.org/licenses/MIT</a>   |
| <b>jQuery Resizable Columns</b>   | 0.1.0            | Enables user to create resizeable columns for jQuery.  | <a href="https://github.com/dobtco/jquery-resizable-columns">https://github.com/dobtco/jquery-resizable-columns</a>       | MIT   | <a href="https://github.com/dobtco/jquery-resizable-columns#license">https://github.com/dobtco/jquery-resizable-columns#license</a>           |
| <b>jQuery Smart Banner</b>        |                  | This jQuery plugin bring the smart banner feature in IOS6 to older iOS versions, Android devices and for Windows Store apps.                   | <a href="https://github.com/jasny/jquery.smartbanner">https://github.com/jasny/jquery.smartbanner</a>                     | MIT   | <a href="https://github.com/jasny/jquery.smartbanner/blob/master/LICENSE">https://github.com/jasny/jquery.smartbanner/blob/master/LICENSE</a> |
| <b>jQuery UI</b>                  | 1.8.16<br>1.8.18 | Used to build highly interactive web apps on top of jQuery.  | <a href="http://jqueryui.com">http://jqueryui.com</a>   | MIT   | <a href="http://jquery.org/license">http://jquery.org/license</a>   |

| Library Name             | Version (if any) | Brief Description  | Project Page  | License                                       | Links to License Terms  |
|--------------------------|------------------|--|---|---|---|
| <b>jShrink</b>           | 0.4              | A Javascript minifier.   | <a href="https://github.com/tedivm/JShrink">https://github.com/tedivm/JShrink</a>   | BSD 3-Clause                                  | <a href="https://github.com/tedivm/JShrink/blob/master/LICENSE">https://github.com/tedivm/JShrink/blob/master/LICENSE</a>                                   |
| <b>Jsjpegmeta (Exif)</b> |                  | Parsing JPEG meta data (EXIF) in Javascript.   | <a href="https://github.com/bennoleslie/jsjpegmeta/blob/master/jpegmeta.js">https://github.com/bennoleslie/jsjpegmeta/blob/master/jpegmeta.js</a> | MIT   | <a href="https://github.com/bennoleslie/jsjpegmeta/blob/master/LICENSE">https://github.com/bennoleslie/jsjpegmeta/blob/master/LICENSE</a>                   |
| <b>JsTestDriver</b>      |                  | Remote javascript console.   | <a href="http://code.google.com/p/js-test-driver">http://code.google.com/p/js-test-driver</a>   | Apache 2.0                                    | <a href="http://www.apache.org/licenses/LICENSE-2.0">http://www.apache.org/licenses/LICENSE-2.0</a>   |
| <b>kvs-php</b>           |                  | PHP implements PHP functions in Javascript.  | <a href="http://php.org">http://php.org</a>   | MIT   | <a href="https://github.com/kvs/phpjs/blob/master/LICENSE">https://github.com/kvs/phpjs/blob/master/LICENSE</a>   |
| <b>Less-Leaner CSS</b>   | 1.3.3            | Less is a CSS pre-processor, meaning that it extends the CSS language, adding features that allow variables, mixins, functions and many other techniques that allow you to make CSS that is more maintainable, themable and extendable.<br><br>Less runs inside Node, in the browser and inside Rhino. There are also many 3rd party tools that allow you to compile your files and watch for changes. | <a href="https://github.com/less/less.js">https://github.com/less/less.js</a>   | Apache 2.0                                    | <a href="https://github.com/less/less.js/blob/master/LICENSE">https://github.com/less/less.js/blob/master/LICENSE</a>                                       |
| <b>LESSPHP</b>           | 1.7.0.2          | lessphp is a compiler for <u>LESS</u> written in PHP.  | <a href="http://lessphp.gpeasy.com/">http://lessphp.gpeasy.com/</a>   | Apache 2.0                                    | <a href="https://github.com/oyejorge/less.php/blob/master/LICENSE">https://github.com/oyejorge/less.php/blob/master/LICENSE</a>                             |
| <b>markItUp!</b>         | 1.1              | markItUp! Universal MarkUp Engine, JQuery plugin   | <a href="http://markitup.javalvat.com/home/">http://markitup.javalvat.com/home/</a>   | Dual licensed under GPL AND MIT, MIT selected | <a href="http://opensource.org/licenses/MIT">http://opensource.org/licenses/MIT</a>   |
| <b>Megapixel</b>         |                  | Fixes iOS6 Safari's image file rendering issue for large size image (over megapixel), which causes unexpected subsampling when drawing it in canvas. By using this library, you can safely render the image with proper stretching.  | <a href="https://github.com/stomita/ios-imagefile-megapixel">https://github.com/stomita/ios-imagefile-megapixel</a>                               | MIT   | <a href="https://github.com/stomita/ios-imagefile-megapixel/blob/master/LICENSE">https://github.com/stomita/ios-imagefile-megapixel/blob/master/LICENSE</a> |
| <b>Modernizr</b>         | 2.6.2            | Modernizr is a JavaScript library that detects HTML5 and CSS3 features in the user's browser.  | <a href="http://modernizr.com/">http://modernizr.com/</a>   | MIT   | <a href="http://modernizr.com/license">http://modernizr.com/license</a>   |

| Library Name             | Version (if any) | Brief Description   | Project Page  | License      | Links to License Terms  |
|--------------------------|------------------|---|---|--------------|---|
| <b>Moment.js</b>         | 2.5.1            | A javascript date library for parsing, validating, manipulating, and formatting dates.  | <a href="http://momentjs.com/">http://momentjs.com/</a>   | MIT          | <a href="http://momentjs.com/">http://momentjs.com/</a>   |
| <b>Moo Tools</b>         | 1.5.0            | MooTools is a compact, modular, Object-Oriented JavaScript framework designed for the intermediate to advanced JavaScript developer. It allows you to write powerful, flexible, and cross-browser code with its elegant, well documented, and coherent API. | <a href="http://mootools.net/">http://mootools.net/</a>   | MIT          | <a href="http://mootools.net/license.txt">http://mootools.net/license.txt</a>   |
| <b>Mousetrap</b>         | 1.4.6            | A simple library for handling keyboard shortcuts in Javascript.   | <a href="http://craig.is/killing/mice">http://craig.is/killing/mice</a>                                       | Apache 2.0   | <a href="https://github.com/ccampbell/mousetrap/blob/master/mousetrap.js">https://github.com/ccampbell/mousetrap/blob/master/mousetrap.js</a> |
| <b>Normalize</b>         |                  | A collection of HTML element and attribute style-normalizations.  | <a href="http://nicolas.github.io/normalize.css">http://nicolas.github.io/normalize.css</a>                   | MIT          | <a href="https://github.com/necolas/normalize.css/blob/master/LICENSE.md">https://github.com/necolas/normalize.css/blob/master/LICENSE.md</a> |
| <b>NProgress</b>         | 0.1.6            | A nanoscopic progress bar. Featuring realistic trickle animations to convince your users that something is happening!   | <a href="http://ricostacruz.com/nprogress/">http://ricostacruz.com/nprogress/</a>                             | MIT          | <a href="https://github.com/rstacruz/nprogress/blob/master/License.md">https://github.com/rstacruz/nprogress/blob/master/License.md</a>       |
| <b>ntlm_sasl_client</b>  |                  | Simple Authentication and Security Layer.   | <a href="http://www.phpclasses.org/browse/file/7495.html">http://www.phpclasses.org/browse/file/7495.html</a> | BSD 3-Clause | <a href="http://opensource.org/licenses/BSD-3-Clause">http://opensource.org/licenses/BSD-3-Clause</a>   |
| <b>NuSOAP</b>            | 0.9.5            | A set of PHP classes that allow developers to create and consume web services created by NuSphere Corporation and Dietrich Ayala.   | <a href="http://sourceforge.net/projects/nusoap/">http://sourceforge.net/projects/nusoap/</a>                 | LGPL 2.1     | <a href="http://www.gnu.org/licenses/lgpl-2.1.html">http://www.gnu.org/licenses/lgpl-2.1.html</a>   |
| <b>Nvd3</b>              | 0.0.1            | Re-usable charts for d3.js.   | <a href="https://github.com/novus/nvd3">https://github.com/novus/nvd3</a>                                     | Apache 2.0   | <a href="https://github.com/novus/nvd3/blob/master/LICENSE.md">https://github.com/novus/nvd3/blob/master/LICENSE.md</a>                       |
| <b>OAauth 2-php</b>      | 2.0              | A server implementation of OAuth 2.0 in PHP.  | <a href="https://github.com/quizlet/oauth2-php">https://github.com/quizlet/oauth2-php</a>                     | MIT          | <a href="https://github.com/quizlet/oauth2-php/blob/master/LICENSE.txt">https://github.com/quizlet/oauth2-php/blob/master/LICENSE.txt</a>     |
| <b>Onelogin php_SAML</b> | 2.2.0            | Simple SAML toolkit for PHP.  | <a href="https://github.com/onelogin/php-saml">https://github.com/onelogin/php-saml</a>                       | MIT          | <a href="https://github.com/onelogin/php-saml/blob/master/LICENSE">https://github.com/onelogin/php-saml/blob/master/LICENSE</a>               |
| <b>parsecsv.lib.php</b>  | 0.4.3            | A PHP class to read and write CSV data properly.  | <a href="http://code.google.com/p/parsecsv-for-php/">http://code.google.com/p/parsecsv-for-php/</a>           | MIT          | <a href="http://parsecsv-for-php.googlecode.com/svn/trunk/License.txt">http://parsecsv-for-php.googlecode.com/svn/trunk/License.txt</a>       |



| Library Name                     | Version (if any) | Brief Description   | Project Page  | License                 | Links to License Terms  |
|----------------------------------|------------------|---|---|-------------------------|---|
| PclZip                           | 2.4              | This library offers compression and extraction functions for Zip formatted archives by Vincent Blavet.  | <a href="http://www.phpconcept.net/pclzip/">http://www.phpconcept.net/pclzip/</a>   | LGPL 2.1                | <a href="http://www.gnu.org/licenses/lgpl-2.1.html">http://www.gnu.org/licenses/lgpl-2.1.html</a>                                 |
| PhantomJS - Jasmine XML          |                  | PhantomJS - Jasmine XML - Example Project Layout.   | <a href="https://github.com/detro/phantomis-jasminexml-example">https://github.com/detro/phantomis-jasminexml-example</a> | Public Domain           | <a href="https://github.com/detro/phantomis-jasminexml-example">https://github.com/detro/phantomis-jasminexml-example</a>         |
| PHP                              | 4.0              | PHP is a popular general-purpose scripting language that is especially suited to web development. Fast, flexible and pragmatic, PHP powers everything from your blog to the most popular websites in the world. | <a href="http://www.php.net/">http://www.php.net/</a>   | PHP 3.0                 | <a href="http://opensource.org/licenses/PHP-3.0">http://opensource.org/licenses/PHP-3.0</a>                                       |
| PHP.js                           | 3.25             | Brings high-level PHP functions to low-level JavaScript platforms.  | <a href="http://phpjs.org/">http://phpjs.org/</a>   | MIT                     | <a href="http://phpjs.org/about/">http://phpjs.org/about/</a>   |
| PHPMailer                        | 5.2.6            | A full featured email transfer class for PHP.   | <a href="http://sourceforge.net/projects/phpmailer/">http://sourceforge.net/projects/phpmailer/</a>                       | LGPL 2.1                | <a href="http://www.gnu.org/licenses/lgpl-2.1.html">http://www.gnu.org/licenses/lgpl-2.1.html</a>                                 |
| PHP SQL Parser                   |                  | A PHP SQL parser with no external dependencies.   | <a href="http://code.google.com/p/php-sql-parser/">http://code.google.com/p/php-sql-parser/</a>                           | BSD 3-Clause            | <a href="http://opensource.org/licenses/BSD-3-Clause">http://opensource.org/licenses/BSD-3-Clause</a>                             |
| Prettify                         |                  | A Javascript module and CSS file that allows syntax highlighting of source code snippets in an html page.   | <a href="https://code.google.com/p/google-code-prettify/">https://code.google.com/p/google-code-prettify/</a>             | Apache 2.0              | <a href="http://www.apache.org/licenses/LICENSE-2.0">http://www.apache.org/licenses/LICENSE-2.0</a>                               |
| PSR 3 – Logger Interface         |                  | Logger interface is a common interface for logging libraries.   | <a href="http://www.php.fig.org/psr/psr-3">http://www.php.fig.org/psr/psr-3</a>   | MIT                     | <a href="https://github.com/php/fig/log/blob/master/LICENSE">https://github.com/php/fig/log/blob/master/LICENSE</a>               |
| Raven.js (includes TrackJs)      | 1.1.11           | Raven.js is a standalone JavaScript client for <a href="#">Sentry</a> .   | <a href="https://github.com/getsentry/raven-js">https://github.com/getsentry/raven-js</a>                                 | BSD-2 Clause            | <a href="https://github.com/getsentry/raven-js/blob/master/LICENSE">https://github.com/getsentry/raven-js/blob/master/LICENSE</a> |
| reCAPTCHA                        | 1.11             | A free CAPTCHA service that helps to digitize books, newspapers and old time radio shows.   | <a href="http://recaptcha.net/">http://recaptcha.net/</a>   | Apache 2.0              | <a href="https://developers.google.com/recaptcha/intro">https://developers.google.com/recaptcha/intro</a>                         |
| Rbgcolor                         |                  | This is a class to parse color values.  | <a href="http://www.phpied.com/rgb-color-parser-in-javascript/">http://www.phpied.com/rgb-color-parser-in-javascript/</a> | Unrestricted use rights | <a href="http://www.phpied.com/rgb-color-parser-in-javascript/">http://www.phpied.com/rgb-color-parser-in-javascript/</a>         |
| Robert Penner's Easing Equations |                  | A collection of swappable functions that add flavor to motion.  | <a href="http://www.robertpenner.com/easing/">http://www.robertpenner.com/easing/</a>                                     | BSD 3-Clause            | <a href="http://www.robertpenner.com/easing_terms_of_use.html">http://www.robertpenner.com/easing_terms_of_use.html</a>           |

| Library Name | Version (if any)          | Brief Description  | Project Page  | License   | Links to License Terms  |
|--------------|---------------------------|--|---|---|---|
| Scrollfix    | 0.1                       | ScrollFix is a small script that <i>partially</i> works around the most common issue with using iOS's overflow: scroll for fullscreen web apps.                                      | <a href="https://github.com/joelambert/ScrollFix">https://github.com/joelambert/ScrollFix</a>           | MIT   | <a href="https://github.com/joelambert/ScrollFix">https://github.com/joelambert/ScrollFix</a>   |
| Select2      | 3.4.6                     | Select2 is a jQuery based replacement for select boxes. It supports searching, remote data sets, and infinite scrolling of results.  | <a href="http://ivaynberg.github.com/select2/">http://ivaynberg.github.com/select2/</a>                 | Dual licensed under GPL 2.0 and Apache 2.0, Apache 2.0 selected | <a href="http://www.apache.org/licenses/LICENSE-2.0">http://www.apache.org/licenses/LICENSE-2.0</a>                                     |
| Sinon        | 1.4.2                     | Standalone test spies, stubs and mocks for JavaScript.   | <a href="http://sinonjs.org/">http://sinonjs.org/</a>   | BSD 3-Clause  | <a href="https://github.com/cjohansen/Sinon.JS/blob/master/LICENSE">https://github.com/cjohansen/Sinon.JS/blob/master/LICENSE</a>       |
| Sinon        | 1.6.0                     | Standalone test spies, stubs and mocks for JavaScript.   | <a href="https://github.com/cjohansen/Sinon.JS">https://github.com/cjohansen/Sinon.JS</a>               | BSD 3-Clause  | <a href="https://github.com/cjohansen/Sinon.JS/blob/master/LICENSE">https://github.com/cjohansen/Sinon.JS/blob/master/LICENSE</a>       |
| Sizzle       |                           | A pure-JavaScript CSS selector engine designed to be easily dropped in to a host library.  | <a href="http://sizzlejs.com">http://sizzlejs.com</a>   | MIT   | <a href="http://www.opensource.org/licenses/mit-license.php">http://www.opensource.org/licenses/mit-license.php</a>                     |
| Sizzle       | Bundled with jQuery 1.9.1 | A pure-JavaScript CSS selector engine designed to be easily dropped in to a host library.  | <a href="http://sizzlejs.com">http://sizzlejs.com</a>   | MIT   | <a href="http://www.opensource.org/licenses/mit-license.php">http://www.opensource.org/licenses/mit-license.php</a>                     |
| Smarty       | 2.6.0                     | A template engine for PHP.   | <a href="http://www.smarty.net/">http://www.smarty.net/</a>   | LGPL 2.1  | <a href="http://www.gnu.org/licenses/lgpl-2.1.html">http://www.gnu.org/licenses/lgpl-2.1.html</a>                                       |
| StackBlur    | 0.5                       | This applies a blur effect to images using a particular algorithm.   | <a href="http://www.quasimondo.com/StackBlurForCanvas">http://www.quasimondo.com/StackBlurForCanvas</a> | MIT   | <a href="http://www.quasimondo.com/StackBlurForCanvas/StackBlur.js">http://www.quasimondo.com/StackBlurForCanvas/StackBlur.js</a>       |
| Stash        |                           | A JavaScript offline storage library.  | <a href="http://rezitech.github.io/stash/">http://rezitech.github.io/stash/</a>                         | Dual license: MIT/ GPL 2.0, MIT selected                        | <a href="http://rezitech.github.io/stash/#license">http://rezitech.github.io/stash/#license</a>   |
| Store        |                           | Store.js uses localStorage when available, and falls back on the userData behavior in IE6 and IE7. No flash to slow down your page load. No cookies to fatten your network requests. | <a href="https://github.com/marcuswestin/store.js/">https://github.com/marcuswestin/store.js/</a>       | MIT   | <a href="https://github.com/marcuswestin/store.js/blob/master/LICENSE">https://github.com/marcuswestin/store.js/blob/master/LICENSE</a> |
| SWFObject    | 1.5                       | Javascript Flash Player detection and embed script.  | <a href="http://blog.deconcept.com/swfobject">http://blog.deconcept.com/swfobject</a>                   | MIT   | <a href="http://www.opensource.org/licenses/mit-license.php">http://www.opensource.org/licenses/mit-license.php</a>                     |

| Library Name                      | Version (if any)        | Brief Description  | Project Page  | License   | Links to License Terms  |
|-----------------------------------|-------------------------|--|---|---|---|
| <b>Symfony Security Component</b> | 2.7.1                   | A component that provides a class CsrfTokenManager for generating and validating CSRF tokens.  | <a href="https://github.com/symfony/security-csrf">https://github.com/symfony/security-csrf</a>                               | MIT   | <a href="https://github.com/symfony/security-csrf/blob/master/LICENSE">https://github.com/symfony/security-csrf/blob/master/LICENSE</a> |
| <b>TCPDF</b>                      | 4.6.013                 | A PHP class for generating PDF documents.  | <a href="http://www.tcpdf.org/">http://www.tcpdf.org/</a>   | LGPL 2.1  | <a href="http://www.gnu.org/licenses/lgpl-2.1.html">http://www.gnu.org/licenses/lgpl-2.1.html</a>                                       |
| <b>TinyMCE</b>                    | 3.5.8                   | A WYSIWYG editor control for web browsers that enables the user to edit HTML contents.   | <a href="http://wiki.moxiecode.com/index.php/TinyMCE:Index">http://wiki.moxiecode.com/index.php/TinyMCE:Index</a>             | LGPL 2.1  | <a href="http://www.tinymce.com/wiki.php/TinyMCE3x:License">http://www.tinymce.com/wiki.php/TinyMCE3x:License</a>                       |
| <b>TraceKit</b>                   |                         | TraceKit provides cross browser stack traces.  | <a href="https://github.com/getsentry/TraceKit">https://github.com/getsentry/TraceKit</a>                                     | MIT   | <a href="https://github.com/getsentry/TraceKit">https://github.com/getsentry/TraceKit</a>   |
| <b>True Type Fonts</b>            |                         | True type fonts.   | <a href="http://www.monotype.com/">http://www.monotype.com/</a>   | Apache 2.0  | <a href="http://www.apache.org/licenses/LICENSE-2.0">http://www.apache.org/licenses/LICENSE-2.0</a>                                     |
| <b>Twitterbootstrap</b>           | 2.0.4                   | Front-end framework for faster web development.  | <a href="http://twitter.github.io/bootstrap/">http://twitter.github.io/bootstrap/</a>   | MIT   | <a href="https://github.com/twitter/bootstrap/blob/master/LICENSE">https://github.com/twitter/bootstrap/blob/master/LICENSE</a>         |
| <b>Underscore</b>                 | 1.3.3<br>1.4.4<br>1.6.0 | Underscore is a utility-belt library for JavaScript that provides a lot of the functional programming support that you would expect in Prototype.js (or Ruby), but without extending any of the built-in JavaScript objects. | <a href="http://documentcloud.github.com/underscore">http://documentcloud.github.com/underscore</a>                           | MIT   | <a href="https://github.com/jashkenas/underscore/blob/master/LICENSE">https://github.com/jashkenas/underscore/blob/master/LICENSE</a>   |
| <b>W3C Test Suite</b>             |                         | Provides a framework for writing test cases.   | <a href="http://www.w3.org/">http://www.w3.org/</a>   | W3C Test Suite License, or W3C 3-clause BSD License, BSD Selected | <a href="http://www.w3.org/Consortium/Legal/2008/03-bsd-license">http://www.w3.org/Consortium/Legal/2008/03-bsd-license</a>             |
| <b>WebDAV_Server</b>              | 0.99.1                  | A WebDAV Server Implementation in PHP.   | <a href="http://pear.php.net/package/HTTP_WebDAV_Server">http://pear.php.net/package/HTTP_WebDAV_Server</a>                   | PHP 3.0   | <a href="http://www.php.net/license/3_0.txt">http://www.php.net/license/3_0.txt</a>   |
| <b>WebFX PNG Behavior</b>         | 1.02                    | This behavior adds support for the most powerful raster graphic format available to Internet Explorer.   | <a href="http://webfx.eae.net/dhtml/pngbehavior/pngbehavior.html">http://webfx.eae.net/dhtml/pngbehavior/pngbehavior.html</a> | Apache 2.0  | <a href="http://webfx.eae.net/license.html">http://webfx.eae.net/license.html</a>   |
| <b>WICK</b>                       | 0.1                     | This is <u>WICK, the Web Input Completion Kit</u> , an evolving framework that leverages web standards such as JavaScript, DOM and CSS to facilitate textual input in form UI elements assisted by local and remote data     | <a href="http://wick.sourceforge.net/">http://wick.sourceforge.net/</a>   | BSD 3-Clause  | <a href="http://opensource.org/licenses/BSD-3-Clause">http://opensource.org/licenses/BSD-3-Clause</a>                                   |

| Library Name                             | Version (if any) | Brief Description  | Project Page  | License  | Links to License Terms   |
|--|------------------|--|---|--|--|
|  |                  | sources. This framework strives to remain unobtrusive and preserve a form's semantics and accessibility.               |   |  |  |
| XHProf                                   |                  | XHProf is a function-level hierarchical profiler for PHP and has a simple HTML based user interface.                   | <a href="https://github.com/phacility/xhprof">https://github.com/phacility/xhprof</a>             | Apache 2.0   | <a href="https://github.com/phacility/xhprof/blob/master/LICENSE">https://github.com/phacility/xhprof/blob/master/LICENSE</a>  |
| XML_HTMLSax3                             | 3.0.0            | A SAX parser for HTML and other badly formed XML documents.  | <a href="http://pear.php.net/package/XML_HTMLSax3/">http://pear.php.net/package/XML_HTMLSax3/</a> | PHP 3.0  | <a href="http://www.php.net/license/3_0.txt">http://www.php.net/license/3_0.txt</a>  |
| XMLseclibs.php                           | 1.2.2            | xmlseclibs is a library written in PHP for working with XML Encryption and Signatures.                                 | <a href="http://code.google.com/p/xmlseclibs/">http://code.google.com/p/xmlseclibs/</a>           | BSD 3-Clause   | <a href="http://opensource.org/licenses/BSD-3-Clause">http://opensource.org/licenses/BSD-3-Clause</a>  |
| XRegExp                                  | 1.5.1            | XRegExp is an open source (MIT License) JavaScript library that provides augmented and extensible regular expressions. | <a href="http://xregexp.com/">http://xregexp.com/</a>   | MIT  | <a href="http://mit-license.org/">http://mit-license.org/</a>  |
| XTemplate                                | 2.4.3            | A template engine for PHP created by Barnabás Debrecei.  | <a href="http://sourceforge.net/projects/xtpl">http://sourceforge.net/projects/xtpl</a>           | BSD, LGPL AND GPL; BSD SELECTED BUT NOT CLEAR WHETHER 2-CLAUSE OR 3-CLAUSE | <a href="http://opensource.org/licenses/BSD-2-Clause">http://opensource.org/licenses/BSD-2-Clause</a> or <a href="http://opensource.org/licenses/BSD-3-Clause">http://opensource.org/licenses/BSD-3-Clause</a> |
| Yahoo TreeView UI Library Widget         |                  | YUI is a free, open source JavaScript and CSS library for building richly interactive web applications.                | <a href="http://yuilib.com/">http://yuilib.com/</a>   | BSD 3-Clause   | <a href="http://yuilib.com/license/">http://yuilib.com/license/</a>  |
| Yahoo! User Interface Library            | 2.9.0            | The UI Library Utilities facilitate the implementation of rich client-side features.                                   | <a href="http://developer.yahoo.net/yui/">http://developer.yahoo.net/yui/</a>                     | BSD 3-Clause   | <a href="http://yuilib.com/license/">http://yuilib.com/license/</a>  |
| Yahoo! User Interface Extensions Library | 0.33             | Extensions to the Yahoo! User Interface Library by Jack Slocum.  | <a href="http://yuilib.com/yui/quick-start/">http://yuilib.com/yui/quick-start/</a>               | BSD 3-Clause   | <a href="http://yuilib.com/license/">http://yuilib.com/license/</a>  |
| Yahoo! UI Library 3                      | 3.15             | JavaScript and CSS frameworks for building richly interactive web applications.  | <a href="http://yuilib.com/">http://yuilib.com/</a>   | BSD 3-Clause   | <a href="https://yuilib.com/license/">https://yuilib.com/license/</a>  |
| Zend Framework                           | 1.10.8           | PHP application stack.   | <a href="http://framework.zend.com/">http://framework.zend.com/</a>                               | BSD 3-Clause   | <a href="http://framework.zend.com/license">http://framework.zend.com/license</a>  |

| Library Name          | Version (if any) | Brief Description  | Project Page  | License | Links to License Terms  |
|-----------------------|------------------|--|---|---------|---|
| <b>Zepto</b>          | 1.0rc1<br>1.1.2  | Zepto is a minimalist JavaScript library for modern browsers with a largely jQuery-compatible API.                 | <a href="http://zeptojs.com/">http://zeptojs.com/</a>                             | MIT     | <a href="https://github.com/madrobby/zepto/blob/master/MIT-LICENSE">https://github.com/madrobby/zepto/blob/master/MIT-LICENSE</a> |
| <b>Zynga</b>          |                  | A pure logic component for scrolling/zooming. It is independent of any specific kind of rendering or event system. | <a href="https://github.com/zynga/scroller">https://github.com/zynga/scroller</a> | MIT     | <a href="https://github.com/zynga/scroller/blob/master/LICENSE.txt">https://github.com/zynga/scroller/blob/master/LICENSE.txt</a> |
| <b>Zynga Scroller</b> |                  | Accelerated panning and zooming for HTML and Canvas  | <a href="https://github.com/zynga/scroller">https://github.com/zynga/scroller</a> | MIT     | <a href="https://github.com/zynga/scroller/blob/master/LICENSE.txt">https://github.com/zynga/scroller/blob/master/LICENSE.txt</a> |

## Third Party Notices

### Sugar 7.6.2.1 and 7.6.2.2

| License Type       | Names and Copyright Notices   | License (full text)  |
|--------------------|---|--|
| Adobe Font License | Adobe Font Metrics for PDF Core 14 Fonts, (c) 1989, 1990, 1991, 1993, 1997 Adobe Systems Incorporated   | This file and the 14 PostScript(R) AFM files it accompanies may be used, copied, and distributed for any purpose and without charge, with or without modification, provided that all copyright notices are retained; that the AFM files are not distributed without this file; that all modifications to this file or any of the AFM files are prominently noted in the modified file(s); and that this paragraph is not modified. Adobe Systems has no responsibility or obligation to support the use of the AFM files.  |
| Apache 2.0         | Bootstrap, (c) 2012 Twitter, Inc.<br>Bootstrap-colorpicker, (c) 2012 Stefan Petre<br>Bootstrap-datepicker, (c) 2012 Stefan Petre<br>Bootstrapx Clickover, (c) 2012 Lee Carmichael<br>CMIS PHP Client Programming Library, (c) 2010 The Apache Software Foundation<br>Crosstab, (c) Tom Jacques<br>Facebook-php-sdk, (c) 2011 Facebook, Inc.<br>Google Data APIs, (c) Google Corporation<br>Google PHP Client, (c) Google Corporation<br>JsTestDriver, (c) 2001-2007 The Apache Software Foundation<br>Less-Leaner CSS, (c) 2009-2013, Alexis Sellier<br>Less.php (c) Matt Agar and <a href="#">Martin Jantošovič</a><br>Mousetrap, (c) 2013 Craig Campbell<br>Nvd3, (c) 2011, 2012 Novus Partners, Inc.<br>❖ Modifications made by SugarCRM Inc.<br>Prettify, (c) 2006 Google Inc.<br>Select2, (c) 2012 Igor Vaynberg<br>True Type Fonts, (c) 2010-2011 Google Corporation.<br>Twitterbootstrap, (c) 2011-2014 Twitter, Inc.<br>WebFX PNG Behavior, (c) 2002-2004 Erik Arvidsson<br>XHProf, (c) 2009 Facebook | <p><b>Apache License</b><br/> <b>Version 2.0, January 2004</b><br/> <a href="http://www.apache.org/licenses/">http://www.apache.org/licenses/</a></p> <p><b>TERMS AND CONDITIONS FOR USE, REPRODUCTION, AND DISTRIBUTION</b></p> <p><b>1. Definitions.</b><br/> "License" shall mean the terms and conditions for use, reproduction, and distribution as defined by Sections 1 through 9 of this document.<br/> "Licensors" shall mean the copyright owner or entity authorized by the copyright owner that is granting the License.<br/> "Legal Entity" shall mean the union of the acting entity and all other entities that control, are controlled by, or are under common control with that entity. For the purposes of this definition, "control" means (i) the power, direct or indirect, to cause the direction or management of such entity, whether by contract or otherwise, or (ii) ownership of fifty percent (50%) or more of the outstanding shares, or (iii) beneficial ownership of such entity.<br/> "You" (or "Your") shall mean an individual or Legal Entity exercising permissions granted by this License.<br/> "Source" form shall mean the preferred form for making modifications, including but not limited to software source code, documentation source, and configuration files.<br/> "Object" form shall mean any form resulting from mechanical transformation or translation of a Source form, including but not limited to compiled object code, generated documentation, and conversions to other media types.<br/> "Work" shall mean the work of authorship, whether in Source or Object form, made available under the License, as indicated by a copyright notice that is included in or attached to the work (an example is provided in the Appendix below).<br/> "Derivative Works" shall mean any work, whether in Source or Object form, that is based on (or derived from) the Work and for which the editorial revisions, annotations, elaborations, or other modifications represent, as a whole, an original work of authorship. For the purposes of this License, Derivative Works shall not include works that remain separable from, or merely link (or bind by name) to the interfaces of, the Work and Derivative Works thereof.<br/> "Contribution" shall mean any work of authorship, including the original version of the Work and any modifications or additions to that Work or Derivative Works thereof, that is intentionally submitted to Licensor for inclusion in the Work by the copyright owner or by an individual or Legal Entity authorized to submit on behalf of the copyright owner. For the purposes of this definition, "submitted" means any form of electronic, verbal, or written communication sent to the Licensor or its representatives, including but not limited to communication on electronic mailing lists, source code control systems, and issue tracking systems that are managed by, or on behalf of, the Licensor for the purpose of discussing and improving the Work, but excluding communication that is conspicuously marked or otherwise designated in writing by the copyright owner as "Not a Contribution."<br/> "Contributor" shall mean Licensor and any individual or Legal Entity on behalf of whom a Contribution has been received by Licensor and subsequently incorporated within the Work.</p> <p><b>2. Grant of Copyright License.</b> Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable copyright license to reproduce, prepare Derivative Works of, publicly display, publicly perform, sublicense, and distribute the Work and such Derivative Works in Source or Object form.</p> <p><b>3. Grant of Patent License.</b> Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable (except as stated in this section) patent license to make, have made, use, offer to sell, sell, import, and otherwise transfer the Work, where such license applies only to those patent claims licensable by such Contributor that are necessarily infringed by their Contribution(s) alone or by combination of their Contribution(s) with the Work to which such Contribution(s) was submitted. If You institute patent litigation against any entity (including a cross-claim or counterclaim in a lawsuit) alleging that the Work or a Contribution incorporated within the Work constitutes direct or contributory patent infringement, then any patent licenses granted to You under this License for that Work shall terminate as of the date such litigation is filed.</p> |

| License Type        | Names and Copyright Notices   | License (full text)   |
|---------------------|---|---|
|                     |   | <p><b>4. Redistribution.</b> You may reproduce and distribute copies of the Work or Derivative Works thereof in any medium, with or without modifications, and in Source or Object form, provided that You meet the following conditions:</p> <ol style="list-style-type: none"> <li>a. You must give any other recipients of the Work or Derivative Works a copy of this License; and</li> <li>b. You must cause any modified files to carry prominent notices stating that You changed the files; and</li> <li>c. You must retain, in the Source form of any Derivative Works that You distribute, all copyright, patent, trademark, and attribution notices from the Source form of the Work, excluding those notices that do not pertain to any part of the Derivative Works; and</li> <li>d. If the Work includes a "NOTICE" text file as part of its distribution, then any Derivative Works that You distribute must include a readable copy of the attribution notices contained within such NOTICE file, excluding those notices that do not pertain to any part of the Derivative Works, in at least one of the following places: within a NOTICE text file distributed as part of the Derivative Works; within the Source form or documentation, if provided along with the Derivative Works; or, within a display generated by the Derivative Works, if and wherever such third-party notices normally appear. The contents of the NOTICE file are for informational purposes only and do not modify the License. You may add Your own attribution notices within Derivative Works that You distribute, alongside or as an addendum to the NOTICE text from the Work, provided that such additional attribution notices cannot be construed as modifying the License.</li> </ol> <p>You may add Your own copyright statement to Your modifications and may provide additional or different license terms and conditions for use, reproduction, or distribution of Your modifications, or for any such Derivative Works as a whole, provided Your use, reproduction, and distribution of the Work otherwise complies with the conditions stated in this License.</p> <p><b>5. Submission of Contributions.</b> Unless You explicitly state otherwise, any Contribution intentionally submitted for inclusion in the Work by You to the Licensor shall be under the terms and conditions of this License, without any additional terms or conditions. Notwithstanding the above, nothing herein shall supersede or modify the terms of any separate license agreement you may have executed with Licensor regarding such Contributions.</p> <p><b>6. Trademarks.</b> This License does not grant permission to use the trade names, trademarks, service marks, or product names of the Licensor, except as required for reasonable and customary use in describing the origin of the Work and reproducing the content of the NOTICE file.</p> <p><b>7. Disclaimer of Warranty.</b> Unless required by applicable law or agreed to in writing, Licensor provides the Work (and each Contributor provides its Contributions) on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied, including, without limitation, any warranties or conditions of TITLE, NON-INFRINGEMENT, MERCHANTABILITY, or FITNESS FOR A PARTICULAR PURPOSE. You are solely responsible for determining the appropriateness of using or redistributing the Work and assume any risks associated with Your exercise of permissions under this License.</p> <p><b>8. Limitation of Liability.</b> In no event and under no legal theory, whether in tort (including negligence), contract, or otherwise, unless required by applicable law (such as deliberate and grossly negligent acts) or agreed to in writing, shall any Contributor be liable to You for damages, including any direct, indirect, special, incidental, or consequential damages of any character arising as a result of this License or out of the use or inability to use the Work (including but not limited to damages for loss of goodwill, work stoppage, computer failure or malfunction, or any and all other commercial damages or losses), even if such Contributor has been advised of the possibility of such damages.</p> <p><b>9. Accepting Warranty or Additional Liability.</b> While redistributing the Work or Derivative Works thereof, You may choose to offer, and charge a fee for, acceptance of support, warranty, indemnity, or other liability obligations and/or rights consistent with this License. However, in accepting such obligations, You may act only on Your own behalf and on Your sole responsibility, not on behalf of any other Contributor, and only if You agree to indemnify, defend, and hold each Contributor harmless for any liability incurred by, or claims asserted against, such Contributor by reason of your accepting any such warranty or additional liability.</p> <p>END OF TERMS AND CONDITIONS</p> |
| <b>BSD 2-Clause</b> | Raven, (c) 2014 Matt Robenolt and other contributors  | <p>Redistribution and use in source and binary forms, with or without modification, are permitted provided that the following conditions are met:</p> <p>* Redistributions of source code must retain the above copyright notice, this list of conditions and the following disclaimer.</p> <p>* Redistributions in binary form must reproduce the above copyright notice, this list of conditions and the following disclaimer in the documentation and/or other materials provided with the distribution.</p>   |
| <b>BSD 3-Clause</b> | Antlr, (c) 2005-2006 Terence Parr<br>D3, (c) 2010-2014, Michael Bostock<br>Firebug, (c) 2007 Parakey Inc.<br>Jit, (c) 2010 Nicolas Garcia Belmonte<br>jQuery Plugin: datatable, (c) 2008-2012 Allan Jardine<br>jShrink, (c) 2009-2012 Robert Hafner | <p>All rights reserved.</p> <p>Redistribution and use in source and binary forms, with or without modification, are permitted provided that the following conditions are met:</p> <ol style="list-style-type: none"> <li>1. Redistributions of source code must retain the above copyright notice, this list of conditions and the following disclaimer.</li> </ol>   |

| License Type                  | Names and Copyright Notices   | License (full text)  |
|-------------------------------|---|--|
|                               | ntlm_sasl_client, (c) 2005 Manuel Lemos<br>Robert Penner's Easing Equations, (c) 2001 Robert Penner<br>Sinon, (c) 2010-2012, Christian Johansen<br>Sinon, (c) 2010-2013 Christian Johansen<br>W3C Test Suite, (c) 2011 CSS Working Group<br>WebDAV_Server, (c) 2001-2014 The PHP Group<br>XMLseclibs.php, (c) 2007 Robert Richards<br>Xtemplate, (c) 2011-2014 Jeremy Coates<br>Yahoo TreeView UI Library Widget, (c) 2006, Yahoo! Inc.<br>Yahoo! User Interface Library, (c) 2011 Yahoo! Inc.<br>Yahoo! User Interface Extensions Library, (c) 2009 Yahoo! Inc.<br>Yahoo! UI Library 3, (c) 2006-2010 Yahoo! Inc.<br>WICK, (c) 2004 Christopher T. Holland<br>Zend Framework, (c) 2005-2014, Zend Technologies USA, Inc. | <ol style="list-style-type: none"> <li>2. Redistributions in binary form must reproduce the above copyright notice, this list of conditions and the following disclaimer in the documentation and/or other materials provided with the distribution.</li> <li>3. Neither the name of the copyright holder nor the names of its contributors may be used to endorse or promote products derived from this software without specific prior written permission.</li> </ol> <p>THIS SOFTWARE IS PROVIDED BY THE COPYRIGHT HOLDERS AND CONTRIBUTORS "AS IS" AND ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL THE COPYRIGHT HOLDER OR CONTRIBUTORS BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.</p>   |
| <b>Free Beer License 1.02</b> | jQuery Plugin: hoverscroll, (c) 2010 RasCarlito   | <p>The free beer license is a license to give free software to you and free beer (in)to the author(s).</p> <p>Your rights are :</p> <ol style="list-style-type: none"> <li>0. You can use this piece of software in any way you like.</li> <li>1. You can redistribute this piece of software in source form or in compiled form.</li> <li>2. You can alter the source to your needs and redistribute the altered source in source form or in compiled form.</li> </ol> <p>However :</p> <ol style="list-style-type: none"> <li>0. This program is provided without warranty of any kind. So, if it breaks anything, for example itself, it is up to you.</li> <li>1. If you redistribute this piece of software, you are not allowed to charge money for this piece of software itself.</li> <li>2. If you redistribute this piece of software in binary form, you must supply the source code as well.</li> <li>3. If you redistribute this software, modified or not, you must redistribute it under this license and you must include the name of the original author(s) and you must point out where the original source can be obtained.</li> <li>4. If you use this piece of software frequently, and you think it is worth a couple of euros, you are not allowed to send the author anything else than beer or means that provide facilities to get beer into the author(s) (i.e. openers, glasses).</li> </ol> |
| <b>GPL 2.0</b>                | Html2Text (c) 2005-2007 Jon Abernathy   | <p><b>GNU GENERAL PUBLIC LICENSE</b><br/>Version 2, June 1991</p> <p>Copyright (C) 1989, 1991 Free Software Foundation, Inc.<br/>51 Franklin Street, Fifth Floor, Boston, MA 02110-1301, USA</p> <p>Everyone is permitted to copy and distribute verbatim copies of this license document, but changing it is not allowed.</p> <p><b>Preamble</b></p> <p>The licenses for most software are designed to take away your freedom to share and change it. By contrast, the GNU General Public License is intended to guarantee your freedom to share and change free software--to make sure the software is free for all its users. This General Public License applies to most of the Free Software Foundation's software and to any other program whose authors commit to using it. (Some other Free Software Foundation software is covered by the GNU Lesser General Public License instead.) You can apply it to your programs, too.</p> <p>When we speak of free software, we are referring to freedom, not price. Our General Public Licenses are designed to make sure that you have the freedom to distribute copies of free software (and charge for this service if you wish), that you receive source code or can get it if you want it, that you can change the software or use pieces of it in new free programs; and that you know you can do these things.</p>  |



| License Type | Names and Copyright Notices | License (full text)   |
|--------------|-----------------------------|---|
|              |                             | <p>To protect your rights, we need to make restrictions that forbid anyone to deny you these rights or to ask you to surrender the rights. These restrictions translate to certain responsibilities for you if you distribute copies of the software, or if you modify it.</p> <p>For example, if you distribute copies of such a program, whether gratis or for a fee, you must give the recipients all the rights that you have. You must make sure that they, too, receive or can get the source code. And you must show them these terms so they know their rights.</p> <p>We protect your rights with two steps: (1) copyright the software, and (2) offer you this license which gives you legal permission to copy, distribute and/or modify the software.</p> <p>Also, for each author's protection and ours, we want to make certain that everyone understands that there is no warranty for this free software. If the software is modified by someone else and passed on, we want its recipients to know that what they have is not the original, so that any problems introduced by others will not reflect on the original authors' reputations.</p> <p>Finally, any free program is threatened constantly by software patents. We wish to avoid the danger that redistributors of a free program will individually obtain patent licenses, in effect making the program proprietary. To prevent this, we have made it clear that any patent must be licensed for everyone's free use or not licensed at all. The precise terms and conditions for copying, distribution and modification follow.</p> <p><b>TERMS AND CONDITIONS FOR COPYING, DISTRIBUTION AND MODIFICATION</b></p> <p>0. This License applies to any program or other work which contains a notice placed by the copyright holder saying it may be distributed under the terms of this General Public License. The "Program", below, refers to any such program or work, and a "work based on the Program" means either the Program or any derivative work under copyright law: that is to say, a work containing the Program or a portion of it, either verbatim or with modifications and/or translated into another language. (Hereinafter, translation is included without limitation in the term "modification".) Each licensee is addressed as "you".</p> <p>Activities other than copying, distribution and modification are not covered by this License; they are outside its scope. The act of running the Program is not restricted, and the output from the Program is covered only if its contents constitute a work based on the Program (independent of having been made by running the Program). Whether that is true depends on what the Program does.</p> <p>1. You may copy and distribute verbatim copies of the Program's source code as you receive it, in any medium, provided that you conspicuously and appropriately publish on each copy an appropriate copyright notice and disclaimer of warranty; keep intact all the notices that refer to this License and to the absence of any warranty; and give any other recipients of the Program a copy of this License along with the Program.<br/>You may charge a fee for the physical act of transferring a copy, and you may at your option offer warranty protection in exchange for a fee.</p> <p>2. You may modify your copy or copies of the Program or any portion of it, thus forming a work based on the Program, and copy and distribute such modifications or work under the terms of Section 1 above, provided that you also meet all of these conditions:</p> <ul style="list-style-type: none"> <li>a) You must cause the modified files to carry prominent notices stating that you changed the files and the date of any change.</li> <li>b) You must cause any work that you distribute or publish, that in whole or in part contains or is derived from the Program or any part thereof, to be licensed as a whole at no charge to all third parties under the terms of this License.</li> <li>c) If the modified program normally reads commands interactively when run, you must cause it, when started running for such interactive use in the most ordinary way, to print or display an announcement including an appropriate copyright notice and a notice that there is no warranty (or else, saying that you provide a warranty) and that users may redistribute the program under these conditions, and telling the user how to view a copy of this License. (Exception: if the Program itself is interactive but does not normally print such an announcement, your work based on the Program is not required to print an announcement.)</li> </ul> <p>These requirements apply to the modified work as a whole. If identifiable sections of that work are not derived from the Program, and can be reasonably considered independent and separate works in themselves, then this License, and its terms, do not apply to those sections when you distribute them as separate works. But when you distribute the same sections as part of a whole which is a work based on the Program, the distribution of the whole must be on the terms of this License, whose permissions for other licensees extend to the entire whole, and thus to each and every part regardless of who wrote it.</p> <p>Thus, it is not the intent of this section to claim rights or contest your rights to work written entirely by you; rather, the intent is to exercise the right to control the distribution of derivative or collective works based on the Program.</p> <p>In addition, mere aggregation of another work not based on the Program with the Program (or with a work based on the Program) on a volume of a storage or distribution medium does not bring the other work under the scope of this License.</p> |

| License Type | Names and Copyright Notices | License (full text)   |
|--------------|-----------------------------|---|
|              |                             | <p>3. You may copy and distribute the Program (or a work based on it, under Section 2) in object code or executable form under the terms of Sections 1 and 2 above provided that you also do one of the following:</p> <ul style="list-style-type: none"> <li>a) Accompany it with the complete corresponding machine-readable source code, which must be distributed under the terms of Sections 1 and 2 above on a medium customarily used for software interchange; or,</li> <li>b) Accompany it with a written offer, valid for at least three years, to give any third party, for a charge no more than your cost of physically performing source distribution, a complete machine-readable copy of the corresponding source code, to be distributed under the terms of Sections 1 and 2 above on a medium customarily used for software interchange; or,</li> <li>c) Accompany it with the information you received as to the offer to distribute corresponding source code. (This alternative is allowed only for noncommercial distribution and only if you received the program in object code or executable form with such an offer, in accord with Subsection b above.)</li> </ul> <p>The source code for a work means the preferred form of the work for making modifications to it. For an executable work, complete source code means all the source code for all modules it contains, plus any associated interface definition files, plus the scripts used to control compilation and installation of the executable. However, as a special exception, the source code distributed need not include anything that is normally distributed (in either source or binary form) with the major components (compiler, kernel, and so on) of the operating system on which the executable runs, unless that component itself accompanies the executable.</p> <p>If distribution of executable or object code is made by offering access to copy from a designated place, then offering equivalent access to copy the source code from the same place counts as distribution of the source code, even though third parties are not compelled to copy the source along with the object code.</p> <p>4. You may not copy, modify, sublicense, or distribute the Program except as expressly provided under this License. Any attempt otherwise to copy, modify, sublicense or distribute the Program is void, and will automatically terminate your rights under this License. However, parties who have received copies, or rights, from you under this License will not have their licenses terminated so long as such parties remain in full compliance.</p> <p>5. You are not required to accept this License, since you have not signed it. However, nothing else grants you permission to modify or distribute the Program or its derivative works. These actions are prohibited by law if you do not accept this License. Therefore, by modifying or distributing the Program (or any work based on the Program), you indicate your acceptance of this License to do so, and all its terms and conditions for copying, distributing or modifying the Program or works based on it.</p> <p>6. Each time you redistribute the Program (or any work based on the Program), the recipient automatically receives a license from the original licensor to copy, distribute or modify the Program subject to these terms and conditions. You may not impose any further restrictions on the recipients' exercise of the rights granted herein. You are not responsible for enforcing compliance by third parties to this License.</p> <p>7. If, as a consequence of a court judgment or allegation of patent infringement or for any other reason (not limited to patent issues), conditions are imposed on you (whether by court order, agreement or otherwise) that contradict the conditions of this License, they do not excuse you from the conditions of this License. If you cannot distribute so as to satisfy simultaneously your obligations under this License and any other pertinent obligations, then as a consequence you may not distribute the Program at all. For example, if a patent license would not permit royalty-free redistribution of the Program by all those who receive copies directly or indirectly through you, then the only way you could satisfy both it and this License would be to refrain entirely from distribution of the Program.</p> <p>If any portion of this section is held invalid or unenforceable under any particular circumstance, the balance of the section is intended to apply and the section as a whole is intended to apply in other circumstances.</p> <p>It is not the purpose of this section to induce you to infringe any patents or other property right claims or to contest validity of any such claims; this section has the sole purpose of protecting the integrity of the free software distribution system, which is implemented by public license practices. Many people have made generous contributions to the wide range of software distributed through that system in reliance on consistent application of that system; it is up to the author/donor to decide if he or she is willing to distribute software through any other system and a licensee cannot impose that choice.</p> <p>This section is intended to make thoroughly clear what is believed to be a consequence of the rest of this License.</p> <p>8. If the distribution and/or use of the Program is restricted in certain countries either by patents or by copyrighted interfaces, the original copyright holder who places the Program under this License may add an explicit geographical distribution limitation excluding those countries, so that distribution is permitted only in or among countries not thus excluded. In such case, this License incorporates the limitation as if written in the body of this License.</p> <p>9. The Free Software Foundation may publish revised and/or new versions of the General Public License from time to time. Such new versions will be similar in spirit to the present version, but may differ in detail to address new problems or concerns.</p> |

| License Type | Names and Copyright Notices | License (full text)  |
|--------------|-----------------------------|--|
|              |                             | <p>Each version is given a distinguishing version number. If the Program specifies a version number of this License which applies to it and "any later version", you have the option of following the terms and conditions either of that version or of any later version published by the Free Software Foundation. If the Program does not specify a version number of this License, you may choose any version ever published by the Free Software Foundation.</p> <p>10. If you wish to incorporate parts of the Program into other free programs whose distribution conditions are different, write to the author to ask for permission. For software which is copyrighted by the Free Software Foundation, write to the Free Software Foundation; we sometimes make exceptions for this. Our decision will be guided by the two goals of preserving the free status of all derivatives of our free software and of promoting the sharing and reuse of software generally.</p> <p><b>NO WARRANTY</b></p> <p>11. BECAUSE THE PROGRAM IS LICENSED FREE OF CHARGE, THERE IS NO WARRANTY FOR THE PROGRAM, TO THE EXTENT PERMITTED BY APPLICABLE LAW. EXCEPT WHEN OTHERWISE STATED IN WRITING THE COPYRIGHT HOLDERS AND/OR OTHER PARTIES PROVIDE THE PROGRAM "AS IS" WITHOUT WARRANTY OF ANY KIND, EITHER EXPRESSED OR IMPLIED, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE. THE ENTIRE RISK AS TO THE QUALITY AND PERFORMANCE OF THE PROGRAM IS WITH YOU. SHOULD THE PROGRAM PROVE DEFECTIVE, YOU ASSUME THE COST OF ALL NECESSARY SERVICING, REPAIR OR CORRECTION.</p> <p>12. IN NO EVENT UNLESS REQUIRED BY APPLICABLE LAW OR AGREED TO IN WRITING WILL ANY COPYRIGHT HOLDER, OR ANY OTHER PARTY WHO MAY MODIFY AND/OR REDISTRIBUTE THE PROGRAM AS PERMITTED ABOVE, BE LIABLE TO YOU FOR DAMAGES, INCLUDING ANY GENERAL, SPECIAL, INCIDENTAL OR CONSEQUENTIAL DAMAGES ARISING OUT OF THE USE OR INABILITY TO USE THE PROGRAM (INCLUDING BUT NOT LIMITED TO LOSS OF DATA OR DATA BEING RENDERED INACCURATE OR LOSSES SUSTAINED BY YOU OR THIRD PARTIES OR A FAILURE OF THE PROGRAM TO OPERATE WITH ANY OTHER PROGRAMS), EVEN IF SUCH HOLDER OR OTHER PARTY HAS BEEN ADVISED OF THE POSSIBILITY OF SUCH DAMAGES.</p> <p>END OF TERMS AND CONDITIONS</p> <p><b>How to Apply These Terms to Your New Programs</b></p> <p>If you develop a new program, and you want it to be of the greatest possible use to the public, the best way to achieve this is to make it free software which everyone can redistribute and change under these terms.</p> <p>To do so, attach the following notices to the program. It is safest to attach them to the start of each source file to most effectively convey the exclusion of warranty; and each file should have at least the "copyright" line and a pointer to where the full notice is found.</p> <p style="padding-left: 40px;"><i>one line to give the program's name and an idea of what it does.</i><br/>Copyright (C) yyyy name of author</p> <p style="padding-left: 40px;">This program is free software; you can redistribute it and/or modify it under the terms of the GNU General Public License as published by the Free Software Foundation; either version 2 of the License, or (at your option) any later version.</p> <p style="padding-left: 40px;">This program is distributed in the hope that it will be useful, but WITHOUT ANY WARRANTY; without even the implied warranty of MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE. See the GNU General Public License for more details.</p> <p style="padding-left: 40px;">You should have received a copy of the GNU General Public License along with this program; if not, write to the Free Software Foundation, Inc., 51 Franklin Street, Fifth Floor, Boston, MA 02110-1301, USA.</p> <p>Also add information on how to contact you by electronic and paper mail.</p> <p>If the program is interactive, make it output a short notice like this when it starts in an interactive mode:</p> <p style="padding-left: 40px;">Gnomovision version 69, Copyright (C) year name of author Gnomovision comes with ABSOLUTELY NO WARRANTY; for details type `show w'. This is free software, and you are welcome to redistribute it under certain conditions; type `show c' for details.</p> <p>The hypothetical commands `show w' and `show c' should show the appropriate parts of the General Public License. Of course, the commands you use may be called something other than `show w' and `show c'; they could even be mouse-clicks or menu items--whatever suits your program.</p> <p>You should also get your employer (if you work as a programmer) or your school, if any, to sign a "copyright disclaimer" for the program, if necessary. Here is a sample; alter the names:</p> <p style="padding-left: 40px;">Yoyodyne, Inc., hereby disclaims all copyright interest in the program `Gnomovision' (which makes passes at compilers) written by James Hacker.</p> |

| License Type    | Names and Copyright Notices   | License (full text)  |
|-----------------|---|--|
|                 |   | <p style="text-align: center;"><i>signature of Ty Coon, 1 April 1989</i><br/>Ty Coon, President of Vice</p> <p>This General Public License does not permit incorporating your program into proprietary programs. If your program is a subroutine library, you may consider it more useful to permit linking proprietary applications with the library. If this is what you want to do, use the GNU Library General Public License instead of this License.</p>   |
| <b>LGPL 2.1</b> | <p>HTML Purifier, (c) 2006-2008 Edward Z. Yang<br/> Htmfilter, (c) 2002-2004 by Duke University<br/> NuSOAP, (c) 2002 NuSphere Corporation<br/> ❖ Modifications made by SugarCRM Inc. .<br/> PclZip, (c) 2004 Vincent Blavet<br/> ❖ Modifications made by SugarCRM Inc. .<br/> Smarty, (c) 2001-2005 New Digital Group, Inc.<br/> ❖ Modifications made by SugarCRM Inc.<br/> TCPDF, (c) 2002-2009 Nicola Asuni - Tecnick.com S.r.l.<br/> ❖ Modifications made by SugarCRM Inc.<br/> TinyMCE, (c) 2003-2014 Moxiecode Systems AB</p> | <p><b>GNU LESSER GENERAL PUBLIC LICENSE</b><br/>Version 2.1, February 1999</p> <p>Copyright (C) 1991, 1999 Free Software Foundation, Inc.<br/>51 Franklin Street, Fifth Floor, Boston, MA 02110-1301 USA<br/>Everyone is permitted to copy and distribute verbatim copies of this license document, but changing it is not allowed.</p> <p>[This is the first released version of the Lesser GPL. It also counts as the successor of the GNU Library Public License, version 2, hence the version number 2.1.]</p> <p><b>Preamble</b><br/>The licenses for most software are designed to take away your freedom to share and change it. By contrast, the GNU General Public Licenses are intended to guarantee your freedom to share and change free software--to make sure the software is free for all its users.</p> <p>This license, the Lesser General Public License, applies to some specially designated software packages--typically libraries--of the Free Software Foundation and other authors who decide to use it. You can use it too, but we suggest you first think carefully about whether this license or the ordinary General Public License is the better strategy to use in any particular case, based on the explanations below.</p> <p>When we speak of free software, we are referring to freedom of use, not price. Our General Public Licenses are designed to make sure that you have the freedom to distribute copies of free software (and charge for this service if you wish); that you receive source code or can get it if you want it; that you can change the software and use pieces of it in new free programs; and that you are informed that you can do these things.</p> <p>To protect your rights, we need to make restrictions that forbid distributors to deny you these rights or to ask you to surrender these rights. These restrictions translate to certain responsibilities for you if you distribute copies of the library or if you modify it.</p> <p>For example, if you distribute copies of the library, whether gratis or for a fee, you must give the recipients all the rights that we gave you. You must make sure that they, too, receive or can get the source code. If you link other code with the library, you must provide complete object files to the recipients, so that they can relink them with the library after making changes to the library and recompiling it. And you must show them these terms so they know their rights.</p> <p>We protect your rights with a two-step method: (1) we copyright the library, and (2) we offer you this license, which gives you legal permission to copy, distribute and/or modify the library.</p> <p>To protect each distributor, we want to make it very clear that there is no warranty for the free library. Also, if the library is modified by someone else and passed on, the recipients should know that what they have is not the original version, so that the original author's reputation will not be affected by problems that might be introduced by others.</p> <p>Finally, software patents pose a constant threat to the existence of any free program. We wish to make sure that a company cannot effectively restrict the users of a free program by obtaining a restrictive license from a patent holder. Therefore, we insist that any patent license obtained for a version of the library must be consistent with the full freedom of use specified in this license.</p> <p>Most GNU software, including some libraries, is covered by the ordinary GNU General Public License. This license, the GNU Lesser General Public License, applies to certain designated libraries, and is quite different from the ordinary General Public License. We use this license for certain libraries in order to permit linking those libraries into non-free programs.</p> |

| License Type | Names and Copyright Notices | License (full text)   |
|--------------|-----------------------------|---|
|              |                             | <p>When a program is linked with a library, whether statically or using a shared library, the combination of the two is legally speaking a combined work, a derivative of the original library. The ordinary General Public License therefore permits such linking only if the entire combination fits its criteria of freedom. The Lesser General Public License permits more lax criteria for linking other code with the library.</p> <p>We call this license the "Lesser" General Public License because it does Less to protect the user's freedom than the ordinary General Public License. It also provides other free software developers Less of an advantage over competing non-free programs. These disadvantages are the reason we use the ordinary General Public License for many libraries. However, the Lesser license provides advantages in certain special circumstances.</p> <p>For example, on rare occasions, there may be a special need to encourage the widest possible use of a certain library, so that it becomes a de-facto standard. To achieve this, non-free programs must be allowed to use the library. A more frequent case is that a free library does the same job as widely used non-free libraries. In this case, there is little to gain by limiting the free library to free software only, so we use the Lesser General Public License.</p> <p>In other cases, permission to use a particular library in non-free programs enables a greater number of people to use a large body of free software. For example, permission to use the GNU C Library in non-free programs enables many more people to use the whole GNU operating system, as well as its variant, the GNU/Linux operating system.</p> <p>Although the Lesser General Public License is Less protective of the users' freedom, it does ensure that the user of a program that is linked with the Library has the freedom and the wherewithal to run that program using a modified version of the Library.</p> <p>The precise terms and conditions for copying, distribution and modification follow. Pay close attention to the difference between a "work based on the library" and a "work that uses the library". The former contains code derived from the library, whereas the latter must be combined with the library in order to run.</p> <p><b>TERMS AND CONDITIONS FOR COPYING, DISTRIBUTION AND MODIFICATION</b></p> <p><b>0.</b> This License Agreement applies to any software library or other program which contains a notice placed by the copyright holder or other authorized party saying it may be distributed under the terms of this Lesser General Public License (also called "this License"). Each licensee is addressed as "you".</p> <p>A "library" means a collection of software functions and/or data prepared so as to be conveniently linked with application programs (which use some of those functions and data) to form executables.</p> <p>The "Library", below, refers to any such software library or work which has been distributed under these terms. A "work based on the Library" means either the Library or any derivative work under copyright law: that is to say, a work containing the Library or a portion of it, either verbatim or with modifications and/or translated straightforwardly into another language. (Hereinafter, translation is included without limitation in the term "modification".)</p> <p>"Source code" for a work means the preferred form of the work for making modifications to it. For a library, complete source code means all the source code for all modules it contains, plus any associated interface definition files, plus the scripts used to control compilation and installation of the library.</p> <p>Activities other than copying, distribution and modification are not covered by this License; they are outside its scope. The act of running a program using the Library is not restricted, and output from such a program is covered only if its contents constitute a work based on the Library (independent of the use of the Library in a tool for writing it). Whether that is true depends on what the Library does and what the program that uses the Library does.</p> <p><b>1.</b> You may copy and distribute verbatim copies of the Library's complete source code as you receive it, in any medium, provided that you conspicuously and appropriately publish on each copy an appropriate copyright notice and disclaimer of warranty; keep intact all the notices that refer to this License and to the absence of any warranty; and distribute a copy of this License along with the Library.</p> <p>You may charge a fee for the physical act of transferring a copy, and you may at your option offer warranty protection in exchange for a fee.</p> <p><b>2.</b> You may modify your copy or copies of the Library or any portion of it, thus forming a work based on the Library, and copy and distribute such modifications or work under the terms of Section 1 above, provided that you also meet all of these conditions:</p> |

| License Type | Names and Copyright Notices | License (full text)  |
|--------------|-----------------------------|--|
|              |                             | <ul style="list-style-type: none"> <li>▪ a) The modified work must itself be a software library.</li> <li>▪ b) You must cause the files modified to carry prominent notices stating that you changed the files and the date of any change.</li> <li>▪ c) You must cause the whole of the work to be licensed at no charge to all third parties under the terms of this License.</li> <li>▪ d) If a facility in the modified Library refers to a function or a table of data to be supplied by an application program that uses the facility, other than as an argument passed when the facility is invoked, then you must make a good faith effort to ensure that, in the event an application does not supply such function or table, the facility still operates, and performs whatever part of its purpose remains meaningful.</li> </ul> <p>(For example, a function in a library to compute square roots has a purpose that is entirely well-defined independent of the application. Therefore, Subsection 2d requires that any application-supplied function or table used by this function must be optional: if the application does not supply it, the square root function must still compute square roots.)</p> <p>These requirements apply to the modified work as a whole. If identifiable sections of that work are not derived from the Library, and can be reasonably considered independent and separate works in themselves, then this License, and its terms, do not apply to those sections when you distribute them as separate works. But when you distribute the same sections as part of a whole which is a work based on the Library, the distribution of the whole must be on the terms of this License, whose permissions for other licensees extend to the entire whole, and thus to each and every part regardless of who wrote it.</p> <p>Thus, it is not the intent of this section to claim rights or contest your rights to work written entirely by you; rather, the intent is to exercise the right to control the distribution of derivative or collective works based on the Library.</p> <p>In addition, mere aggregation of another work not based on the Library with the Library (or with a work based on the Library) on a volume of a storage or distribution medium does not bring the other work under the scope of this License.</p> <p><b>3.</b> You may opt to apply the terms of the ordinary GNU General Public License instead of this License to a given copy of the Library. To do this, you must alter all the notices that refer to this License, so that they refer to the ordinary GNU General Public License, version 2, instead of to this License. (If a newer version than version 2 of the ordinary GNU General Public License has appeared, then you can specify that version instead if you wish.) Do not make any other change in these notices.</p> <p>Once this change is made in a given copy, it is irreversible for that copy, so the ordinary GNU General Public License applies to all subsequent copies and derivative works made from that copy.</p> <p>This option is useful when you wish to copy part of the code of the Library into a program that is not a library.</p> <p><b>4.</b> You may copy and distribute the Library (or a portion or derivative of it, under Section 2) in object code or executable form under the terms of Sections 1 and 2 above provided that you accompany it with the complete corresponding machine-readable source code, which must be distributed under the terms of Sections 1 and 2 above on a medium customarily used for software interchange. If distribution of object code is made by offering access to copy from a designated place, then offering equivalent access to copy the source code from the same place satisfies the requirement to distribute the source code, even though third parties are not compelled to copy the source along with the object code.</p> <p><b>5.</b> A program that contains no derivative of any portion of the Library, but is designed to work with the Library by being compiled or linked with it, is called a "work that uses the Library". Such a work, in isolation, is not a derivative work of the Library, and therefore falls outside the scope of this License.</p> <p>However, linking a "work that uses the Library" with the Library creates an executable that is a derivative of the Library (because it contains portions of the Library), rather than a "work that uses the library". The executable is therefore covered by this License. Section 6 states terms for distribution of such executables.</p> <p>When a "work that uses the Library" uses material from a header file that is part of the Library, the object code for the work may be a derivative work of the Library even though the source code is not. Whether this is true is especially significant if the work can be linked without the Library, or if the work is itself a library. The threshold for this to be true is not precisely defined by law.</p> <p>If such an object file uses only numerical parameters, data structure layouts and accessors, and small macros and small inline functions (ten lines or less in length), then the use of the object file is unrestricted, regardless of whether it is legally a derivative work. (Executables containing this object code plus portions of the Library will still fall under Section 6.)</p> |

| License Type | Names and Copyright Notices | License (full text)  |
|--------------|-----------------------------|--|
|              |                             | <p>Otherwise, if the work is a derivative of the Library, you may distribute the object code for the work under the terms of Section 6. Any executables containing that work also fall under Section 6, whether or not they are linked directly with the Library itself.</p> <p><b>6.</b> As an exception to the Sections above, you may also combine or link a "work that uses the Library" with the Library to produce a work containing portions of the Library, and distribute that work under terms of your choice, provided that the terms permit modification of the work for the customer's own use and reverse engineering for debugging such modifications.</p> <p>You must give prominent notice with each copy of the work that the Library is used in it and that the Library and its use are covered by this License. You must supply a copy of this License. If the work during execution displays copyright notices, you must include the copyright notice for the Library among them, as well as a reference directing the user to the copy of this License. Also, you must do one of these things:</p> <ul style="list-style-type: none"> <li>▪ <b>a)</b> Accompany the work with the complete corresponding machine-readable source code for the Library including whatever changes were used in the work (which must be distributed under Sections 1 and 2 above); and, if the work is an executable linked with the Library, with the complete machine-readable "work that uses the Library", as object code and/or source code, so that the user can modify the Library and then relink to produce a modified executable containing the modified Library. (It is understood that the user who changes the contents of definitions files in the Library will not necessarily be able to recompile the application to use the modified definitions.)</li> <li>▪ <b>b)</b> Use a suitable shared library mechanism for linking with the Library. A suitable mechanism is one that (1) uses at run time a copy of the library already present on the user's computer system, rather than copying library functions into the executable, and (2) will operate properly with a modified version of the library, if the user installs one, as long as the modified version is interface-compatible with the version that the work was made with.</li> <li>▪ <b>c)</b> Accompany the work with a written offer, valid for at least three years, to give the same user the materials specified in Subsection 6a, above, for a charge no more than the cost of performing this distribution.</li> <li>▪ <b>d)</b> If distribution of the work is made by offering access to copy from a designated place, offer equivalent access to copy the above specified materials from the same place.</li> <li>▪ <b>e)</b> Verify that the user has already received a copy of these materials or that you have already sent this user a copy.</li> </ul> <p>For an executable, the required form of the "work that uses the Library" must include any data and utility programs needed for reproducing the executable from it. However, as a special exception, the materials to be distributed need not include anything that is normally distributed (in either source or binary form) with the major components (compiler, kernel, and so on) of the operating system on which the executable runs, unless that component itself accompanies the executable.</p> <p>It may happen that this requirement contradicts the license restrictions of other proprietary libraries that do not normally accompany the operating system. Such a contradiction means you cannot use both them and the Library together in an executable that you distribute.</p> <p><b>7.</b> You may place library facilities that are a work based on the Library side-by-side in a single library together with other library facilities not covered by this License, and distribute such a combined library, provided that the separate distribution of the work based on the Library and of the other library facilities is otherwise permitted, and provided that you do these two things:</p> <ul style="list-style-type: none"> <li>▪ <b>a)</b> Accompany the combined library with a copy of the same work based on the Library, uncombined with any other library facilities. This must be distributed under the terms of the Sections above.</li> <li>▪ <b>b)</b> Give prominent notice with the combined library of the fact that part of it is a work based on the Library, and explaining where to find the accompanying uncombined form of the same work.</li> </ul> <p><b>8.</b> You may not copy, modify, sublicense, link with, or distribute the Library except as expressly provided under this License. Any attempt otherwise to copy, modify, sublicense, link with, or distribute the Library is void, and will automatically terminate your rights under this License. However, parties who have received copies, or rights, from you under this License will not have their licenses terminated so long as such parties remain in full compliance.</p> <p><b>9.</b> You are not required to accept this License, since you have not signed it. However, nothing else grants you permission to modify or distribute the Library or its derivative works. These actions are prohibited by law if you do not accept this License. Therefore, by modifying or distributing the Library (or any work based on the Library), you indicate your acceptance of this License to do so, and all its terms and conditions for copying, distributing or modifying the Library or works based on it.</p> |

| License Type | Names and Copyright Notices   | License (full text)  |
|--------------|---|--|
|              |   | <p><b>10.</b> Each time you redistribute the Library (or any work based on the Library), the recipient automatically receives a license from the original licensor to copy, distribute, link with or modify the Library subject to these terms and conditions. You may not impose any further restrictions on the recipients' exercise of the rights granted herein. You are not responsible for enforcing compliance by third parties with this License.</p> <p><b>11.</b> If, as a consequence of a court judgment or allegation of patent infringement or for any other reason (not limited to patent issues), conditions are imposed on you (whether by court order, agreement or otherwise) that contradict the conditions of this License, they do not excuse you from the conditions of this License. If you cannot distribute so as to satisfy simultaneously your obligations under this License and any other pertinent obligations, then as a consequence you may not distribute the Library at all. For example, if a patent license would not permit royalty-free redistribution of the Library by all those who receive copies directly or indirectly through you, then the only way you could satisfy both it and this License would be to refrain entirely from distribution of the Library.</p> <p>If any portion of this section is held invalid or unenforceable under any particular circumstance, the balance of the section is intended to apply, and the section as a whole is intended to apply in other circumstances.</p> <p>It is not the purpose of this section to induce you to infringe any patents or other property right claims or to contest validity of any such claims; this section has the sole purpose of protecting the integrity of the free software distribution system which is implemented by public license practices. Many people have made generous contributions to the wide range of software distributed through that system in reliance on consistent application of that system; it is up to the author/donor to decide if he or she is willing to distribute software through any other system and a licensee cannot impose that choice.</p> <p>This section is intended to make thoroughly clear what is believed to be a consequence of the rest of this License.</p> <p><b>12.</b> If the distribution and/or use of the Library is restricted in certain countries either by patents or by copyrighted interfaces, the original copyright holder who places the Library under this License may add an explicit geographical distribution limitation excluding those countries, so that distribution is permitted only in or among countries not thus excluded. In such case, this License incorporates the limitation as if written in the body of this License.</p> <p><b>13.</b> The Free Software Foundation may publish revised and/or new versions of the Lesser General Public License from time to time. Such new versions will be similar in spirit to the present version, but may differ in detail to address new problems or concerns.</p> <p>Each version is given a distinguishing version number. If the Library specifies a version number of this License which applies to it and "any later version", you have the option of following the terms and conditions either of that version or of any later version published by the Free Software Foundation. If the Library does not specify a license version number, you may choose any version ever published by the Free Software Foundation.</p> <p><b>14.</b> If you wish to incorporate parts of the Library into other free programs whose distribution conditions are incompatible with these, write to the author to ask for permission. For software which is copyrighted by the Free Software Foundation, write to the Free Software Foundation; we sometimes make exceptions for this. Our decision will be guided by the two goals of preserving the free status of all derivatives of our free software and of promoting the sharing and reuse of software generally.</p> <p><b>NO WARRANTY</b></p> <p><b>15.</b> BECAUSE THE LIBRARY IS LICENSED FREE OF CHARGE, THERE IS NO WARRANTY FOR THE LIBRARY, TO THE EXTENT PERMITTED BY APPLICABLE LAW. EXCEPT WHEN OTHERWISE STATED IN WRITING THE COPYRIGHT HOLDERS AND/OR OTHER PARTIES PROVIDE THE LIBRARY "AS IS" WITHOUT WARRANTY OF ANY KIND, EITHER EXPRESSED OR IMPLIED, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE. THE ENTIRE RISK AS TO THE QUALITY AND PERFORMANCE OF THE LIBRARY IS WITH YOU. SHOULD THE LIBRARY PROVE DEFECTIVE, YOU ASSUME THE COST OF ALL NECESSARY SERVICING, REPAIR OR CORRECTION.</p> <p><b>16.</b> IN NO EVENT UNLESS REQUIRED BY APPLICABLE LAW OR AGREED TO IN WRITING WILL ANY COPYRIGHT HOLDER, OR ANY OTHER PARTY WHO MAY MODIFY AND/OR REDISTRIBUTE THE LIBRARY AS PERMITTED ABOVE, BE LIABLE TO YOU FOR DAMAGES, INCLUDING ANY GENERAL, SPECIAL, INCIDENTAL OR CONSEQUENTIAL DAMAGES ARISING OUT OF THE USE OR INABILITY TO USE THE LIBRARY (INCLUDING BUT NOT LIMITED TO LOSS OF DATA OR DATA BEING RENDERED INACCURATE OR LOSSES SUSTAINED BY YOU OR THIRD PARTIES OR A FAILURE OF THE LIBRARY TO OPERATE WITH ANY OTHER SOFTWARE), EVEN IF SUCH HOLDER OR OTHER PARTY HAS BEEN ADVISED OF THE POSSIBILITY OF SUCH DAMAGES.</p> <p>END OF TERMS AND CONDITIONS</p> |
| MIT          | <p>Async, (c) 2010 Caolan McMahon<br/> Async, Copyright (c) 2010-2014 Caolan McMahon<br/> Backbone, (c) 2010-2012 Jeremy Ashkenas, DocumentCloud Inc.</p> | <p>Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:</p>  |



| License Type | Names and Copyright Notices  | License (full text)   |
|--------------|--|---|
|              | <p>Canvg, (c) 2010-2011 Gabe Lerner<br/>           CssMin, (c) 2008 Joe Scylla<br/>           Cubiq iScroll, (c) 2010 Matteo Spinelli<br/>           Elastica, (c) 2014 Nicolas Ruffin<br/>           Date, (c) 2006-2007 Coolite Inc.<br/>           Exif, (c) 2009 Ben Leslie<br/>           Fastclick, (c) 2014 The Financial Times Ltd.<br/>           FlashCanvas, (c) 2009 Tim Cameron Ryan and (c) 2009-2011 FlashCanvas Project<br/>           FontAwesome CSS, (c) Dave Gandy<br/>           FontAwesome LESS, (c) Dave Gandy<br/>           Handlebars, (c) 2011 by Yehuda Katz<br/>           Jasmine, (c) 2008-2014 Pivotal Labs<br/>           Jasmine-jQuery, (c) 2010-2013 Wojciech Zawistowski, Travis Jeffery<br/>           Jasmine Test Driver, (c) 2010 Misko Hevery, Olmo Maldonado, Christoph Pojer<br/>           jpeg Encoder, (c) 2009 Andreas Ritter, 2008 Adobe Incorporated<br/>           jQuery, (c) 2012 jQuery Foundation and other contributors<br/>           jQuery, (c) 2014 The jQuery FoundationjQuery placeholder, (c) Mathias Bynens &lt;<a href="http://mathiasbynens.be/">http://mathiasbynens.be/</a>&gt;<br/>           jQuery Plugin: droparea, (c) 2011 goker.cebeci<br/>           jQuery Plugin: elementready, (c) 2007-2008 Bennett McElwee<br/>           jQuery Plugin: highlight, (c) Johann Burkard<br/>           jQuery Plugin: hotkeys, (c) 2007 – 2008 Tzury Bar Yochay<br/>           jQuery Plugin: hoverintent, (c) 2001-2010. Matteo Bionchi<br/>           jQuery Plugin: iframe-transport, (c) 2014 Christopher Lenz<br/>           jQuery Plugin: jeditable, (c) 2006-2009 Mika Tuupola, Dylan Verheul<br/>           jQuery Plugin: json, (c) 2011 Brantley Harris<br/>           jQuery Plugin: jsTree, (c) 2010 Ivan Bozhanov<br/>           jQuery Plugin: layout, (c) Fabrizio Balliano and Kevin Dalman<br/>           jQuery Plugin: showloading, (c) 2009 Jim Keller<br/>           jQuery Plugin: timepicker, (c) 2014 Jon Thornton and Contributors<br/>           jQuery Plugin: tiptip, (c) 2010 Drew Wilson<br/>           jQuery Plugin: Watch, (c) 2012 Darcy Clarke<br/>           jQuery Resizable Columns, (c) Adam Becker &lt;<a href="mailto:ad@mbecker.cc">ad@mbecker.cc</a>&gt; (<a href="http://ada.mbecker.cc">http://ada.mbecker.cc</a>) and Craig Michael Thompson &lt;<a href="mailto:craig@craigsworks.com">craig@craigsworks.com</a>&gt; (<a href="http://craigsworks.com">http://craigsworks.com</a>)<br/>           jQuery Smart Banner, (c) Arnold Daniels<br/>           jQuery UI, (c) 2011 jQuery UI Team (<a href="http://jqueryui.com/about/">http://jqueryui.com/about/</a>)<br/>           jsjpegmeta, (c) 2009-2013 Ben Leslie<br/>           kvs-php, (c) 2013 Kevin van Zonneveld and Contributors (<a href="http://php.js.org/authors">http://php.js.org/authors</a>)<br/>           markItUp!, (c) 2007-2011 Jay Salvat<br/>           Megapixel, (c) 2012 Shinichi Tomita<br/>           Modernizr, (c) 2009-2013 Faruk Ates<br/>           Momentjs, (c) 2014 Tim Wood, Iskren Chernev, Moment.js contributors<br/>           Moo Tools, (c) 2006-2010 Valerio Proietti<br/>           Normalize, (c) 2012 Nicolas Gallagher and Jonathan Neal<br/>           NProgress, (c) 2013 Rico Sta. Cruz<br/>           oauth2-php, (c) 2010 Tim Ridgely<br/>           Onelogin php_SAML, (c) 2010-2014 OneLogin, LLC<br/>           parseCSV-for-php, (c) 2007 Jim Myhrberg<br/>           php.js, (c) 2013 Kevin van Zonneveld and Contributors<br/>           PHPMailer, (c) 2001-2003, Brent R. Matzelle, 2004-2009 Andy Prevost, 2010-2012 Jim Jagielski</p> | <p>The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.</p> <p>THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.</p> |

| License Type   | Names and Copyright Notices  | License (full text)   |
|----------------|--|---|
|                | PHP SQL Parser (c) 2014, Justin Swanhart and André Rothe<br>PSR-3, (c) 2012 PHP Framework Interoperability Group<br>reCAPTCHA, (c) 2007 reCAPTCHA<br>Scrollfix, (c) 2011-2013 Joe Lambert<br>Sizzle, (c) 2011 The Dojo Foundation<br>Sizzle, (c) 2012 jQuery Foundation and other contributors<br>StackBlur, (c) 2010 Mario Klingemann<br>Stash, (c) 2014 rezitech<br>Store, (c) 2010-2014 Marcus Westin<br>SWFObject (c) not designated by author<br>Symfony Security Component (c) 2004-2015 Fabien Potencier<br>Tracekit, (c) 2013 Onur Can Cakmak<br>Underscore, (c) 2009-2012 Jeremy Ashkenas, DocumentCloud Inc. and for version 1.6.0 also Investigative Reporters and Editors<br>XRegExp, (c) 2007-2012 Steven Levithan<br>Zepto, (c) 2010-2012 Thomas Fuchs<br>Zepto, (c) 2010-2014 Thomas Fuchs<br>Zynga, (c) 2011 Zynga Inc.<br>Zynga Scroller, (c) 2011 Zynga Inc. |   |
| <b>PHP 3.0</b> | Crypt_Blowfish, (c) 2005 Matthew Fonda<br>PHP, (c) 1999 - 2006 The PHP Group<br>XML_HTMLSax3, (c) 1997-2002 The PHP Group  | <p>-----</p> <p style="text-align: center;">The PHP License, version 3.0</p> <p>Copyright (c) 1999 - 2006 The PHP Group. All rights reserved.</p> <p>-----</p> <p>Redistribution and use in source and binary forms, with or without modification, is permitted provided that the following conditions are met:</p> <ol style="list-style-type: none"> <li>1. Redistributions of source code must retain the above copyright notice, this list of conditions and the following disclaimer.</li> <li>2. Redistributions in binary form must reproduce the above copyright notice, this list of conditions and the following disclaimer in the documentation and/or other materials provided with the distribution.</li> <li>3. The name "PHP" must not be used to endorse or promote products derived from this software without prior written permission. For written permission, please contact group@php.net.</li> <li>4. Products derived from this software may not be called "PHP", nor may "PHP" appear in their name, without prior written permission from group@php.net. You may indicate that your software works in conjunction with PHP by saying "Foo for PHP" instead of calling it "PHP Foo" or "phpfoo"</li> <li>5. The PHP Group may publish revised and/or new versions of the license from time to time. Each version will be given a distinguishing version number. Once covered code has been published under a particular version of the license, you may always continue to use it under the terms of that version. You may also choose to use such covered code under the terms of any subsequent version of the license published by the PHP Group. No one other than the PHP Group has the right to modify the terms applicable to covered code created under this License.</li> <li>6. Redistributions of any form whatsoever must retain the following acknowledgment:             <p style="margin-left: 40px;">"This product includes PHP, freely available from &lt;http://www.php.net/&gt;".</p> </li> </ol> <p>THIS SOFTWARE IS PROVIDED BY THE PHP DEVELOPMENT TEAM ``AS IS" AND ANY EXPRESSED OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL THE PHP DEVELOPMENT TEAM OR ITS CONTRIBUTORS BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.</p> <p>-----</p> |

| License Type               | Names and Copyright Notices  | License (full text)  |
|----------------------------|--|--|
|                            |  | <p>This software consists of voluntary contributions made by many individuals on behalf of the PHP Group.</p> <p>The PHP Group can be contacted via Email at <a href="mailto:group@php.net">group@php.net</a>.</p> <p>For more information on the PHP Group and the PHP project, please see <a href="http://www.php.net">&lt;http://www.php.net&gt;</a>.</p> <p>This product includes the Zend Engine, freely available at <a href="http://www.zend.com">&lt;http://www.zend.com&gt;</a>.</p>  |
| <b>PHP Website License</b> | Algorithm for Sorting Multidimensional Arrays, (c) 2001-2014 The PHP Group | <p>The code, text, PHP logo, and graphical elements on this website and the mirror websites (the "Site") are Copyright © 2001-2014 the <a href="#">PHP Group</a>. All rights reserved.</p> <p>Except as otherwise indicated elsewhere on this Site, you are free to view, download and print the documents and information available on this Site subject to the following conditions:</p> <ul style="list-style-type: none"> <li>• You may not remove any copyright or other proprietary notices contained in the documents and information on this Site.</li> <li>• The rights granted to you constitute a license and not a transfer of title.</li> <li>• The rights specified above to view, download and print the documents and information available on this Site are not applicable to the graphical elements, design or layout of this Site. These elements of the Site are protected by trade dress and other laws and may not be copied or imitated in whole or in part.</li> </ul> <p>For more information on the PHP Group and the PHP project, please see <a href="#">the PHP homepage</a>.</p>  |
| <b>SIL OFL 1.1</b>         | FontAwesome Font, (c) Dave Gandy   | <p>Version 1.1 - 26 February 2007</p> <p><b>PREAMBLE</b></p> <p>The goals of the Open Font License (OFL) are to stimulate worldwide development of collaborative font projects, to support the font creation efforts of academic and linguistic communities, and to provide a free and open framework in which fonts may be shared and improved in partnership with others. The OFL allows the licensed fonts to be used, studied, modified and redistributed freely as long as they are not sold by themselves. The fonts, including any derivative works, can be bundled, embedded, redistributed and/or sold with any software provided that any reserved names are not used by derivative works. The fonts and derivatives, however, cannot be released under any other type of license. The requirement for fonts to remain under this license does not apply to any document created using the fonts or their derivatives.</p> <p><b>DEFINITIONS</b></p> <p>"Font Software" refers to the set of files released by the Copyright Holder(s) under this license and clearly marked as such. This may include source files, build scripts and documentation.</p> <p>"Reserved Font Name" refers to any names specified as such after the copyright statement(s).</p> <p>"Original Version" refers to the collection of Font Software components as distributed by the Copyright Holder(s).</p> <p>"Modified Version" refers to any derivative made by adding to, deleting, or substituting — in part or in whole — any of the components of the Original Version, by changing formats or by porting the Font Software to a new environment.</p> <p>"Author" refers to any designer, engineer, programmer, technical writer or other person who contributed to the Font Software.</p> <p><b>PERMISSION &amp; CONDITIONS</b></p> <p>Permission is hereby granted, free of charge, to any person obtaining a copy of the Font Software, to use, study, copy, merge, embed, modify, redistribute, and sell modified and unmodified copies of the Font Software, subject to the following conditions:</p> <ol style="list-style-type: none"> <li>1) Neither the Font Software nor any of its individual components, in Original or Modified Versions, may be sold by itself.</li> <li>2) Original or Modified Versions of the Font Software may be bundled, redistributed and/or sold with any software, provided that each copy contains the above copyright notice and this license. These can be included either as stand-alone text files, human-readable headers or in the appropriate machine-readable metadata fields within text or binary files as long as those fields can be easily viewed by the user.</li> <li>3) No Modified Version of the Font Software may use the Reserved Font Name(s) unless explicit written permission is granted by the corresponding Copyright Holder. This restriction only applies to the primary font name as presented to the users.</li> <li>4) The name(s) of the Copyright Holder(s) or the Author(s) of the Font Software shall not be used to promote, endorse or advertise any Modified Version, except to acknowledge the contribution(s) of the Copyright Holder(s) and the Author(s) or with their explicit written permission.</li> <li>5) The Font Software, modified or unmodified, in part or in whole, must be distributed entirely under this license, and must not be distributed under any other license. The requirement for fonts to remain under this license does not apply to any document created using the Font Software.</li> </ol> |

| License Type | Names and Copyright Notices | License (full text)   |
|--------------|-----------------------------|---|
|              |                             | <p><b>TERMINATION</b><br/>This license becomes null and void if any of the above conditions are not met.</p> <p><b>DISCLAIMER</b><br/>THE FONT SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO ANY WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT OF COPYRIGHT, PATENT, TRADEMARK, OR OTHER RIGHT. IN NO EVENT SHALL THE COPYRIGHT HOLDER BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, INCLUDING ANY GENERAL, SPECIAL, INDIRECT, INCIDENTAL, OR CONSEQUENTIAL DAMAGES, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF THE USE OR INABILITY TO USE THE FONT SOFTWARE OR FROM OTHER DEALINGS IN THE FONT SOFTWARE.</p> |