

---

# Sugar Serve 12.0 Application Guide

---

<b>Sugar Serve 12.0 Application Guide</b>	3
Introduction	3
Getting Started	4
User Interface	37
Accessibility	138
Activity Streams	144
Cloud Drive	164
Dashboards and Dashlets	168
Service Console	232
Enhanced Forecasting Dashlets	243
Doc Merge	263
Doc Merge Appendix	294
DocuSign Integration	311
Sugar Maps	329
Home	340
Search	345
Tags	385
Calendar	399
Accounts	430
Meetings	444
Calls	465
Tasks	491
Notes	506
Messages	515
Product Catalog	525
Contracts	540
Documents	548
Shifts	560
Escalations	570
Cases	579
Bugs	605
Knowledge Base	621
SugarLive	652
Reports	679
Stock Reports	733
Export	753
Import	757
Processes	782
Sugar Hint	806
Data Privacy	820
Employees	829
Mobile Browser	836
Projects	837

---

# Sugar Serve 12.0 Application Guide

The Sugar Application Guide covers the user-facing functionality of Sugar's CRM system.

---

## Introduction

### Overview

Welcome to Sugar Serve - a commercial Customer Relationship Management (CRM) application. Strong relationships are at the core of every organization's success. Sugar brings ease and order to the creation, maintenance, and support of your organization's important relationships.

Sugar consists of interrelated records in modules such as Accounts, Contacts, Cases, Meetings, Emails, etc. and wraps your data in an intuitive user interface that helps make sense of these different elements of your business. Whatever your organization's focus - sales, marketing, support, or other ventures - Sugar's flexible modules bend to align with your business' models and practices. Manage your relationships from inception to fruition and beyond with Sugar's built-in modules and relationships as well as your custom modules and configurations available to [Sugar administrators](#).

## Core Features

### Customer Support

- [Case](#) management to track service and resolution of customer issues
- [Bug](#) tracking to identify, prioritize, and resolve product issues
- [Contact](#) and [Account](#) management to track support history and enable continuity of service
- [Sugar Portal](#) to provide clients with self-service capabilities support activities
- [Knowledge Base](#) to manage information and share it externally

### Record Keeping

- [Email](#), [Task](#), [Call](#), and [Meeting](#) management to facilitate day-to-day work

- 
- [Note](#) management to affix information and file attachments to other Sugar modules
  - [Document](#) management to track living documents and their changes
  - [Contract](#) management to capture and maintain sales and service contracts
  - [Search](#) capabilities to quickly and easily locate your data

## Collaboration

- Shared [Email](#) and [Calendar](#) to provide visibility across individuals and teams
- [Connectors](#) and tools to leverage third-party information regarding your prospects and clients

## Reporting

- [Report](#) creation and management to gain insight into your organization's Sugar data
- [Home](#) page dashlets to display important tables and reports

## Sugar Sell

Sugar Sell is a product geared to enhance the abilities of a successful sales organization. While there are many modules that are common across products, there are a few unique modules that a Sugar Sell user will be able to access. To learn more, please review the License Types matrix on the [User Management](#) page and our [Sugar Sell Documentation](#).

---

# Getting Started

## Overview

Sugar offers users a wide range of configuration options when getting started with the application. Your first time logging into Sugar the New User Wizard will step through configuring some basic settings (i.e., Your Information, Your Locale). You may skip these steps and configure these settings in your user preferences at a later time. Please note that system administrators can also set up each user's basic settings when creating the user in Sugar. This documentation will cover the various options (e.g., New User Wizard, User Preferences) available when first getting started with Sugar and accessing your account.

**Note:** For instances that use [SugarIdentity](#), certain configuration options (e.g., editing certain user fields) will not be available. These differences are covered in

---

the following sections.

## Accessing Sugar

### Prerequisites

The following will need to be installed and configured on your local machine prior to accessing Sugar:

- A supported web browser application (e.g., Chrome, Firefox) is required on your computer. For more information on the various supported web browsers, please refer to the [Supported Platforms](#) page.
- The web browser must have JavaScript and cookie support enabled in order to access Sugar.
- Network access to a server running your Sugar instance is required.

### Logging In

Refer to the appropriate section below for steps on logging in to your Sugar instance.


#### Standard Login

Use the following steps to log in to your Sugar instance:

**Note:** The following steps pertain to instances that do not use SugarIdentity as well as instances that use [SugarIdentity](#).

1. Enter your Sugar instance URL (e.g., <https://example.sugarondemand.com>) in your web browser to access Sugar's login screen.
2. Enter your Sugar login credentials (User Name and Password) on the login screen then click "Log In".
  - If you do not know your instance URL or login credentials, please reach out to your system administrator for assistance.
  - If your Sugar instance is configured for [single sign-on \(SSO\)](#) (e.g., SAML), then the login screen will display a separate Log In button where you will enter your identity provider (e.g., Okta) login credentials to be authenticated and automatically logged in to your Sugar account.

---



3. The New User Wizard will launch upon your first successful login to Sugar allowing you to configure some of your basic personal settings.

**Note:** For instances that use SugarIdentity, the [User Profile](#) step of the User Wizard is read-only and the displayed fields (e.g., First Name, Last Name) will not be editable in your user profile as they can only be edited by administrators in [SugarIdentity](#).

**Note:** If your instance has more active users than is allowed by your Sugar license, regular users will not be able to log in and a warning will be displayed on the screen once the user attempts to log in. Admin users will be able to log in but will be redirected to the Users module. For more information, see the [Understanding User Types, License Types, and Sugar Licenses](#) article.

## Logging in With SugarIdentity Using Multi-Factor Authentication


For instances that use [SugarIdentity](#), administrators can enable [multi-factor authentication](#), which provides an added layer of security when logging in to Sugar to prevent unauthorized users from gaining access to your account. If multi-factor authentication is enabled for your Sugar instance, you will need to use a mobile authenticator app (e.g., Authy, Google Authenticator, Microsoft Authenticator) and enter the 6-digit code generated from the app to verify your identity when logging in to Sugar. Please note that multi-factor authentication only applies to users who log in using Sugar credentials or use [LDAP authentication](#).

Once multi-factor authentication is enabled for your Sugar instance, the following Sugar products will also use multi-factor authentication when logging in using SugarIdentity:

- [SugarCRM mobile app](#)
- [Sugar Connect](#)
- [Sugar Plug-in for Outlook](#)
- [Sugar Discover](#)

Use the following steps to log in to Sugar using multi-factor authentication:


1. Enter your Sugar instance URL (e.g., <https://example.sugarondemand.com>) in your web browser to access Sugar's login screen.
2. Enter your login credentials (User Name and Password) on the Sugar login screen, then click "Log In".



The image shows the SugarCRM Partner Portal Login screen. At the top is the SugarCRM logo. Below it, the text "Welcome to" is followed by "SugarCRM Partner Portal Login". There are two input fields: "User Name" and "Password". Below the "Password" field is a link "Forgot Password?". To the right of the "Password" field is a blue button labeled "Log In".

3. If this is your first time logging in after multi-factor authentication has been enabled or [reset](#), a QR code will appear on the screen. Scan the QR code using your authenticator app (e.g., Google Authenticator) to pair the app with Sugar. Click "Continue". If you cannot scan the QR code using your mobile device, skip to step 4.


**Note:** If you have already paired an authenticator app with Sugar, then skip to step 5.




The image shows a screen for multi-factor authentication. At the top is the SugarCRM logo. Below it, the text "Sally, your administrator has enabled" is followed by a link "multi-factor authentication". Below that, the text "Scan this QR code using a mobile authenticator app." is displayed. A large QR code is shown in the center. Below the QR code are two buttons: a blue button labeled "Continue" and a link "Can't scan?".

4. If you cannot scan the QR code on step 3 using your mobile device, click the "Can't scan?" link and enter the secret key that appears on the screen into your authenticator app. Click "Continue".

---



 **sugarcrm**

Sally, your administrator has enabled [multi-factor authentication](#).

Can't scan QR code?

Enter this secret key into your authenticator app.


46MCPHVQIFRYECMJ


Continue

[Go back to QR code](#)

5. On the next step, enter the 6-digit code generated from your authenticator app, then click "Log In" to access your Sugar account.

**Note:** Once your authenticator app is paired with Sugar, for future logins, you will just be required to enter a new 6-digit code on this screen after entering your login credentials on step 2.



 **sugarcrm**

Enter the 6-digit code from your authenticator app.

1 2 3 4 5 6

Log In

[Go back to QR code](#)

6. The New User Wizard will launch upon your first successful login to Sugar allowing you to configure some of your basic personal settings.

**Note:** For instances that use SugarIdentity, the [User Profile](#) step of the User Wizard is read-only and the displayed fields (e.g., First Name, Last Name) will not be editable in your user profile as they can only be edited by administrators in [SugarIdentity](#).

If you ever need to reset your multi-factor authentication, for example, to set up the authenticator app on a new mobile device, select the Reset Multi-Factor Auth option under your user menu on the upper right of Sugar. For more information, refer to the [Resetting Multi-Factor Authentication](#) section of this page.

## Resetting Your Password

---

There may be occasions when users forget their Sugar password and will need to reset it. If the system administrator has enabled the Forgot Password feature via Admin > Password Management, users will have the option to request a password reset directly from Sugar's login screen. If you do not see the "Forgot Password?" link on your login screen, please reach out to your system administrator for further assistance.

System administrators can either enable the Forgot Password feature, send a system-generated password to the user, or manually change the user's password via Admin > User Management. For more information on how to set up and manage passwords in Sugar, refer to the [Password Management](#) documentation. Please note that the outbound mail server for the system must be configured via Admin > Email Settings and users will also need to have their [personal email settings](#) configured in their user preferences in order for the temporary password information to be emailed. For more information on setting up the system email settings, refer to the [Email](#) documentation in the Administration Guide.

**Note:** For Sugar instances that use [SugarIdentity](#), administrators will not be able to configure the [Forgot Password](#) option, [change](#) the user's password, or manually send a [system-generated password](#) to the user.

## Resetting Your Password Without SugarIdentity


The following steps cover requesting a new password to receive a temporary system-generated password for a Sugar instance that does not use SugarIdentity:

1. Click the "Forgot Password?" link on the bottom left of Sugar's login dialog box.



2. Enter your Sugar user name and primary email address on file, then click "Request Password". If submitted successfully, a message will appear that your request has been submitted.

---

The image shows the SugarCRM login interface. At the top is the SugarCRM logo. Below it are two input fields: "(Required) User Name" and "(Required) Email". At the bottom are two buttons: "Log In" and "Request Password". The "Request Password" button is highlighted with a red rectangular border.

3. A temporary password will be emailed to your primary email address.  
**Note:** If the administrator has disabled the System-Generated Passwords feature, then the password reset email will instead contain a link you can click to reset your password.
4. Enter the temporary password into Sugar's login screen.  
**Note:** Be sure to change your password once logged in by navigating to the [Password tab](#) in your user preferences.

## Resetting Your Password With SugarIdentity


Use the following steps to reset your password in a SugarIdentity-enabled instance:


1. Click the "Forgot Password?" link on the bottom of Sugar's login dialog box.

The image shows the SugarCRM login dialog box. It features the SugarCRM logo at the top, followed by the text "Welcome to ABC Company Production". Below this are two input fields: "User Name" and "Password". At the bottom are two buttons: "Forgot Password?" and "Log In". The "Forgot Password?" button is highlighted with a red rectangular border.

2. Enter your Sugar user name and primary email address on file, then click "Send". A message will appear confirming that the password reset email has been sent to your primary email address.

---



 **sugarcrm**

Welcome to  
ABC Company Production

**Forgot Password?**

Enter your user name and email address below to receive the password reset instructions.

User Name (Required)

Email (Required)

Cancel Send

3. Click the password reset link in the email and you will be directed to the password reset page.
4. Enter your new password and confirmed password making sure to meet the password requirements listed on the screen. Click "Change password" then click the Log In button on the following dialog box if you wish to log in to your account.

**Note:** System administrators can [configure](#) the password requirements in SugarIdentity.



 **sugarcrm**

Welcome to  
ABC Company Production

**Reset your password**

Password requirements:

- Minimum length = 8
- Maximum length = 18
- Must contain one upper case letter (A-Z)
- Must contain one lower case letter (a-z)
- Must contain one number (0-9)

New password

Confirm password

Change password

**Note:** System administrators also have the ability to send password reset emails to

---

users via [SugarIdentity](#).

## Setting Your Language

Users have the option to choose the primary language they want to be displayed in Sugar by clicking the Language link on the bottom right of the Login screen. The Language dropdown list will appear allowing you to select the appropriate language you want to be displayed in your Sugar account. The out-of-the-box default language is English (US), but administrators can change the default language globally via Admin > Locale. For more information on configuring the default language in Sugar, please refer to the [User Interface](#) section of the System documentation. Once the default language is changed by the administrator, it will display as the default selection on the login screen for all users.

Administrators can also control what languages are available to select in the Language dropdown list via Admin > Languages. If you do not see one of the listed languages below displayed in the Language dropdown list, please reach out to your system administrator for assistance. For more information on managing languages in Sugar, please refer to the [Languages](#) section of the System documentation.




The following languages are available for use in Sugar:

Albanian	Hungarian
Arabic	Italian
Brazilian Portuguese	Japanese
Bulgarian	Korean
Catalan	Latvian
Chinese (Simplified)	Lithuanian
Chinese (Traditional)	Norwegian
Croatian	Polish
Czech	Portuguese
Danish	Romanian
Dutch	Russian
English (UK)	Serbian

English (US)	Slovak
Estonian	Spanish
Finnish	Spanish (Latin)
French	Swedish
German	Thai
Greek	Turkish
Hebrew	Ukrainian

## Logging Out

When you are done working in Sugar and wish to log out of the system, simply click your user name on the upper right of Sugar and select "Log Out". This will log you out completely from Sugar and you must [log in](#) again in order to access your account.



## Automatic Log Outs

While working in Sugar, a user may be automatically logged out of the system. There are several valid and expected reasons that this may occur, primarily for security purposes. For more information and steps to troubleshoot this behavior, please refer to the [Troubleshooting Sugar Logging Out Unexpectedly](#) Knowledge Base article.

Please note that users can have multiple tabs of Sugar pages open within the same web browser (e.g., Chrome) without getting logged out of the system. For example, this is useful when working with multiple Sugar pages or records without navigating away from previous pages.

## New User Wizard

When users first log in to Sugar, they will step through the New User Wizard to configure some basic settings (i.e., User Profile and User Locale Settings). If the system administrator already configured your basic settings when adding you as a


---

user to Sugar, the fields in the wizard will be populated with the provided information. You can update your information as you go through the New User Wizard to make any necessary changes. Please note that you can skip the steps in the wizard if you wish to configure the settings via your user preferences at a later time.

**Note:** For instances that use SugarIdentity, the [User Profile](#) step of the User Wizard is read-only and the displayed fields (e.g., First Name, Last Name) will not be editable in your user profile as they can only be edited by administrators in [SugarIdentity](#).

## Accepting Cookies

In order to log in to Sugar, you must accept the use of cookies in the application. You will only be asked to accept the first time you log in, and any time there are changes to the privacy policy. To accept, enable the checkbox option then click "Continue" to advance to your user profile information.



This application uses cookies

This application uses cookies to aid in providing you with a better experience. By continuing, you consent to the use of cookies in accordance with our [privacy policy](#).

☒ Check to accept (Required)

Cancel Continue

## Configuring Your Information

The User Profile step of the New User Wizard allows you to enter basic information (e.g., name, email address, phone) about yourself to be stored in your user profile. Please note that the information provided in this step can be updated in your user preferences at a later time if desired. For more information on configuring your personal information, please refer to the [User Preferences](#) section.


**Note:** For instances that use SugarIdentity, the [User Profile](#) step is read-only and the displayed fields (e.g., First Name, Last Name) will not be editable in your user profile as they can only be edited by administrators in [SugarIdentity](#).

The following options are available to configure your user profile:

- **First Name:** Enter your first name.
- **Last Name:** Enter your last name.
- **Email:** Enter your primary email address.
- **Phone:** Enter your office number.

---

Please note that all required fields will indicate "Required" in the field and must be completed prior to moving to the next step of the wizard. Once your personal information is entered, click "Next".

The image shows a 'User Profile' setup form. At the top left, there is a circled number '1' followed by the title 'User Profile' and the subtitle 'Setup your user information'. To the right of the title is a 'Setup progress' indicator with a green bar. The form contains four input fields: 'First name' with the value 'Jim', 'Last name' with the value 'Brennan', 'Email' with the value 'jim@example.com', and 'Phone' with the value '(415) 226-8888'. At the bottom right of the form is a blue 'Next' button with a red border.

1 User Profile Setup progress

Setup your user information

First name Last name

Jim Brennan

Email Phone

jim@example.com (415) 226-8888

Next

## Configuring Your Locale

The User Locale Settings step allows you to configure the date, time, and name format you want to be displayed in Sugar based on your current geographical location. Please note that the information provided on this page can be updated in your [user preferences](#) at a later time if desired.

The following options are available to configure your locale settings:

- **Time Zone:** Select the time zone based on your current geographical location.
- **Date Format:** Select the format you want the date stamps displayed in Sugar.
- **Time Format:** Select the format you want the timestamps displayed in Sugar.
- **Name Format:** Select the format you want the concatenated name fields displayed in Sugar's list view and record view.

Once your locale information is entered, click "Next".

---

2

User Locale Settings

Set your time zone, date, and name formats

Setup progress

Time Zone

America/Los Angeles (GMT-8:00) ▾

Time Format

23:00 ▾

Date Format

2010-12-23 ▾

Name Format

Dr. David Livingstone ▾

Back

Next

The following page will confirm that your setup is complete and that you are ready to use Sugar. You can access the various support resources (e.g., Documentation, Knowledge Base) available by clicking one of the boxes in the dialog box. Please note that you can click "Start Sugar" to go directly into your Sugar account.

✓

Setup Complete

Start using Sugar!

Setup progress

i

Sugar Training

📄

Documentation

👜

Knowledge Base

💬

Forums


Back

Start Sugar

## Tour

You can launch the Welcome to Sugar tour on the Home page to see key features of the user interface. Simply click the Help link in Sugar's footer then click "Tour This Page" in the help pane. The Welcome to Sugar window will appear and include links that provide access to additional resources (e.g., training, documentation). Click the appropriate link in the window to be directed to the specific page (e.g., Support page) in a separate tab. To begin the tour, simply click the Right arrow and a bubble will appear to point out the various parts of the application such as where to access the dashboard and activity stream, perform a global search, etc. You can click the Left arrow at any time during the tour to go back through the key features again. Once you have completed viewing the tour,


click the Done button to exit the tour. Please note that you can launch the tour again by clicking the Tour link in Sugar's help pane at any time. For more information regarding the Tour link, please refer to the [User Interface](#) documentation. As you navigate around Sugar, you can launch the tour for any of the Sidecar modules (e.g., Accounts, Leads, Contacts) by clicking the Tour This Page link in the help pane to view key features of the list view and record view.



## User Preferences

There is a wide range of configuration options available to users when setting up their profiles in Sugar. The User Preferences section gives users the ability to view and update their basic information, personal email settings, etc. To access user preferences, click your user name on the upper right of Sugar and select "Profile".

**Note:** For instances that use SugarIdentity, certain fields (e.g., First Name, Last Name, Work Phone, Title) in the [user's profile](#) are read-only and can only be edited by administrators in [SugarIdentity](#).



## User Profile Tab

The User Profile tab displays basic information such as your name, license type, email address, etc. If the New User Wizard was completed, the information you entered will appear under the User Profile tab. For Sugar instances that use SugarIdentity, the [User Profile](#) step of the User Wizard is read-only and the displayed fields can only be edited by administrators in [SugarIdentity](#). The system administrator can also enter the user's basic information when creating the user via Admin > User Management. For more information on creating new users, please refer to the [User Management](#) documentation. Your personal information on this tab is grouped by default into the User Profile, Employee Information, and Email Settings sections. To enter or update your information, simply enter the appropriate values for the fields then click "Save" to preserve the changes.

For instances that use SugarIdentity, the following fields under the User Profile tab are read-only and can only be edited by administrators in [SugarIdentity](#):


- First Name
- Last Name
- Work Phone
- Address Street
- Address City
- Address State
- Address Postal Code
- Address Country
- Primary Email Address

User Profile

The User Profile section displays your Sugar name, user name, status, user type, avatar, and license type. Of these fields, regular users can only modify First Name, Last Name, and Avatar; the rest are set by Sugar administrators as described in the [User Management](#) documentation. Each user must have one or more Sugar products selected in their License Type fields. This field controls what functionality you may access. When working in Sugar or learning about the features available to you, view your profile to confirm your license type(s). A list of functionality available for each license type is listed in the [License Types Matrix](#) documentation.

User ProfileAdvancedAccessDownloads

⬆ User Profile

Full Name:	Chris Olliver	User Name:	chris
Status:	Active	User Type:	Regular User
Avatar:		License Type:	Sugar Serve

## Employee Information

The Employee Information section displays your employee status, title, phone number, address, etc. If you completed the Your Information step of the New User Wizard, the information you entered will appear in this section. You can update your address, phone number (e.g., Work Phone, Mobile), description, IM Type (e.g., MSN, Yahoo!), and IM Name in this section accordingly. Please note that only system administrators can change your employee status, title, department, and supervisor information. For instances that use SugarIdentity, administrators will need to access [SugarIdentity](#) to update the Title and Department fields. For more information on administrator updates to the Employee Information section, please refer to the [User Management](#) documentation.

Employee Information			
Employee Status:	Active		
Title:	Account Rep	Work Phone:	
Department:		Mobile:	
Reports to:	Sarah Smith	Other Phone:	
		Fax:	
		Home Phone:	
Business Center Name:			
IM Type:		IM Name:	
Address Street:			
Address State:			
	Address City:		
	Address Postal Code:		

## Email Settings

The Email Settings section contains your primary email address and preferred method for sending mail from Sugar.

**Note:** For instances that use SugarIdentity, the user's primary email address can only be edited by administrators in [SugarIdentity](#).

Email Settings

Email Address: \*

+

tom@example.com

–

Primary

Reply-to

Email Client: ⓘ

External Email Client ▾

Save

Cancel

Reset User Preferences

---

The Email Settings section contains two fields:

- **Email Address:** Enter your primary email address.
  - Sugar refers to the primary email address in the user's profile to send messages such as password-reset emails, record-assignment notifications, and workflow alerts to users.
  - Users can add multiple email addresses in email settings, but only one can be marked "Primary".
  - If the administrator has enabled the system email account for users, the primary email address will be displayed when the user sends outbound emails via the system email account.
  - Outgoing email accounts (e.g., support@example.com) that are used to send outbound email messages will get added to the Email Address field as Sugar links the user to that email address since they used it to send an email message through Sugar.
- **Email Client:** Select how you would like to send email from Sugar.
  - **Sugar Email Client** (most common): To send messages through the Sugar application and automatically archive them in Sugar, you must select "Sugar Email Client" from the Email Settings section of your user profile. This is the default setting.
    - **Note:** To send email from Sugar, you must configure your outbound email server via [Emails > Email Settings](#) or, if using the system email account to send email, the system's outbound email server must be configured by an administrator via Admin > [System Email Settings](#).
  - **External Email Client:** Users can choose this option if they would like to send email from an application outside of Sugar (e.g., Microsoft Outlook, Gmail). If you choose the External Email Client option, emails sent to contacts, leads, etc. will not be saved in Sugar as archived emails unless you use the Sugar Email Archiving service (a.k.a. "SNIP") or [Sugar Connect](#).

**Note:** The administrator may have configured the user's email settings when adding the user to the system, but the user can always edit the options in their profile.

## Password Tab

Users have the option to change their password in Sugar by navigating to the Password tab in their user preferences. You can use this option to change temporary Sugar passwords, system-generated passwords for password resets, etc. Administrators also have the ability to change or reset a user's password via Admin > User Management. For more information on how administrators can reset a user's password, please refer to the [Resetting User Passwords](#) section of the User Management documentation. Please note that passwords can be changed as often as you wish in Sugar. Updating passwords in Sugar on a regular basis is

---

recommended for the security of your account.

**Note:** For Sugar instances that use [Sugaridentity](#), users can reset their password by selecting the [Change Password](#) option under the user menu on the upper right of Sugar.

To reset your password, enter your current password, new password, and confirmed password making sure to meet the password requirements listed on the right. Each password requirement will be checked off in the list as the new password meets the required conditions. Please note that the new password you enter must meet all the restrictions in order for the password to save. System administrators can configure the password requirements via Admin > Password Management. They can choose the minimum and maximum lengths required for the password, as well as indicate if any special characters are needed. Additional requirements such as upper case, lower case letters, and numbers can also be part of the set restriction. The password requirement set by the system administrator determines what users will need to include when creating new passwords. Although not recommended, administrators can choose to not set password requirements if they wish, which will allow users to change their passwords without any restrictions. For more information on configuring password requirements, please refer to the [Password Requirements](#) section of the Password Management documentation. Once you have entered the new password, click "Save" to preserve the change.

The screenshot shows the 'Password' tab of a user profile interface. It features three input fields: 'Current Password', 'New Password', and 'Confirm Password'. To the right of these fields is a list of password requirements, each preceded by a red 'X' icon. The requirements are: 'Must contain one upper case letter (A-Z)', 'Must contain one lower case letter (a-z)', 'Must contain one number (0-9)', and 'Minimum Length =6'. The 'Password' tab is highlighted with a red box, and the requirements list is also highlighted with a red box.

## Advanced Tab


The Advanced tab shows information specific to the user's preferences in Sugar. This information includes user settings, locale settings, PDF settings, calendar options, and layout options. Users can set up, view, or change the information under this tab based on their geographical location and personal preference.

## User Settings

The User Settings section allows you to configure various settings for your account such as default team(s), reminders, notify on assignment, etc. The system administrator can configure these settings for you when adding you as a user in

---

Sugar, but you can change these settings accordingly based on your personal needs and preference.



The options available to configure in the User Settings section are as follows:


- **Export Delimiter:** Specify the character used to delimit exported data from Sugar. By default, the comma is used to separate exported data in Sugar.
- **Import/Export Character Set:** Select the default character set used for data import, data export, and vCard generation. By default, UTF-8 (US or Western Europe region) is selected as the import/export character set.
  - Please be sure to select the proper character set based on your locale setting in Sugar. This will make sure that the character set between Sugar and your local machine matches when you export data, import data, or generate PDFs.
- **Show Full Names:** Select this option if you would like your full name (e.g., John Smith) instead of your assigned user name (e.g., jsmith) displayed in Sugar. If enabled, your full name will appear in the My Activity Stream dashlet, Assigned to fields, and on the upper right of your Sugar account.
- **Default Teams:** Select the default team(s) that will be automatically assigned to new records you create in Sugar. Whenever you create a record, the team is set as your default team, similar to how the "Assigned To" field is set to you. You can have any number of default teams. When selecting a default team set, you must select one team as the primary team and, if the Administrator has enabled team-based permissions, you may optionally indicate whether the teams on each set should be automatically set to "selected" (Additional Permissions Enabled).
- **Email on Assignment:** Enable this option to receive an email notification when a record is assigned to you by another user. Both the outbound mail server and [personal email settings](#) must be configured in order to receive the notification. For more information on configuring the outbound mail server, please refer to the [Email](#) documentation.
- **Email on Mention:** Select this option to receive an email notification every time your name is mentioned in a comment log.
- **Reminders:** Enable the popup or email reminder checkbox to set default reminders for calls and meetings. Once marked, you can select the default reminder time (e.g., 10 minutes prior) to send reminders to invitees.

- **Appearance:** Choose which theme you want to use when viewing Sugar.
  - **Light:** A light and bright white-based theme
  - **Dark:** A theme based in blacks and grays, often preferred for nighttime viewing
  - **Use system setting:** The theme (light or dark) will respect whatever rule your computer or device has set up

**Note:** You can configure the [SugarCRM mobile app](#) to send push notifications to your device for record assignments and comment log mentions, but note that the "Email on Assignment" and "Email on Mention" settings are independent of the mobile settings. Each must be configured separately.

## Layout Options

The Layout Options section allows users to select what modules they want Sugar to display or hide in the navigation bar.



The options available to configure in the Layout Options section are as follows:

- **Select Modules for Navigation Bar:** Select which modules will be displayed or hidden in the navigation bar by using the left and right arrows to move modules between the Display and Hide Modules column. You can also designate the order of the modules displayed in the navigation bar by selecting the module in the Display Modules column and clicking the up and down arrows.
- **Field Name Placement:** Choose whether field names are displayed above or beside field values in record view; by default, field names are displayed beside the field value. This option does not apply to the Record View dashlet.

## Locale Settings

The Locale Settings section is where you can specify how you would like the data in Sugar displayed based on your geographical location. Please note that system

administrators can set the system locale settings via Admin > Locale, which will be the default setting for all users in Sugar. But each user has the option to change the default locale settings for their Sugar account in their user preferences.

Locale Settings	
Date Format: ⓘ	2010-12-23 ▾
Show Preferred Currency: ⓘ	<input type="checkbox"/>
Time Format: ⓘ	23:00 ▾
Time Zone: ⓘ	America/Los Angeles (GMT-7:00) ▾
Name Display Format: ⓘ	Dr. David Livingstone ▾
Preferred Currency: ⓘ	US Dollars : \$ ▾
Create Revenue Line Items in Preferred Currency: ⓘ	<input type="checkbox"/>
System Significant Digits:	2 ▾
Example:	\$123,456,789.00
1000s separator: ⓘ	,
Decimal Symbol: ⓘ	.

The options available to configure in the Locale Settings section are as follows:

- **Date Format:** Select the format you want the date stamps to be displayed in Sugar.
- **Show Preferred Currency:** Mark the checkbox to convert the base currency to user-preferred currency in list views and record views.
- **Time Format:** Select the format you want the timestamps to be displayed in Sugar.
- **Time Zone:** Select the time zone based on your current geographical location.
  - Please note that if the selected time zone is different from your browser's set time zone, a warning message ("Your browser's timezone does not match your saved timezone Adjust Your Timezone.") will appear upon your next log into Sugar. You can click the link in the warning dialog box to change the time zone in your user preference accordingly.
  - **Note:** This Time Zone setting only applies to modules using the Legacy user interface. Modules using the Sidecar user interface will utilize the browser's time zone.
- **Name Display Format:** Select the format you want the concatenated name fields displayed in Sugar's list view and record view.
- **Preferred Currency:** Select the default currency you wish to use when creating new records.
- **Create Revenue Line Items in Preferred Currency:** Mark the checkbox to use your preferred currency when creating revenue line items based on a product catalog item, rather than the default behavior of using the product catalog item's currency.
- **System Significant Digits:** Select how many digits will appear after the decimal symbol for currencies.
- **1000s Separator:** Enter the default character used to separate numeric values in the thousands.
- **Decimal Symbol:** Enter the default character used as the decimal symbol.


---

## PDF Settings

The PDF Settings section allows users to set and change the default font settings for PDF documents generated in Sugar.

The options available to configure in the PDF Settings section are as follows:

- **Font for Header and Body:** Select the font for the header and body of PDF documents when generated in Sugar.
- **Main Font Size:** Enter the default font size for the PDF header when generated in Sugar.
- **Font for Footer:** Select the font for the footer of the PDF document when generated in Sugar.
- **Data Font Size:** Enter the default font size for the PDF body when generated in Sugar.

PDF Settings	
Font for Header and Body: 	DejaVuSans
Main Font Size:	8
Font for Footer: 	DejaVuSans
Data Font Size:	8

## Calendar Options

Sugar calendars can be shared and viewed with various iCal compatible calendar applications such as Apple Calendar, Google Calendar, Yahoo! Calendar, Mozilla Thunderbird, etc. The calendars are viewable as read-only in the external calendar applications and any edits to existing calendar events (e.g., meetings, calls) can only be done in Sugar. The Calendar Options section allows users to generate a unique publish key to sync their Sugar calendar to external calendar application(s). The publish key is a security feature as it prevents other users from viewing your calendar unless they have this information. The user must have your publish key information to view your Sugar calendar via the external calendar application.

- **Publish Key:** The publish key is used to uniquely identify a user's calendar and sync Sugar's calendar to external calendar applications (e.g., Google Calendar, Apple Calendar). A system-generated alphanumeric value (e.g., 948fc65a-9c89-a11f-b40c-5) is displayed by default, but users can change this key (e.g., mysecretkey) to whatever they wish. The Publish at my location site, Search location, and iCal Subscription URL all reflect the


---

publish key within the URL.

- **Publish at my location:** Use this URL to sync free/busy information for meetings from Microsoft Outlook to Sugar. This is helpful when scheduling meetings in Sugar as you can view the user's free/busy information to avoid scheduling conflicts.
- **Search location:** Use this URL to sync free/busy information for meetings from Microsoft Outlook to Sugar. This is helpful when scheduling meetings in Sugar as you can view the user's free/busy information to avoid scheduling conflicts.
- **iCal Subscription URL:** Use this URL to integrate the external calendar application with your Sugar calendar.
- **First Day of Week:** Select the first day of the week that will display in Week, Work Week, and Month views when viewing your Sugar calendar. This setting also applies to calendar pickers which display when users are setting a value for a date field (e.g., Expected Close Date) in a record. You may need to refresh your browser to see changes take effect.

Use the following steps to integrate the external calendar application with your Sugar calendar:


1. Navigate to the Advanced tab in your user profile and scroll down to the Calendar Options section.



The screenshot shows the 'Calendar Options' section of a user profile. It contains several input fields: 'Publish Key:', 'Publish at my location:', 'Search location:', 'iCal Subscription URL:', and 'First Day of Week:'. The 'iCal Subscription URL:' field is highlighted with a red rectangular box. The 'First Day of Week:' is set to 'Sunday'.

2. Copy the iCal Subscription URL then paste the value into your iCal compatible calendar application.
  - For Apple Calendar:

- Click "File" then select "New Calendar Subscription".



- Enter the iCal Subscription URL and click "Subscribe".

- For Google Calendar (<https://www.google.com/calendar>):
  - Click "Other Calendars" then select "Add by URL".

- Enter the iCal Subscription URL and click "Add Calendar".

#### Add by URL

Use the following steps to sync the free/busy information from the Sugar calendar to Microsoft Outlook:

1. Navigate to the Advanced tab in your user preferences and scroll to the Calendar Options section.
2. Copy the Search location URL.
3. In Outlook, go to File > Options > Calendar > Free/Busy Options.
4. In the Internet Free/Busy section, paste the Search location URL into the corresponding box.

Please note that the settings must be configured on each user's computer. Once configured, the invitee shows as busy for any time currently scheduled in Sugar if the user's email address in Sugar matches the invitee email address in Outlook.

---

For help troubleshooting or displaying your Sugar calendar in an external application, refer to the [Troubleshooting Viewing Sugar Calendar in Google Calendar](#) and [Troubleshooting Feed Refresh in External Calendars](#) articles.

## External Accounts Tab

The External Accounts tab allows users to connect to external applications (e.g., Google, GoToMeeting, WebEx) from Sugar. Please note that you must have an existing account with the external application prior to connecting in Sugar.

Connecting to your Google account enables you to upload and access documents stored in Google Drive from the Documents module. In addition, you can upload and view Sugar documents via Google Drive. For more information on how to upload and view external source documents, please refer to the [Documents](#) documentation. The Google connector also enables you to access your Google Drive via the Cloud Drive dashlet on dashboards throughout Sugar. Please refer to the [Cloud Drive](#) documentation for more information.


If you connect to your Microsoft account, you will be able to access your Microsoft OneDrive via the Cloud Drive dashlet on dashboards throughout Sugar. Please refer to the [Cloud Drive](#) documentation for more information.

Connecting to your GoToMeeting and WebEx accounts allows you to be able to schedule meetings in Sugar that are hosted by one of these applications. Please note that you must indicate the specific meeting type (e.g., Sugar, GoToMeeting, WebEx) when creating the meeting in Sugar. For more information on scheduling meetings, please refer to the [Creating Records](#) section of the User Interface documentation.

When you connect to your DocuSign account, you can send documents to DocuSign for electronic signature from the DocuSign dashlet or the Documents subpanel in Sugar.

The following steps cover connecting to the Google application as an example:


1. Click the External Accounts tab in your user preferences then click "Create".



2. Select "Google" in the Application field then click the Connect button.
  - **Note:** If the Google option is not available to select in the Application field, the Google connector may not have been configured properly via Admin > Connectors. Please reach out to your Sugar administrator to have the Google connector configured.


---

For more information on configuring connectors, please refer to the the Administration Guide.



3. After clicking "Connect", a pop-up window will appear. Click "Allow" to grant permission for the connection to occur.
  - Google's login screen may appear inside the pop-up if you are not already logged in to your Google account in the active browser window. Simply enter your credentials then click "Allow" in the next window.
  - **Note:** Your browser's pop-up blocker must be disabled to ensure essfully to Sugar.

▾ Google Connector would like to:



The Google application is now connected to your Sugar account and will appear under the External Accounts tab. Please note that for Google, Microsoft, GoToMeeting, and WebEx, you can only be connected to one account per application in Sugar.

## Access Tab

Users can view their access information (e.g., Access table, Roles, My Teams) via the Access tab in the detail view of their profile. System administrators can assign users to various teams and roles depending on what each user is allowed access to in Sugar. You will be able to view the team(s) and role(s) assigned to you via the Roles and My Teams section in the Access tab.

## Access Table

The Access table summarizes the set of permissions assigned to the user and allows them to view the type of access they have along with the actions (e.g., View, Edit, Delete) they can perform in Sugar. Only system administrators have the ability to create roles and assign them to users. Users who are assigned to the role will only be able to perform actions defined by it. Please note that users with more than one role assigned will have the more restrictive role setting prevail on the access table. For example, if one role allows the user to delete records in the Contacts module, but the other role does not allow record deletion, the user will

---

not be able to delete records in the Contacts module. The table will list the modules in rows on the far left with column headers representing the type of action (e.g., Delete, Edit, Export) users can perform in each module. For more information on the Access table column headers, please refer to the [Setting Module-Level Permissions](#) section in the Role Management documentation.

The following setting options are available for the Access column on the table:

- **Enabled:** The user is allowed access to this module.
- **Not Set:** Does not restrict or grant access to this module, defaults to having "Enabled" access when selected.
- **Disabled:** The user will not be able to access this module, view any of its records, or see any trace of its existence in Sugar.

The following setting options are available for the Access Type column on the table:

- **Normal:** The user will be able to perform standard functions in this module barring restrictions from other roles or team settings. The user will not have any type of access to the Admin menu for this module.
- **Not Set:** Does not restrict or grant additional access to this module, defaults to having "Normal" access when selected.
- **Admin:** The user will supersede any team restrictions for this module and be able to view all records.
  - **Note:** User does not get access to developer tools such as Studio and Workflow Management.
- **Developer:** The user will be given access to the module-specific sections of Studio, Workflow Management, Dropdown Editor and any other necessary menus in Admin that are specific to the module.  
For more information on developer tools, please refer to the [Developer Tools](#) documentation.
- **Admin & Developer:** The user will be given the rights defined with the Admin and Developer role settings.

The following setting options are available for the actions (e.g., Edit, Delete, Export) on the table:

- **All:** The user will be able to perform this action on any and all records that can be accessed.
- **Owner:** The user will only be able to perform this action where the Assigned To field is set to be this user.
- **Not Set:** Does not restrict or grant access to this function and actions default to having "All" access when selected.
- **Note:** The user is not able to perform this action while using this module.

Advanced		Access							
	Access	Access Type	Delete	Edit	Export	Import	List	Mass Update	View
Accounts	Enabled	Admin & Developer	Owner	Owner	Owner	All	All	All	All
Bugs	Enabled	Normal	None	All	Owner	All	All	All	All
Calls	Enabled	Normal	All	All	All	All	All	All	All

## Roles

Sugar Roles define permissions for users such as what kinds of records they can access and what level of access they are allowed. Roles work in conjunction with teams to form a robust security model for non-admin users in Sugar. Roles control three different layers of access for users within Sugar: module, field, and action-level access. Please note that only users who are assigned to the specific role will be able to perform actions (e.g., view, edit, delete) defined by it. For more information on the various actions and setting options for roles, please refer to the [Access Table](#) section. Users who are not assigned to a role can access and perform actions in any module as long as they are assigned to the record or a member of the team assigned to manage it. System administrators have the ability to create various roles and assign additional roles to users via Admin > Role Management. For more information on creating and assigning roles, please refer to the [Role Management](#) documentation.

The Roles section displays the list of roles (if any) assigned to the user. Please note that if you are assigned to more than one role, the more restrictive role setting prevails. For example, if you have two roles where one role allows exporting of records in the Leads module and the other does not, then you will not be able to export lead records due to the more restrictive role setting.

Roles	
Select	
Name	Description
Customer Support Administrator	Customer Support Administrator Role

## My Teams

Teams consist of one or more users who are assigned to manage records in Sugar. The defined permissions determine what records a user is and is not able to access. Teams are used in conjunction with roles to form a robust security model for non-admin users in Sugar. The My Teams section displays the list of teams a user is associated with, which determines what records the user has access to in

---

Sugar. Please note that every record is assigned to at least one team, but can be assigned to multiple teams as well if different users need access to it. The default team(s) set in the User Settings section under the Advanced tab will automatically be assigned to new records created by the user. Users assigned to the record, as well as system administrators can access the record regardless of team membership. When a user is created in Sugar, they are automatically associated with the Global team (universal team) and a Private team (users own personal team) is created by default. System administrators can assign users to additional teams via Admin > User Management or Admin > Team Management as necessary. For more information on teams as well as creating and assigning teams, please refer to the [Team Management](#) documentation.

My Teams	
Name	Description
Global	Globally Visible
Max Jensen	Private team for max
West	This is the team for the West

## Downloads Tab

The Downloads tab contains the files to download for the following Sugar Plug-ins for Microsoft Office: Sugar Plug-in for Outlook, Sugar Plug-in for Word, and Sugar Plug-in for Excel. The Outlook plug-in allows you to archive emails to Sugar, synchronize contacts, meetings, and tasks, as well as create new Sugar records. The Word plug-in enables you to merge data, such as names and addresses in Sugar to perform mail merges. The Excel plug-in enables you to create, delete, update, or view data that is in your Sugar application. These plug-ins are available with all Sugar products and must be installed on each Windows computer running the Microsoft Office application where the plug-in is desired.

To download the plug-in(s), click the appropriate file that corresponds with your version and bitrate of Microsoft Office Outlook, Word, or Excel. Please be sure to check for the correct version and bitrate of your Microsoft Office application in order to download the correct file for installation. For more information on downloading and installing the Sugar plug-ins, refer to the appropriate [Plug-ins](#) documentation.

---

User ProfileAdvancedAccess**Downloads**

Sugar Plug-ins for Microsoft Office™

Read about the plug-in features within the [Plug-ins Documentation](#).

**Sugar Plug-in for Outlook**  
Integrate Sugar e-mail and calendar information with Microsoft Outlook.

- [Sugar Plug-in for Outlook 2.7.1](#)

**Sugar Plug-in for Word**  
Automatically populate information from SugarCRM into form letters, direct mail and other Microsoft documents.

- [Sugar Plug-in for Word 2.0.1](#)
- [Sugar Plug-in for Word 2010 64bit April2014](#)
- [Sugar Plug-in for Word 2013 32bit April2014](#)
- [Sugar Plug-in for Word 2013 64bit April2014](#)
- [Sugar Plug-in for Word 365 32bit April2014](#)
- [Sugar Plug-in for Word 365 64bit April2014](#)

**Sugar Plug-in for Excel**  
Integrate Sugar with spreadsheets for better analysis of key metrics.

- [Sugar Plug-in for Excel 2.0.1](#)
- [Sugar Plug-in for Excel 2010 64bit April2014](#)
- [Sugar Plug-in for Excel 2013 32bit April2014](#)
- [Sugar Plug-in for Excel 2013 64bit April2014](#)
- [Sugar Plug-in for Excel 365 32bit April2014](#)
- [Sugar Plug-in for Excel 365 64bit April2014](#)

## User Holidays

The User Holidays subpanel appears in the detail view (e.g., User Profile tab, Advanced tab) of the user's profile. Administrators can record the days that users will not be working so that the time off is considered when calculating project timelines in the Projects module. To add a holiday, click the Create button and enter the date of the holiday along with a description and then click "Save". Users will be able to select the scheduled holiday(s) via the Project Holidays subpanel in Projects-related modules. For more information on creating and managing projects, please refer to the [Projects](#) documentation.

⌵ User Holidays

Create

Holiday Date: ⌵Description:

2017-12-27PTO

## Resetting a User's Preferences


Users can reset their user preferences back to the default out-of-the-box settings, which will revert all changes made to the user preferences section (e.g., User Profile, User Settings, Locale Settings). To reset your user preference, click the

---

Reset User Preferences button at the top of your profile in edit view or click the Actions menu then select "Reset User Preferences" in detail view.


From edit view:

Max Jensen » Edit



From detail view:


Max Jensen



## Changing Password

For Sugar instances that use [Sugaridentity](#), users can change their password in Sugar by selecting the Change Password option under the user menu on the upper right of Sugar. The Change Password screen will open and display the Old, New, and Confirm password fields as well as the organization's password requirements (if any). Please note that passwords can be changed as often as you wish in Sugar, and it is also recommended that you update your Sugar passwords on a regular basis for the security of your account.

**Note:** Administrator users also have the option to change their Sugar password in [SugarIdentity](#).



To change your password, simply enter your current password, new password, and confirmed password making sure to meet all the password requirements listed on the screen. System administrators can [configure](#) the password requirements in SugarIdentity, which determines what users will need to include when creating new passwords. Administrators can set the minimum and maximum lengths required for the password, as well as indicate if any special characters are needed.

---

Additional requirements such as upper case, lower case letters, and numbers can also be a part of the password requirements. If you do not remember your current Sugar password, click the "Forgot Password?" link to request a password reset.


Once you have entered the new password, click "Confirm" to preserve the change. A success message will appear once the password has been updated successfully; click "Continue" to be directed back to Sugar's home page. You will also receive an email notification confirming that your Sugar password has been changed.

## Resetting Multi-Factor Authentication

For [SugarIdentity](#)-enabled instances that use [multi-factor authentication](#), users will need to use a mobile authenticator app (e.g., Authy, Google Authenticator, Microsoft Authenticator) to [log in](#) to their account. When the administrator enables multi-factor authentication for your Sugar instance, the Reset Multi-Factor Auth option will appear under your user menu on the upper right of Sugar. Do not click this option if you have not already authenticated using a mobile authenticator app. Only perform this action if you need to reset the multi-factor authentication for your account, for example, when you need to set up the authenticator app on a new mobile device. Please note that administrators also have the ability to reset multi-factor authentication for your account in case you lose your mobile device, for example, and need to re-authenticate using an authenticator app on a new device to log in to Sugar.

Use the following steps to reset multi-factor authentication for your account:

1. Click your user profile on the upper right of Sugar and select "Reset Multi-Factor Auth".



2. A pop-up message will appear asking for confirmation. Performing this action will immediately log you out and you will need to re-authenticate using an authenticator app on your next log in. Click "Confirm & Log Out" if you wish to proceed.


The next time you log in to Sugar, you will be required to scan the QR code to pair the authenticator app with your Sugar account. For steps on logging in to Sugar using an authenticator app, refer to the [Logging In With SugarIdentity Using Multi-](#)

---

[Factor Authentication](#) section of this page.


## Accessing Support

The SugarCRM Support page provides access to various Sugar Support resources such as the case portal, documentation, knowledge base, etc. Users can easily access the support page by clicking the Documentation & Support link in Sugar's [help](#) pane. To access Sugar's Support page outside of your instance, go directly to the [SugarCRM Support site](#) on your web browser.




## Finding Your Product and Version Information

Users can find their Sugar instance's version and build number and their assigned CRM solution licenses (e.g., Sugar Sell Advanced, Sugar Serve) by clicking their user name on the upper right of Sugar and selecting "About".



You can also find information regarding your Sugar instance's version and your assigned CRM solution licenses by clicking the Help link in Sugar's footer.



## User Interface

### Overview

The user interface includes all of the visible elements users see and interact with while using Sugar including the headers, fields, subpanels, dashboards, etc. Knowing how to properly navigate around the application along with what the

---

various layouts, options, and action items do in Sugar will be critical in managing your data in the system. This documentation covers the basics of Sugar's user interface as well as how to perform common tasks or operations in the application.


## Sidecar Modules

This page covers the user interface that was introduced in Sugar 7 called "Sidecar", which applies to all modules except for Campaigns. For information on the Campaigns module user interface (legacy), please refer to the [Legacy User Interface](#) knowledge base article. Custom modules created in Module Builder will utilize the Sidecar user interface. Custom modules installed to an instance prior to Sugar 7 that were not created in Module Builder will continue to use the Legacy user interface upon upgrade to later versions.

## Theme

Sugar offers two different theme options for viewing the application: light mode and dark mode. The selected theme is controlled by the Appearance setting in each user's profile. For more information on changing your user profile settings, please refer to the [Getting Started](#) documentation.

System Administrators can upload different logos for light vs dark mode. For more information, please refer to the [System](#) documentation in the Administration Guide.



## Navigation Bar

All pages within Sugar display a navigation bar spanning across the top of the screen. The navigation bar allows you to access the various modules (e.g., Accounts, Contacts, etc.), access your Home page, perform a global search, etc. You can configure the navigation bar via your user preferences to select which modules you want to display as well as their order. For more information, please refer to the [Layout Options](#) section of the Getting Started documentation.

The default navigation bar consists of the following options from left to right:




Navigation Bar Item	Description
<a href="#">Home</a>	Click the Sugar Cube icon on the upper left to access your Home page dashboards as well as your Activity Stream.
<a href="#">Module Tabs</a>	Both stock and custom modules can be displayed in the navigation bar. Click the module name to open its list view or click the triangle to the right of each module name to display the Actions, Recently Viewed, and Favorites menus.
<a href="#">Global Search</a>	Enter keywords into the global search bar to search for records across all Sugar modules.
<a href="#">Notifications</a>	View system notifications (if any) by clicking the notification icon. The number shown indicates the count of unread notifications.
<a href="#">User Menu</a>	Click the user profile image to open the user menu which allows access to your profile, the Employees module, etc.  <b>Note:</b> For instances that use SugarIdentity, certain fields (e.g., First Name, Last Name, Work Phone, Title) in the user's profile are read-only and can only be <a href="#">edited</a> by administrators in SugarIdentity.
<a href="#">Quick Create</a>	Click the Add button (plus icon) to open the Quick Create menu which allows you to create records from anywhere in Sugar.

## Home

You can access your Home page from anywhere in Sugar by clicking the Sugar Cube icon at the top left of every page. Sugar's home page houses full-page dashboards and your instance-wide [activity stream](#) (if enabled). Additionally, you can manage your dashboards and visit recent records from the Home page actions


---

menu. For more information, please refer to the [Home](#) documentation.




## Module Tabs

Module tabs are located to the right of the Sugar Cube icon on the navigation bar at the top of any Sugar screen. To access a specific module's list view, simply click the module's name. You may also click the triangle to the right of the name to display the Actions, Recently Viewed, and Favorites menus. The Actions menu allows you to perform important actions within the module. The Recently Viewed menu displays the list of records you last viewed in the module. The Favorites menu displays the list of records you most recently marked as favorites in the module.



The number of displayed module tabs depends on your screen resolution as well as the size of your browser window. When your available modules do not fit within the navigation bar's width, clicking the three-dots menu to the right of the displayed modules allows you to select and navigate to the list view of the additional modules.



If you do not see a particular module tab in Sugar, please check the following:

- The module may be marked as hidden in your user preferences which will prevent the module tab from being displayed. Navigate to your user menu (upper right of Sugar), click "Profile", click the Advanced tab, and check the Layout Options section. If you see the module in the Hide Modules list,


---

simply move it to the Display Modules list and click "Save". For more information on hiding and displaying modules, please refer to the [Layout Options](#) section of the Getting Started documentation.

- The administrator may have disabled the module for your entire Sugar instance. Reach out to your Sugar administrator to have the module displayed. For more information on displaying and hiding modules throughout Sugar, please refer to the [Developer Tools](#) documentation.

## Global Search

Global search allows users to search for information across their entire Sugar database as opposed to restricting search within a specific module. The Global Search bar displays on the upper right of any Sugar page and utilizes full-text search to search throughout most fields and modules for an enhanced search experience.




Clicking on the search bar will expand it across Sugar's navigation bar. To perform a search, type the search phrase into the search box, and the pop-up results will begin appearing once you enter at least one character. Click "View all results" at the bottom of the pop-up results to see and filter additional matches. To minimize the search bar, simply click anywhere outside of the search bar. For more information on using Global Search, please refer to the [Global Search](#) section of the Search documentation.

Once expanded, you will be able to access the Modules dropdown by clicking the down arrow on the far left of the search box. This allows you to restrict results to particular modules (e.g., Accounts, Contacts, etc.). For more information on configuring your global search, please refer to the [Search](#) documentation. Administrators can also enable or disable modules as well as control additional elements of global search via Admin > Search and Admin > Studio. For more information on these configurations, please refer to the [Field Options](#) section of the Studio documentation as well as the [Search](#) section of the System documentation.


## Notifications

Sugar notifications relay key messages, warnings, and alerts that are relevant to the current user. The Notifications indicator is located in the top right corner of the screen next to the global search bar; the number displayed represents how many messages have a status of Unread. If you are logged in to Sugar using the Chrome or Firefox browser, the SugarCRM cube icon in your browser tab also displays the count of unread notifications. When the notification count changes,

the icon's count will be updated within 5 minutes of the change or upon reloading the tab.



Clicking the notification icon in Sugar opens a dropdown menu displaying your most recent unread notifications. Click any notification to open it in [record view](#), or click "View Notifications" to open the Notifications [list view](#). A notification is automatically marked as read when it is opened in record view or [previewed](#) from list view. If you wish to toggle its status between Read and Unread, simply click the status field in list view, record view, or preview. To change the status of multiple notifications at a time (e.g., to mark several notifications as read), you can also [mass update](#) the records from list view.



If a notification requires action within Sugar, a link may be included in the Description field, shown in record view or when previewing the notification. Clicking the link takes you to the related record or the area where action is needed.

## Notification Severity Levels


Each notification can have one of four severity levels:

- **Alert (Red):** Indicates something is critically wrong with your Sugar instance and needs the attention of a system administrator immediately.
- **Warning (Yellow):** Indicates something in your Sugar instance needs your attention or the attention of a system administrator to be fixed.
- **Information (Blue):** Standard notification including reminders for upcoming meetings, calls, or tasks. Note that for a notification to appear, a newly created activity must be scheduled to begin at least one hour later than the time it was created.
- **Success (Green):** Indicates the successful completion of an action or configuration change.

---

## User Menu

Your profile icon appears in the upper right of Sugar; clicking it displays the user menu where you can access your profile, the Employees page, and view important version information about your instance. To upload a photo for your profile image, please refer to the [Getting Started](#) documentation.




The user menu allows you to perform the following operations:

Menu Item	Description
<a href="#">Profile</a>	<p>View your user profile, change your password, and personalize various aspects of Sugar.</p> <p><b>Note:</b> For instances that use SugarIdentity, certain fields (e.g., First Name, Last Name, Work Phone) in the user's profile are read-only and can only be <a href="#">edited</a> by administrators in SugarIdentity. In addition, users will not be able to change or reset their password and will need to click the "Forgot Password?" link on the Sugar login screen to reset their password.</p>
<a href="#">Change Password</a>	<p>For instances that use <a href="#">Sugaridentity</a>, the Change Password option will appear where you can change your Sugar password.</p>
<a href="#">Employees</a>	<p>Navigate to the Employees module to search and view employee records. Users with administrative privileges can also create and edit employees in the system. For instances that use</p>

	<p>SugarIdentity, certain fields (e.g., First Name, Last Name, Office Phone) in the employee's record are read-only and can only be edited by administrators in <a href="#">SugarIdentity</a>.</p> <p><b>Note:</b> Every user is listed as an employee; however, every employee may not be a user in Sugar.</p>
<a href="#">Admin</a>	<p>Navigate to the Admin page to configure and customize various aspects of your Sugar instance.</p> <p><b>Note:</b> This option is only available if you are an administrator user or have or Developer-type role access.</p>
About	<p>Navigate to the About page to view your Sugar instance's version and build number and your assigned CRM solution licenses (e.g., Sugar Sell Advanced, Sugar Serve). You can also access links to different resources and view source code information.</p>
Log Out	<p>Log out of your current user session. You will be directed back to the Sugar login page for your instance.</p>

## Quick Create

The Quick Create menu allows you to easily create new records from anywhere in Sugar. Simply click the Add button on the upper right of any Sugar page to access the menu. Please note that a maximum of ten modules may be enabled to display in the Quick Create menu. Administrators can configure which modules are enabled and the order in which they appear via Admin > Configure Navigation Bar Quick Create. For more information, refer to the [Developer Tools](#) documentation.




Clicking on an item in the Quick Create menu will open the record view form for the specific module. When using quick create while viewing an existing record where a relationship exists between the two modules, Sugar automatically relates the new record to the one being viewed. For example, if you are viewing an account, ABC Company, and create a new contact via quick create, the Account Name field in the new contact will automatically populate with "ABC Company", thus creating the link between the two records.

All required fields will indicate "Required" in the field and must be completed prior to saving. Once the necessary information is entered, click "Save". If you do not wish to create the record, simply click the Cancel button. Please note that administrators have the ability to configure the record view layout via Admin > Studio. For more information on configuring record view layouts, please refer to the [Studio](#) documentation.

**Note:** Because the Quick Create drawer overlays the page from where it is launched, using the browser's back button will appear to send you back two pages instead of to the previous view. To return to the previous view, use the Cancel button instead.

## Footer

Sugar's footer displays the SugarCRM logo, Mobile link, Doc Merge link, Shortcuts link, Help link, as well as links to enabled third-party integrations.



The following links are available in Sugar's footer:

- **Logo:** Click the logo on the bottom left of Sugar to return to your home page. Administrators can replace the SugarCRM logo with a custom logo via Admin > System Settings. For more information, please refer to the [System Settings](#) documentation.
- **Widgets:** Links for any installed third-party integrations will appear to the right of the SugarCRM logo.
- **Mobile:** When viewing Sugar via a touch-screen device, the Mobile link will appear allowing you to view Sugar's mobile site.
- **Doc Merge:** Access the Doc Merge widget, which includes a list of the current user's merged documents and the Template Assistant. Please refer to the [Doc Merge](#) documentation for more information.
- **Shortcuts:** Access the Keyboard Shortcuts help page to view the various shortcut keys available to use along with a description of the actions they perform. For more information regarding the Keyboard Shortcuts help page, please refer to the [Accessibility](#) documentation.
- **Help:** Click the Help link in the footer to quickly find information regarding your Sugar instance's version and your assigned CRM solution licenses (e.g., Sugar Sell Advanced, Sugar Serve). The help pane also provides a brief introduction to the current module and a link to its corresponding

---

documentation. The following additional learning resources are available in the help pane:

- **Training & Certification:** Navigate to the SugarU space in SugarClub, where you can enroll in online classes, engage with live training, and get Sugar-certified.
- **SugarClub Community:** Engage, learn, and explore with others around the world in the SugarClub online community. Level up your Sugar knowledge and share your expertise with other users, Sugar partners, and Sugar employees.
- **Documentation & Support:** Navigate to the Sugar Support Site, where you can access the case portal and official product documentation.
- **Tour This Page:** Take a quick, in-app tour of key features on the current page. For more information, refer to the [Tour](#) section of the Getting Started documentation.

## Field Types

Sugar records include a variety of field types that enable you to capture all of the different kinds of data that are important to your organization. While many fields are available for use on each module out-of-the-box, administrators and users with developer-level role access have the ability to add fields of these various types to modules via Admin > Studio as described in the [Studio](#) documentation. Studio may also be used to configure fields by, for example, making fields required, allowing them to be mass updated, making their values calculated, and specifying when they should be visible.

Descriptions and instructions for editing different field types are available in the following sections:

### Action Button Fields

Action Button fields are buttons configured by your admin to provide shortcuts to common actions from record views. For more information on configuring Action Buttons, please refer to the [Action Buttons](#) documentation.

### Checkbox Fields

Checkbox fields provide a boolean type typically used to answer a yes or no question. Click the box to toggle whether it is checked or not.


Do Not Call



### Comment Log Fields

---

The Comment Log field allows users to add messages, comments, or other text to a log appearing on the record view. To add an entry, click anywhere inside the field and type a message into the text area that appears. After saving the record, the message is appended to the end of the log with a link to the user that added the entry and the date and time the entry was created. Once saved, entries cannot be edited or removed.



If the length of a comment log entry is longer than the maximum set by the admin in the system settings, the text will be cut off with a "Show more..." link that displays the remainder of the entry when clicked. Once the entry is expanded, a "Show less..." link is displayed that collapses the text so that only the configured number of characters are displayed again. See the [System](#) documentation in the Administration Guide for more information.

Note that Comment Log fields cannot be created in Studio; they exist automatically on many modules and can be added to the layout in Studio. This can be done by a system administrator or someone with Developer-level role access. On the Bugs and Cases modules, the Comment Log field is displayed by default. For more information on using Studio to add fields to a module's layout, refer to the [Studio](#) documentation.

## Tagging Users in Comment Log Entries

When you mention users in comment log entries, you can insert a link to their employee record in the form of a clickable pill; the tagged user receives a [notification](#) in Sugar and an email notification if this preference is enabled in the [user's settings](#). To tag a user, type the @ symbol followed by at least the first two characters of the first or last name. A list of matching users will appear below the text area; select the user you want to mention and the tag will be added to the entry. After saving, the tag is displayed as a clickable pill.

---

Comment Log

@sa

Us Sarah Smith

Us Sally Bronsen

To filter by letters in the middle or end of the first or last name instead of the beginning, use the wildcard character (%) at the beginning of your criteria. For example, "@%en" would yield Sally Bronsen, Max Jensen, and Jim Brennan.

If the user you want to mention does not have access to the record, their name will be disabled in the list of results, labeled with "No access", and you will not be able to tag the user.

## Linking to Records in Comment Log Fields

It is possible to link to Sugar records in comment log entries; the link will appear as a clickable pill. To link to a record, type the # symbol followed by at least two characters in the name of the record. A list of matching records will appear below the text area; select the record you wish to link to and the link will be added to the entry. Upon saving, the link will be displayed as a clickable pill.

Comment Log

#aro

Co Daron Bustillos

Co Carolina Guardiola

Co Hector Maroney

Le Carolyn Haigler

Le Daron Arias

If you are viewing a comment log entry containing a link to a record to which you do not have access, the link will still be clickable but the text will say "No data available".

## Date Fields

Date fields allow users to specify a particular date by either typing a date in the provided format or clicking the Calendar icon and selecting it via the date picker. Click the month and year (e.g., "January 2018") to select the desired month or use the arrows to navigate to the desired month. To set the year, click the month and

---

year at the top of the picker, then click the year at the top of the picker, and then select the desired year. Once the month and year are set, click the desired date below to set the date and close the picker.

Cancellation Date

mm/dd/yyyy


< January 2018 >


Su	Mo	Tu	We	Th	Fr	Sa
31	1	2	3	4	5	6
7	8	9	10	11	12	13
14	15	16	17	18	19	20
21	22	23	24	25	26	27
28	29	30	31	1	2	3
4	5	6	7	8	9	10

## Datetime Fields

Datetime fields allow users to specify both a particular date and a time. The date portion is set just like a date field as described above. The time portion can be set by typing a time in the provided format or clicking the Clock icon and selecting it via the dropdown.

Start Date

01/10/2018 

03:30pm 

Location

Description

03:15pm

03:30pm

03:45pm


04:00pm

04:15pm

04:30pm

## Dropdown Fields


Dropdown fields provide a list of values where only one value can be selected at a time. The list will be collapsed to only display the selected value except during editing, making it appropriate for longer lists of values. Click the selected value to see the full list. Clicking the desired value will replace it as the selected value.



## Email Address Fields

Email address fields contain one or more email addresses for a single record; email addresses are entered by clicking in the field and typing or pasting the address. The following options are available when editing an Email Address field:

- **Add/Remove:** Add additional email address fields by clicking the Add button. Click the minus button to remove the adjacent address.




- **Primary:** A white star with a black background represents the primary email address on a record. This will be the default address that Sugar will find when the record is included in email campaigns and other send-message events performed within the application. On a given record, only one email address can be the primary one. If a record contains only one email address, it will be set to primary by default.



- **Opted Out:** The button with a slashed circle indicates whether or not an email address has been opted out from email marketing campaigns. Sugar automatically opts-out an email address when a recipient clicks the opt-out link in an email-type campaign message. When enabled, the button will have a black background. Administrators can configure whether new email addresses added to Sugar records default to opted-in or opted-out by using the "Opt-out new email addresses by default" option via Admin > System Email Settings.



When an opted-out email address is saved, the opt-out status is indicated by a blue circle with a line through it. Opted-out email addresses also display a Link button in record view. Clicking this button will copy a link to your computer's clipboard which you can send to the email address owner in order to request that they confirm their desire to receive marketing emails from your organization. When the copied link is visited in a web browser, Sugar will automatically set the email address to opted-in.



Please note that opted-out email addresses are only excluded from campaigns, so users can continue to send them transactional emails via the Emails module. For more information about email opted-out email addresses, refer to the [Emails](#) documentation.

- **Invalid:** Invalid or undeliverable email addresses are represented by a black button with a white exclamation point. Sugar automatically marks email addresses as invalid if they are returned via the recipient's mail server during the distribution of an email campaign. Users can also manually toggle the invalid designation on and off by clicking the Invalid button next to the email address. Sugar will not permit users to send messages to invalid email addresses from anywhere within the application.



## Flex Relate Fields

Flex relate fields require users to select first the module and then a record from that module to relate to the current record. The module selector works like a [dropdown field](#) (described above) while the record selector works like a [relate field](#) (described below). You can click the "x" to the right of the selected record's name (e.g., ABC Company) to clear out the value. Please note that a module may only have one flex relate field.

Related To

Account

ABC Company

Q

Search and Select...

Account
Contact
Opportunity
Task
Product Catalog
Quote
Quoted Line It...

In most views, once saved, the field label changes to the selected module and the field value displays the selected record. In list view, however, the column maintains its field label and you can instead identify the record's module using the color-coded module icon next to the record name. Hovering over the icon reveals the module name.

Filter <span>▼</span> <span>Build Filter</span> Search by subject...		
<input type="checkbox"/>	Subject	Related to
<input type="checkbox"/> ☆	Discuss review process	<span>Ac</span> Smallville Resources Inc
<input type="checkbox"/> ☆	Left a message	<span>Cs</span> Having trouble adding new items
<input type="checkbox"/> ☆	Get more information on ...	<span>Ts</span> Arrange reference call
<input type="checkbox"/> ☆	Get more information on ...	<span>Qu</span> 3 Year Service for Smallville Reso...

## Iframe Fields

Iframe fields allow users to load content from an external website by entering a URL (<https://example.com>) in the field. Please note that Sugar will only load content from trusted domains that the system administrator has approved in Admin > Content Security Policy Settings. If you get an error indicating that the content has not been approved, please reach out to your administrator as they will need to update your system's [Content Security Policy](#) settings. If the CSP settings get updated while you are logged in to Sugar, you will need to refresh your browser for the changes to take effect in your session.

Iframe

## Integer Fields

---

Integer fields allow users to enter whole number values (e.g., 850) by clicking on the field and typing. Administrators can specify a minimum and maximum value for the field via Admin > Studio.


Number of Employees

1,800

## Multiselect Fields

Multiselect fields provide a list of values where one or more values can be selected at a time. The list will be collapsed to only display selected values except during editing, making it appropriate for longer lists of values. Click the blank space to the right of selected values to see additional options. Click the x on a selected value to deselect it.

Contact Preference



## Radio Fields

Radio fields provide a list of values where only one value can be selected at a time. The entire list of all values will be displayed at all times, making it appropriate for shorter lists of values. Click the circle of the desired value, and any previously selected value will be deselected automatically.

Number of Employees

- ☐ 1-100
- ☐ 101-200
- ☒ 201-300

## Relate Fields

Relate fields allow users to select a record from a single module. Both relate fields (which are visible via Admin > Studio > {Module Name} > Fields) and one-sided relationships (i.e., one-to-many and one-to-one) are represented by the same relate

---

field user interface. Type the first few characters of the desired record and either select from the type-ahead results or click "Search and Select..." at the bottom for a more robust search.

Account Name

Required

Q

Search and Select...

## Tags Fields

The Tags field allows users to enter keywords or phrases in order to connect Sugar records by common attributes that may not be defined via basic database fields. Once a new tag has been created, it can be re-used by any user in any module that contains a Tags field. To use the Tags field, click inside the field and type a word or phrase. Sugar will recommend existing tags as you type, but you can choose to ignore the recommendations and create an entirely new tag. For more information about tagging records in Sugar, please refer to the [Tags](#) documentation.

Tags

2018 Western Conference

2018

2018 (New Tag)

2018 Eastern Conference

2018 European Conference

2018 Latin America Conference

2018 North America Conference

## Teams Fields

The Teams field specifies which teams of users have access to view the record. An individual team selection works like a [dropdown field](#) which is described above. Click the Add button to add additional teams to the record or the minus button to remove a team. Click the star button to set the primary team. For more information on teams, please refer to the [Team Management](#) documentation.

Teams

East

★

–

West

★

–

+

**Note:** If your administrator has enabled team-based permissions, you may also see a Lock button or a "Selected" box on the Teams field. Please refer to the [Using Team-Based Permissions](#) section of this page for more information.

---

## Text Fields

Text fields allow users to enter a word or brief phrase by clicking into the field and typing. Text fields will accept any combination of characters (i.e., letters, numbers, spaces, and symbols) but have a 100-character limit by default. Administrators can edit the maximum character length restriction via Admin > Studio.

Department

Sales

## Text Area Fields

Text area fields allow users to enter large amounts of text by clicking on the field and typing. Please note that any hyperlinks (e.g., website, email) entered in the text area field will appear clickable once the record is saved. Clicking the hyperlink(s) within the field will open the link in a new tab for you to access the external company website, compose email, etc.

Description    The main points of contact for this account are John Smith ([jsmith@abcco.com](mailto:jsmith@abcco.com)) and Tom Morrison ([tmorrison@abcco.com](mailto:tmorrison@abcco.com)).  
For renewals and billing, please contact Susan Jameson at (415) 788-8888 or [sjameson@abcinfosales.com](mailto:sjameson@abcinfosales.com).  
For additional points of contact in the company, check out <https://www.abcco.com/contact/>.

Administrators can also modify the default display size of a text area field via Admin > Studio, but this will not limit the number of characters that can be entered by a user. Most browsers supported by Sugar will allow the user to resize an active text area field temporarily by dragging the bottom corner of the field to the desired width and height.

Description    The main points of contact for this account are John Smith ([jsmith@abcco.com](mailto:jsmith@abcco.com)) and Tom Morrison ([tmorrison@abcco.com](mailto:tmorrison@abcco.com)).  
For renewals and billing, please contact Susan Jameson at (415) 788-8888 or [sjameson@abcinfosales.com](mailto:sjameson@abcinfosales.com).  
For additional points of contact in the company, check out <https://www.abcco.com/contact/>.

## Creating Records

There are various methods for creating records in Sugar including basic creation, quick create, duplication, and import. The same record view layout opens when creating records by any of these methods and includes all of the relevant fields. Please note that administrators can configure the record view layouts to tailor them to your organization's needs via Admin > Studio. For more information on configuring layouts, please refer to the [Studio](#) documentation.


## Basic Record Creation

The most common method of record creation is via the individual module itself using the Create button in the list view or the Create {Module} option in the module tab. For the Cases, Tasks, Leads, and Opportunities modules, you can also create records using the Create button in the [tile view](#). This opens the record view layout in edit mode which allows you to enter all of the desired information.


The following steps cover creating a task via the Tasks module as an example:

1. Click the triangle in the Tasks module tab to open the Actions menu and select "Create Task". You can also click the Create button on the upper right of the Tasks list view or tile view.


- From Tasks module tab:



- From Tasks list view:



- From Tasks tile view:



2. Enter appropriate values for the fields in the record view layout. All required fields will indicate "Required" in the field and must be completed prior to saving.
3. Once the necessary information is entered, click "Save".

---


## Creating via Quick Create

The Quick Create menu allows you to easily create new records from anywhere in Sugar. Simply click the quick-create button on the upper right of any Sugar page to access the menu.

**Note:** Administrators have the ability to enable or disable a module in the Quick Create menu. Also, some modules are not available to be enabled. For more information, please refer to the [Developer Tools](#) documentation.

The following steps cover creating an account via Quick Create as an example:

1. Open the Quick Create menu on the upper right of any Sugar page and select "Create Account".



2. Enter appropriate values in the fields in the record view form. All required fields will indicate "Required" in the field and must be completed prior to saving.
3. Once the necessary information is entered, click "Save".

## Creating via Subpanels

On [record views](#), beneath a record's fields, subpanels appear that contain related records from various modules. You can create a related record as well as link an existing record directly from the subpanel.

**Note:** Administrators have the ability to disable a module's subpanels for the entire instance via Admin > Display Modules and Subpanels. For more information, please refer to the [Developer Tools](#) documentation.

The following steps cover creating a contact via a Contacts subpanel as an example:

1. Click the Add button on any Contacts subpanel on a related module's record view.

Em EMAILS (3)							+ ▼
Co CONTACTS (4)							+ ▼
	Name	City	State	Email	Office Phone	Create	
☆	Fred Mercury	Salt Lake City	CA		(806) 130-28		

2. Enter appropriate values in the fields in the record view form. All required fields will indicate "Required" in the field and must be completed prior to saving.
3. Once the necessary information is entered, click "Save".

## Creating via Duplication

You can also create a new record by duplicating an existing record. The Copy option is useful if the record you are creating has similar information to an existing record. Please note that existing subpanel relationships for the original record will not carry over to the duplicate.

The following steps cover creating an account by duplicating an existing account as an example:

1. Navigate to an account's record view.
2. Click the Actions menu and select "Copy".


3. The displayed record view is pre-populated with the original account's values. Update the necessary fields, then click "Save".

## Importing Records

The import function allows you to push multiple records of a single module into Sugar using a .csv file instead of creating them one-by-one. For more information, please refer to the [Import](#) documentation.

The following steps cover importing accounts as an example:

1. Click the triangle to access the Actions menu in the Accounts module tab and select "Import Accounts".



2. In Step 1, select the import file and choose "Create new records only". Click "Next".
3. In Step 2, confirm the import file properties. Click "Next".
4. In Step 3, confirm the field mappings for the import. Click "Next".
5. In Step 5, view the import results.
  - The Created Records tab will show all of the new account records.
  - The Duplicates tab will show any records in the file that were identified as duplicates of existing records and thus not imported.
  - The Errors tab will show records that were not imported due to errors detected during import.

## Viewing Records

Sugar records can be viewed from a variety of locations including via the module's list view, record view, Recently Viewed menu, dashlets, and reports. Please note that you will only be able to see records as allowed by your team membership, user access type, and assigned roles. For more information on teams and roles, please refer to the [Team Management](#) and [Role Management](#) documentation.

### Viewing via List View

Each module's list view displays all of the module's records that meet the current search criteria. To access the list view, simply click the desired module tab. While list views only show key fields, you can click the record's name to open the record view and access additional details. For in-depth information about list views, please refer to the [List View](#) section of this page.

### Viewing via Record View

Each record's record view displays thorough record information including all relevant fields followed by subpanels of related records belonging to various modules. The record view can be reached by clicking a record's name link from anywhere in the application. For in-depth information about record views, please refer to the [Record View](#) section of this page.


---

## Viewing via Tile View

Tile view allows users to visualize and engage with records in an intuitive drag-and-drop interface. Users can drag a tile from one column to another to change its state, stage, or expected close date. Tile view is available for the Cases, Tasks, Leads, and Opportunities (with or without Revenue Line Items) modules. For in-depth information about using tile view, please refer to the [Tile View](#) section of this page.

## Viewing via Recently Viewed

As you work, Sugar will keep track of which records you have recently viewed. Click the triangle on the right of any module's tab to see a list of the 3 records you most recently viewed in that module. You can also click the triangle to the right of the Sugar cube icon to see records recently viewed from across all Sugar modules. Clicking a record name within these lists will open it in record view.



## Viewing via Dashlets

Sugar Dashlets allow you to get a quick view of various records, activities, reports, etc. Dashlets may be added to your Home page or to the intelligence pane of any module's list view or record view. List View dashlets display lists of records and their desired fields. Clicking a record's name from any dashlet will open it in record view. For more information on using dashlets, please refer to the [Intelligence Pane](#) documentation.

My Contacts <span>^</span> <span>⚙</span>		
Name <span>⌵</span>	Account Name <span>⌵</span>	Office Phone <span>⌵</span>
<a href="#">Daron Langone</a>		(559) 848-6289
<a href="#">Johanne Bramwell</a>	<a href="#">Insight Marketing Inc</a>	(327) 402-3565
<a href="#">Tierra Palin</a>	<a href="#">Tracker Com LP</a>	(508) 131-9394
<a href="#">Sanford Bristol</a>	<a href="#">Hammer Group Inc</a>	(563) 201-0083
<a href="#">Trish Basta</a>	<a href="#">Hammer Group Inc</a>	(888) 171-3184
<div></div>		
<a href="#">More contacts...</a>		

## Viewing via Activity Streams

The activity stream allows you to see record changes and user posts relevant to records you are following in Sugar. Activity stream posts will display records when that record was modified or when a user mentions the record in their post.

Clicking the record's name link will open its record view. You can also preview the record directly from the activity stream by clicking the [Preview](#) button to the right of the post. For more information on viewing records via the activity stream, please refer to the [Activity Streams](#) documentation.

The screenshot displays the SugarCRM interface for the 'Accounts' module. On the left, the 'Accounts' panel shows an activity stream with three entries: a link to 'Mr. Fred Mercury', a link to '24 months widget service' (highlighted with a red box), and a note about creating the 'Wild Widgets' account. On the right, the 'Preview' pane shows details for the selected record, including the opportunity name '24 months widget service', account name 'Wild Widgets', expected close date '2020-03-31', and likely/best values of '\$10,000.00'. A red arrow points from the highlighted link in the activity stream to the 'Preview' pane.

**Note:** Sugar's activity streams are disabled by default, but administrators can globally enable the functionality based on their organization's needs. For more information, refer to the [System](#) documentation in the Administration Guide.

## Viewing via Preview

Record previews are accessible anywhere you see the Preview button (eye icon), usually to the right of a record's row. Click on the preview icon to expand or refresh the intelligence pane and view details about the record without leaving the current page. Record previews are available from list views, subpanels, duplicate search, Search and Select drawers, and activity stream posts.

In the preview, Sugar displays the topmost fields from the module's record view and the record's most recent activity stream entries in the intelligence pane. To view all of the fields that are on the record view, click "Show more...". From module list views, left and right arrow buttons at the top of the intelligence pane allow you to preview the next or previous record of the current list. To close a preview, simply click the "X" in the corner of the intelligence pane.

Contacts (20 of 21+)

Create

Preview

Filter Build Filter Search by first name, last name, email address, offi

	Name	Title	Account Name	Email Address	
<input type="checkbox"/>	June Arends	VP Operations	Gifted Holding...	jarends@test.c...	<input checked="" type="checkbox"/>
<input type="checkbox"/>	Aurelio Galang	President	South Sea Plu...	beans14@exa...	<input type="checkbox"/>
<input type="checkbox"/>	Justa Montesino	VP Operations	Spend Thrift Inc	sales.sugar.inf...	<input type="checkbox"/>
<input type="checkbox"/>	Linnie Bondi	Mgr Operations	X-Sell Holdings	hr46@example...	<input type="checkbox"/>
<input type="checkbox"/>	Hal Archambe...	Director Sales	Slender Broad...	beans.phone.k...	<input type="checkbox"/>
<input type="checkbox"/>	Lashonda Han...	VP Sales	Kaos Trading ...	sugar25@exa...	<input type="checkbox"/>
<input type="checkbox"/>	Arnold Losoya	IT Developer	Coolview Net ...	section37@exa...	<input type="checkbox"/>
<input type="checkbox"/>	Isis Arvizu	Mgr Operations	J.K.M. Corp (HA)	im38@exampl...	<input type="checkbox"/>
<input type="checkbox"/>	Rebekah Parra	VP Operations	Underwater M...	phone.hr.kid@...	<input type="checkbox"/>
<input type="checkbox"/>	Makeda Gadb...	Director Sales	Dirt Mining Ltd	vegan.support...	<input type="checkbox"/>
<input type="checkbox"/>	Annett Gobert	Mgr Operations	Smallville Res...	dev.section.im...	<input type="checkbox"/>
<input type="checkbox"/>	Use Man...	President	Slender Broad...	beans14@exa...	<input type="checkbox"/>

Co

Name

June Arends

Title

VP Operations

Mobile

(660) 279-3029

Department

Operations

Do Not Call

☐

Account Name

Gifted Holdings AG

Business Center Name

Email Address

jarends@test.com

Tags

Important Process Proprietary Support

Show more...

## Viewing via Reports

The Reports module allows you to build, run, and manage reports to gather key record information. In addition to only displaying the fields and relationships you desire, reports can utilize complex filters to display specific subsets of your records. Once a report is run, you can click any record's name link in the results to open its record view. Please note that you can only directly access record views with Rows and Columns-type and Summation with Details-type reports as Summation-type and Matrix-type reports do not include hyperlinks in their display columns. For more information on using reports, please refer to the [Reports](#) documentation.

Name: Accounts Report

Modules: Accounts, Accounts > Email Address

Display Columns: Name, Email Address

Schedule: None

Filters: None

Type: Rows and Columns Report

Teams: Global


Assigned to: Adminis

(1 - 53 of 53)

Name	Email Address
ABC Company	abc@example.com
Evermore Company	evermore@example.com

---

In addition to navigating to the Reports module and finding or building relevant reports, you can use the View {Module} Reports option to see only the reports based on the desired module.



Please note that your ability to access reports may be restricted by a role. For more information on roles, please refer to the [Role Management](#) documentation. Check with your system administrator if you cannot access the Reports module.

## Searching for Records

Each module's list view includes a list view search to help you easily locate records in a module-specific manner. Matching records will be displayed in the list view below. Global search allows users to search for information across their entire Sugar database rather than restricting searches to a specific module. Sweet Spot search allows users to search for information, modules, and common actions across their entire Sugar database by using a keyboard shortcut. In each of these three searches, Sugar automatically appends the wildcard character (%) to the end of your search phrase. This allows the system to retrieve all records that start with the keyword entered in the search. If you would like to broaden the search, you can use the wildcard at the beginning of your text as well (e.g., %services). This will pull up any record that has the word "services" in the name, regardless of how it starts or ends.

### Global Search

For a brief introduction to global search, please refer to the [Global Search](#) section of this page. For in-depth information on both search methods as well as how wildcards are used in each method, please refer to the [Search](#) documentation.

### Sweet Spot Search

The Sweet Spot feature allows you to quickly and conveniently search Sugar from anywhere within the application. Using the Sweet Spot feature, you can find and navigate to:

- The Home page Actions menu

- A module (e.g., Accounts, Bugs)
- Common actions in the modules' Actions menus (e.g., Create Account, View Account Reports)
- A specific record
- The user menu

You will only be able to see actions and records as allowed by your team membership, user access type, and assigned roles. If you are an administrator, you can also find and navigate to many of the sections on Sugar's Admin page.

To open Sweet Spot, use the appropriate shortcut key sequence for your operating system:


OS	Shortcut
Mac OS X	shift+cmd+space
Windows	shift+ctrl+space
Linux	shift+ctrl+space

Once the Sweet Spot opens, begin typing your query and the search results will update as you type. For more information on configuring Sweet Spot search, please refer to the [Search](#) documentation.

## List View Search


List view search enables users to easily search by the record's name within an individual module and pull up matching records in the list view. The search also provides a Filter option allowing you to narrow your search further. See the [Search](#) documentation for more details on how list view search works and can be used in conjunction with filters.

To see all records to which you have access in a module, simply select the All "Module" (e.g., All Accounts) option in the filter and remove any text from the search bar:




To clear an applied filter, click the "x" on the selected filter option (e.g., My Accounts) in the Search box; to clear a text query from the search, click the "x" on


the right end of the search box:




To update the filtered list view with the most recent results, click on the Refresh button to the right of the search box:



If you have an in-progress filter that you wish to minimize while you review the returned list results, use the collapse button next to the Save button to hide the filter panel temporarily while keeping the filter applied.



If you have unsaved changes made to the filter, the Build Filter button will indicate this by adding the text "(Unsaved)" within the button. Simply click the blue Build Filter button to expand the filter panel again. Note that if the filter has been saved with a name, the button will instead show the filter's name.



Please note that you will only be able to see records as allowed by your team membership, user access type, and assigned roles. For more information on teams and roles, please refer to the [Team Management](#) and [Role Management](#) documentation. Administrators can configure what fields appear on the List View Search via Admin > Studio for certain modules. For more information on editing layouts, please refer to the [Studio](#) documentation.

## Creating a Filter

Users can also create new filters via the Build Filter option in the Filter list of the

search bar. This allows users to add custom, complex filter options when searching in the module's list view. When you run a search using a created filter, the search will be preserved when you navigate away from the module. Returning to the list view will automatically display the results of your last filter. See the [Search](#) documentation for details on working with list view filters and an example of how to create one.

The list view will automatically display results matching your filters as you create and modify the criteria. To view the most recent matching records for an existing filter, click on the Refresh button to the right of the search box.


**Note:** When filtering a relate field using "is any of" or "is not any of", you can select up to 20 values.

## List View

A module's list view displays all records meeting the current search criteria and to which users have access. You can view the basic details of each record within the field columns of the list view or click the record's name to open the record view. To access a module's list view, simply click the module tab (e.g., Accounts) in the navigation bar at the top of Sugar.

**Note:** Hovering over certain links (e.g., a linked account name or call subject) in the record's row of the list view will display a Focus icon. Clicking the icon will reveal a Focus Drawer dashboard displaying a 360-degree view of the linked record through a set of dashlets. For more information on focus drawers, refer to the [Focus Drawer](#) section of this documentation.

Please note that you will only be able to see records as allowed by your team membership, user access type, and assigned roles. For more information on teams and roles, please refer to the [Team Management](#) and [Role Management](#) documentation.



Accounts (20 of 21+) [Create](#) »

Filter [Build Filter](#) Search by name... [Refresh](#) [List View](#) [Clock](#)


<input type="checkbox"/>	Name	City	Phone	Billing	
<input type="checkbox"/>	<a href="#">Jungle Systems Inc</a>	Santa Fe	<a href="#">(415) 624-5252</a>	USA	<a href="#">Focus</a> <a href="#">Dropdown</a>
<input type="checkbox"/>	<a href="#">Smallville Resources Inc</a>	Denver	<a href="#">(555) 089-2406</a>	USA	<a href="#">Focus</a> <a href="#">Dropdown</a>
<input type="checkbox"/>	<a href="#">Dirt Mining Ltd</a>	St. Petersburg	<a href="#">(603) 995-6451</a>	USA	<a href="#">Focus</a> <a href="#">Dropdown</a>

---

Users with administrator or developer access have the ability to change what fields are visible in the list view via Admin > Studio. For more information on editing layouts, please refer to the [Studio](#) documentation.

## Total Record Count


The top of list view displays which set of records is shown on the current page and the total count of records (e.g., "1-20 of 945"), if calculated. If not calculated, the count will display the number on the page plus one, such as "21+" and can be clicked to calculate the actual total. In addition, it is also possible to calculate the record count using the [pagination controls](#) at the bottom of the list view.



Please note that, by default, Sugar displays 20 records per page, but administrators can change the number of records displayed via Admin > System Settings. For more information, please refer to the [System](#) documentation.


## Create Button

The Create button on the upper right of the module's list view allows users to easily create new record's in the module. Once you click the button, the module's record view layout opens where you can enter all of the relevant information to create the new record. Please note that administrators can configure the Record View layout via Admin > Studio. For more information on configuring layouts, please refer to the [Studio](#) documentation.



## List View Search


To search for a specific record within a module or for a list of module records filtered by name, use the search bar located above any module's list view. Start typing a word into list view search and Sugar will retrieve all records that start with the given characters.



List view searches also support the system wildcard character (%) to retrieve results that contain certain characters in their name or title. For more information about performing module-specific searches via list view, please refer to the [Search](#) documentation.


## Refreshing Search Results

The list view's Refresh button provides a quick way to reload the results of any filtered or unfiltered list view without reloading the browser or losing any filter or search criteria you may have set. Simply click on the Refresh button to the right of the search box to load the most current list of matching records.



## Checkbox Selection

Users can perform various types of actions on module records by first selecting the desired records from the module's list view. To select individual records from the list view, enable the checkbox on the left of each record row. The number of records you currently have selected, including those across multiple pages, is displayed in the message that appears below the list view's column headers.



To select all records displayed on the current page, click the checkbox to the left of the Actions menu. The message across the top will indicate that you have selected

---

all records on the page (e.g., 20). To select all records in the full list of search results, click "Select all records".

<input checked="" type="checkbox"/>	▼	Name	City	Billing Cour	⋮
You have selected all 20 records in this view. <a href="#">Select all records</a> in the result set.					
<input checked="" type="checkbox"/>	☆	SuperG Tech	Kansas City	USA	👁 ▼
<input checked="" type="checkbox"/>	☆	Pullman Cart Company	Sunnyvale	USA	👁 ▼


Your selections are preserved as you navigate through the pages of results so that you can select records on several different pages. Note that your selections are preserved even if the selected records are no longer displayed in the results because you updated the filter or search query.

If you only have records on the current page selected, you can clear all selections by clicking the checkbox to the left of the Actions menu. If you have records on multiple pages selected, the message at the top will provide a link to clear all selections instead.

<input checked="" type="checkbox"/>	▼	Name	City	Billing Cour	⋮
You have selected all 51 records in the result set. <a href="#">Clear all selections.</a>					
<input checked="" type="checkbox"/>	☆	SuperG Tech	Kansas City	USA	👁 ▼
<input checked="" type="checkbox"/>	☆	Pullman Cart Company	Sunnyvale	USA	👁 ▼

## Mass Actions Menu

The Mass Actions menu to the right of the checkbox option allows you to perform various actions on the currently selected records. Please note that the actions available to perform will vary between each of the modules. To access the Mass Actions menu simply click the down arrow next to the checkbox option.



For more information on the actions available within a specific module, please refer to the list view section in the application guide pertaining to that module. The most common actions available in the Mass Actions menu are as follows:

Menu Item	Description
<a href="#">Email</a>	For modules that include an Email field, send an email to one or more records' email addresses.
<a href="#">Mass Update</a>	Mass update one or more records at a time.
Add To Target List	Add the selected records to a target list to be included or excluded from a mass marketing campaign.
<a href="#">Merge</a>	Merge two or more duplicate records.
<a href="#">Recalculate Values</a>	Visible only if the module contains fields using <a href="#">Sugar Logic</a> and only to System Administrators or users with Developer-level role access, this option will refresh the selected records' calculated values.
<a href="#">Delete</a>	Delete one or more records at a time.
<a href="#">Export</a>	Export one or more records to a CSV file.
<a href="#">Doc Merge</a>	Select or create a DOCX template to merge record data into documents that

	will be accessible in the Doc Merge widget.
<a href="#">Doc Merge to PDF</a>	Select or create a DOCX, XLSX, or PPTX template to merge record data into PDF documents that will be accessible in the Doc Merge widget.
<a href="#">Map</a> <sup>1</sup>	For instances with <a href="#">Sugar Maps</a> enabled, display this record or the selected records on a map.
<a href="#">Directions starting from Current User</a> <sup>1</sup>	For instances with <a href="#">Sugar Maps</a> enabled, plot driving directions on a map from your address to this record or all selected records.


<sup>1</sup> The Sugar Maps option is only available for modules that are [enabled](#) in Admin > Maps.

## Favorite Designation

Users have the option to mark records as favorites via a module's list view. This allows users to designate records that are important or will be viewed often so that they can easily be accessed via the search filter's My Favorites option or from the module tab's Favorites option. In the module's list view, the star on the left of each record's row is blue once marked to indicate a favorite record. For more information on how to mark records as favorites, please refer to the [Favoriting Records](#) section of this documentation.


The following steps cover marking records as favorites via the Accounts list view as an example:

1. Navigate to the Accounts list view by clicking the Accounts module tab.
2. Use the [List View Search](#) to find the Account records you wish to mark as favorites.
3. Mark the star icon on the left of each desired account's row.
4. To remove the account as a favorite, click the star again to revert it to white.



## Column Reordering

List view provides the ability to reorder columns by dragging and dropping the title of the column to the desired location. The new column order is saved to the database so that the order will remain for a user upon subsequent visits to the module, even if the browser cache is cleared. You can reset the column order back to the default view by clicking the three-dots menu to the far right of the list view column headers and selecting "Reset default view". Please note that this option only appears if the current column order differs from the default order.



## Column Resizing

Users can easily adjust the size of columns in list views per their viewing preference. Simply place your cursor on the column divider, and when the left-and-right arrow appears, click and drag the column to the desired size.

The set column width will be preserved when you navigate away from the page or resize your browser window. Sugar will render the preferred column size across sessions. You can reset the column width back to the default size by clicking the three-dots menu to the far right of the list-view column headers and selecting "Reset default widths". Please note that this option only appears if at least one of the column widths in the current list view is different from the default column width.

Changes to the column width made by administrators in Studio are only respected if the user has not resized the specific column in the list view. The column width set by the user will supersede the default column width configured in Studio until the user resets the list view back to the default widths. For more information on how admins can set column widths, please refer to the [Studio](#) documentation.

**Note:** Sugar enforces a minimum width for currency fields (e.g., Best, Likely, etc.) in list view columns to prevent the columns from being collapsed beyond this limit.





<input type="checkbox"/>	Name	City	Phone	Billing Country	
<input type="checkbox"/>	Jungle Systems Inc	Santa Fe	(415) 624-5252	USA	<input type="checkbox"/>
<input type="checkbox"/>	Smallville Resources Inc	Denver	(555) 089-2406	USA	<input type="checkbox"/>

## Column Sorting

---

Sugar's list view provides users the ability to sort all of the current search results by a field column in either ascending or descending order. To sort by a field or switch the sort direction, click the column header noting that columns that allow sorting have an arrow that appears when hovering over the column header. You can click the column header again to reverse the sort order.

**Note:** List views may only be sorted by one column at a time and cannot be sorted by custom relate fields or the Tags field.

<input type="checkbox"/>	<input type="checkbox"/>	Name	City		Phone	Billing Country	
<input type="checkbox"/>	<input type="checkbox"/>	<a href="#">Pullman Cart Company</a>	Sunnyvale		<a href="#">(880) 872-3881</a>	USA	 <input type="checkbox"/>
<input type="checkbox"/>	<input type="checkbox"/>	<a href="#">Nimble Technologies Inc</a>	Sunnyvale		<a href="#">(559) 537-7972</a>	USA	 <input type="checkbox"/>

## Column Selection

Sugar gives users the ability to personalize the list view by specifying which fields they want to be displayed in the list view. You can click the three-dots menu to the far right of the list view column headers to see the list of available fields. Click a field name to toggle whether or not it is included as a column in your list view. Please note that administrators have the ability to configure what fields are available to display in the list view via Admin > Studio. For more information on configuring fields to display in the list view, please refer to the [Studio](#) documentation.

<input type="checkbox"/>	<input type="checkbox"/>	Name	City	Phone	Billing Coun	
<input type="checkbox"/>	☆	Smallville Resources Inc	Denver	(555) 089-240	Freeze Column 1	<input checked="" type="checkbox"/>
<input type="checkbox"/>	☆	Cumberland Trails Inc	Salt Lake City	(250) 103-002		
<input type="checkbox"/>	☆	Sunnyvale Reporting Ltd	Sunnyvale	(893) 917-004		
<input type="checkbox"/>	☆	Underwater Mining Inc.	Alabama	(163) 547-320		
<input type="checkbox"/>	☆	Riviera Hotels	Kansas City	(069) 459-895		
<input type="checkbox"/>	☆	NW Capital Corp	San Francisco	(232) 373-459		
<input type="checkbox"/>	☆	Hammer Group Inc	Cupertino	(539) 543-756		
<input type="checkbox"/>	☆	EEE Endowments LTD	San Jose	(113) 454-022		
<input type="checkbox"/>	☆	Cloud Cover Trust	Los Angeles	(457) 422-589		
<input type="checkbox"/>	☆	Overhead & Underfoot L...	Los Angeles	(361) 274-881		
<input type="checkbox"/>	☆	Tortoise Corp	San Mateo	(811) 833-654		
<input type="checkbox"/>	☆	SuperG Tech	Kansas City	(812) 056-3454	USA	<input type="checkbox"/>

## Column Freezing

Users can freeze the first column of list views so that the first column is always visible, even when scrolling horizontally. This is helpful to keep track of which record you are looking at when working in a list with many columns that require scrolling to see all the data in the row. For example, if you put the Name column first in the Accounts module and then scroll horizontally to see more fields, you will still be able to see which account you are looking at.

<input type="checkbox"/>	<input type="checkbox"/>	Name	one	Email Address	User	
<input type="checkbox"/>	☆	Smallville Resources Inc	55) 089-2406	phone.sales.the@ex...	Max Jensen	<input type="checkbox"/>
<input type="checkbox"/>	☆	Cumberland Trails Inc	50) 103-0023	im26@example.biz	Jim Brennan	<input type="checkbox"/>
<input type="checkbox"/>	☆	Sunnyvale Reporting Ltd	93) 917-0048	kid.qa.im@example.i...	Sarah Smith	<input type="checkbox"/>
<input type="checkbox"/>	☆	Underwater Mining Inc.	33) 547-3201	beans.section.sugar...	Max Jensen	<input type="checkbox"/>
<input type="checkbox"/>	☆	Riviera Hotels	39) 459-8958	section.the@exampl...	Chris Olliver	<input type="checkbox"/>

By default, the first column is frozen, but you can disable this for a specific list view by clicking the three-dots menu in the top right and disabling the Freeze Column 1 checkbox.

<input type="checkbox"/>	<input type="checkbox"/>	Name	City	Phone	Billing Coun	<div>⋮</div>
<input type="checkbox"/>	☆	Smallville Resources Inc	Denver	(555) 089-240	Freeze Column 1	<input checked="" type="checkbox"/>
<input type="checkbox"/>	☆	Cumberland Trails Inc	Salt Lake City	(250) 103-002	✓ Name	
<input type="checkbox"/>	☆	Sunnyvale Reporting Ltd	Sunnyvale	(893) 917-004	✓ City	

The frozen first column setting will be preserved for each list view when you navigate away from the page or start a new session but it can always be changed in the three-dots menu. Note that an admin can disable column freezing for the whole Sugar instance. See the [System](#) page for details on this system-wide admin setting.

## Preview

Users can preview a record's details directly from the module's list view by clicking the Preview button to the far right of each record's row. Please refer to the [Viewing via Preview](#) section of this page for more information.

Contacts (20 of 21+)					Create	»	Preview	< > X
Filter	Build Filter	Search by first name, last name, email address, off			⌂	⌵		
<input type="checkbox"/>	<input type="checkbox"/>	Name	Title	Account Name	Email Address	<div>⋮</div>		
<input type="checkbox"/>	☆	June Arends	VP Operations	Gifted Holding...	jarends@test.c...	<div>👁</div>		
<input type="checkbox"/>	☆	Aurelio Galang	President	South Sea Plu...	beans14@exa...	<div>👁</div>		
<input type="checkbox"/>	☆	Justa Montesino	VP Operations	Spend Thrift Inc	sales.sugar.inf...	<div>👁</div>		

Co

Name

June Arends

Title

VP Operations

Mobile

(660) 279-3029

Department

Operations

## Record Actions Menu

The Record Actions menu to the right of each record's Preview button allows users to edit, follow, delete, etc. specific records directly from the list view. For example, users have the ability to inline-edit the display column fields directly from the list view by clicking the triangle next to the Preview icon then selecting "Edit".

<input type="checkbox"/>	<input type="checkbox"/>	Name	City	Phone	Billing	
<input type="checkbox"/>	☆	<a href="#">Income Free Investing LP</a>	Cupertino	<a href="#">(243) 265-4805</a>	USA	ⓘ ▼
<input type="checkbox"/>	☆	<a href="#">Jungle Systems Inc</a>	San Francisco			
<input type="checkbox"/>	☆	<a href="#">Smith &amp; Sons</a>	Santa Monica			
<input type="checkbox"/>	☆	<a href="#">Dirt Mining Ltd</a>	St. Petersburg			
<input type="checkbox"/>	☆	<a href="#">Anytime Air Support Inc</a>	Salt Lake City			

- Edit
- Directions starting from this record
- Delete
- Doc Merge
- Doc Merge to PDF

The options in the Record Actions menu allow you to perform the following operations:

Menu Item	Description
<a href="#">Edit</a>	Edit this record.
<a href="#">Follow</a>	(Available if <a href="#">Activity Streams</a> are enabled) Follow changes to this record in your activity stream.
<a href="#">Directions starting from this record</a>	For instances with <a href="#">Sugar Maps</a> enabled, plot driving directions on a map from this record to another record or records. <b>Note:</b> This option is only available for modules that are <a href="#">enabled</a> in Admin > Maps.
<a href="#">Delete</a>	Delete this record.
<a href="#">Convert</a>	For the Leads module, convert this lead.
<a href="#">Doc Merge</a>	Select or create a DOCX, XLSX, or PPTX template to merge record data into documents that will be accessible in the Doc Merge widget.
<a href="#">Doc Merge to PDF</a>	Select or create a DOCX, XLSX, or PPTX template to merge record data into PDF documents that will be accessible in the Doc Merge widget.

## Pagination

The list view loads results meeting the current search criteria and breaks the results up into pages for easy consumption. Use the pagination controls at the

---

bottom of the view to navigate between pages of results or calculate the [total record count](#). Click the arrows to go forward or backward one page or enter a page number to jump to a specific page. Note that if you refresh, sort, search, or filter while viewing a page other than the first, you will return to the first page of results since the result set may have changed.

<input type="checkbox"/>	☆	Coolview Net Ltd	Ohio	USA
<input type="checkbox"/>	☆	Start Over Trust	San Jose	USA

<

1

of

...

>

You can click the ellipsis button in the pagination controls to calculate the number of pages and therefore the record count at the top of the view. Once calculated, the ellipsis is replaced with the page count; the record count at the top of the view is also updated at this time. Note that the page and record count calculation is always performed the first time you navigate to a page other than the first page.

<input type="checkbox"/>	☆	Air Safety Inc	Denver	USA
<input type="checkbox"/>	☆	Waverly Trading House	San Mateo	USA

<

2

of 3

>

By default, Sugar displays 20 records per page, but administrators can change the number of records displayed via Admin > System Settings. For more information on changing the number of displayed records, please refer to the [System](#) documentation.


## Activity Stream

The module's activity stream displays user posts made directly via the module as well as record posts relevant to the module record. To view the module's activity stream, simply click the Activity Stream button to the right of the list view's search bar. For more information on how to add posts to the activity stream, please refer to the [Activity Streams](#) documentation.

**Note:** Sugar's activity streams are disabled by default, but administrators can globally enable the functionality based on their organization's needs. For more information, refer to the [System](#) documentation in the Administration Guide.


You can add comments to posts using the comment button to the far right of each post. You can also preview the record referenced in record posts by clicking the

[Preview](#) button to the right of each post. The activity stream can be filtered to only display certain messages (e.g., Messages for Create, Messages for Update, etc.) by clicking "Filter" above the post input box and selecting the desired message type. You can also refresh the activity stream to view its latest entries by clicking the Refresh button to the right of the filter area.



## Dashboards

To the right of list views, the intelligence pane displays dashboards when not displaying a record [preview](#). Dashboards are sets of dashlets configured for the specific list view to display useful Sugar data. An out-of-the-box default dashboard will likely be initially displayed on your list view intelligence pane. Sugar admins are able to create and push custom default dashboards to your views. You may also create personal dashboards using the dashlets and configurations that best suit your business needs. All dashboards can also be shared with teams of users who can then pull the dashboards to their views as desired. Ensure the intelligence pane is expanded using the arrow button at the top right of the list view. For more information, refer to the [Dashboards and Dashlets](#) documentation.



## Record View

The module's record view displays thorough information regarding the record such as name, email address, phone number, etc. Beneath the fields, you can toggle between viewing a record's [subpanels](#) of related records (e.g., Opportunities, Leads) and the record's activity stream. The record view can be reached by clicking a record's link from anywhere in the application including from the module's list view.

Please note that you will only be able to view a record according to your team membership, user type, and role restrictions. In addition, if you can view a record but do not have the required license type to view a particular field on that record, the field value is replaced with a pill containing the text "License Required":

Website <http://www.kidhr.cn>

+ Member of

Business Center Name License Required

Assigned to [Chris Olliver](#)

For more information on teams, roles, or license types, please refer to the [Team Management](#), [Role Management](#), and [User Management](#) documentation.

Some modules' record view may be customized based on either the logged-in user's role or by an available dropdown field's value. A role-based record view layout appears as static to the user and only changes depending upon the role of

the logged-in user. A dropdown field-based layout is dynamic and will change depending on if the selected value in a dropdown has a customized layout. Each time a selected value prompts a change to the layout, an alert appears with the option to click "Cancel". Doing so will change the dropdown value back to what was selected previously and will revert the layout change. The alert will disappear without action required from the user, the user may continue working in the new layout, and any fields that were edited but now hidden by the new layout will retain their changes.

Users with administrator or developer access have the ability to change the record view by configuring the layout via Admin > Studio. For more information on editing layouts, please refer to the [Studio](#) documentation.

Co

June Arends ☆

< >

Edit ▾

Title

VP Operations

Mobile


(660) 279-3029

+ Department

Do Not Call

☐

Account Name

[Gifted Holdings AG](#) 

+ Business ...

Email Address

[june.arends@example.com](#)  
[the65@example.tw](#)

**Note:** Hovering over certain links to Sugar records (e.g., a linked account name) in the record view will display a Focus icon. Clicking the icon will reveal a Focus Drawer dashboard displaying a 360-degree view of the linked record through a set of dashlets. For more information on focus drawers, refer to the [Focus Drawer](#) section of this documentation.

## Favorite Designation

Users have the option to mark records as favorites via the module's record view. This allows users to designate records that are important or will be viewed often so that they can easily be accessed via the search filter or from the module tab. In the module's record view, the star to the right of the record's name is dark gray once favorited.

Co

June Arends ★ Following

< >

Edit ▾

Title

VP Operations

Mobile


(660) 279-3029

+ Departm...

Do Not Call


☐

Account Na...

[Gifted Holdings AG](#) 

+ Business ...

Email Addre...


[vega...](#) 

[the65@...](#)

---


## Following Designation

Users can also choose to follow changes to specific records that they have access to in Sugar by clicking the Follow button to the right of the record's name. The ability to follow records allows each user to personalize their [activity stream](#) by specifying which records' posts should appear on the activity streams displayed on their Home page and in module list views. Please note that you will automatically follow the records that you create as well as records that are assigned to you. You will not, however, automatically follow records you import. Should a user lose access to a record in Sugar, they will automatically stop following that record. For instructions for toggling the Following button on a record view, please refer to the [Following via Record View](#) section of this documentation.



## Next or Previous Record

On the upper right of the record view, there are two buttons that allow you to page through each record in the module's list view's current search results. Clicking the Left arrow button displays the previous record of the current search results while clicking the Right arrow button displays the next record of the current search results.



## Actions Menu

The Actions menu on the top right of each module's record view allows you to perform various actions (e.g., edit, copy, delete) on the current record.

Ac

Jungle Systems Inc

☆

Edit

▼

»

▼ BUSINESS CARD

Website

https://www.junglesyste...

+ Member...

+ Busines...

Assigned to

Max Jensen

+ Tags

▼ SHOW MORE

Billing Add...

777 West Filmore Ln  
San Francisco, CA 84915  
USA

+ Alternat...

Fax

(415) 788-8200

Industry

Type

Service Le.

Office Pho.

Shipping A.

Email Addr.

+ Campaign

Escalate

Share

Find Duplicates

Copy

Historical Summary

View Audit Log

View Personal Info

Delete

Doc Merge

Doc Merge to PDF

Geocode

Map

Directions starting from Current User

Please note that certain options (e.g., Convert Lead) in the Actions menu can vary between the various modules and some custom options may have been added by your administrator via an [Action Button](#). The following sections will cover the most common action items across the modules. For more information on a specific action not listed below, please refer to the record view actions menu section for the specific module's documentation in the Application Guide.

Menu Item	Description
<a href="#">Edit</a>	Edit this record.
<a href="#">Share</a>	Share a link to this record via email.
<a href="#">Download PDF</a>	Download record information as a PDF file.
<a href="#">Email PDF</a>	Email record information as a PDF attachment.
<a href="#">Find Duplicates</a>	Locate potential duplicates of this record.
<a href="#">Copy</a>	Duplicate this record.
<a href="#">Historical Summary</a>	View a historical summary of activities (e.g., calls, meetings related to this

85 / 887

	record).
<a href="#">View Audit Log</a>	View a sequence of changes made to this record.
<a href="#">View Personal Info</a>	Display this record's fields which an admin has designated as personal information.
<a href="#">Delete</a>	Delete this record.
<a href="#">Doc Merge</a>	Select or create a DOCX, XLSX, or PPTX template to merge record data into documents that will be accessible in the Doc Merge widget.
<a href="#">Doc Merge to PDF</a>	Select or create a DOCX, XLSX, or PPTX template to merge record data into PDF documents that will be accessible in the Doc Merge widget.
<a href="#">Geocode</a> <sup>1</sup>	For instances with <a href="#">Sugar Maps</a> enabled, manually set this record's location on a map.
<a href="#">Map</a> <sup>1</sup>	For instances with <a href="#">Sugar Maps</a> enabled, display this record or the selected records on a map.
<a href="#">Directions starting from Current User</a> <sup>1</sup>	For instances with <a href="#">Sugar Maps</a> enabled, plot driving directions on a map from your address to this record or all selected records.

<sup>1</sup> The Sugar Maps option is only available for modules that are [enabled](#) in Admin > Maps.

## Show More

The record view typically displays a few key fields (e.g., website, mobile phone, office phone) on the business card panel with the option to view more fields by clicking the "Show more..." link on the bottom left. Please note that administrators can configure the fields that appear on the business card panel via Admin > Studio > Layouts > Record View. For more information on editing layouts, please refer to the [Studio](#) documentation.

Ac

ABC Incorporated

★

Following

< >

Edit

Website

<http://www.abcinc...>

Industry

Communications

+ Me...

+ Type

+ Busi...

+ Serv...

Assign...

Administrator

+ Offi...

+ Tags

Show more...

## Subpanels

Beneath the module record's fields are subpanels containing related records from various modules (e.g., Contacts, Leads, Opportunities). You can create a related record or link an existing record directly from the subpanel. Once the records appear within the subpanel, users can [preview](#) the record's detail and edit the record's data directly from the record view. Please note that the subpanels are viewable when you access the Data View section of the module's record view.

Show more...

Data View

Related

All

Filter

All Records

Search...

↺

📅

⌵

ci CALLS (1)

+

⌵

Me MEETINGS (3)

+

⌵

	Subject	Status	Start Date	End Date	
☆	<a href="#">Follow-up on propo...</a>	Scheduled	2020-07-18 05:30	2020-07-18 05:30	👁 ⌵

**Note:** Administrators may choose to disable a module's subpanels for the entire instance via Admin > Display Modules and Subpanels. For more information, please refer to the [Developer Tools](#) documentation.

### Related Record Subpanels

Subpanels under a module's record view contain its related records. Each relationship between two modules has a type, and that type determines if the relationship produces a field or a subpanel for each side. When a record of the primary module can be related to only one record of a second module (i.e., 1-1 or M-1 relationships), the relationship is displayed as a field on the primary module. When the record can be related to multiple records of a second module (i.e., 1-M or M-M relationships), the relationship is displayed as a subpanel instead since subpanels can hold many records.

For example, an account may be related to multiple contacts, so the related

contacts are displayed in a subpanel on the account record. Administrators or users with developer-level role access may choose to change a subpanel's title and included fields by configuring the layout via Admin > Studio to provide visibility to the most important fields. For more information on modifying subpanels, please refer to the [Studio](#) documentation.

Related-record subpanels provide the following information and capabilities:

Related ▾ All Filter All Records Search...

Nt Notes (1) open/close

Me Meetings (1-5 of 6+)

+ ▾

Link Existing Record

	Subject	Status	Start Date	
☆	Introduce all players	Canceled	2022-11-23 03:00	👁 ▾
☆	Initial discussion	Scheduled	2022-08-26 13:00	⋮
☆	Introduce all players	Held	2022-05-19 14:30	
☆	Introduce all players	Scheduled	2023-02-06 05:45	
☆	Follow-up on proposal	Scheduled	2022-10-17 11:00	

< 1 of ... >

Me Meetings (1-5 of 6+)

Subject ▾

↔

Start Date

End Date

⋮

☆	Introduce all players	Canceled	2022-11-23 03:00	2022-11-23 03:00	Freeze Column 1	✓
☆	Initial discussion	Scheduled	2022-08-26 13:00	2022-08-26 13:00	✓ Subject	
☆	Introduce all players	Held	2022-05-19 14:30	2022-05-19 14:30	✓ Status	
☆	Introduce all players	Scheduled	2023-02-06 05:45	2023-02-06 05:45	✓ Start Date	
☆	Follow-up on proposal	Scheduled	2022-10-17 11:00	2022-10-17 11:00	✓ End Date	

< 1 of ... >

Assigned User

Reset default widths

- **Record Count:** Subpanel headers display which set of records is shown on the current page and the total count of records (e.g., "1-5 of 11"), if

---

calculated. If not calculated, the count will display the number on the page plus one, such as "6+" and can be clicked to calculate the actual total. In addition, it is also possible to calculate the record count using the [pagination controls](#) at the bottom of the subpanel.

- **Collapse or Expand:** Click anywhere in the subpanel's header to collapse or expand it. Subpanels will remain collapsed or expanded on future visits to the module.
  - **Note:** Administrators can choose to disable the sticky feature and collapse all subpanels by default via Admin > System Settings. For more information, please refer to the [System](#) documentation.
- **Column Widths:** Place your cursor on the column divider and, when the double arrow cursor appears, click and drag the column to the desired size. The column width will be preserved when you navigate away from the page. You can restore the default column widths by selecting "Reset default widths" from the three-dots menu.
  - **Note:** Sugar enforces a minimum width for currency fields in list view columns to prevent the columns from being collapsed beyond this limit.
- **Column Sort:** Click a column header to sort the subpanel's items by that value. Clicking the same header again will reverse the sorting order (e.g., from ascending to descending).
- **Column Display:** You can also click the three-dots menu to change the list of fields that display as column headers.
  - **Note:** The list of available fields/columns is determined by the default vs hidden fields set in Admin > Studio.
- **Frozen First Column:** If you wish to turn off the [frozen first column](#), which keeps the first column visible when scrolling horizontally within the subpanel, click the three-dots menu and disable the Freeze Column 1 checkbox.
- **Create a New Linked Record:** Click the Add button on the upper right of a subpanel to relate a new record to the record you are currently viewing. Please note that the Link Existing Record option is not available when the relationship is required in the related module (e.g., in an account's Opportunities subpanel).
  - **Note:** Because creating a new related record opens a drawer on top of the current record view, you should use the Cancel button to return to record view. Using the browser's back button will return you to the previous page.
- **Link Existing Record:** Click the triangle to the right of the Add button then select "Link Existing Record" to relate existing records to the record you are currently viewing.
  - **Note:** Because linking an existing record opens a drawer on top of the current record view, you should use the Cancel button to return to record view. Using the browser's back button will return you to the previous page.
- **Favorites Designation:** Click the star on the left of a record's row to


---

toggle it as a favorite. A dark-gray star indicates that the record is a favorite while a white star indicates it is not. For more information, please refer to the [Favoriting Records](#) section of this page.

- **Hyperlink Fields:** Blue field values, such as record names, may be clicked to open the record in record view. Record view provides a complete picture of the record and is described in detail in the [Record View](#) section of this page. Email addresses also appear in blue and can be clicked to compose an email to that recipient.
- **Focus Icon:** Hovering over certain links (e.g., meeting subject or a linked account name) in the record's row will display a Focus icon. Clicking the icon will reveal a Focus Drawer dashboard displaying a 360-degree view of the linked record through a set of dashlets. For more information on focus drawers, refer to the [Focus Drawer](#) section of this documentation.
- **Record Actions Menu:** Click the triangle on the right of a record's row to access the Record Actions Menu which includes the following options:
  - **Preview:** To preview a record by displaying its fields and activity stream in the right-hand side drawer, click the Preview button (eye icon) to the far right of the record's row. For more information, please refer to the [Viewing via Preview](#) section of this page.
  - **Edit:** To inline edit the record directly within the subpanel, choose "Edit" from the Actions menu on the right of the record's row and click "Save" to preserve the changes.
  - **Unlink:** To delete the relationship between the two records, choose "Unlink" from the Actions menu on the far right of the record's row. This removes the relationship but does not delete the record itself. Please note that the Unlink option is not available when the relationship is required in the related module (e.g., in an account's Opportunities subpanel).
  - **Additional Options:** Some modules may have additional options available that are covered in the individual module's documentation.
- **Pagination Controls:** By default, Sugar displays up to five records per page in each subpanel though administrators can alter the number via Admin > System Settings as described in the [System](#) documentation. If additional related records exist, use the [pagination controls](#) at the bottom of the subpanel to navigate between pages or calculate the total number of records.


## Filtering Subpanels

While in Data View, all of the related records will be displayed beneath the record's fields. Users have the ability to search for records that appear in the subpanels as well as filter the view to only display a specific module (e.g., Leads, Contacts). To locate a record by name, enter the keyword into the Search bar, and the subpanel(s) with the matching record(s) will appear below.



To filter, simply click the Related option to the far left of the Search bar and select the module whose subpanel you wish to view. Filter and search may be combined to only display matching records within a selected module. To see all subpanels to which you have access, simply select "All" in the Related options and remove any text from the search bar. When you run a search using a saved or created filter, the search will be preserved when you navigate away from the page. Returning to the page will automatically display the results of your last filter. Please note that search strings entered in the open Search box are not preserved when navigating away.

When a Sidecar module (e.g., Contacts, Leads, Tasks) is selected from the Related options, you have the option to filter the related subpanels further using one of the available options (e.g., My Favorites, Recently Created). Please note that you can also create custom filters for related Sidecar modules. Once the related module (e.g., Contacts) is selected, either click the Filter option and select "Create" or click "Create" to the right of the Filter option. For more information on creating a related records filter, please refer to the [Creating a Related Records Filter](#) section of the Search documentation.




## Reordering Subpanels

Users can easily move subpanels to a new location on the record view by dragging and dropping the subpanel's header. The new subpanel order is saved to the database so that the order will remain for a user upon subsequent visits to the module, even if the browser cache is cleared.

---


## Refreshing Subpanels

To refresh the results of a filtered or unfiltered subpanel view, simply click on the Refresh button to the right of the search box. This will reset the current view of expanded subpanels with the most current results that match your search and filter criteria. Please note that subpanel results in a collapsed state are not affected by the Refresh button.



## Activity Stream

The record view's activity stream displays user posts and record posts specific to the individual module record. To view the record's activity stream, simply click the Activity Stream button below the record's fields. Users can view all posts in the record view's activity stream even if they do not follow the record in Sugar. Please note that you must follow the record if you wish to view the record view posts via the Home page or List View activity stream. For more information on how to add posts to the activity stream, please refer to the [Activity Streams](#) documentation. You can add comments to posts by clicking the Comment button to the far right of each post, entering your comment, then clicking "Reply". You can also preview the record referenced in the record post by clicking the [Preview](#) button. The activity stream can also be filtered to only display certain messages (e.g., Messages for Create, Messages for Update) by clicking "Filter" above the post input box then selecting the desired message type.




**Note:** Sugar's activity streams are disabled by default, but administrators can globally enable the functionality based on their organization's needs. For more information, refer to the [System](#) documentation in the Administration Guide.

## Action Buttons


In addition to the buttons shown on records in this section, your admin may have added customized buttons to provide shortcuts to common actions that are unique to your organization. Action Buttons may appear on the record, the record's header, or both. For information on configuring and adding Action Buttons to

record views, please refer to the [Action Buttons](#) documentation.



## Dashboards

To the right of record views, the intelligence pane displays dashboards when not displaying a related record [preview](#). Dashboards are sets of dashlets configured for the specific record view to display useful Sugar data. An out-of-the-box default dashboard will likely be initially displayed on your record view intelligence pane. Sugar admins are able to create and push custom default dashboards to your views. You may also create personal dashboards using the dashlets and configurations that best suit your business needs. All dashboards can also be shared with teams of users who can then pull the dashboards to their views as desired. Ensure the intelligence pane is expanded using the arrow button at the top right of the record view. For more information, refer to the [Dashboards and Dashlets](#) documentation.



## Tile View

For cases, tasks, leads, and opportunities, a unique tile view is available that displays records in an intuitive drag-and-drop interface. To access tile view, navigate to the Cases, Tasks, Leads, or Opportunities list view and click on the Tile View icon next to the search bar.

Accounts ▾ Contacts ▾ Opportunities ▾ **Tasks ▾** ⋮ Sea

**Tasks (20 of 21+)** Create Tile View

Filter ▾ Build Filter Search by subject...

<input type="checkbox"/>	Subject	Contact	Related to	Due Date	
<input type="checkbox"/> ☆	Send local use...	June Arends	Gifted Holding...	2021-12-02 04:...	▾

New records can be [created](#) from the tile view by clicking the Create button on the upper right. You can also edit any records displayed in the tile view by clicking the record's name/subject link within the tile or by dragging a tile from one column to another to change its stage, status, or expected close date depending on the current layout. For information on configuring Tile View layouts, refer to the [Tile View Settings](#) documentation in the Administration Guide.

**Tasks by Status** ⋮ ≡ Create

Filter ▾ My Tasks Search by subject...

Not Started	In Progress	Completed	Pending Input
<p>Make travel arrangements</p> <p>Justa Montesino</p> <p>09-22-2021 05:45 am</p>	<p>Ship product</p> <p>Jessi Flock</p> <p>06-28-2022 03:00 am</p>	<p>Setup evaluation</p> <p>Felton Piermarini</p> <p>11-30-2021 07:15 am</p>	<p>Call to schedule meeting</p> <p>Deedra Emmer</p> <p>Ac Air Safety Inc</p> <p>09-17-2021 08:30 am</p>
<p>Arrange reference call</p> <p>Daron Bustillos</p> <p>07-31-2022 09:15 am</p>	<p>Send a follow-up letter</p> <p>Isabell Sarkis</p> <p>04-03-2022 01:45 am</p>	<p>Arrange introduction</p> <p>Piedad Fleagle</p> <p>Ac Smith &amp; Sons</p> <p>02-08-2022 06:15 am</p>	<p>Make travel arrangements</p> <p>Annamarie Pickel</p> <p>12-06-2021 11:00 am</p>
<p><b>Send a letter</b></p> <p>Luciana Siguenza</p> <p>04-23-2022 02:30 am</p>	<p>Send local user group infor...</p> <p>Terina Crepeau</p> <p>02-07-2022 03:00 am</p>	<p>Add to mailing list</p> <p>Valery Taubman</p> <p>01-02-2022 11:30 am</p>	<p>Get demo feedback</p> <p>Velda Forsyth</p> <p>Ac Sunyvale Reporting Ltd</p> <p>06-01-2022 01:30 am</p>
<p>Ship product</p>	<p>Send proposal</p>		

## Working With Records in Tile View

Tile view offers users an alternative way to view and interact with cases, tasks, leads, and opportunities. In the tile view, records will be grouped in vertical columns that represent the record stages or the group-by option configured by your administrator.

To further refine the tile view, users can filter the visible tiles by utilizing the standard Sugar filter options. Simply create or select a stock or saved custom filter

(e.g., My Favorites, My Team's High-Value Opps) and the tile view display will update in real-time. If a filter (e.g., saved, ad-hoc) has already been applied to the module's list view (e.g., Opportunities), then that same filter will be automatically applied to the tile view and vice versa. Please note that the filter will continue to apply as you toggle between the tile view tabs, switch between the module's list view and tile view, navigate away from the module and then return again, or close your browser tab then return to the module again in a new tab. You can also use the search bar to refine the display by a keyword or phrase. For more information on using filters, refer to the [List View Filters](#) section of this page.

**Note:** The yellow highlighting in this image has been added for effect and will not appear in the application.

Click and drag a tile from one column to another to change its stage, status, or expected close date depending on the current layout. As an example, the following screenshot illustrates how to change the expected close date of an opportunity from a day in August 2020 to the last day of September 2020. Simply click on the tile and drag it into the appropriate column:

---

The tile view's filter Refresh button which appears to the right of the search box allows the user to quickly reapply filters after making changes to the displayed records without having to reload the browser. Simply click on the Refresh button to bring the tile view up-to-date with the most recent edits. In the image above, the tile view is filtered to only display records with expected close dates between June 2020 and August 2020, so once you drag the tile from "August 2020" to "September 2020" and click the Refresh button, the September 2020 column will no longer display any records.

## Intelligence Pane

Intelligence panes display on list views, record views, and to the right of the Home page activity stream. They provide users with valuable record information via dashboards as well as showing previews of Sugar records.

## Dashboards

Most intelligence panes have out-of-the-box default dashboards with a set of commonly used dashlets. Admin users may also have created default dashboards that are pushed to teams of users. In addition, individual users can create their own personal dashboards with whichever dashlets they wish to use. Any dashboard can also be shared with additional teams who can then pull the dashboard into their intelligence panes for use.

Please refer to the [Dashboards and Dashlets](#) documentation for in-depth documentation about using dashboards as well as information about [commonly used dashlets](#).

## Previews

Users can preview a record's details by clicking the Preview button to the far right of a record's row or activity stream post. The preview appears in the intelligence pane to the right of the Home page's activity stream and on list views and record views. The preview displays the fields that have been configured by your Administrator in Studio > Layouts > Preview View and the record's most recent activity stream entries. For more information on editing preview layouts, please refer to the [Studio](#) documentation.


## Viewing Previews

There are various options available for viewing previews in Sugar including via the list view, record view, and activity stream. Previewing allows users to easily view key information regarding a record directly from the intelligence pane without navigating away from the current page. Users can [mark a record to follow or unfollow](#) via the preview by clicking the Follow or Unfollow button within the

---

record's details. Clicking the hyperlinks (e.g., account name, website, email address) within the preview allows you to access the record view, external company website, compose email, etc.

**Note:** Hovering over certain links to Sugar records (e.g., a linked account name) in the intelligence pane will display a Focus icon. Clicking the icon will reveal a Focus Drawer dashboard displaying a 360-degree view of the linked record through a set of dashlets. For more information on focus drawers, refer to the [Focus Drawer](#) section of this documentation.



### Previewing From List Views

Users can view a record's topmost fields directly from the module's list view by clicking the Preview button to the far right of each account's row. The intelligence pane will display the record's details with key information regarding the record as well as any related activity stream information.

Accounts (20 of 21+)

Create

Filter Build Filter Search by name...

	Name	City	Phone	Billing Country	
<input type="checkbox"/>	Smallville Resources Inc	Denver	(415) 089-2406	USA	
<input type="checkbox"/>	Jungle Systems Inc	Santa Fe	(650) 624-5252	USA	
<input type="checkbox"/>	Dirt Mining Ltd	St. Petersburg	(603) 995-6451	USA	
<input type="checkbox"/>	Smith & Sons	Santa Monica	(603) 183-0316	USA	
<input type="checkbox"/>	Anytime Air Support Inc	Salt Lake City	(806) 130-2861	USA	
<input type="checkbox"/>	X-Sell Holdings	Kansas City	(440) 255-3199	USA	
<input type="checkbox"/>	King Software Inc	Kansas City	(589) 685-0571	USA	
<input type="checkbox"/>	Spend Thrift Inc	Alabama	(094) 158-0575	USA	
<input type="checkbox"/>	Avery Software Co	Santa Monica	(632) 442-0051	USA	
<input type="checkbox"/>	Kaos Trading Ltd	Salt Lake City	(541) 447-5124	USA	
<input type="checkbox"/>	Tri-State Medical Corp	Denver	(659) 867-7620	USA	
<input type="checkbox"/>	Powell Funding	San Mateo	(704) 715-0424	USA	
<input type="checkbox"/>	Air Safety Inc	Denver	(083) 843-8362	USA	

Preview

Ac

Name

Jungle Systems Inc

Website

http://www.junglesystems.com

Industry

Engineering

Member of

Type

Customer

Business Center Name

Service Level

Tier 2

Assigned to

Max Jensen

Office Phone

(650) 624-5252

Tags

Sponsors

Show more...

## Previewing From Record View

Users can also view a record's details from the module's record view by clicking the Preview button to the far right of each record row in the subpanel. The intelligence pane will display the record's details with key information regarding the record as well as any related activity stream information.

The screenshot displays the SugarCRM interface. On the left, the record for 'Spend Thrift Inc' is shown with details like Website, Industry, Member of, Type, Service Level, Assigned to, Office Phone, and Tags. Below this is a list of activity stream items: CALLS (1), MEETINGS (5), TASKS (1), NOTES (1), MEMBER ORGANIZATIONS, EMAILS (3), and CONTACTS (5). A table lists the contacts, with 'Justa Montesino' highlighted. A red arrow points from the 'Preview' button in the activity stream to the preview pane on the right. The preview pane shows details for 'Justa Montesino', including Name, Title, Mobile, Department, Do Not Call, Account Name, Business Center Name, Email Address, and Tags.

Name	City	State	Email	Office
Justa Montesino	Sunnyvale	CA	sales.sugar.info@exam...	(326)
Terina Crepeau	Denver	CA	sugar.hr.support@exa...	(912)

## Previewing From Activity Streams

In addition, you can also preview the record referenced in activity stream posts from the Home page, list view, and record view activity stream by clicking the Preview button to the right of each post. Please note that preview is only available for Create, Update, Relate, and Un-relate-type posts in the activity stream. For more information about previewing activity stream posts, please refer to the [Previewing Posts](#) section of the Activity Streams documentation.

**Note:** Sugar's activity streams are disabled by default, but administrators can globally enable the functionality based on their organization's needs. For more information, refer to the [System](#) documentation in the Administration Guide.

The intelligence pane displays the topmost fields from the module's record view and the record's most recent activity stream entries.

The screenshot shows a record preview for 'Anytime Air Support Inc'. The left pane displays record details: Website (http://www.devegan.tw), Industry (Utilities), Type (Customer), Assigned to (Sally Bronsen), Office Phone ((806) 130-2861), and Tags (California, North, Process, San Francisco). The right pane shows a preview of the record, including the Opportunity Name (48 month Service - 90 Units - 647 Renewal), Renewal date (March, 2024 Renewal), Account Name (Anytime Air Support Inc), Expected Close Date (2024-03-16), and various pricing details. A red arrow points from the 'Preview' button in the top right of the left pane to the preview pane on the right.

## Previewing From Global Search

Users can view a record's details directly from the View All Results page for Global Search by clicking the Preview button to the far right of each record's row. The intelligence pane displays the topmost fields from the module's record view and the record's most recent activity stream entries. For more information on previewing via the View All Results page, please refer to the [Search](#) documentation.

The screenshot shows a search results table for 'Nelson' (20 of 27 results). The table lists records for 'Nelson Canales' and 'Nelson Inc' with their primary email and expected close dates. A red arrow points from the 'Preview' button (eye icon) in the rightmost column of the table to the preview pane on the right. The preview pane displays details for 'Nelson Canales', including Name, Title (IT Developer), Mobile ((634) 670-8090), Department, Do Not Call status, Account Name (Nelson Inc), Business Center Name, Email Address (qa.info@example.it and vegan.section.support@example.us), and Tags (Global, South, Support).

## Show More

In the preview, Sugar displays the topmost fields from the module's record view. To view all of the fields that are on the record view, click "Show more...". Please note that administrators can configure what fields appear on the business card panel via Admin > Studio > Layouts > Record View. For more information on

editing layouts, please refer to the [Studio](#) documentation.

Preview

Co

Name

Nelson Canales

Title

IT Developer

Mobile

(634) 670-8090

Department

Do Not Call

☐

Account Name

Nelson Inc

Business Center Name

Email Address

qa.info@example.it

vegan.section.support@example.us

Tags

Global

South

Support

Show more...

## Previewing a Record's Activity Stream

When previewing a record via the intelligence pane, you can also view any related activity stream posts which will appear below the record's detail. Please note that you cannot create new posts or comment on posts via the activity stream when previewing a record. For more information on creating posts and commenting on posts, please refer to the [Activity Streams](#) documentation.

Preview

Ac

Name

Spend Thrift Inc

Website

<http://www.sectionphone.cn>

Industry

Transportation

Member of

Anytime Air Support Inc

Type

Customer

Business Center Name

Service Level

Tier 1

Assigned to

Sarah Smith

Office Phone

(094) 158-0575

Tags

Sponsors

Show more...

Ac

Updated Parent Account ID, Service Level on Spend Thrift Inc.


Administrator on 2020-03-25 11:26

---

**Note:** Sugar's activity streams are disabled by default, but administrators can globally enable the functionality based on their organization's needs. For more information, refer to the [System](#) documentation in the Administration Guide.


## Previewing Next and Previous Records

Above a previewed record in the intelligence pane, there is a Left and Right arrow button that allows you to scroll through the previous and next records. Clicking the Left arrow button displays the previous record's preview while clicking the Right arrow button displays the next record's preview. When previewing from the module's list view, you can scroll through the list view's current search results. When previewing a related module record from a module's record view, you can scroll through the list of related records in the specific subpanel.



## Closing a Preview

If you no longer wish to preview the records, you can simply close the preview by clicking the "X" on the upper right of the intelligence pane. Please note that the dashboard view will display again on the intelligence pane once you close the preview.



## Focus Drawer

When hovering over most links to Sugar records (e.g., a linked account name, case subject, meeting subject, email subject) across Sidecar modules, a Focus icon will appear to the right of the link. Clicking the icon will open a Focus Drawer dashboard displaying a 360-degree view of the linked record through a set of dashlets containing relevant information such as the record's related records, related activities (e.g., calls, meetings), purchase history, and active subscriptions. Please note that the out-of-the-box default dashboard contains a set of pre-defined dashlets which can be configured by the dashboard owner and system admin users. For more information on out-of-the-box default dashboards, refer to the [Dashboards and Dashlets](#) documentation.


---

The Focus icon appears for links to Sugar records in the following views:

- [List view](#) and [record view](#) for supported Sidecar modules
- Record [previews](#) in intelligence panes
- Related record [subpanels](#)
- Supported dashlets (e.g., Active Tasks, History, Planned Activities, and Record View dashlets) on the [Home page](#), [List View](#), [Record View](#), and Focus Drawer dashboards
- Renewals Console
- Service Console

If you do not belong to one of the designated teams for the linked module's Focus Drawer dashboard or if the linked Sidecar module record (e.g., Documents) does not have a stock Focus Drawer dashboard defined, you can create a new one by opening the focus drawer and clicking the "+ Create Dashboard" button.

Please note that the Focus icon will not appear if you are restricted from accessing the particular module linked to the Focus Drawer dashboard based on your assigned [role](#) and/or [team](#) permissions. For more information on managing dashboards, refer to the [Dashboards and Dashlets](#) documentation.



## Using Focus Drawers

When you click the Focus icon for a linked record (e.g., Smith & Sons), the focus drawer will open and the header will display a breadcrumb with the module icon and record name as well as the current dashboard's name (e.g., Accounts Focus Drawer) to the far right of the header. Dashboard owners can [rename](#) the dashboard if desired by clicking the dashboard's name or hovering over the name and clicking the pencil icon. You can also mark the dashboard as a favorite by

clicking the star icon to the right of the dashboard's name.

**Note:** To close a focus drawer, simply click the X icon at the top left of the drawer or press your Escape (Esc) key.

The Focus Drawer dashboard appears beneath the header and contains the dashlets which allow users to view and obtain pertinent information related to the record without having to navigate away from the current view. Please note that the dashlets displayed in the dashboard will vary between each Sidecar module's focus drawer dashboard. Some common dashlets that can appear in the dashboard are: [Record View dashlet](#), Timeline dashlet, [Active Subscriptions dashlet](#), [Purchase History dashlet](#), and [Comment Log dashlet](#). For more information on other commonly used dashlets, refer to the [Dashboards and Dashlets](#) documentation. Only the dashboard owner and system admin users have the ability to [edit](#) the dashlets, [delete](#) the dashlets, [add](#) additional dashlets, and [rearrange](#) the dashlets within the dashboard.

While the focus drawer is open, you can click the up or down arrow to the left of the drawer to quickly switch the header and contents of the drawer and view details related to the next or previous record in a list view. The up and down arrow will only be active when the initial focus drawer is opened from a list such as a module's list view, related record subpanel, list view dashlet, etc.


The screenshot shows the 'Accounts Focus Drawer' interface. The drawer is titled 'Accounts Focus Drawer' and contains several dashlets: 'This Account' (Smith & Sons), 'Timeline' (Follow-up on proposal), 'Purchase History' (5 Year Service, 1 Year Service), and 'Active Subscriptions' (1 Year Service, 5 Year Service). The drawer is open from a list view of accounts, with 'Smith & Sons' selected. The drawer has a close button (X) at the top left and a floating actions button (plus icon) at the bottom right.

You can also create a new Focus Drawer dashboard. Simply click the [floating actions button](#) on the current dashboard and select the Create Dashboard option

---

or duplicate the current dashboard and personalize it as desired. The new Focus Drawer dashboard will automatically appear in the current view, but you can easily [switch](#) between the custom and default dashboard(s) by clicking the triangle next to the current dashboard's name (e.g., My Accounts Focus Drawer) on the Focus Drawer header.

You can also view and manage the dashboard records from the Dashboards list view by clicking the [Manage Dashboards](#) option from the dashboard selection list. Please keep in mind that the last-viewed dashboard will appear in the focus drawer the next time it is opened for the linked module.



**Note:** Focus Drawer dashboards can only be [deleted](#) by the dashboard owner and system admin users.

## Drilling Through Focus Drawers

When viewing a Focus Drawer dashboard, you can click on even more Focus icons to drill into records related to the original one. You can continue drilling this way through multiple layers of focus drawers. Each time you click a Focus icon from within the dashboard, a new breadcrumb will get added to the breadcrumbs list in the Focus Drawer header to give you a clear picture of where you are at in the drillthrough. To navigate backward, click the breadcrumb containing the record's name that you wish to go back to.

Keep in mind the following behavior when drilling through multiple focus drawers:

- The first and current breadcrumbs are always shown in the Focus Drawer header regardless of how many intermediate breadcrumbs there are.
- When there are more breadcrumbs than can fit in the header, the intermediate breadcrumbs will collapse into a three-dots overflow menu, which you can click to reveal the list of hidden breadcrumbs.
- Clicking on a previous record's breadcrumb will replace the focus drawer content with that record's dashboard content and all breadcrumbs to the right of the clicked breadcrumb will be removed from the Focus Drawer header.

**Note:** If you click the Focus icon for a linked record during drillthrough and there

---

is no Focus Drawer dashboard configured for the record's module, the breadcrumb will show with the module icon and record name, but the dashboard's name will be blank until the dashboard is created.


## Editing Records

Records may be edited at any time to modify or add information. Edits can be made via record view or list view as detailed below. For instructions on how to edit the various field types, please refer to the [Field Types](#) section.

Please note that your ability to edit records in Sugar may be restricted by a role. For more information, please refer to the [Role Management](#) documentation. Check with your system administrator if you do not see the edit options.


### Editing Inline via Record View

Users can edit individual fields in [record view](#) without entering the full edit mode by clicking the field name or value. If a field that supports inline editing is not empty, a pencil icon appears when you hover over it. If the field is empty, the field's label is displayed as a clickable pill with a plus icon next to it. You can click on the pencil or pill to begin editing the field. After entering your desired values, click "Save" to preserve your changes to one or several fields.



### Editing via Record View

You can edit many fields at once via the [record view](#) by clicking the Edit button on the upper right of the page. Once the record view layout is editable, update the necessary fields, then click "Save" to preserve your changes.



### Editing Inline via Subpanels

Beneath the record's fields are subpanels containing related records from various modules. You can edit individual fields (e.g., Email, Office Phone) for records directly within the subpanel without entering the full edit mode. Simply click the Actions menu to the far right of the record's row and select "Edit" or double-click

on the row to open the inline editing mode. You can activate multiple rows for editing by double-clicking on each row that you want to edit.

Co CONTACTS (5)						+ ▾	
	Name	City	State	Email	Office		
☆	Justa Montesino	Sunnyvale	CA	sales.sugar.info@exam...	(326	👁	▾
☆	Terina Crepeau	Denver	CA	sugar.hr.support@exa...	(912	👁	▾
☆	Xochitl Brunetti	San Mateo	CA	phone.hr@exan	Edit		
☆	Britney Stoltenberg	Sunnyvale	CA	dev.dev.im@ex	Unlink		
☆	Paula Constable	Cupertino	CA	dev.beans@example.org	(126	👁	▾

The fields on the record's row will become editable and allow users to type or select a new value. You can click the double arrow icon on the upper right of the page to expand the subpanel list view's width to make editing easier. Click "Save" on the right side of the row to preserve your changes, or click "Cancel" on the left side of the row to close editing mode without saving.

## Editing Inline via List View

You can also edit individual fields on a module's list view without entering the full edit mode. Click the Record Actions menu to the far right of the record's row and select "Edit" or double-click on the row to open the inline editing mode. You can activate multiple rows for editing by double-clicking on each row that you want to edit.

<input type="checkbox"/>	☆	Anytime Air Support Inc	Salt Lake City	USA	(806) 130-2861	Sally Br	👁	▾
<input type="checkbox"/>	☆	ABC Incorporated				Adminis	👁	▾
<input type="checkbox"/>	☆	Spend Thrift Inc	Alabama	USA	(094) 158-0575	Sarah Sr	👁	▾
<input type="checkbox"/>	☆	Tortoise Corp	San Mateo	USA	(811) 833-	Edit		
<input type="checkbox"/>	☆	Income Free Investing LP	Cupertino	USA	(243) 265-4	Follow		
<input type="checkbox"/>	☆	Jungle Systems Inc	Santa Fe	USA	(108) 624-5	Delete		

The fields on the record's row will become editable and allow users to type or select a new value. You can click the double arrow icon on the upper right of the page to expand the list view's width to make editing easier. Click "Save" on the right side of the row to preserve your changes or click "Cancel" on the left side of the row to close editing mode without saving. After saving, please refresh the page to have any list view filters be applied to the new record's values.

**Note:** Text area fields are not inline-editable from list views.

## Editing via Preview

Users have the option to edit fields directly in a record's preview when previewing

from the module's list view or related-record subpanel. Please note that the preview edit feature is enabled by default, but administrators can [disable this feature](#) via Admin > System Settings based on their organization's needs.

To edit a record via the list view preview, navigate to a module's list view and click the Preview button to the far right of a record's row in order to open the preview.

The screenshot shows the 'Accounts' list view with 20 records. The 'Jungle Systems Inc' record is selected. The 'Preview' panel is open on the right, showing the record's details. A red box highlights the 'Preview' button in the top right of the list view, and another red box highlights the 'Preview' button in the top right of the preview panel. A red arrow points from the 'Preview' button in the list view to the 'Preview' button in the preview panel.

Name	City	Phone	Billing Country
Smallville Resources Inc	Denver	(415) 089-2406	USA
Jungle Systems Inc	Santa Fe	(650) 624-5252	USA
Dirt Mining Ltd	St. Petersburg	(603) 995-6451	USA
Smith & Sons	Santa Monica	(603) 183-0316	USA
Anytime Air Support Inc	Salt Lake City	(806) 130-2861	USA
X-Sell Holdings	Kansas City	(440) 255-3199	USA
King Software Inc	Kansas City	(589) 685-0571	USA
Spend Thrift Inc	Alabama	(094) 158-0575	USA

**Preview** [Cancel] [Save]

Name: Jungle Systems Inc

Website: http://www.junglesystems.com

Industry: Engineering

Member of: Select Account...

Type: Customer

Business Center Name: Select Business Center...

To edit a record via the subpanel preview, navigate to a module's record view, scroll down to the subpanel area beneath the record's details, and click the Preview button to the far right of the desired record's row to open the preview.

The screenshot shows the 'Jungle Systems Inc' record view. The 'Preview' panel is open on the right, showing the record's details. A red box highlights the 'Preview' button in the top right of the record view, and another red box highlights the 'Preview' button in the top right of the preview panel. A red arrow points from the 'Preview' button in the record view to the 'Preview' button in the preview panel.

**Preview** [Cancel] [Save]

Name: Ms. Dwana Motz

Title: Senior Product Manager

Mobile: (354) 524-6467

Department: Product Development

Do Not Call: ☐

Account Name: Jungle Systems Inc

Business Center Name: Select Business Center...

To edit the record's fields, simply click the pencil icon in the Preview header. The fields on the record's preview will become editable and allow you to type or select a new value. Click "Save" to preserve your changes.

---

## Editing via Tile View

For the Cases, Tasks, Leads, and Opportunities modules, a unique tile view is available that displays records in an intuitive drag-and-drop interface. Users have the option to edit any records displayed in the tile view by dragging and dropping tiles among columns or by clicking the record's name/subject link within the tile. Clicking the tile will open the record view layout where you can update the necessary fields then click "Save" to preserve the changes. For more information on how to use tile view, refer to the [Tile View](#) section of this page.

**Cases by Status** Filter Build Filter Search by subject, number... Create

New	Assigned	Closed	Pending Input
<p>Warning message when usi...</p> <p>Anytime Air Support Inc</p> <p>Low</p>	<p>Having trouble adding new i...</p> <p>Jungle Systems Inc</p> <p>Medium</p>	<p>Need assistance with large c...</p> <p>Smith &amp; Sons</p> <p>High</p>	<p>Having trouble adding new i...</p> <p>Jungle Systems Inc</p> <p>Medium</p>
<p>System not responding</p> <p>King Software Inc</p> <p>High</p>	<p>Warning message when usi...</p> <p>Smith &amp; Sons</p> <p>Low</p>	<p>System not responding</p> <p>X-Sell Holdings</p> <p>Low</p>	<p>System not responding</p> <p>Jungle Systems Inc</p> <p>High</p>

## Mass Editing via List View

Mass Updating allows you to apply the same changes to multiple records at once. Administrator users or users with developer-type role access can control which fields are available during mass update via Admin > Studio. Fields with the following data types can be made available for mass updating:


- Checkbox
- Date
- Datetime
- Decimal
- Dropdown
- Encrypt
- Float
- Iframe
- Integer
- Multiselect
- Phone
- Radio
- Relate
- Text
- URL

For more information on configuring the mass update fields, please refer to the [Studio](#) documentation. After using [list view search](#) to locate the desired records, you can choose individual records or use the [Select All](#) option to modify all of the current results. Using the Select All option will allow you to update up to 1000 records at a time. If you wish to update more than 1000 records or update a specific group of records from the list view, use filters to perform the updates in smaller batches.

Please note that your ability to mass update may be restricted by a role. For more information on roles, please refer to the [Role Management](#) documentation. Check with your system administrator if you do not see the Mass Update option.

The following steps cover mass updating account records as an example:

1. Navigate to the Accounts list view by clicking the Accounts module tab.
2. Use the list view's [list view search](#) to identify accounts you wish to modify.
3. Select the desired accounts then choose "Mass Update" from the Actions menu.



4. The Mass Update panel will appear below the search bar. Set values for the field(s) you wish to alter. The following options may be available in the Mass Update panel:
  - **Add Row/Remove Row:** To mass update several fields at once, click the Add button to the right of the row.
  - **Append {Field}(s):** When mass updating a field that may contain multiple values (e.g., Tags, Teams), Sugar will display a checkbox labeled "Append {field}(s)", where {field} is the name of the field you have selected. This option is enabled by default to prevent loss of data by adding the new values to any existing data in the updated field. Disable the checkbox if you prefer to overwrite any existing data in the updated field.

- These additional options appear when mass updating the Teams field:
  - **Set as Primary Team:** Use the star icons to specify which team, if any, should be set as the primary team on the updated records. A primary designation is required when the Append Team(s) option is disabled.
  - **Add Team/Remove Team:** Specify multiple teams by using the Add and Remove buttons adjacent to the Team selection field.

5. Click "Update" to save the changes to all of the selected account records.

**Note:** If your administrator has enabled team-based permissions, you may also see a Lock button or a "Selected" box on the Teams field. Please refer to the [Using Team-Based Permissions](#) section for more information.

## Deleting Records


If a record is invalid or should no longer appear in your organization's instance, it may be deleted from either the record view or list view. Deleting via the record view allows you to delete the current record while the list view allows for deleting one or more records at a time. Deleting a record will not delete its related records and will only remove the relationship, so you may wish to also delete any related records to avoid orphaned records.

Please note that your ability to delete in Sugar may be restricted by a role. For more information on roles, please refer to the [Role Management](#) documentation. Check with your system administrator if you do not see the Delete options.

## Deleting via Record View

The following steps cover deleting an account via record view as an example:

1. Navigate to an account's record view.
2. Select "Delete" from the Actions menu.




3. A pop-up message will display asking for confirmation. Click "Confirm" to proceed.

## Deleting via List View

The following steps cover deleting an account via list view as an example:

1. Navigate to the Accounts list view by clicking the Accounts module tab.
2. Use the [List View Search](#) to find the Account record you wish to delete.
3. Click the Record Actions Menu to the far right of the record's row and select "Delete".



4. A pop-up message will display asking for confirmation. Click "Confirm" to proceed.

## Mass Deleting via List View

The following steps cover deleting one or more account records via the list view as an example:

1. Navigate to the Accounts list view by clicking the Accounts module tab.
2. Use the [List View Search](#) to find the Account records you wish to delete.
3. Select the desired account records then choose "Delete" from the Actions menu.

Accounts (20 of 21+)

Filter

Build Filter

Search by name...

<input type="checkbox"/>	Name	City	Phone	Billing Country
<input type="checkbox"/>	<div>Email</div>	Denver	(415) 089-2406	USA
<input type="checkbox"/>	<div>Mass Update</div>	Santa Fe	(650) 624-5252	USA
<input checked="" type="checkbox"/>	<div>Add To Target List</div>	St. Petersburg	(603) 995-6451	USA
<input checked="" type="checkbox"/>	<div>Merge</div>	Santa Monica	(603) 183-0316	USA
<input checked="" type="checkbox"/>	<div>Delete</div>	Salt Lake City	(806) 130-2861	USA
<input checked="" type="checkbox"/>	<div>Export</div>	Kansas City	(440) 255-3199	USA
<input checked="" type="checkbox"/>	<div>King Software Inc</div>	Kansas City	(589) 685-0571	USA

- A pop-up message will display asking for confirmation. Click "Confirm" to proceed.

You can also use the [Select All](#) feature in the list view, which will allow you to easily select the first 1000 records in the result set. If you wish to delete more than 1000 records or delete a specific group of records on the list view, please use the [filter option](#) in list view search to perform the deletions in smaller batches.

## Emailing Records

Sugar allows users to compose and send outbound emails to records that include an Email Address field such as accounts, contacts, leads, and targets as well as any custom person- or company-type modules which include an email address field. The sections below cover the various ways to send emails to records. [Accounts](#), [contacts](#), [leads](#), and [targets](#) may also be emailed via campaigns; more information about emailing these records via campaigns can be found on the respective product guide pages.

**Note:** Before users can send email messages from Sugar, please complete the required configurations described in the [Emails](#) documentation. The logged-in user must have at least one [outgoing email account](#) successfully configured in the Emails module.

Once an email is successfully sent by a method other than workflows or campaigns, the email record will appear in the History dashlet and Emails subpanel on the record's record view. For more information on sending emails from your own account, please refer to the [Emails](#) documentation.

Me MEETINGS (5) + -

Em EMAILS (3) + -

	From	Subject	Status	Date	
☆	Lashonda Hannum	Demo	Archived	2020-02-09 11:4	
☆	Jeana Schimke	Demo	Archived	2020-02-10 07:1	
☆	Sarah Smith	Review needs	Archived	2020-03-04 09:3	

Ts TASKS (1) + -

Nt NOTES (1) + -

Ac MEMBER ORGANIZATIONS + -

History +

Last 30 Days

0 Meetings

3 Emails

0 Calls

Demo  
Chris Olliver, 7 days ago

Demo  
Chris Olliver, 7 days ago


Review needs  
Chris Olliver, 7 days ago

## Emailing via List View

For modules that include an Email field, the Email option in the list view's mass actions menu enables users to send an email message to one or more records at a time from the module's list view. Simply select the desired record(s) from the list view then choose "Email" from the list view Mass Actions menu. The Compose Email window will open allowing you to enter all relevant information (e.g., subject, body). Please note that the email will be sent to the selected record's primary email address on file.

The following steps cover composing and sending an email from the Accounts list view as an example:

1. Navigate to the Accounts list view by clicking the Accounts module tab.
2. Find and select the accounts in the list view that you would like to send an email to.
3. Choose "Email" from the Mass Actions menu.



4. In the Compose Email window, enter the subject and body of the email message, [edit the recipient fields](#) (optional), then click "Send".

After sending the message, the email record will appear in the Emails subpanel and History dashlet of each related record.

From	Subject	Status	Date
Lashonda Hannum	Demo	Archived	2020-02-09 11:4
Jeana Schimke	Demo	Archived	2020-02-10 07:1
Sarah Smith	Review needs	Archived	2020-03-04 09:3


History
0 Meetings
3 Emails
0 Calls
Demo Chris Olliver, 7 days ago
Demo Chris Olliver, 7 days ago
Review needs Chris Olliver, 7 days ago

## Emailing via Quick Create

Quick Create provides an easy way to send an email from Sugar to the recipient associated with the record you are viewing. Quick Create for email messages can be accessed from the Quick Create menu on the navigation bar, from any Emails subpanel, or by clicking on a linked email address in Sugar list views or record views.

- **Quick creating via Quick Create menu:** Use "Compose Email" in the Quick Create menu to relate a message to the record you are currently viewing and automatically populate the message's "To" field with the

record's name and primary email address. If you use the Compose Email quick-create option from any other page, simply insert the desired recipient(s) manually as explained in the [Working With Recipient Fields](#) section of the Emails documentation.



- **Quick creating via email address:** The Quick Create view will also open if you click on a hyperlinked email address inside the Sugar application. For example, email addresses displayed in list views, dashlets, intelligence panes, and record views can be clicked to expose the Quick Create email compose view pre-filled with the clicked email address.
  - Quick create from an email address in list view:

Contacts (20 of 21+)						
Filter <span>▼</span> <span>Build Filter</span> Search by first name, last name, email address, office phone, mobile, other phone, assistant phone...						
<input type="checkbox"/>	<span>▼</span>	Name	Title	Account Name	Email Address	User
<input type="checkbox"/>	☆	June Arends	VP Operations	Gifted Holdings AG	jarends@test.com	Sally Bronsen

- Quick create from an email address on the record view:

Le

Bronwyn Leaman

☆

Follow

Unconverted

<

>

Edit

▼

Title

VP Operations

Mobile

(905) 546-1378

+ Website

Do Not Call

☐

Account Na...

JBC Banking Inc

+ Business ...

Email Addre...

the19@...

- **Quick creating via Emails subpanel:** Click the Create (+) button on the Emails subpanel to compose an email to the record's primary email address and automatically relate the message to the record you are viewing.

**Note:** Legacy modules contain an Activities subpanel instead of an Emails subpanel.

Me MEETINGS (4) <span>+</span> <span>▼</span>					
Em EMAILS (4) <span>+</span> <span>▼</span>					
	From	Subject	Status	Date	Create
☆	Jim Brennan	<a href="#">Discuss pricing</a>	Archived	2020-03-07 10:0	
☆	Piedad Fleagle	<a href="#">Demo</a>	Archived	2020-03-04 09:3	
☆	Chris Olliver	<a href="#">Review needs</a>	Archived	2020-02-11 01:0	
☆	Isaura Pfarr	<a href="#">Review needs</a>	Archived	2020-03-08 06:0	

To edit or override a default email recipient on Quick Create, click on the name above the Subject field and the area will transform into the standard From/To/Cc/Bcc form.

**Compose Email**
Cancel
Save Draft
Send

Sherrill Pfeil

Click on the recipient's name to make the To field editable.

Subject

<>
**B**
*I*
U
~~S~~

- ☰

- ☰

- ☰

- ☰

A
A

Font Sizes
Paragraph
Font Family


For more information on editing recipients, please refer to the [Working With Recipient Fields](#) section of the Emails documentation.

## Emailing via the Emails Module

Users can compose and send messages directly from the Emails module by clicking the Compose Email button on the Emails list view or by selecting "Compose Email" on the Emails module tab menu. This opens up the compose layout, which allows you to enter all of the relevant information for the email.

Use the following steps to compose an email via the Emails module:

1. Click "Compose Email" on the Emails module list view or the Emails module tab menu:



2. Enter appropriate values for the [fields](#) in the layout. All required fields are marked as such and must be completed prior to saving.
3. Once the necessary information is entered, click "Send" to deliver the message to the recipients specified in the To, CC, and BCC fields. Alternatively, click "Save Draft" to navigate away from a message without sending it. Email records in a draft state are only visible to the email's assigned user and the administrator.

For more detailed information about sending email messages, please refer to the [Emails](#) documentation.

## Emailing via Workflows

Sugar's Workflows module is available to administrators and users with developer-type role access. With each workflow, a set of conditions triggers a combination of actions and email alerts, including the ability to send emails to Sugar records that include an email address. Workflows can send simple emails or can utilize alert email templates built to include relevant data pulled from the record as well as your organization's design and branding. For more information, please refer to the [Workflow](#) documentation.

## Emailing via SugarBPM

[SugarBPM](#) is available to administrators and users with [developer-type role access](#). Process definitions created in SugarBPM may contain Send Message events that include the ability to send emails to Sugar records that have an email address. Send Message events utilize templates created in the Process Email Templates module. Templates may include relevant data pulled from the record as well as your organization's design and branding. For more information, please refer to the [Process Email Templates](#) documentation.

---

## Exporting Records

Exporting downloads all fields for the selected records to your computer as a CSV (comma-separated values) file. This may be useful when needing to use Sugar data with other software such as Microsoft Excel or to update existing records by exporting, making changes, then importing the altered records back into Sugar. For more information on updating existing records via import, please refer to the [Import](#) documentation. Due to PHP memory limitations on the server, there may be occasions when the application times out while exporting a large number of records. If you encounter an error when performing this action, we recommend selecting the records in smaller batches.

Records may be exported from the module's list view by first locating and selecting the checkboxes of the desired record. Then, select "Export" from the Mass Actions menu. You can also export Rows and Columns-type reports if you wish to employ more complex filter criteria and have greater control over which fields will be included. For more information on exporting records, please refer to the [Export](#) documentation.

<input type="checkbox"/>	<input type="checkbox"/>	Name	City	Billing Country
		Email	San Francisco	USA
		Mass Update	St. Petersburg	USA
		Add To Target List	St. Petersburg	USA
		Merge	San Francisco	USA
		Delete	Kansas City	USA
		Export	Los Angeles	USA
<input checked="" type="checkbox"/>	☆	John Smith and Co...	San Francisco	USA
<input checked="" type="checkbox"/>	☆	ABC Company	San Francisco	USA

Please note that your ability to export accounts from Sugar may be restricted by a role. For more information, please refer to the [Role Management](#) documentation. Check with your system administrator if you do not see the Export option.

## Using Team-Based Permissions

In Sugar, teams are typically used to control which groups of users can access a record. Using team-based permissions, however, an administrator may choose to extend the purpose of teams to control who can perform certain operations on the record (e.g., edit, delete). When enabled, regular users can use a record's Teams field to grant access such as viewing, editing, exporting, importing, and deleting

permission to specific users or user groups.

An administrator must first enable team-based permissions and configure roles and users for this feature. For more information, please refer to the [Role Management](#) documentation. Once the roles are applied to users, any user who can edit the Teams field in the enabled module can grant extra access to teams of users.

If you are not an administrator and you are not sure if team-based permissions are enabled for a module, simply navigate to a record view, click "Edit", and look for a lock button next to the Teams field:





If you do not see a lock button, reach out to your system's administrator to discuss whether team-based permissions are appropriate for your organization's business needs.

**Note:** Legacy interface modules also support team-based permissions but use a checkbox labeled "Selected" next to the Teams field to indicate whether or not the team's members have extra access to the record.


Team-based permissions have no effect on users who have not been assigned to roles that are configured with "Owner & Selected Teams" access. For more information, please refer to the [Record Operation Definitions](#) section. For information on using team-based permissions on a record, please refer to the [Role Management](#) documentation.

To grant extra access to a record for all members of a team who have role permission, click the lock button next to the team's name. This will enable additional permissions according to the guidelines in the table below. To control an individual user's access to a record, add that user's private team to the record's Teams field and then enable or disable additional permissions according to the guidelines in the table below. Please note that extra access will only be granted to users who have a role that restricts their access to "Owner & Selected Teams" as described in the [Role Management](#) documentation.

Team Setting	Appearance	Button	Description
Additional Permissions Enabled	A black button with an open lock		Members of this team have extra access to this record or fields within the record as controlled by

			their roles
Additional Permissions Disabled	A white button with a closed lock		Members of this team have no additional team-based permissions as controlled by their roles


In the following example, members of team East have standard team access to the record (at a minimum, view permission), while Jim and members of team West have view permission plus extra access to do things such as working with restricted fields, and editing, deleting, and exporting the record. Note that a user can be an [explicit or implicit](#) member of a selected team, and if they are part of both a selected team and a non-selected team for a record, they will be granted extra access.



**Note:** Changes made to the selected state of teams on an existing record are audited in the record's [audit log](#).

## Locked Fields

Occasionally, you may see a lock icon (not to be confused with the Lock Button used for [team-based permissions](#)) near one or more fields on a record in Sugar. The lock icon indicates that the adjacent field is temporarily locked from editing for all users. Locked fields occur as a result of [SugarBPM](#) settings that have been configured by your system's administrator. When a record becomes involved in a process that has locked fields, that record will respect those field locks until the record is no longer participating in the process.



Locked fields are enforced in Sugar for imports, mass updates, and record merging. Please note that records containing one or more locked fields cannot be edited via list view regardless of whether the locked fields appear in the list view's

columns. To edit the record's unlocked fields, you must navigate to the record view, which you can do by clicking on the record's link in the alert box or as you typically would in Sugar.

Accounts (20 of 21+)

Filter Build Filter Search by name...

	Name	City	Billing Country	Phone	User	
<input type="checkbox"/>	Anytime Air Support Inc	Salt Lake City	USA	(806) 130-2861	Sally Bronsen	<div><div></div><div>Edit</div><div>Delete</div></div>
<input type="checkbox"/>	Jungle Systems Inc	Santa Fe	USA	(650) 624-5252		
<input type="checkbox"/>	Smallville Resources Inc	Denver	USA	(415) 089-2406		
<input type="checkbox"/>	Income Free Investing LP	Cupertino	USA	(243) 265-4805	Chris Olliver	<div><div></div><div></div></div>

## Recalculating Calculated Values

Administrators or users with developer-level role access to a module may see an additional option in the list view's Actions menu: "Recalculate Values". This option appears only for modules that contain one or more calculated fields. For more information on calculated fields, please refer to the [Studio](#) documentation.

This utility allows administrators to recalculate affected field values following the addition or alteration of a calculated field in Studio. The Mass Actions menu option allows you to recalculate field values for up to 1000 records at a time. To update more than 1000 records, perform the recalculations in multiple batches as needed.

**Note:** This action will not appear unless the user is an administrator or has developer-level access to the module and there is at least one calculated value in that module. Please note that your ability to recalculate values may be restricted by a role. For more information on roles, please refer to the [Role Management](#) documentation. Check with your system administrator if you do not see the Recalculate Values option.

The following steps cover recalculating values for records from the Accounts list view as an example:

1. Navigate to the Accounts list view by clicking the Accounts module tab.
2. Use the list view's [List View Search](#) to identify accounts you wish to update.
3. Select the desired accounts then choose "Recalculate Values" from the Actions menu.

Accounts (20 of 21+)

Filter

Build Filter

Search by name...

<input type="checkbox"/>	<input type="checkbox"/>	Name	City	Billing Country	Phone	User	
<input type="checkbox"/>		Email	Santa Fe	USA	(650) 624-5252	Max Jensen	
<input type="checkbox"/>		Mass Update	Inc	Denver	USA	(415) 089-2406	Max Jensen
<input checked="" type="checkbox"/>		Recalculate Values	g LP	Cupertino	USA	(243) 265-4805	Chris Olliver
<input checked="" type="checkbox"/>		Merge		St. Petersburg	USA	(603) 995-6451	Chris Olliver
<input checked="" type="checkbox"/>		Delete		Santa Monica	USA	(603) 183-0316	Sarah Smith
<input type="checkbox"/>		Export					
<input type="checkbox"/>		Anytime Air Support Inc	Salt Lake City	USA	(806) 130-2861	Sally Bronsen	

## Finding Duplicate Records


Between multiple users working in Sugar, importing new records, and converting leads, it is possible for duplicate records to be accidentally put into the system. Before creating a new record, the best practice is to first check that the record does not already exist in Sugar. You can identify duplicate records for cleanup using [list view search](#) from the module's list view.

Searching for records with similar names or other information can turn search into a powerful, duplicates-finding tool. A wizard is also available for finding potential duplicates and may be used as shown below. If duplicate records are detected, you can perform a merge per the [Merging Records](#) section of this documentation.


Please note that your ability to use the Find Duplicates action may be restricted by any role which prevents editing records. For more information on roles, please refer to the [Role Management](#) documentation. Check with your system administrator if you do not see the Find Duplicates option.

The following steps cover locating duplicate accounts using the Find Duplicates option from the Accounts record view as an example:

1. Navigate to an account's record view.
2. Choose "Find Duplicates" from the Actions menu.



3. Potential duplicate account records will be listed on the Find Duplicates page. Select the duplicate record(s) you wish to merge then click "Merge Duplicates".
  - You can preview the duplicate record's details by clicking the [Preview](#) button to the far right of the record's row.
  - You can search for specific records from the Accounts list view if you wish to check for more potential duplicates. For more information on performing a search, please refer to the [List View Search](#) section of this documentation.
  - You can also click the three-dots menu above the Preview button to change the list of fields that display on the list view column



Once you click "Merge Duplicates", the merging process with the current record will begin. For instructions on performing the merge that follows, please refer to Steps 3-9 of the [Merging via List View](#) section of this documentation.

## Merging Records

When duplicate records are identified in Sugar, you have the option to merge two or more into a single record. Once the merge is complete, the duplicate record(s) will be deleted, and the primary record will remain. Please note that all relationships belonging to the duplicate records will be merged to the primary record meaning that any calls, meetings, cases, etc. related to the duplicate record(s) will automatically be related to the resulting, merged record.

**Note:** Date Created, Date Modified, and Password field types are not supported when merging duplicate records in Sugar.

## Merging via List View

[List View Search](#) may be used to identify duplicate records by, for example, searching for records with similar names. Once your search has identified duplicates, you can merge them directly from the module's list view.

The following steps cover merging accounts via the list view as an example:

- 1. Use the list view's [List View Search](#) to identify duplicate accounts.
- 2. Possible duplicates will be displayed in the list view. Select the duplicate record(s) that you wish to merge.
  - Please note that up to five records may be merged at once in Sugar. An error message ("Invalid number of records passed. The valid range is from 2 to 5 records.") will appear if more than five records

Accounts (20 of 21+)

Filter Build Filter Search by name...

<input type="checkbox"/>	Name	City	Billing Country	Phone
<input type="checkbox"/>	Email	Santa Fe	USA	(650) 624-5252
<input type="checkbox"/>	Mass Update	Inc	Denver	USA (415) 089-2406
<input type="checkbox"/>	Recalculate Values	g LP	Cupertino	USA (243) 265-4805
<input checked="" type="checkbox"/>	Merge	St. Petersburg	USA	(603) 995-6451
<input checked="" type="checkbox"/>	Delete	Santa Monica	USA	(603) 183-0316
<input type="checkbox"/>	Export	Anytime Air Support Inc	Salt Lake City	USA (806) 130-2861

- 3. Select "Merge" from the Actions menu to display the Merging Records page. The primary record's field values are displayed on the left while other record's values are in columns to the right. For convenience, fields with different values will appear at the top of the list. Saving the merged records will preserve only the field values marked with the radio button into a single record.

**Merging 3 Records** Cancel **Save** Preview

ABC Company

	Primary		
Website	<input checked="" type="radio"/> http://www.abi	<input type="radio"/> http://www.abcc...	<input type="radio"/> http://www.abcc...
Type	<input type="radio"/> Custo... x	<input type="radio"/> Customer	<input checked="" type="radio"/> Customer
Office Phone	<input checked="" type="radio"/> (415) 800-8888	<input type="radio"/> (415) 800-8888	<input type="radio"/> (415) 226-8888
Billing Street	<input type="radio"/> 123 First St	<input type="radio"/> 123 First Street	<input checked="" type="radio"/> 123 First St
Billing Postal Code	<input checked="" type="radio"/> 95111	<input type="radio"/> 95111	<input type="radio"/> 94080
Shipping Street	<input checked="" type="radio"/> 123 First St	<input type="radio"/> 123 First Street	<input type="radio"/> 123 First St
Shipping City	<input checked="" type="radio"/> San Francisco	<input type="radio"/> San Jose	<input type="radio"/> San Francisco
Shipping Postal C...	<input checked="" type="radio"/> 95111	<input type="radio"/> 95111	<input type="radio"/> 94080
Email Address	<input type="radio"/>	<input type="radio"/>	<input checked="" type="radio"/> support@abccob..
Name	<input checked="" type="radio"/> ABC Company	<input type="radio"/> ABC Company	<input type="radio"/> ABC Company

**Preview**

Name: ABC Company

Website: <http://www.abcco.com>

Industry: Biotechnology

Member of:

Type: Customer

Assigned to: Mary Thompson

Office Phone: (415) 800-8888

Tags:

Billing Address: 123 First St

If 3 or more records are selected to be merged, an X icon will appear at the top right of each record. Clicking the "X" will remove the record from the merge process but will not delete the record.

- To change which record is considered the primary, drag and drop the Primary label on the top of a different column.
- Review the field values in each column and click the radio button to the left of the value that should appear on the final record. You can also manually type or select a new value for any field as necessary.
  - Note:** Fields you do not have Edit access for cannot be edited on the merging records page.
- Preview what the final, merged record will contain as you work by clicking the Preview button (eye icon) to display the [preview](#) in the Intelligence Pane.
- Click "Save" once all fields you wish to appear on the single, merged record have their radio buttons selected.
- A pop-up message will display confirming that the duplicate record(s) should be deleted. Click "Confirm" to proceed.

## Viewing Record Historical Summaries

For modules that are related to activity records (e.g., calls, meetings, emails, notes, and tasks), you can view quick details of the related activities via a record's Historical Summary option. From the record view, simply select "Historical Summary" in the Actions menu.

The screenshot shows a user profile for 'Smith & Sons' with a green profile picture containing the letters 'Ac'. The profile includes fields for Website (http://www.phoneim.it), Industry (Telecommu...), Type (Customer), and Office Phone ((603) 183-0...). There are also buttons for '+ Member of', '+ Business ...', and '+ Service L...'. A dropdown menu is open from the 'Edit' button, showing options: Share, Find Duplicates, Copy, Historical Summary (highlighted with a red box), View Audit Log, View Personal Info, and Delete. The profile is assigned to Sarah Smith and has tags: Africa, Application, California, Florida, Los Angeles, and Professional. A 'Show more...' link is at the bottom left.

The Historical Summary shows a digest of the following activity records that are considered closed by virtue of their statuses:

Record Type	Included Statuses
Calls	Held, Canceled
Emails	Sent, Received, Archived
Meetings	Held, Canceled
Notes	All notes
Tasks	Completed, Deferred


**Note:** Calls and meetings with a Canceled status will display a status of "Not Held" in the Historical Summary.

The Historical Summary page will display as a list view with each activity's type, subject, status, description, etc., and allow you to click the activity's name to view its full details. You can add additional fields by clicking the Column Selection icon to the far right of the list view column headers. You can also preview the activity record in the intelligence pane by clicking the [Preview](#) button to the far right of each record's row, providing key information as well as any activity stream information. For more information on activity streams, please refer to the [Activity Streams](#) documentation.

The Historical Summary list view provides the ability to reorder columns by dragging and dropping the title of the column to the desired location. The new column order is saved to the database so that the order will remain for a user upon subsequent visits to the module, even if the browser cache is cleared. You can reset the column order to the default view by clicking the Gear icon to the far right of the list view column headers and selecting "Reset default view". Please note that this option only appears if the current list view column order is different from the

system's default column order.

Users can also easily adjust the size of columns in the Historical Summary list view per their viewing preference. Simply place your cursor on the column divider, and when the Left-and-Right arrow appears, click and drag the column to the desired size. The set column width will be preserved when you navigate away from the page. Sugar will render the preferred column size across sessions. You can reset the column width to the default size by clicking the Gear icon to the far right of the list view column headers and selecting "Reset default widths". Please note that this option only appears if at least one of the column widths in the Historical Summary list view is different from the default column width.



Type	Subject	Status	Description
Me	Demo	Not Held	Meeting to discuss project plan and hash out t...
Me	Initial discussion	Not Held	Meeting to discuss project plan and hash out t...
Nt	Call Information		The initial sales call went well. Will follow up wi...
Ts	Arrange introduction	Completed	
Em	Review needs	Sent	Important Meeting to discuss project plan and ...
Em	Review needs	Sent	Important Meeting to discuss project plan and ...
Em	Demo	Sent	Important Meeting to discuss project plan and ...
Em	Discuss pricing	Sent	Important Meeting to discuss project plan and ...

**Preview**

Subject  
Initial discussion

Status  
Canceled

Start & End Date  
2020-11-17 03:30 - 04:00 (30 minutes)

Repeat Type

Location

Description  
Meeting to discuss project plan and hash out the details of implementation

Meeting Type  
Sugar

Related to  
Smith & Sons

## Viewing Record Audit Logs

Changes made to each record are tracked over time, and users are able to view the history of changes via each record's audit log. To access the audit log, simply navigate to the record view and select "View Audit Log" from the Actions menu. Please note that the audit log only tracks changes to fields that are marked as "Audit" via Admin > Studio. For more information on designating fields for audit, refer to the [Studio](#) documentation. The list of fields currently marked for audit for the module will appear at the bottom of each record's audit log page.

Le

Lennie Johnstone

☆

Follow

Unconverted

< >

Edit

Title

Director Sales

Mobile

(973) 992-3

Share

+ Website

Do Not Call

☐

Convert

Account Na...

Davenport Investing

+ Business ...

Manage Subscriptions

Email Address...

section....

+ Tags

Download vCard

Show more...

Find Duplicates

View Audit Log

View Personal Info

Delete

Related

All

Filter

All Records

Search...

CI

CALLS

Once the audit log opens, the header will display the name of the current record to better identify which record's audit log the user is viewing. Please note that the header will just display "Audit Log" and not include the record's name if the user does not have access to the record's name or the record's name is blank. Below the header, the user can perform a search to retrieve log entries for specific fields (e.g., Office Phone), old values, or new values.

Audit Log for Jungle Systems Inc

Close

Search by Field, Old Value, New Value...

Field	Old Value	New Value	Changed By	Source	Change Date
Office Phone	(415) 788-8000	(415) 788-8202	max	Jane Smith	2022-02-25 09:41
Service Level		Tier 2	max	Jane Smith	2022-02-25 09:37
Email Address		sales@junglesystems...	max	Max Jensen	2022-02-25 09:31
Email Address	info.dev@example.us		max	Max Jensen	2022-02-25 09:31

The audit log contains the following fields:

Field	Description
Field	<p>The name of the audited field that has a change in value.</p> <p><b>Note:</b> Only fields marked as "Audit" in Admin &gt; Studio will be displayed in the audit log.</p>
Old Value	The old field value prior to the data change.

New Value	The new field value after the data change.
Changed By	The Sugar user who made the data change.
Source	The source (e.g., Sugar user, Web to Lead form) from which each field change originated.  <b>Note:</b> The field may be blank if the source is unknown.
Change Date	The date the field change occurred.

**Note:** For instances that use [SugarIdentity](#), administrators have the ability to log in as other users in their organization using the "[Impersonate \(Log in as\)](#)" option in SugarIdentity. If the administrator makes any changes to audited fields during the impersonation session, the audit log will capture the change as being made by the administrator on the user's behalf. The Source column will display the administrator's name next to a mask icon to indicate changes made by the admin while impersonating the user.



The rows of the audit log represent each time that an audited field is set or changed, starting with values specified during the record's creation. In addition, when any email address changes are captured in the audit log, the email audit icon appears to the right of the email address which provides users access to the email address audit log. For more information, refer to the [Viewing Email Address Audit Logs](#) section below.

In addition to the old and new values of each field change, the time and source of the change are recorded. When a user is directly responsible for the change, whether by editing in Sugar or via an authenticated service such as Sugar's Plug-in for Microsoft Outlook, the user will be specifically named. However, many non-user entities are also responsible for record changes. Potential source values are as follows:

- SugarBPM
- BWC UI
- Rest API
- SOAP or v4\_1 and older REST API
- CLI
- Cron Job
- Logic Hook
- Sugar Workflow
- User
- Web to Lead
- Installer

## Viewing Email Address Audit Logs

Email address audit log entries are generated for an email address whenever the "Opted Out" or "Invalid" flags are modified or when an opt-in link is generated. These changes are captured in the email address audit log which can be accessed by clicking the email audit icon to the right of the email address on the record audit log.

Audit Log for June Arends					Close
Search by Field, Old Value, New Value...					
Field	Old Value	New Value	Changed By	Source	
Email Address	june.arends@exa...	 max		Max Jensen	
Email Address	vegan.kid@exam...	 max		Max Jensen	

The email address audit log contains the same fields (e.g., Fields, New Value, Source) as the record audit log but will only display entries when there are changes to the Opted Out and/or Invalid options for the email address. Please note that the email address audit log will not display any data if an email address is not marked as "Opted Out" or "Invalid" when it is initially added to the record.

Audit Log for june.arends@example.com						Close
Search by Field, Old Value, New Value...						
Field	Old Value	New Value	Changed By	Source	Change Date	
Opted Out	<input type="checkbox"/>	<input checked="" type="checkbox"/>	max	Max Jensen	2022-02-25 10:38	

## Viewing Personal Information

For organizations that prioritize data privacy, fields that contain personally identifying information for an individual are of particular importance. Admins can designate these fields as "Personal Information" via Admin > Studio. If your organization's data privacy procedures include providing individuals with a record of the data you have recorded about them, the View Personal Info option provides a valuable tool for condensing all of a record's personal information on one screen. For more information on using this option and servicing data privacy records of types "Send Personal Information Being Process" or "Export Information", refer to the [Data Privacy Guide](#).

**Note:** For instances that use [SugarIdentity](#), administrators have the ability to log in as other users in their organization using the "[Impersonate \(Log in as\)](#)" option in

---

SugarIdentity. If the administrator makes any changes to the record's personal information fields (e.g., email address, phone), the Personal Info screen will capture the change as being made by the administrator on the user's behalf. The Source column will display the administrator's name next to a mask icon to indicate changes made by the admin while impersonating as the user.


## Record PDFs

If you require a record's information outside of Sugar, you can download or email the information in PDF form. Administrators have the ability to build multiple PDF templates via Admin > PDF Manager for each module to ensure that the relevant record information is being included for your specific purpose. For more information on creating and managing PDF templates, please refer to the [PDF Manager](#) documentation. Please note that the Download PDF and Email PDF options will only appear in the Actions menu if there is an existing PDF template available for the module.

**Note:** If a user's email address is empty in their profile or if they have set their email client to "External Email Client", then the "Email PDF" option will be hidden for that user.

## Downloading Record PDFs


Download record information as a PDF file via the desired record's record view by selecting "Download PDF" from the Actions menu. All PDF templates which your administrator has created and made available for the module will appear beneath the Download PDF option. Simply select one of the templates to generate the PDF file to view or save onto your local machine.




## Emailing Record PDFs

Users also have the option to email record information as a PDF file using Sugar's email client. From the originating record's record view, click the Actions menu and select "Email PDF". All of the PDF templates that your administrator has created and made available for the module will appear beneath the Email PDF option in the

## Actions menu.



Select one of the templates to create a draft in the Emails module. Sugar will deliver you to the record view for the email.



The draft will have the following information pre-populated:

- **From:** The logged-in user's outgoing default email account
- **Date:** The date the message is being sent
- **To:** The primary email address of the originating record (if available)
- **Subject:** The name of the originating record
- **Body:** "Here is the file you requested (You can change this text)"
- **Attachment:** The PDF file created from the originating record
  - The file's name will appear as "Email Attachment : {originating\_record\_name}\_{template\_name}.pdf"; for example, "Email Attachment : Acme\_25\_units\_Customer\_invoice.pdf".
- **Teams:** The logged-in user's default team(s)
- **Assigned To:** The Sugar user assigned to the email record
- **Related To:** The originating record and its module

---

Click "Edit" on the draft email record to reveal the Send button or to update the fields as necessary and then click "Send". For more information on sending emails via the Emails module, please refer to the [Emails](#) documentation.


## Favoriting Records

Each Sugar user has the option to designate their own favorite records which are important or will be viewed often so that they can easily be accessed via [list view search](#) or from the [module tab](#). Once records are marked as favorites, select "My Favorites" from the Filter option next to the Search bar or select from your most recent favorites directly from the module tab.

### Favoriting via List View

The following steps cover marking records as favorites via the Accounts list view as an example:

1. Navigate to the Accounts list view by clicking the Accounts module tab.
2. Use the [List View Search](#) to find the account records you wish to mark as favorites.
3. Darken the star icon on the left of each desired account's row by clicking on the star one time.




Accounts (20 of 21+)				
Filter <input type="button" value="Build Filter"/> Search by name...				
<input type="checkbox"/>	Name	City	Billing Country	Phone
<input type="checkbox"/>	Jungle Systems Inc	Santa Fe	USA	(650) 624-5252
<input type="checkbox"/>	Smallville Resources Inc	Denver	USA	(415) 089-2406

4. To remove the account as a favorite, click the star again to revert it to white.

### Favoriting via Record View

The following steps cover marking records as favorites via the Accounts record view as an example:

1. Navigate to an account's record view.
2. Click the star icon to the right of the account's name in the upper left of the record view to designate it as a favorite.
3. To remove the account as a favorite, click the star again to revert it to white.



## Favoriting via Subpanel

The following steps cover marking account records as favorites via the subpanel in related modules as an example:

1. Navigate to a related module's record view.
2. Click the star icon to the left of the desired record's row in the Contacts subpanel.

Co CONTACTS (5) <span>+</span> <span>▼</span>					
	Name	City	State	Email	
☆	Chere Clore	San Jose	CA	qa.im@example.com	(i) <span>👁</span> <span>▼</span>
★	Naomi Banker	Santa Fe	CA	vegan.beans.beans...	(i) <span>👁</span> <span>▼</span>

3. To remove the contact as a favorite, click the star again to revert it to white.

## Following Records

Users can also choose to follow individual records. This allows each user to personalize their [activity stream](#) by specifying which records' posts should appear on the activity streams displayed on their Home page and in module list views. Please note that you will automatically follow the records that you create as well as records that are assigned to you. You will not, however, automatically follow the records you import. Should a user lose access to a record in Sugar, they will automatically stop following that record. For more information about activity streams, please refer to the [Activity Streams](#) documentation. Please note that the Follow option in Sugar is not available if the activity stream functionality is disabled for your instance. For more information, refer to the [System](#) documentation in the Administration Guide.

## Following via List View

The following steps cover marking an account to follow via the Accounts list view as an example:

1. Navigate to the Accounts list view by clicking the Accounts module tab.
2. Use the [List View Search](#) to find the Account records you wish to follow.
3. Click the Record Actions menu to the far right of the records row and select "Follow".

Filter <span>▼</span> <span>Build Filter</span> Search by name...					
<input type="checkbox"/>	<span>▼</span>	Name	City	Billing Country	Phone
<input type="checkbox"/>	☆	Anytime Air Support Inc	Salt Lake City	USA	(806) 130-2861
<input type="checkbox"/>	★	Jungle Systems Inc	Santa Fe	USA	
<input type="checkbox"/>	☆	Smallville Resources Inc	Denver	USA	
<input type="checkbox"/>	☆	Income Free Investing LP	Cupertino	USA	


Edit  
Follow  
Delete

- To stop following the account, click the Record Actions menu and select "Unfollow".

## Following via Record View

The following steps cover marking an account to follow via the account's record view as an example:

- Navigate to an account's record view.
- Click on the Follow button to the right of the account's name to change its label to "Following".



Website <http://www.sugarhr.de>


- To unfollow the account, click on the Following button to revert its label to "Follow".



Website <http://www.sugarhr.de>

## Sharing Records

Individual records can be shared with other users in your organization by sending an email including the record's direct link. In the desired record's record view, select "Share" from the Actions menu. A Compose Email window will open, and the email's text will include the URL of the record. Enter the recipient(s) email address in the To field then click "Send".



Website <http://www.sugarh...>

Industry

Environ

Share  
Find Duplicates







---





The recipient can simply click the link in the email to access the account record in Sugar. Please note that the user must be logged in to Sugar in order to access the record. Users will only be able to view the shared record as allowed by their team membership, user access type, and assigned roles. For more information on teams and roles, please refer to the [Team Management](#) and [Role Management](#) documentation.

## Using the TinyMCE Text Editor

TinyMCE is a third-party WYSIWYG editing tool used by Sugar so that users can create content such as knowledge base articles and email messages with rich-text formatting elements. TinyMCE V4 is used in all Sugar modules with the exception of [email templates](#) within the Campaign wizard, which uses TinyMCE V3.

TinyMCE's rich-text editor framework presents the following familiar formatting options. This does not represent all tools that may be available in the editor. Please refer to the [TinyMCE Documentation](#) for more information.

Element	Button(s)	Function
Source Code		Bypass the rich-text editor options and insert your own HTML code or view the HTML code of an existing template to make advanced changes.
Bold, Italic, Underline, Strikethrough		Use these basic font formatting options to easily add common styles to text in the message body.
Bullet List, Numbered List		Transform paragraphs in the message body into a formatted list.
Align Left, Align Center, Align Right, Justify		Set paragraph alignment.
Text Color, Background Color		Choose a custom font color or highlight text with a background font color.
Clear Formatting		Clear any formatting.

Insert/Edit Image, Insert/Edit Link	 	Insert or edit an image or a link.
Font Sizes	<div>Font Sizes </div> <div> 8pt  10pt  12pt  14pt  18pt </div>	Choose a font size for the text.
Paragraph	<div>Paragraph </div> <div> Paragraph  <b>Heading 1</b>  <b>Heading 2</b>  <b>Heading 3</b>  <b>Heading 4</b> </div>	Choose a format for headers.

## Accessibility

### Overview

Sugar enables users to quickly perform certain tasks using keyboard shortcuts to increase productivity and accessibility. Keyboard shortcuts can be used to navigate around the list view and record view layouts for Sidecar modules, allowing users quickly select records, inline edit records, preview records, etc. There are also global shortcuts available to perform tasks such as toggling the Quick Create menu, entering the Global Search field, etc. Users can also customize the key combinations which activate each shortcut.

This documentation will cover the various keyboard shortcuts available as well as how to navigate around Sugar using your keyboard. For more information regarding accessibility for Sugar, please refer to the [Accessibility](#) information.

### Shortcut Keys

There are various shortcut keys available to easily perform actions in Sugar using your keyboard. You can use the shortcut keys to favorite a record, delete records, etc. in the Sidecar module's (e.g., Accounts, Contacts) list view and record view layouts. In addition, the global shortcuts can be utilized throughout the user interface to perform actions such as opening the Quick Create menu, accessing the Global Search field, etc.

You can access the Keyboard Shortcuts help page by either hitting the Shift and / key or clicking the Shortcuts link in Sugar's footer. The help page will display a table with the various shortcut keys available to use along with a description of the actions they perform. The shortcuts displayed are contextual based on what you are currently viewing in Sugar. For example, if you are viewing the Mass Update panel in the Accounts list view, then the Keyboard Shortcuts page will display shortcuts that specifically apply to this panel. Simply hit "Esc" on your keyboard or click the Close button if you wish to exit the page. You can also [customize](#) the key combinations for each shortcut by clicking the Gear button.

Keyboard Shortcuts

SugarCRM enables power users to quickly perform certain tasks with keyboard shortcuts to increase productivity. The tables on the right describe available shortcuts along with the keys and the actions they perform.

Contextual Shortcuts

Key	Function
t	Toggle sidebar
a	Create new record
j	Select next record on the list
k	Select previous record on the list
h	Scroll list left
l	Scroll list right
o	Open selected record on the list
e	Edit selected record on the list
d	Delete record

Global Shortcuts

Key	Function
s, command+alt+0	Focus on global search field
c	Toggle the quick create menu
?	Show shortcuts help page
command+shift+space	Toggle the Sweet Spot bar

Contacts (20 of 21+)

Contacts List Dashboard

sugarcrm

Mobile

Shortcuts

Help

## Global Shortcut Keys

The global shortcut keys can be used to perform the following actions in Sugar's user interface:

Windows/Linux Key	Mac Key	Function
c	c	Toggle the Quick Create menu.
esc, ctrl+alt+l	esc, cmd+alt+l	Exit the Global Search field.
s, ctrl+alt+0	s, cmd+alt+0	Access the Global Search field.
t	t	Toggle the intelligence

		pane in list view and record view.
ctrl+shift+space	cmd+shift+space	Toggle the <a href="#">Sweet Spot</a> bar.

## List View Shortcut Keys

The list view shortcut keys can be used to perform the following actions in the module's list view layout:

Windows/Linux Key	Mac Key	Function
+	+	Add field rows in the Mass Update or Filter panel.
-	-	Remove field rows in the Mass Update or Filter panel.
a	a	Create new record.
ctrl+a	cmd+a	Select all records displayed on current set of list view results.
ctrl+s, ctrl+alt+a	cmd+s, cmd+alt+a	Save record.
d	d	Delete record or custom filter in list view.
e	e	Edit selected record in list view.
esc, ctrl+alt+l	esc, cmd+alt+l	Exit out of certain elements (e.g., inline edit) in the list view.
f+a	f+a	Mark selected record as a favorite. <b>Note:</b> Hit "f+a" again to remove the record as a favorite.
f+c, ctrl+alt+8	f+c, cmd+alt+8	Create a new list view filter.
f+e	f+e	Edit custom list view filter.
f+i, ctrl+alt+9	f+i, cmd+alt+9	Place cursor in list view search box.
f+m	f+m	Open the list view filter

		menu.
f+o	f+o	Mark selected record to follow or unfollow.
h	h	Scroll list to the left.
j	j	Select the next record on the list view.
k	k	Select the previous record on the list view.
l	l	Scroll list to the right to view additional fields in the list view.
m	m	Open the mass actions menu. <b>Note:</b> Menu opens once at least one record is selected.
o	o	Open the selected record's (e.g., ABC Company) record view.
p	p	Preview the selected record.
r	r	Clear filter values.
t	t	Toggle the intelligence pane.
x	x	Mark the checkbox to the left of each selected record in list view.

## Record View Shortcut Keys

The record view shortcut keys can be used to perform the following actions in the module's record view layout:

Windows/Linux Key	Mac Key	Function
ctrl+s, ctrl+alt+a	cmd+s, cmd+alt+a	Save the record.
d, ctrl+alt+d	d, cmd+alt+d	Delete the record.
e, ctrl+alt+i	e, cmd+alt+i	Edit the record.
esc, ctrl+alt+l	esc, cmd+alt+l	Exit out of certain elements (e.g., edit view) in the record view.


f+a	f+a	Mark record as a favorite. <b>Note:</b> Hit "f+a" again to remove the record as a favorite.
f+o	f+o	Mark record to follow or unfollow.
h	h	Open the previous record.
l	l	Open the next record.
m	m	Open the record's Actions menu.
shift+c, ctrl+alt+u	shift+c, cmd+alt+u	Copy the current record.
t	t	Toggle the Right Hand Side drawer.

## Customizing Shortcut Keys

You can customize the key combinations which activate each shortcut. This is especially useful if you use the default key combinations for other functions such as typing special characters.

Use the following steps to customize the shortcuts' key combinations:

1. Access the Keyboard Shortcuts page by clicking the Shortcuts link in Sugar's footer.
2. Click the Gear button on the top right of the page.



Global Shortcuts	
Key	Function
s, command+alt+0	Focus on global search field

3. Update the Key value you want to change in the Contextual Shortcuts table.

Contextual Shortcuts	
Key	Function
t	Toggle sidebar
e,mod+alt+i	Edit record
d,mod+alt+d	Delete record
mod+shift+s,mo	Save record


Global Shortcuts	
Key	Function
s,mod+alt+0	Focus on global search field
c	Toggle the quick create menu
?	Show shortcuts help page
mod+shift+space	Toggle the Sweet Spot bar

---

**Note:** Depending on your operating system, the "mod" which appears in key combinations will be the Control key (for Windows and Linux computers) or the Command key (for Mac). Use "mod" to indicate the use of these keys.

4. Click "Save" to preserve your changes.


If you ever wish to revert all of your custom key combinations, click the "Restore default" option in the actions menu.



Since the Keyboard Shortcuts page shows contextually appropriate shortcuts, repeat these steps on various Sugar views in order to access all of the shortcuts.

## Tabbing in Sugar

Using the Tab key (Alt+Tab for Safari browser) on your keyboard enables you to easily navigate through Sugar's navigation bar which spans across the top of the screen. Please note that the default tab order is from left-to-right. As you hit the Tab key, each option (e.g., home, module tabs, global search, notifications, etc.) on the navigation bar will be highlighted in blue, and you can press "Enter" if you wish to access the module's list view, actions menu, notification's page, etc. For example, if you press "Enter" on the triangle in the Accounts module tab, the corresponding actions menu will open and you can use the Up and Down arrow keys on your keyboard to select an option (e.g., Create Account, View Accounts, etc.). If you hit "Tab" again while the module tab's Actions menu is open, you will navigate to the next option (e.g., Contacts) on the navigation bar and the current actions menu will close.



---

In addition, you can continue to tab outside of the navigation bar to highlight and access certain elements (e.g., Create button, Search box, Intelligence Pane, etc.) of the home page, list view, record view, etc. For example, if you continue tabbing after you get to the end of the navigation bar while viewing the Accounts list view, the tab will move onto the various elements on the page highlighting buttons, actions menu, account names, etc. You can simply hit "Enter" if you wish to perform a specific action (e.g., create a record, open the actions menu, etc.) on the list view. The tab will go through all of the currently displayed records on the list view then move onto the intelligence pane and footer before going back to the navigation bar again. Please note that each link (e.g., Mobile, Shortcuts) in Sugar's footer will be highlighted as you tab from left-to-right. Simply hit "Enter" on your keyboard if you wish to access any of the links on the footer.



## Tabbing in Global Search

As you tab through Sugar's navigation bar, you will access the Global Search bar where you can perform a search across the entire Sugar database. Once you enter in a search term, you can use the Up and Down arrow keys on your keyboard to navigate through the quick search results and hit the Tab key to close the Quick Search Results list and return to the search bar. In addition, you can also tab through the View All Results page to highlight and access certain elements (e.g., Search box, Intelligence Pane, Preview button, etc.) of the page as well. For more information on navigating through global search using your keyboard, please refer to the [Search](#) documentation.

---

## Activity Streams

### Overview

Sugar's activity stream allows users to view a list of activities performed on records, create posts, preview posts, comment on posts, etc. Users can easily track the most recent updates across their entire organization via the record and user posts on the activity stream. The activity stream can be accessed via the home page, module list view (e.g., Contacts list view), module's record view (e.g., Contacts record view), as well as the intelligence pane.

**Note:** Sugar's activity streams are disabled by default, but administrators can globally enable the functionality based on their organization's needs. For more information, refer to the [System](#) documentation in the Administration Guide.

Please note that older activity stream records may be purged from the database by the [Activity Stream Purger scheduler](#) if enabled by your administrator.

---

There are a number of modules currently enabled to generate record posts for the activity stream such as Accounts, Contacts, Calls, Meetings, etc. This documentation will go over the basics of the activity stream as well as the various options available when viewing posts, creating posts, commenting on posts, etc.

## Viewing Activity Streams


There are various options available for viewing activity streams in Sugar including via the home page, dashlet, list view, record view, and intelligence pane. Users will be able to view record posts (e.g., create, update, link, unlink), user posts, comments, and attachments via the activity stream. Keep in mind that if you are not the assigned user or did not create the record, you must follow the record in order to view all related posts via the Home page and List view activity stream.

Please note that you will only be able to view and access the activity stream for audit-enabled modules (e.g., Accounts, Contacts, Meetings, Calls) in Sugar. Un-audited modules (e.g., Target, Target List) will not display the list view activity stream, record view activity stream, or provide the option to follow a record.

**Note:** Activity streams are not available for custom modules.

## Viewing via Home Page


The Home page activity stream allows users to view all posts for records they are following in Sugar as well as all user posts created on the Home page activity stream. For more information on following records, please refer to the [Following Records](#) section. You can access the Home page activity stream by clicking the triangle next to the Sugar cube icon on the upper left of Sugar then selecting "Activity Stream". All posts created via the Home page activity stream will be viewable by users in your organization. For more information on creating posts, please refer to the [Creating User Posts](#) section. You can also [comment](#) on posts by clicking the Comment button and [preview](#) posts by clicking the Preview button to the right of each post.



## Viewing via Dashlet


The My Activity Stream dashlet displays the user's main Activity Stream within a dashboard, eliminating the need to navigate to the Activity Streams view to

monitor the most recent stream activities. Like other Activity Stream views, the dashlet supports inline commenting on specific stream activities, but it does not allow record previews. The dashlet may be added to your home page or to the intelligence page of any module's list view or record view. When added to an Intelligence Pane, the My Activity Stream dashlet will display stream items in context to the data within the main container of the page. For more information on the My Activity Stream dashlet, please refer to the [Dashboards and Dashlets](#) documentation.



## Viewing via List View

The list view's activity stream displays all posts for records being followed in the current module as well as all user posts created on the list view activity stream. For more information on following records, please refer to the [Following Records](#) section. To access the list view activity stream, click the specific module tab (e.g., Contacts) at the top of the navigation bar then click the Activity Stream button to the right of the list view's search bar. You can view both user and record posts relevant to the module as well as create a post and comment on posts. For more information on creating posts and commenting on posts, please refer to the [Creating User Posts](#) and [Commenting on Posts](#) section. You can also [preview](#) the post by clicking the Preview button to the right of each post.



---

## Viewing via Record View

The record view's activity stream displays all posts specific to the current record you are viewing. Users can view all posts in the record view's activity stream even if they do not follow the record in Sugar. Please note that you must follow the record if you wish to view the record view posts via the Home page or List View activity stream. For more information on following records, please refer to the [Following Records](#) section. To access the record view's activity stream, navigate to a module's record view (e.g., Avery Software Co) then click the Activity Stream button below the module's fields.

Please note that user posts created via the Home page or List View activity stream that reference the specific record's name will also appear in the record view's activity stream. For more information on referencing specific records, please refer to the [Referencing Users and Records](#) section.

The screenshot shows the 'Record View' for 'Dirt Mining Ltd' in the Sugar CRM. At the top, there's a header with the record name, a 'Follow' button, and an 'Edit' dropdown. Below this, the record details are organized into two columns. The left column includes fields for 'Website' (http://www.salesthe.de), 'Member of', 'Business Center Name', 'Assigned to' (Chris Olliver), and 'Tags' (License). The right column includes 'Industry' (Electronics), 'Type' (Customer), 'Service Level' (Tier 2), and 'Office Phone' ((603) 995-6452). A 'Show more...' link is present below the tags. Below the record details, there's a section for the activity stream. It includes a 'Module' dropdown set to 'Accounts', a 'Filter' dropdown set to 'All Activity Stream', and a 'Submit' button. The activity stream shows two posts: one by Chris Olliver updating the 'Service Level' to 'Tier 2', and another by Sally Bronsen linking a 'Deliver Invoice' to 'Dirt Mining Ltd'. A third post by Chris Olliver is partially visible at the bottom, mentioning a followup call.

Ac Dirt Mining Ltd ☆ Follow Edit >

Website  
<http://www.salesthe.de>

+ Member of

+ Business Center Name

Assigned to  
[Chris Olliver](#)

Tags  
License

Show more...

Module Accounts Filter All Activity Stream

Type a note or drag and drop an attachment. Type @ to mention a user. Type # to reference a record. Submit

Ac Updated [Service Level](#) on [Dirt Mining Ltd](#).  
[Chris Olliver](#) 5 minutes ago

Ts Linked [Deliver Invoice](#) to [Dirt Mining Ltd](#).  
[Sally Bronsen](#) 7 minutes ago

[Chris Olliver](#) Please set up a followup call once you've delivered.  
[Sally Bronsen](#) 6 minutes ago

## Viewing via Intelligence Pane

The intelligence pane in Sugar allows users to view a record's detail along with the related activity stream information directly from the Home page activity stream, module's list view, as well as the record view. To preview a record's details, simply click the Preview button to the right of a record post on the Home page or List

View activity stream. You can also preview a record via the module's list view or related record subpanel by clicking the Preview button to the far right of each record's row. Any associated user and record posts will appear below the record's detail in the intelligence pane. Please note that unlike viewing via the Home page, List View, or Record View activity stream, you cannot create posts or comment on posts via the intelligence pane.

The screenshot displays the SugarCRM interface for the 'Dirt Mining Ltd' record. The top bar shows the record name, a star icon, a 'Follow' button, and an 'Edit' dropdown. The main content area is divided into two sections: a left pane for record details and a right pane for the activity stream. The left pane includes fields for Website (http://www.salesthe.de), Industry (Electronics), Type (Customer), Service Level (Tier 2), Assigned to (Chris Olliver), and Tags (License). The right pane shows the 'Preview' of a 'Deliver Invoice' record, which includes fields for Start Date, Priority (High), Due Date, Status (Not Started), Assigned to (Sally Bronsen), and Related to (Dirt Mining Ltd). Below the record details, there is a section for the activity stream, which lists recent activities. A red box highlights the 'Preview' button and the preview of a 'Deliver Invoice' record, which shows a linked record and a task created by Sally Bronsen.

## Activity Stream Views

The activity stream allows users to view a list of activities performed on records, post messages, share external links, etc. The activity stream can be accessed via the Home page, module's list view (e.g., Contacts list view), as well as the module's record view (e.g., Contacts record view). For more information on viewing the activity stream in Sugar, please refer to the [Viewing Activity Streams](#) section. The following will cover the various options available to users when creating posts, viewing posts, commenting on posts, etc. in the activity stream.

## Post Options


There are various post options (e.g., external links, images) available to users when creating user posts in the activity stream. You can add external links, messages, etc. to your user post by dragging and dropping the corresponding links into the post input box. Files saved on your local machine can also be attached to your user post to share with users in your organization. In addition, you can

---

mention specific users as well as reference specific records by typing in the @ or # sign followed by the user or record name. For more information on the various post options available, please refer to the [User Post Options](#) section.


## Filter Options

The activity stream can also be filtered to only display certain messages (e.g., Messages for Create, Messages for Update) by clicking "Filter" above the post input box then selecting the desired message type. This enables users to filter the activity stream to only display specific activity type's they wish to view. To view all posts in the activity stream, simply select the All Activity Stream option in the filter.



## Refresh Button


The Refresh button is located to the right of the filter options and provides a quick way to load the most recent activity stream posts without reloading the browser or losing any filter criteria you may have set. Simply click the button to refresh the current view.



## Preview Button


The Preview button to the right of each post allows users to preview the record referenced in record posts. The intelligence pane will display the record's details with key information regarding the record as well as any related activity stream information. Please note that preview is available for Create, Update, Link, and Unlink-type posts in the activity stream. User posts that originate from the record

view's activity stream can also be previewed on the Home page and List View activity stream as it automatically references the record in the post. To close the preview, simply click the "X" on the upper right of the intelligence pane. For more information on previewing posts, please refer to the [Previewing Posts](#) section.




## Comment Button

Users can respond to posts via the activity stream by clicking the Comment button to the right of each post. Once you click on the button, simply type your message into the comment box then click "Reply". Please note that comments are visible to all users in Sugar unless they do not follow the record in Sugar. For more information on following and unfollowing records, please refer to the [Following Records](#) and [Unfollowing Records](#) section. When a comment is added, the post will move to the top of the activity stream once the activity stream page is refreshed. For more information on commenting, please refer to the [Commenting on Posts](#) section.




## Post Icon

To the left of each post is the Post icon which allows users to easily identify the module that a record post is specific to, the user who created the post, etc. The Post icons for record posts are color-coded and display the first two letters of the module to differentiate the various record posts for modules. For example, an update post for the Accounts module will display a green circle with the letters "Ac", while a post for the Opportunities module will display a purple circle with the letters "Op". User posts, as well as comments added to posts, display the user's profile image as the post icon, which helps to identify the user who created the post or added the comment. For more information on uploading a profile picture to your Sugar account, please refer to the [User Profile](#) section of the Getting Started documentation.




## Right Hand Side Drawer

On the upper right of the Home page activity stream, module's list view, and record view, there is a double-arrow icon that allows users to expand the activity stream to the full-screen width. The intelligence pane is hidden when the activity stream is expanded. To reduce the activity stream's width and reveal the intelligence pane, simply click the double-arrow icon again.



## More Posts

The activity stream loads an initial number of posts with the option to show additional posts at the user's request. By default, Sugar displays 20 posts per activity stream view, but administrators can change the number of posts displayed via Admin > System Settings. For more information on changing the number of displayed posts, please refer to the [System](#) documentation in the Administration Guide. To load the next set of posts, simply click the "More posts..." link on the bottom left of the activity stream.



---

## Personalizing Activity Stream

Users can personalize their activity stream by specifying which records' posts should appear on their Home page and List View activity streams. You can follow specific records that you have access to view in Sugar by marking the Follow button in the record view or the Follow option in the list view. Please note that you automatically start following records that you mark as favorites in Sugar.

### Following Records

Users can choose to follow specific records to which they have access to in Sugar. You can mark a record to follow via the module's list view by selecting "Follow" in the record actions menu as well as the record view by clicking the Follow button to the right of the record's name. For more information on following records in Sugar, please refer to the [User Interface](#) documentation. All posts appear on the Home page and List View activity stream for records you follow in Sugar. Please note that you will automatically follow records that you create as well as records that are assigned to you. You will not, however, automatically follow records you import. Should a user lose access to a record in Sugar, they will automatically stop following that record.





### Favoriting Records

Each Sugar user has the option to designate their own favorite records which are important or will be viewed often so that they can easily be accessed via search or from the module tab. You can mark a record as a favorite via the module's list view, record view, and related record subpanels. For more information on favoriting records in Sugar, please refer to the [User Interface](#) documentation. Please note that you will automatically start following records you designate as favorites in Sugar.


### Unfollowing Records

Users can also choose to unfollow records that they no longer wish to view posts for in their activity stream. Please note that this will prevent all future posts as well as the associated comments from appearing in your Home page and List View activity stream. However, historical posts associated to the unfollowed record will continue to appear in your activity stream. To unfollow a record via the list view, click the Record Actions menu then select "Unfollow". To unfollow a record via the record view, simply click the Following button again. Please note that you will automatically stop following a record should you lose access to a record in Sugar. Also, if you remove a record as a favorite, the Following status will not change and you must unfollow the record accordingly.

From list view:

Name	City	Billing Country	
ABC Incorporated	San Francisco	USA	 
XY&Z Funding Inc	Kansas City	USA	 
Smith & Sons	Los Angeles	USA	Edit
John Smith and Co...	San Francisco	USA	Unfollow

From record view:


XY&Z Funding Inc
★
Following
< >
Edit

Website

<http://www.xyz.com>

Industry

Banking

## Creating User Posts

Users can access the activity stream to view a list of activities performed in Sugar, track updates, as well as post messages to other users in their organization. To create a post, simply enter your message into the post input box at the top of the activity stream view then click "Submit". Please note that user posts display the user's profile image to the left of the post as the Post icon. For information on Post icons, please refer to the [Post Icon](#) section in this documentation. In addition to the Post icon, the timestamp of when the post was created and the user's name who created it will display as well. There are various options available when creating posts such as adding links, images, attachments, external messages, etc. You can also reference a specific Sugar record or user by typing @ followed by the user's name (e.g., @John Smith) or # followed by the records name (e.g., #ABC Company) in your post. For more information on the different post options available, please refer to the [User Post Options](#) section.

## Creating via Home Page

The [Home page activity stream](#) can be accessed by clicking the triangle next to the Sugar cube icon then selecting "Activity Stream". The post input box displays beneath the Filter option and you can enter your message then click "Submit" for the post to appear within the activity stream. Please note that user posts created via the Home page are viewable by all users in your organization. Posts that reference a specific record will also appear in that record view's activity stream as it is linked. For more information on referencing records in your post, please refer to the [Referencing Users and Records](#) section.

Accounts ▾ Contacts ▾ Opportunities ▾ Leads ▾ Calendar ▾ ⋮

### Activity Stream

Filter ▾ All Activity Stream

Can we get a status update on 24 months widget service from Sally Bronsen? Submit

Will Westin Meeting confirmed with Mr. Fred Mercury Wednesday at 10am.  
Jim Brennan in a few seconds

## Creating via List View

The List View activity stream can be accessed by navigating to a module's list view (e.g., Accounts) then clicking the Activity Stream button to the right of the list view's search bar. You can create a user post by entering your message into the post input box then clicking "Submit". Please note that posts created via the list view activity stream are visible in the record view's activity stream if the specific record's name is referenced in the post. Also, if you reference a user (e.g., @Jim Brennan) in your post, they will see the post on their Home page activity stream as well. For more information on referencing records and users in your post, please refer to the [Referencing Users and Records](#) section.

Accounts ▾ Contacts ▾ Opportunities ▾ Leads ▾ Calendar ▾ Reports ▾ Quotes ▾ ⋮

### Accounts (20 of 21+)

Filter ▾ All Activity Stream ⌂ 📅 ⌚

Jim Brennan Please call Johannes Rakestraw to confirm demo Submit

Linked Mr. Fred Mercury to Wild Widgets.  
Administrator 27 minutes ago

Linked 24 months widget service to Wild Widgets.  
Administrator 27 minutes ago

## Creating via Record View

The Record View activity stream can be accessed by navigating to a module's record view (e.g., ABC Incorporated) then clicking the Activity Stream button below the module's fields. To create a user post, simply enter your message into the post input box then click "Submit". Please note that posts added via the record view activity stream are only viewable within that record's view unless a user is

following the record. All posts appear on the Home page and List View activity stream for records you follow in Sugar. For more information on following records in Sugar, please refer to the [Following Records](#) section.

Ac ABC Incorporated ★ Following Edit

Website	Industry
<a href="http://www.abcinc.com">http://www.abcinc.com</a>	Communications
Member of	Type
	Customer
Assigned to	Office Phone
<a href="#">Mary Thompson</a>	(415) 782-8788
Tags	

Show more...

Module All Filter All Activity Stream

Sarah Smith Follow up with John Smith regarding the signed proposal Submit

## User Post Options

There are various options available when posting a message in the activity stream such as adding an attachment, external link, referencing Sugar records, etc. Users can easily drag and drop files, links, news feeds, etc. from their local machine, external sites, as well as Sugar dashlets. You can also mention a specific user in your post that you would like the message targeted to as well as reference records that you wish to link the post to in Sugar. Please note that every user in Sugar will be able to view the post if it's created via the Home page activity stream regardless of whether a specific user is mentioned in the post.

## Adding Rich Content and External Messages

Users have the option to add external links, images, and videos as well as external messages (e.g., tweets, news articles) into their user post. This allows you to easily share information across the organization by posting relevant links, videos, news articles, etc. that will be important for other users to view. For more information on previewing posts, please refer to the [Previewing Posts](#) section.

To add external links, messages, etc., simply drag and drop the corresponding title that's linked to a URL into the post input box. For example, to add a video from YouTube, click the title (e.g., "How to install SugarCRM") of the video then drag and drop the link that appears into the post input box. The URL along with the video will appear within the post once you submit it. For external twitter feeds, you


will need to click the post date (e.g., Jan 3) of the feed then drag and drop the link that appears into the post input box. To attach an image to your post, copy and paste the corresponding image URL into the post input box and the image will appear within the post once submitted.

You can also reference a specific record in the post if you wish to link the post to the record. For more information on referencing a record in your post, please refer to the [Referencing Users and Records](#) section.

The following steps will cover adding an external link to the Home page activity stream as an example:

1. Go to an external site (e.g., [www.support.sugarcrm.com](http://www.support.sugarcrm.com)) then select a link (e.g., Clearing Browser Cache article) you wish to add to your post.

**Note:** The actual link will popup when you click the link on the site and drag it across the page.



WELCOME PRODUCT GUIDES HELP ARTICLES POLICIES TRAINING & CERTIFICATION SUGAR


## Latest News

[SugarCloud Maintenance Scheduled for Saturday, December 25th, 2021](#)  
Posted: 12/22/2021  
On Saturday, December 25th, 2021, beginning at 17:00 US Pacific Time, SugarCRM will be

## Popular Topics

Email [https://support...ge\\_Base/Email](https://support.sugarcrm.com/Knowledge_Base/Email)  
Updated: 9/1/2016 ★★★★★  
The Email section includes topics covering creating, configuring, and troubleshooting email accounts in Sugar.

2. Drag and drop the link into the post input box on your Home page activity stream then click "Submit".



Activity Stream

Filter ▾ All Activity Stream

Will Westin Check out this article for more information on email:  
[https://support.sugarcrm.com/Knowledge\\_Base/Email](https://support.sugarcrm.com/Knowledge_Base/Email)

Submit

The external link will now display in the post on the Home page activity stream and will be viewable by all users in your organization.

---

**Activity Stream**


Filter ▾

All Activity Stream

🕒

Type a note or drag and drop an attachment. Type @ to mention a user. Type # to reference a record.

Submit



Will Westin

Check out this article for more information on email:  
[https://support.sugarcrm.com/Knowledge\\_Base/Email](https://support.sugarcrm.com/Knowledge_Base/Email)  
Administrator a few seconds ago

💬


👁

## Adding Attachments


Users can also drag and drop files such as PDFs, .doc files, .csv files, and image files directly from their local machine (e.g., desktop) into the post input box to share documents related to records with other users.

The following steps will cover adding a file from your desktop to the account record view's activity stream as an example:

1. Locate the file on your desktop that you wish to attach to a post.
2. Drag and drop the file into the post input box.



- The attached file(s) will appear below the post input box. You may choose to enter a message simultaneously, which will appear as a separate comment-type post in the activity stream. To remove an attachment, click the "X" on the file's placeholder. Click "Submit" to post the file to the activity stream.



You may drag and drop more than one file into the post input box, but please note that each file will generate two posts in the activity stream: one post showing the file item ("Fi" icon) and another linking to the note record ("Nt" icon) in Sugar where the file is stored. You can preview the note record in the intelligence pane by clicking the Preview button to the far right of the note activity stream post.

Click the file name in the preview's Attachment field to instantly download the file to your local machine.

The screenshot shows a user profile for 'ABC Incorporated'. The 'Preview' pane on the right has an 'Attachment' field containing 'US Terms Agreement.docx', which is highlighted with a red box. A red arrow points from this attachment name to a note in the activity stream below. The note, also highlighted with a red box, contains two entries: 'Added file US Terms Agreement.docx on ABC Incorporated.' and 'Linked US Terms Agreement.docx to ABC Incorporated.'.

The newly created note record will appear in the Notes & Attachments dashlet in the account record view's intelligence pane as well as the related Notes subpanel. If the Notes & Attachments dashlet is not displayed in the intelligence pane, you can add the dashlet by editing the dashboard. For more information on adding dashlets, please refer to the [Adding Dashlets](#) section of the Dashboards and Dashlets documentation.

When posting an attachment to the activity stream, if you choose to also include a comment, any related records mentioned in the comment will not form a relationship with the note record or uploaded file.

If a new note is created via the Notes subpanel or Notes & Attachments dashlet, an activity stream post will be created indicating that a new note was linked to the record. Please note that, when a note is created or linked via the Notes & Attachments dashlet, you must refresh the activity stream or subpanel view in order to view the corresponding record.

## Adding via Dashlets

Users also have the option to drag and drop news feeds directly from the RSS Feed dashlet into user posts. The [RSS Feed dashlet](#) can be added to the list view and record view's intelligence pane dashboard. For more information on adding dashlets to the intelligence pane, please refer to the [Dashboards and Dashlets](#) documentation. Once the dashlet is added and configured, simply click the specific news article from the RSS Feed dashlet then drag and drop the link that appears into the post input box. Click "Submit" to post the RSS feed link.

## Referencing Users and Records

Sugar records and users can be referenced within the user post if you wish to target the message to a specific user or relate the post to a specific record. To mention a user in your post, type @ followed by the user's name (e.g., @John Smith). Please note that even if a specific user is referenced, all users will be able to view the post in Sugar if the post originated from the Home page activity

---

stream. If the post originated from the list view or record view activity stream, then only the specific user mentioned in the post will be able to view the message on their Home page activity stream. To reference a record in your post, type # followed by the record's name (e.g., #john). Please note that only modules enabled for full-text search via Admin > Search can be referenced in posts. For more information on how to enable modules for full-text search, please refer to the [System](#) documentation in the Administration Guide. Posts that reference a specific record in Sugar will appear in that record view's activity stream. Users can access the referenced record and user by clicking the highlighted record or user name within the post. Please note that you can reference more than one user and record in the same post.

The screenshot shows the top of the SugarCRM interface with 'Module All' and 'Filter All Activity Stream'. Below this is a text input field containing 'Jim Brennan Please provide renewal meeting update with #john'. A red box highlights the text input field. Below the input field is a list of suggestions, with 'Co John Moore' highlighted by a red box. To the right of the input field is a blue 'Submit' button.

As you type in the record name or user name, the type-ahead feature will begin to display matching results below the post input box. Simply select one of the matching users or records from the list then click "Submit" to post your message. Please note that a user must have view access to the record in order for you to be able to mention them when posting via the record view's activity stream. For example, if user Will Westin does not have access to view ABC Company, you cannot reference Will (e.g., @will) when posting a message via the ABC Company record view's activity stream. If you try to mention a user without view access, their name will be displayed in gray in the results list with a message stating that they have no access.

The screenshot shows the top of the SugarCRM interface with 'Module All' and 'Filter All Activity Stream'. Below this is a text input field containing '@will'. A red box highlights the text input field. Below the input field is a list of suggestions, with 'Us Will Westin' highlighted by a red box. To the right of the input field is a blue 'Submit' button. The text 'No access' is displayed next to the highlighted suggestion.

Please note that you cannot preview users or records referenced in the post as the preview is disabled. You will get an error message (Preview disabled: No data available) when you hover on the Preview button to the right of the post. For more information on previewing posts, please refer to the [Previewing Posts](#) section.


## Viewing Field Changes

Fields in Sugar that are marked as "Audit" via Admin > Studio will generate update posts in the activity stream whenever the field gets updated. For more information on marking fields for audit, please refer to the [Studio](#) documentation

---

in the Administration Guide. Please note that only audited fields will generate an update post in the activity stream.

Updates you make to audited fields in the record view will generate a post in the record view activity stream referencing the field name(s) that was updated (e.g., "Updated Office Phone on ABC Incorporated"). When you hover on the field's name within the update post, the old and new values will display above the post.



You will also be able to view the update post via the Home page and List View activity stream if you follow the record in Sugar. For more information on following records, please refer to the [Following Records](#) section.

Please note that users who do not have access to view the audited field due to a role restriction will see a generic update post (e.g., Updated ABC Incorporated) on their activity stream as the field name will not be mentioned. For more information on roles, please refer to the [Role Management](#) documentation in the Administration Guide.

## Commenting on Posts

Users can respond to posts via the activity stream by clicking the Comment button to the right of each post. A comment box will appear below the post and you can type in your message then click "Reply" to post your comment. All associated comments will appear below the post in the activity stream and will display the timestamp of the comment along with the user's name who added the comment. You can mention a specific user by typing @ followed by the user's name (e.g., @Sarah Smith) or reference a specific record by typing # followed by the record's name (e.g., #ABC Company). For more information on referencing users and records in your post, please refer to the [Referencing Users and Records](#) section. Please note that comments are visible to all users in Sugar unless they are no longer following the record. For more information on unfollowing records, please refer to the [Unfollowing Records](#) section.

---



**Will Westin** Check out this article for more information on clearing browser cache:  
[https://support.sugarcrm.com/Knowledge\\_Base/Troubleshooting/...](https://support.sugarcrm.com/Knowledge_Base/Troubleshooting/...)  
Mary Thompson 2 hours ago



Add your comment... Type @ to mention a user. Type # to reference a record.

Reply

When a user comments on a post, that post will move to the top of the activity stream once the page is refreshed. Please note that comments you add on the List View activity stream will appear on the Home page activity stream and vice versa if the post exists in both places. When there are multiple comments, the latest comment will appear on top and users can click the more comments link (e.g., 2 more comments...) to view all comments associated to the post. Once you click the link, all comments will display in cascading order with the most recent comments on top. To hide the comments again, simply refresh the activity stream page.



**Will Westin** Check out this article for more information on clearing browser cache:  
[https://support.sugarcrm.com/Knowledge\\_Base/Troubleshooting/...](https://support.sugarcrm.com/Knowledge_Base/Troubleshooting/...)  
Mary Thompson 2 hours ago





Will do, thanks!  
**Will Westin** a few seconds ago

2 more comments...

## Previewing Posts

Users can preview activity stream posts by clicking the Preview button to the far right of the post. The intelligence pane will display the record's details with key information regarding the record as well as any related activity stream information. Please note that preview is available for Create, Update, Link, and Unlink-type posts in the activity stream. To close the preview, simply click the "X" on the upper right of the intelligence pane.

Also, messages posted via the Home page or List View activity stream cannot be previewed as records are not automatically referenced within the post. The Preview button will be grayed out and display a message ("Preview disabled: No data available") when you hover on the button. Messages posted via the record view can be previewed on the Home page and List View activity stream since the record is automatically referenced within the post. For linked and unlinked type posts, only the primary record that is linked or unlinked to can be previewed via the intelligence pane. For example, the below post states that Lindsay Smith is now linked to ABC Incorporated. Since ABC Incorporated is the primary record that the contact is now linked to, the account record will display when previewing

the post.

**Activity Stream**

Filter ▾ **All Activity Stream**

Type a note or drag and drop an attachment. Type @ to mention a user.  
Type # to reference a record. **Submit**

**Ac** Linked **Lindsay Smith** to **ABC Incorporated**.  
Mary Thompson a few seconds ago

**Preview**

**Ac** Name **ABC Incorporated**

Website <http://www.abcinc.com>

Industry **Communications**

Please note that records for modules using the Legacy user interface cannot be previewed if included in the post (e.g., Link-type post) and will generate an error message ("Legacy modules cannot be previewed") when you hover on the button. For more information on the Legacy user interface, please refer to the [User Interface \(Legacy Modules\)](#) documentation.

Also when you are viewing a record in record view, you cannot preview a post that references the same record. For example, if you are viewing ABC Incorporated's record view and there is an update post referencing ABC Incorporated in the record view's activity stream, you will not be able to preview any posts where ABC Incorporated is the primary record.

**Ac** **ABC Incorporated** ★ **Following** **Edit**

Website <http://www.abcinc.com> Industry **Communications**

Member of **Mary Thompson** Type **Customer**

Assigned to **Mary Thompson** Office Phone **(510) 788-8788**

Tags

[Show more...](#)

Module **Accounts** Filter ▾ **All Activity Stream**

Type a note or drag and drop an attachment. Type @ to mention a user. Type # to reference a record. **Submit**

**Ac** Updated **Office Phone** on **ABC Incorporated**.  
Mary Thompson a few seconds ago

Preview disabled: In view as current record

---

# Cloud Drive

## Overview

Users who store documents in Google Drive or Microsoft OneDrive can access those documents in Sugar via the Cloud Drive dashlet. You can download, upload, and copy links to files from the Cloud Drive dashlet. This guide covers how to set up the necessary connectors for using the Cloud Drive dashlet and how to use the Cloud Drive dashlet.

## Prerequisites

The following must be completed before using the Cloud Drive dashlet:

- A Sugar admin must complete the initial, system-wide Google or Microsoft connector configuration. For detailed instructions on performing these set-ups, see the appropriate Help Article:
  - [Integrating with Google for Admins](#)
  - [Integrating with Microsoft for Admins](#)
- Each user who wants to use the Cloud Drive dashlet must connect their account to Sugar. For detailed instructions on performing these set-ups, see the appropriate Help Article:
  - [Integrating with Google for End Users](#)
  - [Integrating with Microsoft for End Users](#)

## Configuring Cloud Drive Paths

### Root Path

The path defined in Google Drive/Microsoft OneDrive Root Path determines the default path for all Cloud Drive dashlets on list view and record view dashboards throughout your instance. If this field is left blank, the default path will be the root My Drive (Google) or My Files (Microsoft) folder for each user.

To change this default path, the admin must first connect their Google or Microsoft account (see the [Prerequisites](#) section for more information). Next, go to Admin > Cloud Drive and select either "Google Drive" or "Microsoft OneDrive". Click "Select Root Path" and then navigate to the folder that you want to choose. Click "Shared With Me" to view folders and files that have been shared with you. Click "Set Path" next to the folder to set that folder as the path, or click "Set Path" in the top right to set the current folder as the path. Your changes are saved after you click "Set Path". You can click "Remove Root Path" from the Drive Path Config screen if you would like to remove the selected root path.

---

**Note:** While you are able to type in the path to a file, we highly recommend using the "Select Root Path" button to ensure that you are choosing the correct file. If you type the file path, the dashlet may not be able to find the correct folder.

## Paths for Record View

The Paths for Record View section allows the admin to select a specific path for the dashlet on a specific module's record view. Note that this path will not apply to the list view dashlet for that module, and the Root Path (if configured) will be used instead.

Once you select a module from the dropdown, you can configure the Default Starting Path field. Click the Select Path button and then navigate to your desired folder. Click "Shared With Me" to view folders and files that have been shared with you. Click "Set Path" next to the folder to set that folder as the path, or click "Set Path" in the top right to set the current folder as the path. Once you click "Set Path" and the drawer closes, your changes have been saved and you can safely navigate away from the Drive Path Config screen.

You can configure the record view dashlet to show a specific folder based on a field in the module so that the dashlet dynamically sets the folder based on which record you are viewing. For example, you may want to have a folder for Accounts, but then have sub-folders named for each account to keep your files organized. This method allows you to set the file based on the Account name on the record. If the folder does not exist, a Create Folder button will appear on the dashlet so that you can create the needed sub-folder. To configure this, add a forward slash (/) at the end of the path in the Default Starting Path field and then select a variable from the Fields Variable dropdown. Once you have selected the variable, click the Add button (plus icon) to add the field to the path, then click the checkmark button to save.

**Paths for Record View**

Module	Default Starting Path	Fields Variable			
<input type="text"/>	<input type="text"/>	<input type="text"/>	+	Select Path	✓ ✕
Accounts	My files/Accounts/\$name	<input type="text"/>	+	Select Path	✓ ✕

Click the Delete button (x icon) to remove the file path.

**Note:** While you are able to type in the path to a file, we highly recommend using the "Select Path" button to ensure that you are choosing the correct file. If you type the file path, the dashlet may not be able to find the correct folder.

**Note:** Only click the checkmark button after typing a file path into the Default Starting Path field or after adding a field variable to the file path.

## Cloud Drive Dashlet

The Cloud Drive dashlet can be configured to display either Google Drive or Microsoft OneDrive. Click the Add Dashlet button from the floating actions button on the dashboard and select "Cloud Drive". Choose your Cloud Provider from the dropdown menu and click "Save".

Cloud Drive			
My files / Sugar Cloud Drive / Accounts			
Name	Owners	Date Modified	
Administrator		2022-03-11 14:28	▼
Avery Software Co		2022-02-24 10:39	▼
Dirt Mining Ltd		2022-02-24 11:16	▼
Income Free Investing LP		2022-02-17 11:37	▼
Jungle Systems Inc		2022-02-17 11:41	▼
JungleSystems		2022-02-17 08:02	▼

## Working With the Cloud Drive Dashlet

The folder that you see by default in the Cloud Drive dashlet is determined by whether or not your admin has [configured Cloud Drive paths](#).

Interacting with the Cloud Drive dashlet is similar to most file browsers. You can sort the contents alphabetically by clicking "Name" at the top of the name column. You can click on a folder name to open it and view its contents within the dashlet, and you can click on a file name to open the file in a new tab in either Google Drive or Microsoft OneDrive. The file hierarchy can be navigated by using the hyperlinked file path at the top of the dashlet.

Action	Description
Refresh	Refresh the current folder in the dashlet. You can refresh the root directory by going to the gear icon in the top right of the dashlet and selecting "Refresh".
Add Folder	Add a new folder in the current folder.
Upload	Upload a file to the current folder. Once you have chosen the file, click the up

	arrow to proceed with the upload.
My Files/Shared With Me	Toggle whether the dashlet shows files that are owned by you or files that are shared with you. Since files that are shared via Sharepoint are also visible in your OneDrive, "Shared With Me" shows files that have been shared with you via OneDrive and Sharepoint.
Download	Download the file.
Copy link	Copy the link to the file to your computer's clipboard.
Create Sugar Document	Convert the file to a Sugar document. The Sugar document record name will match the file name and the Publish Date will match the date the Sugar document was created. If this action is selected on a record view dashlet, the resulting document will be linked to the current record and be added to the <a href="#">Documents subpanel</a> .
Delete	Delete the file or folder. Click "Confirm" on the confirmation message to delete the file or folder. <b>Note:</b> Items deleted via the Cloud Drive dashlet are immediately deleted from Google Drive. Items deleted via the Cloud Drive dashlet are moved to the recycle bin in Microsoft OneDrive.

## Sync to Cloud Drive

You can sync documents in the Documents subpanel to your cloud drive via the Actions menu on the Documents subpanel. This is a one-time sync from Sugar to your Cloud Drive. Refer to the [Documents](#) documentation for more information.

## Dashboards and Dashlets

### Overview

Sugar dashlets allow users to build specific data, insights, and useful visualizations into their Sugar views. Dashlets live within dashboards that are available on the Home page as well as on list view and record view intelligence panes.

---

Most modules and views include [out-of-the-box default dashboards](#) which include some [commonly-used dashlets](#). Sugar admin users may modify these stock, default dashboards or create additional dashboards to [push to teams of users](#). Users can also [create additional dashboards](#) or [pull shared dashboards](#) onto their view from the Dashboards module and even [create duplicates](#) of existing dashboards to customize for their own use. If more than one dashboard is available for a particular view, users may switch between them using the view's [dashboard selection list](#).

Users with a Sugar Serve [license type](#) have access to a specialized dashboard called Service Console. It is a shared, default Home page dashboard that provides a powerful work environment for customer service agents by incorporating SLAs and region-specific business hours, insightful dashlets, and a cohesive case research and action experience. For more information, refer to the [Service Console documentation](#).

## Understanding Dashboards

The following sections explain the various methods of accessing and working with dashboards as well as provide an overview of the factors involved in sharing common dashboards between users.

### Dashboards in Views vs the Dashboards Module

Users can access dashboards in the two following ways, with each way offering different functionality.

- **Dashboards in Views:** Every-day use of dashboards occurs in the Home page as well as list view and record view intelligence panes on Sidecar modules. Accessing dashboards in these locations will be referred to as "dashboards in views". The [Dashboards in Views](#) section of this page details the actions you can take when using dashboards in views.
- **Dashboards Module:** Certain actions are not available with accessing dashboards in views, particularly actions associated with sharing dashboards with other teams and making dashboards visible in views. These tasks are accomplished in the Dashboards module which includes a Dashboards list view and record view. The Dashboards list view can be accessed when viewing any dashboard in a view by selecting "Manage Dashboards" from the dashboard selection list. Viewing a dashboard in the Dashboards module does not display its dashlets or provide many of the actions available when using them in views. The [Managing Dashboards](#) section of this page details the actions you can take

---

when accessing the Dashboards module.

## Shared Dashboards

Several dashboard fields control whether a dashboard is available in a user's Dashboards module and whether it appears on the user's views.

**Note:** When a shared dashboard is modified, other users will see the effects of the changes after refreshing their view or switching to the affected dashboard.

## Teams Access

The Teams field controls whether or not a dashboard is available in a user's Dashboards module. Dashboards follow the same team permissions rules as any other Sugar module. When a user first creates a dashboard, the Teams field is automatically set to only his or her private team, which typically makes it visible to that user and the user's management chain. This is because private teams, by default, only include the individual user, and Sugar recommends not adding other users to any private team. Each user's management chain inherently belongs to each of the user's teams. For more information, please refer to the [Private Teams](#) and [Team Membership Types](#) sections of the Team Management documentation.

The Teams field can be modified to allow other users to see it in their Dashboards module as described in the [Sharing Dashboards With Teams](#) section below. Once other users have teams access, the Favorite and Default Dashboard fields determine whether the dashboard appears for use in their views, as described in the next section.

**Note:** Admin users have access to all Sugar records, regardless of team membership. No dashboards will be hidden from admin users in their Dashboards module.

## Favorites and Default Dashboards

Two dashboard fields factor into whether a dashboard to which a user has team access actually appears in that user's view: the Favorites designation and the Default Dashboards field.

The Default Dashboards field can only be edited by admin users. When it is checked, the dashboard will appear on the views of every user that has teams access. This effectively pushes the dashboard to users without their involvement. For more information, refer to the [Pushing Dashboards to Teams](#) section below.

When the Default Dashboards field is unchecked, a dashboard will only appear on a user's views when the user has marked it as a favorite. Dashboards can be favorited via the Dashboards list view or record view. To remove a dashboard from

---

the view, users can simply unmark the Favorites designation, either from the dashboard itself or from the Dashboards module. For more information, refer to the [Pulling Dashboards to Your Views](#) section below.

## Personalizing Shared Dashboards

As an alternative to using a shared dashboard as-is, users can duplicate any dashboard which appears in their views. One of the main benefits of this is that it allows them to use the shared dashboard as a starting point for personalizing the dashlets to suit their particular needs. For more information, refer to the [Duplicating Dashboards](#) section.

## Out-of-the-Box Default Dashboards

Many modules include prebuilt dashboards that come out-of-the-box with Sugar. Admin users have the ability to modify or remove these dashboards. By default, most of these dashboards have the following attributes:

- **Name:** Following the format <Module> <View> (e.g., "Accounts List")
- **Assigned To:** Assigned to the primary admin user (ID = 1)
- **Teams:** Global
- **Default Dashboard:** Checked

It is important that admin users not treat these default dashboards like personal dashboards. So long as the Default Dashboard field remains checked, any changes made to the dashboards will be pushed to all users belonging to the associated team(s). Since the Global team is automatically selected, changes would affect all users. If an admin user wishes to modify the default dashboards for personal use, they should duplicate the dashboards, then make changes to the new copy which will be assigned to their private team and not have the Default Dashboard box checked. For more information, refer to the [Personalizing Shared Dashboards](#) section. Alternatively, admins can always create new dashboards from scratch for their personal use.

Users with a Sugar Serve [license type](#) have access to specialized dashboards called Service Console as well as Focus Drawer dashboards. It is a shared, default Home page dashboard that provides a powerful work environment for customer service agents by incorporating SLAs and region-specific business hours, insightful dashlets, and a cohesive case research and action experience. For more information, refer to the [Service Console](#) documentation.

The Focus Drawer dashboard can be accessed by clicking the Focus icon which appears when hovering over certain links (e.g., a linked account name or case subject) across Sidecar modules and in dashboards (e.g., Service Console). The focus drawer provides users with a 360-degree view of the linked record through a set of dashlets containing relevant information such as the record's related

---

records, related activities (e.g., calls, meetings), purchase history, and active subscriptions. For more information on focus drawers, refer to the [User Interface](#) documentation.

## Using Dashboards and Dashlets

Dashboards with their dashlets are available on the list view and record view of Sidecar modules. For example, to access the Accounts record view dashboards, click the Accounts module tab in Sugar's header. Then, click one of the account names that appear on the list view to open its record view. Ensure the intelligence pane is expanded by clicking the arrow icon at the top right of the list view. For more information about intelligence panes, refer to the [User Interface](#) page. Please note that the out-of-the-box Record View dashboards display a pre-defined set of dashlets which vary between each Sidecar module. The dashlets available in the dashboard will also vary depending on the user's assigned [license type\(s\)](#).

The floating actions button appears on the bottom-right corner of the intelligence pane, and it allows you to perform various actions (e.g., Create Dashboard) on the current dashboard. For more information, refer to the [Dashboard Floating Actions Button](#) section below.

The screenshot displays the SugarCRM interface for the 'Accounts' module. The left sidebar shows the 'Accounts' menu item highlighted. The main content area displays the 'Accounts Record Dashboard' for 'Smith & Sons'. The dashboard is divided into two main sections: 'Account Timeline' and 'Purchase History'.


**Account Timeline:** This section shows a list of events related to the account. The first event is a 'Follow-up on proposal' scheduled for Tuesday, 2021-08-24, at 09:44. The event is associated with 'Horacio Paulhus' and 'Sarah Smith'. The event details include the date and time (2021-10-20 09:15 - 09:30), a duration of 15 minutes, and a description: 'Meeting to discuss project plan and hash out the details of implementation'.

**Purchase History:** This section shows a list of purchases. The first purchase is '1 year service' with a total value of \$17,103.00. The second purchase is 'Widget' with a total value of \$5,939.39.

**Active Subscriptions:** This section shows a list of active subscriptions. The first subscription is '1 year service' with a quantity of 20, totaling \$17,103.00. The second subscription is 'Widget' with a quantity of 15, totaling \$5,939.39.

The dashboard also includes a 'Related' section at the bottom, which shows a list of related records. The 'Related' section is currently set to 'All' records.

Dashboards are also available on the Home page which can be accessed by clicking the Cube icon at the top left of any Sugar page. For more information about the Home module, refer to the [Home](#) documentation. Please note that the [floating actions button](#) appears on the bottom-right corner of the screen by default, and it allows you to perform various actions (e.g., Create Dashboard) on the current dashboard.




Both locations will remember which dashboard you last accessed in each view and open it automatically when you return.


Dashboard records are also visible in the Dashboards module which can be accessed by selecting "Manage Dashboards" from any view's dashboard selection list. The Dashboards list view and record view offers fields and functionality not available when viewing dashboards in intelligence panes and the Home page. However, the dashboard's layout and dashlets are not visible via the Dashboards module. For more information, refer to the [Managing Dashboards](#) section.

## Dashboard Floating Actions Button

The floating actions button on the dashboard allows you to perform various actions such as creating dashboards, duplicate dashboards, etc. By default, the floating actions button appears on the bottom-right corner of the dashboard, but you can pin the floating actions button to the top corner by clicking the Pin to Top button in the floating actions menu. You can pin the floating actions button to the bottom corner again by clicking "Pin to Bottom".



Click the floating actions button to view the available options (e.g., Create Dashboard, Add Dashlet) in the floating actions menu as shown below for the Accounts list view's intelligence pane as an example. Click the X button to collapse the floating actions menu and display the floating actions button again. Please note that the floating actions button also appears on the Console dashboard (e.g., Service Console) and allows you to perform actions such as creating dashboards and [editing module tabs](#).



The options in the floating actions menu allow you to perform the following operations which are explained in more detail in the sections below:

Option	Description
<a href="#">Create Dashboard</a>	Create a new dashboard.

<a href="#">Duplicate Dashboard</a>	Create and make changes to your own, private copy of the original dashboard without affecting what other users see.
<a href="#">Delete Dashboard</a>	Delete the dashboard.
<a href="#">Collapse All Dashlets</a>	Collapse all dashlets on the dashboard at once. Note that Sugar will remember the closed or open state of your dashlets the next time you return to the view. <b>Note:</b> This option appears for dashboards (e.g., Accounts List Dashboard) on intelligence panes.
<a href="#">Expand All Dashlets</a>	Expand all dashlets on the dashboard at once. Note that Sugar will remember the closed or open state of your dashlets the next time you return to the view. <b>Note:</b> This option appears for dashboards (e.g., Accounts List Dashboard) on intelligence panes.
<a href="#">Add Dashlet</a>	Add a dashlet to the dashboard.

**Note:** A dashboard and its dashlets may only be edited by the dashboard's Assigned To user and system admin users. Any change to a shared dashboard will update the dashboard for all users.


## Creating Dashboards

Create a new dashboard and build out its dashlets. New dashboards are automatically assigned to the creating user and their private team. Users can create dashboards in list view and record view intelligence panes and on the Home page. By default, new dashboards will be assigned to the creating user with the Teams field set to the creating user's [private team](#). The dashboard will also be automatically designated as a favorite so that it appears on the user's view after being created.


To make the dashboard available for other users, additional teams can be added to the Teams field via the dashboard's record view. Click "Manage Dashboards" from any dashboard selection list to access the [Dashboards list view](#), then click a dashboard's name to open it in record view. Admin users also have the ability to check the Default Dashboards field to [push the dashboard](#) onto the views for all members of the associated teams.

The following steps cover creating a new dashboard called "My Favorites Dashboard" in the Accounts list view intelligence pane as an example:

1. Click the floating actions button in the intelligence pane then select "Create Dashboard".



2. Enter in the name for the new dashboard (e.g., My Favorites Dashboard) then click "Save".
3. Click the Add Dashlet button to add any desired dashlets. For more information on adding dashlets, refer to the [Adding Dashlets](#) section.



4. Click "Save" to finalize the new dashboard.

---

## Duplicating Dashboards


Duplicating a dashboard will create a copy of the original with the following attributes:

- **Name:** Copy of <Original Name> (e.g., "Copy of Accounts List")
- **Assigned To:** The user who performed the duplication
- **Teams:** The [private team](#) of the user who performed the duplication
- **Default Dashboard:** Unchecked

Duplication is recommended when you wish to personalize a shared dashboard. By making your changes to your own, private copy, the original dashboard will not be affected for other users. Additionally, dashboards can only be edited by their Assigned To user and admin users. Creating a copy of a shared dashboard owned by another user allows you to optimize the dashboard for your purposes. For more information, refer to the [Personalizing Shared Dashboards](#) section.

Duplicating a dashboard containing a List View dashlet with custom filters applied will duplicate the dashlet as well including the custom filter. Please note that you can edit the dashlet but will not be able to edit the shared filter in the Configuration Options page. If you remove the shared filter from the dashlet, you will not be able to apply the same filter again as you do not own it.

To create a copy of a dashboard, simply click the Duplicate Dashboard button from the [floating actions menu](#).




---

## Editing Dashboards

The edit options available for dashboards include [renaming dashboards](#), [adding dashlets](#), [resizing dashlets](#), and [rearranging dashlets](#). Refer to the respective sections for more information.

### Renaming Dashboards

Rename dashboards from an intelligence pane, the Home page, or the [focus drawer](#). Click the pencil icon that appears when you hover over the dashboard name, and then type a new name. Shifting focus outside of the field automatically saves the new name.



Dashboards can also be renamed via the [Dashboards module](#) by modifying the Name field.

**Note:** A dashboard may only be edited by its Assigned To user and system admin users. Any change to a shared dashboard will update the dashboard for all users.


### Switching Between Dashboards

Select a dashboard from the dashboard selection list to switch which dashboard is displayed.


Between default dashboards, shared dashboards, and personal dashboards, users may have multiple dashboards active for a single Sugar view (e.g., Accounts list view). The dashboards selection list contains all of the user's active and default dashboards for the particular view and allows for switching between the dashboards. In order for a dashboard to appear in a view's dashboard selection list, the following criteria must be true:

- The dashboard's Module and View fields match the user's current module and view (e.g., Accounts list view). Each dashboard is only visible in the module and view where it was originally created.
- The user belongs to one or more of the teams selected in the dashboard's Teams field.
- The user has selected the dashboard as a favorite OR the dashboard's Default Dashboard field is checked. Dashboards an admin has [marked as default](#) will appear in your views regardless of being a favorite or not.


On a record view or list view intelligence pane, click the arrow next to the current dashboard's name to view and select from the list of available dashboards.



On the Home page, click the arrow next to the Cube icon to view and select from the list of available dashboards.



On the [focus drawer](#), click the triangle next to the current dashboard's name (e.g., Contacts Focus Drawer) in the Focus Drawer header and select from the list of available dashboards.




## Deleting Dashboards

When a dashboard is no longer useful, it can be deleted by the Assigned To user or an admin user. Deleting a dashboard will make it unavailable for any other users with whom it is shared.


**Note:** If a shared dashboard is no longer needed by its owner or the dashboard owner will no longer be using Sugar, the dashboard can be reassigned, either by editing the Assigned To field via the Dashboards module or using the [Reassign Records function](#) in Admin > User Management.

Use the following steps to delete a dashboard from a list view or record view intelligence pane or from the Home page:

1. Click the [floating actions button](#) on the intelligence pane then select "Delete Dashboard".



2. Click the Confirm button in the confirmation dialog to finalize the deletion.



Dashboards can also be deleted via the [Dashboards module](#) from both list view and record view.

## Removing Dashboards From Views

If a user no longer wishes to use a dashboard, they can unmark the Favorites designation by clicking the Star icon. For more information on how the Favorites designation factors into which dashboards are available in your views, please refer to the [Pulling Dashboards to Your Views](#) section. Please note that dashboards an admin user has designated as defaults by checking the Default Dashboard box will remain available for use in your [dashboard selection list](#) regardless of whether or not you have favorited the dashboard.



The Favorite designation is also available to edit via the [Dashboards module](#).


## Adding Dashlets

Users can add an unlimited number of dashlet rows to suit their business needs. Adding dashlets can be done when the dashboard is in edit mode either during [dashboard creation](#) or when [editing an existing dashboard](#).


**Note:** A dashboard and its dashlets may only be edited by the dashboard's Assigned To user and system admin users. Any change to a shared dashboard will update the dashboard for all users.

Use the following steps to add a new dashlet in the Accounts list view intelligence pane as an example:


1. Click the [floating actions button](#) in the intelligence pane then select "Add Dashlet".



2. Click the title (e.g., List View) corresponding to the desired dashlet in the Add Dashlet page.



3. Configure the dashlet as desired then click "Save".



4. The dashlet will now appear on your dashboard.

---

## Rearranging Dashlets

Users have the option to arrange the dashlets within a dashboard to match their viewing preferences. You can easily swap two dashlets by dragging and dropping the dashlets in their desired locations. Simply click and drag a dashlet's menu bar to relocate it

**Accounts List Dashboard** ☆

**My Accounts**

Name	Billing Country	City
<a href="#">P Piper &amp; Sons</a>	USA	San Jose
<a href="#">S Cane Sweeteners Ltd</a>	USA	San Francisco
<a href="#">Hollywood Diner Ltd</a>	USA	Alabama
<a href="#">Max Holdings Ltd</a>	USA	San Mateo
<a href="#">More accounts...</a>		


**My Teams Accounts**

Name	City	Billing Country
<a href="#">NW Capital Corp</a>	San Francisco	USA
<a href="#">Hammer Group Inc</a>	Cupertino	USA
<a href="#">Overhead &amp; Underfoot...</a>	Los Angeles	USA

**Note:** A dashboard and its dashlets may only be edited by the dashboard's Assigned To user and system admin users. Any change to a shared dashboard will update the dashboard for all users.

## Editing Dashlets


Dashlets can easily be configured to display specific information users want to view. Simply click the Gear icon at the top of the dashlet menu bar then select "Edit", which will display configuration options specific to the dashlet. Make the necessary changes using the available edit options then click "Save" to preserve the change. For more information about specific dashlets and how to configure them, refer to the [Commonly Used Dashlets](#) section.



**Note:** You may not see the dashlet Gear menus, including the Edit option, if you are not the containing dashboard's Assigned To user or system admin user. Any change to a shared dashboard will update the dashboard for all users.

## Deleting Dashlets


Users can delete dashlets they no longer wish to view on their dashboards by clicking the Gear icon at the top left of the dashlet then selecting "Remove". Prior to deleting a dashboard, consider if other users have access to it and consider instead reassigning the dashboard then un-favoriting it to remove it from your own views. For more information, refer to the [Reassigning Dashboards](#) and [Removing Dashboards From Views](#) sections.



**Note:** You may not see the dashlet Gear menus, including the Delete option, if you are not the containing dashboard's Assigned To user or system admin user. Any change to a shared dashboard will update the dashboard for all users.


## Collapsing and Expanding Dashlets

Users can collapse or expand individual dashlets by clicking the Up or Down arrow on the upper right of the dashlet. Sugar will remember the state of your dashlets the next time you return to the view. For dashboards on intelligence panes, users can also collapse or expand all dashlets on the dashboard by clicking the [floating actions button](#) then selecting "Collapse All Dashlets" or "Expand All Dashlets".



## Resizing Dashlets

Users can easily resize the dashlets to fit the available screen real estate and accommodate their desired layout by clicking the double-ended arrow that appears in the bottom corners of the dashlet and dragging to the desired size. Please note that Sugar will remember the new size of the dashlet when you return to the view.




**Note:** Dashlets can only be resized by the containing dashboard's Assigned To user and system admin users. Any change to a shared dashboard will update the dashboard for all users.

## Refreshing Dashlets

When users first navigate to a page in Sugar or refresh the browser window, the page's dashlets all retrieve fresh information. To update dashlet data between page loads, the dashlets themselves must be refreshed. Dashlet refreshes can be performed manually or automatically.

Users can manually refresh a dashlet by clicking the Gear icon at the top of the dashlet menu bar and then selecting "Refresh".



Users can schedule the dashlet to automatically refresh using the Auto-Refresh option. Click the Gear icon at the top of the dashlet menu bar then select "Edit". This will display the Configuration Options page where you can select how often the dashlet should automatically retrieve fresh information.

---

Cancel
Save

Module  
Accounts

Columns  
Name × Billing Country × City ×

Display Rows  
5

Auto Refresh  
Select...  
None  
**Every 1 Minutes**  
Every 5 Minutes  
Every 10 Minutes  
Every 15 Minutes  
Every 30 Minutes

Default Data Filter  
Filter ▾ My Accounts ×

**Note:** You may not see the dashlet Gear menus, including the Refresh option, if you are not the containing dashboard's Assigned To user or system admin user.

## Managing Dashboards

The Dashboards module consists of dashboard records visible in the Dashboards list view and Dashboards record view. Please note that when viewing a dashboard in list view and record view, its dashlets are not visible. Rather, the Dashboards module allows users to [share their dashboards with teams of users](#), [pull dashboards to their own views](#), [reassign dashboards](#), and update select fields on the dashboard record. Admin users are also able to [push dashboards to the views of teams of users](#).

**Note:** To add dashlets, create/duplicate dashboards, etc., click the [floating actions button](#) on the Home page dashboard or list view/record view intelligence pane.


The Dashboards module can be accessed from any record view or list view intelligence pane or from the Home module. Simply select "Manage Dashboards" from the view's [dashboard selection list](#).

From record view and list view intelligence panes, click the triangle next to the dashboard's name and select "Manage Dashboards".


Accounts List Dashboard ▾

Manage Dashboards

From the Home page, click the triangle next to the Home module tab (Sugar cube icon) and select "Manage Dashboards".



From the [focus drawer](#), click the triangle next to the current dashboard's name (e.g., Contacts Focus Drawer) in the Focus Drawer header and select "Manage Dashboards".



Doing so will open the Dashboards module in list view. The list view will automatically be filtered by the module and view you navigated from so that you can quickly locate dashboards available in that view. To locate other dashboards, simply modify or remove the filters. For more information about filtering list views, refer to the [User Interface](#) documentation.

**Note:** If you do not see the desired dashboard in your Dashboards list view or receive a permissions error when attempting to navigate directly to its record view, you may not belong to one of its designated teams. The dashboard's owner or an admin user will need to update the dashboard's Teams field to grant you access. For more information, refer to the [Team Management](#) documentation in the Administration Guide. If the Teams field includes a team to which you belong, confirm that the dashboard's Module and View field match the module and view (e.g., Accounts record view) where you would like it to appear. Each dashboard can only be applied to the module and view where it was originally created. For more information, refer to the [Shared Dashboards](#) section above.

## Dashboard Module Fields

The Dashboards module includes the following fields. For information on using and editing various field types, refer to the [User Interface](#) documentation.

Field	Description
Assigned To	The Sugar user assigned to the dashboard.
Date Created	The date the dashboard record was created.
Date Modified	The date the dashboard record was last modified.
Default Dashboard	Specifies that the dashboard will appear in the specified module and view for all users belonging to the teams selected in the Teams field. <b>Note:</b> Only admin users can check or modify the Default Dashboard checkbox.
Module	The module (e.g., Accounts, Opportunities, Home) where the dashboard appears. <b>Note:</b> This field is read-only for all users. Dashboards cannot be moved from one module to another.
Name	The name of the dashboard which is displayed in the <a href="#">dashboard selection list</a> .
Teams	The teams whose members have access to the dashboard in the Dashboards module.
View	The view (e.g., "List" for list view and "Record" for record view) where the dashboard appears. <b>Note:</b> This field is read-only for all users. Dashboards cannot be moved from one view to another.

## Working With the Dashboards Module

The following links will open specific sections of the User Interface documentation where you can read about views and actions that are common across most Sidecar modules. The sections following this Working With Dashboards section describe Dashboards-specific behaviors and functionality.

Content Link	Description
<a href="#">Viewing Dashboards</a> <a href="#">Viewing via List View</a> <a href="#">Viewing via Record View</a>	The Viewing Records section describes the various methods of viewing dashboard records, including via the

	<p>Dashboards list view and record view.</p> <p><b>Note:</b> The Dashboards list view and record view include information about the dashboard but do not display the dashboard's dashlets. Dashboards including their dashlets are visible in intelligence panes and the Home page as described in the <a href="#">Dashboards in Views</a> section.</p>
<a href="#">Searching for Dashboards</a> <a href="#">List View Search</a> <a href="#">Creating a Filter</a>	<p>The Searching for Records section provides an introduction to list view search, which searches and filters within the Dashboards module.</p>
<a href="#">Dashboards List View</a> <a href="#">Total Record Count</a> <a href="#">List View Search</a> <a href="#">Checkbox Selection</a> <a href="#">Mass Actions Menu</a> <a href="#">Favorite Designation</a> <a href="#">Column Reordering</a> <a href="#">Column Resizing</a> <a href="#">Column Sorting</a> <a href="#">Column Selection</a> <a href="#">Record Actions Menu</a> <a href="#">Pagination</a>	<p>The List View section walks through the many elements of the Dashboards list view layout which contains a filterable list of all dashboard records in Sugar.</p> <p><b>Note:</b> A user can only access a dashboard's record actions menu in list view when they are the assigned user or an admin user.</p>
<a href="#">Dashboards Record View</a> <a href="#">Favorite Designation</a> <a href="#">Next or Previous Record</a> <a href="#">Show More</a>	<p>The Record View section walks through the many elements of the Dashboards Record View layout which contains detailed information about a single dashboard record.</p> <p><b>Note:</b> The Dashboards list view and record view include information about the dashboard but do not display the dashboard's dashlets. Dashboards including their dashlets are visible in intelligence panes and the Home page as described in the <a href="#">Dashboards in Views</a> section.</p>
<a href="#">Editing Dashboards</a> <a href="#">Editing Inline via Record View</a> <a href="#">Editing via Record View</a> <a href="#">Editing Inline via List View</a> <a href="#">Mass Editing via List View</a>	<p>The Editing Records section describes the various methods of editing existing dashboard records, including inline via the Dashboards record view, in full edit mode on the record view, inline via the Dashboards list view, and via the Mass</p>

	Update option on the list view.
<a href="#">Deleting Dashboards</a> <a href="#">Deleting via Record View</a> <a href="#">Deleting via List View</a> <a href="#">Mass Deleting via List View</a>	<p>The Deleting Records section describes the various methods of deleting unwanted dashboards, including via the Dashboards record view, an individual record's Actions menu on the Dashboards list view, and the Mass Actions menu on the list view.</p> <p>Dashboards can also be deleted when viewing them in your intelligence pane or Home page as described in the <a href="#">Deleting Dashboards</a> section.</p>
<a href="#">Favoriting Dashboards</a> <a href="#">Favoriting via List View</a> <a href="#">Favoriting via Record View</a>	<p>The Favoriting Records section describes the various methods of marking dashboards as favorites, including via the Dashboards list view and record view.</p> <p>Marking a non-default dashboard as a favorite makes it available for the user in the specified module and view. For more information, refer to the <a href="#">Pulling Dashboards to Your Views</a> section. Once on a view, dashboards can be de-favorited as described in the <a href="#">Removing Dashboards From Views</a> section.</p>

## Sharing Dashboards With Teams

When a dashboard is first created, it is automatically assigned to the creating user and his or her private team. In order to make the dashboard available for others to use, the Teams field must first be updated to grant those users access. Refer to the [Teams Access](#) section for more information.

From the [Dashboards list view](#), click a dashboard's name to open it in [record view](#) where additional teams can be added to the Teams field. Only the assigned to user and admin users can edit dashboard records, including the Teams field.

Teams

Will Westin

★

Select Team...

★

-

+

Global

Q


Once a dashboard has been shared with multiple users via the Teams field, those users can then favorite the dashboard to make it visible in their own views. Alternatively, an admin user can check the Default Dashboard field to push the dashboard to the user's views automatically. Refer to the [Pulling Dashboards to Your Views](#) and [Pushing Dashboards to Teams](#) sections for more information.

When a dashboard contains List View dashlets with custom filters applied, the filters will be shared with all members of the associated team(s). So, when the user views the shared dashboard, the List View dashlet will display a filtered list of records using the shared filter. Please note that users will only be able to see records as allowed by their team membership, user access type, and assigned roles. For more information on teams and roles, please refer to the [Team Management](#) and [Role Management](#) documentation in the Administration Guide. Please note that custom filters in the List View dashlet can only be edited by the original dashboard owner and any changes made to the shared filter will be pushed to all users belonging to the associated team(s). If the owner later deletes the filter, the shared filter will be removed from the List View dashlet for all users belonging to the associated team(s), and the dashlet will no longer return results when viewed from the dashboard.

### Pulling Dashboards to Your Views

When a user wishes to use a dashboard that is available in their Dashboards module but does not appear in the relevant view's [dashboard selection list](#), they can designate the dashboard as a favorite in order to pull it onto the view. Dashboards a user has marked as favorites will appear for use in the relevant view as prescribed by the dashboard's Module and View fields (e.g., Accounts list view).

1. Navigate to the module and view where you would like to see the shared dashboard.
2. Select the Manage Dashboards option.
3. Locate the dashboard you wish to use.
4. Mark the dashboard as a favorite by clicking the star icon in the list view or record view.




5. Return to the module and view to confirm that the dashboard is now

---


[available for selection.](#)

Once a dashboard is a favorite and is available for use, it can be un-marked as a favorite from the Dashboards module or directly from the relevant view in order to remove it from that view's [dashboard selection list](#). Dashboards an admin has marked as default will appear in your views regardless of being a favorite or not, as described in the [Pushing Dashboards to Teams](#) section.




## Pushing Dashboards to Teams

Sugar admin users have the ability to push dashboards to the views for teams of users. This is a two-step process that involves first sharing the dashboard with the desired user's teams, then checking the Default Dashboard field. For more information on how the Teams field plays a role, refer to the [Sharing Dashboards With Teams](#) section. When the Default Dashboard field is checked, the dashboard will appear on the named module and view's [dashboard selection list](#) for every user that has teams access. This effectively pushes the dashboard to users without their involvement. Default dashboards have a checkmark on the standard dashboard icon when viewing them in the selection list on views.



A dashboard can be pushed to its associated teams by updating the Default Dashboard checkbox when [editing the record](#). Only admin users can edit the Default Dashboard field.



Sugar includes out-of-the-box default dashboards that automatically have "Default Dashboard" checked. Refer to the [Out-of-the-Box Default Dashboards](#) section for more information.


## Reassigning Dashboards

There are several situations in which you may need to reassign a dashboard record

---

to a different user. Only the Assigned To user and system admin users are able to edit dashboards. Therefore, reassigning the dashboard record will allow a different user to make changes to it. Additionally, because dashboards may be shared amongst multiple users, care needs to be taken before deleting a dashboard or removing a user account's record to Sugar. In both cases, the dashboard should be reassigned to prevent other users from losing access unintentionally.

A dashboard can be reassigned by updating the Assigned To field when [editing the record](#). Only the assigned to user and admin users can edit dashboard records, including the Assigned To field.



When the dashboard is reassigned, the following changes will automatically be made:

- The previous Assigned to user loses the ability to edit the dashboard.
- If the new Assigned To user is not a member of any team in the Teams field, their private team is automatically appended to the Teams field.
- If the previous Assigned to user's private team is selected in the Teams field, it will remain selected so that they continue to have access to the dashboard.

Please note that a custom filter applied to a List View dashlet will not be transferred to the new Assigned To user, but rather shared. So, the new owner can edit the dashlet but will not be able to edit the shared filter in the Configuration Options page. If the applied custom filter is removed from the dashlet, they will not be able to apply the same filter again as they do not own it.

All of a user's assigned dashboards can be reassigned at once using the Reassign Records tool available in the User Management section of the Admin panel. This is especially useful to preserve others' access to a dashboard when a user account is being deactivated. For more information, refer to the [User Management](#) documentation in the Administration Guide.

## Commonly Used Dashlets

The following sections cover many commonly used dashlets that may appear on your default dashboards (e.g., Home page, [Focus Drawer](#), or List View dashboards) or can be added to your custom dashboards. Please note that the dashlets available to view and add will vary between the modules in Sugar.

**Note:** You may not see dashlet Gear menus, including the Edit, Remove, and

---

Refresh options, if you are not the containing dashboard's Assigned To user or system admin user. Any change to a shared dashboard will update the dashboard for all users.

## List View Dashlet

The List View dashlet enables users to view a filtered list of records belonging to a specific module (e.g., Accounts, Contacts, Leads). When configuring the dashlet, simply select the primary module (e.g., Accounts, Contacts, Leads) you wish to view a list of records for along with the filters (e.g., columns, display rows) you wish to apply. Please note that the dashlet title (e.g., My Accounts, My Contacts) will vary based on the primary module selected when adding the dashlet. Certain modules (e.g., Accounts, Contacts, Leads) in Sugar display the List View dashlet by default in their list view's intelligence pane. For example, if you navigate to the Contacts list view, the My Accounts dashlet will appear in the intelligence pane dashboard.

Once added, you can configure the dashlet as necessary by clicking the Gear icon on the upper right if you wish to change the designated module for the dashlet, apply predefined or custom filters, etc. Please note that any changes made by the administrator to the List View layout in Studio affect the list of available fields in the module's list view dashlet layout. The deployed changes will not display automatically in the corresponding module dashlet and users will need to edit the dashlet in order to view the changes in the Columns field, add new fields to the layout, etc. For more information on editing the List View layout in Studio, please refer to the [Studio](#) documentation in the Administration Guide.

The following are the most common options available when filtering and configuring the list view dashlet:

- **Title:** Change the displayed name of the dashlet.
- **Module:** Change the module that the dashlet is displaying records from by selecting a different module from the list.
- **Columns:** Choose the field columns you wish to display on the dashlet. To remove a field column, simply click the "x" to the right of the field name.  
**Note:** The field columns available to add to the dashlet are based on the specified fields in the List View layout in Studio. Any changes made to the List View layout in Studio will be reflected in the Columns field. For more information on configuring the List View layout, please refer to the [Studio](#) documentation in the Administration Guide.
- **Freeze First Column:** Specify whether or not the first column of the list should remain visible when scrolling horizontally within the dashlet. Note that an admin can disable this feature for the whole Sugar instance. See the [User Interface](#) page for details on column freezing and the [System](#) page for details on the system-wide admin setting.
- **Display Rows:** Specify how many rows or results this dashlet will display

---

at once. Please note that the maximum is twenty rows.

- **Auto Refresh:** Choose a time frame to have the dashlet query automatically refresh.
  - **Filter:** Click the Filter option to select a pre-defined filter or create a new filter to be applied to the List View dashlet.
- Note:** The My filter (e.g., My Accounts) is selected by default.

Cancel Save

Module  

Accounts

Columns  

Name

City

Billing Country

Phone

User

Email Address

Date Modified

Date Created

Escalated

Freeze First Column  
☒

Display Rows  

5

Auto Refresh  

Select...

Default Data Filter  

Filter 

My Accounts

The following are options that are only available when configuring a list view dashlet on a record view:

- **Relate to current record:** Specify if the dashlet will be filtered to only list records related to the record you are viewing.
- **Linked field:** This field is shown only when "Relate to current record" is enabled; the dropdown will display all of the fields in the selected module that link back to the current record. In most cases, there will only be one field listed, but there are a few exceptions. For example, a Quotes list view dashlet on the Accounts record view can link to quotes where the account is either the billing account or the shipping account. Specify which of these account fields should link to the current record.

---

Cancel Save

Module  

Quotes

Columns  

Number

Subject

Quote Stage

Grand Total

Converted Amount

Valid Until

Date Created

Freeze First Column  
☒

Display Rows  

5

Auto Refresh  

Select...

Relate to current record  
☒

Linked field  

Quotes Ship to

Default Data Filter  
Filter 


Build Filter

## Creating a Filter

The Filters section of the Configuration Options page allows you to filter your dashlet based on pre-defined filters (e.g., My Favorites, Recently Created) as well as create custom filters. For example, if you select "My Contacts" in the Filter options, the List View dashlet will only display contact records that are assigned to you. To see all records to which you have access, simply select the All option in the filter.

The following Filter options are available to filter the List View dashlet:

- **Create:** Create a new custom filter which you can use to filter the List View dashlet
- **All "Module":** Select this filter to display all records in the module to which you have access
- **My Favorites:** Select this filter to only display records you have marked as favorites
- **My "Module":** Select this filter to only display records assigned to you
- **Recently Created:** Select this filter to only display records you created in the module within the last 7 days
- **Recently Viewed:** Select this filter to only display records you have viewed in the module within the last 7 day



Users can also create new filters via the Create option in the Filter list. This allows users to add custom, complex filter options when filtering the List View dashlet. You have the option to add multiple fields to your new filter by clicking the Plus button to the right of the filter selection dropdown lists. Please note that each one of the filter's criteria needs to be true for a record in order for it to appear in the List View dashlet. The fields available to filter the dashlet are based on specified fields in the Search layout in Studio. Any changes made to the Search layout in Studio will be reflected in the filter's field dropdown list. For more information on configuring the Search layout, please refer to the [Studio](#) documentation in the Administration Guide.

The following steps cover creating a new filter for contacts assigned to Will Westin as an example:

1. Click the Filter option on the Configuration Options page then select "Build Filter".
2. Select the field (e.g., Assigned to) you wish to add to your filter as well as the condition (e.g., is) and matching criteria (e.g., Will Westin).  
**Note:** Only fields you have view access for will be available to add in the Filter list.
3. To add additional fields to the new filter, click the Plus button to the right of the filter.
  - To remove fields from the new filter, click the Minus button to the right of the filter.
  - To clear any filter values (e.g., Will Westin), simply click the "x" to the right of the value.

4. Enter in a name for the new filter (e.g., "Contacts assigned to Will Westin").
5. Click "Save" to add this filter to the dashlet list view's Filter options.

The custom filter will automatically be applied to the dashlet upon save and all records meeting the filter criteria will display. Please note that you can edit the custom filters at any time by selecting the filter (e.g., Contacts assigned to Will Westin) from the Configuration Options page, then clicking the name that appears to the right of the Filter option. Simply make the necessary changes to the custom filter then click "Save" to preserve and apply the changes to the dashlet.

---

When viewing the List View dashlet, the first set of records meeting the filter criteria will be displayed, and you can use the pagination controls at the bottom of the dashlet to navigate to different pages of results. The number of records per page depends on the display row number (5, 10, 15, 20) selected in the Configuration Options page. See the [User Interface](#) documentation for details on the pagination controls in different list views.

## Steps to Edit a Dashlet

Every user can configure their dashlet(s) to only display the information they wish to view via the display options and filters available in the Configuration Options page.

The following steps cover updating the title, display rows, columns, and only my favorites filter for the My Accounts dashlet as an example:

1. Click the Gear icon at the top of the My Accounts dashlet menu bar then select "Edit".

2. Change the "Title" (e.g., My Favorite Accounts) and the display rows from 5 to 10.

---

My Favorite Accounts

Cancel

Save

Module

Accounts

Columns

Name

City

Billing Country

Phone

User

Email Address

Date Modified

Date Created

Escalated

Freeze First Column

☒

Display Rows

5

5

10

15

20

Auto Refresh

None

3. Click the "x" next to "Billing Country" to remove the field from the display column.
  - To add columns, simply click your mouse in the Columns field then select from the list of available fields that appear below the dropdown list.

---

Cancel Save

Module  
Accounts

Columns  
Name City Billing Country Phone User Email Address  
Date Modified Date Created Escalated

Freeze First Column  
☒

Display Rows  
10

Auto Refresh  
None

Default Data Filter  
Filter My Accounts

+ Build Filter  
Sarah's Accounts  
All Accounts  
✓ My Accounts  
My Favorites

4. Click the Filter option then select "My Favorites".
5. Once the update is complete, click "Save" and the dashlet will reflect the changes made.
  - Click "Save" on the dashboards edit layout to apply the changes to your final dashlet view.

My Favorite Accounts <span>^</span> <span>⚙</span>			
Name	City	Billing Country	Phone
<a href="#">XY&amp;Z Funding Inc</a>	Kansas City	USA	(415) 226-8888
<a href="#">J.K.M. Corp (HA)</a>	Kansas City	USA	(375) 275-8268
<a href="#">Jungle Systems Inc</a>	San Jose	USA	(374) 315-6162
<a href="#">24/7 Couriers</a>	San Mateo	USA	(382) 239-7069
<a href="#">Rhyme &amp; Reason Inc</a>	Salt Lake City	USA	(976) 271-6285
<a href="#">Hammer Group Inc</a>	Alabama	USA	(470) 909-5308
<a href="#">Powder Suppliers</a>	Alabama	USA	(220) 464-3066
<a href="#">DD Furniture Inc</a>	Cupertino	USA	(026) 864-7290
<a href="#">Dirt Mining Ltd</a>	Denver	USA	(860) 954-1279
<a href="#">Rubble Group Inc</a>	Alabama	USA	(563) 138-2457
<a href="#">More accounts...</a>			

Multiple List View dashlets can be added to the intelligence pane as well if you wish to view the list of records for various modules. For more information on adding dashlets, please refer to the [Adding Dashlets](#) section. You can also [refresh](#) and [remove](#) the dashlet by clicking the Gear icon. To collapse the dashlet, simply click the Up arrow to the left of the Gear icon.

My Favorite Accounts <span>^</span> <span>⚙</span>			
Name	City	Billing Country	Edit
<a href="#">XY&amp;Z Funding Inc</a>	Kansas City	USA	Refresh
<a href="#">J.K.M. Corp (HA)</a>	Kansas City	USA	Remove
<a href="#">Jungle Systems Inc</a>	San Jose	USA	(374) 315-6162

## Active Tasks Dashlet


The Active Tasks dashlet allows users to view open tasks that require attention and need to be completed on a future or current date. Open tasks have a status of "Not Started", "In Progress", or "Pending Input". The dashlet is broken up into three tabs: "Due Now", "Upcoming", and "To Do", and displays a number on each tab to indicate the count of open tasks falling into each due-date range.

- **Due Now:** Open tasks that are due today and open tasks where the due date is in the past
- **Upcoming:** Open tasks that have a due date in the future
- **To Do:** Open tasks that have no due date specified

When placed on a user's Home page dashboard, the Active Tasks dashlet will show all active tasks assigned to the logged-in user or all active tasks that the logged-in user has team permission to view, depending on how the user has configured the dashlet's settings.

When the Active Tasks dashlet is placed on the record view for a related module (e.g., Accounts, Contacts), it will only show the active tasks that have a relationship with the current record. For example, if the Active Tasks dashlet is placed on the Account module's record view, when a user views ABC Account, the Active Tasks dashlet will only show the active tasks that are related to ABC Account.

You can close tasks as completed directly from the dashlet by clicking the Completed button to the right of the task's row. In addition, you can delete the task's relationship with the record by clicking the Unlink button to the right of the Completed button.



To access a task's record view, simply click the task's subject in the dashlet. You can also hover over the linked task subject and click the Focus icon to open the [focus drawer](#), which displays a 360-degree view of the linked record through a set of dashlets containing pertinent information. There are two buttons on the upper right of the Active Tasks dashlet which allow you to toggle between viewing tasks assigned to you and all tasks to which you have access. You can click the one person button to quickly view task records for which you are the assigned user. To remove this filter and view tasks assigned to others as well as yourself, simply click the group button to the right of the one person button. You can also relate new tasks to the record by clicking the Plus icon on the upper right of the dashlet and selecting "Create Task". Complete the Tasks record view layout and save to create the new task. The Gear icon to the right of the Plus icon allows you to [edit](#), [refresh](#), close, and [remove](#) the dashlet. To collapse the dashlet, click the Gear icon then

---

select the Close option. To expand the dashlet, simply click the Gear icon again and select "Open".


## Inactive Tasks Dashlet

The Inactive Tasks dashlet allows users to view tasks that are on-hold or have already been completed. The dashlet is broken up into two tabs, "Deferred", "Completed", and displays a number on each tab to indicate the count of tasks falling into each status.

When placed on a user's Home page dashboard, the Inactive Tasks dashlet will show all inactive tasks assigned to the logged-in user or all inactive tasks that the logged-in user has team permission to view, depending on how the user has configured the dashlet's settings.

When the Inactive Tasks dashlet is placed on the record view for a related module (e.g., Accounts, Contacts), it will only show the inactive tasks that have a relationship with the current record. For example, if the Inactive Tasks dashlet is placed on the Account module's record view, when a user views ABC Account, the Inactive Tasks dashlet will only show the inactive tasks that are related to ABC Account.

You can delete the task's relationship with the record by clicking the Unlink button on the task's row.



To access a task's record view, simply click the task's subject in the dashlet. You can also hover over the linked task subject and click the Focus icon to open the [focus drawer](#), which displays a 360-degree view of the linked record through a set of dashlets containing pertinent information. There are two buttons on the upper right of the Inactive Tasks dashlet which allow you to toggle between viewing tasks assigned to you and all tasks to which you have access. You can click the one person button to quickly view task records for which you are the assigned user. To remove this filter and view tasks assigned to others as well as yourself, simply click the group button to the right of the one person button. You can also relate new tasks to the record by clicking the Plus icon on the upper right of the dashlet and selecting "Create Task". Complete the Tasks record view layout and save to create the new task. The Gear icon to the right of the Plus icon allows you


---

to [edit](#), [refresh](#), close, and [remove](#) the dashlet. To collapse the dashlet, click the Gear icon then select the Close option. To expand the dashlet, simply click the Gear icon again and select "Open".

## History Dashlet

The History dashlet allows users to view a history of the record's related activities (e.g., calls, meetings, emails) that have already taken place. The activity types are broken up into three tabs (Meetings, Emails, Calls) and a number on each tab indicates the relevant count of historical activity records. You can also filter (Last 7 Days, Last 30 Days, Last Quarter) the History dashlet to only display a specific subset of the activities meeting the set time frame.

Clicking the Plus icon on the upper right of the dashlet displays the Archive Email option which allows users to manually enter received emails for historical purposes. An explicit relationship is formed between an archived email and the current record while implicit relationships are also created to other records based on any email addresses entered in the email. Simply enter the required information (e.g., Date Sent, From, Subject) along with the email body in the Compose Email window, then click "Archive" to save the email record. Please note that the archived email will display in the record's Emails subpanel as well as in the History dashlet. The Gear icon to the right of the Plus icon allows you to [edit](#), [refresh](#), close, and [remove](#) the dashlet accordingly. To collapse the dashlet, click the Gear icon then select the Close option. To expand the dashlet, you can simply click the Gear icon again and select "Open".



Hovering over the linked call, meeting, or email subject will display a Focus icon which can be clicked to open the [focus drawer](#). In addition, there are two buttons on the upper right of the History dashlet which allow you to toggle between viewing the record's activities assigned to you and activities assigned to users in other teams. You can click the one person button to quickly view the record's calls, meetings, and emails for which you are the owner. To view the record's activities for all users on your team, simply click the multi-group button to the right of the one person button.

---

## Planned Activities Dashlet

The Planned Activities dashlet provides users with a list of open or upcoming calls and meetings that are related to the current record you are viewing. The activity types are broken up into two tabs (Meeting, Call) and a number on each tab indicates the relevant count of planned activity records. You can filter the dashlet to view either the current day's scheduled activities or upcoming activities in the future by toggling between the Today or Future button. Please note that any open activities where the start date is prior to the current date will display an Overdue status for the specific activity in the dashlet. Once the activities have taken place or are completed, they will appear within the History dashlet.


**Note:** Hovering over the linked call or meeting subject in the dashlet will display a Focus icon which can be clicked to open the [focus drawer](#).

In addition, there are two buttons to the right which allow you to toggle between viewing the record's scheduled activities assigned to you and activities assigned to users in other teams. Please note that you can use both sets of buttons (Today, Future, one person, multi-group) concurrently to further filter and view the information you need. For example, you can click the one person button plus the Future button if you wish to view all upcoming activities specifically assigned to you for the current record.

To create a new meeting or call, simply click the Plus icon on the upper right of the dashlet and select either "Schedule Meeting" or "Log Call". Once the Meeting or Call record view layout opens, enter the necessary information and click "Save" to create the activity. For more information on creating calls and meetings in Sugar, please refer to the [Creating Records](#) section of the User Interface documentation.

The Gear icon on the upper right of the dashlet allows you to [edit](#), [refresh](#), close, and [remove](#) the dashlet accordingly. To collapse the dashlet, click the Gear icon then select the Close option. To open up the dashlet, you can simply click the Gear icon again then select "Open".

To the right of the meeting and call record's row is a set of buttons that allow you to mark the activity as held, delete the call or meeting's relationship with the current record, as well as accept, tentatively accept, or decline the call or meeting.



## Calendar Scheduler Dashlet


The Calendar Scheduler dashlet provides users with a way to show event calendars throughout Sugar. You can choose which calendars to show on each dashlet and which view to display (e.g., day or week view). For more information on using the Calendar Scheduler dashlet, refer to the [Calendar](#) documentation.

## Notes & Attachments Dashlet

The Notes & Attachments dashlet allows users to relate an existing note as well as a new note record to the module record. To create a new note, click the Plus icon on the upper right of the Notes & Attachments dashlet then select "Create Related Record". Once the Notes record view layout opens, enter the necessary information then click "Save". For more information on creating notes, please refer to the [Creating Records](#) section of the User Interface documentation. To relate an existing note, click the Plus icon then select "Link Existing Record". The Search and Select Notes page will open allowing you to select the note record you wish to relate to the module record.

To delete the record's relationship to a note record, click the Unlink button to the right of the attached note post. Please note that this removes the relationship, but does not delete the record itself.

The Gear icon on the upper right of the dashlet allows you to [edit](#), [refresh](#), close, and [remove](#) the dashlet accordingly. To collapse the dashlet, click the Gear icon then select the Close option. To open up the dashlet, you can simply click the Gear icon again then select "Open".



## Cloud Drive Dashlet

The Cloud Drive dashlet provides users with a way to upload, download, and view documents in their connected Google Drive or Microsoft OneDrive files. Admins must set up the Google and/or Microsoft connector before end users can connect to their Google or Microsoft accounts. For more information, please refer to the [Cloud Drive](#) documentation.

## DocuSign Dashlet

The DocuSign dashlet provides users with a way to manage DocuSign envelopes and drafts and send new documents to DocuSign for electronic signature. For more information, please refer to the [DocuSign Integration](#) documentation.


## Maps Dashlet

The Maps dashlet is available for list view and record view intelligence panes. When it is used on a list view intelligence pane, the dashlet displays pins for the [geocoded](#) records in the current list.

---

On a record view when the record is geocoded, the dashlet displays the location of the geocoded record.

When adding a dashlet to your dashboard, you can set the default map type and zoom level. The Map Type can be “Road” (display roads and some topographical shading), “Aerial” (satellite imagery), or “Dark Road” (dark mode of the Road style).



The screenshot shows a configuration interface for a map dashlet. At the top, there is a text input field labeled "Maps" with a "Cancel" button and a "Save" button. Below this, there are two dropdown menus. The first dropdown is labeled "Map Type" and has a red box around it; it shows a list of options: "Road" (selected), "Road", "Aerial", and "Dark Road". The second dropdown is labeled "Zoom Level" and shows the value "15", which is also highlighted with a red box.


For information on how to interact with the options in the map interface, as well as general information on using maps in Sugar, refer to the [Sugar Maps](#) documentation.

## My Activity Stream Dashlet

The My Activity Stream dashlet displays the user's main Activity Stream within a dashboard, eliminating the need to navigate to the Activity Streams view to monitor the most recent stream activities. Like other Activity Stream views, the dashlet supports inline commenting on specific stream activities, but it does not allow record previews. For more information on Activity Streams, please refer to the [Activity Streams](#) documentation.


**Note:** Activity Streams are disabled by default. If you cannot access activity streams, the feature may be enabled via Admin > System Settings. For more information, refer to the [System](#) documentation in the Administration Guide.

The Gear icon on the upper right of the dashlet allows you to [edit](#), [refresh](#), and [remove](#) the dashlet accordingly. To collapse the dashlet, click the Up arrow to the left of the Gear icon. To open up the dashlet, you can simply click the arrow again.



When added to an Intelligence Pane, the My Activity Stream dashlet will display stream items in context to the data within the main container of the page. For example, if you add the dashlet to a dashboard on the main Accounts module page, the main container of the page contains the Accounts list view. Therefore, the My Activity Stream dashlet will restrict activity stream items to only those activities related to the Accounts module. Similarly, if the dashlet is added to the Opportunity module's Intelligence Pane, the My Activity Stream dashlet will restrict activity stream items to only those activities related to the Opportunities module. If the My Activity Stream dashlet is added to any record view's Intelligence Pane dashboard, the dashlet will restrict activity stream items to only those activities related to the record displayed in the main container on the page.


To filter the My Activity Stream dashlet, [edit](#) the dashlet and click once on the Filter button. Choose any of the pre-defined Activity Stream filters, such as "Messages for Post", which will restrict the stream to only items that were posted by users, and then click "Save". For more information on Activity Stream filters, please refer to the [Activity Streams](#) documentation.



---

It is good practice to also rename an edited dashlet accordingly so that it is clear that this dashlet is displaying a filtered view. To change the dashlet's title, [edit](#) the dashlet, type a new name into the text box that contains the words "My Activity Stream", and then click "Save".

To add a comment or reply to the Activity Stream via the My Activity Stream dashlet, click on the Comment button next to the relevant stream entry, type your reply, and then press the Reply button. For more information about interacting with Activity Streams, please refer to the [Activity Streams](#) documentation.




## Cases Summary Dashlet

The Cases Summary dashlet also appears in the intelligence pane of the Accounts record view. It allows users to view status information for cases related to the specific account record. The case summary is broken up into multiple tabs (Summary, New, Pending Input, Assigned) and displays a number on each tab to indicate the relevant count of the open, closed, new, and pending cases. Please note that the record must have at least one related case in order for data to appear within the dashlet and the status tabs (Pending Input, New, Assigned) will appear if there is a related case meeting that particular status.


The dashlet is not available for Sugar Sell users. For more information on license types and the functionality available for each, refer to the [User Management](#) documentation.

The Gear icon on the upper right of the dashlet allows you to [edit](#), [refresh](#), and [remove](#) the dashlet accordingly. To collapse the dashlet, click the Up arrow to the left of the Gear icon. To open up the dashlet, simply click the arrow again.

**Note:** Dashlet Gear menus, including the Edit, Refresh, and Remove options in the Case Summary dashlet, are only available to the containing dashboard's Assigned To user and system admin users.



The Summary tab displays a donut chart that shows the breakdown of open cases versus closed cases. If you hover over the breakdown it will display the number of open and closed cases for the record. The Pending Input tab displays a list of all pending cases related to the current record. The New tab displays a list of all new cases related to the current record. The Assigned tab displays a list of all open cases related to the current record. Users can easily view the case details by clicking the record's subject link under each tab. Please note that you can also mark a case as a favorite by clicking the star icon to the left of the case subject under each tab (Pending Input, New, Assigned).



## Comment Log Dashlet

The Comment Log dashlet is available to add to Sidecar record views and displays the contents of the Comment Log field for the current record. It lists the entries in descending order with the newest at the top. You can also quickly create new entries by typing in the open text box then clicking the "Add" button. The dashlet shows the three most recent entries but you can open the rest of the entries by clicking "View All". If another user adds an entry while you are viewing the dashlet, you must [refresh the dashlet](#) to see the new entry. The Comment Log

---

dashlet is also included automatically in [SugarLive](#). For more information about comment logs including mentioning records and users, refer to the [User Interface](#) documentation.

Comment Log

Add comment

Add

Jolene Strand

an hour ago

Waiting to talk to 

Jim Brennan

 about possible solutions.

Jolene Strand

5 hours ago

Okay, I will take a look.

Max Jensen

6 hours ago

Looks related to 

Fatal error during installation

View All

## Timeline Dashlet

**Note:** The Timeline dashlet was known as the Interactions dashlet in Sugar versions 11.0.x and lower.

The Timeline dashlet appears in the Accounts, Cases, Contacts, and Escalations record view dashboards as well as in the [Service Console](#). It displays the current record's related activities and select field updates (e.g., a change to the Assigned To field) in the form of record cards. Each card in the dashlet is sorted in chronological order based on the date they occur or are due (for tasks), with the most recent at the top. By default, the Timeline dashlet will display the first set of twenty record cards and you can click "Show more..." to load the next set of cards. If the Timeline dashlet displays "No Activity", then there are no activity records related to the current record and no tracked field changes have been made.

You can also filter the Timeline dashlet to show only certain card types by clicking on "Related" below the dashlet header and selecting the desired card type. To see all of the current record's related activities and select field updates, select "All" in the Related options.

**Account Timeline**

Related All

Search

All

Account Updates

Calls

Emails

Meetings

Notes

Tasks

Max Jensen

Pricing

09:00 - 09:30 (30 minutes)

une to discuss new pricing model for upcoming year.

trator

**Account Details**

t could turn into a 3,000-user opportunity.

etails.docx Meeting\_Minutes.docx Download All

(Modified 2021-12-16 15:01)

Thursday  
2021-12-16  
14:00

Darrell Angell Max Jensen

**Initial discussion**

2021-12-16 14:00 - 15:00 (1 hour) Held

Meeting to discuss project plan and hash out the details of implementation.

(Modified 2021-12-16 15:04)

When you hover over a card, an Actions menu, represented by three vertical dots, appears and contains additional options for each type of record card.

The different record cards and their available actions are described below:

Record Card Type	Content Options	Actions Menu Options
Call card	<ul style="list-style-type: none"> <li>Click the guest's name to open the employee, contact, or lead record</li> <li>Click the subject to open the call record</li> <li>Click "More" or "Less" to expand or collapse the description text</li> <li>View Customer Sentiment <sup>1</sup></li> </ul>	<ul style="list-style-type: none"> <li>Open the <a href="#">focus drawer</a> for the call</li> <li>Unlink the call from the current record</li> </ul>
Email card	<ul style="list-style-type: none"> <li>Click the sender or</li> </ul>	<ul style="list-style-type: none"> <li>Reply, reply-all, or</li> </ul>

	<p>recipient to open the employee, contact, or lead record</p> <ul style="list-style-type: none"> <li>• Click the subject to open the email record</li> <li>• Click "More" or "Less" to expand or collapse the email body text</li> <li>• Click the attachment pill to download</li> </ul>	<p>forward</p> <ul style="list-style-type: none"> <li>• Open the <a href="#">focus drawer</a> for the email</li> <li>• Unlink the email from the current record (not available for Archived emails)</li> </ul>
Message card <sup>2</sup>	<ul style="list-style-type: none"> <li>• Click the guest's name to open the employee, contact, or lead record</li> <li>• Click the subject to open the message record</li> <li>• Click "More" or "Less" to expand or collapse the description text</li> </ul>	<ul style="list-style-type: none"> <li>• Open the <a href="#">focus drawer</a> for the message</li> <li>• Unlink the meeting from the current record</li> </ul>
Meeting card	<ul style="list-style-type: none"> <li>• Click the guest's name to open the employee, contact, or lead record</li> <li>• Click the subject to open the meeting record</li> <li>• Click "More" or "Less" to expand or collapse the description text</li> </ul>	<ul style="list-style-type: none"> <li>• Open the <a href="#">focus drawer</a> for the meeting</li> <li>• Unlink the meeting from the current record</li> </ul>
Note card	<ul style="list-style-type: none"> <li>• Click the username to open the employee record</li> <li>• Click the subject to open the note record</li> <li>• Click "More" or "Less" to expand or collapse the</li> </ul>	<ul style="list-style-type: none"> <li>• Open the <a href="#">focus drawer</a> for the note</li> <li>• Unlink the note from the current record</li> </ul>

	description text <ul style="list-style-type: none"> <li>• Click the attachment pill to download the individual file</li> <li>• Click the Download/Download All link to compress files into a .zip file</li> </ul>	
Task card	<ul style="list-style-type: none"> <li>• Click the username to open the employee record</li> <li>• Click the subject to open the task record</li> <li>• Click "More" or "Less" to expand or collapse the description text</li> </ul>	<ul style="list-style-type: none"> <li>• Open the <a href="#">focus drawer</a> for the task</li> <li>• Unlink the task from the current record</li> </ul>
Update card <sup>3</sup>	<ul style="list-style-type: none"> <li>• Click the username to open the employee record</li> </ul>	


<sup>1</sup> For instances with call transcripts set up, add the Customer Sentiment field to preview view for the Calls module in order to display the information on the Call card.

<sup>2</sup> Message cards are only shown in the Timeline dashlet if the Start Date field is populated on the message.

<sup>3</sup> The tracked fields for case records are Assigned To, Status, and Priority. Note that the field must be enabled for audit at the time the update occurs for it to appear in the Timeline dashlet.

## Creating Activities via Timeline

You can create new activities directly from the Timeline Dashlet by clicking the Plus (+) icon in the dashlet header and selecting the type of record you wish to create. A quick-create drawer will open where you can enter the activity's details; the new activity will be automatically related to the record open in the adjacent record view.



Refer to the [Calls](#), [Emails](#), [Messages](#), [Meetings](#), [Tasks](#), and [Notes](#) documentation for more information on creating these records.

## Editing Timeline Card Layouts

The Preview layout in Studio can be used to make certain changes to the Timeline card layout. Specifically, an administrator can remove a field from a Timeline dashlet card by removing the field from the Preview layout for the card's module via Admin > Studio > {Module} > Layouts > Preview. Please be aware that you cannot add any fields to the Timeline dashlet, with the sole exception being the Customer Sentiment field in the Calls module. For more information on editing the Preview layout, please refer the [Layouts](#) documentation in the Administration Guide.

## Timeline Dashlet with Sugar Market

If your Sugar instance is integrated with Sugar Market, you can configure the Sugar Market sync settings to show the full customer journey in the Timeline Dashlet on Account, Lead, and Contact record view dashboards. The Sugar Market activities will be chronologically juxtaposed with the record's CRM activities, offering an uninterrupted view of the entire customer journey. Please refer to the [Sugar Market Integration Guide](#) for more information.

## Record View Dashlet

The Record View dashlet is available to add to all Sidecar modules except Emails. Admin users can [configure](#) the Record View Dashlet layout for all supported Sidecar modules as well as any custom modules via Admin > Studio. The Record View dashlet is also included automatically in the [Service Console](#) and [SugarLive](#). In SugarLive, it includes an additional [Link button](#) to allow agents to quickly relate a contact or case to the ongoing chat or call.


---

The Record View dashlet uses a tabbed view to allow users to see records related to the one they are viewing. Depending on the nature of the relationship, you will see related record(s) as either a detailed record view or a list view layout:

- If the current record can only be related to one record in the dashlet's selected module (i.e., one-to-one and many-to-one relationships), the dashlet will display the detailed record view for the one related record.
- If the current record may be related to many records in the dashlet's selected module (i.e., one-to-many and many-to-many relationships), a list view is displayed even if there is only one related record to show.

Users can configure up to six related modules in the dashlet's tabs. To open a different tab, click the name of the tab across the top. When viewing a single record tab, the record can be edited directly in the dashlet by clicking an individual field or clicking the Edit button. Once you are done editing, click the Save button to preserve your changes. Additionally, an Actions menu is available in the Record View dashlet for modules that can be escalated (i.e., Accounts, Bugs, and Cases). For more information, refer to the [Escalations](#) documentation. If you wish to access the record's (e.g., cases) full-page record view, simply hover over the record's name in the single-record Record View dashlet tab, and click the arrow icon that appears to navigate to the record.

**Note:** Hovering over links to Sidecar module records (e.g., contacts, emails, calls) in the dashlet will display a Focus icon, which can be clicked, to reveal a [focus drawer](#).



To configure the tabs on the dashlet, click the Gear icon in the top right corner and select "Edit". On the screen that opens, you can specify which tabs you would like displayed in the dashlet by selecting the desired modules in the Tabs field on top. The first option will start with the word "This" and represents a record view tab of

---

the record currently in focus. When applying the dashlet to a record view, it is recommended to remove the "This..." tab so that information is not duplicated on the screen and a related records tab can be shown first. Click the Tabs field to select more tabs or click a tab's X icon to remove it. Beneath the Tabs field, a preview of the dashlet is available. Clicking each tab allows you to view how the tab will be displayed and, for list view tabs, allows you to configure the tab. You can specify which columns to display, how many rows to display, and how often the list view data should be automatically refreshed. Tabs showing a single record cannot be configured in the dashlet as they are controlled by the module's Record View Dashlet layout which can be configured by admin users via [Studio](#).

Tabs


**This Case** ✕ **Tasks** ✕ **Contacts** ✕ **Documents** ✕

---

This Case	Tasks	Contacts	Documents
Columns			
<b>Subject</b> ✕ <b>Assigned User</b> ✕ <b>Date Created</b> ✕			
Display Rows			
5 ▼			
Auto Refresh			
Select... ▼			




## Knowledge Base Search Dashlet

The Knowledge Base Search dashlet gives you quick access to published knowledge base articles in the [Knowledge Base](#) module via a search bar and a tree-based view. It is available to add to any dashboard in Sugar and is also displayed by default in the [Service Console](#) and [SugarLive](#). The search bar lets you find articles with matching titles or contents; to search, simply enter a keyword and a dropdown will appear containing matching articles. Below the search bar, you can see a tree-based view showing the structure of the knowledge base. Here, you can navigate through the folders to browse published articles in specific categories and click articles to open them. Clicking an article in the search results or the tree-based view opens it in a new browser tab.



## Console List View Dashlet

The Console List View dashlet is similar to the [List View dashlet](#) in that it displays a filtered list of records belonging to a specific module. However, clicking a record in the Console List View dashlet opens it within the context of the console it is placed in rather than opening its record view. This dashlet is only available in the [Detail panel of SugarLive](#) on the Search, Account, and Contact tabs. In these tabs, it is used to show a complete or contextual list of either contacts or cases that can be opened directly within SugarLive's Detail panel.

Cases			
Filter ▾ <b>All Cases</b> Search by subject, number... 			
Num.	Subject	Status	Assigned to
251	New case	New	Sally Bronsen
250	Warning message w...	Assigned	Chris Olliver
249	Warning message w...	Rejected	Chris Olliver
248	Warning message w...	Duplicate	Chris Olliver
247	Need to purchase a...	Duplicate	Chris Olliver
 1 of ... 			

---

An admin can configure the list to be filtered by any out-of-the-box or saved custom filter on the Contacts or Cases module by editing the dashlet. In addition, the search bar allows you to search by keywords in certain fields on each module:

Contact fields:

- First Name
- Last Name
- Account Name
- Email Address
- Office Phone

Case fields:

- Case Number
- Subject
- Account Name


To find fields with your search text in the middle or at the end, use the wildcard character (%) at the beginning of your search. For example, enter "%operations" to find all records with the word "operations" in one of the searchable fields.

## Product Catalog Dashlet

The Product Catalog dashlet allows users who have access to the quotes module to easily reference the [Product Catalog](#) and instantly add products from the catalog as line items on the quote worksheet.

You can also add the Product Catalog dashlet as read-only to other Sidecar modules (e.g., Cases, Calls) simply by [adding](#) the Product Catalog dashlet to the intelligence pane dashboard. You can search for products using the Search field on the dashlet, as well as clicking the blue Preview icon to the right of a product's name to view complete details of its Product Catalog record. When viewing the details of the record, you can mark the product as a favorite by clicking the star icon on the upper left of the product catalog's record view.

**Note:** Only products with a status of "Active" are displayed in the Product Catalog dashlet.




## Active Subscriptions Dashlet

The Active Subscriptions dashlet is available to add to the Case Detail drawer in the [Service Console](#) and to the record view dashboard of any module, custom or stock, that has one of the following:

- A one-to-one or many-to-one relationship to the Accounts module
- A relate field targeting the Accounts module

The dashlet shows a list of all of the current account's purchases that are marked "Service", have a start date in the past, and an end date in the future. The dashlet shows each purchase's name, quantity of units, and purchased line item calculated revenue amount next to "Total". A simple bar chart visualizes the time elapsed and time remaining for the subscription, which you can explicitly view by hovering your mouse over the bar. To learn more, review the [Purchases and Purchased Line Items](#) documentation.



---

## Purchase History Dashlet

The Purchase History dashlet is available to add to the Case Detail drawer in the [Service Console](#) and to the record view dashboard of any module, custom or stock, that has one of the following:

- A one-to-one or many-to-one relationship to the Accounts module
- A relate field targeting the Accounts module

The dashlet shows all of the current account's purchases regardless of the start or end date of the purchase record. The dashlet shows each purchase's name, date range, quantity, and total. Clicking the purchase name takes you to the purchase record view. The number of purchased line item records related to the purchase is shown above the total and can be expanded or collapsed to display or hide the purchased line item records. When expanded, the purchased line item records are displayed with their respective date ranges, quantities, and line item totals. Clicking the date ranges takes you to the purchased line item record view.

**Note:** You can hover over the linked purchase name or date (for purchased line items) and click the Focus icon to reveal the [Focus Drawer](#) dashboard, which displays a 360-degree view of the linked record through a set of dashlets containing pertinent information.

### Searching and Sorting Purchase Records

The purchase records displayed in the Purchase History dashlet can be searched and sorted to make records easier to find. Search and sort can be used separately or together and will be applied to all of the related account's purchases, not only those visible in the dashlet's default view.

The dashlet search bar uses a partial string match, meaning it will return records that contain the letters you type anywhere in the name, and displays matching results as you type. For example, searching for the string "widget" would return both "Camping Widget" and "Fishing Widget". To clear the search results, click the "x" in the right side of the search bar.

When sorting the records, you have the option to sort by the following:

- **Date (Last Purchase):** The default sort order that displays purchases in descending order based on the value in the purchase's End Date field.
- **Date (First Purchase):** Displays purchases in ascending order based on the value in the purchase's End Date field.
- **Price (Highest Total):** Displays purchases in descending order based on

the value in the purchase's Total Revenue field.

- **Price (Lowest Total):** Displays purchases in ascending order based on the value in the purchase's Total Revenue field.

Purchase History <span>^</span> <span>⚙</span>			
Search by Purchase Name...		Sort	Date (Last Purchase) ▼
6 month Service <span>5</span> ▼			
2020-10-01 - 2023-03-31		Quantity 370	Total \$2,930.10
Reyna Gadget <span>2</span> ^			
2021-08-18		21	\$-439.74
2021-03-25		29	\$1,200.00
2021-03-25 - 2021-08-18		Quantity 50	Total \$760.26
Amal Gadget <span>1</span> ▼			
2021-03-17		Quantity 24	Total \$5,524.00
Coletta Gadget <span>1</span> ▼			
2021-01-13		Quantity 13	Total \$2,477.00

## RSS Feed Dashlet

The RSS Feed dashlet allows you to view external RSS or Blog feeds via the dashboard on the intelligence pane. When adding the dashlet, you will need to enter in the desired feed URL (e.g., "https://news.google.com/news/headlines/section/topic/TECHNOLOGY?ned=us&hl=en&gl=US") in the Feed URL field. You can also select a value in the "Number of entries to show" field to display the most recent 5, 10, 15, or 20 entries from the feed and specify an auto-refresh interval (e.g., Every Hour) if desired. Once the dashlet is added to the intelligence pane, the applicable feeds will display and you can click the title of each feed to access the full story on the parent site. If you wish to access the full site where the RSS feeds originate from, simply click the title (e.g., Technology - Google News) below the dashlet header.


RSS Feed <span>^</span> <span>⚙</span>	
Technology - Google News	
Meltdown and Spectre: Here's what Intel, Apple, Microsoft, others are doing about it	
Here Comes CES 2018, the Biggest Gadget Show in the World—What to Expect	

---

The Gear icon on the upper right of the dashlet allows you to [edit](#), [refresh](#), and [remove](#) the dashlet accordingly. To collapse the dashlet, click the Up arrow to the left of the Gear icon. To open up the dashlet, you can simply click the arrow again.

## Web Page Dashlet

The Web Page dashlet allows users to load content from an external website in Sugar's dashboard. When adding this dashlet, you will need to enter the desired URL (e.g., <https://example.com>) in the URL field then select the display rows value to define the size of the dashlet. Please note that Sugar will only load content from trusted domains that the system administrator has approved in Admin > Content Security Policy Settings. If you get an error indicating that the content has not been approved, please reach out to your administrator as they will need to update your system's [Content Security Policy](#) settings. If the CSP settings get updated while you are logged in to Sugar, you will need to refresh your browser for the changes to take effect in your session.




The screenshot shows the configuration form for a Web Page dashlet. At the top, there is a text input field labeled "Web Page" with the value "Web Page" inside. To the right of this field are two buttons: "Cancel" and "Save". Below the "Web Page" field is a label "URL" followed by a text input field containing "https://example.com". This URL field is highlighted with a red border. Below the URL field is a small text note: "Some sites may not load correctly due to insecure content or policies." At the bottom, there is a label "Display Rows" followed by a dropdown menu showing the number "3".

## Saved Reports Chart Dashlet

The Saved Reports Chart dashlet allows you to view pre-defined report charts as well as charts of your saved reports. When adding a Saved Reports Chart dashlet, you can select from the pre-defined report charts as well as any custom report charts to which you have access. Summation-type, summation with details-type, and matrix-type reports have the chart option available to view as dashlets.

When adding the reports chart dashlet, you will first select your desired report via the Select a Report option. You can either type the first few characters of the report's name and select from the type-ahead results or click "Search and Select..." below the search box to select your desired report from the Search and Select Reports drawer. Please note that only reports with charts will be available to add to the dashlet. The Auto Refresh option allows you to choose a time frame (e.g., Every 30 Minutes) that you wish to have the dashlet query automatically refreshed.

---



In addition, the following configuration options allow you to define how the chart will display:

**Note:** The configuration options available may vary slightly between the report chart types.

- **Chart type:** Select the type of chart (e.g., Pie Chart, Funnel Chart) to display.
  - The chart type initially defaults to the chart type defined in the originating report.
  - The available chart types will vary between reports.
  - For more information on chart types, please refer to the [Reports](#) documentation.
- **Show total:** Enable the checkbox to display the report's total value on the dashlet.
  - The total value in the report chart dashlet dynamically updates to display the total as reflected in the originating report.
- **Show legend:** Enable the checkbox to display the full chart's legend on the dashlet.
- **Show x-axis label:** Mark the checkbox to display the chart's x-axis title on the dashlet.
  - A title from the originating report will populate automatically, but you can specify a different title for display in the dashlet by entering a new value in the open text box.
  - This option only applies to bar charts and line charts.
- **Tick display methods:** Enable the appropriate options based on how you wish to display x-axis labels with long texts on the chart dashlet. When all three options are enabled, Sugar will apply the display methods in order ("Wrap ticks", "Stagger ticks", "Rotate ticks") and display the x-axis labels based on the best option.
  - **Wrap ticks:** Wraps x-axis labels to the next line.
  - **Stagger ticks:** Staggers x-axis labels in alternating positions.
  - **Rotate ticks:** Rotates x-axis labels diagonally instead of across.
  - This option only applies to vertical bar charts and line charts.
- **Show y-axis label:** Enable the checkbox to display the chart's y-axis title on the dashlet.

- A title from the originating report will populate automatically, but you can specify a different title for display in the dashlet by entering a new value in the open text box.
- This option only applies to bar charts and line charts.
- **Bar chart value placement:** Select where the chart values (e.g., End, Middle) will be positioned for bar-type charts.
  - The Top option applies to bar grouped-type charts (e.g., Horizontal Bar Grouped Chart) with an un-stacked data series.
- **Bar chart display options:** Enable the appropriate options based on how you wish to view data on the chart.
  - **Allow scrolling:** Scroll the chart up-and-down or left-to-right on the dashlet, if applicable. Disabling this option re-sizes the chart to fit the full dashlet width.
    - Scrolling will work for charts where the data exceeds the size of the dashlet width.
    - This option only applies to bar charts.
  - **Stack data series:** Displays a stacked bar for each grouping in the report chart broken into sub-sections of data. Disabling this option displays separate bars for each sub-section in the same grouping.
    - This option only applies to grouped bar charts (e.g., Vertical Bar Grouped Chart).
  - **Hide empty groups:** Hides any empty data groups from the chart, if applicable.
    - This option only applies to bar charts.

Cancel Save

Select a Report
Opportunities By Lead Source

Auto Refresh
None

Chart type
Vertical Bar Grouped Chart

Show total
☒

Show x-axis label
☒

Show y-axis label
☒

Bar chart value placement
End

Show legend
☒


Tick display methods
☒ Wrap ticks
☒ Stagger ticks
☒ Rotate ticks

Bar chart display options
☒ Allow scrolling
☒ Stack data series
☒ Hide empty groups

Once the dashlet is added, click the Gear icon on the upper right to [edit](#), [refresh](#), or [remove](#) the dashlet as necessary. In addition, you can select the View Report option to access the originating report's [detail view](#) which will open in a new browser tab. The report may also be edited to update or add information as

necessary as long as your ability to edit reports in Sugar is not restricted by a role. For more information on teams and roles, please refer to the [Team Management](#) and [Role Management](#) documentation in the Administration Guide. If any changes are made to the report, the reports chart dashlet on your Home page will reflect the changes after saving the report and refreshing the dashlet.


To collapse the dashlet, simply click the Up arrow to the left of the Gear icon. You can click the colored circles in the chart legend to toggle whether or not that segment appears in the chart. Users can also drill through to view a list of records associated with a particular chart section by clicking on the section. For more information about drilling through report charts, please refer to the [Reports](#) documentation.



**Note:** Dashlet Gear menus, with the exception of the View Report and Refresh options in the Saved Reports Chart dashlet, are only available to the containing dashboard's Assigned To user and system admin users.


## Organization Chart

The Organization Chart dashlet illustrates the reporting structure of your organization as determined by the [Reports To field](#) in the employee records. You will only see the users who report to you and the users who report to them (i.e., two levels of employees). Click on the tile of an employee to be taken to the employee record or the minus icon on the tile to collapse their reportees' tiles.



The icons along the top of the dashlet allow you to perform the following actions:

Option	Description
	Choose a user to focus the chart on. Names with a folder icon next to them have employees reporting to them; you can click their names to reveal the reportees' names.
	Zoom in and out on the chart.
	Change the orientation of the organization chart from top to bottom to left to right.
	Display all name tiles.
	Fit the organization chart to the dashlet size.



## Service Console

### Overview

Users with a Sugar Serve [license type](#) have access to Service Console, a Home page dashboard that provides a powerful work environment for customer service agents by incorporating SLAs and region-specific business hours, insightful dashlets, and a cohesive case research and action experience.

Its functionality is broken into two tabs:

The Overview tab comes pre-built with nine dashlets focused on assisting customer service users track and complete their work.

The second tab, named "Cases", presents a prioritized list of the current user's open cases. Clicking a case's row opens a Case Detail drawer which displays a wealth of information and provides the tools needed to work the case to completion.

The floating actions button also appears on the console dashboard and allows users to perform actions such as create dashboards. For more information on floating actions button, refer to the [Dashboards and Dashlets](#) documentation. Please note that admin Serve users and the Serve user assigned to the Service Console dashboard have the ability to configure the various parts of the console. For more information on how to configure the console, refer to the [Console Management](#) documentation.

Service Console

Overview

Cases 5 2 6


Filter

Create Filter

Search by subject, number...

	Number	Priority/Status *	Follow Up Date */Follow ...	Subject/Description	Business Center Name	Account Name/Service Le.
<div></div>	26	High New	3 hours ago 2021-06-03 06:00	Need assistance wit...	USA - West	NW Capital Corp
<div></div>	106	High New	3 hours ago 2021-06-03 06:00	Having trouble addi...	USA - West	Rubble Group Inc

Out-of-the-box, Service Console is a shared, default Home page dashboard and can be accessed by clicking the Cube icon's down arrow and selecting "Service Console" from the menu.



## Prerequisites

### Sugar Serve Initialization

Service Console makes heavy use of the Case module's Follow Up Date field which is set according to your organization's SLAs and business hours by the [Sugar Serve SugarBPM template](#). Several related records must be set up, and an admin must configure the SugarBPM template in order for follow-up dates to be calculated correctly. For detailed instructions, refer to the [Getting Started With SugarBPM for Sugar Serve](#) and [Stock SugarBPM - Case Follow-Up Date Management](#) articles.

### Console Access

Although Service Console shares some behaviors with standard shared dashboards, it is also specialized and, therefore, has some key differences:


- **Visibility:** Service Console follows the visibility and availability rules of

other [shared dashboards](#) with the additional requirement that users must have a Sugar Serve [license type](#). By default, Service Console is shared with the Global team and set as a default dashboard, meaning it will appear in the home dashboards list for all users who are members of the Global team and have a Sugar Serve license type. An admin user may need to alter its Team field to push Service Console to additional users.

## Overview Tab

Service Console's overview tab contains, by default, nine dashlets that aim to assist customer service professionals to track and organize their work. Admin Serve users and the Serve user assigned to the Service Console dashboard are able to edit the tab just like a standard dashboard to add, remove, or modify its dashlets. For more information on configuring the Overview tab, refer to the [Console Management](#) documentation. The following dashlets appear by default:

- My Open Cases by Followup Date
- Planned Activities
- Active Tasks
- My Open Cases by Status
- My Recently Viewed Cases
- My Cases in the Last Week by Status
- Open Cases by User by Status
- My Cases Resolved This Month by Week
- Status of Open Tasks Assigned by Me



**Note:** Hovering over links in certain dashlets (e.g., My Recently Viewed Cases) under the Overview tab will display a Focus icon to the right of the link, which can be clicked to reveal a Focus drawer. The Focus drawer dashboard displays a 360-degree view of the linked record through a set of dashlets containing relevant information such as the record's related records, related activities, purchase history, and active subscriptions. For more information on focus drawers, refer to the [User Interface](#) documentation.

## Cases Tab

Service Console's Cases tab contains a [prioritized list view](#) of the current users' open cases which can be clicked to reveal a [Case Detail drawer](#) where the case can be worked to completion. Its features and functionality are described in the following sections.

Service Console

Overview

Cases

616

Filter

Create Filter

Search by subject, number...

	Number	Priority/Status *	Follow Up Date */Follow ...	Subject/Description	Business Center Name	Account Name/Service Le...	Assigned to
<div>▼</div>	26	High <div>New</div>	4 hours ago 2021-06-03 06:00	Need assistance wit...	USA - West	NW Capital Corp Tier 2	Max Jensen
<div>▼</div>	106	High <div>New</div>	4 hours ago 2021-06-03 06:00	Having trouble addi...	USA - West	Rubble Group Inc Tier 2	Max Jensen

## Prioritized List View

The Cases tab of the Service Console displays a prioritized list of open cases assigned to the current user. By default, this list is ordered by the cases' follow-up dates, a value set according to your organization's SLAs and business hours by the [Sugar Serve SugarBPM template](#), which requires admin configuration prior to use. Admin Serve users and the Serve user assigned to the Service Console dashboard have the ability to change the default sort order, apply a filter to the list view, as well as choose which fields to display as columns in the list view and designate the order in which they appear. For more information on how to configure the various settings, refer to the [Console Management](#) documentation.

The Cases tab itself includes [counts of cases](#) grouped according to how soon their follow-up dates are due. The [search bar](#) below the Cases tab allows you to easily search for a case record in the list view, and you can use the filter options in the search bar to narrow the list view results further. [Actions](#) you can take for each case are available in a dropdown menu to the left of each row. Each row of the prioritized list contains detailed [case information](#) and can be clicked to open a [Case Detail drawer](#) in order to further investigate and work each case to resolution. The list view automatically refreshes every five minutes to keep its counts, statuses, and follow-up date information current.


**Note:** The case counts and list of cases include any case, assigned to the current user, which is not in a status of "Closed", "Duplicate", or "Rejected". If you have added other statuses to the dropdown values of the Case module's Status field, the counts and list will include cases in those custom statuses.

## Case Counts

---

The Cases tab includes counts of all open cases which are assigned to the current user. The counts are broken into three groups according to follow-up date and colored red, yellow, or white based on how much time you have until they are due:

- **Red:** The number of cases assigned to the user with a follow-up date that has already passed
- **Yellow:** The number of cases assigned to the user with a follow-up date in the next 24 calendar hours
- **White:** The number of cases assigned to the user with a follow-up date more than 24 calendar hours in the future



Service Console		
Overview	Cases	6 1 6
Filter	Create Filter	Search by subject, number...
Number	Priority/Status *	Follow Up Date */Follow ...
26	High New	4 hours ago 2021-06-03 06:00

**Note:** The Follow Up Date field is set according to your organization's SLAs and business hours by the [Sugar Serve SugarBPM template](#) which requires admin configuration prior to use.

**Note:** The yellow and white counts use 24 calendar hours and do not take into account business hours. This means that cases due within the next work day may not appear in the yellow box. For example, when a business center is closed over the weekend, on Friday afternoon, a case due Monday morning will be counted in the white box rather than the yellow box even though it is due within the next business day.

## Console Search

Below the Cases tab, a search bar displays which allows users to easily search by the case's subject or number and pull up matching records in the list view. The search bar also includes a Filter option allowing you to narrow your search further using one of the default filter options. Please note that admin Serve users and the Serve user assigned to the Service Console dashboard have the ability to define a filter for the list view, but you can apply additional filters or create new filters via the Build Filter option of the search bar to narrow the list view results further. For more information on how to apply and create filters, refer to the [User Interface](#) documentation. To update the filtered list view with the most recent results, click on the Refresh icon to the right of the search box.

	Overview	<b>Cases</b> 3 2			
	Filter ▾	Build Filter	Search by subject, number...		
	Number	Priority/Status *	Follow Up Date */Follow ...	Subject/Description	Business Center
▼	5	Medium Pending Input	in 25 minutes 2021-06-07 15:00	System not respon...	USA - West

## Row Actions

To the left of each row is a dropdown menu of actions you can take on the row's case. Click the down arrow to access the following options:

- **Edit in New Tab:** Opens a new tab with the case's record view in edit mode
- **Copy Record URL:** Copies the URL of the case to your clipboard
- **Open in New Tab:** Opens a new tab with the case's record view

	Number	Priority/Status *	Follow Up Date */Follow ...
▼	26	High New	4 hours ago 2021-06-03 06:00
✎ Edit in New Tab		High New	4 hours ago 2021-06-03 06:00
📄 Copy Record URL		High New	3 hours ago 2021-06-03 07:00
🔗 Open in New Tab			

## Case Information

The Cases tab lists cases which are assigned to the current user are listed in order of their follow-up dates. Clicking anywhere within a case's row opens the [Case Detail drawer](#) within the Service Console. Fields with an asterisk to the right of the field name (e.g., Status \*, Follow Up Date \*) are widget-type fields that provide data from one or more fields in the module in a different manner.

By default, the following information is displayed in the list view for each case in the Service Console:

**Note:** Serve admins and the Serve user assigned to the Service Console dashboard can [configure](#) the Cases tab lists to choose which fields to display as columns in the list view as well as the order in which they appear. They can also enable or disable [column freezing](#) for the first column.

- **Number:** The case's Number field

- 
- **Priority:** The case's Priority field
  - **Status:** The case's Status field, stacked beneath its priority and color-coded as follows:

- **Green:** New
- **Blue:** Assigned

**Note:** If **Purple** Pending Input is added to the Status field's dropdown list to remove the stock New, Assigned, and Pending Input options, these colors can be utilized by creating custom options using those exact words as the Item Name value. Any custom statuses with other Item Name values will be colored blue.

- **Time until follow Up:** The amount of calendar time until or since the follow-up date and color-coded as described below, stacked on top of the case's Follow Up Date field
  - **Red:** A follow-up date that has already passed
  - **Yellow:** A follow-up date in the next 24 calendar hours

**Note:** **White:** A follow-up date more than 24 calendar hours into the future into account business hours. This means that cases due within the next work day may not be marked yellow. For example, when a business center is closed over the weekend, on Friday afternoon, a case due Monday morning will be marked white rather than yellow even though it is due within the next business day.

- **Follow Up Date:** The case's Follow Up Date field, stacked beneath the amount of time until or since the follow-up date

**Note:** The Follow Up Date field is set according to your organization's SLAs and business hours by the [Sugar Serve SugarBPM template](#) which requires admin configuration prior to use.

- **Subject:** The case's Subject field, stacked on top of its description
- **Description:** The case's Description field, stacked beneath its subject
- **Business Center:** The case's Business Center field
- **Account Name:** The case's related account's name, stacked on top of the account's service level
- **Account's Service Level:** The case's account's service level, stacked beneath the account's name
- **Assigned To:** The user assigned to the case

Overview

Cases

6

1

6

Filter

Create Filter

Search by subject, number...

	Number	Priority/Status *	Follow Up Date */Follow ...	Subject/Description	Business Center Name	Account Name/Service Le...	Assigned to
	26	High New	6 hours ago 2021-06-03 06:00	Need assistance wit...	USA - West	NW Capital Corp Tier 2	Max Jensen
	106	High New	6 hours ago 2021-06-03 06:00	Having trouble addi...	USA - West	Rubble Group Inc Tier 2	Max Jensen
	34	High New	5 hours ago 2021-06-03 07:00	Need assistance wit...	USA - East	Hammer Group Inc	Max Jensen
	5	Medium Pending Input	4 hours ago 2021-06-03 08:30	System not respon...	USA - West	Smallville Resources Inc.	Max Jensen

**Note:** While the case counts within the Cases tab will include all cases related to the current user, the cases list can display a maximum of 100 rows.

## Case Detail Drawer

Clicking a case's row in the Service Console opens a drawer that serves as a single location to gather information about the case and its related records, review past interactions and progress, communicate with the customer, and process the case to its completion. By default, the drawer contains three dashlets geared towards helping with these actions which are described in the following sections below. You can view key details related to the next or previous case record in the list view by clicking the up or down arrow to the left of the drawer. To close the drawer, click the X icon at the top left of the drawer or press your Escape key. While the prioritized list view refreshes automatically every five minutes, the Case Detail drawer does not. Switch between cases or close and reopen the drawer to see refreshed information.

Hovering over links in certain dashlets (e.g., Case Record dashlet) on the drawer will display a Focus icon to the right of the link (e.g., a linked account name), which can be clicked to reveal a Focus drawer. The Focus drawer dashboard displays a 360-degree view of the linked record through a set of dashlets containing relevant information such as the record's related records, related activities, purchase history, and active subscriptions. For more information, refer to the [User Interface](#) documentation.

The screenshot displays three main components of the user interface:


- Service Console:** A table listing cases with columns for Number, Priority/Status, and Follow Up. Cases are numbered 18, 5, 1, 17, and 19. Statuses include 'Low', 'Medium', 'Pending Input', 'Assigned', and 'New'.
- Case Timeline:** A section showing a chronological list of events for a case. It includes events like 'Follow up meeting' (Scheduled) and 'Reproduce issue with June' (Held).
- Case Details:** A section showing fields for Case, Account, Tasks, Contacts, and Documents. A 'Focus Drawer' button is highlighted.

**Note:** Admin users with a Sugar Serve license type and a regular Serve user assigned to the "Service Console" and "Case Details" dashboards have the ability to [change](#) the layout and the configuration of dashlets. For more information about editing dashlets, refer to the [Dashboards and Dashlets](#) documentation or the documentation for each of these specific dashlets linked in the sections below.

## Case Timeline Dashlet

The Case Timeline dashlet displays the case's related emails, calls, meetings, notes, messages, and tasks along with select field updates (e.g., Assigned To) in the form of record cards. Each card in the dashlet displays key information (e.g., subject, description, guest's name) for the related record and the cards are sorted in chronological order based on the date they occur or are due (for tasks), with the most recent at the top.

When previewing emails, any email attachments can be downloaded by clicking the attachment's name. You can also quickly create new interactions by clicking the Plus icon in the dashlet header and selecting the type of record you wish to create. Doing so will open a quick-create drawer and automatically select the current case in the new record's Related To field. For more information on Timeline dashlet, refer to the [Dashboards and Dashlets](#) documentation.




## Case Record Dashlet

On the top right of the Case Detail drawer is a Record View dashlet by default. Out-of-the-box, it is configured to display the case you are currently viewing as well as additional tabs containing its related account, tasks, contacts, and documents. The dashlet, as a whole, provides a concise replacement for the case's full record view by displaying not only the case's fields but also making the case's most important subpanel contents available via additional tabs. The case record and its account can be edited directly in the dashlet by clicking an individual field or clicking the Edit button on the appropriate tab. Once you are done editing, click the Save button to preserve your changes. Hovering over certain links such as the Account Name will display a Focus icon which can be clicked to open the [Focus drawer](#).

Additionally, an Actions menu is available in the Case Record View dashlet allowing you to escalate the case. For more information, refer to the [Escalations](#) documentation.


If you wish to access the case's full-page record view, simply hover over the case's name in the dashlet and click the arrow icon that appears to navigate to the record. The other related record tabs in the dashlet display lists of records with a relationship to the current case record. For more information, refer to the [Record View dashlet](#) documentation.



## Knowledge Base Search Dashlet

The Knowledge Base Search dashlet is displayed in the bottom right corner by default to give you quick access to published articles that may help in troubleshooting a customer issue. It includes a search bar that lets you find articles with matching titles or contents. To search, simply enter a keyword and a dropdown will appear containing matching articles. Clicking an article opens it in a new browser tab.

Below the search bar, you can see a tree-based view showing the structure of the knowledge base. Here, you can navigate through the folders to browse articles in specific categories and click articles to open them in a new browser tab. See the [Dashboards and Dashlets](#) page for more details on this dashlet.



## Purchase History Dashlet

While not available by default, it is worth mentioning that the Purchase History dashlet can be added to the [Case Detail Drawer](#) by an administrator or the user assigned to the Service Console dashboard. The dashlet shows a list of all the current account's purchases regardless of the start or end date of the purchase

---

record. The dashlet shows each purchase's name, date range, quantity, and total. For more information, refer to the Purchase History Dashlet section of the [Dashboards and Dashlets](#) documentation.

---

## Enhanced Forecasting Dashlets

### Overview

The Enhanced Forecasting dashlets are available only to Sugar Sell Premier customers who have implemented Enhanced Forecasting. These dashlets provide you with a way to monitor changes to your pipeline, trends, and forecasts over time. The dashlets described on this page are used for demonstration purposes since your dashlets may vary depending on your key metrics.

### Prerequisites

Enhanced Forecasting is powered by [Sugar Discover](#), a smart data discovery solution that continuously analyzes your sales and marketing metrics, learns normal patterns and relationships between attributes in your data, and surfaces insights into changes impacting those metrics. These capabilities are available exclusively to Sugar Sell Premier customers who are [SugarIdentity-enabled](#), are leveraging the stock Opportunities or Revenue Line Items module, and have the "Sales Stage" field enabled for audit in Studio.

If you are a Sell Premier customer who would like to enable these capabilities, please reach out to your implementation partner or SugarCRM representative to get started with the qualification and onboarding process.

**Notice:** The examples provided on this page may vary slightly based on customizations made as part of your Discover onboarding process. As part of onboarding, your dashlets are configured to align with the revenue metrics and critical business segments relevant to your usage of Sugar.

Discover tracks changes in your Sugar instance from day to day by taking a snapshot of your instance once every 24 hours. If a record is updated multiple times within a 24-hour window, only the final edited record is synced (i.e., intermediate changes are not captured).

### Roles in Sugar Discover

By default, all SugarIdentity users in Sugar Discover are set to the "No Access" role. To set Discover roles for SugarIdentity Users, click on your profile icon, and then select "Administration" to access the Manage Users page.

---

The following are the Discover roles:



- **NoAccess:** Users with this role are denied access to the Discover application and have no access to view Discover via a Sugar Dashboard.
- **Admin:** Users with this role have the added ability to edit default SugarCRM datasets and administer users.
- **User:** Users with this role can view public reports, build reports, and share new reports.
- **ReadOnly:** Users with this role have access to view public reports, share reports, and drill link through reports. These users see a simplified user interface that hides items to which they do not have access.
- **DashletUser:** Users with this role have access to Discover reports shared through a Sugar Dashboard via a Discover dashlet.



## Interacting With the Dashlets

These dashlets can be used on your Home or record view dashboards. To add the dashlet, choose Sugar Discover from the Add Dashlet list and then select the appropriate report.

You can interact with the dashlets to adjust the view. Hovering over the data on the charts displays data labels with more information about the data point. You can click an item or multiple items in the chart legend to highlight the data related to that label on the chart. Click the item again to deselect them or click anywhere in the chart legend bar to deselect all items. You can also click directly on the data in the chart to select or deselect the data series.

At the bottom of each dashlet there are several options:

Button	Description
	Open a menu to choose whether to show or hide the chart legend or chart filters.
	Open the Slicer view where you can adjust which predefined slices of the data to include in the chart. For example, if your data is separable by sales region, the Slicer view would allow you to select which of the sales regions to include in the chart. Check the boxes next to the slices you want to include, click "Apply", then click "Back" in the top left corner to return to the chart. This button is visible only if there are slicers available for the dashlet. <b>Note:</b> The attributes used for

	segmenting data (slicers) may be configured as part of your Discover onboarding process.
	Open the Discovery Insights view. Discovery insights analyze the data series that are displayed in the chart and provide a glimpse of the biggest changes that are occurring to provide you with actionable insights. A blue dot on the icon indicates that there are unread insights to view.
	Open the report in a new browser tab. This button is not available for users with a <a href="#">Role</a> of DashletUser.

## Enhanced Forecasting Dashlets

The following sections provide details about the dashlets that can be used for forecasting and optimizing your pipeline and revenue.

### Average Deal Size Trend



This dashlet shows the average deal size for each month so that you can find positive or negative trends within key business segments. The average deal size is


the sum of revenue dollars in the indicated month and sector divided by the number of "Closed Won" opportunities or revenue line items in the indicated month and sector. For example, in the chart above, the total revenue from Closed Won opportunities in October 2022 with a sales region of LATAM divided by the total number of Closed Won opportunities in October 2022 with a sales region of LATAM is \$59.4k.

**Note:** The attribute (field) used to segment the metric, Sales Region in the example above, may be customized as part of Discover onboarding.

Examples of insights that can be gained from this dashlet include:

- In which segments of the business is our average deal size increasing or decreasing?

## Win Rate Trend




This dashlet shows the win rate for each month so that you can spot positive or negative trends within key business segments. The win rate is the number of "Closed Won" opportunities or revenue line items in the indicated month and segment divided by the total number of closed items in the indicated month and segment. For example, in the chart above, the number of Closed Won opportunities in April 2022 with a sales region of NA divided by the total number of closed items in April 2022 with a sales region of NA is 62%.

**Note:** The attribute (field) used to segment the metric, Sales Region in the example above, may be customized as part of Discover onboarding.

Examples of insights that can be gained from this dashlet include:

- In which segments of the business is our win rate increasing or decreasing?

## Sales Cycle Trend




This dashlet shows the sales cycle trend for each month so that you can spot positive or negative trends within key business segments. The sales cycle is the average sales cycle length in days for "Closed Won" opportunities or revenue line items in the indicated month.

**Note:** The attribute (field) used to segment the metric, Sales Region in the example above, may be customized as part of Discover onboarding.

Examples of insights that can be gained from this dashlet include:

- In which segments of the business is our average sales cycle length increasing or decreasing?

## Sales Velocity by Stage




This dashlet shows the average days spent in each stage of your sales process for opportunities or revenue line items that transitioned through those stages for each month. The average is calculated by dividing the sum of the days spent in a given stage in the indicated month by the number of opportunities or revenue line items in that stage in the indicated month. This allows viewers to spot trends where sales velocity is increasing or decreasing in specific areas of the sales process.

Examples of insights that can be gained from this dashlet include:

- Where are deals spending the most time in the sales process?
- Are our efforts to increase velocity around the qualification process having success?

## Idle Opps Trend Monthly




This dashlet shows the number of idle opportunities or revenue line items on the last day of the trailing twelve months. By default, idle opportunities are defined as the slowest ~5% of records within each sales stage for opportunities expected to close in the current or next period. This analysis allows viewers to spot trends where the number of idle records is increasing or decreasing within key business segments. For example, on the last day of April 2022, there were 77 idle opportunities within the sales region of NA.

**Note:** The rules defining what qualifies as an idle opportunity or revenue line item and the attribute (field) used to segment the metric, Sales Region in the example above, may be customized as part of Discover onboarding.

Examples of insights that can be gained from this dashlet include:

- Is the number of stalled opportunities trending up or down within key business segments?

## Top 10 Reps for Idle Opportunities




This dashlet shows the 10 sellers with the highest number of idle opportunities or revenue line items expected to close within the current and next periods. By default, idle records are defined as those that remain in a single sales stage for longer than ~95% of other records in the same sales stage, but the rules defining what qualifies as an idle opportunity or revenue line item may be customized as part of Discover onboarding. This analysis helps you identify individuals who may be struggling to progress their sales deals.

Examples of insights that can be gained from this dashlet include:

- Which reps have the greatest number of stalled opportunities expected to close in the current and next quarter?

**Forecast: Current vs Prior Quarters**



This dashlet shows a historical comparison of your total pipeline for the current period (e.g., this quarter) compared to your pipeline as it looked at the beginning, end, and same-day from prior periods.

Each column stack represents the sum of the likely revenue for all opportunities in your Sugar instance at the indicated date with an expected close date in the same period as that date. For example, the column labeled "2022 Q2 | Start" represents that, at the beginning of 2022's second quarter, all opportunities that had an expected close date in Q2 of 2022 had a likely revenue of \$94.1M.


Each bar is further segmented by Closed Won versus open pipeline (e.g., Forecast and Upside) so that you can see how your open pipeline changes throughout the time period.

Examples of insights that can be gained from this dashlet include:

How does the total pipeline for this quarter compare to the same day from prior quarters?




How much of our beginning pipeline did we convert in prior quarters?



By comparing the pipeline at the beginning and end of prior quarters, you can estimate the pipeline coverage needed to reach current targets. For example, in the chart above, we can estimate that we need between 1.5x and 2x pipeline coverage going into a quarter in order to hit targets.

Similarly, you could compare the Same Day and End pipeline from prior quarters to estimate if you have enough remaining open pipeline today in order to hit your targets for the end of this quarter.

### Pipeline: Current & Next Quarter




This dashlet provides visibility into the total pipeline remaining for the current period and the total pipeline for the next period in terms of revenue (bar graph) and opportunity or revenue line item count (line plot). Pipeline revenue is further broken down by Sales Stage to indicate pipeline maturity.

Each column represents the total likely revenue for opportunities in your Sugar instance with an expected close date in that month. For example, the opportunities with an expected close date in February 2023 have a total likely revenue of \$18.2M, where \$6.02M worth of opportunities are still in the Qualification stage.

Examples of insights that can be gained from this dashlet include:

- Do we have enough remaining pipeline to hit our targets?
- Do we have adequate pipeline coverage to hit next quarter's targets?
- Are we focusing enough effort on maturing next quarter's pipeline?

### Pipeline Creation Trend




The Pipeline Creation Trend dashlet shows how much total pipeline was generated in the last 6 months and in how many potential deals. Pipeline revenue (bar graph) is broken down by Sales Stage to provide an indication of how quickly the pipeline matures relative to when it was created. The count of opportunities or revenue line items (line graph) provides a visual representation of how many records were created in each month and allows the viewer to quickly assess the relationship between the pipeline amount and the number of sales opportunities generated, while also facilitating a relative comparison of deals and pipeline generated from month to month.

The height of each column represents the total pipeline created in the specified month and the line chart represents the number of opportunities or revenue line items that were created in that month. The breakdown of sections within the column represents what Sales Stage those opportunities are currently in. For example, in August 2022, \$38.1M of Pipeline was generated. Since then, \$5.06M has converted to Closed Won, \$10.9M is Closed Lost and the rest remains as open pipeline.

Examples of insights that can be gained from this dashlet include:

- Is our pipeline generation trending up or down over the past 6 months?
- Are sales deals progressing with adequate velocity after creation?

## Funnel Velocity & Conversion



The Funnel Velocity & Conversion dashlet provides a type of "cohort analysis", which looks at what happens to a collection of opportunities or revenue line items as they pass through the Sales Stages from top to bottom.

The values along the left side of the funnel show the average number of days that the opportunities or revenue line items spent in that stage of the sales cycle. These values consider only the records that flowed through a given stage and ignore records that either have not progressed that far, skipped that stage in the sales process, or spent less time in the stage than is required to be synced to Discover.

Each funnel stage (horizontal bar) provides the number of records that progressed at least that far in the sales cycle, optionally segmented by an attribute (field). The attribute used for segmentation, Sales Region in the chart above, may be customized during your Discover onboarding process. Records do not need to have spent time in the stage to be considered in this count (e.g., all records that are in the Qualification stage are also included in the Prospecting record count because the records have advanced beyond the Prospecting stage). The percentage between the stages indicates what percent of the previous stage made it at least as far as the next stage.

For example, consider the chart above that displays how all opportunities that were created last year progress through the sales cycle. The data is segmented by Sales Region so that we can see how records progress based on the sales region.

---


On average, all records that are in or have been in the Prospecting stage (top stage) have spent 26 days in that stage. Any opportunities that skipped that stage do not impact the 26-day calculation. For the APAC region, there are a total of 678 records since the first stage (Prospecting) contains 678 records. Any record created in the Prospecting stage or a later stage is included in this count. 404 of these opportunities reached at least the Proposal/Price Quote stage. Any records that did not reach the Proposal/Price Quote stage were closed lost at some earlier point in the cycle. Also, 85% of the opportunities that reached the Proposal/Price Quote stage progressed at least as far as the Negotiation/Review stage.

The summary metrics at the bottom of the funnel show:

- Total Funnel Conversion = Number of Closed Won/Total Number of Records in the cohort
- Average Cycle Time = Average sales cycle length in days for Closed Won Opportunities/Revenue Line Items

In the chart above, the 47% funnel conversion value indicates that 47% of the opportunities that entered the funnel at any stage reached the final (i.e., Closed Won) stage. The amount of opportunities that were closed lost will impact this calculation. All the opportunities that reached the final stage, regardless of where they started, spent an average of 28 days in the sales funnel. The cycle time does not include any opportunities that were closed lost.


If the funnel is segmented, you can also analyze one or more segments of the funnel at a time by either clicking on the label in the legend or one of the segments in the dashlet. The unselected data will fade, and the statistics will update to show a comparison of the statistics for the segment versus the aggregate data, as shown in the image below. This feature allows you to see how a segment of the data compares with the whole. For example, the APAC region shows a slightly lower than average funnel conversion rate and a longer than average cycle time.



Examples of insights that can be gained from this dashlet include:

- What are our conversion rate (count) and average sales cycle length for opportunities created last year?
- Where are deals spending the most time in the sales cycle?

## Funnel Velocity & Revenue Conversion




This dashlet is similar to the [Funnel Velocity & Conversion Dashlet](#), except instead of viewing conversion based on opportunity or revenue line item count, they are based on the sum of revenue dollars. The revenue associated with each record is the revenue when the record entered the stage. For example, if an APAC opportunity has a Likely value of \$25,000 then is transitioned to the Qualification stage, that opportunity is contributing \$25,000 to the \$26.3M total for the APAC Qualification stage. If that opportunity is then changed to have a Likely value of \$50,000, the \$26.3M value will not update. If the opportunity is later transitioned to the Proposal/Price Quote stage, the opportunity contributes \$50,000 towards the total Likely for the APAC region.

Examples of insights that can be gained from this dashlet include:

- What are our conversion rate (revenue) and average sales cycle length for opportunities created last year?
- Where are deals spending the most time in the sales cycle?

For a more detailed explanation of funnel metrics, see the description for the [Funnel Velocity & Conversion Dashlet](#) above.

## Funnel Flow Analysis




This dashlet illustrates how opportunities or revenue line items flow through your sales cycle. The y-axis represents each stage of your Sales Process and the color stacks represent which stage the opportunity or revenue line item transitioned to for all activity over the past year.

For example, for all records that were in the Prospecting stage, 13.3% transitioned directly to Closed Won, 25.73% transitioned to Closed Lost, and the rest remained as open pipeline. For the records that spent time in the Proposal/Price Quote stage, a small percentage transitioned back to the Qualification stage while 38.24% went directly to Closed Lost.

Examples of insights that can be gained from this dashlet include:

- Where are deals dropping out of the sales process?
- Are we investing too much time on deals that we eventually lose? (i.e., a high percentage of transitions to Closed Lost in late stages of the sales process)

## Forecast Accuracy




This dashlet shows a simple forecast accuracy metric over time. The accuracy of the forecast is the expected likely revenue for the period divided by the expected likely revenue on the last snapshot date included in the report. The last snapshot date on your plot will therefore always show 100% expected, and the earlier data points will adjust as more snapshots provide more information.

Examples of insights that can be gained from this dashlet include:

- How does our forecast accuracy improve over the period?

## Current Quarter Forecast Changes Since Last Week



This dashlet shows how your forecast has changed since the last report date (e.g., since last week), which can be particularly helpful for sales leaders who want to keep track of what changes are happening within their forecast over time (e.g., from week to week). With this type of data and visualization, sales leaders can identify risks, spot upside opportunities, and make accurate forecast commitments. The Forecast Changes dashlet shows the total pipeline at the beginning and end of the reporting period (e.g., week) as blue bars on the left and right of the chart, respectively. Between the blue bars, green, red, and yellow bars display increases, decreases, and closed won opportunities, respectively. Increases and decreases are further subdivided based on the type of activity that increased or decreased value from the forecast. The categories for forecast changes include:


- **New:** Opportunities created since the last report date that are included in the forecast and expected to close this period.
- **Added/Removed:** Opportunities where sellers chose to include a previously excluded opportunity into the forecast, and vice versa. These opportunities are expected to close this period.
- **Increases/Decreases:** Opportunities where the revenue amount increased or decreased since the last report date.
- **Moved In/Moved Out:** Forecasted deals where the expected close date changed, moving it in or out of the current forecast period.
- **Closed Won/Closed Lost:** Deals that were open in the forecast on the starting date and have since closed as either Closed Won or Closed Lost.

For example, there was \$4.09M in the open pipeline at the beginning of the week, and \$4.14M worth of opportunities were moved into the forecast, \$9.9k worth of opportunities were closed lost, and \$2.95 M worth of opportunities were closed won. These changes, along with the others, lead to \$5.8M remaining pipeline at the end of the week.

Examples of insights that can be gained from this dashlet include:

- How did my pipeline change over the last week?
- Where am I gaining or losing the most opportunities from my pipeline?

## Top 20 Committed Opportunities This Quarter



This dashlet displays the committed opportunities or revenue line items with the highest total likely revenue for the current period (e.g., this quarter). These are opportunities that have an expected close date within the current period (e.g., quarter) and are committed (i.e., included) in the forecast.

Examples of insights that can be gained from this dashlet include:

- Which opportunities are going to produce the most revenue?

- How long until the top opportunities are expected to close?

## Top 20 Upside Opportunities This Quarter

Top 20 Upside Opps This Quarter				
Likely	55.1k	<div></div>	612k	Days to Close -17.00 14.00
Opportunity Name	Account Name	Assigned To	Likely	Days to Clo...
24/7 Linkbuzz Therapeutics Co...	T/P SBIR Fund Co	Gerald Grunwald	\$70,200.00	0
AJ5 Engineering Industries opp...	IX8 Engineering Shipping	Mistie Scull	\$57,600.00	10
CHO Legal Compliance opp #1	X/H5 MSB Shipping	Amal Aitchison	\$103,500.00	14
D/A JPAS Lion Hotels opp #1	RBV Training Therapeutics	Erica Robinett	\$79,200.00	13
D/V4 Marketing Service Ltd op...	Vlookup	Christal Earley	\$122,400.00	13
DM1 Jabbercube Holdings ETF ...	AJ5 Marketing Compliance Gr...	Jaclyn Bauch	\$64,800.00	13
First Zoonoodle Alliance opp #5	FE3 uDig Industries	Shavonda Hamma...	\$612,000.00	9
GA Fashion Illustration Global o...	V/C DFLSS Acquisition AG	Christal Earley	\$262,080.00	0
GKA Venture Growth Stores op...	360 NASDAQ Offshores Limited	Melissia Beals	\$81,000.00	-17
I/R Clorox Therapeutics Limited...	A/X WPP America Limited	Isa Neely	\$76,500.00	4
K/A American Software Solutio...	Guided Tours	Jennell Ambrosino	\$165,285.00	7
K/T5 Fanoodle Products opp #4	HK Greater China Fund	Christal Earley	\$55,080.00	0
TH Training Portfolio PR opp #2	L/X4 Legal Offshores .Corp	Garret Doody	\$111,600.00	1
UPI argenx SE Fund Co. opp #1	I/C Services Systems	Tiana Ruple	\$155,337.61	7

This dashlet displays the upside opportunities or revenue line items with the highest total likely revenue for the current period (e.g., this quarter). These are opportunities that have an expected close date within the current period (e.g., quarter) but were previously not committed (i.e., excluded) to the forecast.

Examples of insights that can be gained from this dashlet include:

- Which opportunities that were not previously forecasted are going to produce the most revenue?

## Doc Merge

### Overview

Doc Merge pulls data from Sugar® records into professional-quality documents such as contracts, quotes, NDA agreements, form letters, and labels. Through

---

custom templates that you design according to your needs, Doc Merge has the ability to extract data from all Sugar [Sidecar](#) modules and their related modules into individual or multiple digital documents within minutes. This powerful feature will save you time producing common documents natively within Sugar while linking these documents to Sugar records for future reference.

Doc Merge includes the following features:

- Generate DOCX, XLSX, PPTX, and PDF documents without leaving Sugar.
- Merge information from any Sugar module into the document, including related modules.
- Merge multiple records into one document for label generation.
- Template Assistant tool helps you find the fields and data you want to include in your merged documents.
- Merged documents are attached to the Sugar record as a linked document when they are generated from record view.
- Doc Merge Widget is available in the footer to provide links to merged documents and access to the Template Assistant.
- Initiate merges from record view, list view, and subpanel action menus.

## Topics

This documentation is organized into the following sections:

- [Prerequisites](#)
- [Terminology](#)
- [Suggested Settings](#)
- [Accessing Doc Merge](#)
- [Restricting Access to Doc Merge](#)
- [Creating a Merged Document](#)
- [Using the Doc Merge Widget](#)
- [Using the Template Assistant](#)
- [Using the Document Templates Module](#)

## Prerequisites

To use the Doc Merge feature, you need the following:

- You must be a licensed Sugar Enterprise, Sell, or Serve user with role access to the Documents, Document Merges, and Document Templates modules.

- 
- You must allow pop-ups in your browser settings to use the Doc Merge Template Assistant.
  - You need access to software that produces DOCX, XLSX, and PPTX files to create document templates.

## Terminology

The following terms are used in this documentation:

- **Doc Merge:** The name of the feature that enables the merging of Sugar record data with DOCX, XLSX, and PPTX files.
- **Document Merge:** The process of merging record data into a DOCX, XLSX, or PPTX template.
- **Merged Document:** The DOCX, XLSX, PPTX, or PDF document that results from merging record data with the document template. The Merged Document is stored in Sugar in the Documents module.
- **Template:** The DOCX, XLSX, or PPTX file containing the merge codes that represent the Sugar fields to be merged into the resulting document.
- **Widget:** The tool that is accessible in the Sugar footer, which contains links to merged documents and access to the [Template Assistant](#).

## Suggested Settings

We recommend making the following admin configurations to your Sugar instance to optimize the user experience.

**Note:** You must be a system administrator to complete the following configurations.

- **Unhide the Document Templates module:** The Document Templates module is hidden by default. While you can create and select templates without making the module visible, you may want to remove the module from the hidden modules list via Admin > [Display Modules and Subpanels](#) for easier template access.
- **Add hidden fields to layouts:** Add the following fields to layouts for the Document Templates module in Admin > [Studio](#):
  - Add "Extension" to the Record View, List View, and Search layouts.
  - Add "Template Module" to Popup List View layout.
- **Create a role for users who will have access to the Doc Merge functionality:** Most customers will want users to be able to access each other's templates (team permitting), but only edit or delete their own. To create a role that restricts users from editing or deleting other users' templates, create a new role via [Admin > Role Management](#) with the following settings:
  - **Role Name:** Doc Merge Users


- **Field Permissions:** From the fields list for the Document Templates module, set the Extension field to "Read Only". Do not skip this step; it is very important that users do not edit this field.
- **Module Permissions:** For the Document Templates module, set the following permissions:
  - **Access:** Enabled
  - **Access Type:** Normal
  - **Delete:** Owner
  - **Edit:** Owner
  - **List:** All
  - **Record View:** All
- Similarly, for users who should not have access to Doc Merge, you can create a role with the Access level for the Document Merges and Document Templates modules set to "Disabled" and all permissions for those modules to "None".

After saving the new role, scroll to the role's Users subpanel and add all users who will have access to Doc Merge. By default, all users in Sugar can access Doc Merge unless they have been restricted by role, as explained in the [Restricting Access to Doc Merge](#) section.


## Accessing Doc Merge

The Doc Merge feature is accessible in the following locations:

- **Sugar Footer:** The [Doc Merge widget](#) in the footer provides access to merged documents and the [Template Assistant](#).



- **Actions Menus:** "Doc Merge" and "Doc Merge to PDF" options are available in [List view](#), [Record View](#), and [Subpanel](#) action menus for supported modules.



Additionally, your administrator may have added Doc Merge action buttons to records. Please refer to the [Action Buttons](#) documentation in the Administration Guide for more information on creating action buttons.

## Restricting Access to Doc Merge

The administrator may choose to disable access to Doc Merge for some users. To do this, simply create a role with the Access level for both the Document Merges and Document Templates modules set to "Disabled" and then add the restricted users to the role. For more information on creating roles in Sugar, refer to the [Role Management](#) documentation in the Administration Guide.

## Creating a Merged Document

Creating a merged document includes the following steps:

1. [Create a template](#) if it does not already exist.
2. [Merge records](#) with the document template.

## Creating a Doc Merge Template

Doc Merge templates are DOCX, XLSX, or PPTX documents that include Sugar field references. While you can create templates manually by identifying the system labels for Sugar fields embedded in curly braces (e.g., {first\_name}), using the Doc Merge [Template Assistant](#) is the easiest method for creating templates. This section explains how to create templates using the Template Assistant.

---

**Note:** Doc Merge templates that use Microsoft Word shapes (e.g., text boxes) may appear distorted when using the "Doc Merge to PDF" option as a result of the PDF export engine. If you intend to use shapes in your template, you may need to use the "Doc Merge" option for them to render as expected.

To create a template:

1. Create a blank DOCX, XLSX, or PPTX document in your preferred software application. When [records are merged](#) with the template using the "Doc Merge" option, the output will be in the same format.
2. Leaving the window with the blank document open, launch the Template Assistant by clicking the Doc Merge widget in Sugar's [footer](#). The Template Assistant opens in a new window (not in your current browser tab).
3. One by one, copy the desired fields from the Template Assistant to your clipboard as described in the [Working with the Template Assistant](#) section of this page, and then paste the fields into your blank document.
4. Save the document in DOCX, XLSX, or PPTX format. Do NOT save the file in a native template format (e.g., DOTX, XLTX, POTX).



```
{!date format='MM-DD-YYYY'}  
{first_name} {last_name}  
{title}  
{name}  
{primary_address_street}  
{primary_address_city}, {primary_address_state} {primary_address_postalcode}  
  
Dear {first_name},  
Please enjoy our sample Doc Merge form letter!  
Sincerely,  
{assigned_user_name}
```

## Uploading the Template

After creating the Doc Merge template, you must upload it to Sugar's Document Templates module using one of the following methods:

- 
- Create a new Document Template record in Sugar. Please refer to the [Document Templates Module](#) section for more information.
  - Alternatively, you may upload the document template when you initiate the merging of a record; refer to Step 3 in the [section below](#).

Sugar will check the file for compatibility when you upload it. Attempting to upload an unsupported file type will produce an error and the Document Template record will not save.

## Merging Records with a Document Template

You can either merge individual records or multiple records simultaneously into one document.

- [Merging Individual Records](#)
- [Merging Multiple Records](#)

**Note:** A merge can also be triggered by a SugarBPM process. For more information, refer to the [SugarBPM > Process Definitions](#) documentation.

**Note:** Your data is sent to a secure server for the Doc Merge to be completed. As soon as the Doc Merge is complete, your data is permanently erased from the server.

### Merging Individual Records

Merge individual records with a document template from record view, list view, or a subpanel's Actions menu. You can use DOCX, XLSX, and PPTX file templates when merging individual records.

1. From a record, list view, or subpanel Actions menu, select "Doc Merge" or "Doc Merge to PDF".
2. Select a document template in the Search and Select drawer, or click the Create button to create a new template. Please refer to the [Common Actions](#) section for more information. When using the "Doc Merge to PDF" option, you must select a DOCX file template in this step. The merge process begins immediately.

Accounts (20 of 21+)

Create

Filter

Build Filter

Search by name...


↺

☰

🕒

<input type="checkbox"/>	▼	Name	City	Billing Country	Phone	User	⋮
<input type="checkbox"/>	☆	Income Free Investing LP	Cupertino	USA	(243) 265-4805	Chris Ollive	<div>👁▼</div>
<input type="checkbox"/>	☆	Jungle Systems Inc	Santa Fe	USA	(108) 624-52		<div>Edit</div>
<input type="checkbox"/>	☆	Smith & Sons	Santa Monica	USA	(603) 183-03		<div>Delete</div>
<input type="checkbox"/>	☆	Dirt Mining Ltd	St. Petersburg	USA	(603) 995-64		<div>Doc Merge</div>
<input type="checkbox"/>	☆	Anytime Air Support Inc	Salt Lake City	USA	(806) 130-28		<div>Doc Merge to PDF</div>

The status of the merge displays in the Doc Merge widget. When complete, a confirmation message displays, and the merged document is added to the document list in the Doc Merge widget and in the [Documents](#) module.




3. Click the document icon to download the merged document. For more options, please refer to the [Accessing Merged Documents](#) section.

## Merging Multiple Records


Merging multiple records allows you to either create a single document with a separate page for each record merged (e.g., mail merge letter), or populate formatted pages (e.g., tables) with fields from multiple records (e.g., shipping labels). To create labels, the [Label Merging](#) field must be enabled in the Document Template record. Please refer to the [Creating Mailing Labels from Sugar Records](#) article for more information.

Follow these steps to mass-merge many records at once. Remember, the output's layout will be subject to the state of the template's [Label Merging](#) field.


1. Select the records to merge in list view.
2. Expand the [Mass Actions](#) menu and select "Doc Merge" or "Doc Merge to PDF". When merging multiple records, if you select "Doc Merge", you will only be permitted to output a DOCX format.



3. Select a document template in the Search and Select drawer or click the Create button to [create a new template](#). The merge process begins immediately.



4. The status of the merge displays in the Doc Merge widget. When complete, a confirmation message displays, and the merged document is added to the document list in the Doc Merge widget and in the [Documents](#) module.



5. Click the document icon to download the merged document. For more options, please refer to the [Accessing Merged Documents](#) section.

The field values from the records are merged with the document template:



09-11-2021

Gerardo Plante

President

Anytime Air Support Inc.

345 Sugar Blvd.

Santa Monica, CA 47476

Dear Gerardo,

Please enjoy our sample Doc Merge form letter!

Sincerely,

Sally Bronsen


## Accessing Merged Documents

After merging records with a document template, you can access the merged documents using one of the following methods:

- Click the document's link in the [Doc Merge Widget](#) to download the document.
- Click the "[Document Ready](#)" link in the Doc Merge Widget to open the document's record in the Documents module.
- If you initiated the merge from record view, you can access the document from that record's Documents subpanel.
- Navigate directly to the Documents module to locate the merged document.


## Doc Merge Widget

The Doc Merge widget in the [footer](#) provides access to your merged documents through the widget's [Document List](#) and the [Template Assistant](#), where you can select Sugar record fields and other data to build your template.



# Widget Document List

The widget's Document List stores a list of merged documents and those still in progress, with status indicators and links to completed documents. Documents are only displayed for the user who initiated the merge, and they persist in the Document List until manually removed, even across multiple sessions. If an error is encountered while processing a document merge, errors are displayed below the name in the Document List and it is identified by a red bar.







**Note:** If a user's session ends while a merge is in progress, the merge will continue to process and the status will be updated in the widget in the user's next session.

The Document List provides the following functions:

- A list of all merged documents for the current user
- Links to each [merged document](#) in Sugar
- Links to [download](#) each merged document to your local computer in its native format (DOCX, XLSX, PPTX, PDF)
- Send a link to an assignment notification
- Quick access to email the document
- Delete documents from the list

## Document List Elements

Element	Function
<a href="#">Document Ready</a>	Opens the merged document in the Documents module. To locate a document that you have removed from your Document List, navigate to the Documents module or, if it was a <a href="#">single-</a>

	<a href="#">record merge</a> , to the record's Documents subpanel.
	Downloads the merged document from the Document List.
	Emails a merged document from the Document List as an attachment. The configured email client opens with the document attached. After sending the email, it is added to the record's Emails subpanel.
	Adds a <a href="#">notification</a> record with a link to the merged document in the Notifications module. In the Search and Select drawer, select the names of recipients for the notification and then click the Select button.
	Removes the document from the Document List. This does not delete the document from Sugar, it only removes it from the Document List in the Doc Merge widget. To fully delete a merged document from Sugar, you must delete it from the Documents module. Removing a document from the list while a merge is in progress does not stop the merge processing, it only removes it from the list.

## Template Assistant

The Template Assistant, accessed from the top of the Doc Merge Widget, facilitates creating Document Templates by allowing you to select module fields from Sugar and copy them to your system clipboard for use in a DOCX, XLSX, or PPTX file. Once open, the Template Assistant window is intended to be left open next to a window with the document template file in its native editing environment so you can easily copy and paste the field codes into the document template.


The Template Assistant helps you complete the following tasks:

- [Find and select fields](#) to copy into your template document file.
- Insert [lists](#) or [tables](#) of data from related Sugar records.
- Place a [custom-formatted date stamp](#) in your template.
- Use [Sugar Logic](#) to apply calculations, logic checks, and formatting to your data, or copy data from one field to another.

---

These tasks are completed within the tabs of the Doc Merge Template Assistant:

- **Fields:** Copy data from your Sugar records
- **Dynamic Elements:** Insert lists, tables, and dates
- **Sugar Logic:** Produce custom content using Sugar Logic




## Copying Fields from the Template Assistant


The Fields tab of the Template Assistant allows you to copy the merge codes for Sugar module fields to your system clipboard, including custom fields, from which you can paste into a file to create a document template:

To copy fields:


1. Navigate to the Fields tab in the Template Assistant.
2. Select a module from the dropdown list. The fields in the selected module display as a list with the associated field merge code.



3. Scroll through the list or use the Search field to locate the desired field.



4. Click the name of the field to copy the field merge code to your system clipboard.
5. In your document template file, paste the field in the desired location.
6. Repeat for all desired fields.




## Configuring Fields


You can configure how field values will populate the merged document by setting options before you copy the field merge code (e.g., capitalizing).

To configure fields:

1. Follow steps 1 - 3 in the [Copying Fields from the Template Assistant](#) section.
2. Click the settings icon to the right of the field to configure or the link icon for fields that have [relate](#) fields. Different field types have different field settings, which are described in detail in the [Field Settings](#) section of this page.






3. Set the desired options, and then click the Copy to Clipboard button. In the example pictured here, we are configuring the Name field to output on our template with a capital first letter. The appropriate merge code for your configuration is produced and stored in your clipboard: {name






4. Paste the code from your clipboard into the desired location In your document template file.
5. Return to the Template Assistant and click the Back button to return to your previous location.

## Field Settings

Field Types	Settings
<ul style="list-style-type: none"> <li>ActionButton</li> <li>Dropdown</li> <li>Email</li> <li>Iframe</li> <li>Parent</li> <li>Radio</li> <li>TextArea</li> <li>TextField</li> <li>URL</li> </ul>	<div>  </div> <ul style="list-style-type: none"> <li>• <b>Capitalize:</b> When selected, the first letter of the value will be capitalized. Only the first word will be capitalized for multi-word values.</li> <li>• <b>Case:</b> Converts the value to all uppercase or all lowercase.</li> <li>• <b>Padding:</b> Number of spaces to add after the value when it is placed inside a table cell in the template.</li> <li>• <b>Barcode:</b> Select this field to include</li> </ul>

		<p>a scannable barcode in the document template. Please refer to the <a href="#">Barcodes</a> section for more information.</p>
<ul style="list-style-type: none"> <li>• Date</li> <li>• Datetime</li> </ul>		<ul style="list-style-type: none"> <li>• <b>Date format:</b> Select a standard format for the date field.</li> <li>• <b>Custom date:</b> Select this option to identify a custom date format. Click the Help link to navigate to a page with information on acceptable date formats.</li> </ul>
<ul style="list-style-type: none"> <li>• Checkbox</li> </ul>		<ul style="list-style-type: none"> <li>• <b>Format Type:</b> Select the format that you would like to use to output the boolean value (true/false, checked/unchecked, 1/0, yes/no, on/off).</li> <li>• <b>Custom:</b> Select this option to define custom output for the boolean values.</li> <li>• <b>Custom States:</b> Displayed when the Custom option is selected, identify the custom true and false boolean values in these text boxes (e.g., "Enrolled"/"Not Enrolled").</li> </ul>

<ul style="list-style-type: none"> <li>• Phone</li> <li>• Currency</li> <li>• Integer</li> </ul>		<ul style="list-style-type: none"> <li>• <b>Padding:</b> Number of space characters to add around the value.</li> </ul>
<ul style="list-style-type: none"> <li>• Image</li> </ul>		<ul style="list-style-type: none"> <li>• <b>Scale:</b> Resize the image when it is merged into a document by the value identified in this field. Use a value between 0 and 1, where 1 is 100% (e.g., enter 0.5 for 50%).</li> </ul>
<ul style="list-style-type: none"> <li>• Multiselect</li> </ul>		<ul style="list-style-type: none"> <li>• <b>Format Type:</b> Display the multi-select field values as a bulleted or numbered list.</li> <li>• <b>Sort direction:</b> Display the values in ascending or descending order.</li> </ul>

## Barcodes

You can include scannable barcodes in merged documents for the following field types:

- ActionButton
- Dropdown
- Email
- Iframe
- Parent
- Radio
- TextArea
- TextField
- URL

To include a barcode on your template:

1. Select the Barcode checkbox when configuring the field. The following fields display:

Fields
Dynamic Elements
Sugar Logic
?

{name format='barcode'}

Capitalize
☐

Case
Select case type

Padding

Barcode
☒

Barcode Format... Default is CODE128

Width... Default is 2

Height... Default is 100

Override the text that is displayed

Set the space between the barcode and

Set the size of the text. Default is 20

Select font

Select text alignment

Select text position


Color for the background

Color for the lines

Back
Copy to Clipboard

- Complete the settings using the guidance text in each field and the reference material provided on the [jsBarcode wiki page](#).
- Click the Copy to Clipboard button and paste the copied code into your external template.

The following example shows the settings used and the resulting barcode in the merged document:

Barcode Configuration	Barcode Result
	 Income Free Investing LP

**Fields** Dynamic Elements Sugar Logic

{name format='barcode'}

Capitalize ☐

Case

Padding

Barcode ☒

Barcode Format... Default is CODE128

Width... Default is 2

Height... Default is 100

Override the text that is displayed

Set the space between the barcode and

Set the size of the text. Default is 20

Select font

Select text alignment

Select text position

Color for the background


Color for the lines

Back Copy to Clipboard

## Adding Lists of Related-Module Data to Document Templates

To add a bulleted list of related record field values to your template:

1. Navigate to the Dynamic Elements tab in the Template Assistant.




2. Select the module containing the records you want to show.
3. From the "Select Dynamic Element" dropdown, select "List".
4. From the "Select Relationship" dropdown list, select the name of the related module.
5. From the "Select Relationship Fields" list, select all fields to be included in the list.
6. From the Sort dropdown list, select the name of the field on which to sort the list.
7. In the remaining dropdown list, select "asc" to sort the list in ascending order or "desc" to sort the list in descending order.
8. In the Max Records field, optionally identify the maximum number of

---

records to return. If you do not identify a limit, then all matching records will be returned.

9. Click the Copy to Clipboard button to copy the set of merge codes to your document template. The example shown below produces the following merge code:

```
{!list bind='#members' sort='name:asc'
columns='name,created_by,description'}
```



## Adding Tables of Related-Module Data to Document Templates


There are two methods for adding related record field values to your template:

- [Formatted table](#): Select related module fields on the Template Assistant Fields tab to copy and paste a formatted table to your Document Template.
- [Merge code](#): Select related module fields on the Template Assistant Dynamic Elements tab to copy and paste a merge code that produces a table in the merged document.

### Related-Module Data Formatted Tables

To insert field values from related records as formatted tables in your template:

1. Navigate to the Fields tab of the Template Assistant.
2. Select a module from the dropdown list. The fields in the selected module display as a list with the associated field merge code.
3. From the "Select Relationship" dropdown, select the name of the related module.
4. Click the settings icon to the right of the selected module.




5. In the Max Records field, optionally identify the maximum number of related records to include in the table.
6. From the "Select a field" dropdown, select the fields you want to show in the table. Selections are shown in the Fields box below.
7. In the Sort Direction field, select the order in which the records will be displayed: alphabetically ascending or descending.
8. Click the "Copy as table" button to copy the set of merge codes to your clipboard so that you can paste the code into your document template. On merge, the data from related records will be listed as the rows of a formatted table.

Date Created	Description	Status
{#escalations }	{description}	{status}/{/escalations}
{date_entered}		


## Related-Record Data Merge Codes

To add related record field values with merge codes:



1. Navigate to the Dynamic Elements tab of the Template Assistant.
2. Select the module containing the records you want to show.
3. From the "Select Dynamic Element" dropdown, select "Table".
4. From the "Select Relationship" dropdown list, select the name of the related module.
5. From the "Select Relationship Fields" list, select all fields to be included in the list.
6. In the Header Color field, either type the name of a color for the table's header row or click into the field to use the color picker which adds the corresponding hex code.
7. From the Sort dropdown list, select the name of the field on which to sort the list.
8. In the remaining dropdown list, select "asc" to sort the list in ascending order or "desc" to sort the list in descending order.
9. In the Max Records field, optionally identify the maximum number of records to return. If you do not identify a limit, then all matching records will be returned.
10. Click the Copy to Clipboard button to copy the set of merge codes to your document template. The example shown below produces the following merge code, which produces a table with the field values in the merged documents:


```
{!table header-color='gray' bind='#contacts'
columns='name,phone_mobile,email_and_name1'
header='Name,Mobile,Name' sort='name:asc'}
```



## Adding Date Stamps to Document Templates


To add a date stamp that will populate with the current date upon merge:

1. Navigate to the Dynamic Elements tab in the Template Assistant.



2. From the "Select Dynamic Element" dropdown, select "Date". Selecting a module is not required when "Date" is the selected element.
3. Either select a format from the Date Format dropdown list or select the Custom Date option.
4. For custom dates, identify the desired format in the text field. Click the Help link for an external resource to custom date formats.
5. Click the Copy to Clipboard button to copy the merge code to your document template. The example shown below produces the following merge code:

`{!date format='YYYY MMM'}` which adds the date when the document merge is initiated to the merged document in YYYY MMM format.




## Using Sugar Logic in Document Templates


Example functions include counting the related records (count), returning the sum of several values (rollupConditionalSum) or the difference between two values (subtract), and even converting a non-string value to a string (toString).

To use Sugar Logic formulas in document templates:

1. Navigate to the Sugar Logic tab in the Template Assistant.



2. Select a module from the list.
3. Build your formula by selecting functions and fields from the dropdown lists. Please refer to the [Sugar Logic](#) documentation for more information.
4. Click the Copy to Clipboard button to copy the formula to your document template. The example shown below produces the following merge code: `{!formula value='concat($name,$industry)'}` which returns the account's name with the industry appended.



## Using Condition-Based Logic in Document Templates

In addition to the ability to use Sugar Logic formulas in documents templates, you can use condition-based logic by manually constructing IF/ELSE IF statements. Please refer to the [Filtering with Conditionals in Doc Merge](#) article for more information.

## Document Templates Module

The Document Templates module was added to Sugar to support the Doc Merge feature. The Document Templates module is where you can upload new document templates and manage existing document templates. This section provides information specific to the Document Templates module. For information on views and actions that are common across all Sugar modules, such as creating, editing, and deleting document templates, please refer to the [Working with Sugar Modules](#) section of this page.

**Note:** The Document Templates module is hidden by default. If you do not see the Document Templates module, please check the Layout Options in the Advanced tab of your user profile or ask your Administrator to unhide the module via Admin > [Display Modules and Subpanels](#).

## Document Template Fields

The Documents module contains a number of stock fields that come out-of-the-box with Sugar. For information on using and editing various field types, refer to the [User Interface](#) documentation. The definitions below are suggested meanings for the fields, but the fields can be leveraged differently to best meet your organization's needs. Administrators or users with developer-level role access have the ability to alter, add, or remove fields via Admin > Studio. For more information

---

on configuring fields, please refer to the [Fields](#) documentation in the Administration Guide.

Field	Description
Name	Descriptive name for the document template. This name will be appended to the name of merged documents and will identify each merged document in the Doc Merge Widget.
Template	Name of the source template file. Click the Browse button to locate the file on your computer, and then click the Open button.
Template Module	The module with which the template is associated. The template is only available for use in document merging from the selected module.
Use Revisions	When enabled, each occurrence of a record being merged with this template is added to the <a href="#">Document Revisions</a> subpanel in the record. If this option is disabled, then only the most recent occurrence of the merged document is maintained in the record's Documents subpanel; however, all revisions are still maintained in the <a href="#">Documents</a> module.
Label Merging	When enabled, the template can be used for mass merging records into <a href="#">label format</a> . Templates with Label Merging enabled can only be used for <a href="#">merging multiple records</a> ; you cannot merge a label template with an <a href="#">individual record</a> .
Prefix	Optional text to be included at the beginning of the merged document's file name.
Suffix	Optional text to be included at the end of the merged document's file name.
Assigned to	Owner of the document template. The value defaults to the current user, but you can select any other user to be the owner of the template. Templates are available to all users regardless of ownership.

Teams	The Sugar team(s) assigned to the record.
Extension	The source template file format extension.

## Working With Sugar Modules


While the Document Templates module has some features that only apply to document templates, it also uses the Sidecar user interface that most Sugar modules are based on. The following sections detail menus, views, and actions common to Sidecar modules and contain links to additional information within the page or links to the [User Interface](#) documentation.

### Document Template Menus

The Document Templates module contains various options and functionality that are available via menus in the module tab, list view, and record view. The following sections present each menu and its options with links to more information about each option in the [User Interface](#) documentation or, for Document Templates-specific functionality, within this page.

### Module Tab Menu

The Document Templates module tab is typically located on the navigation bar at the top of any Sugar screen. Click the tab to access the Document Templates list view. You may also click the triangle in the Document Templates tab to display the Actions, Recently Viewed, and Favorites menus. The Actions menu allows you to perform important operations within the module. The [Recently Viewed menu](#) displays the list of document templates you most recently viewed. The [Favorites menu](#) displays the list of document templates you most recently marked as favorites.



The module tab's Actions menu allows you to perform the following operations:

Menu Item	Description
Create Document Template	Opens the record view layout to create a new document template.
View Document Templates	Opens the list view layout to search and display document templates.


For more information on module tab menus including reasons a module may not be included in the menu, see the [User Interface](#) documentation.

## List View Menus

The Document Templates [list view](#) displays all document records and allows for searching and filtering to locate specific documents. You can view the basic details of each record within the field columns of the list view or click a document's name to open the record view. To access a module's list view, simply click the module's tab in the navigation bar at the top of any Sugar page.

### List View Mass Actions Menu

The Mass Actions menu to the right of the checkbox option in the list header allows you to perform mass actions on all currently selected records. You can use the checkbox on each record's row to select individual document records or click the checkbox in the list header to select all records displayed on the current set of list view results.




The Mass Actions menu allows you to perform the following operations:

Menu Item	Description
<a href="#">Mass Update</a>	Mass update one or more document

	templates at a time.
<a href="#">Merge</a>	Merge two or more duplicate document templates.
<a href="#">Delete</a>	Delete one or more document templates at a time.  <b>Note:</b> All <a href="#">document revisions</a> related to the parent document template record will be deleted when the document template is deleted.
<a href="#">Export</a>	Export one or more document templates to a CSV file.
<a href="#">Doc Merge</a>	Select or create a DOCX template to merge record data into documents that will be accessible in the Doc Merge widget.
<a href="#">Doc Merge to PDF</a>	Select or create a DOCX, XLSX, or PPTX template to merge record data into PDF documents that will be accessible in the Doc Merge widget.

### List View Record Actions Menu

The Record Actions menu to the far right of each record's row allows you to perform actions on the individual document directly from the list view.



The list view's Record Actions menu allows you to perform the following operations:

Menu Item	Description
<a href="#">Preview</a> (Eye icon)	Preview this document template in the

	intelligence pane.
<a href="#">Edit</a>	Edit this document template.
<a href="#">Delete</a>	Delete this document template.  <b>Note:</b> All <a href="#">document revisions</a> related to the parent document template record will be deleted when the document template is deleted.

## Record View Actions Menu

The Document Templates [record view](#) displays a single document template in full detail including its fields and subpanels of related records. To access a document template's record view, click a hyperlinked document name from anywhere within Sugar. The record view's Actions menu appears on the top right of the page and allows you to perform various operations on the current record.

The screenshot shows the SugarCRM interface for a Document Template record named 'Sample letter'. The top navigation bar includes 'Accounts', 'Contacts', 'Opportunities', 'Leads', and 'Document Templates'. The record header shows 'DT Sample letter' with a star icon and an 'Edit' button. The 'Edit' button's dropdown menu is open, displaying the following options: Share, Copy, View Audit Log, Delete, Doc Merge, and Doc Merge to PDF. The record details section shows 'Template Website.docx', 'Use Revisions' checked, 'Assigned to Administrator', and 'Label Merging' unchecked. The bottom of the page features a 'Related' section with a filter set to 'All Records' and a search bar.

The Actions menu allows you to perform the following operations:

Menu Item	Description
<a href="#">Edit</a>	Edit this document template.
<a href="#">Share</a>	Share a link to this document template via email.
<a href="#">Copy</a>	Duplicate this document template.  <b>Note:</b> Only the last <a href="#">document revision</a> record related to the original document

	template will copy over to the new document template, and the "Change Log" will display "Document Created".
<a href="#">View Audit Log</a>	View a sequence of changes made to this record.
<a href="#">Delete</a>	<p>Delete this document template.</p> <p><b>Note:</b> All <a href="#">document revisions</a> related to the current document template will be deleted when the document template record is deleted.</p>
<a href="#">Doc Merge</a>	Select or create a DOCX, XLSX, or PPTX template to merge record data into documents that will be accessible in the Doc Merge widget.
<a href="#">Doc Merge to PDF</a>	Select or create a DOCX, XLSX, or PPTX template to merge record data into PDF documents that will be accessible in the Doc Merge widget.

## Common Views and Actions

In the table below, the left column contains links to the User Interface page covering topics that are applicable to all Sidecar modules. The right column has links to sections of the current page that cover topics specific to documents.

<b>General Instructions for Working With Sugar Modules</b>	<b>Document Templates-Specific Instructions</b>
Use the links below to navigate to the User Interface page which covers topics generic to many Sugar modules.	When Documents-specific help exists for each topic, use the links below to navigate to sections of the current page.
<a href="#">Creating Records</a>	
<a href="#">Viewing Records</a>	
<a href="#">Searching for Records</a>	
<a href="#">List View</a>	<a href="#">List View Mass Actions Menu</a> <a href="#">List View Record Actions Menu</a>
<a href="#">Record View</a>	<a href="#">Record View Actions Menu</a>
<a href="#">Intelligence Pane</a>	
<a href="#">Editing Records</a>	
<a href="#">Deleting Records</a>	

---

<a href="#">Exporting Records</a>	
<a href="#">Recalculating Calculated Values</a>	
<a href="#">Finding Duplicate Records</a>	
<a href="#">Merging Records</a>	
<a href="#">Favoriting Records</a>	
<a href="#">Following Records</a>	
<a href="#">Sharing Records</a>	

## Doc Merge Appendix

### Overview

Doc Merge is a powerful document-generation tool that allows you to pull data from Sugar® records into professional-quality and highly customized documents. This supplemental resource can be used as a reference to understand the different attributes, collections, directives, and more available when building templates, which will help you create specialized documents that suit your organization's needs.

Please review the [Doc Merge](#) page for generalized information on building templates. Additionally, refer to the [Sample Doc Merge Templates](#) article for document examples.

### Topics

This documentation is organized into the following sections:

- [Doc Merge Terminology](#)
- [Fields](#)
- [Collections](#)
- [Conditions](#)
- [Directives](#)

### Doc Merge Terminology

This document uses language specific to Doc Merge. Please review the definitions below as they will help you understand the examples provided.

- **Merge Code:** A tag you can insert into a document template that will generate content in the final, merged document according to your specifications. For example, a field merge code is used to display the value of a field on the target record. The following are the types of merge codes:

- 
- **Field:** Insert the value of a field from the target record into the document, such as the name or contact details of an account.
  - **Collection:** Iterate over a list of records, allowing you to display field values from those records in the document, for example in a list or table of sales data. These may sometimes also be called "loops".
  - **Condition:** Print different values in the document based on the state of a condition. For example, you might print a measurement in one unit if the account's country is USA or a different unit if it is Canada.
  - **Directive:** Insert a formatted object into the document, such as a table, a list, the current merge date, or the output of a Sugar Logic calculation.
  - **Attribute:** A setting you can specify on various merge codes to control specific details of what they output. For example, a collection has attributes to control the sort order of the items in the collection and the maximum number of records to display.

Please note that attributes must be written without any blank spaces within the syntax (e.g., `max_num='5'`). Having spaces in an attribute's syntax will lead to the template not being processed. Additionally, Doc Merge only supports straight quotes ' inside of attributes. Do not use ` or “. Many modern devices use Smart Quotes, a form of autocorrect, which turns quotes toward the code or comment. You may turn this off or use the Unicode character U+0027 to ensure the quote is straight.

## Fields

Field merge codes insert the value of a module's field into the document. For example, you may pull an account's address directly into a letterhead. This can be used to create personalized and robust contracts, quotes, and other documents for your business needs. Additionally, [field-level attributes](#) allow customization that can be used in all types of fields.

While merge code examples are presented with stock fields in the below sections, any custom field, relationship, or module may be used with merge codes. You can use the [Template Assistant](#) to assist with gathering these items, or you may also use [Studio](#) to find the names of custom fields and module relationships.

## Field Types

### Relationships

Relationship field types allow you to pull data from a related module without creating a [collection](#) (loop).

---

In this example, the `assigned_user_name` field is appended to gather further data from the Users module:

Example Merge Syntax	Merge Results
Employee {assigned_user_name.name} reports to {assigned_user_name.reports_to_name} .	Employee Sarah Smith reports to Jane Fitzpatrick.

### Relate Fields

Relate fields are not relationships, and therefore cannot be merged as in the above example. Instead, they are fields and can be merged from the target module using the field's name: `{#contacts}{name}{relate_field_c}{/contacts}`.

### Multiselect Fields

Multiselect fields are fields within Sugar that can have multiple options chosen. These results can be formatted in Doc Merge in a number of different ways.

Example Merge Syntax	Merge Results
{test_multi_c format='number' order='asc'}	Number Asc:  1. Analyst 2. Competitor 3. Investor 4. Prospect 5. Reseller
{test_multi_c format='bullet' order='desc'}	Bullet Desc:  • Reseller • Prospect • Investor • Competitor • Analyst

### Email Fields

Since records can have more than one email address, you must either specify which email address you are referring to or iterate over them using a collection. Use the following two methods to output email addresses:

- Use `{email1},{email2},{email3}` if you want to generate specific email addresses
- Use loops in order to generate all email addresses for a record:

---

`{#email_addresses}{email}/{email_addresses}`

### Date Fields

Date fields may also be pulled in via Doc Merge and can be formatted to suit your document's needs.

Example Merge Syntax	Merge Results
<code>{date_entered format='MMM Do, YYYY'}</code>	Sep 20th, 2021
<code>{date_entered format='MM/DD/YY'}</code>	09/20/21
<code>{date_entered format='M-D-YY'}</code>	9-20-21

**Note:** You may also use any other format found here: <http://momentjs.com>

### Datetime Fields

Datetime fields, not to be confused with date fields, may be pulled in and formatted within merged documents.

Example Merge Syntax	Merge Results
<code>{date_entered format='dddd, MMMM Do YYYY, hh:mm:ss A'}</code>	Friday, September 20th 2021, 06:10:00 PM
<code>{date_entered format='ddd, MMM Do, YYYY, hh:mm:ss a'}</code>	Fri, Sep 20th, 2021, 06:10:00 pm
<code>{date_entered format='ddd, MM/DD/YY, h:m:ss A'}</code>	Fri, 09/20/21, 6:10:00 PM
<code>{date_entered format='dd, MM-DD-YY, h:m:ss a'}</code>	Fr, 09-20-21, 6:10:00 pm
<code>{date_modified format='dddd, MMMM Do YYYY, hh:mm:ss A'}</code>	Thursday, February 11th 2022, 12:01:00 PM
<code>{date_modified format='ddd, MMM Do, YYYY, hh:mm:ss a'}</code>	Thu, Feb 11th, 2022, 12:01:00 pm
<code>{date_modified format='ddd, MM/DD/YY, h:mm:ss A'}</code>	Thu, 02/11/22, 12:01:00 PM
<code>{date_modified format='dd, MM-DD-YY, h:mm:ss a'}</code>	Th, 02-11-22, 12:01:00 pm

Merged documents display time using the browser's time zone, as opposed to the time zone set on the operating system. You can use the `moment()` function in your browser's development tools to get the browser's local time zone.

---


## Checkbox Fields

Checkbox fields may be brought into your document and formatted as a word, number, or symbol.

Example Merge Syntax	Merge Results (Checkbox Checked)	Merge Results (Checkbox Unchecked)
{checkbox_name format='boolean'}	true	false
{checkbox_name format=' unicode_symbols'}	<input type="checkbox"/>	<input type="checkbox"/>
{checkbox_name format='number'}	1	0

## Image Fields

Doc Merge supports the following image file types: JPEG, GIF, PNG, BMP.

Example Merge Syntax	Merge Results
{image_c}	

## TinyMCEFieldType Fields

The following formats used inside TinyMCE fields are supported:

- Bold
- Italic
- Underline
- Font color
- Highlight color
- Font size
- Lists: bullets and numbers

The syntax for TinyMCE fields is {TinyMCE\_fieldname format='docx'}.

## URL Fields

A URL field can be converted into a hyperlink with your choice of text or a clickable URL:

## ▼ BUSINESS CARD

Website

<http://www.kidhr.cn>

Example Merge Syntax	Merge Results
{website format='url' text='Click here!'}	<a href="#">Click here!</a>
{website format='url' text='http://www.360vacations.com'}	<a href="http://www.360vacations.com">http://www.360vacations.com</a>

## Field Attributes

An attribute is a setting you can specify on various merge codes to control specific details of what they output. There are several different attributes, some that apply only to certain field types, such as {checkbox\_name format='boolean'}, while others apply to many different field types, such as {case=""} or {pad=""}. For example, a collection has attributes to control the sort order of the items in the collection and the maximum number of records to display. The following field attributes in this section relate to multiple types of fields.

### Case and Capitalization

The below table shows some examples of how case and capitalization may be formatted. This example is gathering data from the "Department" field in the Users module. The initial value in Sugar when this merge took place was "sales and SUPPORT".

Example Merge Syntax	Merge Results
{department case='upper'}	SALES AND SUPPORT
{department case='lower'}	sales and support
{department capitalize='true'}	Sales and SUPPORT <b>Note:</b> Only the first letter of the entire field value is capitalized

**Note:** Capitalize set to 'false' will have no effect on the string. capitalize is best used for scenarios where you want to assure yourself that the string will start with an uppercase or lowercase letter.

### Padding

---

Padding a field adds a predefined number of leading spaces. This can be useful for formatting fields in a document where you want all fields to be aligned a certain way. If the returned field value is "TEST" and the pad value is 10, the resulting string will be " TEST" (i.e., six spaces will be added so the total number of characters in the merge result becomes 10). If the pad number defined is less than the length of the field value being merged, the merge results will not be padded.

In this example, the email address being merged (test.example@email.com) is 22 characters in length.

Example Merge Syntax	Merge Results
{email1 pad='35'}	test.example@email.com (padded 13 spaces)
{email1 pad='30'}	test.example@email.com (padded 8 spaces)
{email1 pad='25'}	test.example@email.com (padded 3 spaces)
{email1 pad='20'}	test.exmple@email.com (padded 0 spaces)

**Note:** The pad attribute cannot be used with sort, format, case, or capitalize attributes. This is because padding text gets applied to the code as opposed to the field values.

### Pre-Formatted Fields

Sugar has some fields that are already formatted. For these fields, only the field name needs to be placed within the curly braces.

For stock date/time fields, the default formatting is {MM-DD-YYY h:mm a}.

Example Merge Syntax	Merge Results
{date_entered}	09-20-2021, 6:10 pm
{date_modified}	02-11-2022, 12:01 pm

For currency, the format is determined using the user's [Preferred Currency](#) setting. The below examples use the Opportunities module and the user's preferred currency is USD \$.

Example Merge Syntax	Merge Results
Likely: {amount}	Likely: \$11,265.00
Converted Amount: {amount_usdollar}	Converted Amount: \$11,265.00

Best: {best_case}	Best: \$12,154.00
Worst: {worst_case}	Worst: \$10,376.00

## Barcodes

Doc Merge has the ability to format fields as barcodes using the following syntax: {field\_name format='barcode'}.

Example Merge Syntax	Merge Results
{field_name format='barcode' barcode-format='EAN13'}	
{field_name format='barcode' barcode-format='CODE39'}	
{field_name format='barcode' barcode-width='2' }	
{field_name format='barcode' barcode-height='150' }	
{field_name format='barcode' barcode-height='25' }	
{field_name format='barcode' barcode-	

<code>text='Hi!' }</code>	<p>Hi!</p>
<code>{field_name format='barcode' barcode-font-options='bold/italic/bold italic' }</code>	<p>Bold text</p> <p>Italic text</p> <p>Both options</p>
<code>{field_name format='barcode' barcode-textAlign='left' }</code>	<p>Left text</p>
<code>{field_name format='barcode' barcode-textPosition='top' }</code>	<p>Top text</p>
<code>{field_name format='barcode' barcode-textMargin='25' }</code>	<p>Text margin</p>
<code>{field_name format='barcode' barcode-fontSize='40' }</code>	

	 <p>Bigger text</p>
<code>{field_name format='barcode' barcode-background='#ccffff' }</code>	 <p>Blue background</p>
<code>{field_name format='barcode' barcode-lineColor='#990000' }</code>	 <p>Red lines</p>
<code>{field_name format='barcode' barcode-margin='30' barcode-background='#dddddd' }</code>	 <p>Bigger margins</p>
<code>{field_name format='barcode' barcode-marginTop='30' barcode-background='#dddddd' }</code> <code>{field_name format='barcode' barcode-marginLeft='30' barcode-background='#dddddd' }</code>	 <p>Left/Top margin</p>

#### Additional barcode formats

- CODE128 - default
- CODE39
- EAN13, EAN8, EAN5, EAN2
- ITF, ITF-14
- MSI, MSI10, MSI11, MSI1010, MSI1110
- Pharmacode
- Codabar


For further information on barcode formatting, please reference the [JsBarcode Guide](#).

## Collections

Collections loop through a list of records, allowing you to display field values from those records in the document, for example in a list or table of sales data. Information merged into a document is not limited to a specific module record's fields. You can extract information from relationships by using loops:

- **{#contacts}**: opening merge code for Contacts loop
- **{/contacts}**: closing merge code for Contacts loop

Stock module relationships are relatively straightforward. If you want to get information from a contact's opportunities, you would use {opportunities} in a template that targets the Contacts module. If you do not know the relationship's name, it can be determined in Admin > Studio > {Module Name} > Relationships. If there are multiple relationships for the same module, the relationship name can also be determined from the data-subpanel-link attribute when inspecting an element using the browser's development tools (F12 in most browsers):



---

**Note:** You can only merge up to 40 records in a collection.

**Example**

This example will create a list of three contact records ordered by first name in descending order. Each record will have specific values for each contact displayed.

```
{#contacts sort='first_name:desc' max_num='3'}
{salutation} {first_name} {last_name}
{title}
{email1}
{/contacts}
```

**Results**

Portia Leatherman  
IT Developer  
kid69@example.name

Mr. Orlando Bou  
Senior Product Manager  
im.kid@example.net

Marva Rodes  
Director Sales  
qa.section@example.co.uk

## Inner Collections

An inner collection is another collection generated inside of a parent collection. The syntax is the same:

```
{#parent_collection}
{parent_collection_field}
  {#child_collection}
    {child_collection_field}
  {/child_collection}
{/parent_collection}
```

**Example**

This template will generate all of an account's opportunities and all related contacts for each opportunity. Doc Merge can have as many inner collections as

---

needed.

```
Account's name: {name}
Opportunities:
{#opportunities}{name}
  {#contacts}
{first_name} {last_name}
  {/contacts}
{/opportunities}
```

#### Results

Account's name: T-Squared Techs

Opportunities:

T-Squared Techs - 175 Units

Love Abelson

T-Squared Techs - 207 Units

Justa Montesino

Guadalupe Schuessler

## Conditions

Conditions allow users to print different values in the document based on the state of a condition. This is accomplished by using the if and else merge tags codes, in combination with any conditional operator used in JavaScript. You may find more information on JavaScript conditional operators at [w3schools](https://www.w3schools.com/js/js_conditional_operators.asp).

#### Example

```
{if amount>5000}
The amount is greater than $5000
{elseif amount<=5000}
The amount is less than or equal to $5000
{endif}
```

#### Results

This example uses an opportunity with a likely amount of \$11,903.70.

**Output:** The amount is > \$5000

---

### Example

```
{if do_not_call==0}  
{phone_mobile}  
{endif}
```

### Results

This example uses a contact that does not have "Do Not Call" checked and therefore can have their phone number displayed in the merged document.

**Output:** (959) 260-3119

### Example

This example will show the `dp_business_purpose` field in the Contacts module if the business purpose contains the word "Marketing". If you do not see this field in your contact's record view, you may need to add it to the layout in Studio.

```
{if (dp_business_purpose.filter(item=>item.includes("Marketing")).length>0)}  
{dp_business_purpose}  
{else}  
NONE  
{endif}
```

### Results

In this example, the `dp_business_purpose` does include the word "Marketing".

**Output:** Marketing Communications by company

## Conditions Inside a Table

When used in tables, conditionals can make an entire row's visibility dependent on if the condition is met. To delete the entire row based on a specific condition, place the `{if $condition}` tag in the row's first table cell and the `{endif}` in the last table cell of the current row.

If you do not want the entire row deleted if the condition is met, do not place the `{if}` in the first table cell. Additionally, if you do not want this, do not place the `{endif}` in the last table cell. Having one of these criteria will cause Doc Merge to delete the row.

### Example

In this example, if the contact has "Do Not Call" unchecked, they will appear in the table so that only contacts that should be called will be listed:

---

{if do_not_call==0} {phone_mobile}	Please call this person:	{name}{endif}
---------------------------------------	--------------------------	---------------

#### Results

(959) 260-3119	Please call this person:	Johanne Ellingson
----------------	--------------------------	-------------------

## Directives

Directives insert a formatted object into the document, such as a table, a list, the current date, or the output of a [Sugar Logic calculation](#). They can also change the appearance or behavior of a component.

Directives, like other merge codes, are declared inside curly braces but directives are also preceded by an exclamation point: `{!directive_name}`

**Note:** Directives only work for Word and PDF merge. Excel merge is not supported.

### table

The `{!table}` directive inserts a table in the generated document.

#### Attributes

- **header-color:** Any HTML color hex value
- **header:** Column names for the table, separated by commas
- **columns:** Sugar fields you want to insert into the table, separated by commas
- **bind:** Context for the directive; in this example, this is the module you are retrieving data from
- **sort:** Field to sort the table by and the direction of the sort order (i.e., `sort='name:asc'` or `sort='name:desc'`)
- **max\_num:** Maximum number of records to retrieve from the collection

**Note:** Since the lists of values in the columns and header attributes refer to the same information (i.e., they represent the data and its display label, respectively), they must both be listed in the same order. If there is a mismatch of data, double-check to ensure that the columns match the headers.

#### Example

```
{!table header-color='#ff00ff' header='Name,Primary,Email'
columns='name,primary_address_city,email1' bind='#contacts' sort='name:asc'
max_num='3'}
```

#### Results

Name	Primary	Email
Piedad Chaffin	Cupertino	info28@example.it
Piedad Fleagle	San Mateo	hr92@example.info
Horacio Paulhus	Alabama	phone.section.dev@example.tv

## table\_header

The `{!table_header}` directive can remove the table header if there is no data in the table.

### Attributes

- **hide\_no\_data**: A boolean field to remove the table's header if there is no data in the table. The possible values are 'true' or 'false'. A value set to true will hide the table row if it has no data. False will have no effect on the table's row.
- **bind**: The module you are retrieving data from

### Example

<code>{!table_header hide_no_data='true' bind='#calls'}</code>	Date Entered	Assigned User
<code>{#calls}{name}</code>	<code>{date_entered}</code>	<code>{assigned_user_name}{/calls}</code>

### Results

As the criteria for the `hide_no_data` were fulfilled, the table is not rendered in the generated document.

## list

The `{!list}` directive is for quickly creating numbered lists of related module data. This is similar to collections but is formatted with a number for each related record.

### Attributes

- **column**: The Sugar fields you want to insert into the list
- **bind**: The module you are retrieving data from
- **sort**: The field to sort the table by and the direction of the sort order (i.e., `sort='name:asc'` or `sort='name:desc'`)
- **max\_num**: The maximum number of records to retrieve from the collection

### Example

---

```
{!list bind='#contacts' columns='name,email1' sort='name:asc' max_num='3'}
```

#### Results

1. **Piedad Chaffin**
  2. info28@example.it
- 
1. **Piedad Fleagle**
  2. hr92@example.info
- 
1. **Horacio Paulhus**
  2. section.dev@example.tv

#### date

The `{!date}` directive inserts the current date in the merged document.

#### Attributes

- **format:** Any [datetime format](#). The default is MM-DD-YYYY, h:mm.

#### Example

```
{!date}
```

#### Results

08-29-2022, 4:53

#### formula

Sugar Logic functions may be inserted into your document by using [calculated fields](#). To use calculated fields in Doc Merge, you need to input the formula directive `{!formula ...}`

#### Attributes

- **value:** Any Sugar Logic formula
- **format:** Any Sugar field type, such as currency or decimal

#### Example

```
{!formula value='concat($name, ": ",$quote_stage)} - TEST DOCUMENT
```

Product Name	Price	Discounted Price	Quantity	Total Price
{#products}{name}	{discount_price}	{!formula value='subtract(\$dis	{quantity}	{!formula value='multiply(\$qu

		count_price,multiply(\$discount_price,divide(\$discount_amount, 100)))'  format='currency'}		antity, subtract (\$discount_price,multiply(\$discount_price, divide(\$discount_amount,100)))'  format='float'} {/products}
--	--	---	--	--

#### Results

3 Year Service for Smallville Resources Inc: Draft - TEST DOCUMENT

Product Name	Price	Discounted Price	Quantity	Total Price
3 Year Service	\$544.50	\$544.50	10.00	5,445.00

## DocuSign Integration

### Overview

Sugar's DocuSign® Integration allows users to send documents such as quotes and contracts for electronic signatures directly from Sugar records. Signature status and the signed documents are maintained with their originating Sugar records, providing an uninterrupted workflow within Sugar. This documentation describes how to use the DocuSign integration in your Sugar instance.

For information on how to use DocuSign, please refer to the documentation on the [DocuSign website](#).

### Features

Sugar's DocuSign integration includes the following features:

- Request signatures on documents in the [DocuSign dashlet](#) or from the [Documents subpanel](#) on a specific record.
- View signature status in the [DocuSign dashlet](#).
- Download signed documents from the [DocuSign dashlet](#) or the [DocuSign Envelopes](#) module.
- Create envelopes from the [DocuSign dashlet](#).
- Resend envelopes from the [DocuSign Envelopes](#) module.

### Prerequisites

- 
- The DocuSign connector must be [configured](#) by a System Administrator before you can access the integration.
  - Your Sugar profile must be [configured](#) with an account associated with a paid DocuSign plan before you can send envelopes from Sugar.  
**Note:** Free DocuSign accounts are allowed to send a small number of envelopes for testing purposes. Refer to the [DocuSign](#) website for information on the differences between account types.

While this documentation is written for Sugar users with a profile connected to a DocuSign account, limited functionality in the DocuSign dashlet can be accessed by other users. Please refer to the [Using the DocuSign Integration without a DocuSign Account](#) section for more information.

## Suggested Settings

We recommend making the following admin configurations to your Sugar instance to optimize the user experience.

**Note:** You must be a system administrator to complete the following configurations.

- **Unhide the DocuSign Envelopes module:** The DocuSign Envelopes module is hidden by default. While you can create and select envelopes without making the module visible, you may want to remove the module from the hidden modules list via Admin > [Display Modules and Subpanels](#) for easier envelope access.
- **Create a role for users who will have access to the DocuSign functionality:** Most customers will want users to be able to access each other's envelopes (team permitting), but only edit or delete their own. To create a role that restricts users from editing or deleting other users' envelopes, create a new role via [Admin > Role Management](#) with the following settings:
  - **Role Name:** DocuSign Users
  - **Module Permissions:** For the DocuSign Envelopes module, set the following permissions:
    - **Access:** Enabled
    - **Access Type:** Normal
    - **Delete:** Owner
    - **Edit:** Owner
    - **List:** All
    - **Record View:** All

## DocuSign Integration Workflow

The DocuSign Integration provides a link from your Sugar instance to your

DocuSign account to request and manage signatures on documents. The basic steps of the DocuSign integration workflow include:

1. [Initiate a request for signatures](#): You request signatures on documents within Sugar. Documents are managed within envelopes that contain one or many documents that are transmitted to and from contacts. The documents sent for signature are linked to parent records.
2. [Select recipients](#): Identify the recipients of the envelope within your DocuSign account, which opens when you initiate a Send to DocuSign.
3. [Monitor signature status](#): Access the status of envelopes in the DocuSign dashlet and the DocuSign envelope record.
4. [Download signed documents](#): View and download signed documents from the DocuSign dashlet, the DocuSign Envelopes module, or the Documents module.

**Note:** The envelopes used to request and manage signatures within Sugar are accessible within your DocuSign account; however, envelopes you create directly in your DocuSign account are not accessible within Sugar unless you manually [import envelopes](#).

## Accessing the DocuSign Integration


The DocuSign integration is available in the following locations:

- [DocuSign dashlet](#)
- [Documents subpanel Actions menu](#)

### DocuSign Dashlet

The DocuSign dashlet can be added to the home dashboard, list view intelligence pane, and record view intelligence pane. When the dashlet is displayed in list view, the records are filtered for the current module type when it is displayed on the home dashboard, where envelopes for all modules are included. When displayed in record view, the New Envelope tab is included to allow the quick creation of new envelopes.

Home Dashboard and List View DocuSign Dashlet	Record View DocuSign Dashlet



The dashlet is organized into the following tabs:

- **Overview:** Provides a chart representing the status of all envelopes. Hover over each segment to view the number and percentage for each status. Click a segment to display details in the dashlet's Envelopes tab.
  - **Envelopes:** Lists all envelopes added to DocuSign, including the envelope status, date created, created by user name, and a download link\*. The envelope name links to the Document Envelope record.
- \* Only the user that created the envelope may download it via the Envelopes tab on the DocuSign dashlet. Other users may download the envelope from the DocuSign Envelopes module, depending on their team and role permissions.

DocuSign				
Overview		Envelopes	Drafts	
Name	Status	Date Created		
<a href="#">Dirt Mining Contr...</a>	Created	2022-03-03 13:38		<a href="#">Download</a>
<a href="#">Dirt Mining Contr...</a>	Sent	2022-03-03 10:23		<a href="#">Download</a>
<a href="#">Smith &amp; Sons Co...</a>	Sent	2022-03-03 10:22		<a href="#">Download</a>
<a href="#">Jungle Systems ...</a>	Sent	2022-03-03 10:19		<a href="#">Download</a>
<a href="#">Income free cont...</a>	Sent	2022-03-03 10:17		<a href="#">Download</a>

- **Drafts:** All envelopes in draft status. Click the Open Draft button (folder icon) next to each envelope to open the document in DocuSign. The envelope name links to the Document Envelope record.

DocuSign			
Overview	Envelopes	Drafts	
Name	Date Created	Created By	
Dirt Mining Contr...	2022-03-03 13:38	Administrator	
Test docusign up...	2022-03-03 09:55	Administrator	
Test docusign up...	2022-03-03 07:28	Administrator	
Test docusign up...	2022-03-03 07:13	Administrator	
Test docusign up...	2022-03-03 05:38	Administrator	

- **New Envelope:** This tab is only displayed when the dashlet is in the record view intelligence pane. Click the Add Document button to open a Search and Select drawer where you can select documents to add to the new envelope, and then click the Send button to open the envelope in DocuSign.

DocuSign			
Overview	Envelopes	Drafts	New Envelope
<div>Clear Add Document Send</div>			
Name	File		

## Documents Subpanel Actions Menu

Select "Send to DocuSign" from the [Documents subpanel](#) Actions menu to send the selected document for signature through DocuSign:

Ac Jungle Systems Inc ☆

Business Card

Website <http://www.infovegan.edu>

+ Member of

+ Business Center ...

Assigned to Max Jensen

+ Tags

Industry Retail

Type Customer

+ Service Level

Office Phone (108) 624-5252

SHOW MORE

HINT

Related All Filter All Records Search...

Documents (4)

Name	File	Category	Source	Status	Publish Date	
☆ Price Adjustment.do...	Price Adjustment.do...		Sugar	Active	2022-03-30	⋮
☆ Jungle Systems Con...	Jungle Systems Con...		Sugar	Active	2022-	
☆ Jungle System Inc C...	Jungle System Inc C...		Sugar	Active	2022	
☆ Jungle Systems Ter...	Jungle Systems Ter...		Sugar	Active	2022	

Calls (1)

Meetings (5)

DocuSign ☆

Overview

Envelopes

Drafts

New Envelope

Created Sent Delivered Completed

- Edit
- Unlink
- Send to DocuSign
- Sync To Google Drive
- Sync To OneDrive
- Doc Merge
- Doc Merge to PDF

315 / 887

---


## Using the DocuSign Integration without a DocuSign Account

Users without a DocuSign account or those who do not have their Sugar profile connected to their DocuSign account can access the DocuSign dashlet with limited functionality. These users can access the following:

- The Overview and Envelopes tabs in the DocuSign dashlet.



- DocuSign envelope records from the dashlet's Envelope tab. While the download link is available to these users, they can only [download](#) completed documents if they created the DocuSign Envelope record.



The image shows the 'Envelopes' tab of the DocuSign dashlet. It displays a table with the following data:

Name	Status	Date Created	
<a href="#">Test envelope</a>	Created	2022-03-	<a href="#">Download</a>


**Note:** The "Send to DocuSign" option is displayed in the Documents subpanel Actions menu for these users, but an error message displays if they attempt to use this action.

## Signatures

You request signatures on documents through the DocuSign Integration in Sugar, which opens your DocuSign account where you manage the recipients and the signing workflow. Requests for signatures and the resulting signed documents are sent through envelopes, which are maintained within your Sugar instance. Envelopes are automatically created when you initiate a "Send to DocuSign" and are managed in the [DocuSign Envelopes module](#). You can request signatures on any Sugar document from the DocuSign dashlet or the Documents subpanel in a related record.

## Requesting Signatures for Individual Documents

To request signatures from the Documents subpanel, select "Send to DocuSign" from the Actions menu. A new page opens with your DocuSign account, where you will select recipients, identify the signing workflow, and send the request.



The screenshot shows a 'Documents (5)' subpanel. It contains a table with columns: Name, File, Category, Source, Status, Publish Date, and a dropdown menu icon. The table lists five documents, all with 'Sugar' as the source. The first document is 'Income free contr...' with a publish date of '2022-03-08'. The other documents have partial names and dates. The dropdown menu is open, showing options: Edit, Unlink, Send to DocuSign (highlighted with a red box), Sync To Google Drive, Sync To OneDrive, Doc Merge, and Doc Merge to PDF. Below the table, there are sections for 'Emails (1-5 of 6+)' and 'Contacts (1-5 of 6+)'.

	Name	File	Category	Source	Status	Publish Date	
☆	Income free contr...	Income free contr...		Sugar		2022-03-08	⋮
☆	Income free contr...	Income free contr...		Sugar		202	⋮
☆	Income free contr...	xyzholdings_contr...		Sugar	Active	202	⋮
☆	XYZ contract	xyzholdings_contr...		Sugar	Active	202	⋮
☆	Test docuSign upl...	Test docuSign upl...		Sugar	Active	202	⋮

Em Emails (1-5 of 6+)


Co Contacts (1-5 of 6+)

## Requesting Signatures for Multiple Documents

You can request signatures for multiple documents associated with the same record in the record view DocuSign dashlet.

To request signatures for multiple documents:

1. On the DocuSign dashlet New Envelope tab, click the Add Document button. A Search and Select drawer opens with the available documents.



2. Select the checkboxes next to the desired documents, and then click the Select button. The documents are added to the list in the DocuSign dashlet.
3. Click the Send button to open DocuSign, where you will select recipients, identify the signing workflow, and send the request.

DocuSign

Overview Envelopes Drafts New Envelope

Clear Add Document Send

Name	File	
Dirt Mining Contract	xyzholdings_contract.docx	✕

After the request is sent from DocuSign, a DocuSign envelope record is created in Sugar and the envelope is added to the list on the DocuSign dashlet Envelopes tab with "Sent" status. The envelope name is the name of the first document added to the envelope.

**Note:** The envelope recipients will see the name associated with your DocuSign account as the sender, not your user account name in Sugar.

## Selecting Recipients

Envelope recipients are identified within your DocuSign account when you initiate a "Send to DocuSign"; you do not select recipients within Sugar.

## Viewing Signature Status

View the status of sent envelopes in the DocuSign dashlet or the [DocuSign Envelopes module](#). Please refer to the [DocuSign](#) documentation for a description of status types.

DocuSign dashlet

DocuSign

Overview

Envelopes

Drafts

New Env...

Name	Status	Date Created	
Dirt Mining Contr...	Created	2022-03-17 14:	↓
Dirt Mining Contr...	Sent	2022-03-03 10	↓

DocuSign Envelopes module

DocuSign Envelopes (13)

Filter

Build Filter


Search by subject...

<input type="checkbox"/>	<input type="text"/>	Subject	Status	Completed Do...
<input type="checkbox"/>	☆	Price Adjustment.docx	Delivered	
<input type="checkbox"/>	☆	Income Free Investing L...	Created	
<input type="checkbox"/>	☆	Jungle Systems Contrac...	Sent	
<input type="checkbox"/>	☆	Kaos Trading Contract.d...	Created	
<input type="checkbox"/>	☆	Doc A.docx	Voided	
<input type="checkbox"/>	☆	Jungle Systems Terms o...	Created	

## Downloading Signed Documents


Completed documents are saved with "- Completed" appended to the original file name. You can view and download signed documents in the following locations within your Sugar instance:

- DocuSign dashlet (only available if you created the envelope)



DocuSign			
Overview	Envelopes	Drafts	
Name	Status	Date Created	
Dirt Mining Contr...	Created	2022-03-17 14:	Download
Income free cont...	Sent	2022-03-17 13:	Download
Income free cont...	Created	2022-03-16 11:	Download

- Documents module



Accounts Contacts DocuSign Envelopes Opportunities Leads Document Templates Documents

Do Income free contract - Completed


File Name Income free contract - Completed.pdf Source Sugar

+ Tags

+ Status Revision 1

+ Document Ty... Is a Template

- DocuSign Envelopes module



Accounts Contacts DocuSign Envelopes Opportunities Leads Document Templates Calendar

DS Dirt Mining Contract

Envelope ID 13cab375-76c2-489e-9478-69a9bb21... Status Created

Account Dirt Mining Ltd Last audit

+ Completed D... Fetch completed document

+ Comment Log

Teams Global (Primary) Assigned to Administrator

Date Created 2022-03-17 14:19 by Administrator Date Modified 2022-03-17 14:19

+ Tags

Share Resend Fetch envelope Fetch completed document Find Duplicates Copy View Audit Log Delete

To download completed documents from a DocuSign envelope record, select "Fetch completed document" from the record's Actions menu. The document will populate the record's Completed Document field.

**Note:** Signed documents are also available in your DocuSign account.

## Managing Envelopes

You can perform the following actions within the DocuSign envelope record to manage the envelopes created in Sugar:

- [Resend the envelope](#)
- [Manually retrieve the latest status](#)
- [Find and merge duplicate envelopes](#)

## Resending Envelopes

Envelopes that are in "Sent" and "Delivered" envelope status can be resent to the original recipients. To resend envelopes, click the Resend option in the DocuSign envelope record.

The screenshot shows a DocuSign envelope record for "Jungle Systems Contract Addendum.docx". The envelope ID is 294d83c4-266a-42cd-a1aa-c82... and the status is "Sent". The account is "Jungle Systems Inc" and the last audit is from 2022-03-30. A comment log shows two entries from the Administrator dated 2022-03-30 13:44, stating "DocuSign Envelope Jungle Systems Contract Addendum.docx is now :". The "Edit" dropdown menu is open, showing options: Share, Resend (highlighted), Fetch envelope, Fetch completed document, Find Duplicates, Copy, View Audit Log, and Delete.

## Updating Envelope Status

To update the envelope status, select "Fetch envelope" from the DocuSign Envelope record. The Status field is updated and a new entry is added to the Comment Log.

The screenshot shows a DocuSign envelope record for "Income free contract". The envelope ID is d5240dc7-317b-450f-afec-d1f70134... and the status is "Created". The account is "Income Free Investing LP" and the last audit is from 2022-03-08 17:16. A comment log shows one entry from the Administrator dated 2022-03-08 17:16, stating "DocuSign Envelope Income free contract is now sent". The "Edit" dropdown menu is open, showing options: Share, Resend, Fetch envelope (highlighted), Fetch completed document, and Find Duplicates.

## Merging Duplicate Envelopes

To find and merge duplicate envelopes:

1. From the Document Envelope record's action menu, select "Find Duplicates". A Search and Select drawer opens with any duplicate envelopes found.

The screenshot shows the DocuSign Envelopes interface. At the top, there is a navigation bar with tabs for Accounts, Contacts, DocuSign Envelopes (highlighted with a red box), Opportunities, Leads, and Document Templates. Below this, the main header shows 'DS Dirt Mining Contract' with a star icon and an 'Edit' button (highlighted with a red box). A dropdown menu is open from the 'Edit' button, showing options: Share, Resend, Fetch envelope, Fetch completed document, Find Duplicates (highlighted with a red box), and Copy. The main content area displays details for the envelope: Envelope ID 13cab375-76c2-489e-9478-69a..., Status Created, Account Dirt Mining Ltd, Last audit 2022-03-17, and a Comment Log entry from Administrator on 2022-03-17 15:41 stating 'DocuSign Envelope Dirt Mining Contract is now created'.

2. Select the checkboxes next to the records to merge, and then click the Merge Duplicates button.

The screenshot shows the 'Find Duplicates' drawer. At the top, there is a 'Find Duplicates' title, a 'Cancel' button, and a 'Merge Duplicates' button (highlighted with a red box). Below the title, there is a 'Filter' dropdown and a 'Build Filter' button. A search bar says 'Search by subject...'. A table with columns 'Subject', 'Teams', 'Assigned to', and 'Date Modified' is shown. The first row is highlighted in blue and has a checkbox checked (highlighted with a red box). Below the table, a message says 'You have selected 1 record in the result set. Clear all selections.' The second row is highlighted in yellow and has a checkbox checked (highlighted with a red box).


For more information on finding duplicates and merging Sugar records, please refer to the [User Interface](#) documentation.

## Importing DocuSign Envelopes

The envelopes you create in Sugar are maintained in Sugar and are also available in your DocuSign account. The envelopes you create in your DocuSign account are not accessible in your Sugar instance unless you import them via a CSV file.

To import DocuSign envelopes:

1. From the DocuSign Envelopes module Actions menu, select "Import DocuSign Envelope".



2. Click the "Download Import File Template" link to download a file that contains the correct format for uploading envelopes.
3. Follow the instructions in the template and save. The Envelope ID column is required and must be populated with the IDs from DocuSign.
4. Click the Choose File button and navigate to the file you just created.
5. Choose to create only new records with the uploaded envelopes or to also update existing records, and then click the Next button.

### Step 1: Upload Import File

Select a file on your computer that contains the data that you would like to import, or download the template to get a head start on creating the import file.

[Download Import File Template](#) ⓘ

Select file:  No file chosen ⓘ

**What would you like to do with the imported data?**

☒ Create new records only ⓘ

☐ Create new records and update existing records ⓘ

6. On Step 2 of the wizard confirm that the header rows appear as expected, and then click the Next button.
7. On Step 3, the wizard attempts to match fields to the header rows in your file. Make any desired changes, and then click the Next button at the bottom of the page.
8. On Step 4, select the fields to use for duplicate checking by dragging fields from the Available Fields list to the Fields to Check list.

#### Step 4: Check for Possible Duplicates

To avoid creating duplicate records, select which of the mapped fields you would like to use to perform a duplicate check while data is being imported. Values within existing records in the selected fields will be checked against the data in the import file. If matching data is found, the rows in the import file containing the data will be displayed along with the import results (next page). You will then be able to select which of these rows to continue importing.

Fields to Check	Available Fields
Envelope ID	Assigned User ID
	Envelope ID
	Parent Type
	Subject

To save the import settings, provide a name for the saved settings: ⓘ

9. Click the Import Now button to begin the import.

## DocuSign Envelopes Module

The DocuSign Envelopes module was added to Sugar to support the DocuSign feature. The DocuSign Envelopes module is where you can upload DocuSign envelopes in bulk and manage existing DocuSign envelopes. This section provides information specific to the DocuSign Envelopes module. For information on views and actions that are common across all Sugar modules, such as editing and deleting DocuSign envelopes, please refer to the [Working with Sugar Modules](#) section of this page.

**Note:** The DocuSign Envelopes module is hidden by default. If you do not see the DocuSign Envelopes module, please check the Layout Options in the Advanced tab of your user profile or ask your Administrator to unhide the module via Admin > [Display Modules and Subpanels](#).

---

## DocuSign Envelope Fields

The DocuSign Envelopes module contains a number of stock fields that come out-of-the-box with Sugar. For information on using and editing various field types, refer to the [User Interface](#) documentation. The definitions below are suggested meanings for the fields, but the fields can be leveraged differently to best meet your organization's needs. Administrators or users with developer-level role access have the ability to alter, add, or remove fields via Admin > Studio. For more information on configuring fields, please refer to the [Studio](#) documentation in the Administration Guide.

Field	Description
Envelope ID	A unique identifier that is automatically generated when the envelope is created.
Status	Where the envelope is in the workflow. Values are determined from DocuSign's statuses. Please refer to the <a href="#">DocuSign</a> documentation for a description of status types.
Parent	The parent record with which the envelope is associated. This field label updates with the module name when a new DocuSign Envelope record is saved.
Last Audit	Date and time of the most recent envelope status retrieved from DocuSign.
Teams	The Sugar team(s) that have access to the record. <b>Note:</b> The team will be automatically set to the user's default team and will not inherit the team(s) of any of the documents in the envelope.
Assigned to	The Sugar user to whom the envelope is assigned. The value in this field defaults to the user who created the envelope.
Date Created	The date and time when the envelope was created in Sugar.
Date Modified	The date and time when the envelope was last updated in Sugar.

## Working With Sugar Modules


While the DocuSign Envelopes module has some features that only apply to DocuSign envelopes, it also uses the Sidecar user interface that most Sugar modules are based on. The following sections detail menus, views, and actions common to Sidecar modules and contain links to additional information within the page or links to the [User Interface](#) documentation.

### DocuSign Envelopes Menus

The DocuSign Envelopes module contains various options and functionality that are available via menus in the module tab, list view, and record view. The following sections present each menu and its options with links to more information about each option in the [User Interface](#) documentation or, for DocuSign Envelopes-specific functionality, within this page.

### Module Tab Menus

The DocuSign Envelopes module tab is typically located on the navigation bar at the top of any Sugar screen. Click the tab to access the DocuSign Envelopes list view. You may also click the triangle in the DocuSign Envelopes tab to display the Actions, Recently Viewed, and Favorites menus. The Actions menu allows you to perform important operations within the module. The [Recently Viewed menu](#) displays the list of DocuSign envelopes you most recently viewed. The [Favorites menu](#) displays the list of DocuSign envelopes you most recently marked as favorites.



The module tab's Actions menu allows you to perform the following operations:

Menu Item	Description
View Envelopes	Displays the DocuSign Envelopes list view.
Import DocuSign Envelope	Opens an import wizard that enables the bulk upload of DocuSign envelopes.

For more information on module tab menus including reasons a module may not be included in the menu, see the [User Interface](#) documentation.


---

## List View Menus

The DocuSign Envelopes [list view](#) displays all envelope records and allows for searching and filtering to locate specific envelopes. You can view the basic details of each record within the field columns of the list view or click an envelope's name to open the record view. To access a module's list view, simply click the module's tab in the navigation bar at the top of any Sugar page.

### List View Mass Actions Menu

The Mass Actions menu to the right of the checkbox option in the list header allows you to perform mass actions on all currently selected records. You can use the checkbox on each record's row to select individual records or click the checkbox in the list header to select all records displayed on the current set of list view results.



The Mass Actions menu allows you to perform the following operations:

Menu Item	Description
<a href="#">Mass Update</a>	Mass update one or more envelopes at a time.
<a href="#">Merge</a>	Merge two or more duplicate envelopes.
<a href="#">Delete</a>	Delete one or more envelopes at a time.
<a href="#">Export</a>	Export one or more envelopes to a CSV file.

### List View Record Actions Menu

The Record Actions menu to the far right of each record's row allows you to perform actions on the individual record directly from the list view.

Accounts

Contacts

DocuSign Envelopes

Opportunities

Leads

Document Templates

Calendar

DocuSign Envelopes (18)

Filter Build Filter Search by subject...

<input type="checkbox"/>	<div></div>	Subject	Status	C.	Assigned to	Parent	Teams	Date Cre	
<input type="checkbox"/>	☆	New Envelope	Created		Administrator	Ac Income Free Inv...	Global	2022-03	<div><div></div><div></div></div>
<input type="checkbox"/>	☆	Income free contract	Completed		Administrator	Ac Income Free Inv...	Global	2022-03	<div><div></div><div></div></div>
<input type="checkbox"/>	☆	Contact document	Created		Administrator	Co June Arends	Glo		<div> <div>Edit</div> <div>Delete</div> </div>
<input type="checkbox"/>	☆	Income free contract	Created		Administrator	Ac Income Free Inv...	Glo		

The list view's Record Actions menu allows you to perform the following operations:

Menu Item	Description
<a href="#">Preview</a> (Eye icon)	Preview this DocuSign envelope in the intelligence pane.
<a href="#">Edit</a>	Edit this DocuSign envelope.
<a href="#">Delete</a>	Delete this DocuSign envelope.

## Record View Actions Menu

The DocuSign Envelopes [record view](#) displays a single envelope in full detail. To access a DocuSign envelope's record view, click a hyperlinked document name from anywhere within Sugar. The record view's Actions menu appears on the top right of the page and allows you to perform various operations on the current record.

DocuSign Envelopes

Opportunities

Leads

☆

< >

Edit

>>

'3-8691-f...

Status

Compl

ig LP

Last audit

03-08 17:16

ncome free contract is now sent

03-08 17:16

ncome free contract is now sent

Share

Resend

Fetch envelope

Fetch completed document

Find Duplicates

Copy

View Audit Log

Delete

---

The Actions menu allows you to perform the following operations:

Menu Item	Description
Share	Opens a Sugar email record to compose an email with an embedded link to the DocuSign envelope.
Resend	Sends the DocuSign envelope to the recipients identified when the envelope was originally sent. This option is only available for envelopes in "Sent" or "Delivered" status.
Fetch envelope	Retrieves the latest envelope status from DocuSign.
Fetch completed document	Retrieves the signed document and attaches it to the DocuSign envelope record. This action is only available for envelopes in "Completed" status. <b>Note:</b> The completed document is assigned to the user who fetches the completed document and the completed document's team is set as the default team of that user.
Find Duplicates	Searches existing DocuSign envelope records for potential duplicates and provides an option to merge any duplicate records found.
Copy	Creates a copy of the DocuSign envelope record.
View Audit Log	View a sequence of changes made to this record. Activity history is also available in the record's Comment Log field.
Delete	Deletes the DocuSign envelope record.

## Common Views and Actions

In the table below, the left column contains links to the User Interface page covering topics that are applicable to all Sidecar modules. The right column has links to sections of the current page that cover topics specific to DocuSign envelopes.

General Instructions for Working	DocuSign Envelopes-Specific
----------------------------------	-----------------------------

With Sugar Modules	Instructions
Use the links below to navigate to the User Interface page which covers topics generic to many Sugar modules.	When DocuSign Envelopes-specific help exists for each topic, use the links below to navigate to sections of the current page.
<a href="#">Creating Records</a>	
<a href="#">Viewing Records</a>	
<a href="#">Searching for Records</a>	
<a href="#">List View</a>	<a href="#">List View Mass Actions Menu</a> <a href="#">List View Record Actions Menu</a>
<a href="#">Record View</a>	<a href="#">Record View Actions Menu</a>
<a href="#">Intelligence Pane</a>	
<a href="#">Editing Records</a>	
<a href="#">Deleting Records</a>	
<a href="#">Exporting Records</a>	
<a href="#">Recalculating Calculated Values</a>	
<a href="#">Finding Duplicate Records</a>	
<a href="#">Merging Records</a>	
<a href="#">Favoriting Records</a>	
<a href="#">Following Records</a>	
<a href="#">Sharing Records</a>	

## Sugar Maps

### Overview

Using Sugar Maps, our integration with Microsoft Bing Maps, you can quickly see which records are in close proximity to each other, plot records on a content-rich map, and generate driving directions between records.

### Features

Sugar Maps includes the following features:

- [See the location of a record or records on a map.](#)
- [Map directions between records.](#)
- [Map directions between records and your location.](#)
- [Filter records by their proximity to a zip code.](#)
- [Filter records by their proximity to another record.](#)

- 
- [Share mapped data via email](#).
  - [Download mapped data as a PDF](#).

## Prerequisites

- Sugar Maps is available on Sugar Premier 12.0.0 or higher. Sugar Maps can also be purchased as an add-on with other license types.
- If you purchased Sugar Maps as an add-on, an administrator must [enable the Sugar Maps license for users](#) who should have access.
- Some features of Sugar Maps must be initially configured by a System Administrator. For more information on Sugar Maps configuration, refer to the [Configuring Sugar Maps](#) section of the Sugar Maps administration guide.

## Getting Started With Sugar Maps

To get the most out of Sugar Maps, you can [set your user profile address](#) to map directions between records and your location, configure the [measurement unit](#) you want to use when filtering records by proximity, and [manually geocode records](#) if needed.

### Setting Your User Profile Address

With Sugar Maps, you can map directions from your location to another record or records. Your location is based on the address set in your user profile. For more information on editing your user profile, refer to the [User Preferences](#) section of the Getting Started documentation.

**Note:** For SugarIdentity-enabled instances, the address for a user's profile can only be edited by a System Administrator.

### Setting Your Measurement Unit

When filtering records by proximity, you can choose to display measurements in Sugar Maps in kilometers or miles.

**Note:** The measurement unit used for driving directions between points can only be set up by a System Administrator. For more information on this setting, please refer to the Setting the Measurement Unit for Driving Directions section of the Sugar Maps administration guide.

The measurement unit used when filtering records by proximity is set by the user and is user-specific. To set the measurement unit for a module list view distance filter you will use the dropdown in the filter settings.

Accounts (1-20 of 21+)

Filter **Build Filter** Search by name...

Distance **in a Radius from Zip Code** 0

Zip Code

Enter new filter name...

Name City Billing Country Phone

Miles  
Miles  
Kilometers

To set the measurement unit for a Maps subpanel you will use the dropdown in the subpanel.

Ma Maps

Contacts **All Contacts** Miles 50 Miles

Distance **Miles** Name City


7.86 15.74

## Manually Geocoding Records


A goecode is the latitude and longitude of a record's physical location. If needed, you can work to manually change a record's geocode from a record view.

Use the following steps to change a record's geocode manually:

1. Navigate to a Sugar Maps enabled record, open the Actions menu and select the Geocode action.



2. Click a specific location on the map or search for a specific address to change the geocode value.




3. Once you have the correct location, click the Save button.
4. If the record has been previously geocoded, a warning message will appear asking you to confirm that you want to overwrite the existing geocode value.

**Note:** Manually geocoding a record will only update the geocode value used with Sugar Maps and will not update any mapped address fields.


## Using Sugar Maps

# Mapping a Record


Using Sugar Maps, you can view a record's location on a map.




To map a record from a record view, select the Map action from the Actions menu.



To map a record or records from a list view, select the record or records you want to map with the checkbox field and then select the Map action from the Mass Actions menu.




To map a record or records from the Maps subpanel, select the record or records you want to map with the checkbox field and then select the Map action from the Mass Actions menu.




## Mapping Directions to a Record

With Sugar Maps, you can map directions from one record to another record or records. Additionally, you can map directions from your location to another record or records.




Follow these steps to map directions from one record to another record or records:

From a module list view, select the record or records you want to map directions between with the checkbox fields. Then select the "Directions starting from this record" action from the record Actions menu of the record you want to map directions from.




From the Maps subpanel, select the record or records you want to map directions between with the checkbox fields. Then select the "Directions starting from this record" action from the Mass Actions menu of the subpanel. Directions will start from the record you are viewing to the records selected within the subpanel.




Follow these steps to map directions from your location to another record or records:


From a module list view, select the record or records you want to map directions to with the checkbox field. Then select the "Directions starting from Current User" action from the Mass Actions menu.



From a record view, select the "Direction starting from Current User" from the Actions menu.



From the Maps subpanel, select the record or records you want to map directions to with the checkbox fields. Then select the Directions starting from Current user action from the Mass Actions menu of the subpanel.



## Filtering Records by Distance From a Zip Code

From a module's list view, you can use set a Distance filter to segment records by their proximity to a zip code.

Follow these steps to filter a module list view by the distance from a zip code:

1. Open a module's list view.
2. Click the Build Filter button.
3. Select the Distance filter type from the dropdown field.

**Contacts (1-20 of 21+)** Create »

Filter ▾ **Build Filter** ✕ Search by first name, last name, email address, office phone, mobile, other phone, as

Select...  
distance  
Distance

Reset Cancel Save ^

	Account Name	Email Address	Office Phone	User	
<input type="checkbox"/> ☆ Location 2				User 1	👁️ ▾
<input type="checkbox"/> ☆ Location 3				User 1	👁️ ▾
<input type="checkbox"/> ☆ Location 2				User 1	👁️ ▾
<input type="checkbox"/> ☆ Location 1				User 1	👁️ ▾

4. Select "in a Radius from Zip Code" from the following dropdown field.
5. Enter the distance from the zip code that you want to filter by in the Radius field. The value for the Radius field can either be in miles or kilometers based on the measurement unit selected.

**Contacts (1-20 of 21+)** Create «

Filter ▾ **Build Filter** ✕ Search by first name, last name, email address, office phone, mobile, other phone, assistant phone...

Distance ▾ in a Radius from Zip Code ▾ 15

🇺🇸 Zip Code  
Miles ▾

Enter new filter name...

Reset Cancel Save ^

	Name	Title	Account Name	Email Address	Office Phone	User	Date Modified	Date Created	
<input type="checkbox"/> ☆ Location 2						User 1	03/31/2022 01...	03/14/2022 11:	👁️ ▾
<input type="checkbox"/> ☆ Location 3						User 1	03/25/2022 12...	03/25/2022 12:	👁️ ▾

6. Enter the zip code you want to filter by in the Zip Code field and select the country associated with the zip code from the dropdown field.

**Contacts (3)** Create «

Filter ▾ **Build Filter** ✕ Search by first name, last name, email address, office phone, mobile, other phone, assistant phone...

Distance ▾ in a Radius from Zip Code ▾ 15

🇺🇸 80221 🇺🇸  
Miles ▾

Enter new filter name...

Reset Cancel Save ^

	Name	Title	Account Name	Email Address	Office Phone	User	Date Modified	Date Created	
<input type="checkbox"/> ☆ Location 2						User 1	03/31/2022 01...	03/14/2022 11:	👁️ ▾
<input type="checkbox"/> ☆ Location 3						User 1	03/25/2022 12...	03/25/2022 12:	👁️ ▾
<input type="checkbox"/> ☆ Location 1						User 1	03/18/2022 01...	03/18/2022 01:	👁️ ▾


7. Click the Save button.

## Filtering Records by Distance From a Selected Record

From the Sugar Maps record view subpanel, you can list and map other records in

---

proximity to the selected record. Using the dropdown fields in the subpanel, you can select the module type being displayed, apply any saved filters for that module type, set the radius for records in proximity to the selected record, and set the measurement metric used for the radius. The Distance column will display how far a record is from the selected record using the selected measurement unit.



**Note:** Only Sugar Maps enabled module types will be selectable in the Maps subpanel. Additionally, columns displayed for each selectable module type are controlled by your Maps configuration settings. For more information on enabling modules for Sugar Maps and configuring the Maps subpanel, refer to the [Configuring Sugar Maps](#) section of the Sugar Maps administration guide.

## Interacting With the Map

There are several icons in the map interface that allow you to interact with the map:

- **Downloading map data as a PDF (download icon):** Using the download icon in the map interface, you can download your mapped data as a PDF. Clicking the download icon will download a PDF containing an image of the mapped data and record name, coordinates, and address to your device.

- 
- **Sharing map data via email (email icon):** Using the email icon in the map interface, you can share your mapped data via email. Clicking the email icon will generate an email draft containing Microsoft Bing Maps links for the displayed map data. You can work to edit the content of the email and recipients as needed.
  - **Change map type:** Change the type of map between:
    - Road: Road imagery with some topographical shading
    - Dark road: Dark-mode version of the Road style
    - Aerial: Satellite imagery
    - Streetside: Panoramas from the street level
  - **Locate me (target icon):** Display your current location on the map.
  - **Zoom (+ and - icons):** Zoom in or out on the map.

## Maps Dashlet

The Maps dashlet provides users with a way to view geocoded records on a map throughout Sugar. For more information on using the Maps dashlet, refer to the [Dashboards and Dashlets](#) documentation.

---

## Home

### Overview

Sugar's Home page houses the dashboard and activity stream which allows users to view pertinent record information via various dashlets and activity stream posts. Every user in Sugar can configure their dashlets based on the display options and filters available from their dashboard. Users can also personalize their activity stream to only view posts specific to records that are important to them. This documentation will go over the basics of the Home page as well as the various options available to customize the Home page to best fit your individual needs.

### Home Module Tab

The Home module tab, represented by the Cube icon, is the first tab on the Sugar navigation bar. Click the Cube icon to navigate to the Home page or click the triangle next to the cube to perform additional actions. The following options are available in the Home module tab's actions menu:

- **Create Dashboard:** Create a new dashboard and build out its layout and dashlet set. Refer to the [Dashboards and Dashlets](#) documentation for more information.
- **Activity Stream:** View your activity stream for all enabled modules. Refer to the [Activity Stream](#) section for more information.
- **Manage Dashboards:** Access the Dashboards module to share dashboards, pull dashboards to your Home page, etc. Refer to the [Dashboards and Dashlets](#) documentation for more information.
- **Dashboards List:** Choose one of the available Home page dashboards to view. Admin-designated default dashboards, shared dashboards you have pulled to your Home page view, and personal dashboards you have created will be displayed. For more information, refer to the [Dashboards and Dashlets](#) documentation.  
**Note:** Up to 50 dashboards can be displayed in the Home module tab's menu.
- **Recent Records:** The three records you most recently viewed, from across all Sugar modules, are displayed at the bottom of the menu. Click a record name to navigate to its record view. Clicking "More reconds..." will display a fourth record.

The screenshot shows the SugarCRM interface. At the top, the navigation bar includes the Sugar logo, a dropdown menu, and tabs for Accounts, Contacts, and Opportunities. A search bar and a notification bell with the number 1 are also present. Below the navigation bar, the Home module tab's actions menu is open, displaying a list of options: Create Dashboard, Activity Stream, Manage Dashboards, Home Dashboard, My Team Dashboard, Renewals Console, Service Console, King Software Inc, Smith & Sons, June Arends, and More reconds... The Home Dashboard option is highlighted. To the right of the menu, the 'Open Opportunities' dashboard is visible, showing a table of opportunities with columns for Name, Account Name, and Expected Close Date. The table contains four rows of data, each with a link to the record. Below the 'Open Opportunities' dashboard, the 'Meetings' dashboard is partially visible.

Name	Account Name	Expected Close Date
<a href="#">Underwater Mining Inc...</a>	<a href="#">Underwater Mining Inc.</a>	2020-10-24
<a href="#">3 year Service - 14 Units</a>	<a href="#">Dirt Mining Ltd</a>	2020-10-12
<a href="#">24 month Service - 64 ...</a>	<a href="#">Sea Region Inc</a>	2020-11-02
<a href="#">3 year Service - 41 Units</a>	<a href="#">South Sea Plumbing Pr...</a>	2020-07-08

## Dashboards

---

Sugar's Home page allows you to build full-page dashboards by combining dashlets and configuring the dashboard layout to suit your business needs.

Dashboards and dashlets are thoroughly documented in the [Dashboards and Dashlets](#) documentation, which covers dashboards both on the Home page and dashboards on list view and record view intelligence panes.

Sugar Serve users have access to a special Home dashboard called [Service Console](#). For more information on license types and the functionality available for each type, refer to the [License Types Matrix](#) documentation.

## Dashlets

Dashlets reside within the dashboard and provide users with valuable information about their records in Sugar. By default, there are stock dashlets that come out-of-the-box with Sugar and users can easily add them to various dashboards per their viewing preference. Please note that each dashlet can be configured to display the necessary information you wish to view. For more information on configuring the dashlet, please refer to the [Editing Dashlets](#) section of the Dashboards and Dashlets documentation.

### Commonly Used Dashlets

By default, the "My Dashboard" will display on your Home page and include stock dashlets such as "My Contacts", "Pipeline", etc. Users have the option to add various types of dashlets to each dashboard to view information that is of importance to them. For more information on adding dashlets, please refer to the [Adding Dashlets](#) section of the Dashboards and Dashlets documentation.

The following are some commonly-used dashlets that are available to use on your Home page:

Dashlet	Description
<a href="#">List View Dashlet</a>	Enables users to view a list of records for a specific module (e.g., Accounts, Contacts, Leads) in Sugar.
<a href="#">Planned Activities Dashlet</a>	Provides users with a list of open or upcoming calls and meetings that are assigned to them.
<a href="#">Active Tasks Dashlet</a>	Allows users to view outstanding tasks that require attention and need to be

	completed on a future or current date.
<a href="#">History Dashlet</a>	Allows users to view a history of record's related activities (e.g., calls, meetings, emails) that have already taken place.
<a href="#">Saved Reports Chart Dashlet</a>	Displays charts from your saved or pre-defined reports and allows users to drill through to view associated records.
<a href="#">My Activity Stream Dashlet</a>	Displays the user's main Activity Stream within a dashboard, eliminating the need to navigate to the Activity Streams view to monitor the most recent stream activities.
<a href="#">Forecast Pipeline Chart Dashlet</a>	Illustrates the flow of open sales opportunities through the various sales stages by displaying the total dollar amounts for open records grouped by sales stage.

## Adding Dashlets to Home Dashboards


Additional dashlets can be added by clicking the floating actions button on the dashboard then selecting "Add Dashlet". By default, the floating actions button appears on the bottom-right of the dashboard but you can pin the button to the top corner by clicking the Pin to Top button in the floating actions menu. You can pin the button to the bottom corner again by clicking "Pin to Bottom" in the floating actions menu. The Add Dashlet page will open, and you can select the title (e.g., List View) corresponding to your desired dashlet then configure the dashlet accordingly before adding it to your dashboard. For more information on adding dashlets to dashboards, refer to the [Adding Dashlets](#) section of the Dashboards and Dashlets documentation.

Please note that you can add the same dashlet multiple times in the dashboard with different configurations to show different records or information.





---


**Activity Stream** >>

Filter ▾ **All Activity Stream** 

Type a note or drag and drop an attachment. Type @ to mention a user.  
Type # to reference a record. **Submit**

 Updated [Primary Address Postal Code](#), [Primary Address City](#), [Primary Address Street](#), [Office Phone](#) on [Lila Christen](#).  
[Administrator](#) a few seconds ago

 Unlinked [Lila Christen](#) to [King Software Inc.](#)  
[Administrator](#) a few seconds ago

 Linked [Cliff Hibbitts](#) to [Follow-up on proposal](#).  
[Administrator](#) 2 minutes ago

**Note:** If you cannot access activity streams, the feature may have been disabled via Admin > System Settings. For more information, refer to the [System](#) documentation in the Administration Guide.

---

## Search

### Overview

Sugar comes with the ability to search across the entire system to easily locate and filter records in the system. Users can perform a search via the module's list view, record view, as well as using the Sweet Spot and global search. The module search allows you to locate records easily and effectively in a module-specific manner. Once the search is performed, the relevant results will be displayed in the module list view or subpanel view of the record. Sweet Spot and Global search allow users to search for information across their entire Sugar database as opposed to restricting search within a specific module. This documentation will go over the basics of the various search options and cover how to perform a search, filter a search, view results, etc.

### Sweet Spot Search

The Sweet Spot search feature allows you to quickly and conveniently search Sugar from anywhere within the application. Using the Sweet Spot feature, you can find and navigate to:

- The Home page Actions menu
- A module (e.g., Accounts, Bugs)
- Common actions in the modules' Actions menus (e.g., Create Account, View Account Reports)
- A specific record
- The user menu

You will only be able to see actions and records as allowed by your team membership, user access type, and assigned roles. If you are an administrator, you can also find and navigate to many of the sections on Sugar's Admin page.

To open Sweet Spot, use the appropriate shortcut key sequence for your operating system:


OS	Shortcut
Mac OS X	shift+cmd+space
Windows	shift+ctrl+space
Linux	shift+ctrl+space

Once the Sweet Spot opens, begin typing your query and the search results will update as you type.

The screenshot shows the SugarCRM interface with the 'Leads' module selected. A search for 'acc' has been performed, and the results are shown in a modal window. The modal is divided into two sections: 'ACTIONS' and 'RECORDS'. The 'ACTIONS' section lists four actions: 'Accounts', 'Create Account', 'View Account Reports', and 'Import Accounts'. The 'RECORDS' section lists three entries for 'More Account Information'. The background shows a list of leads with columns for Name, Status, and Date Modified.

You can configure Sweet Spot by clicking the gear icon in the top right corner or by typing "Sweet Spot Configuration Panel" into Sweet Spot to open the Sweet

Spot Configuration Panel drawer.



In the Sweet Spot Configuration Panel, you can configure shortcuts in the form of hotkeys. These hotkeys allow you to access your commonly accessed actions even more quickly. For example, if you frequently search for the Process Business Rules module, you can configure a hotkey so that when you type a keyword, such as "PBR", the Process Business Rules module is found. To configure a hotkey, choose the desired Sweet Spot Action from the dropdown menu, then provide the keyword that will act as the shortcut. Note that a keyword can contain multiple words. To add multiple hotkeys, click the plus button at the end of the row. To remove a hotkey configuration, click the minus button at the end of the row you wish to remove.

Sweet Spot Configuration Panel

CancelSave

Hotkeys

Sweet Spot Action	Keyword	
Process Business Rules	PBR	- +

Theme

Select...

In the Theme dropdown menu on the right side of the Sweet Spot Configuration Panel, you can select whether you want to use the Default (i.e., system settings), Light, or Dark theme.

## Global Search

Global Search allows users to search for information across their entire Sugar database as opposed to restricting searches to a specific module. The Global Search bar displays on the upper right of every Sugar page and utilizes Full-Text Search to search throughout nearly all fields and modules for an enhanced search experience. For more information on performing searches within a single module, please refer to the [List View Search](#) and [Record View Search](#) section.



By default, Sugar comes out-of-the-box with a defined list of fields for each module that users can search as well as view in the search results on the [View All Results](#) page. Please note that secondary fields (e.g., email address, office phone, start

date) will display in the View All Results page only if they contain a value. In addition, if there is a match found in a searchable field, it will display on the View All Results page even though it is not defined as a displayed field for the module. For example, if you enter a search (e.g., John) and the system finds a match in the case's Description field, but the Description field is not configured in the record view layout for cases, the case record will appear on the View All Results page along with the description as the secondary field because it contains the search term.

**Note:** All email addresses (e.g., primary, secondary) in the record are included in the search. Primary email addresses have a higher relevance compared to the other email addresses for search results.

<b>Module</b>	<b>Searchable Fields</b>	<b>Fields Displayed on View All Results Page</b>
Accounts	Name, Email Address, Billing Street, Shipping Street, Office Phone, Fax, Alternate Phone, Description, DUNS, SIC Code	Name, Primary Email Address, Office Phone
Bugs	Subject, Bug Number, Description, Work Log	Subject, Bug Number, Status
Calls	Subject, Description	Subject, Start Date, End Date, Status
Campaigns	Name, Objective, Description	Name, Type
Cases	Subject, Description, Case Number, Resolution, Work Log	Subject, Case Number
Contacts	First Name, Last Name, Home Phone, Office Phone, Mobile Phone, Other Phone, Fax, Primary Address Street, Alternate Address Street, Portal Name, Description, Email Address	Name, Primary Email Address
Contracts	Contract Name, Description, Reference Code	Contract Name, Status
Custom Basic Type	Name, Description	Name

Custom Company Type	Name, Office Phone, Alternate Phone, Fax, Email Address, Billing Street, Shipping Street, Description	Name, Primary Email Address, Office Phone
Custom File Type	Document Name, Description	Document Name
Custom Issue Type	Subject, Number, Description, Work Log	Subject, Status
Custom Person Type	First Name, Last Name, Home Phone, Mobile Phone, Office Phone, Other Phone, Fax, Primary Address Street, Alternate Address Street, Description, Email Address	Name, Office Phone, Primary Email Address
Custom Sale Type	Name, Description, Next Step	Name, Expected Close Date
Documents	Document Name, Description	Document Name
Emails	Subject, Date, From	Subject, Date, From
Employees	First Name, Last Name, Email Address	
Knowledge Base	Name, Body, Description <b>Note:</b> Only published articles are returned in Global Search.	Name
Leads	First Name, Last Name, Email Address, Home Phone, Mobile Phone, Office Phone, Other Phone, Fax, Primary Address Street, Alternate Address Street, Description	Name, Primary Email Address, Office Phone
Manufacturers	Name	Name
Meetings	Subject, Description, Location	Subject, Start Date, End Date, Status
Notes	Subject, Description	Subject
Opportunities	Opportunity Name,	Opportunity Name,

	Description, Next Step	Expected Close Date
Product Categories	Name, Description	Name
Projects	Name, Description	Name, Status, Priority
Project Tasks	Name, Description	Name, Status
Quoted Line Items	Name, Mft Part Number	Name, Status
Quotes	Quote Subject, Description, Purchase Order Number, Quote Number, Billing Address Street, Shipping Address Street	Quote Subject, Quote Number, Quote Stage
Revenue Line Items	Name, Description, Next Step	Name, Expected Close Date
Target	First Name, Last Name, Email Address, Description, Primary Address Street, Alternate Address Street	Name, Primary Email Address
Target Lists	Name, Description	Name
Tasks	Subject, Description	Subject, Status, Due Date

Please note that not all fields in Sugar are enabled by default for search, but can be enabled by an administrator. Administrators can control additional elements of global search via Admin > Search and Admin > Studio. If the administrator globally disables a module for search, you will not be able to perform a search on that module or filter by that module when searching. For more information on how to enable and disable certain fields and modules in Global Search, please refer to the [Studio](#) documentation as well as the [Search](#) section of the System documentation in the Administration Guide.

To use global search, you need to first enter a keyword into the search box and the pop-up results will begin appearing once you enter at least one character. Please note that clicking on the search bar will expand it across Sugar's navigation bar, which spans across the top of the screen. To minimize the search bar, simply click anywhere outside of the search bar or hit the Esc key on your keyboard.

**Note:** Elastic search strips out the non-numeric characters ("-", "()") from phone numbers so you can just enter the digits (e.g., 4082269800) when searching.

Once expanded, you will be able to access the Module dropdown by clicking the down arrow on the far left of the search box. This allows you to configure some aspects of global search such as what module(s) (e.g., Accounts, Contacts) to filter

your search results by in Sugar. If you wish to clear your search term, simply click the X icon to the far right of the search box. Please note that this will collapse the search bar as well.


By default, up to five search results will display below the search box and include the primary field (e.g., name, subject) for the records matching your search term. The specific term (e.g., abc) in the record's field is bolded to indicate the match to the search term. In addition, if any secondary fields (e.g., office phone, description) match the search term as well, it will display beneath the record's primary field in the Quick Search Results list, with the matching term bolded. For any email addresses that include the matching search term, the entire email address (e.g., support@abc.com) will be bolded instead. Please note that the Quick Search Results list will display up to three matching fields for the record. To view all matching results, simply hit the Enter key while focused on the search bar or click the View all results link at the bottom of the Quick Search results list and you will be navigated to the [View All Results](#) page. Click the appropriate record (e.g., ABC Family Associates) in the Quick Search Results list to access the record's details. Please note that users assigned a role restricting view access to a module (e.g., Cases), will not be able to view search results specific to that module.

All abc x


Ac	ABC Incorporated Primary Email: <b>support@abcinc.com</b>
Op	ABC Company - 242 Units
Ac	<b>ABC</b> Company
QL	TK m30 Desktop Part Number: <b>ABCD123456890</b>
Cs	System not responding Description: None of our users can access the system this morning! Please help! Sally Jones <b>ABC</b> incorpor...

View all results


You can also perform tag searches using Global Search to easily locate groups of records that are tagged by common attributes. For more information regarding tagging records, please refer to the [Tags](#) documentation. For example, if you have a set of leads that were acquired from a specific conference and you wish to locate all the lead records tagged with this value, you can perform a search using the tag value. As you search, the list of matching tags will appear in the tag ribbon beneath the search box and display up to five tags matching the search term.



Simply select the appropriate tag (e.g., 2022 North America Conference) from the tag ribbon and the tag pill will get entered into the search box. If you wish to remove any selected tag pills from the search box, simply click the "x" to the right of the tag name. All matching records tagged with "2022 North America Conference" will display beneath the search box.



You can append additional search terms or tags in the search box if you wish to further narrow your search. Simply enter the keyword (e.g., bronwyn) to the right of the existing search term and the matching result(s) will display. If you search using multiple tags, the system will look for records that match any one of the tags in the search box using the "or" operator.



Please note that clicking the tag pill in the module's record view or the record's preview in the intelligence pane will navigate you to the View All Results page which will display the list of records that contain the same tag. When viewing the module's list view, dashlet list view, or subpanel list view, you can click the tag link to be navigated to the View All Results page.

**Note:** You cannot click the tag pill when editing the record to access the View All Results page.

---

## Operators

When performing a search via global search, you can use operators such as "AND", "OR", and "NOT" in your search query to further narrow the search results. Please note that there must be at least three characters entered for each search term, and the operators must be entered in all caps (e.g., AND, OR, NOT) otherwise Sugar will consider it as a keyword to search on.

**Note:** Quotation marks cannot be used in multiple word searches (e.g., "John Smith") to return exact matches. So entering John Smith in your search query will return: **John** Moore with a street address of "123 **Smith** Dr.", **Smith** Company with a description of "Primary point of contact is **John** Lee", etc.

Operator	Description	Example
"AND"	Use this operator to specify search criteria where all keywords must match for records to be included in the search result.	<b>John AND Texas:</b> Search returns records (e.g., contacts) that include "John" and "Texas" in the searchable fields (e.g., Name, Primary Address City).
"OR"	Use this operator to specify search criteria where at least one keyword must match for records to be included as a search result.	<b>95111 OR 95113:</b> Search returns records (e.g., accounts) that include the digits "95111" or "95113" in the searchable fields (e.g., Billing Postal Code).
"NOT"	Use this operator if you wish to exclude records containing a specific keyword in the search query.	<b>John NOT Texas:</b> Search excludes records (e.g., contacts) that include the term "Texas" in the searchable fields (e.g., Billing State) then evaluates the remaining query to return records including "John".

The "AND" operator is implicitly added when there is a space between the search strings. For example, if you enter "John Smith AND California" into the search box, Sugar will look for records that include the term "John", "Smith", and "California" in the [searchable fields](#) (e.g., Name, Billing State). If there are records that match the search terms in the query, the record will display in the Quick Search Results list. The term(s) (e.g., Smith) in the record's fields will be bolded in the search result to indicate the match to the search term.



When entering your search criteria, you can also use a combination of the operators. Use parentheses if you wish to group a part of your search query. When using the parentheses to create subqueries, Sugar will first parse the subquery contained in the parentheses before evaluating the remaining query. For example, if you enter: "(Johnson OR Jonson) AND Systems", Sugar will return records including "Systems" with "Johnson" as well as "Systems" with "Jonson" in the searchable fields (e.g., Name: **Johnson Systems**, Name: **Jonson** with Website: [www.jonsonsystems.com](http://www.jonsonsystems.com)).

**Note:** When using the NOT operator, please keep in mind that it cannot be used in direct combination with parentheses (e.g., NOT (John Smith)).

The following are example search queries using the available operators in global search:

Search Criteria	Matching Search Results
Jane AND @example.com	<b>Jane</b> Roberts
	Email: jroberts@ <b>example.com</b>
	ABC Company
	Primary Address Street: 123 <b>Jane</b> St. Email: support@ <b>example.com</b>
(NOT John OR NOT Jane) Smith	J Thomas
	Email: <b>jane</b> @example.com
	<b>Bob Smith</b>
	Email: bob. <b>smith</b> @example.com
	Mary Smith
	Email: marys@ <b>smith</b> company.com

(ABC Technologies) OR (ABC Corporation) Brooklyn	<b>ABC Inc.</b> Billing Street: 123 <b>Technologies</b> Dr. Billing City: <b>Brooklyn</b>
	<b>ABC Corporation</b> Billing City: <b>Brooklyn</b>
Bob AND (Smith OR Jones) AND Idaho NOT Boise	<b>Bob Smith</b> Company Billing State: <b>Idaho</b> Billing City: Nampa
	<b>Bobby Lee Jones</b> Primary Address State: <b>Idaho</b> Primary Address City: Meridian
(Jenn OR Jennifer) Martin AND Texas	<b>Jennifer Martinez</b> Email: <b>jmartinez@abc.com</b> Primary Address State: <b>Texas</b>
	<b>Jenn Moore</b> Email: <b>jmartin@example.com</b> Primary Address Street:123 <b>Texas</b> Dr.

## Viewing All Results

If there are more than five matching results, you can click on "View all results" at the bottom of the Quick Search Results list to view all matching records. The View All Results page loads an initial number of records meeting the current search criteria with the option to show additional results at the user's request. The total number of matching search results will display on the upper left of the page. By default, Sugar displays 50 records for each search results set on the View All Results page, but Administrators can change the number of records displayed via Admin > System Settings. For more information on changing the number of displayed records, please refer to the [System](#) documentation in the Administration Guide. To load the next set of Global Search results, simply click on "More search results" at the bottom of the View All Results page.

If you wish to view the full details of a record, click the record's name to open the

record view (or detail view for Legacy modules). You can also view a record's details directly from the View All Results page by clicking the Preview button to the far right of a record's row. Please note that preview is only available for modules (e.g., Contacts, Leads) using the Sidecar user interface. The record's details will display in the intelligence pane to the right of the View All Results page and will provide users with key information regarding the record as well as any related activity stream information. For more information on previewing via the intelligence pane, please refer to the [Dashboards & Dashlets](#) documentation.

The screenshot shows the 'View All Results' page for a search of 'smith'. The search bar at the top contains 'All' and 'smith'. The search results are displayed in a list on the left, and a filter sidebar is open on the right. The search results list includes records for John Smith, Tony Smith, and several 'Smith & Sons' records. The filter sidebar shows modules like Revenue Line Items, Opportunities, Leads, and Employees, as well as filters for 'Modified by Me' and 'Created by Me'.

Search Results for: "smith" (10)

Filter

Reset

Modules

- Revenue Line Items (5)
- Opportunities (1)
- Leads (1)
- Employees (1)

Modified by Me (8)

Created by Me (8)

## Filtering the View All Results Page

When not in preview mode, the intelligence pane to the right of the search results displays various Filter options (e.g., Assigned to Me, Created by Me) that allow you to further narrow the search results on the View All Results page. Please note that the filters only apply to the set of search results based on your current search

query.

Each of the filter options displays a number in parentheses to indicate the number of records from the View All Results page that meet the criteria. Any filter option (e.g., My Favorites) that displays a zero count will not be clickable as there are no records that meet the criteria. As you select filter options, the search results on the page will dynamically change to only display records meeting the currently applied filter(s). In addition, the counts for all of the filter options will dynamically change to indicate the total count of records that meet the currently selected filter(s). For example, if you select "Leads" under the Modules filter, the counts next to each of the other filter options (e.g., Created By Me, Modified by Me) will change according to the number of results which are both a lead and match the particular filter (e.g., Created By Me).

Search Results for: "smith" (5)

Le	Name	Email Address	Eye Icon
Le	Sarah Smith	Primary Email: sarah.smith@example.com	Eye Icon
Le	Trudy Smith	Email Address: trudy@yahoo.com	Eye Icon
Le	Martha Jones	Primary Email: martha.j@smithhandsons.com	Eye Icon
Le	Linda Smith	Email Address: linda@example.com	Eye Icon
Le	Emily Smithson	Email Address: emily.s@example.com	Eye Icon

Filter

Reset

Assigned to Me (5)

My Favorites (0)

✓ Created by Me (5)

Modified by Me (5)

Modules

✓ Leads (5)

Contacts (5)

Cases (2)

Accounts (2)

Selecting multiple filter options within a single filter (e.g., Modules) will use an "or" operator. So if you select "Leads" and "Contacts" from the Modules filter, the View All Results page will display both lead and contact records. However, if you select filter options from different filters, it will use an "and" operator. For example, if you select "Leads" from the Modules filter and select "Created by Me", Sugar will only return lead records that you created.

To clear individual filters, click the filter again (e.g., Created by Me) to unselect the option. If you wish to clear all filters applied on the View All Results page, simply click the Reset button on the upper right of the intelligence pane.

To collapse a multi-option filter (e.g., Modules), you can click the Up arrow on the


---

upper right of the filter. If you wish to collapse all multi-option filters (e.g., Modules) on the intelligence pane, click the Actions menu to the right of the Reset button and select "Close All". To expand them, simply click the Actions menu again and select "Open All".

## Filtering by Module

Global Search gives you the option to filter the search results by module by clicking the down arrow to the far left of the expanded search bar. Please note that the Search all option is selected by default to include all modules when searching. The list of available modules to select will appear in the Modules list and you can simply select the appropriate module(s) you wish to include in your search. For example, if you select the Contacts module then enter "john" in the search box, Sugar will only return matching contact records.

When three or fewer modules are selected from the Modules dropdown, the corresponding Module icons will display in the search bar.




However, if more than three modules are selected, it will display the Multiple Modules icon in the search bar.



**Note:** The selected module(s) will remain in the search bar until the user's browser cache is cleared.

If you wish to unselect all modules at once, simply select the Search all option from the Modules dropdown. Please note that manually deselecting all modules will default back to the Search all option as well.



Administrators can configure what modules are available to select in the Modules list via Admin > Search. For more information on configuring which modules are available to search via Global Search, please refer to the [Search](#) section of the System documentation in the Administration Guide. Please note that only modules you have view access for will appear in the Modules list for Global Search.

---

## Keyboard Navigation


Using the Tab key (Alt+Tab for Safari browser) on your keyboard enables you to easily navigate through Sugar's navigation bar which spans across the top of the screen. You will be able to use the Tab key to access the Global Search bar and perform a search. For more information on navigating around Sugar using your keyboard, please refer to the [Accessibility](#) documentation. Once you have tabbed into the Global Search field, enter at least one character to expand the global search bar. Please note that hitting the Enter key while in the search box will navigate you to the View All Results page where you can also perform a search. If you hit the Tab key within the search bar without entering in a search term, the Magnifying Glass icon will be highlighted and you can hit "Enter" to be navigated to the View All Results page as well.

**Note:** You can use global shortcut keys to access and exit the Global Search field as well. For more information regarding global shortcut keys, please refer to the [Accessibility](#) documentation.

Once you enter a search term, you can use the Up and Down arrow keys on your keyboard to navigate through the Quick Search Results list and hit "Enter" while focused on a specific quick search result (e.g., Jane Smith) to open up the module's record view (for Sidecar modules) or detail view (for Legacy modules). Please note that hitting the Tab key while navigating through the quick search results will close the Quick Search Results list and highlight the X icon in the Search bar, which will allow you to clear your keyword and perform a new search. Please note that the Global Search bar will collapse as well when clicking the X icon to clear search. Hitting the "Shift" and "Tab" key will close the Quick Search Results list and highlight the search term in the search bar, allowing you to perform additional searches.

In addition, you can easily navigate through the [Modules dropdown](#) list using the Up and Down arrow keys on your keyboard and hitting the Spacebar key to select or unselect a module. Hitting the Tab key while navigating through the Modules dropdown list will close the dropdown and take you back to the search bar. If you wish to clear the text entered in the search box, you can either click the X icon or hit the Tab key while in the search box to highlight the X icon, then hit "Enter" or the Spacebar key.

To navigate through the tag ribbon, you can use either the Tab key or Arrow keys on your keyboard. To add a tag pill to the search bar, simply hit the Enter key while focused on the tag pill (e.g., 2022 Western Conference) in the tag ribbon. Hitting the Enter key again on the newly added tag pill in the search bar will open up the View All Results page to display all matching results.



In addition, you can tab through the View All Results page to highlight and access certain elements (e.g., Search box, Intelligence Pane, Preview button) of the page. For example, if you press "Enter" while focused on the Preview button, the record's data will display to the right of the search result providing key information regarding the record.

## Admin Configuration

Sugar administrators have the ability to globally enable and disable modules for Global Search. Please note that disabled modules will not be included in search results nor in the list of modules to filter. For more information on how to enable and disable modules for Global Search, please refer to the [Search](#) section of the System documentation in the Administration Guide.

Administrators also have the ability to enable and disable specific fields for Global Search, as well as set the priority for searchable fields using boost values. To configure fields for search, simply navigate to Admin > Studio and update the Full-Text Searchable option to either "Searchable" or "Disabled" depending on whether you want it included for search or not. The Full-Text Searchable option is only available for the following data type fields: Phone, TextArea, TextField, and URL. Boosting is the process of enhancing the relevancy of a record's fields for global search. Fields with a higher boost level will be given greater weight when the search is performed. When a search is performed, matching records containing fields with a greater weight will appear higher in the search results. The default boost value is 1.0 which stands for a neutral boost. To apply a positive boost, set the boost value higher than 1. To apply a negative boost, use values lower than 1. For example, a value of 1.35 will positively boost a field by 135%. But using a value of 0.60 will apply a negative boost. Please note that it is not necessary to perform a full system index when boost values are changed for fields. For more information on how to enable or disable fields for Global Search or change the boost values, please refer to the [Studio](#) documentation in the Administration Guide.

Global Search functions off of an index created from the data in your system. When creating and updating records, data is added and modified in the index accordingly. Occasionally the index can become corrupt or inefficient, which may require a system index to be performed. You can perform a system index manually via Admin > Search. For more information on how to run a system index on Full-Text Search, please refer to the [System](#) documentation in the Administration Guide.

---


## Advanced Options

The Advanced Options panel is available on the view all results screen of Global Search to allow users to enable and disable modules for the Filter by list specific to their login. Please note that administrators have the ability to globally enable and disable modules for global search via Admin > Search. If the administrator globally disables a module, you will not be able to perform a search on that module or filter by that module when searching. The module will also no longer appear within the Advanced Options panel. For more information on how to globally enable and disable modules, please refer to the [System](#) documentation in the Administration Guide.

## List View Search (Sidecar Modules)

List view search enables users to easily and effectively search by a record name in a module-specific manner to pull up relevant results they wish to view. The matching records will populate in the list view below the Search bar. Please note that the system retrieves all records that start with the keyword entered in the search. When looking up names, Sugar performs an OR search for each name entered. Records matching any of the names entered will appear in the list view. Sugar's list view search also supports wildcard characters (e.g., %) to search for records without including the entire word in the search query. For example, a search for "%univ" will pull up any records containing "univ", including "The University of Miami", "Miami University" or "Universidad de Miami". For more information on how to use wildcards in list view searches, please refer to the [Wildcards](#) section.

In addition, the search provides a Filter option which can be used in combination with the open Search box to narrow your search further using the available options on the list. For more information on the available filter options, please refer to the [Filter](#) section.



When you choose a filter and run a search, Sugar will return records with a matching name from within the filtered list view results. For example, if you select "My Accounts" in the Filter list and enter an account name, Sugar will only return account records with a matching name that are assigned to you. You can also build new filters if you wish to add more complex filters for your search criteria. For more information on building new filters, please refer to the [Creating a Filter](#) section. When you run a search using a saved or created filter, the search will be preserved when you navigate away from the module. Returning to the list view will automatically display the results of your last filter. Please note that searches using the open Search box only are not preserved when navigating away.

To see all records to which you have access, simply select the All "Module Name" (e.g., All Accounts) option in the filter. Please note that you will only be able to see records as allowed by your team membership, user access type, and assigned roles. For more information on teams and roles, please refer to the [Team Management](#) and [Role Management](#) documentation in the Administration Guide.

## Wildcards

Wildcards can be used to search for criteria without including the entire word in the search. Use a wildcard character in place of characters you do not require in your search. You may use any combination of wildcard characters in the Search box as you desire. The following wildcard characters can be used in the List View search box:

--	--

Character	Wildcard Use
%	Matches any number of characters, including zero
_	Matches only one character

Please note that list view search automatically appends the wildcard character (%) to the end of your search phrase for each text field. This allows the system to pull up all records that include the keyword entered in the search.

When performing a multiple-word search, Sugar will behave differently based on the module (e.g., Accounts, Contacts) in which you perform the search. For example, performing a search for "Max Hold" in the Accounts module will match an account named "Max Holding Company" but will not match "Maximum Holding Company" because the wildcard is appended to the end of the entire query (e.g., Max Hold%). However, if the same search is performed for "Max Hold" in the Contacts module, it will return search results matching a contact named "Max Holder" as well as "Maximillian Holder" because it appends a wildcard to the end of each word in the query (e.g., Max% Hold%). Please note that the latter behavior applies to any person-type module (e.g., Leads) to account for search results that may contain multiple words in the First Name and/or Last Name field (e.g., "Jean Paul" as a first name).

The following search examples illustrate List View search behavior:

Search Criteria	Matching Search Results	
	First Name	Last Name
rob	<b>Rob</b> <b>Roberta</b> John	Smith Collins <b>Roberts</b>
%bert	<b>Bert</b> <b>Roberta</b> John	Andermie Collins <b>Roberts</b>
r_b	<b>Roberta</b> <b>Ruby</b> John	Collins Lieu <b>Roberts</b>
%r_b	<b>Rob</b> John Mirabel	Smith <b>Roberts</b> Glaston
__it	Rob Anita	<b>Smith</b> Nother
r_b% smit%	<b>Robert</b> <b>Rob</b>	<b>Smith</b> <b>Smite</b>

rob smith	<b>Rob</b> <b>Robert</b> <b>Rob</b> Roy	<b>Smith</b> <b>Smith</b> <b>Smith</b>
smith	Rob <b>Smith</b>	<b>Smith</b> Johnson
jean	<b>Jeannine</b> <b>Jean</b> Paul	Pugh Gaultier
paul	Sue <b>Paul</b>	<b>Paulson</b> Jones
jean paul	<b>Jean</b> <b>Jean Paul</b>	<b>Paul</b> Gaultier

When performing a search, Sugar will try to match your search text to the beginning of a record's field. So, if an account name starts with an article like "A" or "The", this must be accounted for in the search by adding a wildcard (%) at the beginning of your text. For example, to properly pull up an account named "The ABC Company", you will have to enter "%abc" for Sugar to find a match in the system.

In addition, you can use the wildcard character when specifying the search criteria for custom filters with the "starts with" operator. Please note that the wildcard character will only work with the "starts with" operator. For example, if you wish to find all records containing the word "systems", then you can use the "starts with" operator and type "%systems" as the filter value. For more information on building filters, please refer to the [Creating a Filter](#) section.

Name ▼

starts with ▼

%systems

- +

Account Name With Systems
Reset Cancel Save

## AND vs OR

When searching in the List View search, Sugar uses the "and" operator. This means that if you are searching against multiple fields in your filter option, Sugar will place an "and" in between each search field returning only records matching all (as opposed to any) of your search criteria. For example, if you select "My Accounts" in the Filter options and enter an account name, Sugar will only return account records with a matching name that are assigned to you.

<div> <div>Filter ▾</div> <div>My Accounts <span>✕</span></div> <div>abc</div> <div>✕</div> <div>↺</div> <div>📊</div> <div>🕒</div> </div>					
<input type="checkbox"/>	▼	Name	↕	City	↕
<input type="checkbox"/>	☆	ABC Incorporated		San Francisco	
<input type="checkbox"/>	☆	ABC Company		Fremont	

The only time Sugar will use the "or" operator is when using a multi-select option in the search criteria. For example, you can build a custom filter for the Accounts list view search and select "Type", "is any of", then add "Analyst", "Customer", and "Partner". If you perform a search based on this new filter, the system will return account records that match any one of the values specified in the filter. For more information on building custom filters, please refer to the [Creating a Filter](#) section.

Type ▾

is any of ▾

Analyst ✕

Competitor ✕

Customer ✕

-

+

Account Type

Reset Cancel Save

Please note that if any additional fields (e.g., industry, status) are added to the custom filter, the operators between the Type field and the other fields will be an "and" operator.

## Filter

List View search provides a Filter option that allows users to narrow their search in conjunction with search terms. The following options are available to users when filtering their List View search:

- **Build Filter:** Build a new custom filter that you can use to filter your search  
**Note:** You can also click "Build Filter" to the right of the Filter option.
- **All "Module Name":** Returns all records in the module to which you have access
- **My "Module Name":** Returns only records assigned to you
- **My Favorites:** Returns only records you have marked as favorites
- **Recently Created:** Returns only records you created in the module within the last 7 days
- **Recently Viewed:** Returns only records you have viewed in the module within the last 7 days

Accounts (20 of 21+)

Create

Filter

Build Filter

Search by name...

+ Build Filter

✓ All Accounts

My Accounts

My Favorites

Recently Created

Recently Viewed

		City	Phone	
	ms Inc	Santa Fe	(415) 624-5252	<div></div> <div></div>
	resources Inc	Denver	(555) 089-2406	<div></div> <div></div>
	Ltd	St. Petersburg	(603) 995-6451	<div></div> <div></div>
	ms Inc	Santa Fe	(108) 624-5252	<div></div> <div></div>
<input type="checkbox"/> <input type="star"/>	Smith & Sons	Santa Monica	(603) 183-0316	<div></div> <div></div>

When you choose a filter, Sugar will return records that match both the selected filter and any name provided in the open Search box in the filtered list view results. For example, if you select "My Accounts" in the Filter options and enter a query in the Search box, Sugar will only return account records that are assigned to you and have names that match the search term. Once the search is complete, the relevant results will populate in the [list view](#) below the search bar.

Accounts (3)

Create

Filter

My Accounts

%tr

	Name	City	Billing Country	Ph	
<input type="checkbox"/> <input type="star"/>	Introductory Holdings	Pittsburgh	USA	(41	<div></div> <div></div>
<input type="checkbox"/> <input type="star"/>	Kings Royalty Trust	Toronto	Canada	(12	<div></div> <div></div>
<input type="checkbox"/> <input type="star"/>	Tracker Com LP	Denver	USA	(01	<div></div> <div></div>

**Note:** The yellow highlighting in this image has been added for effect and will not appear in the application.

When you run a search using a filter, the search will be preserved when you navigate away from the module. Returning to the list view will automatically display the results of your last filter. In contrast, searches performed using only the list view's Search box are not preserved when navigating away.

**Note:** Only the fields that you have permission to view and that the administrator has configured to be available will appear in the Filter list when creating a search filter. For more information on field-level permissions, please refer to the [Role Management](#) documentation in the Administration Guide. For more information on

---

adding and removing fields to filters in list view, please refer to the [Studio](#) documentation in the Administration Guide.


## Creating a Filter

Users can create and save new filters via the Build Filter option in the Filter list of the search bar. Filters may contain one or more fields and operators (e.g., is any of, is, starts with) along with their desired value(s). All of a filter's criteria must evaluate as true for a record to appear in the list view search result. Filters may also be saved as templates with empty field values to be completed at the time the filter is run. This is useful for searches that must be performed often against the same fields but with varying values.

The following steps cover building a filter for accounts with a type of "Customer", "Competitor", or "Partner" and assigned to Sara Smith as an example:

1. Click the Filter option on the Accounts search bar then select "Build Filter".

**Note:** You can also click "Build Filter" to the right of the Filter option.



2. Select "Type" as the filter field and select the "is any of" operator then add "Competitor", "Customer", "Partner" as the search values. As you create the new filter criteria, it will be applied to the list view concurrently to display the matching results. To remove specific filter values (e.g., customer, partner), you can simply click the "x" to the right of the field or you can select "Reset" to the left of the Save button to clear all filter values.  
**Note:** The "is any of" operator allows the system to pull up records that match any one of the set values (customer, competitor, partner).
3. To add additional fields (e.g., Assigned to) to the new filter, click the Add button to the right of the filter.  
**Note:** Only the fields that you have permission to view and that the administrator has configured to be available will appear in the Filter list

---

when building a search filter. For more information on field-level permissions, please refer to the [Role Management](#) documentation in the Administration Guide. For more information on adding and removing fields to filters in list view, please refer to the [Studio](#) documentation in the Administration Guide.

4. Select "Assigned to" as the secondary filter field and select the "is any of" operator then add "Sarah Smith".
5. Enter a descriptive title for the filter (e.g., Sarah's Accounts) in the field that contains "Enter new filter name...".
6. Click "Save" to add this filter to the module's Filter options.

**Accounts (2)** Create »

Filter ▾ Build Filter ✕ Search by name...

Type ▾ is any of ▾ Analyst ✕ Competitor ✕ Customer ✕ - +

Assigned to ▾ is any of ▾ Sarah Smith ✕ - +

Sarah's Accounts Reset Cancel Save ^

You can also build and save a filter without entering any filter values (e.g., Customer) if you wish to enter new values each time you utilize the filter. When re-using the filter simply enter the appropriate filter value(s) and the list view will display the matching results. Once you are done with the filter, click "Reset" to the far right of the filter's name to clear the filter value(s). Or, if you wish to temporarily hide the filter panel to allow more list results to be visible, click the collapse button to the right of the Save button. To expand the filter panel again to resume working on the filter, simply click the Build Filter button.

The custom filter can always be edited as necessary by selecting the filter and updating the fields, conditions, values, etc. via the filter details panel. Once the necessary updates have been made, click "Save" to preserve the changes.

Please note that you can easily delete custom filters by selecting the filter (e.g., Sarah's Accounts) from the Filter list, clicking the filter's name on the Search bar, then clicking "Delete" on the filter details panel.

### Filtering User Fields

When filtering a User field, only users with an Active status are returned by default. If needed, you can filter list views to show records that are assigned to or created/modified by inactive users by filtering the user list on the Status field. As an example, use the following steps to search for records assigned to an inactive user:

1. Navigate to a Sidecar module (e.g., Accounts) and create a filter as described above.
2. Choose "Assigned to" for the field and click on "Search and Select" in the value field.

Filter ▾ Build Filter ✕ Search by name...

Assigned to ▾ is any of ▾ |

Enter new filter name...

Search and Select...

3. In the Search and Select window, create another filter with the following condition and criteria: "Status is any of Inactive".

Filter ▾ Build Filter ✕ Search by first name, last name...

Status ▾ is any of ▾ |

Enter new filter name...

Selected: (0)

Active

Inactive

4. Select the inactive user from the list.

Upon returning to the Accounts list view, the list will be filtered to show only records assigned to the inactive user you selected.

## Preview

Once the list view displays the search results, users can easily view the record's details directly from the module's list view by clicking the Preview button to the far right of the record's row. The record's detail will display in the intelligence pane to the right of the list view and provide users with key information regarding the record as well as the related activity stream information. For more information on viewing previews, please refer to the [Previews](#) section of the User Interface documentation.

Accounts (11) Create »

Filter ▾ Sarah's Accounts ✕ Search by name...

	Name	City	Phone	User	
<input type="checkbox"/> ☆	Smith & Sons	Santa Monica	(603) 183-0316	Sarah Smith	
<input type="checkbox"/> ☆	Spend Thrift Inc	Alabama	(094) 158-0575	Sarah Smith	

Preview ✎ < > ✕

Ac Name  
Smith & Sons

Website  
<http://www.smithandsons.com>


Industry  
Telecommunications

## Record View Search (Sidecar Modules)

Users also have the ability to search for related records which appear in the subpanels of the record view. The Search bar appears below the record's fields and

you can filter the view to only display a specific module (e.g., Leads, Contacts). You can search by a record name by entering the keyword into the Search bar, and the subpanel(s) with the matching record(s) will appear below. Please note that the system will retrieve records from the subpanel that start with the keyword entered in the search box. To clear the search, simply click the "x" to the right of the search keyword and all records meeting the search criteria will display in the corresponding subpanel(s). When you run a search using a saved or created filter, the search will be preserved when you navigate away from the page.

To filter, simply click the Related option to the far left of the Search bar and select the module whose subpanel you wish to view. For more information on how to filter records for search, please refer to the [Filter](#) section. Please note that filter and search may be combined to only display matching records within the selected module's subpanel. To see all subpanels to which you have access, simply select "All" in the Related dropdown list.




## Related Records Search

Users can search for related records simply by entering in the name of the record in the Record View's search box. Please note that the system will only search for related records which appear in the subpanels of the record view. The relevant record(s) meeting the search criteria will display in their respective subpanels. Users have the option to filter the view to only display a specific module if they wish by selecting the module (e.g., Contacts, Leads) from the Related list. For more information on searching within a specific module, please refer to the [Related Module](#) section.

## Related Module

When searching for records that appear in the subpanels of the record view, you can filter the view to only display a specific module (e.g., Leads, Contacts). Simply

click the Related option to the far left of the Search bar then select the module whose subpanel you wish to view. Please note that you can narrow your search further using the Filter option to the right of the Related option. For more information on searching using the Filter option, please refer to the [Filter](#) section. To see all subpanels to which you have access, simply select "All" in the Related dropdown list.



## Wildcards

Wildcards can be used to search for criteria without including the entire word in the search. Use a wildcard character in place of characters you do not require in your search. You may use any combination of wildcard characters in the search box as you desire.

The following wildcard characters can be used when searching for related module records in record view:

Character	Wildcard Use
%	Matches any number of characters, including zero
_	Matches only one character

Please note that search automatically appends the wildcard character (%) to the end of your search phrase for each text field. This allows the system to pull up all records that include the keyword entered in the search. If performing a multiple-word search, the wildcard is only appended to the last word and not all words.


The following are example searches using wildcards in record search:

--	--	--

Search Criteria	Would Match	Would Not Match
rob	<b>Rob, Robert, Robin</b>	Bob, Jacob
%bert	<b>Albert, Bert, Robert</b>	Bart
r_b	<b>Robert, Ruby</b>	Bob, Raab
%s_i	<b>Dustin, Christi, Smith</b>	Sophie, Josephine
_it	<b>Nita, Littrell</b>	Schmitt
r_b% smit%	<b>Robert Smith, Rob Smite</b>	Bob Smith, Robert Phillip
rob smit	<b>Rob Smith, Rob Smite</b>	John Smith

When performing a search, Sugar will try to match your search text to the beginning of a record's field. So, if an account name starts with an article like "A" or "The", this must be accounted for in the search by adding a wildcard (%) at the beginning of your text. For example, to properly pull up an account named "The ABC Company", you will have to enter "%abc" for Sugar to find a match in the system.

In addition, you can use the wildcard character when specifying the search criteria for custom filters with the "starts with" operator. Please note that the wildcard character will only work with the "starts with" operator. For example, if you wish to find all related contact records containing the word "smith", then you can use the "starts with" operator and type "%smith" as the filter value. For more information on creating filters, please refer to the [Creating a Filter](#) section.



## Filter

Record view search provides a Filter option that allows users to narrow their search further using the available options on the list.

The following options are available to users when filtering their Record View search:

- **Build Filter:** Build a new custom filter that you can use to filter your search.
- **All "Module Name":** Returns all records in the module to which you have access
- **My "Module Name":** Returns only records assigned to you
- **My Favorites:** Returns only records you have marked as favorites
- **Recently Created:** Returns only records you created in the module within

the last 7 days

- **Recently Viewed:** Returns only records you have viewed in the module within the last 7 days


While in the record view, users can search for records that appear in subpanels beneath the record's fields and filter the view to only display a specific subpanel (e.g., Contacts, Accounts). When you choose a filter and run a search, Sugar returns records matching the search criteria for the specified related module in the record view. You can use one of the default filter options from the list or build a custom filter if you wish to have more complex filter options when searching.

### Creating a Related Records Filter


Users can also create new filters via the Build Filter option in the Filter list of the search bar. This allows users to add custom, complex filter options when searching in the module's record view. You have the option to add multiple fields to your new filter and set select operators (e.g., is any of, is, starts with) along with the value(s) it must contain. Please note that each one of the filter's criteria needs to be true for a record in order for it to appear in the subpanel view's search result. Unlike building a filter for the list view search, you must first select a module from the Related list then select the Build Filter option as it is specific to that module.

The following steps cover building a filter for the related Contacts module located in the state of "CA" as an example:

1. Click the Related option on a module record view's (e.g., Accounts) search bar then select "Contacts".



2. Click the Filter option on the Search bar then select "Build Filter".



3. Select "State" as the filter field and select the "exactly matches" operator then enter "CA" as the search value. As you add in the filter criteria, it will


be applied to the subpanel view concurrently to display any matching results.

- To clear any filter values (e.g., CA), simply select "Reset" to the left of the Save button.
  - You can also remove filter values by clicking the "x" within the search value (if applicable).
4. To add additional fields (e.g., Assigned to) to the new filter, click the Add button to the right of the filter dropdown list.
  5. Enter a descriptive title for the new filter (e.g., "Contacts in CA") in the field that contains "Enter new filter name...".
  6. Click "Save" to add this filter to the related module's Filter dropdown list.

The filter will now appear as an option in the Filter list when "Contacts" is selected as the related module. Please note that you can easily delete custom filters by selecting the filter from the Filter list of the related module (e.g., Contacts), clicking the filter's name (e.g., Contacts in CA) on the search bar, then clicking "Delete" on the filter details panel. You can also edit the custom filter as necessary via the filter details panel then click "Save" to preserve the changes.

## Activity Stream Search


The record view's activity stream displays all posts specific to the current record you are viewing. Please note that users can view all post's in the record view's activity stream even if they do not follow the record in Sugar. To access the record view's activity stream, navigate to the module's record view (e.g., ABC Company) then click the Activity Stream button below the module's fields. For more information on activity streams, please refer to the [Activity Streams](#) documentation. You can filter the posts on the activity stream based on the activity type by selecting one of the available options on the Filter list. For more information on filtering the activity stream, please refer to the [Activity Type Filter](#) section.



**Note:** If you cannot access activity streams, the feature may have been disabled via Admin > System Settings. For more information, refer to the [System](#) documentation in the Administration Guide.

## Activity Type Filter

The record view activity stream can be filtered to only display certain messages (e.g., Messages for Create, Messages for Update) by clicking "Filter" above the post input box then selecting the desired message type. This enables users to filter the activity stream to only display specific activity type's they wish to view. To view all posts in the activity stream, simply select the All Activity Stream option in the Filter list.



## Preview

Once the subpanel view displays the search results, users can easily view the related record's details directly from the record view by clicking the Preview button to the far right of the record's row. The record's detail will display in the intelligence pane to the right of the record view and provide users with key information regarding the record as well as the related activity stream information. For more information on viewing previews, please refer to the [Previews](#) section of the User Interface documentation.

The screenshot displays the SugarCRM interface. At the top, there's a header for 'Smith & Sons' with a green 'Ac' icon, a star, and a 'Following' button. Below this, a 'Preview' panel on the right shows details for 'Jane Smith', including her title 'Sales Manager', mobile number '(415) 878-8888', department 'Sales', and email 'jane@example.com'. The main area shows a list view of contacts. A red box highlights the search bar at the top of the list view, which contains the text 'Search by first name, last name'. A red arrow points to the search icon (magnifying glass) in the list view toolbar. Below the search bar, there's a table of contacts with columns for Name, City, State, and Email. The first row is highlighted in blue and shows 'Jane Smith' from 'Fremont, CA' with email 'jane@example.com'. The second row shows 'Lindsay Smith' from 'San Francisco, CA' with email 'lindsay@example.com'. The third row shows 'Precious Donalson' from 'San Mateo, CA' with email 'qa.support.section...'. A red box also highlights the search icon in the list view toolbar.

## List View Search (Legacy Modules)

Modules using the Legacy user interface in Sugar has a list view with basic and advanced search functionality to help you find records easily and effectively in a module-specific manner. These module-specific searches differ from global search in that you search by specific fields in a specific module, instead of across your entire Sugar database.

Much like global search, list view search has the ability to use wildcards and automatically appends a wildcard character (%) to the end of your search phrase. For more information regarding using wildcards in list view searches, please refer to the [Wildcards](#) section.

### Basic Search

Basic search offers a few, commonly used fields for a simplified search experience. From the Basic Search panel, you can click "Advanced Search" to access additional search functionality as needed.

The buttons and checkboxes available in Basic Search panel have the following functions:

- 
- **Search:** Click the Search button or press your Return/Enter key to perform the search.
  - **Clear:** Click the Clear button to clear all criteria from the searchable fields.
  - **My Items:** Select this box to return only records assigned to you.
  - **My Favorites:** Select this box to return only records you have marked as favorites.

When you run a search, Sugar will return records matching all (as opposed to any) of the fields and checkboxes for which you have given a value. For example, if you select "My Items" and enter a record name, Sugar will only return records with a matching name that are assigned to you. Once the search is complete, the relevant results will populate in the list view below the search panel. To see all records to which you have access, simply click "Clear" and then "Search" to perform a blank search with no filters. Please note that you will only be able to see records as allowed by your team membership, user access type, and assigned roles. For more information on teams and roles, please refer to the [Team Management](#) and [Role Management](#) documentation in the Administration Guide.

Administrators can configure what fields appear on the Basic Search via Admin > Studio. For more information on editing layouts, please refer to the [Studio](#) documentation in the Administration Guide.

## Advanced Search

Advanced search offers a more in-depth search experience than Basic Search including additional fields, layout options, and saved search capability. The search fields are context-sensitive and will vary depending on the module you are searching. From the Advanced search panel, you can click "Basic Search" for simplified searching. The buttons, checkboxes, and dropdowns available in Advanced Search have the following functions:

The buttons, checkboxes, and dropdowns available in Advanced Search have the following functions:

- **Search:** Click the Search button or press your Return/Enter key to perform the search.
- **Clear:** Click the Clear button to clear all criteria from the searchable fields.
- **My Favorites:** Select this box to return only records you have marked as favorites.
- **Layout Options:** Use the expandable Layout Options section to configure your list view. For more information, please refer to the [Layout Options](#) section.
- **Saved Searches:** Save, recall, update, and delete searches that you use

often. For more information, please refer to the [Saved Search](#) section.

Advanced search allows users to perform ranged searches on certain date or numeric fields. Ranged search fields include a dropdown to select the type of predefined search including the following options:

Search Documents

- **Date Fields:** Equals, Last 7 Days, Last Month, Is Between, etc. Depending on the option selected, there will be zero (e.g., Last 7 Days, Next 7 Days), one (e.g., Equals, Not On), or two (e.g., Is Between) input boxes to search on.

Search Campaigns

- **Numeric Fields:** Equals, Greater Than, Less Than, Is Between, etc. Depending on the option selected, there will be one (e.g., Equals, Does Not Equal) or two (e.g., Is Between) input boxes to search on.

Fields can be enabled or disabled to allow range searches via Admin > Studio. For more information on how to enable or disable range searches on a field, please refer to the [Studio](#) documentation in the Administration Guide.

---

When you run a search, Sugar will return records matching all (as opposed to any) of the fields for which you have given a value. For example, if you select "My Favorites" and enter a record name to search, Sugar will only return records with a matching name that you have marked as favorites. When searching by a multiselect or dropdown field (e.g., "Assigned to"), however, Sugar will return records matching any of these selections. Once the search completes, the relevant results will populate in the list view below the search panel. To see all records to which you have access, simply click "Clear" and then "Search" to perform a blank search with no filters. Please note that you will only be able to see records as allowed by your team membership, user access type, and assigned roles. For more information on teams and roles, please refer to the [Team Management](#) and [Role Management](#) documentation in the Administration Guide.


Administrators can configure what fields appear on the Advanced Search via Admin > Studio. For more information on editing layouts, please refer to the [Studio](#) documentation in the Administration Guide.

## Layout Options


Sugar gives users the ability to personalize the list view of each module through the advanced search layout options feature. Users can pick which fields are displayed in the list view, the order they are displayed in, and which column the records are ordered by.

Use the following steps to personalize the list view for a module using the layout options in advanced search:

1. Click on the Layout Options link to expand the available options below.




2. Select any column name in the Display Columns panel and click the right aligned arrow to remove the column from the list view.




3. Alternatively, select any column name in the Hide Columns panel and click

the left aligned arrow to add a column to the list view.




4. Select any column name in the Display Columns panel and click the up or down aligned arrow to move a column left or right respectively in the list view.



5. In the Order By column dropdown, select a field to order your results by. Only columns in the Display panel will be available to order by and some columns (e.g., Email Address) are not available for sorting.
6. Select whether to order the fields by Ascending (i.e., 1-10, A-Z) or Descending (i.e., 10 -1, Z-A).

**Note:** Clicking on a column header in the list view will temporarily override the sort selected here. In order to order by the selection made here again, simply click the Search button.



7. Click Search to execute the search.



Not all columns in each module can be used in the layout options by default. If there is a column you desire to add to your list view or order by, please contact your Sugar administrator to enable the desired fields. For more information on how to add or remove fields as options in the layout options section, please refer to the [Studio](#) documentation in the Administration Guide.

---

**Note:** The layout options configured here supersede the default list view settings configured in Studio for the specified module.

Sugar remembers the last search run when you return to each module including whether or not the Layout Options panel was exposed. After changing your layout options, click "Layout Options" again to hide the expanded panel and click Search. Running a search locks in place whatever options you currently have on the search screen. Now the next time you run a search, the new options will be remembered and the Layout Options will be hidden. Click the Clear and the Search buttons to revert back to the default layout options.

## Saved Search


Sugar gives users the ability to save any layout option changes and search criteria for easy access to perform the same search at a later time. A common example of this would be a manager saving a search where only his or her employees are the Assigned Users on the record. This way, the manager can review all of their team's records at the click of a button. You can save an unlimited number of search results and the Saved Searches dropdown displays the last saved search at the top of the list.

**Note:** Saved searches are user-specific and can not be seen or shared by other users.

Use the following steps to save a personalized search from advanced search:


1. Enter any number of search criteria you desire.
2. Enter a descriptive title for the search in the "Save search as" textbox and click "Save".

**Note:** Any layout option changes made will also be saved with the saved search.


A screenshot of a software interface showing a 'Layout Options' panel on the left and a 'Save search as' dialog box on the right. The dialog box has a text input field containing 'My Saved Search' and a 'Save' button. Below the dialog box, there are buttons for 'Search', 'Clear', and 'Browse Documents', followed by a 'Basic Search' link and a 'Saved Searches' dropdown menu currently showing '-none-'.

3. The search is saved and executed. You now have the ability to modify any search criteria or layout options. After any necessary modifications are made click the Update button next to "Modify current search".

**Note:** The name of the search you will be updating shows below the Update button.


A screenshot of a software interface showing a 'Save search as' dialog box on the left and a 'Modify current search' section on the right. The 'Modify current search' section has an 'Update' button and a 'Delete' button. Below the 'Update' button, the text '"My Saved Search"' is displayed.

4. There is no way to modify the name of a saved search. Alternatively, you can execute a saved search, enter a new name into the "Save search as" textbox and click save. This will create a new saved search with the same criteria as the original with the new name. You may then proceed to delete the old saved search.
5. To execute a previously saved search, simply select the desired search from the "Saved Searches" dropdown.



6. This immediately executes the saved search.
7. If you wish to remove a saved search, simply click the Delete button after executing a previously saved search.

**Note:** The name of the search you will be deleting shows below the Delete button.



## AND vs OR

When performing searches in the Basic or Advanced search panels, Sugar uses the "and" operator, not "or". This means that if you are searching against multiple fields, Sugar will place an "and" in-between each search field returning only records matching all of your search criteria. For example, a search performed for a record name containing "Sales" and the My Favorites checkbox enabled will only return records where the record name contains "sales" and is marked as a favorite.

The only time Sugar will use the "or" operator is when using the mutiselect options in the search criteria. For example, a search performed in the Documents module for the Category field will allow you to select multiple options to search by. Performing a search on the Category field with "Marketing" and "Sales" selected will return any records where the document's category is defined as "Marketing" or "Sales".

If any other field is added into the search criteria the operators between the Category field and any other field will remain an "and" operator.

Basic Search:

## Search Documents

Document Name	<input type="text" value="Sales"/>	My Favorites <input checked="" type="checkbox"/>	<input type="button" value="Search"/>	<input type="button" value="Clear"/>	<a href="#">Advanced Search</a>
---------------	------------------------------------	--	---------------------------------------	--------------------------------------	---------------------------------

## Advanced Search: Search Documents

Document Name	<input type="text" value="Sales"/>	Category	<div><div>Marketing</div><div>Knowledge Base</div><div>Sales</div></div>
Publish Date	<input type="text"/>	Expiration Date	<input type="text"/>

## Wildcards

Wildcards can be used to search for criteria without including the entire word in the search. Use a wildcard character in place of characters you do not require in your search. You may use any number of wildcard characters in any combination you desire. Search operators can be combined for queries, but if quotation marks and wildcard characters are used together, the quotation marks will supersede the wildcard, resulting in a search for an exact match. The following wildcard characters can be used in the related module filters in Sugar:

Character	Wildcard Use
%	Use this wildcard to match any number of characters, including zero
–	Use this wildcard to match a single character

Please note that a wildcard is implied at the end of all search queries. For example, searching for "Acme" will match account names like Acme Industries or Acme Funds. Insert a wildcard before your search query with a % sign (%Acme) to match account names that begin with or contain the query, such as "ABC Acme Industries". If performing a multiple-word search, the wildcard is only appended to the last word and not all words.

The following are example searches using wildcards in related record search:

Search Criteria	Matches	Does Not Match

rob	<b>Rob, Robert, Robin</b>	Bob, Jacob
%bert	<b>Albert, Bert, Robert</b>	Bart
r_b	<b>Robert, Ruby</b>	Bob, Raab
%s_i	<b>Dustin, Christi, Smith</b>	Sophie, Josephine
_it	<b>Nita, Littrell</b>	Schmitt
r_b% smit%	<b>Robert Smith, Rob Smite</b>	Bob Smith, Robert Phillip
rob smit	<b>Rob Smith, Rob Smite</b>	John Smith

When performing a search, Sugar will try to match your search text to the beginning of a record's field. Therefore, if an account name starts with an article like "A" or "The", this must be accounted for in the search by adding a wildcard (%) at the beginning of your text. For example, to properly return an account named "The ABC Company", you should enter "%abc" for Sugar to find a match in the system.

## Search Memory

Sugar by default automatically saves your most recent search criteria when leaving the module then repopulates the search fields the next time you return. For example: Perform a search in the Accounts module for "sugar". Navigate away from the Accounts module and then return back to the Accounts module. The search for "sugar" will automatically be shown and the relevant results will be shown below in the list view.

**Note:** This can be an unintended result if a user is unaware of this functionality. For example, a search may have an assigned user selected that is not currently visible in the scrolling selection box. When running a new search, best practice is to click the Clear button before entering your search criteria.

Search memory can be set to one of the following options:

- **Remember last search:** This is the default behavior in Sugar
- **Populate only:** This will populate the search criteria, but will not execute the search.  
**Note:** This is recommended for systems experiencing performance issues.
- **Do not remember last search:** Search will be cleared and executed every time the search is loaded

**Note:** These options are global settings and will affect all users. Please be sure to inform users of any behavior change before making modifications.

## Admin Configuration

---

A Sugar administrator has many options for configuring legacy searches. You have the ability to add, remove, and order fields on either the basic or advanced search layouts through Admin > Studio. For more information on how to change the basic and advanced search layouts, please refer to the [Studio](#) documentation in the Administration Guide.

The search results are controlled through the list view layout in Admin > Studio. Here you can also control the possible fields a user can add to their personalized list view. For more information on how to change the list view layout, please refer to the [Studio](#) documentation in the Administration Guide.

---

## Tags

### Overview

Tags are user-created keywords or phrases that can help users find, group, and classify large amounts of data by common attributes that may not already be defined via basic database fields. Sugar® stores tags as individual records in the Tags module. Modules (e.g., Accounts, Contacts, etc.) using the Sidecar user interface contain a Tags field where users can create and share tags that can be used to identify records in filters, dashlets, and reports.

Users can easily create tags from any tags-enabled module's (e.g., Contact's) record view. Once the tag is created, it may then be related to other Sugar records such as meetings, cases, opportunities, and many others. One Sugar record can have multiple tags. This documentation will cover how users can create new tags and use existing tags by interacting with the system-wide tag repository.

While tags can be created and used by regular Sugar users, some actions in the Tags module are only available to administrators and users with developer-level role access. This documentation will cover the actions available to all users. For information about tag administration options that allow you to manage the system-wide tag repository, please refer to the [Tag Management](#) documentation in the Administration Guide. For instructions concerning views and actions that are common across most Sugar modules, please refer to the [Working With Sugar Modules](#) section of this page.















Unlike other Sugar modules, users can see all tag records regardless of their team membership, but visibility may be affected by user access and assigned roles. For more information on access types and roles, please refer to the [Role Management](#) documentation in the Administration guide.

### Understanding Tag Behavior

---

The act of relating a tag to a Sugar record is referred to as "tagging". A user can tag any Sidecar module record in Sugar via the Tags field. Please refer to the [User Interface](#) documentation for a list of Sidecar modules. If you do not see the Tags field but expect that you should, reach out to your system administrator to discuss tag visibility and access settings for your user.

Use cases for effective tagging include:

Use Case	Example Tags
Classifying high-value or urgent business	Tags   
Connecting specific events and activities with clients	Tags   
Assigning role-based attributes	Tags    
Noting interest-based and demographic classifications	Tags    

When working with tags in Sugar, keep in mind the following rules of tag behavior:

- Tags may be a single word or a short phrase.
- Differentiate between single-word tags and multi-word phrases by using a comma between tags.
- Inserting a space character will result in a single, multi-word tag.
- Tags are not case-sensitive, but take care to prevent unintentional duplicates due to misspellings or unnecessary punctuation.
- Tags are shared by every user in an instance and across all tags-enabled modules. When you create and save a new tag, all users will immediately be able to use that tag regardless of team restrictions.

## Clicking on Tags

Clicking on a tag in Sugar may take you to the tag's record view or to the global search's View All Results page, depending on where you are in the application when you click the tag. If you click on a tag that links to its own record view, the Sugar records related to the tag will be visible, grouped by module, in the tag's related-record subpanels.

**Note:** Users cannot remove the tag-to-record relationship via a tag's related-record subpanels. To remove a tag relationship, edit the tagged record's Tags field as explained in the [Tagging via Record View](#) section of this page.


---

For more information on viewing a tag record's related-record subpanels, please refer to the [User Interface](#) page. If a tag links to the global search's View All Results page, you will see the records related to the tag in search-result form. For more information on navigating and viewing global search's View All Results page, please refer to the [Search](#) documentation.

When clicking on a tag to view related records, only modules (e.g., Accounts, Contacts) that are enabled for global search will appear in the [View All Results](#) page. Please note that the Reports module is not enabled for global search.

**Note:** When viewing related records via the tag's record view or global search's View All Results page, please keep in mind that you will only be able to see records as allowed by your team membership, user access, and assigned roles. For more information on teams and roles, please refer to the [Team Management](#) and [Role Management](#) documentation in the Administration Guide.

The following table summarizes what you can expect when clicking on a tag from various locations in Sugar:

Tag Location	Tag Format	Tag Appearance	Result
Tags List View	Hyperlink	<a href="#">SugarCon 2016 Visitor</a>	Opens the <a href="#">tag's record view</a>
Report Results	Hyperlink	<a href="#">SugarCon 2016 Visitor</a>	
My Tags Dashlet	Hyperlink	<a href="#">SugarCon 2016 Visitor</a>	
Related Module List View Dashlet	Hyperlink	<a href="#">SugarCon 2016 Vi...</a>	Opens global search <a href="#">View All Results</a> page
Related Module List View	Hyperlink	<a href="#">SugarCon 2016 Visitor</a>	
Related Module Record View	Pill	<a href="#">SugarCon 2016 Visitor</a>	
Intelligence Pane (Preview)	Pill	<a href="#">SugarCon 2016 Visitor</a>	
Subpanel List View	Hyperlink	<a href="#">SugarCon 2016 Visitor</a>	
Global Search Bar	Tag Ribbon	 <a href="#">SugarCon 2016 Visitor</a>	Adds the tag as a <a href="#">Global Search</a> filter

**Note:** When editing a record, the tag pills displayed in the Tags field are not clickable.

## Tag Fields

The Tags module contains a number of stock fields which come out-of-the-box with

---

Sugar. The following definitions are suggested meanings for the fields, but the fields can be leveraged differently to best meet your organization's needs.

Field	Description
Name	The name or designation of the tag.
Assigned To	The Sugar user assigned to the tag record.
Date Created	The date the tag record was created.
Date Modified	The date the tag record was last modified.
Description	A description or other information about the tag.
Integration Sync ID	The sync key field used by external integrations to identify Sugar records in the external application. See the <a href="#">Integrate REST API endpoints</a> in the Developer Guide for more details on how to use this field. <b>Note:</b> This field is not visible in the user interface.

## Creating Tags

Regular users can create new tags by tagging records via the Tags field, [mass update](#), and [import](#) within Sugar Sidecar modules. Users with administrator or developer access can create Tag records in various ways directly via the Tags module. Please note that when a new tag is created and saved, all users will immediately be able to use that tag in any Sidecar module regardless of team restrictions.

### Creating via Tags Field

All users can create new tags on the fly from the Tags field in any Sidecar module (Accounts, Contacts, etc.). This will automatically create a relationship between the record and the tag. Simply enter the name of the tag (e.g., skiing) in the Tags field to create the new tag record. Please note that the other fields (e.g., Assigned To, Date Created, etc.) in the Tags record view will automatically populate by default. For more information on creating tags via record view, please refer to the [Tagging via Record View](#) section of this documentation.

**Note:** Users will be able to edit the Tags field to create new tags regardless of any role restrictions the user has for the Tags module.

---

## Creating via Tags Module

Another way to create tags is by using the Create Tag option in the Tags module. Only users with administrator or developer access to the Tags module will see the Create Tag option and Create button. For more information on creating tags via the Tags module, please refer to the [Tag Management](#) documentation in the Administration Guide.

## Tagging Records

Users can tag any record that contains a Tags field. By default, every [Sidecar module](#) (Accounts, Contacts, etc.) will contain the Tags field on its record view. When you create and save a new tag on any Sugar record, all users will immediately be able to use that tag in any tags-enabled module regardless of team restrictions. Please note that users will be able to edit the Tags field to add existing tags or create new tags regardless of any role restrictions the user has for the Tags module.

Co Carolina Guardiola ☆ Edit ▾

Title	Mobile
VP Sales	(217) 486-9072
+ Department	Do Not Call <input type="checkbox"/>
Account Name	+ Business Center Name
Tortoise Corp	
Email Address	
phone40@example.info	
sugar@example.name	
Tags	
North Professional	

Only administrator and developer users can merge, delete, or update records within the Tags module. To assign a tag management role to a Sugar User, please refer to the [Creating a Tags Administrator](#) section of the Tag Management page in the Administration Guide.

## Tagging via Record View

Tagging a record will automatically create a relationship between that record and the tag. Simply type the name of the tag into the Tags field and then click "Save" to tag a record. If the tag does not already exist, the tag will automatically be created

including setting the Date Created field and assigning the tag to you. For more information on available Tag fields, please refer to the [Tag Fields](#) section of this documentation.

Follow these steps to tag an account record as an example:

1. Navigate to an account's record view.
2. Click the Edit button on the upper right of the page or click inside the Tags field.

Co Carolina Guardiola ☆ Cancel Save

Title VP Sales Mobile (217) 486-9072

+ Department Do Not Call ☐

Account Name Tortoise Corp + Business Center Name

Email Address phone40@example.info sugar@example.name

Tags  
Please enter 1 or more character  
Show more...

3. Type the word or phrase that you would like to use as a tag. When you enter the first letter of a tag, Sugar will begin to display recommended tags that begin with the same letter.
  - To choose an existing tag, select it from the list of recommended tags by clicking on the appropriate menu option.

Tags

biking s

s (New Tag)

scrum

shuffleboard


soccer

sports

- To ignore the recommendations and create an entirely new tag, completely type out the word or phrase and then click on the New Tag menu option. Alternatively, use a comma or the Enter key to indicate the end of a tag. Take care not to create duplicate or

---

synonymous tags unintentionally. Please note that new tags will not be saved to the database until you save the record that contains the new tag.



- To remove a tag or tags from a record, click the "x" on the tag to remove it from the Tags field and then save the current record. Alternatively, place the mouse cursor to the right of the tag and use the keyboard's backspace to highlight it. Press the backspace key again to remove the highlighted tag from the Tags field. Please note that removing an existing tag from a record will not remove it from the database; the tag will still exist, but it will no longer be related to this particular record.



4. Once you have entered the desired tag or tags, click the record's Save button to commit the changes to the record and save any new tags to the database.

If the saved record contains any new tags, those tags will be saved as new records in the Tags module. Users can now find the newly created tag when adding tags to any tags-enabled module record, and may also search and browse the list of available tags via the [Tags module list view](#).

## Tagging via Mass Update

Users can also use the mass update function on a tags-enabled module to tag many records at one time. Mass update provides the following conveniences:

- Add one or many tags to a group of records
- Use any combination of new and existing tags
- Replace existing tags or append additional tags to existing tag lists

Follow these steps to tag multiple contact records via mass update as an example:

1. Navigate to the Contacts list view.
2. [Filter or search](#) for the set of records you would like to tag. For example, create a filter for all contacts whose titles start with "vp".

**Contacts** (20 of 21+)

Filter **Create** Search by first name, last name...

Title starts with vp

Enter new filter name... Reset Cancel Save

- Select all results or select the checkboxes next to the appropriate records. For more information about selecting multiple records at once, please refer to the [Checkbox Selection](#) section of the User Interface documentation.

☒ Name Title Account Name Email Address Office Phone

You have selected 52 records in the result set. [Clear selections.](#)

<input checked="" type="checkbox"/>	☆	Carolina Guardiola	VP Sales	Tortoise Corp	phone40@example.info	(249) 792-60	
-------------------------------------	---	--------------------	----------	---------------	----------------------	--------------	--

- Click on the list view Actions menu and select "Mass Update".

☒ Name Title Account Name Email Address Office Phone

Email You have selected 52 records in the result set. [Clear selections.](#)

**Mass Update**

<input checked="" type="checkbox"/>	☆	Carolina Guardiola	VP Sales	Tortoise Corp	phone40@example.info	(249) 792-60	
-------------------------------------	---	--------------------	----------	---------------	----------------------	--------------	--

- In the mass update bar, choose the Tags field and begin typing the phrases you would like to use as tags one at a time in the empty text box. When you enter the first letter of a tag, Sugar will begin to display recommended tags that begin with the same letter.

**Mass Update** Cancel **Update**

Tags **VP Sale** ☒ Append Tag(s)

**Sale (New Tag)**

Sales

Sales and Marketing

<input checked="" type="checkbox"/>	☆	Carolina Guardiola	VP Sales	Tortoise Corp	phone40@example.info	(249) 792-60	
-------------------------------------	---	--------------------	----------	---------------	----------------------	--------------	--

- Click on the tag suggestion to add the pill to the mass-update text box, or click the New Tag suggestion to create a new tag. Alternatively, press enter or the comma key. Continue adding tags if desired. For more information on tagging records, please refer to the [Tagging via Record View](#) section of this documentation.

**Mass Update**

Tags **SugarCon 2016 Visitor** **hot lead**

- Decide if you would like to replace the existing tags on the selected records or if you prefer to append the specified tags to the records without removing their existing tags. By default, the Append Tag(s) checkbox is selected so that Sugar will not remove existing tags. Deselect this option to overwrite all existing data in the Tags field of the selected records.

☒ Append Tag(s)

8. Click "Update" to add the tag to all selected records.

<input type="checkbox"/>	Name	Tags	Title	
<input type="checkbox"/>	Aliza Lemasters	decision maker, hot lead, SugarCon 2016 Visitor	VP Sales	
<input type="checkbox"/>	Tennie Licht	hot lead, SugarCon 2016 Visitor	VP Sales	

## Tagging via Import

Users can tag new or existing Sugar records by including the Tags field as a column in an import file. For more information on tagging via import, please refer to the [Importing Fields With Multiple Values](#) section of the Import documentation.

Please note that importing an update to the Tags field of a record that already exists in Sugar will erase any previous tags on the record and replace them with the imported tags. For more information on importing tags to existing records, please refer to [Importing Multiselect Fields to Existing Records](#) in the Import documentation.

## Formatting Tag Imports

Tags are not case sensitive, but they must be entered as an exact character match in the import file when adding existing tags to records in order to prevent creating duplicate variations of the same tag. For example, if there is an existing tag named "rocky road" in Sugar, importing the tag "ROCKY ROAD" as all uppercase will successfully find and relate the existing tag. However, if the import file contains "rocky-road" with a hyphen, an unintentional synonymous tag will be created.

When importing tags to related module records (e.g., contacts), multiple tags being added to one record should be separated with a comma. For example, to create or update a contact record tagged as both "vanilla" and "chocolate", the import data file's Tags column should contain vanilla,chocolate with a comma separating the tags and no extra spaces between the tags. If one of the imported tags is a multi-word phrase, such as "rocky road", then the imported data field should contain a space character only within that tag value: vanilla,chocolate,rocky road.

	A	B	C
1	First Name	Last Name	Tags
2	Darryl	Aarons	vanilla,chocolate,rocky road
3			

For more information on importing records with the Tags field, please refer to the [Import](#) documentation in the Application Guide.


## Using Tags in Global Search

---


Global Search allows users to search for information across their entire Sugar database as opposed to restricting results to a specific module. The Global Search bar displays on the upper right of every Sugar page and utilizes full-text search to search throughout many fields and modules for an enhanced search experience.



Users can locate and select tags as global search filters to easily locate groups of records that are tagged by common attributes. For example, if you have a set of leads that were acquired from a specific conference (e.g., 2022 North America Conference) and you wish to locate all the lead records tagged with this value, you can perform a search using the tag value. As you type the tag's name, a list of matching tags will appear in the tag ribbon beneath the search box and display up to five matching tags.



Click on the desired tag to apply it as a filter for the Global Search results. You can append additional search terms or tags in the search box to further narrow your search. Simply enter the keyword to the right of the current criteria and the matching result(s) will display below.



If you search using multiple tags, the system will look for records that match any one of the tags in the search box using the "or" operator. For more information on using Global Search, please refer to the [Search](#) documentation.

## Managing Tags

When working with tags, common data management tasks such as editing, merging, and deleting are restricted to administrator users and users with administrator- or developer-role access to the Tags module. For more information on these administrative options, please refer to the [Tag Management](#) documentation in the Administration Guide.

Tags can be created, added to records, and removed from records without visiting the Tags module by performing those actions directly in a Sugar record. Regular users need only access the Tags module to view tags and their related records in

---

list view and record view. The Tags module offers tag administrators additional functionality that is covered in the [Tag Management](#) page of the Administration Guide.

## Working With Sugar Modules

The Tags module uses Sugar's Sidecar user interface. The following sections detail menus, views, and actions common to Sidecar modules and contain links to additional information within the page or links to the User Interface documentation.


### Tag Menu

The following sections describe the various menu options in the Tags module with links to more information about each option in the User Interface documentation or, for tag-specific functionality, within this page.

#### Module Tab Menu

The Tags module tab is typically found by clicking the "More" icon represented by three vertical dots to the right of the module tabs on the navigation bar at the top of any Sugar screen. The additional modules will appear on the list and you can click "Tags" to access the list view.

Once the Tags module tab displays on the navigation bar, click the triangle within the tab to display the Actions, Recently Viewed, and Favorites menu. The Actions menu allows you to perform important actions within the module. The [Recently Viewed menu](#) displays the list of tags you last viewed in the module. The Favorites menu displays the list of tags you most recently marked as favorites in the module. For information about favoriting records in Sugar, please refer to the [User Interface](#) documentation.



The Actions menu allows you to perform the following operation:

Menu Item	Description
<a href="#">View Tags</a>	Opens the list view layout to search and display tags.


For more information on module tab menus including reasons a module may not be included in the menu, see the [User Interface](#) documentation.

## List View Menus

The Tags [list view](#) displays all tag records and allows for searching and filtering to locate specific tags. You can view the basic details of each record within the field columns of the list view or click a tag's name to open the record view. To access a module's list view, simply click the module's tab in the navigation bar at the top of any Sugar page.

### List View Mass Actions Menu

The Mass Actions menu to the right of the checkbox option in the list header allows you to perform mass actions on all currently selected records. You can use the checkbox on each record's row to select individual call records, or click the checkbox in the list header to select all records displayed on the current set of list view results.




The Mass Actions menu allows you to perform the following operations:

Menu Item	Description
<a href="#">Export</a>	Export one or more calls to a CSV file.
<a href="#">Doc Merge</a>	Select or create a DOCX, XLSX, or PPTX template to merge record data into documents that will be accessible in the Doc Merge widget.
<a href="#">Doc Merge to PDF</a>	Select or create a DOCX, XLSX, or PPTX

	template to merge record data into PDF documents that will be accessible in the Doc Merge widget.
--	---

## Record View Actions Menu

The tag's [record view](#) displays the fields relevant to the Tags module. To access a tag's record view, refer to the table within the [Clicking on Tags](#) section of this page. The record view's Actions menu appears on the top right of the record.



The Actions menu allows you to perform the following operations:

Menu Item	Description
<a href="#">Share</a>	Share a link to this tag in Sugar via email.
<a href="#">View Audit Log</a>	View a record of changes to this tag's audited fields.
<a href="#">Doc Merge</a>	Select or create a DOCX, XLSX, or PPTX template to merge record data into documents that will be accessible in the Doc Merge widget.
<a href="#">Doc Merge to PDF</a>	Select or create a DOCX, XLSX, or PPTX template to merge record data into PDF documents that will be accessible in the Doc Merge widget.

## Common Views and Actions

The following links will open specific sections of the User Interface documentation where you can read about views and actions that are common across most Sidecar modules.

Content Link	Description

<a href="#">Viewing Tags</a> <a href="#">Viewing via List View</a> <a href="#">Viewing via Record View</a> <a href="#">Viewing via Recently Viewed</a> <a href="#">Viewing via Dashlets</a> <a href="#">Viewing via Reports</a>	<p>There are various options available for viewing tag records in Sugar including via Tags list view, Tags record view, Tags Recently Viewed menu, dashlets, and reports. Unlike other Sugar modules, users can see all tag records regardless of their team membership, but visibility may be affected by user access and assigned roles. For more information on access types and roles, please refer to the <a href="#">Role Management</a> documentation in the Administration guide.</p>
<a href="#">Searching for Tags</a> <a href="#">List View Search</a> <a href="#">Creating a Filter</a>	<p>The Searching for Records section provides an introduction to searching for tag records via list view search, which searches and filters within the Tags module. Tags can also be used to narrow global search results for records in other modules. For more information, please refer to the <a href="#">Using Tags in Global Search</a> section of this page.</p>
<a href="#">Tags List View</a> <a href="#">Total Record Count</a> <a href="#">List View Search</a> <a href="#">Checkbox Selection</a> <a href="#">Favorite Designation</a> <a href="#">Column Reordering</a> <a href="#">Column Resizing</a> <a href="#">Column Sorting</a> <a href="#">Column Selection</a> <a href="#">Preview</a> <a href="#">Pagination</a> <a href="#">Dashboards</a>	<p>The List View section walks through the many elements of the Tags List View layout, which contains a filterable list of all tag records in Sugar.</p>
<a href="#">Tags Record View</a> <a href="#">Favorite Designation</a> <a href="#">Next or Previous Record</a> <a href="#">Subpanels</a> <a href="#">Related Record Subpanels</a> <a href="#">Filtering Subpanels</a> <a href="#">Reordering Subpanels</a> <a href="#">Dashboards</a>	<p>The Record View section walks through the many elements of the Tags Record View layout, which contains detailed information about a single tag record. While the generic menu options are described in the User Interface sections linked to the left, the options specifically available in the Tags record view are described in the <a href="#">Record View Actions Menu</a> section of this page.</p>

<a href="#">Exporting Tags</a>	The Exporting Records section provides an introduction to the export functionality which allows you to download a list of tags and all their data as a .csv file for use outside of Sugar (e.g., in Microsoft Excel).
<a href="#">Viewing Tag Audit Logs</a>	<p>The Viewing Record Audit Logs section describes the View Audit Log record view option which displays a history of changes to the tag's audited fields.</p> <p><b>Note:</b> Only the Assigned User Id field is audited for the Tags module and will, therefore, be the only field displayed in the audit log.</p>
<a href="#">Favoriting Tags</a> <a href="#">Favoriting via List View</a> <a href="#">Favoriting via Record View</a> <a href="#">Favoriting via Subpanel</a>	The Favoriting Records section describes the various methods of marking tags as favorites, including via the Tags list view and Tags record view. Favoriting a tag allows you to easily access it from list views, dashlets, or the Tags module tab.
<a href="#">Sharing Tags</a>	The Sharing Records section provides instructions for the Share record view option, which composes an email with a link to the tag record. If the recipient is logged into Sugar, clicking the link will bring them directly to the tag's record view.

## Calendar

### Overview

Sugar's Sidecar Calendar module allows users to easily schedule, view, and manage events like your calls, meetings, and other important Sugar occasions in one place. The calendar lets you show event milestones from Sugar that are not traditionally considered "activities", such as the expected close dates for your cases or opportunities. When creating a new calendar, you can decide what conditions must be met to have the event appear on your calendar. You can also view other users' and teams' scheduled events via the User and Team Calendars. This documentation will cover how to use the Calendar module as well as the various actions and options available from within the module. For information on using Sugar's legacy ("BWC") calendar, refer to the [Help Article](#).

---

## Suggested Settings

We recommend making the following admin configurations to your Sugar instance to optimize the user experience. Most customers will want users to be able to access each other's calendars (team permitting), but only edit or delete their own calendars.

**Note:** You must be a system administrator to complete the following configurations.

To create a role that restricts calendar users from editing or deleting other users' calendars, create a new role via [Admin > Role Management](#) with the following settings:


- **Role Name:** Calendar Users
- **Module Permissions:** For the Calendar module, set the following permissions so that users can see each other's calendars (team permitting) but only edit or delete their own:
  - **Access:** Enabled
  - **Access Type:** Normal
  - **Delete:** Owner
  - **Edit:** Owner
  - **List:** All
  - **Record View:** All

After saving the new role, scroll to the role's Users subpanel and add all users who will have access to the Calendar module. By default, all users will have access to Calendar unless they have been restricted by a role. For more information on configuring roles in Sugar, refer to the [Role Management](#) documentation in the Administration Guide.

## Calendar Module Tab

The Calendar module tab is typically shown as a tab in your navigation bar. If you do not see the Calendar tab, click the three-dots overflow menu on the right side of the navigation bar. If you do not see Calendar in your navigation bar or overflow menu, visit your user profile settings to enable the tab or contact your administrator to find out if it is disabled or hidden for your Sugar instance.

Unlike other modules where clicking the module tab displays the module's list view, clicking the Calendar module tab displays a calendar view. Clicking the triangle within the module tab will display an Actions menu with several options:



The Actions menu options will change depending on the calendars that you have created. You will see an option to create a new record in any module that you have established a calendar for. For example, if you have calendars for [Meetings](#), [Calls](#), and [Tasks](#) you will see the options to Schedule Meeting, Log Call, and Create Task. You will also see the following options by default:

Menu Item	Description
<a href="#">Create Calendar</a>	Create a new calendar.
<a href="#">View Calendars</a>	View the Calendar list view.
<a href="#">Legacy Calendar</a>	Open the legacy Calendar module. This option is temporarily available and will be disabled in the future.
<a href="#">Import Calendar</a>	Import a CSV file with Calendar data.

## Calendar Actions

When viewing your calendar, there are several options across the top, side, and bottom of the calendar to help you navigate the calendar and increase the functionality available. These buttons are accessible from any calendar screen, with some notable exceptions. Most of the buttons are used to change the view of the calendar to show a specific time period or jump to a specific time period.

The options are defined as follows:

Option	Description
Date jumper	The Date jumper is the small, embedded calendar on the left side of the screen. Jump to a different date and remain in

	<p>your day, work week, week, agenda, timeline, or scheduler view by clicking on a date in the Date jumper. If you are in month view and click on a date in the Date jumper, you will be taken to the day view for that date. Click the left and right arrows to scroll through months; or click the date written out along the bottom of the month to be taken to today's day, work week, week, agenda, timeline, or scheduler view, depending on your current view. If you are in month view, clicking the date along the bottom of the month will take you to today's day view. For more information, refer to the <a href="#">Viewing the Calendar</a> section of this page.</p>
Today	<p>The Today button is located toward the top of the screen and lets you jump to today on the calendar. Click the left and right arrow buttons on either side of "Today" to move the calendar view backward or forward in time relative to today. For more information, refer to the <a href="#">Viewing the Calendar</a> section of this page.</p>
Date or date range	<p>The date or date range is located toward the top of the screen to the right of the Today button. Click the date or date range to open a date picker from which you can select a new date or timeframe. For more information, refer to the <a href="#">Viewing the Calendar</a> section of this page.</p>
View selector	<p>At the upper right of the calendar view, choose whether to view the calendar by Day, Work Week, Week, Month, Agenda, Timeline, or Scheduler. For more information on the available views, refer to the <a href="#">Calendar Views</a> section of this page.</p>
Users dropdown	<p>To the right of the View selector, the Users dropdown shows a key that matches users with the colored stripes</p>

	on the left side of the visible calendar events. This dropdown menu is populated only if visible calendar events include at least one internal user as a guest or owner.
Share	To the right of the Users dropdown, you can share the calendar by exporting as a PDF or iCal or publishing the calendar in iCal format. For more information, refer to the <a href="#">Sharing Calendars</a> section of this page.
Define Calendar Day (gear icon)	The button with a gear icon in the top right opens the Define Calendar Day dialog box. Set the "Start of Day" and "End of Day" to define the hours you want to show for your day, week, work week, and timeline view.
Show full day	The "Show full day" button is located below the calendar view on the left. This button is available only when the day, work week, week, or timeline view is showing your defined Calendar Day hours. Clicking "Show full day" will expand the viewable hours beyond the Calendar Day that you define. Hours outside the workday are shaded blue.
Show Calendar Day	The "Show Calendar Day" button is located below the calendar view on the left. This button is available only when the full day is visible in day, work week, week, and timeline view. Clicking "Show Calendar Day" will collapse the viewable hours to the Calendar Day that you defined by clicking the gear icon above the calendar.

## Calendar List View


### List View Menus

The Calendar [list view](#) displays all calendars and allows for searching and filtering to locate specific calendars. You can see the basic details of each calendar within the field columns of the list view or click a calendar's name to open the record view to see the calendar configuration. To access the Calendar module's list view,

click the triangle within the Calendar module tab to display the Actions menu and then select "View Calendars".

## List View Mass Actions Menu

The Mass Actions menu to the right of the checkbox option in the list header allows you to perform mass actions on all currently selected records. You can use the checkbox on each record's row to select individual calendar records or click the checkbox in the list header to select all records displayed on the current set of list view results.



The Mass Actions menu allows you to perform the following operations:

Menu Item	Description
<a href="#">Mass Update</a>	Mass update one or more calendar records at a time.
<a href="#">Delete</a>	Delete one or more calendars at a time.
<a href="#">Export</a>	Export one or more calendar records' fields to a CSV file.

## List View Record Actions Menu

The Record Actions menu to the far right of each record's row allows you to perform actions on the individual meeting directly from the list view.

<input type="checkbox"/>	<input type="checkbox"/>	Name	Module	Assigned to	Date Modified ↓	Date Created	⋮
<input type="checkbox"/>	☆	Tasks	Tasks	Administrator	08-27-2021 07:5...	08-27-2021 07:5...	<input type="checkbox"/> <input type="checkbox"/>
<input type="checkbox"/>	☆	Meetings	Meetings	Administrator	08-27-2021 07:5...	08-27-2021 07:5...	<input type="checkbox"/> <input type="checkbox"/>
<input type="checkbox"/>	☆	Calls	Calls	Administrator	08-27-2021 07:5...	08-27-2021 07:5...	<input type="checkbox"/> <input type="checkbox"/>

The list view's Record Actions menu allows you to perform the following operations:

Menu Item	Description
<a href="#">Preview</a> (Eye icon)	Preview this calendar in the intelligence pane.
<a href="#">Edit</a>	Edit this calendar.
<a href="#">Delete</a>	Delete this calendar.

## Calendar Record View

The calendar [record view](#) displays the calendar's configurations as described in the Configuring Calendars section below. To access a calendar's record view, simply click a hyperlinked calendar name from the [Calendar list view](#). The record view's Actions menu appears on the top right of the page and allows you to perform various operations on the current calendar record.

The screenshot shows the 'Account Renewal' record view. At the top, there's a header with 'Ca', 'Account Renewal', and a star icon. Below this is a tab bar with 'Settings', 'Templates', and 'Other'. The main content area is divided into sections: 'Module' (Accounts), 'Color' (a green square), 'End' (Date of Next Renewal), 'Double-click event' (Navigate to record), 'Allow update' (checked), 'Filter' (All Accounts), 'Subject' (Name), 'Start' (Date of Next Renewal), 'Allow create' (checked), and 'Allow delete' (checked). On the right side, there's an 'Edit' button with a dropdown arrow. The dropdown menu is open, showing options: 'Share', 'Find Duplicates', 'Copy', and 'Delete'.

The Actions menu allows you to perform the following operations:

Menu Item	Description
<a href="#">Edit</a>	Edit this calendar.
<a href="#">Share</a>	Share a link to this calendar via email.
<a href="#">Copy</a>	Duplicate this calendar.
<a href="#">Delete</a>	Delete this calendar.

## Configuring Calendars

You can use the Calendar module to set up calendars for many out-of-the-box or custom modules and configure the appearance of the calendar. You will only be

---

able to see, create, and edit calendars as allowed by your team membership, user access type, and assigned roles. To view all calendars that you have access to, click the triangle in the Calendar module tab to open the Actions menu, then select "View Calendars".

## Creating or Editing a Calendar

To create a new calendar, click the Create button in the top right of the Calendar list view or click the Create Calendar option in the Calendar module tab's Actions menu. To edit a calendar, click on the calendar name in the [Calendar list view](#) and then click on the Edit button. You can copy an existing calendar by clicking on the calendar name in the Calendar list view and then selecting "Copy" from the [record view Actions menu](#).

## Calendar Settings

The following table describes the field options available in the Settings tab of the calendar record's edit view:

Field	Description
Module	Choose the module that has the information to be shown on the calendar.
Subject	Select the field whose value will be used for the subject of the calendar event. The subject of the event is displayed as the first line in the calendar event's tooltip.
Color	Choose the color of the calendar events.
Start	Select the field whose value represents the start date for the event.
End	For all-day events, select the field that represents the end date for the event. Providing the Start and End date will make the event appear as an all-day event at the top of the calendar day. <b>Note:</b> If you provide the Duration minutes, Duration hours, and Duration days, you will not see the End field.
Duration minutes	For events that occur at a specific time (as opposed to all-day events), select the field to be used in the <Minutes> slot of the <Days>:<Hours>:<Minutes>

	duration. Providing a Start and duration will make the event appear during the appropriate hours on your calendar. <sup>1</sup>
Duration hours	For events that occur at a specific time (as opposed to all-day events), select the field to be used in the <Hours> slot of the <Days>:<Hours>:<Minutes> duration. Providing a Start and duration will make the event appear during the appropriate hours on your calendar. <sup>1</sup>
Duration days	For events that occur at a specific time (as opposed to all-day events), select the field to be used in the <Days> slot of the <Days>:<Hours>:<Minutes> duration, if any. Providing a Start and duration will make the event appear during the appropriate hours on your calendar. <sup>1</sup>
Double-click event	<p>Configure the behavior that happens when you double-click an event in the calendar view. There are three types of options:</p> <ul style="list-style-type: none"> <li>• Navigate to record: Navigate to the record in the module chosen for the calendar in the same window.</li> <li>• Navigate to record in a new tab: Navigate to the record in the module chosen for the calendar in a new tab.</li> <li>• Open drawer for edit: Open a drawer to open and edit the record in the module chosen for the calendar.</li> </ul> <p>These options also exist for related modules. For all modules that are related one-to-one or one-to-many with the module chosen for the calendar, you will see additional options that include "(Related module name)" after the above three options. These options will direct you to the one record in the related module. For options that direct you to a</p>

	related user profile (e.g., "Modified by"), the destination depends on your user type (i.e., administrators are directed to the Users module and regular users are directed to the Employees module).
Allow create	Choose whether to allow users to <a href="#">create an event/record</a> for this module from the calendar view. Users will be allowed to create events/records as allowed by their team membership, user access type, and assigned roles.
Allow update	Choose whether to allow users to <a href="#">update an event/record</a> for this module from the calendar view. Users will be allowed to create events/records as allowed by their team membership, user access type, and assigned roles.
Allow delete	Choose whether to allow users to <a href="#">delete an event/record</a> for this module from the calendar view. Users will be allowed to delete events/records as allowed by their team membership, user access type, and assigned roles.
Filter	Filter which events appear on the calendar. See the <a href="#">User Interface</a> documentation for more information. Some modules, like <a href="#">Calls</a> and <a href="#">Meetings</a> , contain filters that are unique for those modules.

<sup>1</sup> For more information, see the Understanding Duration Fields section below.

### Understanding End and Duration Fields

There are two ways to define an event's timeframe in the Calendar module: provide a start date and an end date or provide a start date/time and a duration. The former method (start and end dates) will display all-day events in every view since only the dates are known without times of day. The latter method (start date/time and duration) will display events on the calendar at the appropriate time slots in day, week, work week, and timeline views since the actual timespan for the events are known.

Some out-of-the-box modules, like Tasks, can only be configured using the start and end dates and will therefore only be visible as all-day events. Other modules,

---

like Calls, can be configured in either way. By default, however, they use the start date and the duration time. You can change how these types of modules appear on your calendar by setting Duration minutes, Duration hours, and Duration days to the blank option and then select an option for the End field. If you provide the Duration minutes, Duration hours, or Duration days, you will not see the End field.

Note that not every module that contains a datetime field can be configured to be displayed using a start date and duration time. Datetime fields in some modules are handled differently within Sugar and, while many allow for displaying events with the start date and duration time, this is not universal.


## Calendar Templates

In the Templates tab of the calendar configuration window, you can establish what information you want to be shown in the tooltip, day view, week view, month view, agenda, timeline, scheduler, or iCal event. Click "Edit" in the top right corner to enable editing of all fields, or click the pencil icon next to a specific field to enable editing of that field. Use the Insert Field dropdown menu to choose placeholders that will be populated from information in your records.


The screenshot shows the SugarCRM configuration interface for the 'Meetings' calendar template. At the top, there's a header with a 'Ca' icon, a 'Name' field containing 'Meetings', and 'Cancel' and 'Save' buttons. Below this are tabs for 'Settings', 'Templates' (which is active), and 'Other'. The main area is titled 'Tooltip' and contains a rich text editor. The toolbar includes various formatting options like bold, italic, underline, strikethrough, bulleted list, numbered list, indent, outdent, link, unlink, image, and a red box highlights the 'Insert Field' dropdown menu. The dropdown menu is open, showing four options: 'Created By', 'Date Created', 'Date Modified', and 'Display URL'. The text area of the editor currently contains the placeholders '{::name::}' and '{::description::}'.

For example, if you want the tooltip for your meetings calendar to include the location of the meeting, you can use the following steps:


1. Click the triangle within the Calendar module tab to display the Actions menu and then select "View Calendars".
2. Select the Meetings calendar.
3. Go to the Templates tab and then click "Edit" in the top right corner.



4. Use the formatting toolbar to include any text that you want to be constant (e.g., Location:), then choose "Location" from the Insert Field dropdown menu.



5. Click "Save".
6. Click the Calendar module tab to be taken to the calendar view. Hover over an event and see that the location is now visible in the tooltip.



## Other Calendar Fields

The following table describes the field options in the Other tab of the calendar configuration window:

Field	Description
Description	The description of the calendar.
Assigned to	The Sugar user that is assigned to the calendar.
Teams	The Sugar team(s) that is assigned to the calendar.
Date Modified	The date the calendar was last modified.
Date Created	The date the calendar was created.
Comment Log	A shared log of messages, comments, or other text, including the name of the user that added the log entry and the date and time it was added. It is possible to tag other users and link to other Sugar records in Comment Log entries by inserting a clickable pill; see the <a href="#">User Interface</a> documentation for more details.

## Importing a Calendar

---

To import a calendar record, click the triangle within the Calendar module tab and select "Import Calendar". In the first step of the import, you can download a template CSV file. The template file contains instructions for how to format your data to import it to the calendar.

## Creating Calendar Events


You create calendar events by creating a record in the module that the calendar represents. For example, if you have a calendar that shows your scheduled calls, you create a new event on your calls calendar by creating a new call record. You can create these records as usual (i.e., via the individual modules or the Quick Create menu) or via the Calendar module, as described below. For more information on creating records via Quick Create or modules, refer to the [User Interface](#) documentation or the specific module's page, respectively.

### Creating Events via Calendar

The calendar allows you to easily create records for the modules that have configured calendars by clicking on the cell corresponding to the specific date (and time) you wish to attribute to the record. This option is available only if you have selected "[Allow create](#)" when creating the calendar and if you are allowed by your team membership, user access type, and assigned roles. The record view will appear in edit mode and the field that is [mapped to the start date](#) and time will automatically be populated based on the date and time cell you selected in the calendar.

Use the following steps to create a calendar event (e.g., meeting) via the calendar view:

1. Click the Calendar module tab. You can choose to view the calendar by Day, Work Week, Week, Month, Timeline, or Scheduler.
2. On the calendar view, double-click the cell corresponding to the date (and time, if applicable) you wish to schedule the meeting and choose "Schedule Meeting".



When "Schedule Meeting" is clicked, a Meeting record view will appear in edit mode.


3. Refer to the [Meetings](#) documentation for additional instructions about creating meeting records.

## Creating Events via Calendar Actions Menu

When you add a calendar for a module, the module's create option is added to the Calendar module's Actions menu. For example, if you add a calendar that uses the Meetings module, the [Calendar module tab](#) contains the Schedule Meeting option. This opens up the record view in edit mode for the corresponding module (e.g., Meetings) which allows you to enter all the relevant information for the calendar event.

The following steps cover creating a new meeting via the Calendar module tab as an example:

1. Click the triangle in the Calendar module tab to open the actions menu and select "Schedule Meeting".



2. Refer to the [Meetings](#) documentation for additional instructions about creating meeting records.

## Viewing the Calendar

The Calendar module allows users to schedule, view, and manage various events (e.g., Calls, Meetings, Tasks) in Sugar. The Calendar module can be accessed by clicking the [Calendar module tab](#). Calendar events are color-coded by default to match the color of the parent module icon.

Please note that you will only be able to see calendars and events on calendars as allowed by your team membership, user access type, and assigned roles. For more information on teams and roles, please refer to the [Teams](#) and [Roles](#) documentation in the Administration Guide.

---

You can choose which calendars to show on the calendar view by checking the boxes next to the calendar names in the My Calendars and [User and Team Calendars](#) panels on the left side of the calendar. The My Calendars panel shows all calendars that are assigned to a [team that you are a member of](#). Enabling more than one calendar will show each calendar's events overlaid on a single calendar view. Click "Select All" to select all calendars in the list.

Hover your mouse on the cell of an existing calendar event to view tooltip information that you specified in the [calendar templates](#). You can also double-click the calendar event to enact your [double-click event action](#) that is configured for the calendar. Click on the colored strip on the left side of the calendar event to open the record preview on the right side of the calendar.

Jump to a different date by using the Date jumper on the top left side of the calendar. You will remain in your day, work week, week, agenda, timeline, or scheduler view by clicking on a date in the Date jumper. If you are in month view and click on a date in the Date jumper, you will be taken to the day view for that date. Select any date within the same month or use the left or right arrows to navigate to previous or upcoming months. You can click the date written as text (e.g., "September 2021") at the top of the Date jumper to zoom out to see all months in the year, then you can click the year text (e.g., "2021") to zoom out to see all years in the decade, etc., to more easily navigate through months and years. Click the date link written as text (e.g., "Wednesday, December 01, 2021") at the bottom of the Date jumper to go to today's day, work week, week, agenda, timeline, or scheduler view, depending on your current view.

<

September 2021

>

Su	Mo	Tu	We	Th	Fr	Sa
29	30	31	1	2	3	4
5	6	7	8	9	10	11
12	13	14	15	16	17	18
19	20	21	22	23	24	25
26	27	28	29	30	1	2
3	4	5	6	7	8	9

Wednesday, December 01, 2021

<

Today

>

September, 2021

Sunday	Monday
29	30
05	06
12	13
19	20

Introduce all players

My Calendars (4)

Search calendars

☒ Select All
 ☒ Sarah Smith's Opportunities
 ☒ Sarah Smith's Calls
 ☒ Sarah Smith's Meetings
 ☒ Sarah Smith's Tasks

Jump to a different date and remain in your day, work week, week, month, agenda, timeline, or scheduler view by clicking the date text to the right of the Today button to open the date picker.

<

Today

>

Sunday, October 17, 2021 - Saturday, October 23, 2021

October 2021

Su	Mo	Tu	We	Th	Fr	Sa
26	27	28	29	30	1	2
3	4	5	6	7	8	9
10	11	12	13	14	15	16
17	18	19	20	21	22	23
24	25	26	27	28	29	30
31	1	2	3	4	5	6

Monday, September 20, 2021

10/18

All Day

8:00 AM


9:00 AM

10:00 AM

11:00 AM

12:00 PM

You can always jump to today's date by clicking Today on the top left of the calendar view. Alternatively, you can jump to the next day, work week, week, month, agenda, timeline, or scheduler, depending on your current view, using the left and right arrows on either side of the Today button at the top left of the calendar view.



The calendar view can also be changed to have a different first day of the week using the Calendar Options in your user profile. Simply navigate to the Advanced tab of your user profile, then scroll to the Calendar Options panel and select the appropriate "First Day of Week" (e.g., Sunday, Monday). For more information on configuring the first day of the week, please refer to the [Getting Started](#) documentation.

## Calendar Views

The Calendar module can be viewed as a Day, Week, Work Week, Month, Agenda, Timeline, or Scheduler view using the View selector dropdown menu near the top right of the calendar. The view options are:

View Option	Description
Day	View the calendar one day at a time with 30-minute increments marked. Click the "Show full day" or "Show Calendar Day" button on the bottom left of the calendar to expand or collapse the visible hours, respectively. All-day events are shown at the top of the day.
Work Week	View a 5-day work-week with 30-minute increments marked. Workdays are defined as Monday through Friday. If "First Day of Week" in Profile > Advanced > Calendar Options is set to either Saturday or Sunday, the Work Week view displays Monday as the first

	day of the week. If "First Day of Week" is Tuesday, Wednesday, Thursday, or Friday, the Work Week view displays the remainder of the current week and then continues into the following week without showing weekend days. Click the "Show full day" or "Show Calendar Day" button on the bottom left of the calendar to expand or collapse the visible hours, respectively. All-day events are shown at the top of the day.
Week	View a 7-day week with 30-minute increments marked. Click the "Show full day" or "Show Calendar Day" button on the bottom left of the calendar to expand or collapse the visible hours, respectively. All-day events are shown at the top of the day.
Month	View a full month.
Agenda	View events in the upcoming week, including today. Three columns are shown: Date, Time, and Event. The Time column displays the start and end time of the event, if applicable. All-day events show "all day" in the Time column.
Timeline	View events for the current day in a horizontal hourly view that shows event duration (start and end times). Scroll left and right on the timeline to see more times. Click the "Show full day" or "Show Calendar Day" button on the bottom left of the calendar to expand or collapse the visible hours, respectively. All-day events are shown as spanning the full day.
Scheduler	View events for the current month in a horizontal day view. Scroll left and right on the scheduler to see more days.

## Viewing User and Team Calendars

The Calendar module allows you to view not just your own activities, but also the calendars of other Sugar users in the panel labeled "User and Team Calendars". These calendars will be added to the User and Team Calendars panel on the left

---

side of the calendar and you can decide which calendars to overlay on your calendar view by checking the corresponding checkboxes. Click "Select All" to select all calendars in the User and Team Calendars panel.

Use the following steps to add a user or team calendar:

1. Click the plus button to the right of the User and Team Calendars panel.

The screenshot shows a calendar for December 2021. The date Wednesday, December 01, 2021 is highlighted. Below the calendar is a section titled 'My Calendars (4)' with a search bar and five checked items: 'Select All', 'Sarah Smith's Opportunities', 'Sarah Smith's Calls', 'Sarah Smith's Meetings', and 'Sarah Smith's Tasks'. Below this is a section titled 'User and Team Calendars' with a search bar and a plus button (+) highlighted with a red box.

2. In the Add Calendar drawer, choose the calendar you want to show by clicking "Select Calendar" and then searching for the calendar. You can also click "Search and Select..." from the Select Calendar dropdown menu to open a list of calendars that you have access to.

The screenshot shows the 'Add Calendar' drawer. It has a 'Calendar:' dropdown menu with 'Select Calendar...' and a search icon. Below it is a 'Module' dropdown menu. At the bottom, there is a 'Select' button and a 'Name' field. The 'Search and Select...' option is highlighted with a red box.

3. In the Add Calendar drawer, choose the user you want to apply the

calendar to.

Calendar:  ✕ ▼

---

Module ▼ **All**

Select	Name	Module
<input type="radio"/>	Administrator	Users
<input type="radio"/>	Chris Olliver	Users
<input type="radio"/>	Jim Brennan	Users
<input type="radio"/>	Max Jensen	Users

4. The user's calendar is added to the User and Team Calendars panel. Check or uncheck the checkbox to the left of the calendar to show or hide the calendar on your calendar view.

< **December 2021** >

Su	Mo	Tu	We	Th	Fr	Sa
28	29	30	1	2	3	4
5	6	7	8	9	10	11
12	13	14	15	16	17	18
19	20	21	22	23	24	25
26	27	28	29	30	31	1
2	3	4	5	6	7	8

Wednesday, December 01, 2021

---

**My Calendars (4)**

Q

☒ Select All

☒ ● Sarah Smith's Opportunities

☒ ● Sarah Smith's Calls

☒ ● Sarah Smith's Meetings

☒ ● Sarah Smith's Tasks

---

**User and Team Calendars (1)** +

Q


☒ Select All

☒ ● Max Jensen's Calls

5. To hide a user or team calendar that you no longer want to see in your User

---

and Team Calendars list, click the x that appears to the right of the calendar name when you hover over the calendar in the panel.



Please note that you will only be able to see activity records as allowed by your team membership, user access type, and assigned roles. For more information on teams and roles, please refer to the [Teams](#) and [Roles](#) documentation in the Administration Guide.

## Editing Calendar Events

### Editing Events via Calendar

Sugar records displayed on the calendar can be edited directly from the calendar instead of having to access the record via the individual modules (e.g., Calls) depending on how you configured the [calendar's double-click event setting](#). Dragging and dropping event cells within the calendar can make changes to the start and end dates. For more information on moving calendar events from within the calendar, please refer to the [Moving Scheduled Events on the Calendar](#) section of this documentation.

If you have the Double-Click Event field set to "Navigate to record", "Navigate to record in a new tab", or "Open drawer for edit" in the [Settings tab](#) of the calendar configuration window, you can use the following steps to edit a Sugar record via the calendar:

1. Navigate to the calendar by clicking the Calendar module tab.
2. Locate the calendar event (e.g., Meeting) you would like to edit and double-click on the event to open the associated record in the current tab, a separate tab, or a drawer, depending on your Double-click event setting.
3. Make the necessary changes to the event.
4. Click "Save" or, if you would like an invitation email to go out to the invitees where they can accept or decline the call or meeting, click "Save and Send Invites".

Please note that your ability to edit events in Sugar may be restricted by a role. For more information on roles, please refer to the [Role Management](#) documentation in the Administration Guide. Check with your system administrator if you do not see the Edit options.

# Moving Scheduled Events on the Calendar


The Sugar calendar allows for the start time and duration of events to be edited from the calendar instead of having to directly edit the record via the module. This option is available only if you have selected ["Allow update"](#) when creating the calendar and if you are allowed by your team membership, user access type, and assigned roles. The records that appear on the calendar can also be dragged and dropped to new locations to change the start date and time. When changing the details with drag-and-drop, a pop-up message will ask you to confirm your changes. For drag-and-drop changes to call and meeting events, you can also select "Save and Send Invites" in the pop-up message to send a system-generated email update to the meeting or call invitees. Sugar users will see the meeting updated in their Planned Activities dashlet and their calendars.

**Note:** All occurrences of recurring [meetings](#) and [calls](#) will not be modified by dragging one record of the series.

	Sun 9/12	Mon 9/13	Tue 9/14	Wed 9/15
All Day				Assemble catalc
8:00 AM				
9:00 AM				
10:00 AM				
11:00 AM			Get more i...	
12:00 PM				
1:00 PM				Bad time, ...
2:00 PM				
3:00 PM				
4:00 PM				

In addition, the events can be dragged from the bottom of the box to be able to change the duration of the event. To do this, simply hover over the event's box to make the down arrow appear at the bottom. Click when the arrow appears and

drag to the new end time of the event.



### Calendar With Revenue Line Items

Instances that leverage the Revenue Line Items module will enjoy added benefits when using a calendar based on the Opportunities module. Instead of updating Service Start Date or Expected Close Date fields in each revenue line item in an opportunity one-by-one, users can update all of an opportunity's revenue line items at once by dragging and dropping an event.


There are two scenarios for the Opportunities module out-of-the-box:

- If the calendar has "Start" set to "Service Start Date", the calendar event is located on the service start date as an all-day event. Dragging and dropping the calendar event to another date on the calendar updates the Service Start Date field for all associated revenue line items in the opportunity.
- If the calendar has "Start" set to "Expected Close Date", the calendar event is located on the expected close date as an all-day event. Dragging and dropping the calendar event to another date on the calendar updates the Expected Close Date field for all associated revenue line items in the opportunity.

---

## Editing Recurring Meetings and Calls

When a meeting or call is set to be recurring, additional copies or duplicates of the call or meeting record are created for the specific time and date of each recurrence. Therefore, editing one record's cell on the calendar will not affect the other occurrences of the same call or meeting and will only affect the one occurrence you are editing. Users must select "Edit All Recurrences" from the meeting record's Action Menu.




Please refer to the steps in the [Editing All Recurrences via Record View](#) section of the Meetings documentation for instructions on how to edit all recurrences.

## Removing Events From Your Calendar

If an event appears on your calendar and you want to remove it from the view but do not want to delete the associated record, there are multiple ways to do so. You can adjust your [filter settings](#) for the calendar so that events of this type do not appear on your calendar or you can edit the event record so that the record is not captured by your current filter settings. For example, if you have a calendar that shows all of your meetings, your calendar will show all meetings that have a Status of Scheduled, Held, and Canceled. If you want to remove the canceled meetings from your calendar, you would need to modify the calendar's filter so that only meetings that have a Status of Scheduled or Held are displayed. This is an example of adjusting your filter settings for the calendar to remove events. As an example of editing the event records to remove the event from your calendar, if you had a calls calendar that showed all calls with a Status of "Scheduled", "In Progress", or "Held" and you see a call on your calendar that you know was canceled, change the call's Status to "Canceled" to remove this event from your calendar. Once the status has been updated, the calendar's filter will remove it from the view.

If you want to remove an event from your calendar and permanently delete its associated record (not common), use the following steps:

1. Navigate to the calendar by clicking the Calendar module tab.
2. Locate the event you would like to delete.
3. Click the x that appears when you hover over the event.



4. You will be asked to confirm whether or not you want to delete this record. Click "Confirm" to delete the record, or "Cancel" to keep the record.


This option is available only if you have selected ["Allow delete"](#) when creating the calendar and if you are allowed by your team membership, user access type, and assigned roles.

Recurring calls and meetings can be deleted by this method if you would like to delete the individual call or meeting. Deleting one record through this process will not remove the entire series. Please refer to the steps in the [Deleting All Recurrences via Record View](#) section of the Meetings documentation for instructions on how to delete all recurrences.

**Note:** Your ability to delete calls and meetings in Sugar may be restricted by a role. For more information on roles, please refer to the [Role Management](#) documentation in the Administration Guide. Check with your system administrator if you do not see the Delete options.

## Sharing Calendars

Sugar allows users to share calendars between applications to ensure that activities do not overlap between calendars. The Sugar calendar can be viewed in other applications such as the Outlook calendar to display the user's free/busy time from Sugar.



Option	Description
PDF Export	Export a PDF of the current calendar view. Deselected calendars and events outside of the current calendar view will be omitted from the PDF calendar. Events that are changed after you export the iCal will not be visible on your exported iCal.
Export iCal	Export an iCal file that contains all scheduled events on the currently visible calendar(s). Events that occur on visible (i.e., checked in the My Calendars or User and Team Calendars pane) calendar(s) will be included in the file even if they occur outside of the current calendar view. You can edit what information is shared via iCal by adjusting the <a href="#">iCal event template</a> in the calendar configuration. Events that are changed after you export the iCal will not be visible on your exported iCal.
Publish iCal	Generate a URL that can be used in another iCal-compatible application (e.g., Apple Calendar or Google Calendar). Events that are changed after you publish your iCal will be synced to the published calendar. <b>Note:</b> The sync is not instantaneous and may take several hours to complete.

## Publishing Your Sugar Calendar

Sugar calendars can be shared and viewed with various iCal-compatible calendar applications (e.g., Apple Calendar or Google Calendar). The calendars are viewable as read-only in the external calendar applications and any edits to existing activities can only be done in Sugar. For more information on sharing your

---

calendar on another application, please review the [Calendar Options](#) section in the Getting Started documentation.

## Publishing to Your Outlook Calendar

You can specify settings in another application, such as Outlook, to enable the ability to view a user's free/busy information from the Sugar calendar. Please note that the settings must be configured on each user's computer. Once configured, the invitee shows as busy for any time currently scheduled in Sugar if the user's email address in Sugar matches the invitee email address in Outlook.

Use the following steps to configure this functionality:

1. In Sugar, navigate to your [user preferences](#) and select the Advanced tab.
2. Copy the Search location URL located at the bottom in the Calendar Options panel.
3. In Outlook, go to File > Options > Calendar > Free/Busy Options.
4. In the Internet Free/Busy section, paste the Search location URL into the corresponding box.

## Integrating With MS Outlook

Sugar allows you to sync meetings and calls in Sugar with your local installation of Microsoft Outlook using the Outlook Plug-in. The plug-in also allows you to archive [emails](#) and sync [contacts](#). All meetings and calls, including recurring ones, can be synced using the plug-in. When a meeting or call is synced from Outlook to Sugar, the meeting or call will appear on the Sugar calendar, but will not be [editable](#) via Sugar and only [viewable](#).

For more information on using the Outlook Plug-in, please review the [Sugar Plug-in for MS Outlook User Guide](#).

## Calendar Scheduler Dashlet

The Calendar Scheduler dashlet allows you to conveniently view your calendars of choice within Sugar dashboards. The Calendar Scheduler dashlet behaves similarly to the Sidecar Calendar module.

When you add the dashlet, the following fields are available for configuration:

Field	Description
Available Views	Select the calendar views that you want to have available for viewing. The selected views are available in a

	dropdown menu in the top right of the dashlet for you to easily switch the view.
Default View	Select the calendar view that you want to have as the default view. Refreshing the page or navigating to a new page resets the view to the default view. Refreshing the dashlet does not reset the view to the default view.
My Calendars	Check the calendars that you want to display. The calendars in the My Calendars list are the same as those in the My Calendars pane of the Calendar module. The behavior (e.g., Double-click event option) and settings (e.g., color) of these calendars also match the behavior and settings of the same calendar in the Calendar module.
User and Team Calendars	Check the calendars for other users and teams that you want to display. The Calendars listed in the User and Team Calendars list are the same as those in the User and Team Calendars pane of the Calendar module. You can add other user or team calendars by clicking the plus icon. See the <a href="#">Viewing User and Team Calendars</a> section for more information. The behavior (e.g., Double-click event option) and settings (e.g., color) of these calendars also match the behavior and settings of the same calendar in the Calendar module.

You can edit the configuration of these fields at any time by clicking the gear icon in the top right corner of the dashlet.

When viewing the Calendar Scheduler, there are several options along the top and bottom of the dashlet to help you navigate and adjust the appearance of the calendar. These options are defined as follows:

Option	Description
Today	The Today button is located near the top left corner of the dashlet and lets you jump to today on the calendar. Click the left and right arrow buttons on either

	side of "Today" to move the calendar view backward or forward in time relative to today. For more information, refer to the <a href="#">Viewing the Calendar</a> section of this page.
Date or date range	The date or date range is located along the top of the dashlet to the right of the Today button. Click the date or date range to open a date picker from which you can select a new date or timeframe. For more information, refer to the <a href="#">Viewing the Calendar</a> section of this page.
View selector	Toward the upper right of the calendar view, choose which of your configured Available Views to use. For more information on the available views, refer to the <a href="#">Calendar Views</a> section of this page.
Users dropdown	To the right of the View selector, the Users dropdown shows a key that matches users with the colored stripes on the left side of the visible calendar events. This dropdown menu is populated only if visible calendar events include at least one internal user as a guest or owner.
Define Calendar Day (gear icon)	The button in the top right opens the Define Calendar Day dialog box. Set the "Start of Day" and "End of Day" to define the hours to show in day, week, work week, and timeline view.
Show full day	The "Show full day" button is located in the lower left corner of the dashlet. This button is shown only when your defined calendar day hours are visible in day, work week, week, and timeline view. This button expands the viewable hours beyond the calendar day that you define. Hours outside the workday are shaded blue.
Show Calendar Day	The "Show Calendar Day" button is located in the lower left corner of the dashlet. This button is shown only when

	the full day is visible in day, work week, week, and timeline view. This button collapses the viewable hours to the calendar day that you define.
--	---

You can create, update, or delete events from the dashlet if allowed based on the calendar settings, which are defined in the Calendar module. Refer to the [Configuring Calendars](#) documentation for more information about configuring the behavior and appearance of calendars.

# Accounts

## Overview

Sugar's Accounts module consists of companies with whom your organization has a relationship. It is generally seen as the hub for managing and analyzing your business' interactions with each company. Each account record may then relate to other Sugar records such as contacts, meetings, cases, opportunities, and many others as your relationship with the customer matures. This documentation will cover information and actions specific to the Accounts module. For instructions concerning views and actions which are common across most Sugar modules, such as creating, editing, and deleting accounts, please refer to the [Working With Sugar Modules](#) section of this page.

Please note that you will only be able to see account records as allowed by your team membership, user access type, and assigned roles. For more information on teams and roles, please refer to the [Team Management](#) and [Role Management](#) documentation in the Administration Guide.

## Account Fields

The Accounts module contains a number of stock fields that come out-of-the-box with Sugar. For information on using and editing various field types, refer to the [User Interface](#) documentation. The definitions below are suggested meanings for the fields, but the fields can be leveraged differently to best meet your organization's needs. Administrators or users with developer-level role access have the ability to alter, add, or remove fields via Admin > Studio. For more information on configuring fields, please refer to the [Studio](#) documentation in the Administration Guide.

Field	Description
Alternate Phone	The account's alternate phone.

	<p>If an admin has turned on the Enable Click-to-Call setting in <a href="#">Admin &gt; System Settings</a>, phone number fields are displayed as links that can be opened to dial them using the default computer telephony integration software on the user's computer. For Sugar Serve users logged in to Amazon Connect, calls are dialed in <a href="#">SugarLive</a>.</p>
Annual Revenue	The company's annual revenue.
Assigned To	The Sugar user assigned to the account.
Billing Address	The account's billing address.
Business Center Name	<p>The business center responsible for managing this account.</p> <p>In Sugar Serve, new cases inherit their account's business center which is then used for SugarBPM business hour calculations. For more information, refer to the <a href="#">Business Centers and Accounts</a> section of this page.</p> <p>In Sugar Sell, leads' business centers are used for SugarBPM business hour calculations during lead routing.</p>
Campaign <sup>1</sup>	The campaign, if any, from which the account originated.
Comment Log	A shared log of messages, comments, or other text, including the name of the user that added the log entry and the date and time it was added. It is possible to tag other users and link to other Sugar records in Comment Log entries by inserting a clickable pill; see the <a href="#">User Interface</a> documentation for more details.
Copy Address From Left	Select the box to copy the account's billing address to the shipping address field.
Date Created	The date the account record was created.
Date Modified	The date the account record was last

	modified.
Date of Next Renewal	<p>For instances using revenue line items, the Date of Next Renewal will show the earliest expected close date from all of the account's related revenue line items that meet the following criteria:</p> <ul style="list-style-type: none"> <li>• Type = "Existing Business"</li> <li>• Service = Yes</li> <li>• Renewable = Yes</li> <li>• Sales Stage is NOT "Closed Won" or "Closed Lost"</li> </ul> <p>Please note that this field is hidden from views by default and must be added by an administrator via <a href="#">Studio</a>.</p>
Description	A description or other information about the account.
DUNS	The unique 9-digit number associated with the company in D&B.
Email Address	The account's email address.
Employees	The number of employees at the company.
Escalated	Displayed as a red badge with the text "Escalated" beside the record name in the header and at the top of the preview, this field indicates if the record has an open escalation related to it. If the record is not escalated, the badge is not visible. This field can also be added to other views. See the <a href="#">Escalations</a> page for more details on escalating records.
Facebook Account	The account's Facebook account information.
Fax	The account's fax number.
Google Plus ID	The account's Google Plus ID.
Industry	The industry type to which the company belongs.
Integration Sync ID	The sync key field used by external integrations to identify Sugar records in the external application. See the <a href="#">Integrate REST API endpoints</a> in the


	Developer Guide for more details on how to use this field.
Name	When viewing, the account's name.
Office Phone	The account's office number. If an admin has turned on the Enable Click-to-Call setting in <a href="#">Admin &gt; System Settings</a> , phone number fields are displayed as links that can be opened to dial them using the default computer telephony integration software on the user's computer. For Sugar Serve users logged in to Amazon Connect, calls are dialed in <a href="#">SugarLive</a> .
Ownership	Indicate if the company is privately or publicly owned.
Member Of	Designate a parent-child relationship between the account and another account in Sugar.
Rating	The rating for the company compared to other companies in Sugar.
Service Level	The contractual level of service (e.g., Tier 1, Tier 2) for the account which, for Sugar Serve, is used by the <a href="#">stock SugarBPM template</a> to calculate case follow-up dates.
Shipping Address	The account's shipping address.
SIC Code	The Standard Industrial Classification (SIC) code for the account.
Tags	User-created keywords that can be used to identify records in filters, dashlets, and reports. <b>Note:</b> For more information on creating and using tags, please refer to the <a href="#">Tags</a> documentation.
Teams	The Sugar team(s) assigned to the account record.
Ticker Symbol	The stock trading symbol for the company.
Twitter Account	The account's Twitter account information.
Type	The account type (e.g., customer,

	investor, etc.).
Website	The website URL associated with the account.

<sup>1</sup> This field's value is not visible to Sugar Serve users; when this field appears on layouts, users without a supported license type will see a placeholder containing the text "License Required" instead of the field's value. See the [User Management](#) page for more details on license types.

## Escalations and Accounts

The Escalations module is used to track the escalation of a specific record, such as an account. Use the Escalate option in the account's record view Actions menu to create an escalation for the account. As long as the account has at least one open escalation in its Escalations subpanel, the Escalated field is displayed as a red badge with the text "Escalated" at the top of record view and the preview. It can also be displayed in the Record View dashlet and list view.



In addition to the Escalations subpanel, the Accounts module has a second subpanel containing escalation records, called "Other Related Escalations"; these two subpanels are used to represent two different relationships between an account and an escalation. The Escalations subpanel contains all escalations with the Related To field set to the currently viewed account (i.e., a one-to-many relationship), whereas the Other Related Escalations subpanel contains all escalations with this account in their Accounts subpanel (i.e., a many-to-many relationship).

Es ESCALATIONS (1) <span>+</span> <span>▼</span>						
	Num.	Subject	Status	Related To	Reason	⋮
☆	6	Max Holdings at risk due t...	New	Ac Max Holdings Ltd	Account at Risk	🔍 ▼

---

Es OTHER RELATED ESCALATIONS (3) <span>+</span> <span>▼</span>						
	Num.	Subject	Status	Related To	Reason	⋮
☆	3	Urgent bug fix needed for ...	New	Bu Error occurs while runni...	Customer-Impos	🔍 ▼
☆	5	Problem account filed case	Closed	Cs Having trouble adding ne...	Account at Risk	🔍 ▼
☆	1	Customer unhappy	New	Ac Smith & Sons	Account at Risk	🔍 ▼

When an escalation is created for an account or case, the related account (i.e., the value of the account's Member Of field or the case's Account Name field) is added to the Accounts subpanel on the escalation automatically when the escalation is saved. This means that that escalation will also appear in the account's Other Related Escalations subpanel automatically. Note that if the escalation is then updated to target a different record with a related account, the new account is added but the previous account is not removed.

The following example illustrates the use of the one-to-many and many-to-many escalation relationships: an account may be escalated because the account is at risk of terminating its contract. At the same time, the account may be invested or interested in the escalation of a particular bug that has greatly impacted its users. The account-at-risk escalation would be displayed in the Escalations subpanel because the account itself is escalated. The bug escalation would be displayed in the Other Related Escalations subpanel because the account is not the record that is escalated, but it does need to be related to the bug escalation indirectly; this allows the person working on the bug escalation to be fully aware of how many customers are impacted and may require communication as progress is made.

While the Related Type field is not displayed by default in the Other Related Escalations subpanel, you can enable it using the three-dots menu on the right side to easily see and sort by the type of record that is escalated. See the [Escalations](#) page for more details on how escalations work.

## Business Centers and Accounts

---

Business centers represent your company's centers of operation and specify a time zone, operating hours, and holidays so that a concept called "Business Hours" can be leveraged in SugarBPM. Each account's selected business center can be used for SugarBPM business hour calculations.

Sugar Serve's stock SugarBPM template uses each case's business center which is inherited from the case's account at the point of creation. For more information, refer to the [Cases](#) documentation. If your organization does not wish to specify various business centers on accounts and cases, the stock templates can be modified to use a static business center. Refer to the [Getting Started With SugarBPM for Sugar Serve](#) and [Stock SugarBPM - Case Follow-Up Date Management](#) articles for help configuring the stock template and your instance to work together.

Sugar Sell's stock lead-routing SugarBPM template uses each account's business center for task due-date calculations using business hours.

Once business centers have been set up by an admin or [Business Center Administrator](#), Sugar Serve and Sugar Sell users can simply select the appropriate business center in the Business Center Name field on the account record. For more information on creating and configuring business centers, refer to the [Business Center Management](#) documentation.

## Emails and Accounts

Accounts include an email address that can be used to email the account as a recipient. The methods for doing so are covered in the [Emailing Records](#) section of the User Interface documentation. In addition to being a recipient or sender of an email, accounts may be related to emails by being selected in the email's Related To field. These relationships allow the account to display all relevant email correspondence in the [Emails subpanel](#) and [History dashlet](#) on an account's record view. An account's Emails subpanel and History dashlet may also display emails belonging to the contacts related to the account.

### Emails Subpanel

The Emails subpanel in the Accounts module displays emails that are associated with the account record in a variety of ways:

- **Explicitly related to the account:** If the account is selected in the email's

---

Related To field, the email and account are explicitly related, and the email will appear in the account's Emails subpanel and History dashlet. Instructions for using this flex relate field are available in the [Emails](#) documentation.

- **Implicitly related to the account:** If one of the account's email addresses appears in the email's From, To, or Cc fields, the email and account are implicitly related, and the email will appear in the account's Emails subpanel and History dashlet. This implicit relationship is made for emails sent from Sugar as well as any email imported into Sugar via Inbound email accounts or email archiving.
- **Related to the account's related contacts:** If the email is related, either explicitly or implicitly, to a contact record that belongs to the account, the email will appear in the account's Emails subpanel and History dashlet.
  - **Note:** Administrators can enable or disable an account from displaying related contact emails via Admin > Related Contacts Emails. For more information, please refer to the [Emails](#) documentation in the Administration Guide.

For more information on working with subpanels, please refer to the [User Interface](#) documentation.

## Working With Sugar Modules

While the Accounts module has some features that only apply to accounts, it also uses the Sidecar user interface that most Sugar modules are based on. The following sections detail menus, views, and actions common to Sidecar modules and contain links to additional information within the page or links to the User Interface documentation.


### Account Menus

The Accounts module contains various options and functionality which are available via menus in the module tab, list view, and record view. The following sections present each menu and its options with links to more information about each option in the User Interface documentation or, for Accounts-specific functionality, within this page.

#### Module Tab Menus

The Accounts module tab is typically located on the navigation bar at the top of any Sugar screen. Click the tab to access the Accounts list view. You may also click the triangle in the Accounts tab to display the Actions, Recently Viewed, and Favorites menus. The Actions menu allows you to perform important operations within the module. The [Recently Viewed menu](#) displays the list of accounts you most recently viewed. The [Favorites menu](#) displays the list of accounts you most

recently marked as favorites.



The module tab's Actions menu allows you to perform the following operations:

Menu Item	Description
<a href="#">Create Account</a>	Opens the record view layout to create a new account.
<a href="#">View Accounts</a>	Opens the list view layout to search and display accounts.
<a href="#">View Account Reports</a>	Displays existing reports based on the Accounts module.
<a href="#">Import Accounts</a>	Opens the import wizard to create or update accounts using external data.

For more information on module tab menus including reasons a module may not be included in the menu, see the [User Interface](#) documentation.


## List View Menus

The Accounts [list view](#) displays all account records and allows for searching and filtering to locate specific accounts. You can view the basic details of each record within the field columns of the list view or click an account's name to open the record view. To access a module's list view, simply click the module's tab in the navigation bar at the top of any Sugar page.

## List View Mass Actions Menu

The Mass Actions menu to the right of the checkbox option in the list header

allows you to perform mass actions on all currently selected records. You can use the checkbox on each record's row to select individual account records or click the checkbox in the list header to select all records displayed on the current set of list view results.





The Mass Actions menu allows you to perform the following operations:

Menu Item	Description
<a href="#">Email</a>	Email one or more accounts at a time.
<a href="#">Mass Update</a>	Mass update one or more accounts at a time.
<a href="#">Merge</a>	Merge two or more duplicate accounts.
<a href="#">Delete</a>	Delete one or more accounts at a time.
<a href="#">Export</a>	Export one or more accounts to a CSV file.
<a href="#">Recalculate Values</a>	Visible only if the module contains fields using <a href="#">Sugar Logic</a> and only to System Administrators or users with Developer-level role access, this option will refresh the selected records' calculated values.
<a href="#">Doc Merge</a>	Select or create a DOCX template to merge record data into documents that will be accessible in the Doc Merge widget.
<a href="#">Doc Merge to PDF</a>	Select or create a DOCX, XLSX, or PPTX template to merge record data into PDF documents that will be accessible in the Doc Merge widget.

## List View Record Actions Menu

The Record Actions menu to the far right of each record's row allows you to perform actions on the individual account directly from the list view.

<input type="checkbox"/>	<input type="checkbox"/>	Name	City	Phone	Billing	
<input type="checkbox"/>	☆	<a href="#">Income Free Investing LP</a>	Cupertino	<a href="#">(243) 265-4805</a>	USA	 
<input type="checkbox"/>	☆	<a href="#">Jungle Systems Inc</a>	San Francisco	<div><a href="#">Edit</a> <a href="#">Directions starting from this record</a> <a href="#">Delete</a> <a href="#">Doc Merge</a> <a href="#">Doc Merge to PDF</a></div>		
<input type="checkbox"/>	☆	<a href="#">Smith &amp; Sons</a>	Santa Monica			
<input type="checkbox"/>	☆	<a href="#">Dirt Mining Ltd</a>	St. Petersburg			
<input type="checkbox"/>	☆	<a href="#">Anytime Air Support Inc</a>	Salt Lake City			

The list view's Record Actions menu allows you to perform the following operations:

Menu Item	Description
<a href="#">Preview</a> (Eye icon)	Preview this account in the intelligence pane.
<a href="#">Edit</a>	Edit this account.
<a href="#">Follow</a>	(Available if <a href="#">Activity Streams</a> are enabled) Follow changes to this contact in your activity stream.
<a href="#">Directions starting from this record</a>	For instances with <a href="#">Sugar Maps</a> enabled, plot driving directions on a map from this record to another record or records.
<a href="#">Delete</a>	Delete this account.
<a href="#">Doc Merge</a>	Select or create a DOCX template to merge record data into documents that will be accessible in the Doc Merge widget.
<a href="#">Doc Merge to PDF</a>	Select or create a DOCX, XLSX, or PPTX template to merge record data into PDF documents that will be accessible in the Doc Merge widget.

## Record View Actions Menu

The Accounts [record view](#) displays a single account in full detail including its fields, subpanels of related records, and activity stream. To access an account's record view, simply click a hyperlinked account name from anywhere within Sugar. The record view's Actions menu appears on the top right of the page and allows you to perform various operations on the current record.

The screenshot shows the record view for 'Jungle Systems Inc'. At the top right, there is an 'Edit' button and a dropdown arrow. The dropdown menu is open, showing the following options: Escalate, Share, Find Duplicates, Copy, Historical Summary, View Audit Log, View Personal Info, Delete, Doc Merge, Doc Merge to PDF, Geocode, Map, and Directions starting from Current User. The background shows the account details, including the website 'https://www.junglesyste...', assigned to 'Max Jensen', and billing address '777 West Filmore Ln, San Francisco, CA 84915 USA'.

The Actions menu allows you to perform the following operations:

Menu Item	Description
<a href="#">Edit</a>	Edit this account.
<a href="#">Escalate</a>	Create an escalation record related to the current record.
<a href="#">Share</a>	Share a link to this account via email.
<a href="#">Download PDF</a>	Download the record's information as a PDF file. <ul style="list-style-type: none"><li>This menu option is only visible if the administrator has created a PDF template for the Accounts</li></ul>

	<p>module via Admin &gt; <a href="#">PDF Manager</a>.</p> <ul style="list-style-type: none"> <li>Clicking on this menu item will expand and contract the menu to reveal or hide the available PDF templates.</li> </ul>
<a href="#">Email PDF</a>	<p>Email the record's information as a PDF attachment.</p> <ul style="list-style-type: none"> <li>This menu option is only visible if the administrator has created a PDF template for the Accounts module via Admin &gt; <a href="#">PDF Manager</a>.</li> <li>Clicking on this menu item will expand and contract the menu to reveal or hide the available PDF templates.</li> </ul> <p><b>Note:</b> To send emails through Sugar, users must first configure a default user email account via <a href="#">Emails &gt; Email Settings</a>.</p>
<a href="#">Find Duplicates</a>	Locate potential duplicates of this account.
<a href="#">Copy</a>	Duplicate this account to create a new account.
<a href="#">Historical Summary</a>	View a historical summary of activities (e.g., calls, meetings, etc.) related to this account.
<a href="#">View Audit Log</a>	View a record of changes to this account.
<a href="#">View Personal Info</a>	Display this record's fields which an admin has designated as personal information.
<a href="#">Delete</a>	Delete this account.
<a href="#">Doc Merge</a>	Select or create a DOCX template to merge record data into documents that will be accessible in the Doc Merge widget.
<a href="#">Doc Merge to PDF</a>	Select or create a DOCX, XLSX, or PPTX template to merge record data into PDF

	documents that will be accessible in the Doc Merge widget.
<a href="#">Geocode</a>	For instances with <a href="#">Sugar Maps</a> enabled, manually set this record's location on a map.
<a href="#">Map</a>	For instances with <a href="#">Sugar Maps</a> enabled, display this record or the selected records on a map.
<a href="#">Directions starting from Current User</a>	For instances with <a href="#">Sugar Maps</a> enabled, plot driving directions on a map from your address to this record or all selected records.

## Common Views and Actions

In the table below, the left column contains links to the User Interface page covering topics that are applicable to all Sidecar modules. The right column has links to sections of the current page that cover topics specific to accounts.

<b>General Instructions for Working With Sugar Modules</b>	<b>Accounts-Specific Instructions</b>
Use the links below to navigate to the User Interface page which covers topics generic to many Sugar modules.	When Accounts-specific help exists for each topic, use the links below to navigate to sections of the current page.
<a href="#">Creating Records</a>	
<a href="#">Viewing Records</a>	
<a href="#">Searching for Records</a>	
<a href="#">List View</a>	<a href="#">List View Mass Actions Menu</a> <a href="#">List View Record Actions Menu</a>
<a href="#">Record View</a>	<a href="#">Record View Actions Menu</a>
<a href="#">Intelligence Pane</a>	
<a href="#">Editing Records</a>	
<a href="#">Deleting Records</a>	
<a href="#">Emailing Records</a>	<a href="#">Emails and Accounts</a>
<a href="#">Exporting Records</a>	
<a href="#">Recalculating Calculated Values</a>	
<a href="#">Finding Duplicate Records</a>	
<a href="#">Merging Records</a>	
<a href="#">Viewing Record Historical Summaries</a>	

---

<a href="#">Viewing Record Audit Logs</a>	
<a href="#">Record PDFs</a>	
<a href="#">Favoriting Records</a>	
<a href="#">Following Records</a>	
<a href="#">Sharing Records</a>	

---

## Meetings

### Overview

Sugar's Meetings module is used to track meetings which can be related to other Sugar records that represent the attendees or topic of discussion. You can schedule upcoming meetings that remind you when the scheduled time approaches or log meetings you have already held to keep a record of the discussion. Meeting records can have multiple attendees, both inside and outside Sugar, and include the ability to send invitations as well as reminder emails. When a meeting is repeated on a regular schedule, you can configure it to recur.

Sugar's Calendar module displays your meetings and allows you to create meetings directly from your calendar. Meetings can also be viewed and created via the Planned Activities dashlet on a contact or other related module record. For example, a contact record's Planned Activities dashlet displays Sugar meeting records that are related to the contact. Creating a meeting from the dashlet creates a relationship between the records automatically.

This documentation will cover using the Meetings module. For general usage instructions concerning views and actions that are common across most Sugar modules such as creating, editing, and deleting records, please refer to the [Working With Sugar Modules](#) section of this page.

Please note that you will only be able to see meeting records as allowed by your team membership, user access type, and assigned roles. For more information on teams and roles, please refer to the [Team Management](#) and [Role Management](#) documentation in the Administration Guide.

### Meeting Fields

The Meetings module contains a number of stock fields that come out-of-the-box with Sugar. For information on using and editing various field types, refer to the [User Interface](#) documentation. The following definitions are suggested meanings for the fields, but the fields can be leveraged differently to meet your organization's needs. Users with administrator or developer access can alter, add,

or remove fields via Admin > Studio. For more information on configuring fields, please refer to the [Studio](#) documentation in the Administration Guide.

Field	Description
Assigned To	The Sugar user assigned to the meeting.  <b>Note:</b> The user in the "Assigned to" field cannot be removed from a meeting's guest list.
Comment Log	A shared log of messages, comments, or other text, including the name of the user that added the log entry and the date and time it was added. It is possible to tag other users and link to other Sugar records in Comment Log entries by inserting a clickable pill; see the <a href="#">User Interface</a> documentation for more details.
Created By	The Sugar user who created the meeting.
Date Created	The date the meeting record was created.
Date Modified	The date the meeting record was last modified.
Display URL	The URL to access the meeting if hosted by an external application (e.g., WebEx, GoToMeeting, etc.). <b>Note:</b> This is a dependent field that appears when a value other than "Sugar" is selected as the meeting type.
Email Reminder Time	Send a reminder email to all meeting guests at a specified duration prior to the meeting's start time.
End Date	The end date and time of the meeting.
Guests	The attendees <a href="#">invited to this meeting</a> . Note that when creating a new meeting, if the Guests field is low enough in the view to not be visible upon loading, the view is automatically scrolled down so that the Guests field is visible. As a result, it can be helpful to keep the

	Guests field within the first page of fields if there are a lot of fields to display; this ensures that the top of the view is displayed on initial load.
Integration Sync ID	The sync key field used by external integrations to identify Sugar records in the external application. See the <a href="#">Integrate REST API endpoints</a> in the Developer Guide for more details on how to use this field.
Internal Notes	Notes about the meeting that are visible only to internal users.
Invitation Body	A description or other information about the meeting that is sent to meeting guests.
Location	The meeting location.
Meeting Password	The password to access the meeting via WebEx, GoToMeeting, etc. <b>Note:</b> This is a dependent field that appears when a value other than "Sugar" is selected as the meeting type.
Meeting Type	The application (e.g., Sugar, WebEx, GoToMeeting, etc.) hosting the meeting. <b>Note:</b> External meeting accounts (e.g., WebEx, GoToMeeting) are added to the Meeting Type field when users connect to their account via the External Accounts tab in their user preferences. For more information on connecting to external applications, please refer to the <a href="#">External Accounts Tab</a> section in the Getting Started documentation.
Modified By Name	The name of the Sugar user who last modified the meeting record.
Popup Reminder Time	Trigger a reminder popup alert to all Sugar user guests at a duration prior to the meeting's start time. <b>Note:</b> Users must be logged into Sugar in an open browser window in order to receive the popup reminder.
Related To	The related module record associated with the meeting.

Repeat Type	For a recurring series of meetings, the timespan unit (e.g., Every x days = "Daily", Every x weeks = "Weekly") to use for the interval of time between recurrences.
Repeat Interval	Shown when Repeat Type does not equal "None", the number of units in the "Repeat Type" field that should pass between recurrences, for example: <ul style="list-style-type: none"> <li>• <b>Every three days:</b> Repeat Type = "Daily"; Repeat Interval = "3"</li> <li>• <b>Every other week:</b> Repeat Type = "Weekly"; Repeat Interval = "2"</li> <li>• <b>Each year:</b> Repeat Type = Yearly; Repeat Interval = "1"</li> </ul>
Repeat	Shown when Repeat Type does not equal "None"; Select "Until" to set a hard end date to recurrences or "Occurrences" to specify the number of times to repeat the meeting.
Repeat Until	Shown when "Repeat" equals "Until", the date of the last occurrence in the series.
Repeat Occurrences	Shown when "Repeat" equals "Occurrences", the number of meetings in the series.
Repeat on Days of Week	Shown when "Repeat Type" equals "Weekly", the day(s) of the week that the meetings will occur in the recurring series.
Custom Date (monthly)	Shown when "Repeat Type" equals "Monthly", select "Each" to specify a certain day(s) of the month or "On the" to set a variable such as the first Monday of each month.
Custom Date (yearly)	Shown when "Repeat Type" equals "Yearly", select "None" to repeat the meeting on the same day every year or "On the" to set a variable such as the last Friday of each year.
Start Date	The date and time that the meeting or

	first meeting in the series of recurring meetings is scheduled to begin.
Status	The current status (e.g., Scheduled, Held, Canceled) of the meeting record.
Subject	The subject of the scheduled meeting.
Tags	User-created keywords that can be used to identify records in filters, dashlets, and reports. <b>Note:</b> For more information on creating and using tags, please refer to the <a href="#">Tags</a> documentation.
Teams	The Sugar team(s) assigned to the meeting record.

## Meetings Color Codes

When viewing the Meetings list view and the Meetings dashlet, the start date may be highlighted in blue or red. This allows users to quickly view scheduled meetings that are either overdue or start within the next 24 hours. Please note that the start date will not be highlighted for meetings with a status of "Held" or with a start date in the future (beyond 24 hours from the current date and time).

Subject	Related to	Start Date	Status	User
<a href="#">Discuss pricing</a>	<a href="#">Gifted Holdings AG</a>	03-27-2020 03:00 pm	Canceled	<a href="#">Sally Bronsen</a>
<a href="#">Review Needs</a>	<a href="#">South Sea Plumbi...</a>	03-30-2020 04:30 pm	Scheduled	<a href="#">Sally Bronsen</a>
<a href="#">Check-In</a>	<a href="#">Spend Thrift Inc</a>	05-09-2020 02:00 ...	Held	<a href="#">Sarah Smith</a>

The start dates in the Meetings list view are highlighted as follows:

- **Blue:** The meeting has not been held, and the start date occurs within the next 24 hours.
- **Red:** The meeting has not been held, and the start date has passed.

Please note that you can only see meeting records as allowed by your team membership, user access type, and assigned roles. For more information on teams and roles, please refer to the [Team Management](#) and [Role Management](#) documentation in the Administration Guide.

## List View Filters

While [universal list view filters](#) are included with Sugar® out-of-the-box, the

---

following filters are unique to the Meetings list view:

- **My Meetings as Guest:** All meetings for which you are a guest, either because you are a non-removable guest by virtue of being the assigned-to user or because you have been invited and not declined the invitation. All meeting status types are included in this filter (scheduled, held, canceled).
- **My Meetings as Owner:** All meetings for which you are the assigned-to user. All meeting status types are included in this filter (scheduled, held, canceled).
- **Scheduled Meetings as Guest:** All meetings with a "Scheduled" status for which you are a guest, either because you are a non-removable guest by virtue of being the assigned-to user or because you have been invited and not declined the invitation.
- **Scheduled Meetings as Owner:** All meetings with a "Scheduled" status for which you are the assigned-to user.

## Meeting Guests

The following guests are automatically added to a meeting's guest list:

Automatic Guest	To Remove the Guest
The lead or contact in the "Related to" field, if any	This guest can be removed from the guest list at any time. If a lead or contact record is related to a meeting but is not on the guest list, then you will not see the meeting in the person's Meetings subpanel.
The user who created the meeting	This guest can be removed from the guest list after initially saving the meeting. Create and save the meeting, click "Edit", and then click the Remove (-) button next to the created-by user's row in the Guests panel.
The user in the "Assigned to" field for the meeting record	The assigned user cannot be removed from the guest list. If you need to remove the assigned user from the guest list, you must first re-assign the meeting to a different user. Once the meeting record is assigned to a new user, the original user will remain a guest until removed via the Remove (-) button.


Users may add additional guests (e.g., contacts, leads, users) to meetings [via the](#)

[Guests panel](#) in the meeting's record view.

## Adding via the Guests Panel


Use the following steps to add attendees via the Guests panel:

1. Navigate to the Meetings module and create a new record or edit an existing record.
2. Scroll to the Guests panel and click on the Add (+) button located on the far right.




3. To add a guest, type in the name of the lead, contact, or user via the search bar that appears or select "Search for more..." to search the Contacts list view. To remove a guest, click the Remove (-) button to the right of the guest's row.

**Note:** The user in the "Assigned to" field on the meeting record cannot be removed from a meeting. To remove the assigned user from the guest list, re-assign the meeting to a different user first.





4. Click "Save" or "Save and Send Invites" if you would like Sugar to send email invitations to the guests.

**Note:** Confirm that the guests' Sugar records have valid email addresses prior to clicking "Save and Send Invites". If a guest has no email address or their email address is marked as invalid, Sugar cannot email them an invitation to the meeting. A message and icon will alert you when adding the guest and when viewing the meeting's record view.




Once the guest has responded to the email invitation, their acceptance status will appear as a color-coded badge next to their name.

Guests		8am	9am	10am	11am	12pm	1pm	2pm	3pm	4pm	
	Will Westin	Attending									-
	Co Catrina Spangler	No Reply									- +
		Schedule Unavailable									

## Adding via Create a Guest

Use the following steps to create a new contact and add them as a meeting guest:

1. Navigate to the Meetings module and create a new record or edit an existing record.
2. Scroll to the Guests panel, click on the Add (+) button, and then click on "Search for more..." to expand the Contacts list view.

Guests		8am	9am	10am	11am	12pm	1pm	2pm	3pm	4pm	
	Will Westin	Attending									-
Assigned to		Select...									-
		<input type="text" value="Search for more..."/>									

3. At the top of the list view, click the Create button and fill out the appropriate fields to create a new contact. Once completed, save the new contact record and Sugar will automatically add the contact to the guest list for the meeting.
4. Confirm the remaining fields and guests are configured appropriately and then save the meeting.

## Recurring Meetings

Meetings can be saved as recurring events so that users do not have to create individual meeting records for regularly occurring events. Recurrences may occur daily, weekly, monthly, or yearly. When a recurring meeting is saved, Sugar creates a series of individual meeting records so that all recurrences appear in the [Meetings list view](#).

**Note:** If a user creates a recurring meeting but the start date does not match the specified recurrence day(s) of the week, the start date will reset to the first matching day after the meeting's Date Created.

## Creating Recurring Meetings

To schedule a series of recurring meetings, follow the instructions below. As an example, we will schedule a 30-minute meeting that recurs every other Thursday

until the end of the 2017 calendar year.

1. Navigate to the Meetings module and create a new record.
2. In the Start Date field, enter the date and time that the first Thursday meeting will occur and set the End Date for the same day but 30 minutes later.

The screenshot shows the top portion of a meeting creation form. At the top left is a 'Me' profile icon. To its right is a 'Subject' field containing 'Check-In'. Further right is a star icon and a 'Status' dropdown menu set to 'Scheduled'. Below these are two date and time pickers. The 'Start Date' picker shows '05-11-2020' at '02:00 pm'. The 'End Date' picker shows '05-11-2020' at '03:00 pm'. Both date pickers have a calendar icon, and both time pickers have a clock icon. A red box highlights both the Start Date and End Date fields.

**Note:** If a recurring meeting's start date does not match the meeting's recurrence day(s) of the week, the start date will reset to the first matching day-of-week after the meeting's Date Created.

3. To create a series of meetings, expand the field labeled "Repeat Type" and select an interval from the dropdown list. Our use case requires an interval of weeks (e.g., every two weeks), so we will select "Weekly" and specify our interval number in the next step.

This screenshot shows the form with the 'Repeat Type' dropdown menu expanded. The 'Repeat Type' field is highlighted with a red box and shows 'W. x' with a dropdown arrow. Below it, a row of fields is visible: 'Repeat Interval' (set to 1), 'Repeat on Days of Week' (set to Mon), 'Repeat' (set to Until), and 'Repeat Until' (with a date format mm-dd-yyyy and a calendar icon).

4. Upon choosing a Repeat Type value, a new row of fields will appear on the form to gather the series information.

This screenshot shows the form with the 'Repeat Interval' and 'Repeat on Days of Week' fields highlighted by a red box. The 'Repeat Interval' is set to 1, and 'Repeat on Days of Week' is set to Mon. The 'Repeat' field is set to 'Until' and the 'Repeat Until' field shows the date format mm-dd-yyyy with a calendar icon.

The fields displayed are dependent upon the values you select as you go. Please refer to the [Meeting Fields](#) section for complete details on the available options. To schedule a meeting that recurs every other Monday until the end of the 2020 calendar year, set the following values:

- **Repeat Interval:** 2
  - **Repeat on Days of Week:** Mon
  - **Repeat:** Until
  - **Repeat Until:** 2020-12-31
5. Confirm that the remaining fields and guests are configured appropriately.
  6. Save the record and confirm that all recurrences appear as separate records in the Meetings module's list view.


## Editing All Recurrences via Record View

Recurring activities will display the option to edit all occurrences of the activity in


---

the record's actions menu. This option will affect all of the meeting records in a series, even if some of the meetings have been closed and set to "Held". Use the following steps to edit all recurrences in a series of meetings via the record view:

1. Navigate to the record view of any meeting in the series of recurring meetings.
2. Select "Edit All Recurrences" from the Actions menu.




3. Edit the meeting record as needed.
4. Then click on "Save" or "Save and Send Invites" to apply the changes to all held and unheld meetings in the series.



## Deleting All Recurrences via Record View

Recurring activities will display the option to delete all occurrences of the activity in the record's actions menu. This option will affect all of the meeting records in a series, even if some of the meetings have been closed and set to "Held". Use the following steps to delete all recurrences in a series of meetings via the record view:

1. Navigate to the record view of any meeting in the series of recurring meetings.
2. Select "Delete All Recurrences" from the Actions menu.




3. A pop-up message will display asking for confirmation. Click "Confirm" to delete all held and unheld meetings in the series.

## Deleting All Recurrences via List View

Recurring activities will display the option to delete all occurrences of the activity in the record's actions menu in the list view. This option will affect all of the meeting records in a series, even if some of the meetings have been closed and set to "Held". Use the following steps to delete all recurrences in a series of meetings via the list view:

1. Navigate to the Meetings list view by clicking the Meetings module tab.
2. Use the [Module Search](#) to find the meeting in the series of recurring meetings that you wish to delete.
3. Click the Record Actions Menu to the far right of the record's row and select "Delete All Recurrences".

Meetings (20 of 21+)					Create
Filter Create Search by subject...					
<input type="checkbox"/>	Subject	Status	Start Date	Related to	
<input type="checkbox"/>	Check-In	Scheduled	07-13-2020 02:...	Spend Thrift Inc	
<input type="checkbox"/>	Check-In	Scheduled	07-06-2020 02:...	Edit	
<input type="checkbox"/>	Check-In	Scheduled	06-29-2020 02:...	Close	
<input type="checkbox"/>	Check-In	Scheduled	06-22-2020 02:...	Delete	
<input type="checkbox"/>	Check-In	Scheduled	06-15-2020 02:...	Delete All Recurrences	

4. A pop-up message will display asking for confirmation. Click "Confirm" to delete all held and unheld meetings in the series.

## Meeting Reminders

Sugar can remind guests when a meeting is scheduled to begin soon. Reminders can be sent via email to all of the guests or via pop-up to all user guests prior to the meeting's scheduled start date and time. By default, a user must set reminders when creating or editing the activity, but users can configure default reminders via their [User Preferences](#), which will automatically set a default reminder time for meetings they create in Sugar.

**Note:** The instance's outbound mail server must be configured via Admin > System Email Settings in order for email reminders to be sent out. For more information on setting up the system email settings, please refer to the [Email](#) documentation in the Administration Guide.

## Email Reminders

Email reminders can be set for any meeting record relative to its start date and time. The reminders are emailed to all guests with valid email addresses including

non-Sugar users.

To schedule email reminders, select a time interval from the meeting's Email Reminder Time field:

The screenshot shows a meeting scheduling interface. At the top, there's a header bar with 'Me', 'Review needs', a star icon, a 'Held' status, and navigation buttons '< > Cancel Save'. Below this, the 'Start & End Date' is '10-23-2020 01:00 pm - 02:45 pm (1 hour 45 minutes)' with a '+ Repe...' button. The main area has a 'Loca...' button, a 'Popup Reminder Time' dropdown set to 'None', and an 'Email Reminder Time' dropdown also set to 'None'. The 'Email Reminder Time' dropdown is open, showing options: 'None', '1 minute prior', '5 minutes prior', '10 minutes pr...', '15 minutes pr...', '30 minutes pr...', and '1 hour prior'. The meeting description is 'Meeting to discuss project plan and hash out the details of implementation'. The meeting is for 'Sugar' account 'X-Sell Holdings'. The guest list includes 'Linnie Bondi' (No Reply) and 'Max Jensen' (Attending). The assignee is 'Max Jensen' and the team is 'East Global West (Primary)'.

## Popup Reminders

Popup reminders can be set for any meeting record relative to its start date and time. Popup reminders appear for Sugar users on the meeting's guest list who are logged into Sugar in an open browser window at the time the reminder pops up.

To schedule popup reminders, select a time interval from the meeting's Popup Reminder Time field:

---

Me

Review needs ☆

Held

< >

Cancel

Save ▾

Start & End Date  
10-23-2020 01:00 pm - 02:45 pm (1 hour 45 minutes) 

+ Repe...

+ Loca...

Popup Reminder Time

Email Reminder Time

None ▾

None ▾

Descrip... Meeting to discuss project plan and h  
implementation

Meetin... Sugar Account

Guests 9am10am11am 5pm

Co Linnie Bondi No Reply Sch

Max Jensen Attending

Assigne... Max Jensen Teams


## Closing Meetings

Once a meeting has taken place, a user can close the meeting record, which changes the meeting's status to "Held". The "Close" option only appears for meetings that are considered open, or not "Held". Open meetings are shown in the Planned Activities dashlet on the record view of related records and guests (e.g., Contacts, Leads, etc.). After closing a meeting, Sugar will move it from the Planned Activities dashlet to the History dashlet and the meeting record's status will display "Held" wherever it is viewed.

### Closing via Record View

An open meeting's record view allows you to simply close the current meeting record or use "Close and Create New" to close the meeting and create a new meeting with the same details simultaneously. "Close and Create New" is often used when a user wants to log a completed meeting and easily schedule a follow-up meeting with the same people about the same topic.

To close a meeting record via its record view, click on the meeting to open its record view. Expand the record's Actions menu and select "Close" or "Close and Create New".



Depending on your selection, you will experience different results:

- **Close:** Instantly changes the meeting's status to "Held" and displays a Success message.
- **Close and Create New:** Instantly changes the meeting's status to "Held", displays a Success message, and opens a quick-create drawer for a new meeting record with the same values, guests, relationships, and other field values as the held meeting. The only field that is not copied from the original record is the status field, which will revert to "Scheduled" for the new meeting. Simply adjust the dates, times, and other information as needed, and save the new meeting as usual.

Once a meeting is closed, the closing options will no longer appear in the Actions menu.

## Closing via List View

Use the following steps to close a meeting record via the list view:

1. Click the Meetings tab to navigate to the Meetings module's list view.
2. Use the [Module Search](#) to find the Meeting record(s) you wish to close.
3. Click the Record Actions Menu to the far right of the record's row and select "Close".

<input type="checkbox"/>	☆	Demo	Scheduled	06-21-2020 09:...	Slender Broad...	Sally		
<input type="checkbox"/>	☆	Follow-up on p...	Scheduled	12-05-2020 12:...	Kaos Tr	Edit		
<input type="checkbox"/>	☆	Review needs	Held	03-08-2021 01:...	Coolview	Close		
<input type="checkbox"/>	☆	Follow-up on p...	Held	02-04-2021 11:...	J.K.M. C	Delete		

Sugar instantly changes the meeting's status to "Held" and displays a Success message.


## Closing via Dashlet

---

The Planned Activities dashlet is available for home page dashboards and on the record view's intelligence pane for Sidecar modules. From the home page dashboard, the Planned Activities dashlet displays all upcoming calls and meetings assigned to you or your team depending on your chosen filters. When viewing the Planned Activities dashlet from a record's intelligence pane, the calls and meetings shown are only those that are related to the record you are viewing. For example, when viewing the contact record for Joe Smith, the Planned Activities dashlet in the intelligence pane will show only the upcoming calls and meetings with Joe Smith on the guest list. For more information about the Planned Activities dashlet, please refer to the [Intelligence Pane](#) documentation.

Use the following steps to close a meeting record via the Planned Activities dashlet:

1. Navigate to your home page's dashboard or the record view that contains the Planned Activities dashlet showing the meeting you would like to close.
2. If necessary, click the Meetings tab on the Planned Activities dashlet to find the meeting.
3. Click the Held (x) button to the right of the meeting's row in the dashlet.



4. A pop-up message will display asking for confirmation. Click "Confirm" to move the meeting to the record's History dashlet with the status "Held".

## Working With Sugar Modules

While the Meetings module has some features that only apply to meetings, it also uses the Sidecar user interface that most Sugar modules are based on. The following sections detail menus, views, and actions common to Sidecar modules and contain links to additional information within the page or links to the User Interface documentation.


### Meeting Menu

The Meetings module contains various options and functionality which are available via menus in the module tab, list view, and record view. The following sections present each menu and its options with links to more information about each option in the User Interface documentation or, for Meetings-specific

functionality, within this page.

### Module Tab Menus

The Meetings module tab is typically found by clicking the "More" icon represented by three vertical dots to the right of the module tabs on the navigation bar. The additional modules will appear on the list, and you can click "Meetings" to access the list view. Once the Meetings tab displays on the navigation bar, you can click the triangle on the tab to display the Actions, Recently Viewed, and Favorites menus. The Actions menu allows you to perform certain actions within the module. The [Recently Viewed menu](#) displays the list of meetings you most recently viewed. The [Favorites menu](#) displays the list of meetings that you most recently marked as favorites.



The Actions menu allows you to perform the following operations:

Menu Item	Description
<a href="#">Schedule Meeting</a>	Opens the record view layout to create a new meeting.
<a href="#">View Meetings</a>	Opens the list view layout to search and display meetings.
<a href="#">Import Meetings</a>	Opens the import wizard to create or update meetings using external data.


For more information on module tab menus including reasons a module may not be included in the menu, see the [User Interface](#) documentation.

### List View Menus

The Meetings [list view](#) displays all meeting records and allows for searching and filtering to locate specific meetings. You can see the basic details of each record within the field columns of the list view or click a meeting's name to open the record view. To access a module's list view, simply click the module's tab in the navigation bar at the top of any Sugar page.

### List View Mass Actions Menu

The Mass Actions menu to the right of the checkbox option in the list header allows you to perform mass actions on all currently selected records. You can use the checkbox on each record's row to select individual meeting records or click the checkbox in the list header to select all records displayed on the current set of list view results.



The Mass Actions menu allows you to perform the following operations:

Menu Item	Description
<a href="#">Mass Update</a>	Mass update one or more meetings at a time.
<a href="#">Recalculate Values</a>	Visible only if the module contains fields using <a href="#">Sugar Logic</a> and only to System Administrators or users with Developer-level role access, this option will refresh the selected records' calculated values.
<a href="#">Delete</a>	Delete one or more meetings at a time.
<a href="#">Export</a>	Export one or more meetings to a CSV file.
<a href="#">Doc Merge</a>	Select or create a DOCX template to merge record data into documents that will be accessible in the Doc Merge widget.
<a href="#">Doc Merge to PDF</a>	Select or create a DOCX, XLSX, or PPTX

	template to merge record data into PDF documents that will be accessible in the Doc Merge widget.
<a href="#">Map</a> <sup>1</sup>	For instances with <a href="#">Sugar Maps</a> enabled, display this record or the selected records on a map.
<a href="#">Directions starting from Current User</a> <sup>1</sup>	For instances with <a href="#">Sugar Maps</a> enabled, plot driving directions on a map from your address to this record or all selected records.

<sup>1</sup> The Meetings module must be [enabled](#) in Admin > Maps for the Sugar Maps option to appear.

### List View Record Actions Menu

The Record Actions menu to the far right of each record's row allows you to perform actions on the individual meeting directly from the list view.

<input type="checkbox"/>	▼	Subject	Related to	Start Date	⋮
<input type="checkbox"/>	☆	Introduce all players	Ac Chandler Logistics Inc	2022-04-19 21:45	👁️ ▼
<input type="checkbox"/>	☆	Initial discussion	Ac Overhead & Underfoot Ltd.	20	⋮
<input type="checkbox"/>	☆	Follow-up on propo...	Ac King Software Inc	20	⋮
<input type="checkbox"/>	☆	Review needs	Ac Sunyvale Reporting Ltd	20	⋮
<input type="checkbox"/>	☆	Review needs	Ac King Software Inc	20	⋮
<input type="checkbox"/>	☆	Initial discussion	Ac Kaos Trading Ltd	20	⋮
<input type="checkbox"/>	☆	Follow-up on propo...	Ac Chandler Logistics Inc	2022-04-19 21:45	⋮

- Edit
- Close
- Follow
- Delete
- Doc Merge
- Doc Merge to PDF

The list view's Record Actions menu allows you to perform the following operations:

Menu Item	Description
<a href="#">Preview</a> (Eye icon)	Preview this meeting in the intelligence pane.
<a href="#">Edit</a>	Edit this meeting.
<a href="#">Close</a>	Close this meeting. <b>Note:</b> Shown only for meetings that do not have a status of "Held".
<a href="#">Follow</a>	(Available if <a href="#">Activity Streams</a> are

	enabled) Follow changes to this meeting in your activity stream.
<a href="#">Directions starting from this record</a>	For instances with <a href="#">Sugar Maps</a> enabled, plot driving directions on a map from this record to another record or records. <b>Note:</b> The Meetings module must be <a href="#">enabled</a> in Admin > Maps for this option to appear.
<a href="#">Delete</a>	Delete this meeting.
<a href="#">Delete All Recurrences</a>	Delete this meeting and all other meeting records in this meeting's series. <b>Note:</b> Shown only for meetings that are one in a recurring series.
<a href="#">Doc Merge</a>	Select or create a DOCX, XLSX, or PPTX template to merge record data into documents that will be accessible in the Doc Merge widget.
<a href="#">Doc Merge to PDF</a>	Select or create a DOCX, XLSX, or PPTX template to merge record data into PDF documents that will be accessible in the Doc Merge widget.

## Record View Actions Menu

The Meetings [record view](#) displays a single meeting in full detail including its fields, subpanels of related records, and activity stream. To access a meeting's record view, simply click a hyperlinked meeting name from anywhere within Sugar. The record view's Actions menu appears above the record's details and allows you to perform various operations on the current record.

The screenshot displays the Sugar CRM interface for a meeting record. At the top, there's a header with 'Me', 'Review needs', and buttons for 'Follow' and 'Scheduled'. To the right of these buttons is the 'Edit' button and a dropdown arrow. The dropdown menu is open, showing the following options: 'Share', 'Copy', 'View Audit Log', 'Delete', 'Close and Create New', 'Close', 'Doc Merge', and 'Doc Merge to PDF'. Below the header, the meeting details are shown: 'Start & End Date' as '2022-04-21 09:00 - 10:00 (1 hour)', a '+ Repeat...' button, a '+ Location' button, 'Popup Reminde...' set to 'None', 'Invitation...' as 'Meeting to discuss project plan and hash out t implementation', 'Meeting ...' as 'Sugar', 'Account' as 'S', and 'Guests' with a list of numbers 5, 6, 7, 8, 9.

---

The Actions menu allows you to perform the following operations:

Menu Item	Description
<a href="#">Edit</a>	Edit this meeting.
<a href="#">Edit All Recurrences</a>	Edit this meeting and all other meeting records in this meeting's series. <b>Note:</b> Shown only for meetings that are one in a recurring series.
<a href="#">Share</a>	Share a link to this meeting via email.
<a href="#">Download PDF</a>	Download the record's information as a PDF file. <ul style="list-style-type: none"><li>• This menu option is only visible if the administrator has created a PDF template for the Meetings module via Admin &gt; <a href="#">PDF Manager</a>.</li><li>• Clicking on this menu item will expand and contract the menu to reveal or hide the available PDF templates.</li></ul>
<a href="#">Email PDF</a>	Email the record's information as a PDF attachment. <ul style="list-style-type: none"><li>• This menu option is only visible if the administrator has created a PDF template for the Meetings module via Admin &gt; <a href="#">PDF Manager</a>.</li><li>• Clicking on this menu item will expand and contract the menu to reveal or hide the available PDF templates.</li></ul> <b>Note:</b> To send emails through Sugar, users must first configure a default user email account via <a href="#">Emails &gt; Email Settings</a> .
<a href="#">Copy</a>	Duplicate this meeting to create a new meeting.
<a href="#">View Audit Log</a>	View a record of changes to this meeting.
<a href="#">Delete</a>	Delete this meeting.

<a href="#">Delete All Recurrences</a>	Delete this meeting and all other meeting records in this meeting's series. <b>Note:</b> Shown only for meetings that are one of a recurring series.
<a href="#">Close and Create New</a>	Close this meeting as "Held" and create a new copy of the meeting. <b>Note:</b> Shown only for meetings that do not have a status of "Held".
<a href="#">Close</a>	Close this meeting as "Held". <b>Note:</b> Shown only for meetings that do not have a status of "Held".
<a href="#">Doc Merge</a>	Select or create a DOCX, XLSX, or PPTX template to merge record data into documents that will be accessible in the Doc Merge widget.
<a href="#">Doc Merge to PDF</a>	Select or create a DOCX, XLSX, or PPTX template to merge record data into PDF documents that will be accessible in the Doc Merge widget.
<a href="#">Geocode</a> <sup>1</sup>	For instances with <a href="#">Sugar Maps</a> enabled, manually set this record's location on a map.
<a href="#">Map</a> <sup>1</sup>	For instances with <a href="#">Sugar Maps</a> enabled, display this record or the selected records on a map.
<a href="#">Directions starting from Current User</a> <sup>1</sup>	For instances with <a href="#">Sugar Maps</a> enabled, plot driving directions on a map from your address to this record or all selected records.

<sup>1</sup> The Meetings module must be [enabled](#) in Admin > Maps for the Sugar Maps option to appear.

## Common Views and Actions

In the table below, the left column contains links to the User Interface page covering topics that are applicable to all Sidecar modules. The right column has links to sections of the current page that cover topics specific to meetings.

General Instructions for Working With Sugar Modules	Meetings-Specific Instructions
Use the links below to navigate to the	When Meetings-specific help exists for

User Interface page which covers topics generic to many Sugar modules.	each topic, use the links below to navigate to sections of the current page.
<a href="#">Creating Records</a>	<a href="#">Creating Recurring Meetings</a> <a href="#">Meeting Guests</a> <a href="#">Meeting Reminders</a>
<a href="#">Viewing Records</a>	
<a href="#">Searching for Records</a>	
<a href="#">List View</a>	<a href="#">List View Mass Actions Menu</a> <a href="#">List View Record Actions Menu</a>
<a href="#">Record View</a>	<a href="#">Record View Actions Menu</a>
<a href="#">Intelligence Pane</a>	
<a href="#">Editing Records</a>	<a href="#">Editing All Recurrences of a Meeting via Record View</a>
<a href="#">Deleting Records</a>	<a href="#">Deleting All Recurrences of a Meeting via Record View</a> <a href="#">Deleting All Recurrences of a Meeting via List View</a> <a href="#">Closing Meetings</a>
<a href="#">Exporting Records</a>	
<a href="#">Favoriting Records</a>	
<a href="#">Following Records</a>	
<a href="#">Sharing Records</a>	
<a href="#">Viewing Record Audit Logs</a>	The Viewing Record Audit Logs section describes the View Audit Log record view option which displays a history of changes to the meeting's audited fields.

## Calls

### Overview

Sugar's Calls module is used to log phone calls which can be related to other Sugar records that may represent the attendees or topic for discussion. You can use call records to schedule and remind guests of future calls and to preserve a record of any other calls that you hold. Call records may have multiple guests and can even be scheduled to recur.

Calls logged in Sugar also show on your Sugar calendar, from which you can create calls directly. You can also view and create calls via the Planned Activities dashlet on a contact or other related module record. For example, a contact

---

record's Planned Activities dashlet displays Sugar call records that are related to the contact. Creating a call from the dashlet creates a relationship between the records automatically.

This documentation covers using the Calls module. For general usage instructions concerning views and actions that are common across most Sugar modules such as creating, editing, and deleting records, please refer to the [Working With Sugar Modules](#) section of this page.

Please note that you can only see call records as allowed by your team membership, user access type, and assigned roles. For more information on teams and roles, please refer to the [Team Management](#) and [Role Management](#) documentation in the Administration Guide.

## Call Fields

The Calls module contains a number of stock fields that come out of the box with Sugar. For information on using and editing various field types, refer to the [User Interface](#) documentation. The below definitions are suggested meanings for the fields, but the fields can be leveraged differently to meet your organization's needs. Administrators or users with developer-level role access have the ability to alter, add, or remove fields via Admin > Studio. For more information on configuring fields, please refer to the [Studio](#) documentation in the Administration Guide.

Field	Description
Agent Sentiment	The agent's sentiment for the call, calculated by <a href="#">SugarPredict</a> sentiment analysis. Possible values are "Positive", "Neutral", and "Negative", and these are accompanied by an icon representing the sentiment. The field name is displayed with a SugarPredict icon next to it and the field is read-only. See the <a href="#">SugarLive and Calls</a> section below for details on the requirements to see sentiment analysis.
Assigned To	The Sugar user assigned to the call. <b>Note:</b> The user in the "Assigned to" field cannot be removed from a call's guest list.
Comment Log	A shared log of messages, comments, or other text, including the name of the user that added the log entry and the

	date and time it was added. It is possible to tag other users and link to other Sugar records in Comment Log entries by inserting a clickable pill; see the <a href="#">User Interface</a> documentation for more details.
Created By	The Sugar user who created the call.
Customer Sentiment	The customer's sentiment for the call, calculated by <a href="#">SugarPredict</a> sentiment analysis. Possible values are "Positive", "Neutral", and "Negative", and these are accompanied by an icon representing the sentiment. The field name is displayed with a SugarPredict icon next to it and the field is read-only. See the <a href="#">SugarLive and Calls</a> section below for details on the requirements to see sentiment analysis.
Date Created	The date the call record was created.
Date Modified	The date the call record was last modified.
Direction	Indication of whether the call is inbound or outbound.
Email Reminder Time	Send a reminder email to all call guests a specified duration before the call's start time.
End Date	The date and time the call is expected to end.
Integration Sync ID	The sync key field used by external integrations to identify Sugar records in the external application. See the <a href="#">Integrate REST API endpoints</a> in the Developer Guide for more details on how to use this field.
Internal Notes	Notes about the meeting that are visible only to internal users.
Invitation Body	A description or other information about the meeting that is sent to meeting guests.
Modified By Name	The name of the user who last modified the call record.

Popup Reminder Time	Trigger a reminder popup alert to all Sugar user guests at a specified duration before the call's start time. <b>Note:</b> Users must be logged in to Sugar in an open browser window in order to receive the popup reminder.
Related To	The related module record associated with the call.
Repeat Type	For a recurring series of calls, the timespan unit (e.g., Every x days = "Daily", Every x weeks = "Weekly") to use for the interval of time between recurrences.
Repeat Interval	Shown when Repeat Type does not equal "None", the number of units in the "Repeat Type" field that should pass between recurrences, for example: <ul style="list-style-type: none"> <li>• <b>Every three days:</b> Repeat Type = "Daily"; Repeat Interval = "3"</li> <li>• <b>Every other week:</b> Repeat Type = "Weekly"; Repeat Interval = "2"</li> <li>• <b>Each year:</b> Repeat Type = "Yearly"; Repeat Interval = "1"</li> </ul>
Repeat	Shown when Repeat Type does not equal "None"; Select "Until" to set a hard end date to recurrences or "Occurrences" to specify the number of times to repeat the call.
Repeat Until	Shown when "Repeat" equals "Until", the date of the last occurrence in the series.
Repeat Occurrences	Shown when "Repeat" equals "Occurrences", the number of calls in the series.
Repeat on Days of Week	Shown when "Repeat Type" equals "Weekly", the day(s) of the week that the calls will occur in the recurring series.
Custom Date (monthly)	Shown when "Repeat Type" equals "Monthly", select "Each" to specify a certain day(s) of the month or "On the"

	to set a variable such as the first Monday of each month.
Custom Date (yearly)	Shown when "Repeat Type" equals "Yearly", select "None" to repeat the call on the same day every year or "On the" to set a variable such as the last Friday of each year.
Recording <sup>1</sup>	In Sugar Serve or Sugar Sell, this read-only field contains a link to a recording of the call if it took place in <a href="#">SugarLive</a> and call recording has been configured by an admin. It may take a few minutes after the call has ended and the contact has been closed in SugarLive for the recording to become available. See the <a href="#">Amazon Web Services</a> page in the Administration Guide for details on setting up call recording. <b>Note:</b> This field is not available in the Fields section of <a href="#">Studio</a> .
Recording URL	This is the unformatted URL to the <a href="#">SugarLive</a> call recording that is used to populate the Recording field with a user-friendly link. This field is hidden by default and only available in Sugar Serve or Sugar Sell. See the <a href="#">Amazon Web Services</a> page in the Administration Guide for details on setting up call recording.
Start Date	The date and time that the call or first call in the series of recurring calls is scheduled to begin.
Status	This is the current status of the call record. The out-of-the-box values are "Scheduled", "In Progress", "Held", and "Canceled". When a call begins in <a href="#">SugarLive</a> , the call record's status is set to "In Progress", and when it ends, the status is changed to "Held".
Subject	The name or topic used to identify the call.
Tags	User-created keywords that can be used to identify records in filters, dashlets,

	and reports. <b>Note:</b> For more information on creating and using tags, please refer to the <a href="#">Tags</a> documentation.
Teams	The Sugar team(s) assigned to the call record.
Transcript <sup>1</sup>	In Sugar Serve or Sugar Sell, this read-only field contains the transcript of the call if it took place in SugarLive and call transcripts have been configured by an admin. A sentiment value (e.g., "Positive") is included for each entry. It may take a few minutes or hours for the transcript to be populated after the call has ended, depending on the call length. See the <a href="#">Amazon Web Services</a> page in the Administration Guide for details on setting up call transcripts.

<sup>1</sup> This field's value is only visible to Sugar Serve or Sugar Sell users; when this field appears on layouts, users without a supported license type will see a placeholder containing the text "License Required" instead of the field's value. See the [User Management](#) page for more details on license types.

## Calls Color Codes

When viewing the Calls list view and the Calls dashlet, the start date may be highlighted in blue or red. This allows users to quickly view scheduled calls that are either overdue or start within the next 24 hours. Please note that the start date will not be highlighted for calls with a status of "Held" or with a start date in the future (beyond 24 hours from the current date and time).

Subject	Related to	Start Date	Status	Direction
Need to call ba...	Sea Region Inc ...	2020-03-04 11:00	Scheduled	Inbound
Discuss Review	Anytime Air Su...	2020-03-27 10:00	Scheduled	Inbound
Bad time, will c...	Nimble Techno...	2020-04-05 02:...	Held	Outbound
Bad time, will c...	Chandler Logis...	2020-04-07 11:...	Canceled	Outbound

The start dates in the Calls list view are highlighted as follows:

- **Blue:** The call has not been held and the start date occurs within the next 24 hours.
- **Red:** The call has not been held and the start date occurred in the past.

Please note that you can only see call records as allowed by your team membership, user access type, and assigned roles. For more information on teams and roles, please refer to the [Team Management](#) and [Role Management](#) documentation in the Administration guide

## List View Filters

While [universal list view filters](#) are included with Sugar® out-of-the-box, the following filters are unique to the Calls list view:

- **My Calls as Guest:** All calls for which you are a guest, either because you are a non-removable guest by virtue of being the assigned-to user or because you have been invited and not declined the invitation. All call status types are included in this filter (scheduled, held, canceled).
- **My Calls as Owner:** All calls for which you are the assigned-to user. All call status types are included in this filter (scheduled, held, canceled).
- **Scheduled Calls as Guest:** All calls with a "Scheduled" status for which you are a guest, either because you are a non-removable guest by virtue of being the assigned-to user or because you have been invited and not declined the invitation.
- **Scheduled Calls as Owner:** All calls with a "Scheduled" status for which you are the assigned-to user.


## Call Guests

The following guests are automatically added to a call's guest list:

Automatic Guest	To Remove the Guest
The lead or contact in the "Related to" field, if any	This guest can be removed from the guest list at any time. If a lead or contact record is related to a call but is not on the guest list, then you will not see the call in the person's Calls subpanel.
The user who created the call	This guest can be removed from the guest list after initially saving the call. Create and save the call, click "Edit", and then click the Remove (-) button next to the created-by user's row in the Guests panel.

The user in the "Assigned to" field for the call record	The assigned user cannot be removed from the guest list. If you need to remove the assigned user from the guest list, you must first re-assign the call to a different user. Once the call record is assigned to a new user, the original user will remain a guest until removed via the Remove (-) button.
---	---


Users may add additional guests (e.g., contacts, leads, users) to calls [via the Guests panel](#) in the call's record view.



### Adding via the Guests Panel


Use the following steps to add attendees via the Guests panel:

- 1. Navigate to the Calls module and create a new record or edit an existing record.
- 2. Scroll to the Guests panel and click on the Add (+) button located on the far right.



- 3. To add a guest, type in the name of the lead, contact, or user via the search bar that appears or select "Search for more..." to search the Contacts list view. To remove a guest, click the Remove (-) button to the right of the guest's row.



**Note:** The user in the "Assigned to" field on the call record cannot be removed from a call. To remove the assigned user from the guest list, re-assign the call to a different user first.



4. Click "Save" or "Save and Send Invites" if you would like Sugar to send email invitations to the guests.

**Note:** Confirm that the guests' Sugar records have valid email addresses prior to clicking "Save and Send Invites". If a guest has no email address or their email address is marked as invalid, Sugar cannot email them an invitation to the call. A message and icon will alert you when adding the guest and when viewing the call's record view.


Once the guest has responded to the email invitation, their acceptance status will appear as a color-coded badge next to their name.

Guests		8am	9am	10am	11am	12pm	1pm	2pm	3pm	4pm	
	Will Westin	Attending									-
	Co Catrina Spangler	No Reply						Schedule Unavailable			- +

## Adding via Create a Guest

Use the following steps to create a new contact and add them as a call guest:

1. Navigate to the Calls module and create a new record or edit an existing record.
2. Scroll to the Guests panel, click on the Add (+) button, and then click on "Search for more..." to expand the Contacts list view.

Guests		8am	9am	10am	11am	12pm	1pm	2pm	3pm	4pm		
	Will Westin	Attending									-	
Assigned to		Select...										-
		<input type="text" value="Search for more..."/>										-

3. At the top of the list view, click the Create button and fill out the appropriate fields to create a new contact. Once completed, save the new contact record and Sugar will automatically add the contact to the guest list for the call.
4. Confirm the remaining fields and guests are configured appropriately and then save the call.

## Recurring Calls


Calls can be saved as recurring events so that users do not have to create individual call records for regularly occurring events. Recurrences may occur daily, weekly, monthly, or yearly. When a recurring call is saved, Sugar creates a series of individual call records so that all recurrences appear in the [Calls List](#)

[View.](#)

## Creating Recurring Calls


To schedule a series of recurring calls, follow the instructions below. As an example, we will schedule a 30-minute call that recurs every other Thursday until the end of the 2017 calendar year.

1. Navigate to the Calls module and create a new record.
2. In the Start Date field, enter the date and time that the first Thursday call will occur and set the End Date for the same day but 30 minutes later.




**Note:** If a recurring call's start date does not match the call's recurrence day(s) of the week, the start date will reset to the first matching day-of-week after the call's Date Created.

3. To create a series of calls, expand the field labeled "Repeat Type" and select an interval from the dropdown list. Our use case requires an interval of weeks (e.g., every two weeks), so we will select "Weekly" and specify our interval number in the next step.



4. Upon choosing a Repeat Type value, a new row of fields will appear on the form to gather the series information.



The fields displayed are dependent upon the values you select as you go. Please refer to the [Call Fields](#) section for complete details on the available options. To schedule a call that recurs every other Thursday until the end of the 2017 calendar year, set the following values:

- **Repeat Interval:** 2
  - **Repeat on Days of Week:** Thu
  - **Repeat:** Until
  - **Repeat Until:** 2017-12-31
5. Confirm that the remaining fields and guests are configured appropriately.

6. Save the record and confirm that all recurrences appear as separate records in the Calls module's list view.

## Editing All Recurrences via Record View

Recurring activities will display the option to edit all occurrences of the activity in the record's actions menu. This option will affect all of the call records in a series, even if some of the calls have been closed and set to "Held". Use the following steps to edit all recurrences in a series of calls via the record view:

1. Navigate to the record view of any call in the series of recurring calls.
2. Select "Edit All Recurrences" from the Actions menu.

The screenshot shows the record view for a call titled "Weekly Safety Chec...". The status is "Scheduled". The "Edit" button is highlighted with a red box, and its dropdown menu is open, with "Edit All Recurrences" highlighted. The record details include: Start & End Date: 04-17-2020 12:00 pm - 12:30 pm (30 minutes); Repeat Interval: 1; Repeat on Days of Week: Fri; Direction: Inbound; and a duration of 30 minutes. There are also buttons for "+ Des..." and "+ Relat..." and a "Guests" section.

3. Edit the call record as needed.


The screenshot shows the record view for a call titled "Weekly Safety Check In". The status is "Scheduled". The "Save" and "Save and Send Invites" buttons are highlighted with red boxes. The record details include: Start Date: 04-03-2020 12:30 pm; End Date: 04-03-2020 01:00 pm; and Repeat Type. There are also buttons for "Cancel", "Save", and "Save and Send Invites".

4. Then click on "Save" or "Save and Send Invites" to apply the changes to all held and unheld calls in the series.

## Deleting All Recurrences via Record View

Recurring activities will display the option to delete all occurrences of the activity in the record's actions menu. This option will affect all of the call records in a series, even if some of the calls have been closed and set to "Held". Use the following steps to delete all recurrences in a series of calls via the record view:

1. Navigate to the record view of any call in the series of recurring calls.
2. Select "Delete All Recurrences" from the Actions menu.



3. A pop-up message will display asking for confirmation. Click "Confirm" to delete all held and unheld calls in the series.

## Deleting All Recurrences via List View

Recurring activities will display the option to delete all occurrences of the activity in the record's actions menu in the list view. This option will affect all of the call records in a series, even if some of the calls have been closed and set to "Held". Use the following steps to delete all recurrences in a series of calls via the list view:

1. Navigate to the Calls list view by clicking the Calls module tab.
2. Use the [Module Search](#) to find the call in the series of recurring calls that you wish to delete.
3. Click the Record Actions Menu to the far right of the record's row and select "Delete All Recurrences".

Calls (20 of 21+)						Create
Filter ▾		My Calls ✕	Search by subject...			<div> <div></div> <div></div> <div></div> </div>
<input type="checkbox"/>	Subject	Status	Start Date	Related to	<div> <div></div> <div></div> <div></div> </div>	
<input type="checkbox"/>	Discuss review ...	Scheduled	03-18-2020 03:15 am	Sea Region Inc	<div> <div></div> <div></div> <div></div> </div>	
<input type="checkbox"/>	Bad time, will c...	Scheduled	03-27-2020 02:15 pm	Coolview Net Ltd	<div> <div></div> <div></div> <div></div> </div>	
<input type="checkbox"/>	Weekly Check In	Canceled	04-06-2020 01:30 pm		<div> <div></div> <div></div> <div></div> </div>	
<input type="checkbox"/>	Weekly Check In	Scheduled	04-20-2020 01:30 pm		<div> <div></div> <div></div> <div></div> </div>	
<input type="checkbox"/>	Get more infor...	Held	04-24-2020 12:15 pm		<div> <div></div> <div></div> <div></div> </div>	
<input type="checkbox"/>	Weekly Check In	Scheduled	05-04-2020 01:30 pm		<div> <div></div> <div></div> <div></div> </div>	
<input type="checkbox"/>	Left a message	Held	05-10-2020 10:45 am		<div> <div></div> <div></div> <div></div> </div>	

- 
4. A pop-up message will display asking for confirmation. Click "Confirm" to delete all held and unheld calls in the series.

## Call Reminders

Sugar can remind guests when a call is scheduled to begin soon. Reminders can be sent via email to all of the guests or via pop-up to all user guests prior to the call's scheduled start date and time. By default, a user must set reminders when creating or editing the activity, but users can configure default reminders via their [User Preferences](#), which will automatically set a default reminder time for calls they create in Sugar.

**Note:** The instance's outbound mail server must be configured via Admin > Email Settings in order for email reminders to be sent out. For more information on setting up the system email settings, please refer to the [Email](#) documentation in the Administration Guide.

## Email Reminders

Email reminders can be set for any call record relative to its start date and time. The reminders are emailed to all guests with valid email addresses including non-Sugar users.

To schedule email reminders, select a time interval from the call's Email Reminder Time field:

The screenshot displays the Sugar CRM interface for creating or editing a call record. The top section includes a 'Subject' field with the text 'Discuss review process', a 'Status' dropdown set to 'Scheduled', and 'Cancel' and 'Save' buttons. Below this, the 'Start Date' is set to '03-18-20' at '03:15' and the 'End Date' is set to '03-18-20' at '03:45'. The 'Repeat...' dropdown is also visible. The main section shows the 'Direct...' dropdown set to 'Outbound', the 'Popup Reminder Time' dropdown set to 'None', and the 'Email Reminder Time' dropdown set to 'None'. The 'Email Reminder Time' dropdown is open, showing a search bar and a list of options: 'None', '1 minute prior', '5 minutes prior', '10 minutes pr...', '15 minutes pr...', '30 minutes pr...', and '1 hour prior'. The 'None' option is highlighted. Below the dropdown, the 'Describe...' field is empty. The 'Relate...' section shows 'Ac...' and 'Sea ...' dropdowns. The 'Guests' section shows a list of guests: 'Sally Bronsen' (Attending) and 'Latoria Tubbs' (No Reply). A 'Schedule Unavailable' message is also present.

---

## Popup Reminders

Popup reminders can be set for any call record relative to its start date and time. Popup reminders appear for Sugar users on the call's guest list who are logged into Sugar in an open browser window at the time the reminder pops up.

To schedule popup reminders for logged-in Sugar users, select a time interval from the call's Popup Reminder Time field:

The screenshot shows the Sugar CRM call record form. At the top, there's a header bar with a 'CI' icon, a 'Subject' field containing 'Discuss review process', a 'Status' dropdown set to 'Scheduled', and 'Cancel' and 'Save' buttons. Below this, there's a 'Start Date' field with a calendar icon showing '03-18-20' and a time field '03:15', followed by 'to', 'End Date' with a calendar icon showing '03-18-20' and a time field '03:45', and a 'Repeat...' dropdown. The main form area has a 'Directi...' dropdown set to 'Outbound', a 'Descri...' text area, and a 'Relate...' section with 'Ac...' and 'Sea ...' dropdowns. Below this is a 'Guests' list with two entries: 'Sally Bronsen' with a green 'Attending' tag and 'Latoria Tubbs' with a grey 'No Reply' tag. To the right of the guests list, there's a 'Popup Reminder Time' dropdown menu that is open, showing options: 'None' (highlighted in blue), '1 minute prior', '5 minutes prior', '10 minutes prior', '15 minutes prior', '30 minutes prior', and '1 hour prior'. The 'Email Reminder Time' dropdown is also visible, set to 'None'.


## Closing Calls

Once a call has taken place, a user can close the call record, which changes the call's status to "Held". The "Close" option only appears for calls that are considered open, or not "Held". Open calls are shown in the Planned Activities dashlet on the record view of related records and guests (e.g., Contacts, Leads, etc.). After closing a call, Sugar will move it from the Planned Activities dashlet to the History dashlet and the call record's status will display "Held" wherever it is viewed.

### Closing via Record View

An open call's record view allows you to simply close the current call record or use "Close and Create New" to close the call and create a new call with the same details simultaneously. "Close and Create New" is often used when a user wants to log a completed call and easily schedule a follow-up call with the same people about the same topic.

To close a call record via its record view, click on the call to open its record view. Expand the record's Actions menu and select "Close" or "Close and Create New".



Depending on your selection, you will experience different results:

- **Close:** Instantly changes the call's status to "Held" and displays a Success message.
- **Close and Create New:** Instantly changes the call's status to "Held", displays a Success message, and opens a quick-create drawer for a new call record with the same values, guests, relationships. and other field values as the held call. The only field that is not copied from the original record is the status field, which will revert to "Scheduled" for the new call. Simply adjust the dates, times, and other information as needed, and save the new call as usual.

Once a call is closed, the closing options will no longer appear in the Actions menu.

## Closing via List View

Use the following steps to close a call record via the list view:

1. Click the Calls tab to navigate to the Calls module's list view.
2. Use the [Module Search](#) to find the Call record(s) you wish to close.
3. Click the Record Actions Menu to the far right of the record's row and select "Close".

<input type="checkbox"/>	Subject	Status	Start Date	Related to	⚙
<input type="checkbox"/> ☆	Discuss review ...	Scheduled	03-18-2020 03:15 am	Sea Region Inc	👁 ▼
<input type="checkbox"/> ☆	Bad time, will c...	Scheduled	03-27-2020 02:15 pm	Edit	
<input type="checkbox"/> ☆	Weekly Check In	Canceled	04-06-2020 01:30 pm	Close	
<input type="checkbox"/> ☆	Weekly Check In	Scheduled	04-20-2020 01:30 pm	Delete	

Sugar instantly changes the call's status to "Held" and displays a Success message.


## Closing via Dashlet

---

The Planned Activities dashlet is available for home page dashboards and on the record view's intelligence pane for Sidecar modules. From the home page dashboard, the Planned Activities dashlet displays all upcoming calls and meetings assigned to you or your team depending on your chosen filters. When viewing the Planned Activities dashlet from a record's intelligence pane, the calls and meetings shown are only those that are related to the record you are viewing. For example, when viewing the contact record for Joe Smith, the Planned Activities dashlet in the intelligence pane will show only the upcoming calls and meetings with Joe Smith on the guest list. For more information about the Planned Activities dashlet, please refer to the [Intelligence Pane](#) documentation.

Use the following steps to close a call record via the Planned Activities dashlet:

1. Navigate to your home page's dashboard or the record view that contains the Planned Activities dashlet showing the call you would like to close.
2. If necessary, click the Calls tab on the Planned Activities dashlet to find the call.
3. Click the Held (x) button to the right of the call's row in the dashlet.



4. A pop-up message will display asking for confirmation. Click "Confirm" to move the call to the record's History dashlet with the status "Held".

## SugarLive and Calls

[SugarLive](#) automatically creates call records for calls that take place in SugarLive. The Start Date and End Date fields are set to the start and end times of the call, the Direction field is set to "Inbound" or "Outbound" based on the type of call, and the record is assigned to the agent. While the call is in progress, its status is set to "In Progress", and once finished, the status is changed to "Held".

The Related To flex relate field is populated with the record linked to the SugarLive session, and the contact or lead linked to the session is added as a guest. These links could be automatically selected by SugarLive or manually selected by the user. See the [SugarLive](#) page for details on linking records to calls.

If you wish to update any of the values on the call record after you have closed the SugarLive session, you can do so by opening it in the Calls module and editing it as normal.

If an admin has configured SugarLive call recordings to be saved in Sugar using AWS Lambda, the Recording field on the call is populated with a link to the recording when the call ends. However, the recording is not actually available using that link until after you have cleared the contact in SugarLive. Once you do this, the recording usually becomes available within a few minutes. See the [Amazon Web Services](#) documentation for the steps necessary to set up call recording.

In addition, if an admin has configured SugarLive call transcripts to be saved in Sugar using Contact Lens in Amazon Connect, the transcript and the agent and customer sentiment values are saved on the record after the call has ended. The Transcript field is populated with the conversation transcript and the Agent Sentiment and Customer Sentiment fields are populated with the sentiment ("Positive", "Neutral", or "Negative") along with an icon representing this sentiment, as calculated by [SugarPredict](#) sentiment analysis. The two sentiment fields have the SugarPredict icon displayed next to the field name. Note that it can take a while for the transcript to be generated and analyzed; this process takes more time for longer calls, but a short call may be ready in less than an hour. Either way, the Transcript, Agent Sentiment, and Customer Sentiment fields will be populated once the transcript is ready and has been analyzed. See the [Amazon Web Services](#) documentation for the steps necessary to set up call transcripts and sentiment analysis.

CI

Call to +11234567890 at 2021-06-18 15:20

☆

Held

< >

Edit

Start & End Date

2021-06-18 15:20 - 15:35 (15 minutes)

Repeat Type

Direction

Outbound

Popup Reminder Time

None

Email Reminder Time

None

+ Description

Transcript

[AGENT NEUTRAL]  
Hello. This is customer service. Just checking in to see how your service was with their agent recently?  
  
[CUSTOMER POSITIVE]  
It was alright. Not too bad.  
  
[AGENT POSITIVE]

Guests

11 12 13 14 15 16 17 18 19

Co Joane Bermejo

No Reply

Schedule Unavailable

Sarah Smith

No Reply

Assigned to

Sarah Smith

Teams

Global (Primary)

Account

Avery Software Co

Recording

2021-06-18 15:20

Agent Sentiment

Positive

Customer Sentiment

Positive

+ Tags

Date Created

2021-06-18 15:20

by

Administrator

Date Modified

2021-07-07 09:27

by

Administrator

---

The Agent and Customer Sentiment fields are not displayed by default and must be [added to layouts](#) by an admin. To see sentiment evaluations on the Calls card in the [Timeline dashlet](#), an admin must add the field to the [Preview View layout](#) in Studio. Note that only the customer's sentiment evaluation is shown in the Timeline dashlet. Additionally, the Agent Sentiment and Customer Sentiment fields are available for evaluation in SugarBPM.

## Working With Sugar Modules


While the Calls module has some features that only apply to meetings, it also uses the Sidecar user interface that most Sugar modules are based on. The following sections detail menus, views, and actions common to Sidecar modules and contain links to additional information within the page or links to the User Interface documentation.

### Call Menus

The Calls module contains various options and functionality which are available via menus in the module tab, list view, and record view. The following sections present each menu and its options with links to more information about each option in the User Interface documentation or, for Calls-specific functionality, within this page.

#### Module Tab Menus

The Calls module tab is typically found by clicking the "More" icon represented by three vertical dots to the right of the module tabs on the navigation bar. The additional modules will appear on the list and you can click "Calls" to access the list view. Once the Calls tab is visible in the navigation bar, you can click the triangle on the tab to display the Actions, Recently Viewed, and Favorites menus. The Actions menu allows you to perform important actions within the module. The [Recently Viewed menu](#) displays the list of calls you most recently viewed. The [Favorites menu](#) displays the list of calls you most recently marked as favorites.



The Actions menu allows you to perform the following operations:

Menu Item	Description
<a href="#">Log Call</a>	Opens the record view layout to create a new call.
<a href="#">View Calls</a>	Opens the list view layout to search and display calls.
<a href="#">Import Calls</a>	Opens the import wizard to create or update calls using external data.
<a href="#">Activities Report</a>	Displays existing reports based on the Calls module.

For more information on module tab menus including reasons a module may not be included in the menu, see the [User Interface](#) documentation.


## List View Menus

The Calls [list view](#) displays all call records and allows for searching and filtering to locate specific calls. You can view the basic details of each record within the field columns of the list view or click a call's name to open the record view. To access a module's list view, simply click the module's tab in the navigation bar at the top of any Sugar page.

### List View Mass Actions Menu

The Mass Actions menu to the right of the checkbox option in the list header allows you to perform mass actions on all currently selected records. You can use the checkbox on each record's row to select individual call records or click the

checkbox in the list header to select all records displayed on the current set of list view results.




The Mass Actions menu allows you to perform the following operations:

Menu Item	Description
<a href="#">Mass Update</a>	Mass update one or more calls at a time.
<a href="#">Recalculate Values</a>	Visible only if the module contains fields using <a href="#">Sugar Logic</a> and only to System Administrators or users with Developer-level role access, this option will refresh the selected records' calculated values.
<a href="#">Delete</a>	Delete one or more calls at a time.
<a href="#">Export</a>	Export one or more calls to a CSV file.
<a href="#">Doc Merge</a>	Select or create a DOCX template to merge record data into documents that will be accessible in the Doc Merge widget.
<a href="#">Doc Merge to PDF</a>	Select or create a DOCX, XLSX, or PPTX template to merge record data into PDF documents that will be accessible in the Doc Merge widget.
<a href="#">Map</a> <sup>1</sup>	For instances with <a href="#">Sugar Maps</a> enabled, display this record or the selected records on a map.
<a href="#">Directions starting from Current User</a> <sup>1</sup>	For instances with <a href="#">Sugar Maps</a> enabled, plot driving directions on a map from your address to this record or all selected records.

<sup>1</sup> The Calls module must be [enabled](#) in Admin > Maps for the Sugar Maps option to appear.

### List View Record Actions Menu

The Record Actions menu to the far right of each record's row allows you to perform actions on the individual call directly from the list view.




The list view's Record Actions menu allows you to perform the following operations:

Menu Item	Description
<a href="#">Preview</a> (Eye icon)	Preview this call in the intelligence pane.
<a href="#">Edit</a>	Edit this call.
<a href="#">Close</a>	Close this call. <b>Note:</b> Shown only for calls that do not have a status of "Held"
<a href="#">Follow</a>	(Available if <a href="#">Activity Streams</a> are enabled) Follow changes to this call in your activity stream.
<a href="#">Directions starting from this record</a>	For instances with <a href="#">Sugar Maps</a> enabled, plot driving directions on a map from this record to another record or records. <b>Note:</b> The Calls module must be <a href="#">enabled</a> in Admin > Maps for this option to appear.

<a href="#">Delete</a>	Delete this call.
<a href="#">Delete All Recurrences</a>	Delete this call and all other call records in this call's series. <b>Note:</b> Shown only for calls that are one in a recurring series
<a href="#">Doc Merge</a>	Select or create a DOCX, XLSX, or PPTX template to merge record data into documents that will be accessible in the Doc Merge widget.
<a href="#">Doc Merge to PDF</a>	Select or create a DOCX, XLSX, or PPTX template to merge record data into PDF documents that will be accessible in the Doc Merge widget.

## Record View Actions Menu

The Calls [record view](#) displays a single call in full detail including its fields, subpanels of related records, and activity stream. To access a call's record view, simply click a hyperlinked call name from anywhere within Sugar. The record view's Actions menu appears on the top right of the page and allows you to perform various operations on the current record.



The Actions menu allows you to perform the following operations:

Menu Item	Description
<a href="#">Edit</a>	Edit this call.
<a href="#">Edit All Recurrences</a>	Edit this call and all other call records in

	<p>this call's series.</p> <p><b>Note:</b> Shown only for calls that are one in a recurring series.</p>
<a href="#">Share</a>	Share a link to this call via email.
<a href="#">Download PDF</a>	<p>Download the record's information as a PDF file.</p> <ul style="list-style-type: none"> <li>• This menu option is only visible if the administrator has created a PDF template for the Calls module via Admin &gt; <a href="#">PDF Manager</a>.</li> <li>• Clicking on this menu item will expand and contract the menu to reveal or hide the available PDF templates.</li> </ul>
<a href="#">Email PDF</a>	<p>Email the record's information as a PDF attachment.</p> <ul style="list-style-type: none"> <li>• This menu option is only visible if the administrator has created a PDF template for the Calls module via Admin &gt; <a href="#">PDF Manager</a>.</li> <li>• Clicking on this menu item will expand and contract the menu to reveal or hide the available PDF templates.</li> </ul> <p><b>Note:</b> To send emails through Sugar, users must first configure a default user email account via <a href="#">Emails &gt; Email Settings</a>.</p>
<a href="#">Copy</a>	Duplicate this call to create a new call.
<a href="#">View Audit Log</a>	View a record of changes to this call.
<a href="#">Delete</a>	Delete this call.
<a href="#">Delete All Recurrences</a>	<p>Delete this call and all other call records in this call's series.</p> <p><b>Note:</b> Shown only for calls that are one of a recurring series.</p>
<a href="#">Close and Create New</a>	<p>Close this call as "Held" and create a new copy of the call.</p> <p><b>Note:</b> Shown only for calls that do not</p>

	have a status of "Held".
<a href="#">Close</a>	Close this call as "Held". <b>Note:</b> Shown only for calls that do not have a status of "Held".
<a href="#">Doc Merge</a>	Select or create a DOCX, XLSX, or PPTX template to merge record data into documents that will be accessible in the Doc Merge widget.
<a href="#">Doc Merge to PDF</a>	Select or create a DOCX, XLSX, or PPTX template to merge record data into PDF documents that will be accessible in the Doc Merge widget.
<a href="#">Geocode</a> <sup>1</sup>	For instances with <a href="#">Sugar Maps</a> enabled, manually set this record's location on a map.
<a href="#">Map</a> <sup>1</sup>	For instances with <a href="#">Sugar Maps</a> enabled, display this record or the selected records on a map.
<a href="#">Directions starting from Current User</a> <sup>1</sup>	For instances with <a href="#">Sugar Maps</a> enabled, plot driving directions on a map from your address to this record or all selected records.

<sup>1</sup> The Calls module must be [enabled](#) in Admin > Maps for the Sugar Maps option to appear.

## Common Views and Actions

The following links will open specific sections of the User Interface documentation where you can read about views and actions that are common across most Sidecar modules.

Content Link	Description
<a href="#">Creating Calls</a> <a href="#">Basic Call Creation</a> <a href="#">Creating via Quick Create</a> <a href="#">Creating via Subpanels</a> <a href="#">Creating via Duplication</a> <a href="#">Importing Calls</a>	The Creating Records section covers the various methods of creating new call records, including via the Create button in the Calls module, the Quick Create menu on the upper right of every Sugar page, via the Calls subpanel on related module records, duplication of an existing call record, and importing a list of calls into Sugar using a .csv spreadsheet.

<a href="#">Viewing Calls</a> <a href="#">Viewing via List View</a> <a href="#">Viewing via Record View</a> <a href="#">Viewing via Recently Viewed</a> <a href="#">Viewing via Dashlets</a> <a href="#">Viewing via Activity Streams</a> <a href="#">Viewing via Preview</a> <a href="#">Viewing via Reports</a>	<p>The Viewing Records section describes the various methods of viewing call records, including via the Calls list view and record view, the Recently Viewed menu in the Calls module tab, list view dashlets showing call information, activity stream entries concerning call updates or where a user mentions a call, previewing calls in the right-hand side panel, and reports displaying call data.</p>
<a href="#">Searching for Calls</a> <a href="#">Global Search</a> <a href="#">List View Search</a> <a href="#">Creating a Filter</a>	<p>The Searching for Records section provides an introduction to the two searching methods for locating calls: global search, which searches across all Sugar modules, and list view search, which searches and filters within the Calls module.</p>
<a href="#">Calls List View</a> <a href="#">Total Record Count</a> <a href="#">Create Button</a> <a href="#">List View Search</a> <a href="#">Checkbox Selection</a> <a href="#">Mass Actions Menu</a> <a href="#">Favorite Designation</a> <a href="#">Column Reordering</a> <a href="#">Column Resizing</a> <a href="#">Column Sorting</a> <a href="#">Column Selection</a> <a href="#">Preview</a> <a href="#">Record Actions Menu</a> <a href="#">Pagination</a> <a href="#">Activity Stream</a> <a href="#">Dashboards</a>	<p>The List View section walks through the many elements of the Calls List View layout which contains a filterable list of all call records in Sugar. While the generic menu options are described in the User Interface sections linked to the left, the options specifically available in the Calls list view are described in the <a href="#">List View Mass Actions Menu</a> and <a href="#">List View Record Actions Menu</a> sections of this page.</p>
<a href="#">Calls Record View</a> <a href="#">Favorite Designation</a> <a href="#">Following Designation</a> <a href="#">Next or Previous Record</a> <a href="#">Actions Menu</a> <a href="#">Show More</a> <a href="#">Subpanels</a> <a href="#">Related Record Subpanels</a> <a href="#">Filtering Subpanels</a> <a href="#">Reordering Subpanels</a> <a href="#">Activity Stream</a> <a href="#">Dashboards</a>	<p>The Record View section walks through the many elements of the Calls Record View layout which contains detailed information about a single call record. While the generic menu options are described in the User Interface sections linked to the left, the options specifically available in the Calls record view are described in the <a href="#">Record View Actions Menu</a> section of this page.</p>

<a href="#">Editing Calls</a> <a href="#">Editing Inline via Record View</a> <a href="#">Editing via Record View</a> <a href="#">Editing Inline via Subpanels</a> <a href="#">Editing Inline via List View</a> <a href="#">Mass Editing via List View</a>	<p>The Editing Records section describes the various methods of editing existing call records, including inline via the Calls record view, in full edit mode on the record view, inline via the Calls subpanel on related module records, inline via the Calls list view, and via the Mass Update option on the list view.</p>
<a href="#">Deleting Calls</a> <a href="#">Deleting via Record View</a> <a href="#">Deleting via List View</a> <a href="#">Mass Deleting via List View</a>	<p>The Deleting Records section describes the various methods of deleting unwanted calls, including via the Calls record view, an individual record's Actions menu on the Calls list view, and the Mass Actions menu on the list view.</p>
<a href="#">Exporting Calls</a>	<p>The Exporting Records section provides an introduction to the export functionality which allows you to download a list of calls and all their data as a .csv file for use outside of Sugar (e.g., in Microsoft Excel).</p>
<a href="#">Favoriting Calls</a> <a href="#">Favoriting via List View</a> <a href="#">Favoriting via Record View</a> <a href="#">Favoriting via Subpanel</a>	<p>The Favoriting Records section describes the various methods of marking calls as favorites, including via the Calls list view, Calls record view, or any Calls subpanel appearing on the record view of a related module. Favoriting a call allows you to easily access it from list views, dashlets, or the Calls module tab.</p>
<a href="#">Following Calls</a> <a href="#">Following via List View</a> <a href="#">Following via Record View</a>	<p>The Following Records section describes the various methods of marking calls as "Following" including via the Calls list view and record view. Following a call causes its activity stream updates to be included on your Home page and Calls list view activity streams so that you can easily keep up with changes and user posts on the record.</p>
<a href="#">Sharing Calls</a>	<p>The Sharing Records section provides instructions for the Share record view option which composes an email with a link to the call record. If the recipient is logged into Sugar, clicking the link will bring them directly to the call's record</p>

	view.
<a href="#">Viewing Call Audit Logs</a>	The Viewing Record Audit Logs section describes the View Audit Log record view option which displays a history of changes to the call's audited fields.

## Tasks

### Overview

Sugar's Tasks module is used to track to-do or action items that can be related to various Sugar records to which the task is relevant. Tasks with due dates will display a [color coding](#) on list views and dashlets to help alert users when a task is overdue or will be due soon. You can view tasks in [specialized dashlets](#) on related records as well as in your [calendar](#) to help you plan your workday and complete important action items on time. As tasks are completed, they can be [closed](#) via various convenient methods throughout Sugar. This documentation will cover information and actions specific to the Tasks module. For instructions concerning views and actions which are common across most Sugar modules, such as creating, editing, and deleting calls, please refer to the [Working With Sugar Modules](#) section of this page.

Please note that you will only be able to see task records as allowed by your team membership, user access type, and assigned roles. For more information on teams and roles, please refer to the [Team Management](#) and [Role Management](#) documentation in the Administration Guide.

### Task Fields

The Tasks module contains a number of stock fields that come out-of-the-box with Sugar. For information on using and editing various field types, refer to the [User Interface](#) documentation. The below definitions are suggested meanings for the fields, but the fields can be leveraged differently to best meet your organization's needs. Administrators or users with developer-level role access have the ability to alter, add, or remove fields via Admin > Studio. For more information on configuring fields, please refer to the [Studio](#) documentation in the Administration Guide.

Field	Description
Assigned To	The Sugar user assigned to the task.
Comment Log	A shared log of messages, comments, or other text, including the name of the user that added the log entry and the

	date and time it was added. It is possible to tag other users and link to other Sugar records in Comment Log entries by inserting a clickable pill; see the <a href="#">User Interface</a> documentation for more details.
Contact Name	The contact record the task is related to.  <b>Note:</b> The task will appear in either the contact's <a href="#">Active Tasks dashlet</a> or <a href="#">Inactive Tasks dashlet</a> in the intelligence pane.
Date Created	The date the task record was created.
Date Modified	The date the task record was last modified.
Description	A description or other information about the task.
Due Date	The date and time the task is due to be completed.  <b>Note:</b> The task will appear on the assigned user's Calendar per the date and time of the task.
Integration Sync ID	The sync key field used by external integrations to identify Sugar records in the external application. See the <a href="#">Integrate REST API endpoints</a> in the Developer Guide for more details on how to use this field.
Priority	The priority or importance of the task (e.g., High, Medium, Low).
Related to	The module and record that is related to this task.  <b>Note:</b> The task will appear in either the <a href="#">Active Tasks dashlet</a> or <a href="#">Inactive Tasks dashlet</a> of the selected module record's intelligence pane or the Activities subpanel or History subpanel (BWC modules only).
Start Date	The date and time the task is started.
Status	The current status of the task (e.g., Not

	<p>Started, In Progress, Completed, etc.).</p> <p><b>Note:</b> <a href="#">Closing a task</a> will automatically set the status to "Completed".</p>
Subject	The subject or a brief summary of the task.
Tags	<p>User-created keywords that can be used to identify records in filters, dashlets, and reports.</p> <p><b>Note:</b> For more information on creating and using tags, please refer to the <a href="#">Tags</a> documentation.</p>
Teams	The Sugar team(s) assigned to the task record.

## Task Due Date Colors

When viewing the Tasks list view or Tasks dashlet, the due date will be highlighted in one of two colors: blue or red. This allows users to quickly recognize scheduled tasks that are either overdue or due within the next 24 hours.

Task due dates are highlighted in list view and dashlets as follows:

- **Blue:** Tasks with any status other than "Completed" with a due date in the next 24 hours.
- **Red:** Tasks with any status other than "Completed" with a due date that has passed.
- **No color:** Tasks with a status of "Completed" or with a due date 24 hours or more in the future.

Tasks (20 of 21+)						Create	»
Filter	Create	Search by subject...		↺	⌵	⌵	⌵
<input type="checkbox"/>	Subject	Contact	Due Date	Assigned User			
<input type="checkbox"/> ☆	Close out support request	Portia Leatherman	2020-03-15 09:45	Chris Olliver	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
<input type="checkbox"/> ☆	Send literature	Shizuko Tomson	2020-03-27 06:30	Jim Brennan	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
<input type="checkbox"/> ☆	Assemble catalogs	Jeffrey Duffy	2020-04-01 15:15	Sarah Smith	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>

## Task Dashlets

---


Dashlets showing task records can be added to your Home page, list view intelligence panes, and record view intelligence panes. The List View dashlet is a basic dashlet that allows you to select the Tasks module and create a filter so that the dashlet displays tasks that meet your filter criteria. For more information on list view dashlets, please refer to the [Dashboards and Dashlets](#) documentation.

Sugar also offers two dashlets with specific task-related functionality: the [Active Tasks dashlet](#) and the [Inactive Tasks dashlet](#), which are briefly explained in the following sections.

## Active Tasks Dashlet

The Active Tasks dashlet displays all tasks in a status of "Not Started", "In Progress", and "Pending Input" with the tasks broken into three tabs based on their due dates and adjacent buttons for performing actions on the tasks. When used on a related module's record view, the dashlet becomes contextual, and only shows tasks that are relevant to the current record.


For complete information regarding the Active Tasks dashlet, please refer to the [Dashboards and Dashlets](#) documentation.



## Inactive Tasks Dashlet


The Inactive Tasks dashlet displays all tasks in a status of "Completed" or "Deferred" with the tasks broken into two tabs based on their statuses and adjacent buttons for performing actions on the tasks. When used on a related module's record view, the dashlet becomes contextual, and only shows tasks that are relevant to the current record.

For complete information regarding the Inactive Tasks dashlet, please refer to the [Dashboards and Dashlets](#) documentation.




## Tasks Tile View

Tile View allows users to visualize and engage with their tasks in an intuitive drag-and-drop interface. Users can drag a tile from one column to another to change its status.



To access Tile View, navigate to the Tasks list view and click on the Tile View icon next to the search bar:



For more information on using the Tile View, refer to the [User Interface](#) documentation. For information on configuring Tile View layouts, refer to the Tile View Settings documentation in the [Administration Guide](#).

## Closing Tasks

---


Once a task has been completed, users can edit the Status field to "Completed" while on the record or list view. As a more convenient option, Sugar also allows users to close tasks, which automatically sets the status to "Completed".

Please note that the Close option will only appear if the task is not already in a status of "Completed". The following sections explain several ways to close tasks in Sugar.

## Closing via List View

Use the following steps to close a task via the list view:


1. Navigate to the Tasks list view by clicking the Tasks module tab.
2. Use the [Module Search](#) to find the task records you wish to close.
3. Click the Record Actions menu to the far right of the record's row and select "Close".



## Closing via Record View

Use the following steps to close a task via the record view:


1. Navigate to a task's record view.
2. Select "Close" from the Actions menu.



## Closing and Creating New via Record View


Use the following steps to close and duplicate a task via the record view:

1. Navigate to a task's record view.
2. Select "Close and Create New" from the Actions menu.



The screenshot shows a task record view for 'Close out support request'. The task is assigned to Chris Olliver, has a priority of High, and a status of Deferred. The 'Edit' button is highlighted with a red box, and the 'Close and Create New' option in the dropdown menu is also highlighted with a red box.

3. The displayed record view is pre-populated with the original task's values. By default, the new task's status is set to "Not Started". Update the necessary fields then click "Save".




The screenshot shows the 'Close and Create New' form. The subject is 'Close out support request'. The status is set to 'Not Started', which is highlighted with a red box. The 'Save' button is highlighted with a red box.

## Closing via Subpanels

Use the following steps to close a task from the Tasks subpanel on the record view of a related record:

1. Scroll to the Tasks subpanel on the record view of a related record.
2. Select "Close" from the Actions menu of the task record you wish to close.



The screenshot shows the 'TASKS (1)' subpanel. The task 'Call to schedule me...' is in the 'Pending Input' status. The 'Close' option in the Actions menu is highlighted with a red box.

## Closing via Dashlet


Tasks with statuses of "Not Started", "In Progress", or "Pending Input" appear in the [Active Tasks dashlet](#) on the record views of related records. Closing a task will

---

cause it to move to the [Inactive Tasks dashlet](#) along with deferred tasks.

Use the following steps to close a task via the Active Tasks dashlet:

1. Navigate to the Active Tasks dashlet on your Home page or a module record view's (e.g., Accounts) intelligence pane.
2. Click the appropriate tab (Due Now, Upcoming, To Do) on the dashlet, then locate the task record you wish to close.
3. Click the X button to the right of the task's row in the dashlet.



4. A pop-up message will display asking for confirmation. Click "Confirm" to proceed.

Once the task is closed, the task record will be moved to the [Inactive Tasks dashlet](#) and the task's status will change to "Completed".

## Working With Sugar Modules

The Tasks module uses Sugar's Sidecar user interface. The following sections detail menus, views, and actions common to Sidecar modules and contain links to additional information within the page or links to the User Interface documentation.

### Task Menus


The Tasks module contains various options and functionality which are available via menus in the module tab, list view, and record view. The following sections present each menu and its options with a link to more information about the menu option either in the User Interface documentation or, for Tasks-specific functionality, within this page.

#### Module Tab Menus

The Tasks module tab is typically found by clicking the "More" icon represented by three vertical dots to the right of the module tabs on the navigation bar. The additional modules will appear on the list and you can click "Tasks" to access the list view. Once the Tasks tab displays on the navigation bar, you can click the

---

triangle within the tab to display the Actions, Recently Viewed, and Favorites menu. The Actions menu allows you to perform important actions within the module. The [Recently Viewed menu](#) displays the list of tasks you last viewed in the module. The [Favorites menu](#) displays the list of tasks you most recently marked as favorites.



The Actions menu allows you to perform the following operations:

Menu Item	Description
<a href="#">Create Tasks</a>	Opens the record view layout to create a new task.
<a href="#">View Tasks</a>	Opens the list view layout to search and display tasks.
<a href="#">Import Tasks</a>	Opens the import wizard to create or update tasks using external data.


For more information on module tab menus including reasons a module may not be included in the menu, see the [User Interface](#) documentation.

## List View Menus

The Tasks [list view](#) displays all task records and allows for searching and filtering to locate specific tasks. You can view the basic details of each record within the field columns of the list view or click a task's name to open the record view. To access a module's list view, simply click the module's tab in the navigation bar at the top of any Sugar page.

### List View Mass Actions Menu

The Mass Actions menu to the right of the checkbox option in the list header allows you to perform mass actions on all currently selected records. You can use the checkbox on each record's row to select individual task records or click the checkbox in the list header to select all records displayed on the current set of list view results.




The Mass Actions menu allows you to perform the following operations:

Menu Item	Description
<a href="#">Mass Update</a>	Mass update one or more tasks at a time.
<a href="#">Recalculate Values</a>	Visible only if the module contains fields using <a href="#">Sugar Logic</a> and only to System Administrators or users with Developer-level role access, this option will refresh the selected records' calculated values.
<a href="#">Merge</a>	Merge one or more duplicate tasks.
<a href="#">Delete</a>	Delete one or more tasks at a time.
<a href="#">Export</a>	Export one or more tasks to a CSV file.
<a href="#">Doc Merge</a>	Select or create a DOCX, XLSX, or PPTX template to merge record data into documents that will be accessible in the Doc Merge widget.
<a href="#">Doc Merge to PDF</a>	Select or create a DOCX, XLSX, or PPTX template to merge record data into PDF documents that will be accessible in the Doc Merge widget.

### List View Record Actions Menu

The Record Actions menu to the far right of each record's row allows you to perform actions on the individual task directly from the list view.




The list view's Record Actions menu allows you to perform the following operations:

Menu Item	Description
<a href="#">Preview</a> (Eye icon)	Preview this task in the intelligence pane.
<a href="#">Edit</a>	Edit this task.
<a href="#">Follow</a>	(Available if <a href="#">Activity Streams</a> are enabled) Follow changes to this task in your activity stream.
<a href="#">Close</a>	Close this task.
<a href="#">Delete</a>	Delete this task.
<a href="#">Doc Merge</a>	Select or create a DOCX, XLSX, or PPTX template to merge record data into documents that will be accessible in the Doc Merge widget.
<a href="#">Doc Merge to PDF</a>	Select or create a DOCX, XLSX, or PPTX template to merge record data into PDF documents that will be accessible in the Doc Merge widget.

## Record View Actions Menu

The Tasks [record view](#) displays a single task in full detail including its fields, subpanels of related records, and activity stream. To access a task's record view, simply click a hyperlinked task name from anywhere within Sugar. The record view's Actions menu appears on the top right of the page and allows you to perform various operations on the current record.



The Actions menu allows you to perform the following operations:

Menu Item	Description
<a href="#">Edit</a>	Edit this task.
<a href="#">Share</a>	Share a link to this task via email. <b>Note:</b> To send emails through Sugar, users must first configure a default user email account via <a href="#">Emails &gt; Email Settings</a> .
<a href="#">Download PDF</a>	Download the record's information as a PDF file. <ul style="list-style-type: none"><li>• This menu option is only visible if the administrator has created a PDF template for the Tasks module via Admin &gt; <a href="#">PDF Manager</a>.</li><li>• Clicking on this menu item will expand and contract the menu to reveal or hide the available PDF templates.</li></ul>
<a href="#">Email PDF</a>	Email the record's information as a PDF attachment. <ul style="list-style-type: none"><li>• This menu option is only visible if the administrator has created a PDF template for the Tasks</li></ul>

	<p>module via Admin &gt; <a href="#">PDF Manager</a>.</p> <ul style="list-style-type: none"> <li>Clicking on this menu item will expand and contract the menu to reveal or hide the available PDF templates.</li> </ul> <p><b>Note:</b> To send emails through Sugar, users must first configure a default user email account via <a href="#">Emails &gt; Email Settings</a>.</p>
<a href="#">Close and Create New</a>	<p>Close this task as "Completed" and duplicate it to a new task.</p> <p><b>Note:</b> This option only appears as long as the status does not equal "Completed".</p>
<a href="#">Close</a>	<p>Close this task as "Completed".</p> <p><b>Note:</b> This option only appears as long as the status does not equal "Completed".</p>
<a href="#">Copy</a>	Duplicate this task to create a new task.
<a href="#">View Audit Log</a>	View a record of changes to this task.
<a href="#">Delete</a>	Delete this task.
<a href="#">Doc Merge</a>	Select or create a DOCX, XLSX, or PPTX template to merge record data into documents that will be accessible in the Doc Merge widget.
<a href="#">Doc Merge to PDF</a>	Select or create a DOCX, XLSX, or PPTX template to merge record data into PDF documents that will be accessible in the Doc Merge widget.

## Common Views and Actions

The following links will open specific sections of the User Interface documentation where you can read about views and actions that are common across most Sidecar modules.

Content Link	Description
<a href="#">Creating Tasks</a> <a href="#">Basic Task Creation</a> <a href="#">Creating via Quick Create</a> <a href="#">Creating via Subpanels</a>	The Creating Records section covers the various methods of creating new task records, including via the Create button in the Tasks module, the Quick Create

<a href="#">Creating via Duplication</a> <a href="#">Importing Tasks</a>	<p>menu on the upper right of every Sugar page, via the Tasks subpanel on related modules, duplication of an existing task record, and importing a list of tasks into Sugar using a .csv spreadsheet.</p>
<a href="#">Viewing Tasks</a> <a href="#">Viewing via List View</a> <a href="#">Viewing via Record View</a> <a href="#">Viewing via Recently Viewed</a> <a href="#">Viewing via Dashlets</a> <a href="#">Viewing via Activity Streams</a> <a href="#">Viewing via Preview</a> <a href="#">Viewing via Reports</a>	<p>The Viewing Records section describes the various methods of viewing task records, including via the Tasks list view and record view, the Recently Viewed menu in the Tasks module tab, list view dashlets showing task information, activity stream entries concerning task updates or where a user mentions a task, previewing tasks in the right-hand side panel, and reports displaying task data.</p> <p><b>Note:</b> There are also specialized dashlets for tasks, which are explained in detail in the <a href="#">Task Dashlets</a> section of this page.</p>
<a href="#">Searching for Tasks</a> <a href="#">Global Search</a> <a href="#">List View Search</a> <a href="#">Creating a Filter</a>	<p>The Searching for Records section provides an introduction to the two searching methods for locating tasks: global search, which searches across all Sugar modules, and list view search, which searches and filters within the Tasks module.</p>
<a href="#">Tasks List View</a> <a href="#">Total Record Count</a> <a href="#">Create Button</a> <a href="#">List View Search</a> <a href="#">Checkbox Selection</a> <a href="#">Mass Actions Menu</a> <a href="#">Favorite Designation</a> <a href="#">Column Reordering</a> <a href="#">Column Resizing</a> <a href="#">Column Sorting</a> <a href="#">Column Selection</a> <a href="#">Preview</a> <a href="#">Record Actions Menu</a> <a href="#">Pagination</a> <a href="#">Activity Stream</a> <a href="#">Dashboards</a>	<p>The List View section walks through the many elements of the Tasks List View layout which contains a filterable list of all task records in Sugar. While the generic menu options are described in the User Interface sections linked to the left, the options specifically available in the Tasks list view's menus are available in the <a href="#">List View Mass Actions Menu</a> and <a href="#">List View Record Actions Menu</a> sections of this page.</p>
<a href="#">Tasks Record View</a>	<p>The Record View section walks through</p>

<a href="#">Favorite Designation</a> <a href="#">Following Designation</a> <a href="#">Next or Previous Record</a> <a href="#">Actions Menu</a> <a href="#">Show More</a> <a href="#">Subpanels</a> <a href="#">Related Record Subpanels</a> <a href="#">Filtering Subpanels</a> <a href="#">Reordering Subpanels</a> <a href="#">Activity Stream</a> <a href="#">Dashboards</a>	<p>the many elements of the Tasks Record View layout which contains detailed information about a single task record. While the generic menu options are described in the User Interface sections linked to the left, the options specifically available in the Tasks record view's menu is available in the <a href="#">Record View Actions Menu</a> section of this page.</p>
<a href="#">Editing Tasks</a> <a href="#">Editing Inline via Record View</a> <a href="#">Editing via Record View</a> <a href="#">Editing Inline via Subpanels</a> <a href="#">Editing Inline via List View</a> <a href="#">Mass Editing via List View</a>	<p>The Editing Records section describes the various methods of editing existing task records, including inline via the tasks record view, in full edit mode on the record view, inline via the Tasks subpanel on related module records, inline via the Tasks list view, and via the Mass Update option on the list view.</p>
<a href="#">Deleting Tasks</a> <a href="#">Deleting via Record View</a> <a href="#">Deleting via List View</a> <a href="#">Mass Deleting via List View</a>	<p>The Deleting Records section describes the various methods of deleting unwanted tasks, including via the Tasks record view, an individual record's Actions menu on the Tasks list view, and the Mass Actions menu on the list view.</p>
<a href="#">Exporting Tasks</a>	<p>The Exporting Records section provides an introduction to the export functionality which allows you to download a list of tasks and all their data as a .csv file for use outside of Sugar (e.g., in Microsoft Excel).</p>
<a href="#">Recalculating Calculated Values</a>	<p>The Recalculating Calculated Values section provides instructions on utilizing the Recalculate Values list view option to update calculated field values in the module if the administrator has changed the field's formula via Admin &gt; Studio.</p>
<a href="#">Merging Tasks</a> <a href="#">Merging via List View</a>	<p>The Merging Records section provides instructions for merging duplicate tasks which will combine field values and related records into a single task.</p>
<a href="#">Viewing Task Audit Logs</a>	<p>The Viewing Record Audit Logs section describes the View Audit Log record view option which displays a history of</p>

	changes to the task's audited fields.
<a href="#">Task PDFs</a> <a href="#">Downloading Task PDFs</a> <a href="#">Emailing Task PDFs</a>	The Record PDFs section provides instructions for these record view options which allow you to download or email .pdf files of task information as configured by an administrator via Admin > PDF Manager.
<a href="#">Favoriting Tasks</a> <a href="#">Favoriting via List View</a> <a href="#">Favoriting via Record View</a> <a href="#">Favoriting via Subpanel</a>	The Favoriting Records section describes the various methods of marking tasks as favorites, including via the Tasks list view, Tasks record view, or any Tasks subpanel appearing on the record view of a related module. Favoriting a task allows you to easily access it from list views, dashlets, or the Tasks module tab.
<a href="#">Following Tasks</a> <a href="#">Following via List View</a> <a href="#">Following via Record View</a>	The Following Records section describes the various methods of marking tasks as "Following", including via the Tasks list view and record view. Following a task causes its activity stream updates to be included on your Home page and Tasks list view activity streams so that you can easily keep up with changes and user posts on the record.
<a href="#">Sharing Tasks</a>	The Sharing Records section provides instructions for the Share record view option which composes an email with a link to the task record. If the recipient is logged into Sugar, clicking the link will bring them directly to the task's record view.

## Notes

### Overview

Sugar's Notes module consists of individual notes which contain text or attached files pertinent to the related record. The Related To flex-relate field is typically set to the module and record to which the note's contents are relevant. A contact record can also be related using the Contact field which will cause the note to be displayed when viewing the contact record. Notes are also used to communicate with customers about bugs and cases via the Sugar Portal. For more information,

---

please refer to the [Bugs](#) and [Cases](#) documentation. This documentation will cover information and actions specific to the Notes module. For instructions concerning views and actions which are common across most Sugar modules, such as creating, editing, and deleting notes, please refer to the [Working With Sugar Modules](#) section of this page.

Please note that you will only be able to see note records as allowed by your team membership, user access type, and assigned roles. For more information on teams and roles, please refer to the [Team Management](#) and [Role Management](#) documentation in the Administration Guide.

## Note Fields

The Notes module contains a number of stock fields that come out-of-the-box with Sugar. For information on using and editing various field types, refer to the [User Interface](#) documentation. The definitions below are suggested meanings for the fields, but the fields can be leveraged differently to best meet your organization's needs. Administrators or users with developer-level role access have the ability to alter, add, or remove fields via Admin > Studio. For more information on configuring fields, please refer to the [Studio](#) documentation in the Administration Guide.

Field	Description
Assigned To	The Sugar user assigned to the note.
Attachments	One or more files attached to the note. <b>Note:</b> The Sugar administrator can specify the maximum file size allowed to be uploaded.
Comment Log	A shared log of messages, comments, or other text, including the name of the user that added the log entry and the date and time it was added. It is possible to tag other users and link to other Sugar records in Comment Log entries by inserting a clickable pill; see the <a href="#">User Interface</a> documentation for more details.
Contact	The contact record the note is related to. <b>Note:</b> If populated, this note will show in the contact's History subpanel.
Display in Portal?	Notes related to cases, bugs, and/or knowledge base articles will display in

	<p>the <a href="#">portal</a> by default.</p> <p><b>Note:</b> Administrators can have this field disabled by default via Admin &gt; Studio.</p>
Integration Sync ID	<p>The sync key field used by external integrations to identify Sugar records in the external application. See the <a href="#">Integrate REST API endpoints</a> in the Developer Guide for more details on how to use this field.</p>
Is Attachment	<p>A system-level checkbox that indicates if the note represents a file attachment to another record. Files attached to records are stored in Sugar as notes, so this field can be used to differentiate between an individual note or an attachment note. It is set to "true" on notes that are attachments to emails, knowledge base articles, or other notes. This field is not available in Studio or the user interface and is only available in <a href="#">SugarBPM</a> and reports.</p>
Note	<p>The details and content of the note.</p>
Note Source	<p>A system-level dropdown field that represents the origin of newly created notes. It is set to External on notes created via Portal and set to Internal on notes created in Sugar. This field is not available in Studio or the user interface and is only available in <a href="#">SugarBPM</a>.</p>
Related to	<p>The module and record that is related to this note.</p> <p><b>Note:</b> This will decide which module this note will show in the History subpanel.</p>
Subject	<p>The subject or designation of the note.</p>
Tags	<p>User-created keywords that can be used to identify records in filters, dashlets, and reports</p> <p><b>Note:</b> For more information on creating and using tags, please refer to the <a href="#">Tags</a> documentation.</p>
Teams	<p>The Sugar team(s) assigned to the note record.</p>

---


## Note Attachments

You can attach one or more files to a note using the Attachments field. Click "Browse" to choose a file to upload from your computer or hold the Ctrl or Shift key on your keyboard to select multiple files to upload. Once you have uploaded your file(s), be sure to wait for the file name(s) to appear in the Attachments field before saving the record to ensure that the file has been fully uploaded.

When you create a note that has attached files, each attachment is each saved as an individual note. As a result, creating a note with two attachments, for example, creates three note records: the original note plus an additional note for each attachment file.

**Note:** Only parent note records, and not the attachment-only note records, are displayed in the Notes list view.

If there is only one image file attached to a note, a preview of the image is displayed in record view and in the preview. You can open files by clicking them or use the Download or Download All button to save them to your computer in a zip file.



When copying note records, file attachments are not carried over. To keep the file attachments in the copied note, save them to your computer and then upload them to the newly created note.

## Working With Sugar Modules

While the Notes module has some features that only apply to notes, it also uses the Sidecar user interface that most Sugar modules are based on. The following sections detail menus, views, and actions common to Sidecar modules and contain links to additional information within the page or links to the User Interface documentation.


---

## Note Menus

The Notes module contains various options and functionality which are available via menus in the module tab, list view, and record view. The following sections present each menu and its options with links to more information about each option in the User Interface documentation.

### Module Tab Menus

The Notes module tab is typically located under the More tab on the navigation bar at the top of any Sugar screen to the right of the home cube icon. Depending on your settings, you may have to click "Show More" in order to see the Notes module tab. Click the tab to access the Notes list view. You may also click the triangle in the Notes tab to display the Actions, Recently Viewed, and Favorites menu. The Actions menu allows you to perform important actions within the module. The [Recently Viewed menu](#) displays the list of notes you most recently viewed. The [Favorites menu](#) displays the list of notes you most recently marked as favorites.



The module tab's Actions menu allows you to perform the following operations:

Menu Item	Description
<a href="#">Create Note or Attachment</a>	Opens the record view layout to create a new note.
<a href="#">View Notes</a>	Opens the list view layout to search and display notes.
<a href="#">Import Notes</a>	Opens the import wizard to create or update notes using external data.

For more information on module tab menus including reasons a module may not be included in the menu, see the [User Interface](#) documentation.


### List View Menus

The Notes [list view](#) displays parent note records, and not attachment-only note records, and allows for searching and filtering to locate specific notes. You can view the basic details of each record within the field columns of the list view or

click a note's subject to open the record view. To access a module's list view, simply click the module's tab in the navigation bar at the top of any Sugar page.

### List View Mass Actions Menu

The Mass Actions menu to the right of the checkbox option in the list header allows you to perform mass actions on all currently selected records. You can use the checkbox on each record's row to select individual note records or click the checkbox in the list header to select all records displayed on the current set of list view results.



The Mass Actions menu allows you to perform the following operations:


Menu Item	Description
<a href="#">Mass Update</a>	Mass update one or more notes at a time.
<a href="#">Recalculate Values</a>	Visible only if the module contains fields using <a href="#">Sugar Logic</a> and only to System Administrators or users with Developer-level role access, this option will refresh the selected records' calculated values.
<a href="#">Merge</a>	Merge two or more duplicate notes.
<a href="#">Delete</a>	Delete one or more notes at a time.
<a href="#">Export</a>	Export one or more notes to a CSV file.
<a href="#">Doc Merge</a>	Select or create a DOCX template to merge record data into documents that will be accessible in the Doc Merge widget.
<a href="#">Doc Merge to PDF</a>	Select or create a DOCX, XLSX, or PPTX template to merge record data into PDF documents that will be accessible in the Doc Merge widget.
<a href="#">Map</a> <sup>1</sup>	For instances with <a href="#">Sugar Maps</a> enabled,

	display this record or the selected records on a map.
<a href="#">Directions starting from Current User</a> <sup>1</sup>	For instances with <a href="#">Sugar Maps</a> enabled, plot driving directions on a map from your address to this record or all selected records.

<sup>1</sup> The Meetings module must be [enabled](#) in Admin > Maps for the Sugar Maps option to appear.

### List View Record Actions Menu

The Record Actions menu to the far right of each record's row allows you to perform actions on the individual note directly from the list view.

<input type="checkbox"/>	▼	Subject	Related To	Created By	⋮
<input type="checkbox"/>	☆	More Account Information	Ac Dirt Mining Ltd	Jane Smith	 ▼
<input type="checkbox"/>	☆	Attended CRM Exceleration Event in Asia	Ac Income Free Inves...		Edit
<input type="checkbox"/>	☆	Attended CRM Exceleration Event in Asia	Ac Jungle Systems Inc		Delete
<input type="checkbox"/>	☆	Call Information	Ac Smith & Sons		Doc Merge
<input type="checkbox"/>	☆	Call Information	Ac Anytime Air Supp		Doc Merge to PDF


The list view's Record Actions menu allows you to perform the following operations:

Menu Item	Description
<a href="#">Preview</a> (Eye icon)	Preview this note in the intelligence pane.
<a href="#">Edit</a>	Edit this note.
<a href="#">Follow</a>	(Available if <a href="#">Activity Streams</a> are enabled) Follow changes to this note in your activity stream.
<a href="#">Directions starting from this record</a>	For instances with <a href="#">Sugar Maps</a> enabled, plot driving directions on a map from this record to another record or records. <b>Note:</b> The Meetings module must be <a href="#">enabled</a> in Admin > Maps for this option to appear.
<a href="#">Delete</a>	Delete this note.

<a href="#">Doc Merge</a>	Select or create a DOCX, XLSX, or PPTX template to merge record data into documents that will be accessible in the Doc Merge widget.
<a href="#">Doc Merge to PDF</a>	Select or create a DOCX, XLSX, or PPTX template to merge record data into PDF documents that will be accessible in the Doc Merge widget.

## Record View Actions Menu

The Notes [record view](#) displays a single note in full detail including its fields, subpanels of related records (if applicable), and activity stream. To access a note's record view, simply click a hyperlinked note name from anywhere within Sugar. The record view's Actions menu appears on the top right of the page and allows you to perform various operations on the current record.



The Actions menu allows you to perform the following operations:

Menu Item	Description
<a href="#">Edit</a>	Edit this note.
<a href="#">Share</a>	Share a link to this note via email.
<a href="#">Download PDF</a>	<p>Download the record's information as a PDF file.</p> <ul style="list-style-type: none"> <li>This menu option is only visible if the administrator has created a PDF template for the Notes module via Admin &gt; <a href="#">PDF Manager</a>.</li> <li>Clicking on this menu item will expand and contract the menu to</li> </ul>

	reveal or hide the available PDF templates.
<a href="#">Email PDF</a>	<p>Email the record's information as a PDF attachment.</p> <ul style="list-style-type: none"> <li>• This menu option is only visible if the administrator has created a PDF template for the Notes module via Admin &gt; <a href="#">PDF Manager</a>.</li> <li>• Clicking on this menu item will expand and contract the menu to reveal or hide the available PDF templates.</li> </ul> <p><b>Note:</b> To send emails through Sugar, users must first configure a default user email account via <a href="#">Emails &gt; Email Settings</a>.</p>
<a href="#">Copy</a>	Duplicate this note.
<a href="#">View Audit Log</a>	View a record of changes to this note.
<a href="#">Delete</a>	Delete this note.
<a href="#">Doc Merge</a>	Select or create a DOCX, XLSX, or PPTX template to merge record data into documents that will be accessible in the Doc Merge widget.
<a href="#">Doc Merge to PDF</a>	Select or create a DOCX, XLSX, or PPTX template to merge record data into PDF documents that will be accessible in the Doc Merge widget.
<a href="#">Geocode</a> <sup>1</sup>	For instances with <a href="#">Sugar Maps</a> enabled, manually set this record's location on a map.
<a href="#">Map</a> <sup>1</sup>	For instances with <a href="#">Sugar Maps</a> enabled, display this record or the selected records on a map.
<a href="#">Directions starting from Current User</a> <sup>1</sup>	For instances with <a href="#">Sugar Maps</a> enabled, plot driving directions on a map from your address to this record or all selected records.

<sup>1</sup> The Meetings module must be [enabled](#) in Admin > Maps for the Sugar Maps

---

option to appear.

## Common Views and Actions

In the table below, the left column contains links to the User Interface page covering topics that are applicable to all Sidecar modules. The right column has links to sections of the current page that cover topics specific to notes.

<b>General Instructions for Working With Sugar Modules</b>	<b>Notes-Specific Instructions</b>
Use the links below to navigate to the User Interface page which covers topics generic to many Sugar modules.	When Notes-specific help exists for each topic, use the links below to navigate to sections of the current page.
<a href="#">Creating Records</a>	
<a href="#">Viewing Records</a>	
<a href="#">Searching for Records</a>	
<a href="#">List View</a>	<a href="#">List View Mass Actions Menu</a> <a href="#">List View Record Actions Menu</a>
<a href="#">Record View</a>	<a href="#">Record View Actions Menu</a>
<a href="#">Intelligence Pane</a>	
<a href="#">Editing Records</a>	
<a href="#">Deleting Records</a>	
<a href="#">Exporting Records</a>	
<a href="#">Recalculating Calculated Values</a>	
<a href="#">Merging Records</a>	
<a href="#">Record PDFs</a>	
<a href="#">Favoriting Records</a>	
<a href="#">Following Records</a>	
<a href="#">Sharing Records</a>	
<a href="#">Viewing Record Audit Logs</a>	The Viewing Record Audit Logs section describes the View Audit Log record view option which displays a history of changes to the note's audited fields.

## Messages

### Overview

---

Sugar's Messages module consists of messages, which often represent historical records of instant messaging chats that took place between two people. Every time a customer service agent or sales representative talks to a customer in [SugarLive](#), Sugar creates a new message record containing the chat transcript. The Related To flex-relate field is typically set to the module and record to which the message's contents are relevant. Contact, lead, or user records can also be related using the Guests panel, which will cause the message to be displayed in the Messages subpanel when viewing the record.

This documentation covers information and actions specific to the Messages module. For instructions concerning views and actions that are common across most Sugar modules, such as creating, editing, and deleting messages, please refer to the [Working With Sugar Modules](#) section of this page.

Please note that you will only be able to see message records as allowed by your [license type](#), [team membership](#), [assigned roles](#), and [user access type](#). For more information, please refer to the referenced documentation in the Administration Guide.

## Message Fields

The Messages module contains a number of stock fields that come out-of-the-box with Sugar. For information on using and editing various field types, refer to the [User Interface](#) documentation. The definitions below are suggested meanings for the fields, but the fields can be leveraged differently to best meet your organization's needs. Administrators or users with developer-level role access have the ability to alter, add, or remove fields via Admin > Studio. For more information on configuring fields, please refer to the [Studio](#) documentation in the Administration Guide.

Field	Description
Assigned To	The Sugar user assigned to the message.  <b>Note:</b> Messages created by SugarLive are assigned to the user that completed the chat.
Channel Type	The type of channel used for the communication (e.g., chat).

Conversation	Accessible to Sugar Sell or Serve users, if the message was created by SugarLive, this field contains the transcript from the chat conversation. This field is read-only.
Conversation Link	The link to the transcript of the conversation if it is stored outside of Sugar.
Date Created	The date the message was created.
Date Modified	The date the message was last modified.
Description	A description of this message.
Direction	The direction of the message (e.g., Inbound).
End Date	The date and time the message ended.
Integration Sync ID	The sync key field used by external integrations to identify Sugar records in the external application. See the <a href="#">Integrate REST API endpoints</a> in the Developer Guide for more details on how to use this field.
Related To	The module and record that is related to this message.
Start Date	The date and time the message started.
Status	The status of the message (e.g., Completed).
Subject	The subject or designation of the message.
Tags	User-created keywords that can be used to identify records in filters, dashlets, and reports. <b>Note:</b> For more information on creating and using tags, please refer to the <a href="#">Tags</a> documentation.
Teams	The Sugar team(s) assigned to the message record.

## SugarLive and Messages

[SugarLive](#) automatically creates message records for chats that take place in SugarLive between customer service agents or sales representatives and their

---

customers. The Conversation field is populated with the chat transcript and the Start Date and End Date fields are set to the start and end times of the chat. The message is assigned to the user and the Direction and Channel Type fields are set to "Inbound" and "Chat" respectively. While the message is in progress, its status is set to "In Progress", and once finished, the status is changed to "Completed".

The Related To flex relate field and the Guests panel are populated with the records linked to the chat session, which could be automatically selected by SugarLive or manually selected by the user. See the [SugarLive](#) page for details on linking records to messages.

If you wish to update any of the values on the message record after you have closed the SugarLive session, you can do so by opening it in the Messages module and editing it as normal.

## Message Guests


The following guests are automatically added to a message's guest list:

Automatic Guest	To Remove the Guest
The lead or contact in the "Related to" field, if any	This guest can be removed from the guest list at any time. If a lead or contact record is related to a message but is not on the guest list, then you will not see the message in the person's Messages subpanel.
The user who created the message	This guest can be removed from the guest list after initially saving the message. Create and save the call, click "Edit", and then click the Remove (-) button next to the created-by user's row in the Guests panel.
The user in the "Assigned to" field for the message record	The assigned user cannot be removed from the guest list. If you need to remove the assigned user from the guest list, you must first re-assign the message to a different user. Once the message record is assigned to a new user, the original user will remain a guest until removed via the Remove (-) button.

The lead or contact linked to the message during a SugarLive session

This guest can be removed from the guest list at any time. Click "Edit", and then click the Remove (-) button next to the lead or contact's row in the Guests panel.


Users may add additional guests (e.g., contacts, leads, users) to messages [via the Guests panel](#) in the message's record view.



## Adding via the Guests Panel


Use the following steps to add attendees via the Guests panel:

1. Navigate to the Messages module and create a new record or edit an existing record.
2. Scroll to the Guests panel and click on the Add (+) button located on the far right.



3. To add a guest, type in the name of the lead, contact, or user via the search bar that appears or select "Search for more..." to search the Contacts list view. To remove a guest, click the Remove (-) button to the right of the guest's row.

**Note:** The user in the "Assigned to" field on the message record cannot be removed from a message. To remove the assigned user from the guest list, re-assign the message to a different user first.




4. Click "Save"

---

## Adding via Create a Guest

Use the following steps to create a new contact and add them as a message guest:

1. Navigate to the Messages module and create a new record or edit an existing record.
2. Scroll to the Guests panel, click on the Add (+) button, and then click on "Search for more..." to expand the Contacts list view.



3. At the top of the list view, click the Create button and fill out the appropriate fields to create a new contact. Once completed, save the new contact record and Sugar will automatically add the contact to the guest list for the message.
4. Confirm the remaining fields and guests are configured appropriately and then save the message.

## Working With Sugar Modules

While the Messages module has some features that only apply to messages it also uses the Sidecar user interface that most Sugar modules are based on. The following sections detail menus, views, and actions common to Sidecar modules and contain links to additional information within the page or links to the User Interface documentation.


### Message Menus

The Messages module contains various options and functionality that are available via menus in the module tab, list view, and record view. The following sections present each menu and its options with links to more information about each option in the User Interface documentation.

#### Module Tab Menus

The Messages module tab is typically found by clicking the arrow to the right of the module tabs on the navigation bar. The additional modules will appear on the list and you can click "Messages" to access the list view. Once the Messages tab displays on the navigation bar, you can click the triangle within the tab to display the Actions, Recently Viewed, and Favorites menu. The Actions menu allows you to perform important actions within the module. The [Recently Viewed menu](#) displays

the list of messages you most recently viewed. The [Favorites menu](#) displays the list of messages you most recently marked as favorites.



The module tab's Actions menu allows you to perform the following operations:

Menu Item	Description
<a href="#">Create Message</a>	Opens the record view layout to create a new message.
<a href="#">View Messages</a>	Opens the list view layout to search and display messages.
<a href="#">View Message Reports</a>	Opens the Reports list view filtered to reports that target the Messages module.
<a href="#">Import Messages</a>	Opens the import wizard to create or update messages using external data.

For more information on module tab menus including reasons a module may not be included in the menu, see the [User Interface](#) documentation.


## List View Menu

The Messages [list view](#) displays all message records and allows for searching and filtering to locate specific messages. You can view the basic details of each record within the field columns of the list view or click a message's subject to open the record view. To access a module's list view, simply click the module's tab in the navigation bar at the top of any Sugar page.

## List View Mass Actions Menu

The Mass Actions menu to the right of the checkbox option in the list header allows you to perform mass actions on all currently selected records. You can use

the checkbox on each record's row to select individual message records or click the checkbox in the list header to select all records displayed in the current set of list view results.





The Mass Actions menu allows you to perform the following operations:

Menu Item	Description
<a href="#">Mass Update</a>	Mass update one or more messages at a time.
<a href="#">Recalculate Values</a>	Visible only if the module contains fields using <a href="#">Sugar Logic</a> and only to System Administrators or users with Developer-level role access, this option will refresh the selected records' calculated values.
<a href="#">Delete</a>	Delete one or more messages at a time.
<a href="#">Export</a>	Export one or more messages to a CSV file.
<a href="#">Doc Merge</a>	Select or create a DOCX template to merge record data into documents that will be accessible in the Doc Merge widget.
<a href="#">Doc Merge to PDF</a>	Select or create a DOCX, XLSX, or PPTX template to merge record data into PDF documents that will be accessible in the Doc Merge widget.

### List View Record Actions Menu

The Record Actions menu to the far right of each record's row allows you to perform actions on the individual message directly from the list view.


<input type="checkbox"/>	<input type="checkbox"/>	Subject	Related To	Start Date	Status	
<input type="checkbox"/>	☆	Chat from Madison A...	Co Madison Acedo	2022-03-29 16:20	Completed	 
<input type="checkbox"/>	☆	Chat from Lila Christen	Co Lila Christen	2022-03-23 16:20		Edit
<input type="checkbox"/>	☆	Chat from June Arends	Co June Arends	2022-04-01 16:20		Delete
<input type="checkbox"/>	☆	Chat from Dave Josey	Co Dave Josey	2022-04-04 16:20		Doc Merge
						Doc Merge to PDF

The list view's Record Actions menu allows you to perform the following operations:

Menu Item	Description
<a href="#">Preview</a> (Eye icon)	Preview this message in the intelligence pane.
<a href="#">Edit</a>	Edit this message.
<a href="#">Delete</a>	Delete this message.
<a href="#">Doc Merge</a>	Select or create a DOCX, XLSX, or PPTX template to merge record data into documents that will be accessible in the Doc Merge widget.
<a href="#">Doc Merge to PDF</a>	Select or create a DOCX, XLSX, or PPTX template to merge record data into PDF documents that will be accessible in the Doc Merge widget.

## Record View Actions Menu

The Messages [record view](#) displays a single message in full detail including its fields, subpanels of related records (if applicable), and activity stream. To access a message's record view, simply click a hyperlinked message subject from anywhere within Sugar. The record view's Actions menu appears on the top right of the page and allows you to perform various operations on the current record.



The Actions menu allows you to perform the following operations:

Menu Item	Description
<a href="#">Edit</a>	Edit this message.
<a href="#">Share</a>	Share a link to this message via email.
<a href="#">Copy</a>	Duplicate this message.
<a href="#">Delete</a>	Delete this message.
<a href="#">Doc Merge</a>	Select or create a DOCX, XLSX, or PPTX template to merge record data into documents that will be accessible in the Doc Merge widget.
<a href="#">Doc Merge to PDF</a>	Select or create a DOCX, XLSX, or PPTX template to merge record data into PDF documents that will be accessible in the Doc Merge widget.

## Common Views and Actions

In the table below, the left column contains links to the User Interface page covering topics that are applicable to all Sidecar modules. The right column has links to sections of the current page that cover topics specific to messages.

General Instructions for Working With Sugar Modules	Messages-Specific Instructions
Use the links below to navigate to the User Interface page which covers topics generic to many Sugar modules.	When Messages-specific help exists for each topic, use the links below to navigate to sections of the current page.
<a href="#">Creating Records</a>	<a href="#">SugarLive and Messages</a>
<a href="#">Viewing Records</a>	
<a href="#">Searching for Records</a>	

<a href="#">List View</a>	<a href="#">List View Mass Actions Menu</a> <a href="#">List View Record Actions Menu</a>
<a href="#">Record View</a>	<a href="#">Record View Actions Menu</a>
<a href="#">Intelligence Pane</a>	
<a href="#">Editing Records</a>	
<a href="#">Deleting Records</a>	
<a href="#">Exporting Records</a>	
<a href="#">Favoriting Records</a>	
<a href="#">Sharing Records</a>	

## Product Catalog

### Overview

Sugar's Product Catalog and its supporting modules allow you to define, categorize, and organize a list of all products or services that your organization sells or supports. Products within the Product Catalog can be broadly classified into product types, such as Software and Hardware. Each product type can be further organized into several product categories. For example, the software product type can contain product categories such as Spreadsheets and Word Processors. You can also create sub-categories within a category. Users can define the details of their products within the following products-related modules:

Module	Description
<a href="#">Product Catalog</a>	The list of products sold by your organization.
<a href="#">Product Categories</a>	The categories by which products are organized in the Product Catalog.
<a href="#">Product Types</a>	The Type dropdown list in the Product Catalog.
<a href="#">Manufacturers</a>	The Manufacturer Name dropdown list in the Product Catalog.

This documentation will cover information and actions specific to the above modules. For instructions concerning views and actions which are common across most Sugar modules, such as creating, editing, and deleting records, please refer

---

to the [Working With Records](#) section of this page.

Please note that you will only be able to see product-related records as allowed by your [license type](#), [team membership](#), [assigned roles](#), and [user access type](#). For more information, please refer to the referenced documentation in the Administration Guide.

## Product Catalog

Sugar's Product Catalog module contains a list of all products or services that your organization sells or supports. This module houses essential product information that can be leveraged by Sugar Sell users in sales-specific modules and provides the [Purchased Line Items](#) module with the template used when creating products to be used for Purchases including pricing and cost information and information about the [manufacturer](#). The Product Catalog may also provide a list of products available for selection in the Cases, Bugs, and Knowledge Base modules if your administrator has enabled the functionality in Studio by adding a custom relate field to a supported Sugar Serve module (i.e., Bugs, Cases, or Knowledge Base). For more information on setting up a Product Catalog field for bugs, cases, or knowledge base articles, please refer to the [Creating a Relate Field](#) article.

**Note:** Depending on your license type, you may not have access to all modules. For more information on license types and the functionality available for each, refer to the [User Management](#) documentation.

## Product Catalog Fields

The Product Catalog contains a number of stock fields that come out-of-the-box with Sugar. For information on using and editing various field types, refer to the [User Interface](#) documentation. The definitions below are suggested meanings for the fields, but the fields can be leveraged differently to best meet your organization's needs. Fields can be altered, added, or removed via Admin > Studio. For more information on configuring fields, please refer to the [Studio](#) documentation in the Administration Guide.

Field	Description
Availability	Select if the item is in stock or not from the dropdown list.
Category Name	The <a href="#">product category</a> to which the new item belongs.
Cost	The actual cost of the item. This will not

	appear on printed quotes.
Currency	The <a href="#">currency</a> of the given prices (Cost, List, Unit).
Date Available	Select the date of availability if the item is out of stock.
Date Created	The date the product catalog record was created.
Date Modified	The date the product catalog record was last modified.
Date-Cost-Price	The starting date that the cost is valid.
Default Pricing Formula	<p>Select a formula from the dropdown list to arrive at the discount price for the Unit Price field. The formulas are as follows:</p> <ul style="list-style-type: none"> <li>• <b>Fixed Price:</b> Allows you to enter a Unit Price without any calculation.</li> <li>• <b>Profit Margin:</b> Enter the points in the adjoining field to vary the percentage against the cost.</li> <li>• <b>Markup over Cost:</b> Choose a percentage to raise the price over the cost.</li> <li>• <b>Discount from List:</b> Enter the discount percentage from the List Price in the adjoining field.</li> <li>• <b>Same as List:</b> The Unit Price will be the same as the List Price.</li> </ul>
Description	A description or other information about the product.
Integration Sync ID	The sync key field used by external integrations to identify Sugar records in the external application. See the <a href="#">Integrate REST API endpoints</a> in the Developer Guide for more details on how to use this field.
List Price	The quotable list price of the product.
Lock Duration <sup>1</sup>	Available when the Service field is set to yes. When checked, the Service Duration field value cannot be changed

	by a user via a line item record (e.g., revenue line item).
Manufacturer Name	The <a href="#">manufacturer</a> of the product.
Part Number	The manufacturer's part number for the product.
Product Name	The name of the product.
Product Type	The specified <a href="#">product type</a> .
Product URL	The web address of the product if it is available online.
Quantity in Stock	Enter the number of units that are in stock of the product. <b>Note:</b> Negative values are supported in this field.
Renewable <sup>1</sup>	Activated when the Service field is set to yes, select whether or not the service offered can be renewed for additional time periods. When "Renewable" equals yes, it will trigger the renewal pipeline automation feature for Sugar Sell users.
Service <sup>1</sup>	Designate this product catalog record as a service. Enabling the Service field will make the Service Duration (required) and Renewable fields available.
Service Duration <sup>1</sup>	Required when the Service field is set to yes, set the period of time that this service covers. When the Renewable field is also set to yes, the Service Duration will determine the expected close date for future service opportunities.
Status	The status of the product and whether it is available by default to relate to records.
Support Contact	The support person's contact information, such as the phone number or email address.
Support Desc.	Brief description or other information regarding the support provided.
Support Name	The name of the Customer Support person.
Support Term	The term (e.g., six months, one year,

	etc.) in which support will be provided for the product.
Tags	User-created keywords that can be used to identify records in filters, dashlets, and reports. <b>Note:</b> For more information on creating and using tags, please refer to the <a href="#">Tags</a> documentation.
Tax Class	Tax classification (e.g., taxable, non-taxable) for the product.
Teams	The Sugar team(s) assigned to the product catalog record.
Unit Price	The unit price of the product.
Vendor Part Number	The vendor's part number for the product.
Weight	The weight of the product. <b>Note:</b> Negative values are supported in this field.

<sup>1</sup> For more information on service-related fields in Sugar Sell, refer to the Services and Renewable Revenue Line Items section of the Opportunities documentation in the Application Guide.

## Product Status

The Product Catalog module contains a Status field that controls the availability of each product catalog record when relating it to another record. By default, the Status field has three options: Active, Inactive, and Retired. When the status of a product record is "Active", it will be displayed in the Product Catalog and Product Catalog Quick Picks dashlets. Product Catalog relate fields are filtered to display records with a status of "Active". To select a record with a status of "Inactive" or "Retired", the filter can be removed via the Search and Select drawer.

**Note:** Sugar admin users can add or modify status values in Studio, but the Active status cannot be removed. For more information on editing dropdown values via the Dropdown Editor, please refer to the [Editing Dropdown Lists](#) section of the Developer Tools documentation.

## Product Categories

The Product Categories module allows you to create categories to group records under a Product Type. This is one of the levels of organization you can use for the products and services that your organization offers, and will contain multiple

---

entries from the [product catalog](#).

## Product Category Fields

The Product Category module contains four stock fields that come out-of-the-box with Sugar. For information on using and editing various field types, refer to the [User Interface](#) documentation. The definitions below are suggested meanings for the fields.

Field	Description
Product Category	The category's name as it will appear on the Product Category dropdown list.
Parent Category	Select a parent product category if this product category is a sub-set of another category. <b>Note:</b> A record should not be selected as its own parent category.
Description	A description or other information about the product category.
Order	Enter a number to specify the order in which this category will appear in the Product Category dropdown list.

## Ordering Product Categories

The Order field in the Product Categories module defines the order in which the categories appear in the Product Catalog dashlet. When viewing the dashlet, the product category records without a value in the Parent Category field will display in ascending order based on the numbers entered in the Order field. Product category records with a parent category defined will display as sub-folders in ascending order based on the numbers entered in the Order field. If multiple categories have the same order number, they will display in alphabetical order. Records with an empty Order value will display alphabetically after the final ordered record.

## Product Types

The Product Types module controls the Type dropdown list in the [Product Catalog fields](#). In addition to [product categories](#), the product type allows you to define the classification of a product or service that is being offered on a product catalog record.

## Product Type Fields

---

The Product Types module contains three stock fields that come out-of-the-box with Sugar. For information on using and editing various field types, refer to the [User Interface](#) documentation. The definitions below are suggested meanings for the fields.

Field	Description
Product Type	The product type's name as it will appear on the Type dropdown list in the product catalog.
Description	A description or other information about the product type.
<a href="#">Order</a>	Enter a number to specify the order in which this product type will appear in the Type dropdown list.

## Ordering Product Types

The Order field in Product Types defines the order of the different type options when viewing the Type dropdown list of a [Product Catalog](#) record. The Order field allows you to organize what order the dropdown list will display, with 1 being the highest on the list and moving down as the order number rises. When [creating](#) new product type record options, the Order field will automatically increment to the next number in the list, thereby adding the new option to the bottom of the list. The Order field can be overwritten with another number if you would like to manually re-order the options.

## Manufacturers

The Manufacturers module controls and maintains the Manufacturer Name field in the [Product Catalog](#) module. The Manufacturer Name field allows you to select from a list of the manufacturers you use to classify your products and specify from which manufacturer they are produced.

## Manufacturer Fields

The Manufacturers module contains three stock fields that come out-of-the-box with Sugar. For information on using and editing various field types, refer to the [User Interface](#) documentation. The below definitions are suggested meanings for the fields.

Field	Description
Manufacturer	The manufacturer's name as it will appear in the Manufacturer Name field

	in the <a href="#">product catalog</a> .
Status	Select "Active" or "Inactive" to indicate which manufacturers are displayed as options in the Manufacturer Name field.
<a href="#">Order</a>	Enter a number to specify the order in which this category will appear in the Manufacturer Name field list.

## Ordering Manufacturers

The Order field in the module defines the order in which the manufacturer options are displayed in the corresponding Manufacturer Name field of the [Product Catalog](#) module. Enter the numeric value (e.g., 1, 2, 3) in the manufacturer record's Order field to determine the order it will display in the corresponding field list (Manufacturer Name). For example, a manufacturer record with an order value of "1" will display at the top of the list followed by the next value (e.g., 2), and so forth. When creating new manufacturer records, the Order field will automatically increment to the next number in the list, thereby adding the new option to the bottom of the list. The Order field can be overwritten with another number if you would like to manually re-order the options.

## Working With Products-Related Modules


The Product Catalog and supporting modules use Sugar's Sidecar user interface. The following sections detail menus, views, and actions common to Sidecar modules and contain links to additional information within the page or links to the User Interface documentation.

### Menus

Sugar modules contain various options that are available via menus in the module tab, list view, and record view. The following sections present each menu type and its options with links to more information about each option in the User Interface documentation or, for module-specific functionality, within this page.

#### Module Tab Menus

The module tab is either displayed in the navigation bar or found by clicking the "More" icon represented by three vertical dots to the right of the module tabs on the navigation bar. Click the module name to access the module's [list view](#) or expand the module tab to display the Actions, [Recently Viewed](#), and [Favorites](#) menus.



From the Product Catalog's module tab menu, you can also access the supporting modules of Manufacturers, Product Categories, and Product Types. By navigating to any of these modules, you can access their respective module tabs, which in turn will offer the option to return to any of the other supporting modules.

The Actions menus in the module tab for the Product Catalog and its supporting modules will allow you to perform the following operations:

Menu Item	Description
<a href="#">Create [Record]</a>	Opens the record view layout to create a new record in the module.
<a href="#">View Product Catalog</a>	Opens the list view layout to search and display the product catalog.
<a href="#">View Manufacturers</a>	Opens the Manufacturers list view.
<a href="#">View Product Categories</a>	Opens the Product Categories list view.
<a href="#">View Product Types</a>	Opens the Product Types list view.
<a href="#">Import [Records]</a>	Opens the import wizard to create or update records in modules that support importing.


## List View Menus

The list view displays all records meeting the current search criteria. You can view

the basic details of each record within the field columns. Users with administrator or developer access have the ability to change what fields are visible in the list view via Admin > Studio. For more information on editing layouts, please refer to the [Studio](#) documentation.

## Mass Actions Menu

The Mass Actions menu to the right of the checkbox option allows you to perform various actions on the currently selected records.



The options in the Mass Actions menu allow you to perform the following operations:



Menu Item	Description
<a href="#">Mass Update</a>	Mass update one or more records at a time.
<a href="#">Recalculate Values</a>	Visible only if the module contains fields using <a href="#">Sugar Logic</a> and only to System Administrators or users with Developer-level role access, this option will refresh the selected records' calculated values.
<a href="#">Merge</a>	Merge two or more duplicate records.
<a href="#">Delete</a>	Delete one or more records at a time.
<a href="#">Export</a>	Export one or more records to a CSV file.
<a href="#">Doc Merge</a>	Select or create a DOCX template to merge record data into documents that will be accessible in the Doc Merge widget.

## [Doc Merge to PDF](#)

Select or create a DOCX, XLSX, or PPTX template to merge record data into PDF documents that will be accessible in the Doc Merge widget.

### Record Actions Menu

The Record Actions menu to the right of each record's Preview button allows users to edit, follow, or delete specific records directly from the list view.

<input type="checkbox"/>	<input type="checkbox"/>	Product Name	Product Type	Category Name	Availability	
<input type="checkbox"/>	☆	Mitchell Gadget	Hardware	Kroenke Widgets	In Stock	 
<input type="checkbox"/>	☆	Twila Gadget	Hardware	Kroenke Widgets		<div>Edit</div>
<input type="checkbox"/>	☆	Lettie Gadget	Hardware	Kroenke Widgets		<div>Delete</div>
<input type="checkbox"/>	☆	Tamica Gadget	Hardware	Algarin Widgets		<div>Doc Merge</div>
<input type="checkbox"/>	☆	Agnus Gadget	Hardware	Algarin Widgets		<div>Doc Merge to PDF</div>

The options in the Record Actions menu allow you to perform the following operations:


Menu Item	Description
<a href="#">Preview</a> (Eye icon)	Preview this record in the intelligence pane.
<a href="#">Edit</a>	Edit this record.
<a href="#">Delete</a>	Delete this record.
<a href="#">Doc Merge</a>	Select or create a DOCX, XLSX, or PPTX template to merge record data into documents that will be accessible in the Doc Merge widget.
<a href="#">Doc Merge to PDF</a>	Select or create a DOCX, XLSX, or PPTX template to merge record data into PDF documents that will be accessible in the Doc Merge widget.

### Record View Actions Menu

The record view displays thorough record information including all record fields. The record view can be reached by clicking a record's link in the list view. You have the ability to change the record view by configuring the layout via Admin > Studio. For more information on editing layouts, please refer to the [Studio](#)

documentation.

The Actions menu on the top right of each record view allows you to perform various actions on the current record.



The options in the Actions menu allow you to perform the following operations:

Menu Item	Description
<a href="#">Edit</a>	Edit this record.
<a href="#">Share</a>	Share a link to this record via email.
<a href="#">Download PDF</a>	<p>Download the record's information as a PDF file.</p> <ul style="list-style-type: none"><li>• This menu option is only visible if the administrator has created a PDF template for the Product Catalog module via Admin &gt; <a href="#">PDF Manager</a>.</li><li>• Clicking on this menu item will expand and contract the menu to reveal or hide the available PDF templates.</li></ul>
<a href="#">Email PDF</a>	<p>Email the record's information as a PDF attachment.</p> <ul style="list-style-type: none"><li>• This menu option is only visible if the administrator has created a PDF template for the Product Catalog module via Admin &gt; <a href="#">PDF Manager</a>.</li></ul>

	<ul style="list-style-type: none"> <li>Clicking on this menu item will expand and contract the menu to reveal or hide the available PDF templates.</li> </ul> <p><b>Note:</b> To send emails through Sugar, users must first configure a default user email account via <a href="#">Emails &gt; Email Settings</a>.</p>
<a href="#">Find Duplicates</a>	Locate potential duplicates of this record.
<a href="#">Copy</a>	Duplicate this record.
<a href="#">View Audit Log</a>	View a record of changes to this record.
<a href="#">Delete</a>	Delete this record.
<a href="#">Doc Merge</a>	Select or create a DOCX, XLSX, or PPTX template to merge record data into documents that will be accessible in the Doc Merge widget.
<a href="#">Doc Merge to PDF</a>	Select or create a DOCX, XLSX, or PPTX template to merge record data into PDF documents that will be accessible in the Doc Merge widget.

## Common Views and Actions

The following links will open specific sections of the User Interface documentation where you can read about views and actions that are common across most Sidecar modules.

Content Link	Description
<a href="#">Creating Records</a> <a href="#">Basic Record Creation</a> <a href="#">Creating via Subpanels</a> <a href="#">Creating via Duplication</a> <a href="#">Importing Records</a>	The Creating Records section covers the various methods of creating new records, including via the Create button in the module, via the subpanel on related module records, duplication of an existing record, and importing a list of records into Sugar using a .csv spreadsheet.
<a href="#">Viewing Records</a> <a href="#">Viewing via List View</a> <a href="#">Viewing via Record View</a> <a href="#">Viewing via Recently Viewed</a> <a href="#">Viewing via Preview</a>	The Viewing Records section describes the various methods of viewing records, including via the list view and record view, the Recently Viewed menu in the module tab, previewing records in the

<a href="#">Viewing via Reports</a>	right-hand side panel, and reports displaying the record's data.
<a href="#">Searching for Records</a> <a href="#">Global Search</a> <a href="#">List View Search</a> <a href="#">Creating a Filter</a>	The Searching for Records section provides an introduction to the two searching methods for locating Sugar records: global search, which searches across all Sugar modules, and list view search, which searches and filters within the module.
<a href="#">List View</a> <a href="#">Total Record Count</a> <a href="#">Create Button</a> <a href="#">List View Search</a> <a href="#">Checkbox Selection</a> <a href="#">Mass Actions Menu</a> <a href="#">Favorite Designation</a> <a href="#">Column Reordering</a> <a href="#">Column Resizing</a> <a href="#">Column Sorting</a> <a href="#">Column Selection</a> <a href="#">Preview</a> <a href="#">Record Actions Menu</a> <a href="#">Pagination</a> <a href="#">Dashboards</a>	The List View section walks through the many elements of the List View layout, which contains a filterable list of all records in the current module. While the generic menu options are described in the User Interface sections linked to the left, the options specifically available in the list view are described in the List View Mass Actions Menu and List View Record Actions Menu sections of the module overviews below.
<a href="#">Record View</a> <a href="#">Favorite Designation</a> <a href="#">Next or Previous Record</a> <a href="#">Actions Menu</a> <a href="#">Show More</a> <a href="#">Dashboards</a>	The Record View section walks through the many elements of the Record View layout, which contains detailed information about a single record. While the generic menu options are described in the User Interface sections linked to the left, the options specifically available in the record view are described in the Record View Actions Menu sections of the module overview sections below.
<a href="#">Editing Records</a> <a href="#">Editing Inline Via Record View</a> <a href="#">Editing Via Record View</a> <a href="#">Editing Inline Via Subpanels</a> <a href="#">Editing Inline Via List View</a> <a href="#">Mass Editing Via List View</a>	The Editing Records section describes the various methods of editing existing records, including inline via the record view, in full edit mode on the record view, inline via the subpanel on related module records, inline via the list view, and via the Mass Update option on the list view.
<a href="#">Deleting Records</a>	The Deleting Records section describes

<a href="#">Deleting Via Record View</a> <a href="#">Deleting Via List View</a> <a href="#">Mass Deleting Via List View</a>	<p>the various methods of deleting unwanted records, including via the record view, an individual record's Actions menu on the list view, and the Mass Actions menu on the list view.</p>
<a href="#">Exporting Records</a>	<p>The Exporting Records section provides an introduction to the export functionality, which allows you to download a list of records and all their data as a .csv file for use outside of Sugar (e.g., in Microsoft Excel).</p>
<a href="#">Recalculating Calculated Values</a>	<p>The Recalculating Calculated Values section provides instructions on utilizing the Recalculate Values list view option to update calculated field values in the module if the administrator has changed the field's formula via Admin &gt; Studio.</p>
<a href="#">Finding Duplicate Records</a>	<p>The Finding Duplicate Records section provides instructions for locating duplicate records. If searching on matching fields (e.g., Name) identifies one or more duplicates, they can be merged into a single record.</p>
<a href="#">Merging Records</a> <a href="#">Merging Via List View</a>	<p>The Merging Records section provides instructions for merging duplicates, which combines field values and related records into a single record.</p>
<a href="#">Favoriting Records</a> <a href="#">Favoriting via List View</a> <a href="#">Favoriting via Record View</a>	<p>The Favoriting Records section describes the various methods of marking records as favorites, including via the list view and record view.</p> <p><b>Note:</b> You can only mark records as favorites via the Product Catalog module. Favoriting a product catalog record allows you to easily access the product from the list view, Product Catalog Quick Picks dashlet, the <a href="#">Product Catalog module tab</a>, or from within the search and select drawer. For more information on the Product Catalog Quick Picks dashlet, please refer to the Opportunities or Quotes documentation.</p>
<a href="#">Sharing Records</a>	<p>The Sharing Records section provides instructions for the Share record view</p>

	option, which composes an email with a link to the record. If the recipient is logged into Sugar, clicking the link will bring them directly to the record view.
--	--

## Contracts

### Overview

Sugar's Contracts module consists of individual business arrangements your organization has with vendors, customers, or associations. There are various ways you can create contracts in Sugar such as via the Contracts module, importing contracts, duplication, etc. Once the contract record is created, you can view and edit information pertaining to the contract via the Contracts module. Each contract record may then relate to other Sugar records such as opportunities, documents, quotes, and many others. This documentation will cover the basics of the Contracts module as well as the various options available in performing the actions related to the module. For instructions concerning views and actions that are common across most Sugar modules, such as creating, editing, and deleting contract records, please refer to the [Working With Sugar Modules](#) section of this page.

Please note that you will only be able to see contract records as allowed by your team membership, user access type, and assigned roles. For more information on teams and roles, please refer to the [Team Management](#) and [Role Management](#) documentation in the Administration Guide.

**Note:** By default, the Contracts module is hidden in Sugar and the system administrator must enable the module via Admin > Display Modules and Subpanels. For more information on displaying modules in Sugar, please refer to the [Developer Tools](#) documentation in the Administration Guide.

### Contract Fields

The Contracts module contains a number of stock fields that come out-of-the-box with Sugar. For information on using and editing various field types, refer to the [User Interface](#) documentation. The below definitions are suggested meanings for the fields, but the fields can be leveraged differently to best meet your organization's needs. Users with administrator or developer access have the ability to alter, add, or remove fields via Admin > Studio. For more information on configuring fields, please refer to the [Studio](#) documentation in the Administration Guide.

Field	Description
Account Name	The account to which the contract

	belongs.
Assigned To	The Sugar user assigned to the contract.
Comment Log	A shared log of messages, comments, or other text, including the name of the user that added the log entry and the date and time it was added. It is possible to tag other users and link to other Sugar records in Comment Log entries by inserting a clickable pill; see the <a href="#">User Interface</a> documentation for more details.
Company Signed Date	Date when your organization signed the contract.
Contract Name	The name or designation of the contract.
Contract Term	Calculation of days between the start and end date of the contract.
Contract Value	The value of the contract for the specified currency.
Customer Signed Date	Date when the account signed this contract.
Date Created	The date the contract record was created.
Date Modified	The date the contract record was last modified.
Description	A description or other information about the contract.
End Date	Date when this contract expires.
Expiration Notice	Date and time to send a reminder to the assigned user indicating that this contract will expire shortly <b>Note:</b> Assignment notifications must be turned on and the "Process Workflow Tasks" scheduler must be running.
Integration Sync ID	The sync key field used by external integrations to identify Sugar records in the external application. See the <a href="#">Integrate REST API endpoints</a> in the Developer Guide for more details on how to use this field.
Opportunity Name	The opportunity, from which the contract originated or is related, if any.

Reference Code	The internal designation used to refer to this contract.
Start Date	Date when this contract takes effect.
Status	The current status of the contract (e.g., Not Started, In Progress, Signed).
Tags	User-created keywords that can be used to identify records in filters, dashlets, and reports <b>Note:</b> For more information on creating and using tags, please refer to the <a href="#">Tags</a> documentation.
Teams	The Sugar team(s) assigned to the contract record.
Type Name	The contract type assigned to the record. <b>Note:</b> Contract types can be created and managed via Admin > Contract Types.

## Contract Documents

Contract documents are stored in the Documents module and related to the contract record via the Documents subpanel. For more information on working in the Documents module, please refer to the [Documents](#) documentation. For more information on working with subpanels, please refer to the [User Interface](#) documentation.

## Working With Sugar Modules

The Contracts module uses Sugar's Sidecar user interface. The following sections detail menus, views, and actions common to Sidecar modules and contain links to additional information within the page or links to the User Interface documentation.

### Contract Menus

The Contracts module contains various options and functionality that are available via menus in the module tab, list view, and record view. The following sections present each menu and its options with links to more information about each option in the User Interface documentation or, for Contracts-specific functionality, within this page.


#### Module Tab Menus

---

The Contracts module tab is typically located under the More tab on the navigation bar at the top of any Sugar screen. Sugar normally displays the top six modules shown in the Display Modules list of your user preferences with the remaining displayed modules grouped under the More tab. For more information on displayed modules for the navigation bar, please refer to the [Layout Options](#) section of the Getting Started documentation.

**Note:** By default, the Contracts module is hidden in Sugar and the system administrator must enable the module via Admin > Display Modules and Subpanels. For more information on displaying modules in Sugar, please refer to the [Developer Tools](#) documentation in the Administration Guide.

Click the tab to access the Contracts list view. You may also click the triangle in the Contracts module tab to display the Actions, Recently Viewed, and Favorites menus. The Actions menu allows you to perform important operations within the module. The [Recently Viewed](#) menu displays the list of contracts you most recently viewed. The [Favorites menu](#) displays the list of contracts you most recently marked as favorites.



The module tab's Actions menu allows you to perform the following operations:

Menu Item	Description
<a href="#">Create Contract</a>	Opens the record view layout to create a new contract.
<a href="#">View Contracts</a>	Opens the list view layout to search and display contracts.
<a href="#">Import Contracts</a>	Opens the import wizard to create or update contracts using external data.


By default, the Contracts module is hidden in Sugar and the system administrator must enable the module via Admin > Display Modules and Subpanels. For more information on displaying modules in Sugar, please refer to the [Developer Tools](#) documentation in the Administration Guide. For more information on module tab menus including other reasons a module may not be included in the menu, see the [User Interface](#) documentation.

## List View Menus

The Contracts [list view](#) displays all contract records and allows for searching and filtering to locate specific contracts. You can view the basic details of each record within the field columns of the list view or click on a contract's name to open the record view. To access a module's list view, simply click the module's tab in the navigation bar at the top of any Sugar page.

### List View Mass Actions Menu

The Mass Actions menu to the right of the checkbox option in the list header allows you to perform mass actions on all currently selected records. You can use the checkbox on each record's row to select individual contract records or click the checkbox in the list header to select all records displayed on the current set of list view results.





The Mass Actions menu allows you to perform the following operations:

Menu Item	Description
<a href="#">Mass Update</a>	Mass update one or more contracts at a time.
<a href="#">Recalculate Values</a>	Visible only if the module contains fields using <a href="#">Sugar Logic</a> and only to System Administrators or users with Developer-level role access, this option will refresh the selected records' calculated values.
<a href="#">Merge</a>	Merge two or more duplicate contracts.
<a href="#">Delete</a>	Delete one or more contracts at a time.
<a href="#">Export</a>	Export one or more contracts to a CSV file.

<a href="#">Doc Merge</a>	Select or create a DOCX template to merge record data into documents that will be accessible in the Doc Merge widget.
<a href="#">Doc Merge to PDF</a>	Select or create a DOCX, XLSX, or PPTX template to merge record data into PDF documents that will be accessible in the Doc Merge widget.

### List View Record Actions Menu

The Record Actions menu to the far right of each record's row allows you to perform actions on the individual contract directly from the list view.

<input type="checkbox"/>	Contract Name	Account Name	Status	Start	
<input type="checkbox"/>	IT Tech Support for ...	Jungle Systems Inc	Signed	2010-05-15	 
<input type="checkbox"/>	Energy Engines for A...	Draft Diversified Energy Inc	Signed	2010-05-15	Edit
<input type="checkbox"/>	Air Engines for Auto ...	Anytime Air Support Inc	Signed	2010-05-15	Delete
<input type="checkbox"/>	Ion Engines for Auto ...	Income Free Investing LP	Signed	2010-05-15	Doc Merge
<input type="checkbox"/>	IT Tech Support for ...	Income Free Investing LP	Signed	2010-05-15	Doc Merge to PDF

The list view's Record Actions menu allows you to perform the following operations:

Menu Item	Description
<a href="#">Preview</a> (Eye icon)	Preview this contract in the intelligence pane.
<a href="#">Edit</a>	Edit this contract.
<a href="#">Follow</a>	Follow this contract.
<a href="#">Delete</a>	Delete this contract.
<a href="#">Doc Merge</a>	Select or create a DOCX, XLSX, or PPTX template to merge record data into documents that will be accessible in the Doc Merge widget.
<a href="#">Doc Merge to PDF</a>	Select or create a DOCX, XLSX, or PPTX template to merge record data into PDF documents that will be accessible in the Doc Merge widget.

### Record View Actions Menu

The Contracts [record view](#) displays a single contract in full detail including its fields, subpanels of related records, and activity stream. To access a contract's record view, simply click a hyperlinked contract name from anywhere within Sugar. The record view's Actions menu appears on the top right of the page and allows you to perform various operations on the current record.

**Co** IT Tech Support for US Datacenter

Reference C... EMP-9802 Status Signed

Account Name [Jungle Systems Inc](#) Start Date 2010-05

+ Opportuni... End Date 2020-05

+ Type Name Contract Term 3,653

Contract Value \$500,600.01 Company Si... 2010-03

+ Expiration ... Customer Si... 2010-03

Description This is a sub-contract for a very large project.

Actions menu: Share, Find Duplicates, Copy, View Audit Log, Delete, Doc Merge, Doc Merge to PDF

The Actions menu allows you to perform the following operations:

Menu Item	Description
<a href="#">Edit</a>	Edit this contract record.
<a href="#">Share</a>	Share a link to this contract via email.  <b>Note:</b> To send emails through Sugar, users must first configure a default user email account via <a href="#">Emails &gt; Email Settings</a> .
<a href="#">Download PDF</a>	Download the record's information as a PDF file.  <ul style="list-style-type: none"> <li>This menu option is only visible if the administrator has created a PDF template for the Contracts module via Admin &gt; <a href="#">PDF Manager</a>.</li> <li>Clicking on this menu item will expand and contract the menu to reveal or hide the available PDF templates.</li> </ul>
<a href="#">Email PDF</a>	Email the record's information as a PDF

	<p>attachment.</p> <ul style="list-style-type: none"> <li>• This menu option is only visible if the administrator has created a PDF template for the Contracts module via Admin &gt; <a href="#">PDF Manager</a>.</li> <li>• Clicking on this menu item will expand and contract the menu to reveal or hide the available PDF templates.</li> </ul> <p><b>Note:</b> To send emails through Sugar, users must first configure a default user email account via <a href="#">Emails &gt; Email Settings</a>.</p>
<a href="#">Find Duplicates</a>	Locate potential duplicates of this contract record.
<a href="#">Copy</a>	Duplicate this record to create a new contract.
<a href="#">View Audit Log</a>	View a record of changes to this contract record.
<a href="#">Delete</a>	Delete this contract.
<a href="#">Doc Merge</a>	Select or create a DOCX, XLSX, or PPTX template to merge record data into documents that will be accessible in the Doc Merge widget.
<a href="#">Doc Merge to PDF</a>	Select or create a DOCX, XLSX, or PPTX template to merge record data into PDF documents that will be accessible in the Doc Merge widget.

## Common Views and Actions

In the table below, the left column contains links to the User Interface page covering topics that are applicable to all Sidecar modules. The right column has links to sections of the current page that cover topics specific to contracts.

General Instructions for Working With Sugar Modules	Contracts-Specific Instructions
Use the links below to navigate to the User Interface page that covers topics generic to many Sugar modules.	When Contracts-specific help exists for each topic, use the links below to navigate to sections of the current page.

<a href="#">Creating Records</a>	
<a href="#">Viewing Records</a>	
<a href="#">Searching for Records</a>	
<a href="#">List View</a>	<a href="#">List View Mass Actions Menu</a> <a href="#">List View Record Actions Menu</a>
<a href="#">Record View</a>	<a href="#">Record View Actions Menu</a>
<a href="#">Intelligence Pane</a>	
<a href="#">Editing Records</a>	
<a href="#">Deleting Records</a>	
<a href="#">Exporting Records</a>	
<a href="#">Recalculating Calculated Values</a>	
<a href="#">Finding Duplicate Records</a>	
<a href="#">Merging Records</a>	
<a href="#">Viewing Record Audit Logs</a>	
<a href="#">Record PDFs</a>	
<a href="#">Favoriting Records</a>	
<a href="#">Following Records</a>	
<a href="#">Sharing Records</a>	

## Documents

### Overview

Sugar's Documents module gives your users a way to access and update company-specific files. You can create a library of documents and graphics that you can share with other users and contacts, ranging from marketing collateral, contracts, internal policies, and customer-distributed content. There are various ways you can create documents in Sugar such as via the Documents module and via the quick-create menu. Once the document record is created, you can view and edit information pertaining to the document via the Documents record view. Each document record may then relate to other Sugar records such as accounts, contacts, and many others. This documentation will cover information and actions specific to the Documents module. For instructions concerning views and actions that are common across most Sugar modules, such as creating, editing, and deleting documents, please refer to the [Working With Sugar Modules](#) section of this page.

### Document Fields

---

The Documents module contains a number of stock fields that come out-of-the-box with Sugar. For information on using and editing various field types, refer to the [User Interface](#) documentation. The definitions below are suggested meanings for the fields, but the fields can be leveraged differently to best meet your organization's needs. Administrators or users with developer-level role access have the ability to alter, add, or remove fields via Admin > Studio. For more information on configuring fields, please refer to the [Studio](#) documentation in the Administration Guide.

Field	Description
Assigned To	The Sugar user assigned to the document.
Category	Primary category for locating documents.
Description	A description or other information about the document.
Document Name	The name or designation of the Document (Defaults to the filename of the Document).
Document Type	The type of the Document (e.g., NDA, Mail Merge, License Agreement, etc.).
Expiration Date	The date the Document expires.
File Name	Click "Choose File" to navigate to the location to upload a Document.
Integration Sync ID	The sync key field used by external integrations to identify Sugar records in the external application. See the <a href="#">Integrate REST API endpoints</a> in the Developer Guide for more details on how to use this field.
Is a Template	Classifies a Document as a template. <b>Note:</b> This is a legacy field that was previously used in conjunction with deprecated functionality.
Last Revision Create Date	The date the last revision related to the document record was created.
Publish Date	The date the Document is published (Defaults to today).
Related Document	A Document record that is related to this document.
Related Document Revision	The related document's current revision.

Revision	The most recent revision number for the document. <b>Note:</b> The Revision field becomes read-only after the initial save.
Source	Where the Document is stored (i.e, Sugar, Google, IBM SmartCloud, etc.).
Status	The current status of the document (e.g., Active, Draft, Expired, etc.).
Sub Category	Secondary category for locating documents.
Tags	User-created keywords that can be used to identify records in filters, dashlets, and reports. <b>Note:</b> For more information on creating and using tags, please refer to the <a href="#">Tags</a> documentation.
Teams	The Sugar team(s) assigned to the document record.

## Documents and Google Drive

Sugar comes with Google Docs (Google Drive) integration by default. In order to be able to create a document in Sugar from a Google doc in your Google Drive you will first need to link your Google account with your user profile in Sugar. For more information on setting up external accounts in your user profile, please refer to the [Getting Started](#) documentation.

### Creating via Google Drive

Users have the ability to create a Sugar document linked to a document stored in their Google Drive or Google Docs. In addition, you can upload documents from your local computer to these external sources (e.g., Google Drive).

Use the following steps to create a Sugar document linked to a document stored in Google Drive via the Documents module:

1. Click the triangle in the Documents module tab to open the actions menu and select "Create Document".
2. Select "Google Drive" in the Source field, and the External Source option will appear below the File Name field's Browse button.

Do  Cancel Save »

File Name  No file selected. Source

Tags

Status  Revision

**Note:** If Google Docs is not an option in the Source dropdown, then you most likely need to connect your Sugar account to your Google Id through your user profile. For more information on how to connect to your Google Id in Sugar, please refer to the [Getting Started](#) documentation

3. To upload documents to Google Drive, click the Browse button in the File Name field to select a file from your local computer. For more information on supported file types, please refer to this [Google Drive](#) help article on the Google Help website.
4. Alternatively, you can link Google Drive documents to the Documents module by toggling the "Upload to external source" option to reveal the "Link from external source" option.

Do  Cancel Save »

File Name  No file selected. Source

5. Click the Browse button in the File Name field, and a pop-up window will appear showing the 20 most recently modified documents in your Google Drive.




**Note:** This will only show documents owned by you in your Google Drive, and will show documents from all folders in your drive.

6. Use the Search box to locate a specific document then select the document by clicking on the document's file name.

#### Document Search

File Name:

The first 20 most recently modified files are displayed in descending order in the list below. Use the Search to find other files.

File Name	Date
<a href="#">Team Info.docx</a> 	2021-06-23T15:58:43.198Z
<a href="#">Template - License Agreement</a> 	2021-06-23T15:46:43.588Z
<a href="#">Product Launch</a> 	2021-06-23T15:46:11.598Z

7. Enter appropriate values for the remaining [fields](#) in the record view layout. All required fields are marked with a red asterisk and must be completed prior to saving.
8. Once the necessary information is entered, click "Save".

---

Do

Name

US Terms Agreement

Cancel

Save

»

File Name

US Terms Agreement.docx X

Source

Google Drive

Tags

Status

Active

▼

Revision

1

**Note:** Documents that link to an external account (e.g., Google Docs, IBM Smart Cloud) cannot be used as attachments in emails composed through the Sugar Email Client.

## Documents and Cloud Drive Integration

The [Cloud Drive dashlet](#) enables you to convert a document in a cloud drive (Google Drive or Microsoft OneDrive) to a Sugar document in a couple of clicks. In the Cloud Drive dashlet, click the arrow next to the document that you want to convert, and select "Create Sugar Document". The document will be created as a new document record in the Documents module.

## Document Revisions

Users can easily revise documents in Sugar by creating revision records via the Document Revisions subpanel. The subpanel lists all the document revisions for the parent document record and sorts the records in descending order by the revision number by default. Each revision retains a copy of the uploaded document in that revision, which allows users to easily look back at the history of the document to compare revisions. Please note that this does not work as expected with external documents (e.g., Google Docs, IBM Smart Cloud) as these documents are not stored in Sugar, and only a link to the document exists. To retain the change history, either utilize Google Doc's change features or select a different document for every revision.

DR DOCUMENT REVISIONS (2) <div>+</div>					
	File	Revision	Created by	Change Log	
☆	<a href="#">US Terms Agreement (Signed Copy).docx</a>	2	<a href="#">Administrator</a>	Updating the doc with a new file	<div></div>
☆	<a href="#">US Terms Agreement.docx</a>	1	<a href="#">Administrator</a>	Document Created	<div></div>

To create a revision of the document you are currently viewing, simply click the Create button on the Document Revisions subpanel. The document revision record's name will be automatically populated with the parent document's name. The Revision field will also be automatically populated with the latest revision number plus one, but the value can be modified. If you skip numbers in the

Revision field, Sugar will not go back and fill in the missing numbers when additional revisions are created. Please note that the Revision field will become read-only once the document revision record is saved. You can upload a new file for the document, and enter a short description of the change being made for the revision in the Change Log field. Once you have entered the necessary information, click "Save" to preserve your changes.

The screenshot shows the 'US Terms Agreement' document revision form. At the top, there's a header with 'DR' in a circle, the document name 'US Terms Agreement', and 'Cancel' and 'Save' buttons. The 'Latest Revision' is 2. The 'Revision' field is a text input containing '3'. The 'File' field has a 'Browse' button and the text 'No file selected.'. The 'Source' is a dropdown menu set to 'Sugar'. The 'Change Log' is a large text area. The 'Date Created' is followed by 'by'.

**Note:** When the parent document record is deleted in Sugar, all document revisions related to that document will be deleted as well.

## Downloading Documents

[Exporting](#) a document from Sugar will only export the document record with the metadata about the document, but the document itself will not be included in the export. In order to download a document from the Documents module, simply click on the File Name link in the list view or the record view and the document will be downloaded to your computer. If the document is linked to an external source (e.g., Google Docs, IBM Smart Cloud), then the file name link will open directly to the doc via a new window or browser tab.

From Documents list view:

Documents (4)			
Filter <span>▼</span> <span>Build Filter</span> Search by document name...			
<input type="checkbox"/> <span>▼</span>	Name	File	Source
<input type="checkbox"/> ☆	<a href="#">US Terms Agreement</a>	<a href="#">US Terms Agreement.docx</a>	Sugar
<input type="checkbox"/> ☆	<a href="#">Q221 Expense Report</a>	<a href="#">Q221 Expense Report.xlsx</a>	Sugar

From Documents record view:

---

Do

US Terms Agreement ☆

< > Edit ▾

File Name

US Terms Agreement.docx

Source

Sugar

+ Tags

Status

Active

Revision

1

## Working With Sugar Modules


While the Documents module has some features that only apply to documents, it also uses the Sidecar user interface that most Sugar modules are based on. The following sections detail menus, views, and actions common to Sidecar modules and contain links to additional information within the page or links to the [User Interface](#) documentation.

### Document Menus

The Documents module contains various options and functionality that are available via menus in the module tab, list view, and record view. The following sections present each menu and its options with links to more information about each option in the [User Interface](#) documentation or, for Documents-specific functionality, within this page.

#### Module Tab Menus

The Documents module tab is typically located on the navigation bar at the top of any Sugar screen. Click the tab to access the Documents list view. You may also click the triangle in the Documents tab to display the Actions, Recently Viewed, and Favorites menus. The Actions menu allows you to perform important operations within the module. The [Recently Viewed menu](#) displays the list of documents you most recently viewed. The [Favorites menu](#) displays the list of documents you most recently marked as favorites.



The module tab's Actions menu allows you to perform the following operations:

Menu Item	Description
<a href="#">Create Document</a>	Opens the record view layout to create a new document.
<a href="#">View Documents</a>	Opens the list view layout to search and display documents.


For more information on module tab menus including reasons a module may not be included in the menu, see the [User Interface](#) documentation.

## List View Menus

The Documents [list view](#) displays all document records and allows for searching and filtering to locate specific documents. You can view the basic details of each record within the field columns of the list view or click a document's name to open the record view. To access a module's list view, simply click the module's tab in the navigation bar at the top of any Sugar page.

### List View Mass Actions Menu

The Mass Actions menu to the right of the checkbox option in the list header allows you to perform mass actions on all currently selected records. You can use the checkbox on each record's row to select individual document records or click the checkbox in the list header to select all records displayed on the current set of list view results.





The Mass Actions menu allows you to perform the following operations:

Menu Item	Description
<a href="#">Mass Update</a>	Mass update one or more documents at a time.
<a href="#">Merge</a>	Merge two or more duplicate documents.
<a href="#">Delete</a>	Delete one or more documents at a time. <b>Note:</b> All document revisions related to the parent document record will be deleted when the document is deleted.
<a href="#">Export</a>	Export one or more documents to a CSV file.
<a href="#">Recalculate Values</a>	Visible only if the module contains fields using <a href="#">Sugar Logic</a> and only to System Administrators or users with Developer-level role access, this option will refresh the selected records' calculated values.
<a href="#">Doc Merge</a>	Select or create a DOCX template to merge record data into documents that will be accessible in the Doc Merge widget.
<a href="#">Doc Merge to PDF</a>	Select or create a DOCX, XLSX, or PPTX template to merge record data into PDF documents that will be accessible in the Doc Merge widget.

### List View Record Actions Menu

The Record Actions menu to the far right of each record's row allows you to perform actions on the individual document directly from the list view.

<input type="checkbox"/>	<input type="checkbox"/>	Name	File	Source	
<input type="checkbox"/>	☆	Q122 Expense Report	Expense Report.docx	Sugar	 
<input type="checkbox"/>	☆	Internal Sales Process	Sales Process.docx		
<input type="checkbox"/>	☆	Welcome Letter	Welcome Letter.docx		
<input type="checkbox"/>	☆	US Terms Agreement	US Terms Agreement.docx		


Edit  
Delete  
Doc Merge  
Doc Merge to PDF

The list view's Record Actions menu allows you to perform the following operations:

Menu Item	Description
<a href="#">Preview</a> (Eye icon)	Preview this document in the intelligence pane.
<a href="#">Edit</a>	Edit this document.
<a href="#">Delete</a>	Delete this document. <b>Note:</b> All document revisions related to the parent document record will be deleted when the document is deleted.
<a href="#">Doc Merge</a>	Select or create a DOCX, XLSX, or PPTX template to merge record data into documents that will be accessible in the Doc Merge widget.
<a href="#">Doc Merge to PDF</a>	Select or create a DOCX, XLSX, or PPTX template to merge record data into PDF documents that will be accessible in the Doc Merge widget.

## Record View Actions Menu

The Documents [record view](#) displays a single document in full detail including its fields and subpanels of related records. To access a document's record view, simply click a hyperlinked document name from anywhere within Sugar. The record view's Actions menu appears on the top right of the page and allows you to perform various operations on the current record.



The Actions menu allows you to perform the following operations:

Menu Item	Description
<a href="#">Edit</a>	Edit this document.
<a href="#">Share</a>	Share a link to this document via email.
<a href="#">Copy</a>	Duplicate this document. <b>Note:</b> Only the last document revision record related to the original document will copy over to the new document, and the "Change Log" will display "Document Created".
<a href="#">Find Duplicates</a>	Locate potential duplicates of this document.
<a href="#">Delete</a>	Delete this document. <b>Note:</b> All document revisions related to the current document will be deleted when the document record is deleted.
<a href="#">Doc Merge</a>	Select or create a DOCX, XLSX, or PPTX template to merge record data into documents that will be accessible in the Doc Merge widget.
<a href="#">Doc Merge to PDF</a>	Select or create a DOCX, XLSX, or PPTX template to merge record data into PDF documents that will be accessible in the Doc Merge widget.

## Documents Subpanel

The Documents [subpanel](#) displays Sugar documents that are related to the current record. You can sync these records to the Cloud Drive dashlet or send them to

---

DocuSign for electronic signature.

You can sync either all records in the subpanel or specific records to your cloud drive. Note that you must have the corresponding [Cloud Drive dashlet](#) present on the record view to use these options. You can click the Actions menu in the top right corner of the dashlet and choose "Sync All To Google Drive" or "Sync All To OneDrive" to sync all documents in the subpanel to the corresponding system. You can also select the Actions menu to the right of a specific Sugar document and select "Sync To Google Drive" or "Sync To OneDrive" to sync only that record. Records are always synced to the folder that is currently displayed in the corresponding dashlet and the sync is a one-time action.

Using the [integration to DocuSign](#), you can send documents from the Documents subpanel to DocuSign by clicking the Actions menu to the right of a specific Sugar document and selecting "Send to DocuSign". This action will open DocuSign's website where you can manage the recipients and the workflow.

## Common Views and Actions

In the table below, the left column contains links to the User Interface page covering topics that are applicable to all Sidecar modules. The right column has links to sections of the current page that cover topics specific to documents.

General Instructions for Working With Sugar Modules	Documents-Specific Instructions
Use the links below to navigate to the User Interface page that covers topics generic to many Sugar modules.	When Documents-specific help exists for each topic, use the links below to navigate to sections of the current page.
<a href="#">Creating Records</a>	<a href="#">Creating via Google Docs</a>
<a href="#">Viewing Records</a>	
<a href="#">Searching for Records</a>	
<a href="#">List View</a>	<a href="#">List View Mass Actions Menu</a> <a href="#">List View Record Actions Menu</a>
<a href="#">Record View</a>	<a href="#">Record View Actions Menu</a>
<a href="#">Intelligence Pane</a>	
<a href="#">Editing Records</a>	
<a href="#">Deleting Records</a>	
<a href="#">Exporting Records</a>	
<a href="#">Recalculating Calculated Values</a>	
<a href="#">Finding Duplicate Records</a>	
<a href="#">Merging Records</a>	

---

<a href="#">Favoriting Records</a>	
<a href="#">Following Records</a>	
<a href="#">Sharing Records</a>	

## Shifts

### Overview

The Shifts module and its supporting module, Shift Exceptions, allow you to define the working hours of your employees. Shifts represent the hours during which users are available and shift exceptions represent the times when they are not, for reasons like time off or team events. When used in conjunction with [SugarBPM's round-robin capabilities](#), these modules ensure that round-robin assigned records are only given to users who are currently available and have enough time to do the required work.

For instructions concerning views and actions which are common across most Sugar modules, such as creating, editing, and deleting shift and shift exception records, please refer to the [Working With Sugar Modules](#) section of this page.

Please note that you will only be able to see shift and shift exception records as allowed by your [license type](#), [team membership](#), [assigned roles](#), and [user access type](#). For more information, please refer to the referenced documentation in the Administration Guide.

### Shift Fields

The Shifts module contains a number of stock fields that come out-of-the-box with Sugar. For information on using and editing various field types, refer to the [User Interface](#) documentation.

Field	Description
Description	A description of this shift.
Time Zone	The time zone in which the shift hours are set.
Start Date	The date this shift takes effect.
End Date	The last date this shift is active.
Days	The hours of each day users working this shift are available. <b>Note:</b> For more information, refer to the <a href="#">Creating Shifts</a> section.

Teams	The Sugar team(s) assigned to the shift record. These teams are assigned to the record itself and do not necessarily work the hours specified by the shift. Only <a href="#">users added via the Users subpanel</a> work the shift.
Assigned To	The Sugar user assigned to the shift record. This user is the owner of the record itself and does not necessarily work the hours specified by the shift. Only <a href="#">users added via the Users subpanel</a> work the shift.
Tags	User-created keywords that can be used to identify records in filters, dashlets, and reports. <b>Note:</b> For more information on creating and using tags, please refer to the <a href="#">Tags</a> documentation.
Date Created	The date the shift record was created.
Date Modified	The date the shift record was last modified.
Integration Sync ID	The sync key field used by external integrations to identify Sugar records in the external application. See the <a href="#">Integrate REST API endpoints</a> in the Developer Guide for more details on how to use this field. <b>Note:</b> This field is not visible in the user interface.

## Shift Exception Fields

The Shift Exceptions module contains a number of stock fields that come out-of-the-box with Sugar. For information on using and editing various field types, refer to the [User Interface](#) documentation.

Field	Description
Description	A description of this shift exception.
Time Zone	The time zone in which the shift exception hours are set.
Type	The type of shift exception (e.g., Time Off).

All Day	Indicates if the shift exception lasts an entire day or days.
Start Date	The date this shift exception takes effect.
End Date	The last date this shift exception is active.
Start Time	Only displayed if "All Day" is not checked. The time of day this shift exception takes effect.
End Time	Only displayed if "All Day" is not checked. The time of day this shift exception ends.
Enabled	If the shift exception is enabled, it will be used in user availability calculations in <a href="#">SugarBPM</a> and appear in the <a href="#">Upcoming Exceptions dashlet</a> .
Teams	The Sugar team(s) assigned to the shift exception record.
Assigned To	The Sugar user assigned to the shift exception record.
Tags	User-created keywords that can be used to identify records in filters, dashlets, and reports. <b>Note:</b> For more information on creating and using tags, please refer to the <a href="#">Tags</a> documentation.
Date Created	The date the shift exception record was created.
Date Modified	The date the shift exception record was last modified.

## Creating Shifts

Shifts represent the working hours of employees in your organization and can be used in various ways to manage your workforce. In particular, the work hours specified on a shift can be used in SugarBPM to assign records only to users who are currently working. See the [Process Definitions](#) documentation in the Administration Guide for more details.

Shifts are defined by the working hours set in the Days panel, which are specified in the time zone set on the shift record. In addition, the defined working hours only apply during the time between the start date and end date set on the shift.

---

Therefore, the Time Zone, Start Date, and End Date field must all be filled in when creating a new shift.

The hours on a shift represent which hours of the day users in this shift work. To set the hours, navigate to the Days panel on a shift's record view. First, enable the checkbox next to the days of the week to which this shift applies and then fill in the Start Time and End Time for each of those days. "Start Time" and "End Time" are only required if that day of the week has been enabled.

## Adding Users to Shifts

Once you have created a shift record, you can add users to it in the Users subpanel. Relating a user to a shift indicates that this user works the hours specified by the shift. Note that you cannot add users at the time of creation; you must first save the shift and then add the users to the newly created record.

## Creating Shift Exceptions

Shift exceptions represent exceptions to users' working hours, such as for time off or a team event. If an admin is using SugarBPM to assign records based on users' availability, shift exceptions are also used to mark users as unavailable for a period of time when they would normally be working. See the [Process Definitions](#) documentation in the Administration Guide for more details.

The following are some possible examples of what shift exceptions could be used to track:

- Paid time off (PTO)
- Annual leave
- Paid holidays
- Team events (e.g., training, team building)

To access the Shift Exceptions module, open the Shifts module tab menu and choose either "View Shift Exceptions" to access list view, or "Create Shift Exception" to start creating a new shift exception record. The Shifts list view also has an [Upcoming Exceptions dashlet](#) by default in its intelligence pane.

Shift exceptions are defined by a start date and end date. If the All Day checkbox is unchecked, then the Start Time and End Time fields are also required and are set in the time zone specified on the record. Shift exceptions are only active when the Enabled checkbox is checked; if a shift exception is not enabled, it is not included in availability calculations in SugarBPM. The Enabled field can also be used to indicate if the shift exception has been approved by a manager. To do this, you may wish to restrict the field to only roles that are permitted to approve shift exceptions. See the [Role Management](#) documentation in the Administration Guide

---





for more information.

## Adding Users to Shift Exceptions

Once you have created a shift exception record, you can add users to it in the Users subpanel. Relating a user to a shift exception indicates that the shift exception applies to this user. Note that you cannot add users at the time of creation; you must first save the shift exception and then add the users to the newly created record.

## Upcoming Exceptions Dashlet

The Upcoming Exceptions dashlet is shown by default on the intelligence pane in the Shifts list view. It lists all enabled shift exceptions that do not occur in the past; this offers the ability to see a summary of upcoming shift exceptions that will impact your employees' working hours.

Upcoming Exceptions  		
Name 	Start Date 	End Date
<a href="#">Will's Appointment</a>	2020-06-26	2020-06-26
<a href="#">Team-Building Event</a>	2020-07-01	2020-07-01
<a href="#">Vacation</a>	2020-07-03	2020-07-18

## Managing Your Workforce

When used in conjunction, the Shifts and Shift Exceptions modules allow you to define your employees' work schedules with as much granularity as you need. Shifts represent the times when the related users are working, and in the same way, shift exceptions represent the times when their related users are not. As a result, infrequent and irregular exceptions to the shifts you have defined can be easily handled with shift exceptions so that you do not have to update the shifts themselves.

These modules can be used by SugarBPM to consider users' availability, as defined by their shifts and any shift exceptions or holidays that may overlap these shifts, when assigning records. See the [Process Definitions](#) documentation in the Administration Guide for more details on how this works in SugarBPM.

## Viewing Users' Shifts and Shift Exceptions

There are several ways to see the work schedule of a specific user. First, the Shifts

---

and Shift Exceptions subpanels are displayed on the Employees record view showing all shifts and shift exceptions to which the user is related. This allows you to see all of the working hours and exceptions to these hours in one place. In addition, administrators can see these same subpanels on the Users detail view. See the [Employees](#) page in the Application Guide and the [User Management](#) page in the Administration Guide for more details.

Reports can also be used to see an overview of your organization's shifts and shift exceptions, including which shifts or shift exceptions a user has. For example, you may wish to create a report that shows users and the shifts they work for a view of the overall shift schedule in Sugar. Likewise, you could create a report to see the historical or upcoming shift exceptions for your employees, or only those that are not enabled and may be awaiting manager approval. Refer to the [Reports](#) documentation for details on creating reports.

## Working With Sugar Modules

While the Shifts and Shift Exceptions modules have some features that only apply to these modules, they also use the Sidecar user interface that most Sugar modules are based on. The following sections detail menus, views, and actions common to Sidecar modules and contain links to additional information within the page or links to the User Interface documentation.


### Shift and Shift Exceptions Menus

The Shifts and Shift Exceptions modules contain various options and functionality that are available via menus in the module tab, list view, and record view. The following sections present each menu type, using the Shifts module as an example, and its options with links to more information about each option in the User Interface documentation.

#### Module Tab Menus

The Shifts module tab is typically found by clicking the "More" icon represented by three vertical dots to the right of the module tabs on the navigation bar at the top of any Sugar screen. The additional modules will appear on the list and you can click "Shifts" to access the list view.

Once the Shifts tab displays on the navigation bar, click the triangle within the tab to display the Actions, Recently Viewed, and Favorites menu. The Actions menu allows you to perform important actions (e.g., create a shift or access the Shift Exceptions module). The [Recently Viewed menu](#) displays the last few shifts you recently opened. The Favorites menu displays the last few shifts you most recently marked as favorites; for information about favoriting records in Sugar, please refer to the [User Interface](#) documentation.



The Actions menu allows you to perform the following operations:

Menu Item	Description
Create Shift	Opens the record view layout to create a new shift record.
View Shifts	Opens the list view layout to search and display shift records.
Create Shift Exception	Opens the Shift Exceptions record view layout to create a new shift exception.
View Shift Exceptions	Opens the Shift Exceptions list view layout to search and display shift exceptions.

For more information on module tab menus including reasons a module may not be included in the menu, see the [User Interface](#) documentation.


## List View Menus

The Shifts [list view](#) displays all shift records and allows for searching and filtering to locate specific shifts. You can view the basic details of each record within the field columns of the list view or click a shift's name to open the record view. To access a module's list view, simply click the module's tab in the navigation bar at the top of any Sugar page.

### List View Mass Actions Menu

The Mass Actions menu to the right of the checkbox option in the list header allows you to perform mass actions on all currently selected records. You can use the checkbox on each record's row to select individual shift records or click the

checkbox in the list header to select all records displayed on the current set of list view results.




The Mass Actions menu allows you to perform the following operations:

Menu Item	Description
<a href="#">Mass Update</a>	Mass update one or more shift records at a time.
<a href="#">Merge</a>	Merge two or more duplicate shift records.
<a href="#">Delete</a>	Delete one or more shift records at a time.
<a href="#">Export</a>	Export one or more shift records' data to a CSV file.
<a href="#">Doc Merge</a>	Select or create a DOCX, XLSX, or PPTX template to merge record data into documents that will be accessible in the Doc Merge widget.
<a href="#">Doc Merge to PDF</a>	Select or create a DOCX, XLSX, or PPTX template to merge record data into PDF documents that will be accessible in the Doc Merge widget.

#### List View Record Actions Menu

The Record Actions menu to the far right of each record's row allows you to perform actions on a shift record directly from the list view.




The options in the Record Actions menu allow you to perform the following operations:

Menu Item	Description
<a href="#">Preview</a> (eye icon)	Preview this record in the intelligence pane.
<a href="#">Edit</a>	Edit this record.
<a href="#">Delete</a>	Delete this record.
<a href="#">Doc Merge</a>	Select or create a DOCX, XLSX, or PPTX template to merge record data into documents that will be accessible in the Doc Merge widget.
<a href="#">Doc Merge to PDF</a>	Select or create a DOCX, XLSX, or PPTX template to merge record data into PDF documents that will be accessible in the Doc Merge widget.

## Record View Actions Menu

The Shifts [record view](#) displays a single shift record in full detail including its relevant fields and subpanels of related records. To access a shift's record view, simply click on the shift's name from the list view, dashlet, or report results. The record view's Actions menu appears on the top right of the page and allows you to perform various operations on the current record.



The Actions menu allows you to perform the following operations:

Menu Item	Description
<a href="#">Edit</a>	Edit this record.
<a href="#">Share</a>	Share a link to this record via email.
<a href="#">Find Duplicates</a>	Locate potential duplicates of this shift.
<a href="#">Copy</a>	Duplicate this shift to create a new shift record.
<a href="#">View Audit Log</a>	View a list of changes that have been made to this shift record.
<a href="#">Delete</a>	Delete this record.
<a href="#">Doc Merge</a>	Select or create a DOCX, XLSX, or PPTX template to merge record data into documents that will be accessible in the Doc Merge widget.
<a href="#">Doc Merge to PDF</a>	Select or create a DOCX, XLSX, or PPTX template to merge record data into PDF documents that will be accessible in the Doc Merge widget.

## Common Views and Actions

In the table below, the left column contains links to the User Interface page covering topics that are applicable to all Sidecar modules. The right column has links to sections of the current page that cover topics specific to shifts and shift exceptions.

--	--

<b>General Instructions for Working With Sugar Modules</b>	<b>Shifts- and Shift-Exceptions-Specific Instructions</b>
Use the links below to navigate to the User Interface page which covers topics generic to many Sugar modules.	When Shifts- or Shift-Exceptions-specific help exists for each topic, use the links below to navigate to sections of the current page.
<a href="#">Creating Records</a>	<a href="#">Creating Shifts</a> <a href="#">Creating Shift Exceptions</a>
<a href="#">Viewing Records</a>	
<a href="#">Searching for Records</a>	
<a href="#">List View</a>	<a href="#">List View Mass Actions Menu</a> <a href="#">List View Record Actions Menu</a>
<a href="#">Record View</a>	<a href="#">Record View Actions Menu</a>
<a href="#">Intelligence Pane</a>	
<a href="#">Editing Records</a>	
<a href="#">Deleting Records</a>	
<a href="#">Finding Duplicate Records</a>	
<a href="#">Viewing Audit Logs</a>	
<a href="#">Favoriting Records</a>	
<a href="#">Sharing Records</a>	

## Escalations

### Overview

Sugar's Escalations module contains records representing the escalation of another module's record (e.g., an account). The record could be escalated for a variety of reasons such as inactivity or being at risk, but escalations allow you to bring extra attention to this record and track all interactions and work that is done to resolve the issue. Set the escalation's "Related To" flex-relate field to the record that is being escalated; this will cause an Escalated badge to be displayed on the selected record so users can easily see that it is currently escalated. You can also add other records that are relevant to the escalation in the subpanels (e.g., calls that take place to resolve the escalation).

The following modules can be escalated: Accounts, Bugs, and Cases.

---

This documentation covers information and actions specific to the Escalations module. For instructions concerning views and actions that are common across most Sugar modules, such as creating, editing, and deleting messages, please refer to the [Working With Sugar Modules](#) section of this page.

Please note that you will only be able to see escalation records as allowed by your [license type](#), [team membership](#), [assigned roles](#), and [user access type](#). For more information, please refer to the referenced documentation in the Administration Guide.

## Escalation Fields


The Escalations module contains a number of stock fields that come out of the box with Sugar. For information on using and editing various field types, refer to the [User Interface](#) documentation. The definitions below are suggested meanings for the fields, but the fields can be leveraged differently to best meet your organization's needs. Administrators or users with developer-level role access have the ability to alter, add, or remove fields via Admin > Studio. For more information on configuring fields, please refer to the [Studio](#) documentation in the Administration Guide.

Field	Description
Assigned To	The Sugar user assigned to the escalation.
Comment Log	A shared log of messages, comments, or other text, including the name of the user that added the log entry and the date and time it was added. It is possible to tag other users and link to other Sugar records in Comment Log entries by inserting a clickable pill; see the <a href="#">User Interface</a> documentation for more details.
Date Created	The date the escalation was created.
Date Modified	The date the escalation was last modified.
Description	A description of this escalation.
Integration Sync ID	The sync key field used by external integrations to identify Sugar records in the external application. See the <a href="#">Integrate REST API endpoints</a> in the Developer Guide for more details on how to use this field.

Number	An automatically incremented number to identify every escalation, which cannot be edited through Sugar.
Reason	The reason the selected record was escalated.
Related To	The record that is being escalated (e.g., an account).
Related Type	The type of record that is being escalated (e.g., "Accounts"). <b>Note:</b> This field is only available as an individual field on list view, in subpanels, in reports, and in <a href="#">SugarBPM</a> . In other views, such as record view, you can find the value of this field by looking at the field label of the Related To field when it is populated with a record.
Source	The source of the escalation (e.g., "Internally Requested").
Status	The status of the escalation (e.g., "In Progress").
Subject	The subject or title of the escalation.
Tags	User-created keywords that can be used to identify records in filters, dashlets, and reports. <b>Note:</b> For more information on creating and using tags, please refer to the <a href="#">Tags</a> documentation.
Teams	The Sugar team(s) assigned to the escalation record.


## Escalating Records

There are several ways to escalate an account, bug, or case: you can either create an escalation record in the same way you create other records in Sugar or you can select the Escalate option on the record you wish to escalate. See the [User Interface](#) page for details on creating records on Sugar. To escalate a record, navigate to its [record view](#) or [Record View dashlet](#) and open the Actions menu to find the Escalate option. Note that it is only available if the Escalations module and subpanel are displayed in your instance and you have the necessary role access to the Escalations module. See the [Administration Guide](#) for details on displaying and hiding modules and subpanels.




Clicking this option opens a Create drawer with the target record already set in the Related To field so you can fill in the remaining details of the escalation. After you save, refresh the view to see the Escalated badge at the top of record view or, if configured by an admin, in the dashlet:

- Record view:



- Record View dashlet:



The badge is also shown at the top of the record's preview and the Escalated field can also be added to list views and List View dashlets. If the escalated record has a related account (i.e., an account's Member Of field or a case's Account Name field), that account is added to the Accounts subpanel on the escalation automatically when the escalation is saved. This means that that escalation will also appear in the account's Other Related Escalations subpanel automatically. Note that if the escalation is then updated to target a different record with a related account, the new account is added but the previous account is not removed.

An account, bug, or case can have multiple open escalations; the Escalated badge is displayed as long as the record has at least one open (i.e., new or in progress) escalation. When the last escalation is closed, the badge is no longer displayed.

# Working With Sugar Modules


While the Escalations module has some features that only apply to escalations it also uses the Sidecar user interface that most Sugar modules are based on. The following sections detail menus, views, and actions common to Sidecar modules and contain links to additional information within the page or links to the User Interface documentation.

## Escalation Menus

The Escalations module contains various options and functionality that are available via menus in the module tab, list view, and record view. The following sections present each menu and its options with links to more information about each option in the User Interface documentation.

### Module Tab Menus

The Escalations module tab is typically found by clicking the arrow to the right of the module tabs on the navigation bar. The additional modules will appear on the list and you can click "Escalations" to access the list view. Once the Escalations tab displays on the navigation bar, you can click the triangle within the tab to display the Actions, Recently Viewed, and Favorites menu. The Actions menu allows you to perform important actions within the module. The [Recently Viewed menu](#) displays the list of escalations you most recently viewed. The [Favorites menu](#) displays the list of escalations you most recently marked as favorites.



The module tab's Actions menu allows you to perform the following operations:

Menu Item	Description

<a href="#">Create Escalation</a>	Opens the record view layout to create a new escalation.
<a href="#">View Escalations</a>	Opens the list view layout to search and display escalations.
<a href="#">Import Escalations</a>	Opens the import wizard to create or update targets using external data.


For more information on module tab menus including reasons a module may not be included in the menu, see the [User Interface](#) documentation.

## List View Menus

The Escalations [list view](#) displays all escalation records and allows for searching and filtering to locate specific escalations. You can view the basic details of each record within the field columns of the list view or click an escalation's subject to open the record view. To access a module's list view, simply click the module's tab in the navigation bar at the top of any Sugar page.

### List View Mass Actions Menu

The Mass Actions menu to the right of the checkbox option in the list header allows you to perform mass actions on all currently selected records. You can use the checkbox on each record's row to select individual escalation records or click the checkbox in the list header to select all records displayed in the current set of



list view results.

The Mass Actions menu allows you to perform the following operations:

Menu Item	Description
<a href="#">Mass Update</a>	Mass update one or more escalations at a time.
<a href="#">Recalculate Values</a>	Visible only if the module contains fields using <a href="#">Sugar Logic</a> and only to System Administrators or users with Developer-

	level role access, this option will refresh the selected records' calculated values.
<a href="#">Merge</a>	Merge two or more duplicate escalations.
<a href="#">Delete</a>	Delete one or more escalations at a time.
<a href="#">Export</a>	Export one or more escalations to a CSV file.
<a href="#">Doc Merge</a>	Select or create a DOCX, XLSX, or PPTX template to merge record data into documents that will be accessible in the Doc Merge widget.
<a href="#">Doc Merge to PDF</a>	Select or create a DOCX, XLSX, or PPTX template to merge record data into PDF documents that will be accessible in the Doc Merge widget.

### List View Record Actions Menu

The Record Actions menu to the far right of each record's row allows you to perform actions on the individual escalation directly from the list view.

<input type="checkbox"/>	▼	Number	Subject	Related Type	Related To	Status	⋮
<input type="checkbox"/>	☆	3	Customer unhappy	Accounts	Ac Anytime ...	New	<div> <input type="checkbox"/> <input type="checkbox"/> </div>
<input type="checkbox"/>	☆	4	Urgent bug fix needed for hi...	Bugs	Bu Fata		<div> Edit Delete Doc Merge Doc Merge to PDF </div>
<input type="checkbox"/>	☆	1	Opportunity losing traction	Opportunities	Op Dave		
<input type="checkbox"/>	☆	5	Max Holdings at risk due to p...	Cases	Cs Need		
<input type="checkbox"/>	☆	2	Case delays	Cases	Cs Need ass...	New	<div> <input type="checkbox"/> <input type="checkbox"/> </div>


The list view's Record Actions menu allows you to perform the following operations:

Menu Item	Description
<a href="#">Preview</a> (Eye icon)	Preview this escalation in the intelligence pane.
<a href="#">Edit</a>	Edit this escalation.
<a href="#">Delete</a>	Delete this escalation.
<a href="#">Doc Merge</a>	Select or create a DOCX, XLSX, or PPTX template to merge record data into

	documents that will be accessible in the Doc Merge widget.
<a href="#">Doc Merge to PDF</a>	Select or create a DOCX, XLSX, or PPTX template to merge record data into PDF documents that will be accessible in the Doc Merge widget.

## Record View Actions Menu

The Escalations [record view](#) displays a single escalation in full detail including its fields, subpanels of related records (if applicable), and activity stream. To access an escalation's record view, simply click a hyperlinked escalation subject from anywhere within Sugar. The record view's Actions menu appears on the top right of the page and allows you to perform various operations on the current record.



The Actions menu allows you to perform the following operations:

Menu Item	Description
<a href="#">Edit</a>	Edit this escalation.
<a href="#">Share</a>	Share a link to this escalation via email.
<a href="#">Download PDF</a>	<p>Download the record's information as a PDF file.</p> <ul style="list-style-type: none"> <li>This menu option is only visible if the administrator has created a PDF template for the Escalations module via Admin &gt; <a href="#">PDF Manager</a>.</li> <li>Clicking on this menu item will expand and contract the menu to</li> </ul>

	reveal or hide the available PDF templates.
<a href="#">Email PDF</a>	<p>Email the record's information as a PDF attachment.</p> <ul style="list-style-type: none"> <li>• This menu option is only visible if the administrator has created a PDF template for the Escalations module via Admin &gt; <a href="#">PDF Manager</a>.</li> <li>• Clicking on this menu item will expand and contract the menu to reveal or hide the available PDF templates.</li> </ul> <p><b>Note:</b> To send emails through Sugar, users must first configure a default user email account via <a href="#">Emails &gt; Email Settings</a>.</p>
<a href="#">Find Duplicates</a>	Locate potential duplicates of this escalation.
<a href="#">Copy</a>	Duplicate this escalation.
<a href="#">View Audit Log</a>	View a record of changes to this escalation.
<a href="#">Delete</a>	Delete this escalation.
<a href="#">Doc Merge</a>	Select or create a DOCX, XLSX, or PPTX template to merge record data into documents that will be accessible in the Doc Merge widget.
<a href="#">Doc Merge to PDF</a>	Select or create a DOCX, XLSX, or PPTX template to merge record data into PDF documents that will be accessible in the Doc Merge widget.

## Common Views and Actions

In the table below, the left column contains links to the User Interface page covering topics that are applicable to all Sidecar modules. The right column has links to sections of the current page that cover topics specific to escalations.

General Instructions for Working With Sugar Modules	Escalations-Specific Instructions
Use the links below to navigate to the	When Escalations-specific help exists for

User Interface page which covers topics generic to many Sugar modules.	each topic, use the links below to navigate to sections of the current page.
<a href="#">Creating Records</a>	<a href="#">Escalating Records</a>
<a href="#">Viewing Records</a>	
<a href="#">Searching for Records</a>	
<a href="#">List View</a>	<a href="#">List View Mass Actions Menu</a> <a href="#">List View Record Actions Menu</a>
<a href="#">Record View</a>	<a href="#">Record View Actions Menu</a>
<a href="#">Intelligence Pane</a>	
<a href="#">Editing Records</a>	
<a href="#">Deleting Records</a>	
<a href="#">Exporting Records</a>	
<a href="#">Favoriting Records</a>	
<a href="#">Sharing Records</a>	

## Cases

### Overview

Sugar's Cases module is used to track and manage customer requests for assistance with products or services. As a case is opened, worked on, and resolved, its progress will be denoted by the Status field. Each case record may relate to other Sugar records such as calls, contacts, and bugs, making it easy to get the full picture of a customer's issues and history. If enabled, contacts can view and open cases via the Sugar Portal along with bugs and knowledge base articles. Cases can also be automatically created from incoming emails, and a case macro can be employed to automatically relate emails to existing cases. This documentation will cover information and actions specific to the Cases module. For instructions concerning views and actions which are common across most Sugar modules, such as creating, editing, and deleting cases, please refer to the [Working With Sugar Modules](#) section of this page.

Users with a Sugar Serve [license type](#) can use the Service Console as their primary case workspace. Service Console is a Home page dashboard that provides a powerful work environment for customer service agents by incorporating SLAs and region-specific business hours, insightful dashlets, and a cohesive case research and action experience. For more information, refer to the [Service Console](#) documentation.

In addition, Sugar Serve provides a [stock SugarBPM™ template](#) that sets case follow-up dates on new and in-progress cases according to your organization's

---

Service Level Agreements (SLAs). It incorporates case and related account fields when calculating follow-up dates as well as sending email notifications and updating the case Status field in certain circumstances. It also updates Case fields that are used to perform first response and resolution calculations. Refer to the [Getting Started With SugarBPM for Sugar Serve](#) and [Stock SugarBPM - Case Follow-Up Date Management](#) articles for help configuring this process definition and your instance to work together.

Please note that you will only be able to see case records as allowed by your team membership, user access type, and assigned roles. For more information on teams and roles, please refer to the [Team Management](#) and [Role Management](#) documentation in the Administration Guide.

## Case Fields

The Cases module contains a number of stock fields that come out-of-the-box with Sugar. For information on using and editing various field types, refer to the [User Interface](#) documentation. The definitions below are suggested meanings for the fields, but the fields can be leveraged differently to best meet your organization's needs. Administrators or users with developer-level role access have the ability to alter, add, or remove fields via Admin > Studio. For more information on configuring fields, please refer to the [Studio](#) documentation in the Administration Guide.

Field	Description
Account Name	The account that submitted the case. <b>Note:</b> In Sugar Serve, information from a case's related account is used by the <a href="#">stock SugarBPM template</a> to calculate the Follow Up Date.
Assigned To	The Sugar user assigned to the case. <b>Note:</b> Case owners receive an email whenever a case is assigned to them if the administrator has enabled email notifications.
Attachments	One or more files attached to the case. <b>Note:</b> The Sugar administrator can specify the maximum file size allowed to be uploaded via Admin > System settings.
Business Center Name	The business center responsible for

	<p>managing this case.</p> <p>During case creation, selecting a related account will cause the Business Center Name field to be populated automatically, on save, with the account's business center. The value can also be manually set. The selected business center is used for business hour calculations. For more information, refer to the <a href="#">Business Centers and Cases</a> section of this page.</p>
Business Hours to First Response <sup>1, 2</sup>	The calculated duration in business hours, using the hours of the case's <a href="#">business center</a> , from the moment the case is created until its First Response Sent field is set to "true". Setting the First Response Sent field to "false" does not clear this field's value, but it is updated each time the First Response Sent field is set to "true".
Business Hours to Resolution <sup>1, 2</sup>	The calculated duration in business hours, using the hours of the case's <a href="#">business center</a> , from the moment the case is created until its Status field is set to "Closed", "Rejected", or "Duplicate". Reopening the case does not clear this field's value, but it is updated each time the case is closed.
Case Number	An automatically incremented number to identify every case, which cannot be edited through Sugar.
Comment Log	A shared log of messages, comments, or other text, including the name of the user that added the log entry and the date and time it was added. It is possible to tag other users and link to other Sugar records in Comment Log entries by inserting a clickable pill; see the <a href="#">User Interface</a> documentation for more details.
Date Created	The date the case was created.
Date Modified	The date the case was last modified.
Description	Explanation of the cause and details of

	the case when submitted.
Escalated	Displayed as a red badge with the text "Escalated" beside the record name in the header and at the top of the preview, this field indicates if the record has an open escalation related to it. If the record is not escalated, the badge is not visible. This field can also be added to other views. See the <a href="#">Escalations</a> page for more details on escalating records.
First Response Actual Time <sup>1, 2</sup>	The date and time the First Response Sent field is set to "true". Setting the First Response Sent field to "false" does not clear this field's value, but it is updated each time the First Response Sent field is set to "true".
First Response Sent <sup>1, 2</sup>	<p>A checkbox that indicates whether or not the first response has been sent to the customer. This field is updated by a <a href="#">stock SugarBPM template</a> when the case's status changes from "New" to anything else. However, the SugarBPM template can be configured to set the field using other criteria if desired (e.g., when a note with a Note Source of "Internal" is related to the case).</p> <p>When this field is set to "true", Sugar updates the following fields:</p> <ul style="list-style-type: none"> <li>• Business Hours to First Response</li> <li>• First Response Actual Time</li> <li>• First Response SLA Met (only if the case's Follow Up Date field has been set)</li> <li>• First Response Target Time (only if the case's Follow Up Date field has been set)</li> <li>• First Response Variance from Target (only if the case's Follow Up Date field has been set)</li> <li>• First Response User</li> <li>• Hours to First Response</li> </ul>

	Setting this field to "false" does not clear the above fields' values, but they are updated each time this field is set to "true".
First Response SLA Met <sup>1, 2</sup>	<p>A dropdown field with possible values of "Yes" and "No"; its value is updated when the First Response Sent field is set to "true". If the first response was sent to the customer before the follow-up date, this field is set to "Yes"; if the first response was sent after the follow-up date, this field is set to "No". The <a href="#">stock SugarBPM template</a> sets this field to "No" if the follow-up date passes before the case's status is updated.</p> <p>Setting the First Response Sent field to "false" does not clear this field's value, but it is updated each time the First Response Sent field is set to "true".</p>
First Response Target Time <sup>1, 2</sup>	The calculated date and time by which the first response must be sent to meet the SLA. This field is set based on the value of the Follow Up Date field at the time the First Response Sent field is set to "true". Setting the First Response Sent field to "false" does not clear this field's value, but it is updated each time the First Response Sent field is set to "true".
First Response Variance from Target <sup>1, 2</sup>	The calculated difference in business hours, using the hours of the case's <a href="#">business center</a> , between the First Response Actual Time and First Response Target Time fields. A negative number indicates that the first response was sent before the target and a positive number indicates that it was sent after. Setting the First Response Sent field to "false" does not clear this field's value, but it is updated each time the First Response Sent field is set to "true".
First Response User <sup>1, 2</sup>	The user the case is assigned to when the First Response Sent field is set to

	"true". Setting the First Response Sent field to "false" does not clear this field's value, but it is updated each time the First Response Sent field is set to "true".
Follow Up Date	The date and time to follow up with the customer. <b>Note:</b> While this value can be manually set, it is automatically set by the stock SugarBPM template included with Sugar Serve. For more information, refer to the <a href="#">Stock SugarBPM Templates</a> documentation.
Hours to First Response <sup>1, 2</sup>	The calculated duration in calendar hours from the moment the case is created until its First Response Sent field is set to "true". Setting the First Response Sent field to "false" does not clear this field's value, but it is updated each time the First Response Sent field is set to "true".
Hours to Resolution <sup>1, 2</sup>	The calculated duration in calendar hours from the moment the case is created until its Status field is set to "Closed", "Rejected", or "Duplicate". Reopening the case does not clear this field's value, but it is updated each time the case is closed.
Integration Sync ID	The sync key field used by external integrations to identify Sugar records in the external application. See the <a href="#">Integrate REST API endpoints</a> in the Developer Guide for more details on how to use this field.
Pending Processing	A system-level checkbox field that is set to true when creating a case via inbound email or relating a case to an inbound email. It is not available in Studio or the user interface and is only available in <a href="#">SugarBPM</a> .
Primary Contact	The primary contact for the case. This field is kept in sync with the Contacts subpanel on the case. As a result, setting the primary contact also adds the contact to the subpanel. Conversely,

	<p>if the Primary Contact field is blank, the first contact that is related to the case is set as the primary contact. Clearing the value of the Primary Contact field unlinks that record from the case and likewise, unlinking the primary contact via the subpanel clears the Primary Contact field.</p> <p>If the case is created via the <a href="#">portal</a>, the Primary Contact field is set to the portal user that created the case.</p>
Priority	The urgency of the problem which, for Sugar Serve, is used by the <a href="#">stock SugarBPM template</a> to calculate the Follow Up Date.
Request Close <sup>1</sup>	Indicates if the customer requested via the portal to have this case closed. This field is read-only. See the <a href="#">Sugar Portal User Guide</a> for more details.
Request Close Date <sup>1</sup>	The date and time the customer requested via the portal to have this case closed. This field is read-only.
Resolution	Results of the investigation into the problem.
Resolved Date	The system-generated date and time that the Status field was set to "Closed", "Rejected", or "Duplicate". If the case is reopened, the Resolved Date field is automatically cleared. If a user manually clears the value, it is not calculated again unless the case is reopened and then subsequently closed again.
Show In Portal	<p>Cases created in Sugar will be visible in the <a href="#">portal</a> by default</p> <p><b>Note:</b> Administrators can have this field disabled by default via Admin &gt; Studio.</p>
Source	This is the method by which the case was submitted. The out-of-the-box values are Internal, Forum, Web, Email, Twitter, Portal, Phone, Chat, and Chatbot. These values should not be changed because some of them are used

	automatically by Sugar. For cases created via the <a href="#">portal</a> , the Source field is automatically set to "Portal". In Sugar Serve, for cases created using the Quick Create menu while in <a href="#">SugarLive</a> , the source is set to "Phone" or "Chat" based on the type of SugarLive session; for cases created via a chatbot in the <a href="#">Sugar Portal Chat</a> , the source is set to "Chatbot".
Status	The current status of the case which, for Sugar Serve, is set by the <a href="#">stock SugarBPM template</a> in some situations
Subject	A brief statement of the problem.
Tags	User-created keywords that can be used to identify records in filters, dashlets, and reports <b>Note:</b> For more information on creating and using tags, please refer to the <a href="#">Tags</a> documentation.
Teams	The Sugar team(s) assigned to the case.
Type	Type of categorization that this case falls into.
Work Log	Freeform field to add activities and notable events while working on the case.

<sup>1</sup> This field's value is only visible to Sugar Serve or Sell users; when this field appears on layouts, users without a supported license type will see a placeholder containing the text "License Required" instead of the field's value. See the [User Management](#) page for more details on license types.

<sup>2</sup> To better understand how all of the case SLA and resolution fields work together, refer to the [Understanding SLA and Case Resolution Calculations](#) article.

## Cases Tile View

Tile View allows users to visualize and engage with their cases in an intuitive drag-and-drop interface. Users can drag a tile from one column to another to change its status.

Cases by Status					
Filter <span>Build Filter</span> Search by subject, number...					
New	Assigned	Closed	Pending Input	Rejected	Duplicate
Warning message when usi... Anytime Air Support Inc Low	Having trouble adding new i... Jungle Systems Inc Medium	Need assistance with large c... Smith & Sons High	Having trouble adding new i... Jungle Systems Inc Medium	Need assistance with large c... Jungle Systems Inc Medium	Need to purchase additional... Smith & Sons Medium
System not responding King Software Inc High	Warning message when usi... Smith & Sons Low	System not responding X-Sell Holdings Low	System not responding Jungle Systems Inc High	Need assistance with large c... Jungle Systems Inc High	Warning message when usi... Smith & Sons Medium

To access Tile View, navigate to the Cases list view and click on the Tile View icon next to the search bar:

Accounts Contacts **Cases** Search

Cases (20 of 21+)

Filter Build Filter Search by subject, number...

Tile View

<input type="checkbox"/>	Num.	Subject	Account Name	Priority	
<input type="checkbox"/> ☆	245	Having troubl...	Jungle System...	Medium	<input type="checkbox"/> <input type="checkbox"/>
<input type="checkbox"/> ☆	244	Need assistan...	Jungle System...	Medium	<input type="checkbox"/> <input type="checkbox"/>

For more information on using the Tile View, refer to the [User Interface](#) documentation. For information on configuring Tile View layouts, refer to the Tile View Settings documentation in the [Administration Guide](#).

## Business Centers and Cases

Business centers represent your company's centers of operation and specify a time zone, operating hours, and holidays so that a concept called "Business Hours" can be leveraged in SugarBPM and in-field calculations. Each case's selected business center can be used for SugarBPM business hour calculations; it is also used by Sugar to calculate values for the Business Hours to First Response and Business Hours to Resolution fields. If a case does not have an assigned business center, any field calculations performed in business hours are instead performed in calendar hours.

Sugar Serve's stock SugarBPM template uses each case's related business center to calculate and set the Follow Up Date field. Please keep in mind that if a case does not specify a business center at the point of creation, the stock SugarBPM template for Sugar Serve will terminate the process without calculating a follow-up date. If your organization does not wish to specify various business centers on accounts and cases, the stock templates can be modified to use a static business

---

center. Refer to the [Getting Started With SugarBPM for Sugar Serve](#) and [Stock SugarBPM - Case Follow-Up Date Management](#) articles for help configuring the stock template and your instance to work together.

There are several ways a case can have its business center set. As a best practice, each account in your Sugar instance should have its Business Center Name field set. Then, during case creation, the user sets the case's Account Name field and, on save, the account's business center is copied over to the new case. A case's Business Center Name field can also be set manually while creating or editing the case. Once the field is populated with a value, it will not be automatically overwritten by a related account.

**Note:** Cases that were created before migrating or updating your instance to a version that includes Business Centers will have blank Business Center Name fields until each is edited and resaved. On save, the related account's business center, if specified, will be copied over the case's blank value.

## Change Timers and Cases

Change timers, available exclusively to Sugar Serve users, capture the amount of time a record's field spends in each state as it changes over time. Change timers are most useful for reporting on trends and historical data. On the Cases module, they track changes to the Status and Assigned To fields, but only the Status field can be used in reporting at this time. Refer to the [Stock Reports](#) page for a list of out-of-the-box reports that use Change Timers.


To create a custom report on the Change Timers module, use the following three Change Timer fields in the report filters:

- **Parent Type:** Indicates which module the change timers are tracking changes for. Currently, only the Cases module is available.
- **Field Name:** indicates which field to show changes for; at this time, only the Status field on cases is available for use in reporting. Note that the field is plaintext and the field name must be typed accurately.
- **Value:** Represents the value of the field being tracked. For example, you may want to omit closed statuses (i.e., "Closed", "Rejected", and "Duplicate") from your results.

---

Define Filters 

Select Operator: AND  Add Filter Group

Change Timers > Parent Type	<span>Is</span> 	<span>Case</span> 	<input type="checkbox"/> Run-time 	
Change Timers > Field Name	<span>Equals</span> 	<span>status</span>	<input type="checkbox"/> Run-time 	
Change Timers > Value	<span>Does Not Equal</span> 	<span>Closed</span>	<input type="checkbox"/> Run-time 	
Change Timers > Value	<span>Does Not Equal</span> 	<span>Duplicate</span>	<input type="checkbox"/> Run-time 	
Change Timers > Value	<span>Does Not Equal</span> 	<span>Rejected</span>	<input type="checkbox"/> Run-time 	

The Change Timers module cannot be accessed directly, but administrators can configure its subpanel to be displayed on the Cases record view via Admin > Display Modules and Subpanels. Refer to the [Developer Tools](#) page in the Administration Guide for more information.

## Case Attachments

You can attach one or more files to a case using the Attachments field. Click "Browse" to choose a file to upload from your computer or hold the Ctrl or Shift key on your keyboard to select multiple files to upload. Once you have uploaded a file, be sure to wait for the file name to appear in the Attachments field before saving the record to ensure that the file has been fully uploaded. You can open files by clicking them or use the Download or Download All button to save them to your computer in a zip file.

---

Cs

Having trouble adding new items

☆

Number 243

Account Name [Stark Industries](#)

Show in Portal ☒

+ Source

+ Follow Up D...

Assigned to [Chris Olliver](#)

+ Description

+ Comment Log

Attachments **purchase.png** [Download](#)

When copying case records, file attachments are not carried over. To keep the file attachments in the copied case, save them to your computer and then upload them to the newly created case.

## Emails and Cases

Emails offer important functionality for working with cases in Sugar. Inbound emails can [automatically generate new cases](#). Once the case exists, Sugar can automatically relate emails to a relevant case when the [case macro](#) is used. Emails can also be manually related to cases using the email's Related To field. These relationships allow the case's record view to display all relevant email correspondence in the [Emails subpanel](#) and [History dashlet](#).

### Creating Cases via Inbound Email

Creating cases via emails provides users with added convenience in the case creation process and helps expedite the amount of time before the support team can begin working on the issue. Cases can be automatically created when emails are sent to a group mailbox account which is monitored by Sugar.

Administrators can create group mail accounts via Admin > Inbound Email. Group mail accounts periodically poll an email account for new emails and import the emails into Sugar. The group mail account can be configured to automatically create a new case for each incoming email as well as to send an automatic reply email including the generated case's number. For more information, please refer

---

to the [Email](#) documentation in the Administration Guide.

## Email Case Macro

Sugar has the ability to automatically relate emails to their relevant cases using a case macro. The case macro is placed in the subject line of the email and contains the case number. Administrators have the ability to alter the macro's format via Admin > Inbound Email, but the default format is "[CASE:{number}]". The formatting of the macro in email subjects is imperative for Sugar to properly create the relationship. For example, a valid email subject line using the default macro would be "Re: [CASE:123] System not responding". For more information on configuring the case macro, please refer to the [Email](#) documentation in the Administration Guide.

When Sugar automatically relates an email to a case because of a case macro match, the case will be set in the email's Related To field. When viewing the case in record view, the email will appear in both the [History dashlet](#) and [Emails subpanel](#).

Sugar will recognize the case macro and automatically relate the email to the relevant case for any email entering Sugar in the following ways:

- **Group mail account:** A group mail account is a monitored inbound mailbox that is created via Admin > Inbound Email. This is a mailbox on your company's mail server that Sugar is granted the ability to read. For example, creating "support@mycompany.com" as a group mail account means that any email with "support@mycompany.com" in the To or CC list will be checked for a case macro and automatically related to the case in Sugar. Support representatives can CC the address when corresponding with customers to have the emails automatically archived and related to the case in Sugar. Please note that if the account is configured to not automatically import emails, the relationship to the case will not be formed until a user imports it from the group inbox in the Emails module. //mention on Admin Emails documentation. For more information on configuring a group mail account, please refer to the [Email](#) documentation in the Administration Guide.
- **Sugar Email Archiving:** Sugar Email Archiving must be configured and enabled by administrators in Sugar via Admin > System Email Settings. Once configured, an email address will be generated that is specific to your instance of Sugar. When this email address receives an email, it scans the email for any email addresses. The email is then imported into Sugar, where the email is associated with any contact, lead, etc. containing an email address on the email. When a case macro is included in the email's subject, Sugar will also relate the email to the referenced case. For more information on setting up Email Archiving, please refer to the [Email](#) documentation in the Administration Guide.

- 
- **Sent from within Sugar:** Composing and sending an email from anywhere within Sugar, including via the Emails module, clicking an email address on any record, from the History dashlet, etc., will cause Sugar to automatically search the subject for a case macro and relate the email to the relevant case. For more information on composing emails within Sugar, please refer to the [Emails](#) documentation.

## Emails Subpanel

The Emails subpanel in the Cases module displays emails that are associated with the case record in a variety of ways:

- **Related to the case:** If the case is selected in the email's Related To field, the email and case are related, and the email will appear in the case's Emails subpanel and History dashlet. Instructions for using this flex relate field are available in the [Emails](#) documentation.
- **Related to the case's related contacts:** If the email is related, either explicitly or implicitly, to a contact record that is related to the case, the email will appear in the case's Emails subpanel and History dashlet.

**Note:** Administrators can enable or disable a case from displaying related contact emails via Admin > Related Contacts Emails. For more information, please refer to the [Email](#) documentation in the Administration Guide.

## Sugar Portal and Cases

The Sugar Portal allows customers to view their organization's cases as well as submit cases directly to Sugar. Please note that customers have to be registered users of the portal in order to be able to submit cases to Sugar. For more information on enabling and configuring the portal, please refer to the [Sugar Portal](#) documentation. For information on using the portal, please refer to the [Portal Deployment User Guide](#) and [Portal User Guide](#) documentation.

**Note:** When cases are created via the [portal](#), the Source field in the case's record view will automatically be set to "Portal" to indicate that the case originated from the portal.

In addition to being used by your customers to view and submit cases, the Sugar Portal can also be used as a method of communicating about cases between customers and your organization. Utilizing the portal this way ensures that all case-related communications between your users and contacts are stored in Sugar. This communication is conducted via related note records which can be created by both Sugar users and portal-enabled contacts. Sugar users can create and add notes to the case via the Notes subpanel on the case's record view in Sugar. Please note that cases created in Sugar will automatically appear in the portal as the Show in

---

Portal checkbox is enabled by default in the case's record view. But administrators can have this field disabled by default via Admin > Studio. Customers can easily add notes to the case as well by clicking the Add a Note button on the case's record view in the portal. When a customer adds a note via the portal, the note record will appear in the Notes subpanel of the case's record view in Sugar. Likewise, when a Sugar user adds a note to a case in Sugar, the note record will appear in the Notes panel of the case's record view in the portal. Please keep in mind that notes attached to cases will automatically appear in the portal as the Display in Portal checkbox is enabled by default in the note's record view. But administrators can have this field disabled by default via Admin > Studio. These notes will only be visible to other portal users within the customer's organization.

Nt

Need more information ☆ Following

Edit ▾ »

Contact	Dwana Motz	Case	Having trouble adding new items
Description	Hi Dwana, Can you please send us the exact steps to reproduce your issue? Thanks!	Teams	Global (Primary)
<div>+ Attachment</div>		Assigned to	Jim Brennan
<div>Display in Portal? <input checked="" type="checkbox"/></div>			

## Contacts and Cases

On a case's record view, the Contacts subpanel is uniquely configured with an intelligent filter. Sugar presumes that any contacts related to a case will belong to the account already related to the case. Therefore, a filter for the case's account is automatically applied to search results in the Contacts subpanel.

Cs

Having trouble adding new items

Follow

Edit

Number 245

Priority Medium

Account Name **Jungle Systems Inc**

+ Business Cente...

Show in Portal ☒

Type Administration

Source Web

Status Assigned

Follow Up Date 2020-03-25 18:10

+ Resolved Date

Assigned to Max Jensen

+ Primary Contact

Description Can't add new items to the queue

Show more...

Related All Filter All Records Search...

Co CONTACTS (0)

+ ▼

Link Existing Record

The available contacts are automatically filtered to show those related to the case's account:

Search and Add Contacts (5)

Cancel Add »

Selected: (0)

Reset

Filter ▼ Jungle Systems Inc Search by first name, last name...

Account Name is any of Jungle Syst...

– +

<input type="checkbox"/>	Name	Title	Account Name	Email Address	
<input type="checkbox"/>	Dwana Motz	Senior Product Manager	Jungle Systems Inc	info.sales.phone@example.cn	
<input type="checkbox"/>	Cari Galang	VP Operations	Jungle Systems Inc	vegan.hr.hr@example.co.jp	

In the event that a case should be linked to a contact from a different account, you may override the default account filter by clicking on the X next to the account name filter in the search bar or by removing the filter line item:


Filter ▼ Jungle Systems Inc X Search by first name, last name...

Account Name is any of Jungle Syst...

– +

## Knowledge Base Articles and Cases

You can create Knowledge Base articles based on a bug or case. This is particularly useful when the bug fix or situation will not be resolved until a later date, but a workaround currently exists. Simply click "Create Article" in the Case record view's Actions menu. The Knowledge Base record view layout will open and include all of the relevant fields for your organization's articles. For more information on creating knowledge base articles, please refer to the [Knowledge Base](#) documentation.




In order for an article to be visible in the Sugar Portal, the article must meet both of the following requirements:

- External Article = Checked
- Status = Published

**Note:** If either of these conditions is not met, the article will not be visible in the Sugar Portal.

## Escalations and Cases

The Escalations module is used to track the escalation of a specific record, such as a case. Use the Escalate option in the case's record view Actions menu to create an escalation for the case. As long as the case has at least one open escalation in its Escalations subpanel, the Escalated field is displayed as a red badge with the text "Escalated" at the top of record view and the preview. It can also be displayed in the Record View dashlet and list view.



Escalating a case adds the case's account to the Accounts subpanel on the escalation automatically when the escalation is saved, which means that that

---

escalation will also appear in the account's Other Related Escalations subpanel automatically. Note that if the escalation is then updated to target a different record with a related account, the new account is added but the previous account is not removed. See the [Escalations](#) page for more details on how escalations work.

## Working With Sugar Modules


The Cases module uses Sugar's Sidecar user interface. The following sections detail menus, views, and actions common to Sidecar modules and contain links to additional information within the page or links to the User Interface documentation.

### Case Menus

The Cases module contains various options and functionality which are available via menus in the module tab, list view, and record view. The following sections present each menu and its options with links to more information about each option in the User Interface documentation or, for Cases-specific functionality, within this page.

#### Module Tab Menus

The Cases module tab is typically found by clicking the "More" icon represented by three vertical dots to the right of the module tabs on the navigation bar. The additional modules will appear on the list and you can click "Cases" to access the list view. Once the Cases tab displays on the navigation bar, you can click the triangle within the tab to display the Actions, Recently Viewed, and Favorites menu. The Actions menu allows you to perform important operations within the module. The [Recently Viewed](#) menu displays the list of cases you most recently viewed. The [Favorites menu](#) displays the list of cases you most recently marked as favorites.



The module tab's Actions menu allows you to perform the following operations:

Menu Item	Description
<a href="#">Create Case</a>	Opens the record view layout to create a new case.
<a href="#">View Cases</a>	Opens the list view layout to search and display cases.
<a href="#">View Case Reports</a>	Displays existing reports based on the Cases module.
<a href="#">Import Cases</a>	Opens the import wizard to create or update cases using external data.

For more information on module tab menus including reasons a module may not be included in the menu, see the [User Interface](#) documentation.


## List View Menus

The Cases [list view](#) displays all case records and allows for searching and filtering to locate specific cases. You can view the basic details of each record within the field columns of the list view or click a case's name to open the record view. To access a module's list view, simply click the module's tab in the navigation bar at the top of any Sugar page.

## List View Mass Actions Menu

The Mass Actions menu to the right of the checkbox option in the list header allows you to perform mass actions on all currently selected records. You can use

the checkbox on each record's row to select individual case records or click the checkbox in the list header to select all records displayed on the current set of list view results.



The Mass Actions menu allows you to perform the following operations:


Menu Item	Description
<a href="#">Mass Update</a>	Mass update one or more cases at a time.
<a href="#">Recalculate Values</a>	Visible only if the module contains fields using <a href="#">Sugar Logic</a> and only to System Administrators or users with Developer-level role access, this option will refresh the selected records' calculated values.
<a href="#">Merge</a>	Merge two or more duplicate cases.
<a href="#">Delete</a>	Delete one or more cases at a time.
<a href="#">Export</a>	Export one or more cases to a CSV file.
<a href="#">Doc Merge</a>	Select or create a DOCX template to merge record data into documents that will be accessible in the Doc Merge widget.
<a href="#">Doc Merge to PDF</a>	Select or create a DOCX, XLSX, or PPTX template to merge record data into PDF documents that will be accessible in the Doc Merge widget.
<a href="#">Map</a> <sup>1</sup>	For instances with <a href="#">Sugar Maps</a> enabled, display this record or the selected records on a map.

<a href="#">Directions starting from Current User</a> <sup>1</sup>	For instances with <a href="#">Sugar Maps</a> enabled, plot driving directions on a map from your address to this record or all selected records.
--	---

<sup>1</sup> The Cases module must be [enabled](#) in Admin > Maps for the Sugar Maps option to appear.

### List View Record Actions Menu

The Record Actions menu to the far right of each record's row allows you to perform actions on the individual case directly from the list view.




The list view's Record Actions menu allows you to perform the following operations:

Menu Item	Description
<a href="#">Preview</a> (Eye icon)	Preview this case in the intelligence pane.
<a href="#">Edit</a>	Edit this case.
<a href="#">Follow</a>	(Available if <a href="#">Activity Streams</a> are enabled) Follow changes to this case in your activity stream.
<a href="#">Directions starting from this record</a>	For instances with <a href="#">Sugar Maps</a> enabled, plot driving directions on a map from this record to another record or records. <b>Note:</b> The Cases module must be <a href="#">enabled</a> in Admin > Maps for this option

	to appear.
<a href="#">Delete</a>	Delete this case.
<a href="#">Doc Merge</a>	Select or create a DOCX, XLSX, or PPTX template to merge record data into documents that will be accessible in the Doc Merge widget.
<a href="#">Doc Merge to PDF</a>	Select or create a DOCX, XLSX, or PPTX template to merge record data into PDF documents that will be accessible in the Doc Merge widget.

## Record View Actions Menu

The Cases [record view](#) displays a single case in full detail including its fields, subpanels of related records, and activity stream. To access a case's record view, simply click a hyperlinked case name from anywhere within Sugar. The record view's Actions menu appears on the top right of the page and allows you to perform various operations on the current record.



The Actions menu allows you to perform the following operations:

Menu Item	Description
<a href="#">Edit</a>	Edit this case.
<a href="#">Escalate</a>	Create an escalation record related to the current record.
<a href="#">Share</a>	Share a link to this case via email. <b>Note:</b> To send emails through Sugar,

	users must first configure a default user email account via <a href="#">Emails &gt; Email Settings</a> .
<a href="#">Download PDF</a>	<p>Download the record's information as a PDF file.</p> <ul style="list-style-type: none"> <li>• This menu option is only visible if the administrator has created a PDF template for the Cases module via Admin &gt; <a href="#">PDF Manager</a>.</li> <li>• Clicking on this menu item will expand and contract the menu to reveal or hide the available PDF templates.</li> </ul>
<a href="#">Email PDF</a>	<p>Email the record's information as a PDF attachment.</p> <ul style="list-style-type: none"> <li>• This menu option is only visible if the administrator has created a PDF template for the Cases module via Admin &gt; <a href="#">PDF Manager</a>.</li> <li>• Clicking on this menu item will expand and contract the menu to reveal or hide the available PDF templates.</li> </ul> <p><b>Note:</b> To send emails through Sugar, users must first configure a default user email account via <a href="#">Emails &gt; Email Settings</a>.</p>
<a href="#">Create Article</a>	Converts information from the case to the record view of a Knowledge Base article. Please refer to the <a href="#">Knowledge Base</a> documentation for more information.
<a href="#">Find Duplicates</a>	Locate potential duplicates of this case.
<a href="#">Copy</a>	Duplicate this case to create a new case record.
<a href="#">Historical Summary</a>	View a historical summary of activities (e.g., calls, meetings, etc.) related to this case.

<a href="#">View Audit Log</a>	View a record of changes to this case.
<a href="#">Delete</a>	Delete this case.
<a href="#">Doc Merge</a>	Select or create a DOCX, XLSX, or PPTX template to merge record data into documents that will be accessible in the Doc Merge widget.
<a href="#">Doc Merge to PDF</a>	Select or create a DOCX, XLSX, or PPTX template to merge record data into PDF documents that will be accessible in the Doc Merge widget.
<a href="#">Geocode</a> <sup>1</sup>	For instances with <a href="#">Sugar Maps</a> enabled, manually set this record's location on a map.
<a href="#">Map</a> <sup>1</sup>	For instances with <a href="#">Sugar Maps</a> enabled, display this record or the selected records on a map.
<a href="#">Directions starting from Current User</a> <sup>1</sup>	For instances with <a href="#">Sugar Maps</a> enabled, plot driving directions on a map from your address to this record or all selected records.

<sup>1</sup> The Cases module must be [enabled](#) in Admin > Maps for the Sugar Maps option to appear.

## Common Views and Actions

The following links will open specific sections of the User Interface documentation where you can read about views and actions that are common across most Sidecar modules.

Content Link	Description
<a href="#">Creating Cases</a> <a href="#">Basic Case Creation</a> <a href="#">Creating via Quick Create</a> <a href="#">Creating via Subpanels</a> <a href="#">Creating via Duplication</a> <a href="#">Importing Cases</a>	The Creating Records section covers the various methods of creating new case records, including via the Create button in the Cases module, via the Quick Create menu on the upper right of every Sugar page, via the Cases subpanel on related module records, via duplication of an existing case record, and via importing a list of cases into Sugar using a .csv spreadsheet.
<a href="#">Viewing Cases</a>	The Viewing Records section describes

<a href="#">Viewing via List View</a> <a href="#">Viewing via Record View</a> <a href="#">Viewing via Recently Viewed</a> <a href="#">Viewing via Dashlets</a> <a href="#">Viewing via Activity Streams</a> <a href="#">Viewing via Preview</a> <a href="#">Viewing via Reports</a>	<p>the various methods of viewing case records, including via the Cases list view and record view, the Recently Viewed menu in the Cases module tab, list view dashlets showing case information, activity stream entries concerning case updates or where a user mentions a case, previewing cases in the right-hand side panel, and reports displaying case data.</p>
<a href="#">Searching for Cases</a> <a href="#">Global Search</a> <a href="#">List View Search</a> <a href="#">Creating a Filter</a>	<p>The Searching for Records section provides an introduction to the two searching methods for locating cases: global search, which searches across all Sugar modules, and list view search, which searches and filters within the Cases module.</p>
<a href="#">Cases List View</a> <a href="#">Total Record Count</a> <a href="#">Create Button</a> <a href="#">List View Search</a> <a href="#">Checkbox Selection</a> <a href="#">Mass Actions Menu</a> <a href="#">Favorite Designation</a> <a href="#">Column Reordering</a> <a href="#">Column Resizing</a> <a href="#">Column Sorting</a> <a href="#">Column Selection</a> <a href="#">Preview</a> <a href="#">Record Actions Menu</a> <a href="#">Pagination</a> <a href="#">Activity Stream</a> <a href="#">Dashboards</a>	<p>The List View section walks through the many elements of the Cases List View layout which contains a filterable list of all case records in Sugar. While the generic menu options are described in the User Interface sections linked to the left, the options specifically available in the Cases list view are described in the <a href="#">List View Mass Actions Menu</a> and <a href="#">List View Record Actions Menu</a> sections of this page.</p>
<a href="#">Cases Record View</a> <a href="#">Favorite Designation</a> <a href="#">Following Designation</a> <a href="#">Next or Previous Record</a> <a href="#">Actions Menu</a> <a href="#">Show More</a> <a href="#">Subpanels</a> <a href="#">Related Record Subpanels</a> <a href="#">Filtering Subpanels</a> <a href="#">Reordering Subpanels</a> <a href="#">Activity Stream</a> <a href="#">Dashboards</a>	<p>The Record View section walks through the many elements of the Cases Record View layout which contains detailed information about a single case record. While the generic menu options are described in the User Interface sections linked to the left, the options specifically available in the Cases record view are described in the <a href="#">Record View Actions Menu</a> section of this page.</p> <p><b>Note:</b> When linking a record via the</p>

	Contacts subpanel, the Search and Add Contacts drawer will automatically be filtered to only display contact records associated with the case's parent account.
<a href="#">Editing Cases</a> <a href="#">Editing Inline via Record View</a> <a href="#">Editing via Record View</a> <a href="#">Editing Inline via Subpanels</a> <a href="#">Editing Inline via List View</a> <a href="#">Mass Editing via List View</a>	The Editing Records section describes the various methods of editing existing case records, including inline via the Cases record view, in full edit mode on the record view, inline via the Cases subpanel on related module records, inline via the Cases list view, and via the Mass Update option on the list view.
<a href="#">Deleting Cases</a> <a href="#">Deleting via Record View</a> <a href="#">Deleting via List View</a> <a href="#">Mass Deleting via List View</a>	The Deleting Records section describes the various methods of deleting unwanted cases, including via the Cases record view, an individual record's Actions menu on the Cases list view, and the Mass Actions menu on the list view.
<a href="#">Exporting Cases</a>	The Exporting Records section provides an introduction to the export functionality which allows you to download a list of cases and all their data as a .csv file for use outside of Sugar (e.g., in Microsoft Excel).
<a href="#">Recalculating Calculated Values</a>	The Recalculating Calculated Values section provides instructions on utilizing the Recalculate Values list view option to update calculated field values in the module if the administrator has changed the field's formula via Admin > Studio.
<a href="#">Finding Duplicate Cases</a>	The Finding Duplicate Records section provides instructions for locating duplicate case records. If searching on matching fields (e.g., Subject) identifies one or more duplicates, they can be merged into a single record.
<a href="#">Merging Cases</a> <a href="#">Merging via List View</a>	The Merging Records section provides instructions for merging duplicate cases which will combine field values and related records into a single case.
<a href="#">Viewing Cases Historical Summaries</a>	The Viewing Record Historical Summaries section describes the

	Historical Summary record view option which displays quick details of the case record's related calls, meetings, emails, notes, and tasks.
<a href="#">Viewing Cases Audit Logs</a>	The Viewing Record Audit Logs section describes the View Audit Log record view option which displays a history of changes to the case's audited fields.
<a href="#">Cases PDFs</a> <a href="#">Downloading Cases PDFs</a> <a href="#">Emailing Cases PDFs</a>	The Record PDFs section provides instructions for these record view options which allow you to download or email .pdf files of case information as configured by an administrator via Admin > PDF Manager.
<a href="#">Favoriting Cases</a> <a href="#">Favoriting via List View</a> <a href="#">Favoriting via Record View</a> <a href="#">Favoriting via Subpanel</a>	The Favoriting Records section describes the various methods of marking cases as favorites, including via the Cases list view, Cases record view, or any Cases subpanel appearing on the record view of a related module. Favoriting a case allows you to easily access it from list views, dashlets, or the Cases module tab.
<a href="#">Following Cases</a> <a href="#">Following via List View</a> <a href="#">Following via Record View</a>	The Following Records section describes the various methods of marking cases as "Following", including via the Cases list view and record view. Following a case causes its activity stream updates to be included on your Home page and Cases list view activity streams so that you can easily keep up with changes and user posts on the record.
<a href="#">Sharing Cases</a>	The Sharing Records section provides instructions for the Share record view option which composes an email with a link to the case record. If the recipient is logged into Sugar, clicking the link will bring them directly to the case's record view.

## Bugs

## Overview

---

Sugar's Bugs module is used to track and manage product-related problems, commonly referred to as issues, bugs, defects, ideas, or feature requests, either found internally or reported by customers. As a bug is reported, worked on, and resolved, its progress will be denoted by the Status field. Each bug record may relate to other Sugar records such as calls, contacts, and cases, making it easy to get the full picture of a customer's issues and history. If enabled, contacts can view and submit bugs via the Sugar Portal along with cases and knowledge base articles. This documentation will cover information and actions specific to the Bugs module. For instructions concerning views and actions which are common across most Sugar modules, such as creating, editing, and deleting bugs, please refer to the [Working With Sugar Modules](#) section of this page.

Please note that you will only be able to see bug records as allowed by your team membership, user access type, and assigned roles. For more information on teams and roles, please refer to the [Team Management](#) and [Role Management](#) documentation in the Administration Guide.

## Bug Fields

The Bugs module contains a number of stock fields that come out-of-the-box with Sugar. For information on using and editing various field types, refer to the [User Interface](#) documentation. The definitions below are suggested meanings for the fields, but the fields can be leveraged differently to best meet your organization's needs. Administrators or users with developer-level role access have the ability to alter, add, or remove fields via Admin > Studio. For more information on configuring fields, please refer to the [Studio](#) documentation in the Administration Guide.

Field	Description
Assigned To	The Sugar user assigned to the bug.
Business Hours to Resolution <sup>1</sup>	The calculated duration in business hours from the moment the bug is created until its Status field is set to "Closed" or "Rejected". Reopening the bug does not clear this field's value, but it is updated each time the bug is closed.
Category	The general area of the product or service where the bug was discovered.
Comment Log	A shared log of messages, comments, or other text, including the name of the user that added the log entry and the date and time it was added. It is possible to tag other users and link to other

	Sugar records in Comment Log entries by inserting a clickable pill; see the <a href="#">User Interface</a> documentation for more details.
Date Created	The date the bug was created.
Date Modified	The date the bug was last modified.
Description	Explanation of the details and reproduction steps of the bug when submitted.
Escalated	Displayed as a red badge with the text "Escalated" beside the record name in the header and at the top of the preview, this field indicates if the record has an open escalation related to it. If the record is not escalated, the badge is not visible. This field can also be added to other views. See the <a href="#">Escalations</a> page for more details on escalating records.
Fixed in Release	The version of product where the bug was fixed.
Follow Up Date	The internal follow-up date regarding the status of the bug.
Found in Release	The version of product where the bug was found.
Hours to Resolution <sup>1</sup>	The calculated duration in calendar hours from the moment the bug is created until its Status field is set to "Closed" or "Rejected". Reopening the bug does not clear this field's value, but it is updated each time the bug is closed.
Integration Sync ID	The sync key field used by external integrations to identify Sugar records in the external application. See the <a href="#">Integrate REST API endpoints</a> in the Developer Guide for more details on how to use this field.
Number	An automatically incremented number to identify every bug, which cannot be edited through Sugar.
Pending Processing	A system-level checkbox field. It is not available in Studio or the user interface

	and is only available in <a href="#">SugarBPM</a> .
Priority	Specify the urgency of the bug from this dropdown list.
Resolution	Results of the investigation of the bug and how it can be fixed.
Show in Portal	Bugs created in Sugar will be visible in the <a href="#">portal</a> by default. <b>Note:</b> Administrators can have this field disabled by default via Admin > Studio.
Source	The method in which this bug was submitted, (e.g., internal, customer email, portal, etc.).
Status	Specify the status of the bug as it moves along the process from submission to resolution.
Subject	Brief statement of the problem.
Tags	User-created keywords that can be used to identify records in filters, dashlets, and reports. <b>Note:</b> For more information on creating and using tags, please refer to the <a href="#">Tags</a> documentation.
Teams	The Sugar team(s) assigned to the bug.
Type	Type of categorization that this bug falls in to (e.g., Defect, Feature, etc.).
Work Log	Free form field to add activities and actions while working on the bug.

<sup>1</sup> This field's value is only visible to Sugar Sell and Serve users; when this field appears on layouts, users without a supported license type will see a placeholder containing the text "License Required" instead of the field's value. See the [User Management](#) page for more details on license types.

## Sugar Portal and Bugs

The Sugar Portal allows customers to view bugs as well as submit bugs directly to Sugar. Please note that customers have to be registered users of the portal in order to access it. For more information on enabling and configuring the portal, please refer to the [Sugar Portal](#) documentation. For information on using the portal, please refer to the [Portal Deployment User Guide](#) and [Portal User Guide](#) documentation.

---

In addition to being used by your customers to view and report bugs, the Sugar Portal can also be used as a method of communicating about bugs between customers and your organization. Utilizing the portal this way ensures that all bug-related communications between your users and contacts are stored in Sugar. This communication is conducted via related note records which can be created by both Sugar users and portal-enabled contacts. Sugar users can create and add notes to the bug via the Notes subpanel on the bug's record view in Sugar. Please note that bugs created in Sugar will automatically appear in the portal as the Show in Portal checkbox is enabled by default in the bug's record view. But administrators can have this field disabled by default via Admin > Studio. Customers can easily add notes to the bug as well by clicking the Add a Note button on the bug's record view in the portal. When a customer adds a note via the portal, the note record will appear in the Notes subpanel of the bug's record view in Sugar. Likewise, when a Sugar user adds a note to a bug in Sugar, the note record will appear in the Notes panel of the bug's record view in the portal. Please keep in mind that notes attached to bugs will automatically appear in the portal as the Display in Portal checkbox is enabled by default in the note's record view. But administrators can have this field disabled by default via Admin > Studio. These notes will be visible to anyone with access to the portal.

Nt

Additional Information ☆

Edit ▼

Contact	Bug
<a href="#">Jeana Schimke</a>	<a href="#">Fatal error during installation</a>
Description	Teams
Hello Jeana,	Global (Primary)
Please provide a screenshot of the error along with detailed steps to reproduce.	
Thank you, Sally Bronsen	
+ Attachment	Assigned to <a href="#">Sally Bronsen</a>
Tags	
error	
Date Created	Date Modified
2020-02-20 10:22 by <a href="#">Sally Bronsen</a>	2020-02-20 10:22 by <a href="#">Sally Bronsen</a>
Display in Portal? <input checked="" type="checkbox"/>	

## Emails and Bugs

Bugs may be related to emails by being selected in the email's Related To field. These relationships allow the bug to display all relevant email correspondence in

---

the [Emails subpanel](#) and in the [History dashlet](#) on a bug's record view.

## Emails Subpanel

The Emails subpanel in the Bugs module displays emails that are related to the bug record via the email's Related To field. These emails will also appear in the [History dashlet](#) on a bug's record view.

The Emails subpanel allows the following functions to be performed:

- **Email Details:** To view the details of an email, click the subject to open it in detail view.
- **Record Count:** Subpanel headers display the total count of related records (e.g., "5 of 6+") next to the module name. The count captures the number of records currently displayed with an additional, hyperlinked number (e.g., "6+") where there are more records than currently displayed. Click the hyperlinked number to see the total count of related records.
- **Collapse or Expand:** Click anywhere in the subpanel's header to collapse or expand it. Subpanels will remain collapsed or expanded on future visits to the module.
  - **Note:** Administrators can choose to disable collapse stickiness or to collapse all subpanels by default via Admin > System Settings. For more information, please refer to the [System](#) documentation in the Administration Guide.
- **Column Widths:** Place your cursor on the column divider. When the double arrow cursor appears, click and drag the column to the desired size. Please note that the column width will not be preserved when you navigate away from the page.
- **Column Sort:** Click a column header to sort the subpanel's items by that value. Clicking the same header again will reverse the sorting order (e.g., from ascending to descending).
- **Compose a New Email:** Click the Plus button on the upper right of a subpanel to create a new email with, by default, a relationship to the bug you are currently viewing. The email will automatically select the bug in the Related To field.
  - To send email from Sugar, users must configure their outbound email server via [Emails > Email Settings](#) or, if using the system email account to send email, the system's outbound email server must be configured by an administrator in [Admin > System Email Settings](#).
  - Because creating a new related record opens a drawer on top of the current record view, you should use the Cancel button to return to record view. Using the browser's back button will return you to the previous page.
- **More Records:** By default, Sugar displays up to five records in each subpanel, though administrators can alter the number via Admin > System

Settings as described in the [System](#) documentation of the Administration Guide. If additional related records exist, click "More {Module Name}..." (e.g., "More emails...") at the bottom of the subpanel to load the next set of records.

Related ▾	All	Filter	All Records	Search...	↺	📅	🔍
Em	EMAILS (5 of 6+)					+	▾
	From	Subject	Status	Date			
☆	Sally Bronsen	Demo	Archived	2017-07-14 05:45am		👁	▾
☆	Administrator	Discuss pricing	Draft	2017-12-29 02:05pm		👁	▾
☆	Sally Bronsen	Introduce all players	Archived	2017-10-12 08:00am		👁	▾
☆	Administrator	Demo	Draft	2017-12-29 02:05pm		👁	▾
☆	Will Westin	Demo	Archived	2017-03-07 01:00pm		👁	▾
More emails...							

## Escalations and Bugs

The Escalations module is used to track the escalation of a specific record, such as a bug. Use the Escalate option in the bug's record view Actions menu to create an escalation for the bug. As long as the bug has at least one open escalation in its Escalations subpanel, the Escalated field is displayed as a red badge with the text "Escalated" at the top of record view and the preview. It can also be displayed in the Record View dashlet and list view. See the [Escalations](#) page for more details on how escalations work.

Bu

Error occurs while running count query

☆

Escalated

< > Edit ▾

Number	47	Priority	Medium
Status	Rejected	+ Follow Up ...	
Type	Feature	+ Source	
+ Category		+ Resolution	

Escalate

Share

Create Article

Find Duplicates


Copy

## Creating a Knowledge Base Article

You can create knowledge base articles based on a bug or case. This is particularly useful when the bug fix or situation will not be resolved until a later date, but a

---

workaround currently exists. Simply click "Create Article" in the Bug record view's Actions menu. The Knowledge Base record view layout opens and includes all of the relevant fields for your organization's articles. For more information on creating knowledge base articles, please refer to the [Knowledge Base](#) documentation.



In order for an article to be visible in the Sugar Portal, the article must meet both of the following requirements:

- External Article = Checked
- Status = Published

**Note:** If either of these conditions is not met, the article will not be visible through the Sugar Portal.

## Working With Sugar Modules

The Bugs module uses Sugar's Sidecar user interface. The following sections detail menus, views, and actions common to Sidecar modules and contain links to additional information within the page or links to the User Interface documentation.


### Bug Menus

The Bugs module contains various options and functionality which are available via menus in the module tab, list view, and record view. The following sections present each menu and its options with links to more information about each option in the User Interface documentation or, for Bugs-specific functionality, within this page.

#### Module Tab Menus

The Bugs module tab is typically found by clicking the arrow to the right of the module tabs on the navigation bar. The additional modules will appear on the list and you can click "Bugs" to access the list view. Once the Bugs tab displays on the navigation bar, you can click the triangle within the tab to display the Actions, Recently Viewed, and Favorites menu. The Actions menu allows you to perform important operations within the module. The [Recently Viewed menu](#) displays the list of bugs you most recently viewed. The [Favorites menu](#) displays the list of bugs

you most recently marked as favorites.



The module tab's Actions menu allows you to perform the following operations:

Menu Item	Description
<a href="#">Report Bug</a>	Opens the record view layout to create a new bug.
<a href="#">View Bugs</a>	Opens the list view layout to search and display bugs.
<a href="#">View Bug Reports</a>	Displays existing reports based on the Bugs module.
<a href="#">Import Bugs</a>	Opens the import wizard to create or update bugs using external data.

For more information on module tab menus including reasons a module may not be included in the menu, see the [User Interface](#) documentation.


## List View Menus

The Bugs [list view](#) displays all bug records and allows for searching and filtering to locate specific bugs. You can view the basic details of each record within the field columns of the list view or click a bug's name to open the record view. To access a module's list view, simply click the module's tab in the navigation bar at the top of any Sugar page.

### List View Mass Actions Menu

The Mass Actions menu to the right of the checkbox option in the list header

allows you to perform mass actions on all currently selected records. You can use the checkbox on each record's row to select individual bug records or click the checkbox in the list header to select all records displayed on the current set of list view results.




The Mass Actions menu allows you to perform the following operations:

Menu Item	Description
<a href="#">Mass Update</a>	Mass update one or more bug at a time.
<a href="#">Recalculate Values</a>	Visible only if the module contains fields using <a href="#">Sugar Logic</a> and only to System Administrators or users with Developer-level role access, this option will refresh the selected records' calculated values.
<a href="#">Merge</a>	Merge two or more duplicate bug.
<a href="#">Delete</a>	Delete one or more bug at a time.
<a href="#">Export</a>	Export one or more bugs to a CSV file.
<a href="#">Doc Merge</a>	Select or create a DOCX template to merge record data into documents that will be accessible in the Doc Merge widget.
<a href="#">Doc Merge to PDF</a>	Select or create a DOCX, XLSX, or PPTX template to merge record data into PDF documents that will be accessible in the Doc Merge widget.
<a href="#">Map</a>	For instances with <a href="#">Sugar Maps</a> enabled, display a record or records on a map.
<a href="#">Directions starting from Current User</a>	For instances with <a href="#">Sugar Maps</a> enabled, plot driving directions on a map from your address to another record or

records.

### List View Record Actions Menu

The Record Actions menu to the far right of each record's row allows you to perform actions on the individual bug directly from the list view.



The list view's Record Actions menu allows you to perform the following operations:

Menu Item	Description
<a href="#">Preview</a> (Eye icon)	Preview this bug in the intelligence pane.
<a href="#">Edit</a>	Edit this bug.
<a href="#">Follow</a>	(Available if <a href="#">Activity Streams</a> are enabled) Follow changes to this contact in your activity stream.
<a href="#">Directions starting from this record</a>	For instances with <a href="#">Sugar Maps</a> enabled, plot driving directions on a map from one record to another record or records.
<a href="#">Delete</a>	Delete this bug.
<a href="#">Doc Merge</a>	Select or create a DOCX template to merge record data into documents that will be accessible in the Doc Merge widget.
<a href="#">Doc Merge to PDF</a>	Select or create a DOCX, XLSX, or PPTX template to merge record data into PDF documents that will be accessible in the Doc Merge widget.

### Record View Actions Menu

The Bugs [record view](#) displays a single bug in full detail including its fields, subpanels of related records, and activity stream. To access a bug's record view, simply click a hyperlinked bug name from anywhere within Sugar. The record view's Actions menu appears on the top right of the page and allows you to perform various operations on the current record.

**Bu** Warning is displayed in file after exporting ☆ < > **Edit** ▾ »

Number 39 Priority Med

Status New + Follow ...

Type Defect + Source

+ Category + Resoluti...

Assigned to Sarah Smith

Description Users are seeing unexpected warning messages in the system. Please help look into this.

+ Comme...

Tags United States West

Escalate

Share

Create Article

Find Duplicates

Copy

Historical Summary

View Audit Log

Delete

Doc Merge

Doc Merge to PDF

The Actions menu allows you to perform the following operations:

Menu Item	Description
<a href="#">Edit</a>	Edit this bug.
<a href="#">Escalate</a>	Create an escalation record related to the current record.
<a href="#">Share</a>	Share a link to this bug via email. <b>Note:</b> To send emails through Sugar, users must first configure a default user email account via <a href="#">Emails &gt; Email Settings</a> .
<a href="#">Download PDF</a>	Download the record's information as a PDF file. <ul style="list-style-type: none"> <li>This menu option is only visible if the administrator has created a PDF template for the Bugs module via Admin &gt; <a href="#">PDF Manager</a>.</li> <li>Clicking on this menu item will</li> </ul>

	expand and contract the menu to reveal or hide the available PDF templates.
<a href="#">Email PDF</a>	<p>Email the record's information as a PDF attachment.</p> <ul style="list-style-type: none"> <li>• This menu option is only visible if the administrator has created a PDF template for the Bugs module via Admin &gt; <a href="#">PDF Manager</a>.</li> <li>• Clicking on this menu item will expand and contract the menu to reveal or hide the available PDF templates.</li> </ul> <p><b>Note:</b> To send emails through Sugar, users must first configure a default user email account via <a href="#">Emails &gt; Email Settings</a>.</p>
<a href="#">Create Article</a>	Converts information from the case to the record view of a Knowledge Base article. Please refer to the <a href="#">Knowledge Base</a> documentation in the Application Guide.
<a href="#">Find Duplicates</a>	Locate potential duplicates of this bug.
<a href="#">Copy</a>	Duplicate this bug.
<a href="#">Historical Summary</a>	View a historical summary of activities (e.g., calls, meetings, etc.) related to this bug.
<a href="#">View Audit Log</a>	View a record of changes to this bug.
<a href="#">Delete</a>	Delete this bug.
<a href="#">Doc Merge</a>	Select or create a DOCX template to merge record data into documents that will be accessible in the Doc Merge widget.
<a href="#">Doc Merge to PDF</a>	Select or create a DOCX, XLSX, or PPTX template to merge record data into PDF documents that will be accessible in the Doc Merge widget.
<a href="#">Geocode</a>	For instances with <a href="#">Sugar Maps</a> enabled, manually set a record's location on a

	map.
<a href="#">Map</a>	For instances with <a href="#">Sugar Maps</a> enabled, display a record or records on a map.
<a href="#">Directions starting from Current User</a>	For instances with <a href="#">Sugar Maps</a> enabled, plot driving directions on a map from your address to another record or records.

## Common Views and Actions

The following links will open specific sections of the User Interface documentation where you can read about views and actions that are common across most Sidecar modules.

Content Link	Description
<a href="#">Creating Bugs</a> <a href="#">Basic Bug Creation</a> <a href="#">Creating via Quick Create</a> <a href="#">Creating via Subpanels</a> <a href="#">Creating via Duplication</a> <a href="#">Importing Bugs</a>	The Creating Records section covers the various methods of creating new bug records, including via the Create button in the Bugs module, via the Quick Create menu on the upper right of every Sugar page, via the Bugs subpanel on related module records, via duplication of an existing bug record, and via importing a list of bugs into Sugar using a .csv spreadsheet.
<a href="#">Viewing Bugs</a> <a href="#">Viewing via List View</a> <a href="#">Viewing via Record View</a> <a href="#">Viewing via Recently Viewed</a> <a href="#">Viewing via Dashlets</a> <a href="#">Viewing via Activity Streams</a> <a href="#">Viewing via Preview</a> <a href="#">Viewing via Reports</a>	The Viewing Records section describes the various methods of viewing bug records, including via the Bugs list view and record view, the Recently Viewed menu in the Bugs module tab, list view dashlets showing bug information, activity stream entries concerning bug updates or where a user mentions a bug, previewing bugs in the right-hand side panel, and reports displaying bug data.
<a href="#">Searching for Bugs</a> <a href="#">Global Search</a> <a href="#">List View Search</a> <a href="#">Creating a Filter</a>	The Searching for Records section provides an introduction to the two searching methods for locating bugs: global search, which searches across all Sugar modules, and list view search,

	which searches and filters within the Bugs module.
<a href="#">Bugs List View</a> <a href="#">Total Record Count</a> <a href="#">Create Button</a> <a href="#">List View Search</a> <a href="#">Checkbox Selection</a> <a href="#">Mass Actions Menu</a> <a href="#">Favorite Designation</a> <a href="#">Column Reordering</a> <a href="#">Column Resizing</a> <a href="#">Column Sorting</a> <a href="#">Column Selection</a> <a href="#">Preview</a> <a href="#">Record Actions Menu</a> <a href="#">Pagination</a> <a href="#">Activity Stream</a> <a href="#">Dashboards</a>	<p>The List View section walks through the many elements of the Bugs List View layout which contains a filterable list of all bug records in Sugar. While the generic menu options are described in the User Interface sections linked to the left, the options specifically available in the Bugs list view are described in the <a href="#">List View Mass Actions Menu</a> and <a href="#">List View Record Actions Menu</a> sections of this page.</p>
<a href="#">Bugs Record View</a> <a href="#">Favorite Designation</a> <a href="#">Next or Previous Record</a> <a href="#">Actions Menu</a> <a href="#">Show More</a> <a href="#">Subpanels</a> <a href="#">Related Record Subpanels</a> <a href="#">Filtering Subpanels</a> <a href="#">Reordering Subpanels</a> <a href="#">Activity Stream</a> <a href="#">Dashboards</a>	<p>The Record View section walks through the many elements of the Bugs Record View layout which contains detailed information about a single bug record. While the generic menu options are described in the User Interface sections linked to the left, the options specifically available in the Bugs record view are described in the <a href="#">Record View Actions Menu</a> section of this page.</p>
<a href="#">Editing Bugs</a> <a href="#">Editing Inline via Record View</a> <a href="#">Editing via Record View</a> <a href="#">Editing Inline via Subpanels</a> <a href="#">Editing Inline via List View</a> <a href="#">Mass Editing via List View</a>	<p>The Editing Records section describes the various methods of editing existing bug records, including inline via the Bugs record view, in full edit mode on the record view, inline via the Bugs subpanel on related module records, inline via the Bugs list view, and via the Mass Update option on the list view.</p>
<a href="#">Deleting Bugs</a> <a href="#">Deleting via Record View</a> <a href="#">Deleting via List View</a> <a href="#">Mass Deleting via List View</a>	<p>The Deleting Records section describes the various methods of deleting unwanted bugs, including via the Bugs record view, an individual record's Actions menu on the Bugs list view, and the Mass Actions menu on the list view.</p>
<a href="#">Exporting Bugs</a>	<p>The Exporting Records section provides</p>

	an introduction to the export functionality which allows you to download a list of bugs and all their data as a .csv file for use outside of Sugar (e.g., in Microsoft Excel).
<a href="#">Recalculating Calculated Values</a>	The Recalculating Calculated Values section provides instructions on utilizing the Recalculate Values list view option to update calculated field values in the module if the administrator has changed the field's formula via Admin > Studio.
<a href="#">Finding Duplicate Bugs</a>	The Finding Duplicate Records section provides instructions for locating duplicate bug records. If searching on matching fields (e.g., Subject) identifies one or more duplicates, they can be merged into a single record.
<a href="#">Merging Bugs</a> <a href="#">Merging via List View</a>	The Merging Records section provides instructions for merging duplicate bugs which will combine field values and related records into a single bug.
<a href="#">Viewing Bug Historical Summaries</a>	The Viewing Record Historical Summaries section describes the Historical Summary record view option which displays quick details of the bug record's related calls, meetings, emails, notes, and tasks.
<a href="#">Viewing Bug Audit Logs</a>	The Viewing Record Audit Logs section describes the View Audit Log record view option which displays a history of changes to the bug's audited fields.
<a href="#">Bug PDFs</a> <a href="#">Downloading Bug PDFs</a> <a href="#">Emailing Bug PDFs</a>	The Record PDFs section provides instructions for these record view options which allow you to download or email .pdf files of bug information as configured by an administrator via Admin > PDF Manager.
<a href="#">Favoriting Bugs</a> <a href="#">Favoriting via List View</a> <a href="#">Favoriting via Record View</a> <a href="#">Favoriting via Subpanel</a>	The Favoriting Records section describes the various methods of marking bugs as favorites, including via the Bugs list view, Bugs record view, or any Bugs subpanel appearing on the record view of a related module.

	Favoriting a bug allows you to easily access it from list views, dashlets, or the Bugs module tab.
<a href="#">Sharing Bugs</a>	The Sharing Records section provides instructions for the Share record view option which composes an email with a link to the bug record. If the recipient is logged into Sugar, clicking the link will bring them directly to the bug's record view.

## Knowledge Base

### Overview

Sugar's Knowledge Base module provides the ability to create, maintain, and publish information in the form of articles. Knowledge base articles can cover a variety of topics such as troubleshooting or frequently asked questions. When used for internal purposes, articles can be accessed via the Sugar instance by Sugar users within your organization. When needed for external purposes, articles can also be published to the [Sugar Portal](#), providing visibility for customers or other portal users.

Articles can be rated based on their usefulness by both internal and external readers to help you determine which articles should be improved or updated and which should be promoted as valuable information. As you work to improve articles, you can create revisions to keep a history of versions as well as to make changes without immediately affecting published content. Articles can also be localized to reach new audiences using a variety of languages. This documentation will cover information and actions specific to the Knowledge Base module. For instructions concerning views and actions which are common across most Sugar modules, such as creating, editing, and deleting accounts, please refer to the [Working With Sugar Modules](#) section of this page.

Please note that you will only be able to see account records as allowed by your team membership, user access type, and assigned roles. For more information on teams and roles, please refer to the [Team Management](#) and [Role Management](#) documentation in the Administration Guide.

### Article Fields

The Knowledge Base module contains a number of stock data fields that come out-of-the-box with Sugar. For information on using and editing various field types, refer to the [User Interface](#) documentation. The definitions below are suggested

---

meanings for the fields, but the fields can be leveraged differently to best meet your organization's needs. Users with administrator or developer access have the ability to alter, add, or remove fields via Admin > Studio. For more information on configuring fields, please refer to the [Studio](#) documentation in the Administration Guide.

Field	Description
Active Revision	Denotes the most up-to-date, unpublished revision of an article. This box is automatically set when a new revision is created for an unpublished article so that only the newest revision will have it checked. Only revisions with "Active Revision" checked will appear in the Knowledge Base list view. <b>Note:</b> If a revision is published, it will retain the Active Revision designation until a subsequent revision is published in its place.
Approved By	The Sugar user who is appointed to approve the article. <b>Note:</b> When setting an article's status to "Approved", the Approved By field will automatically be populated with your name.
Attachments	External files uploaded to the article which can be downloaded from the article via Sugar Portal.
Author	The Sugar user who owns the article. <b>Note:</b> The author defaults to the current user.
Body	The HTML content of the article.
Category	The category, or topic, the article belongs to.
Created By	The Sugar user who created the article.
Date Created	The date that a user created the article.
Date Modified	The last date that a user modified the article.
Description	A brief description of the article's content.
Expiration Date	The date on which the article information expired or will expire in the






	<p>future.</p> <p><b>Note:</b> The status for published articles will automatically change to "Expired" on the specified expiration date.</p>
External Article	<p>Indicates whether an article should be visible through the Sugar Portal.</p> <p><b>Note:</b> This field must be in a checked state for an article to be visible through the Sugar Portal.</p>
Integration Sync ID	<p>The sync key field used by external integrations to identify Sugar records in the external application. See the <a href="#">Integrate REST API endpoints</a> in the Developer Guide for more details on how to use this field.</p>
View Count	<p>How many times the published article has been viewed either via the Sugar instance or Sugar Portal.</p>
Language	<p>The language used in the article.</p>
Modified By	<p>The Sugar user who last modified the article.</p>
<a href="#">Publish Date</a>	<p>The date the article was published or will be published in the future.</p> <p><b>Note:</b> The Publish Date field will automatically default to today's date when an article's status is set to "Published".</p>
Related Case	<p>The case record that inspired and is associated with the article.</p> <p><b>Note:</b> <a href="#">Creating an article from a case</a> causes the case to automatically populate this field.</p>
Status	<p>The current status of the article (e.g., Draft, Expired, In Review, Published).</p> <p><b>Note:</b> The Status field must be set to "Published" for an article to be visible through the Sugar Portal.</p>
Tags	<p>User-created keywords that can be used to identify records in filters, dashlets, and reports.</p> <p><b>Note:</b> For more information on creating and using tags, please refer to the <a href="#">Tags</a></p>

	documentation.
Teams	The Sugar team(s) assigned to the article.
Title	The name of the article. <b>Note:</b> This field will be visible to readers when the article is published.

## Article Statuses

When viewing an article's record view or the Knowledge Base list view, the Status field will show a different color for each status. Administrators have the ability to configure the status values via Admin > Dropdown Editor. For more information on configuring the status values, please refer to the [Developer Tools](#) documentation in the Administration Guide.

Please note that the below values are only guidelines for defining your status and that you can skip one or more statuses based on your organization's needs.

Color	Status	Label	Description
White	Draft		The article is currently undergoing changes.
Yellow	In Review		The article is being reviewed by the designated approver. <b>Note:</b> When the status changes to "In Review", a notification email is automatically sent to the user who is designated in the Approver field.
Blue	Approved		The article has been approved for publish.
Green	Published		The article is live in the knowledge base.
Gray	Expired		The article's expiration date is in

		<p>the past. <b>Note:</b> The status of published articles will automatically change to "Expired" on the specified expiration date, but they will remain visible in the knowledge base.</p>
--	--	---

## Sugar Portal and Articles

The Sugar Portal allows your customers and partners to read and vote on the [usefulness](#) of knowledge base articles.

**Note:** Only registered users of your Sugar instance's portal can log in to view and rate articles. For more information on enabling and configuring the portal and portal users, please refer to the [Sugar Portal](#) documentation. For information on using the portal, please refer to the [Portal Deployment User Guide](#) and [Portal User Guide](#) documentation.

To make an article visible in portal, enable the article's "External Article" checkbox, specify an Expiration Date for a future date, and ensure that the article's status is "Published".

KB

Resetting the device

☆

Published

< >

Edit

Body

When things are not working as expected, try resetting the device. Hold the Start button until the dialog box displays. Select the Reset option.

+ Tags

Attachments

LanguageEnglish

CategoryEmail

View Count8

Assigned toWill Westin

Date Created2021-12-09 13:54

Date Modified2021-12-20 11:17

Publish Date2021-12-20

Expiration Date2021-12-31

Revision1

Active Revision☒

TeamsGlobal (Primary)

External Article☒

Created ByAdministrator

Approved BySarah Smith

+ Related Case

Show less

Not Useful

Useful

## Publishing Articles

---

Publishing a completed article allows you to make it visible on the Sugar Portal for your customers and others outside of your Sugar users to view. For knowledge base consumers within your organization who are Sugar users, publishing also changes the article's status and designates that version as the active revision, making it available in the knowledge base list view until a subsequent revision is published. This enables your internal users to access knowledge base content within Sugar by browsing the [Knowledge Base Categories & Published Articles dashlet](#), the [Knowledge Base Search dashlet](#), or the Knowledge Base list view.

Articles can be published manually or scheduled to be published automatically on a future date. Publishing will check the article's Active Revision checkbox, making it available in the Knowledge Base list view even if a related revision was previously considered the active revision. Once an article has been published, the published version will retain the Active Revision designation when new revisions are created. Only when another revision is published in its place will the Active Revision designation be transferred. If an article is already published, publishing a related revision will also cause the original article's status to be changed to "Expired". For more information about revisions, please refer to the [Article Revisions](#) section of this page.

## Publishing Articles Immediately

To publish an article, simply edit the Status field to "Published" and save the record. If you want the article to be visible in the Sugar Portal, make sure the External Article box is checked. The Publish Date field will automatically set to today's date.

The screenshot shows the 'Edit Article' form in Sugar CRM. At the top, there's a header bar with a 'KB' icon, the title 'Resetting the device', a star icon, and a 'Status' dropdown menu set to 'Published'. To the right are 'Cancel' and 'Save' buttons. Below the header, the 'Body' field contains the text: 'When things are not working as expected, try resetting the device. Hold the Start button until the dialog box displays. Select the Reset option.' There's a '+ Tags' button below the body. The 'Attachments' section is empty. On the left, there are fields for 'Language' (English), 'Category' (Email), 'View Count' (8), and 'Assigned to' (Will Westin). On the right, there are fields for 'Revision' (1), 'Active Revision' (checked), 'Teams' (Global (Primary)), and 'External Article' (checked). The 'External Article' checkbox is highlighted with a red box.

## Scheduling a Future Publish

To schedule an article to publish in the future, set the Publish Date field to a date in the future, change the Status field to "Published", and save the record. If you want the article to be visible in the Sugar Portal, make sure the External Article box is checked. On the specified publish date, the article's status will change to

"Published" and the article will automatically become visible.

KB

Resetting the device

Status

Approved

Cancel

Save

Body

When things are not working as expected, try resetting the device. Hold the Start button until the dialog box displays. Select the Reset option.

+ Tags

Attachments

Language

English

Revision

1

Category

Email

Active Revision

View Count

9

Teams

Global (Primary)

Assigned to

Will Westin

External Article

Date Created

2021-12-09 13:54

Created By

Administrator

Date Modified

2021-12-20 11:25

Approved By

Sarah Smith

Publish Date

2022-01-05


+ Related Case

## Viewing Published Articles by Category

While the Knowledge Base list view allows you to locate articles using traditional search, filter, and sorting, Sugar also allows you to navigate the hierarchical structure of categories to locate published articles using the Knowledge Base Categories & Published Articles dashlet or the [Knowledge Base Search dashlet](#).

The Knowledge Base Categories & Published Articles dashlet can be added to the Knowledge Base list view and record view intelligence panes. When it is included on the Knowledge Base record view and you are viewing a published article, it will automatically open to display the current article. This is a convenient way to confirm the placement of a published article in your category hierarchy.

Folder icons represent categories while document icons represent articles. Blue folders indicate that a category contains child categories or published articles; clicking the blue folder will expand it to display the category's contents. White folders, on the other hand, may not be expanded since they indicate that the category has no child categories or published articles. To collapse an expanded category, simply click the open folder icon. Clicking an article's name will open the article in record view.




The Knowledge Base Search dashlet provides a similar view but also includes a search bar to allow you to quickly search published articles. See the [Dashboards and Dashlets](#) page for more information on this dashlet.

## Creating Articles via Cases

Sugar allows you to create an article based on the details of a case record. This is useful when a resolution to a problem is documented in a case. Creating an article from such records enables you to make this information available without manually copying from the case. The new article's Title field is based on the case's Subject field, and the article's body is automatically populated with the case's number, subject, description, and resolution. The case will automatically be set in the new article's Related Case field. For more information on working with cases, please refer to the [Cases](#) documentation.

Use the following steps to create an article from a case record:

1. Navigate to a case's record view.
2. Select "Create Article" from the Actions menu.



3. Update the necessary fields and then click "Save".

## Article Templates

Administrators have the ability to create templates to improve consistency or ease access to common or brand elements across your organization's knowledge base.

Knowledge Base templates can contain text, HTML content, and images including embedded .jpg or .png image files. Existing templates can then be used by regular users when creating articles to improve article consistency and quality while reducing the amount of time they must spend. For more information on how administrators can work with article templates, please refer to the [Knowledge Base Administration](#) documentation in the Administration Guide.

## Applying Templates to Articles

You can apply an existing template when creating or editing a Knowledge Base article. From the article's record view, click on the Templates button located in the editing toolbar for the Body field. A Search and Select drawer will appear where you can choose the desired template record. The selected template's content will then appear in the Body field of the knowledge base article.

[illegible]



**Note:** If the Body field already contains content prior to selecting a template, you will receive a message requesting confirmation before the selected template can be applied. Select "Cancel" to disregard the template or "Confirm" to overwrite any existing content with the template's content.

## Article Ratings

Reader feedback is important to gather and consider when working on knowledge base articles. In Sugar, both internal and external users have the ability to vote whether an article is useful or not. Internal users will find the Useful and Not Useful buttons on the article's record view. Sugar Portal users will find the same icons when viewing the article in the portal. Each time a new revision is created, it starts with zero votes, effectively wiping the slate for your improved or updated content.

Expiration Date  
2015-07-22

[Show less](#)

 **Not Useful**  **Useful**

## Viewing Article Ratings

As users vote an article as useful or not useful, the clicks are tallied within Sugar and can be viewed via a dashlet on the article's record view. The Usefulness for Articles dashlet may be added to the Knowledge Base record view's intelligence pane to display the aggregated usefulness of the current article. It totals the Useful and Not Useful votes that the article has received and shows the percentage of Useful votes on top of a visual depiction of the ratio. The red portion represents Not Useful votes while the Useful votes are shown in green. Hovering on the green or red portions displays the exact percentage and number of corresponding votes.

KB

Connecting to the Internet

☆

Published

Edit

Body

To connect your device to the Internet, use any application that accesses the Internet. You can connect using either Wi-Fi or Bluetooth.

+ Attachments

+ Tags

Show more...

Not Useful Useful

Related

All

Filter

All Records

Search...

Refresh

Grid

Clock

Lo

LOCALIZATIONS (1)

+

-

	Name	Language	Date Created	Date Modified	
☆	Verbinden mit dem ...	Deutsch	2020-03-09 19:00	2020-0	Eye icon

Re

REVISIONS

+

-

Knowl...

☆


Usefulness for Articles

50%

Use... Not ...

## Viewing Useful Published Articles

The Most Useful Published Knowledge Base Articles dashlet displays a list of top-rated published articles based on usefulness ratings and view count. Article usefulness is tallied via clicks on the Useful and Not Useful icons. The view count is the total number of views an article has received as shown in the View Count field. This dashlet displays the top three articles in descending order according to their rating. Click "More most useful published knowledge base articles" at the bottom of the dashlet to see additional articles. To view the details of an article listed in this dashlet, click on the article's name to navigate to its record view.



## Article Attachments

Articles can include attached files which will then be available for download by the article's viewers. In an article's record view, one or more files can be uploaded to the Attachments field. To select multiple attachments at a time, hold the Ctrl or Shift key on your keyboard while selecting the files. Then, when users view the published article, they will have the option to download a single attachment by either clicking the pill that contains the name of the attached file or by clicking "Download".

When multiple attachments exist on a single article, users viewing the article will have the option to download a single attachment or all attachments at once. They may click the pill that contains the name of the single file for download or click "Download All" to download a .zip file containing all of the attachments to their computer.

## Article Localizations

A localization is a copy of an article that has been adapted for a different audience, usually via translation to another language. Administrators must first add desired languages to the Knowledge Base module as described in the [Knowledge Base Administration](#) documentation. Once languages are configured in your instance, users may create localizations that will copy all populated fields from the original article except for the Status and Language fields. This allows users to re-write the article's contents in various languages to accommodate different target audiences.


**Note:** If an administrator deletes a language from the Knowledge Base module's Settings page, all localization articles associated with the deleted language will also be deleted.

## Creating Localization Articles


A localization article can be created from the Knowledge Base list view, the

article's record view, or the Localizations subpanel. There are many ways users can create a new localization:


- To create a localization article from a Knowledge Base article's record view, click the Actions menu and select "Create Localization".



- To create a localization article from the Knowledge Base article list view, click the article row's Actions menu and select "Create Localization".



- To create a localization article from the [Localizations subpanel](#) on a Knowledge Base article's record view, click the Plus icon.



A drawer will appear with a copy of the original article details except for the Language and Status fields. The Status field will automatically be set to "Draft". Users should choose the appropriate language and, optionally, edit the status and any other desired field. Clicking "Save" will finalize the new localization article, and it will appear within the Knowledge Base list view and on the parent article's record view within the Localizations subpanel.



---

number of localizations currently displayed with an additional, hyperlinked number (e.g., "6+") where there are more localizations than currently displayed. Click the hyperlinked number to see the total count of related records.

- **Collapse or Expand:** Click anywhere in the subpanel's header to collapse or expand it. Subpanels will remain collapsed or expanded on future visits to the module.
  - **Note:** Administrators can choose to disable the sticky feature and collapse all subpanels by default via Admin > System Settings. For more information, please refer to the User Interface section of the [System](#) documentation in the Administration Guide.
- **Column Widths:** Place your cursor on the column divider and, when the double arrow cursor appears, click and drag the column to the desired size. Please note that the column width will not be preserved when you navigate away from the page.
- **Column Sort:** Click a column header to sort the subpanel's items by that value. Clicking the same header again will reverse the sorting order (e.g., from ascending to descending).
- **Create a New Localization:** Click the Plus button on the upper right of a subpanel to create a new localization for the article you are currently viewing.
  - **Note:** Because creating a new related record opens a draw on top of the current record view, you should use the Cancel button to return to record view. Using the browser's back button will return you to the previous page.
- **Favorites Designation:** Click the star on the left of a record's row to toggle it as a favorite. A dark grey star indicates that the record is a favorite while a white star indicates it is not. For more information, please refer to the [User Interface](#) page.
- **Hyperlink Fields:** Blue field values, such as record names, may be clicked to open the record in record view. Record view provides a complete picture of the record and is described in detail in the [User Interface](#) page. Email addresses also appear in blue and can be clicked to compose an email to that recipient.
- **Record Actions Menu:** Click the triangle on the right of a record's row to access the Record Actions Menu which includes the following options:
  - **Preview:** To preview a record by displaying its fields and activity stream in the right-hand side drawer, click the Eye icon to the far right of the record's row. For more information, please refer to the [User Interface](#) page.
  - **Create Revision:** To create a new revision of the localized article, choose "Create Revision" from the actions menu on the far right of the record's row, then complete the record view layout and click "Save".
  - **Edit:** To inline edit the record directly within the subpanel, choose "Edit" from the Actions menu on the right of the record's row and


---

click "Save" to preserve the changes.

- **More Records:** By default, Sugar displays up to five records in each subpanel though administrators can alter the number via Admin > System Settings as described in the [System](#) documentation in the Administration. If additional related records exist, click "More <Module Name>..." (e.g., "More Accounts...") at the bottom of the subpanel to load the next set.

## Published Articles in Other Languages Dashlet

The Published Articles in Other Languages dashlet displays all published localization articles related to the current article you are viewing. From this dashlet, you can view who created each localization and when they created it, as well as which language is related to each localization via the language code icon located to the right of the article's name. This two-letter icon corresponds with the language code you administrator has specified in the [Settings](#). To access an article's record view, click on the article's name directly from the dashlet.



## Article Revisions


As you improve or update your knowledge base content, Sugar allows you to create revisions. Revisions are a set of articles that are versions of the same content. They allow you to keep a history of past versions as well as to make content changes without affecting the published version. One revision of each set of related revisions will be designated as the active revision using the Active Revision checkbox. Only article revisions with the Active Revision field checked are displayed in the Knowledge Base list view while the others will only be visible in the Revisions subpanel. If an article is not yet published, creating a new revision

will cause the Active Revision designation to transfer to the newest revision. Once an article has been published, the published version will retain the Active Revision designation when new revisions are created. Only when another revision is published in its place will the Active Revision designation be transferred. For more information about how publishing affects revisions, please refer to the [Publishing Articles](#) section of this documentation.


## Creating Revision Articles

When a revision is created, it duplicates all fields from the original article except for the Status field, which will default to "Draft". Please note that the Date Created field of all revisions will match the date the original article was created. The Date Modified fields will, however, reflect the most recent edit of the particular revision. A revision can be created from the Knowledge Base list view, the article's record view, the Revisions subpanel, or the Localizations subpanel.

To create a revision from an article's record view, click the Actions menu and select "Create Revision".



To create a revision from the list view, click the record Actions menu and select "Create Revision".



To create a revision from the [Revisions subpanel](#), click the Plus icon.

Related ▾

All

Filter

All Records

Search...

↺

📅

🕒

Re

REVISIONS (2)

+

▾

	Name	Language	Revision	Active Revision	Date	
☆	Charging the batter...	English	2	<input type="checkbox"/>	2020	👁️ ▾
☆	Charging the battery	English	1	<input type="checkbox"/>	2020	👁️ ▾

To create a revision from the [Localizations subpanel](#), click the record Actions menu and select "Create Revision".

Related ▾

All

Filter

All Records

Search...

↺

📅

🕒

Lo

LOCALIZATIONS (1)

+

▾

	Name ▾	Language	Date Created ▾	Date Modified ▾	Sta	
☆	<a href="#">How to change the l...</a>	Deutsch	2020-03-09 19:00	2020-03-11 23:36		<div><div>👁️</div><div>▾</div></div>

Re

REVISIONS (0)

Create Revision

Edit

	Name ▾	Language	Revision ▾	Active Revision
--	--------	----------	------------	-----------------

## Deleting Revision Articles

Deleting an article from the Knowledge Base list view only deletes the active revision. Another revision, if available, is then promoted to be the active revision. In order to delete an article revision which is not marked as the active revision, you must click on its name in the revisions subpanel, then select "Delete" in the record view's actions menu.

KB
Charging the battery - revision 2
☆
Approved
Edit

Body
To charge the battery, try the following:

- Connect device to a power outlet using the included cable and the u
- Connect to a high-power USB 2.0 port using the included cable.

+ Attachme...
+ Tags

Language English
Revision 2

Create Localization
Create Revision
Share
Copy
View Audit Log
Delete

## Revisions Subpanel

The Revisions subpanel is available on each article's record view and displays all

revisions related to the article. The subpanel allows the following operations to be performed:

Re REVISIONS (2) <span>+</span>						
	Name	Language	Revision	Active Revision	Date	
<span>☆</span>	<a href="#">Charging the batter...</a>	English	3	<input checked="" type="checkbox"/>	2020	<span>👁</span> <span>▼</span>
<span>☆</span>	<a href="#">Charging the battery</a>	English	1	<input type="checkbox"/>	Edit	

- **Revision Article Details:** To view the details of a related revision, click the article's name in the subpanel to open it in record view.
- **Record Count:** Subpanel headers display the total count of related revisions (e.g., "5 of 6+") next to the module name. The count captures the number of revisions currently displayed with an additional, hyperlinked number (e.g., "6+") where there are more revisions than currently displayed. Click the hyperlinked number to see the total count of related revisions.
- **Collapse or Expand:** Click anywhere in the subpanel's header to collapse or expand it. Subpanels will remain collapsed or expanded on future visits to the module.
  - **Note:** Administrators can choose to disable collapse stickiness or to collapse all subpanels by default via Admin > System Settings. For more information, please refer to the [System](#) documentation in the Administration Guide.
- **Column Widths:** Place your cursor on the column divider. When the double arrow cursor appears, click and drag the column to the desired size. Please note that the column width will not be preserved when you navigate away from the page.
- **Column Sort:** Click a column header to sort the subpanel's items by that value. Clicking the same header again will reverse the sorting order (e.g., from ascending to descending).
- **Create a New Revision:** Click the Plus button on the upper right of the subpanel to create a new revision for the article you are currently viewing.
  - **Note:** Because creating a new revision opens a draw on top of the current record view, you should use the Cancel button to return to record view. Using the browser's back button will return you to the previous page.
- **Favorites Designation:** Click the star on the left of a revision's row to [toggle it as a favorite](#). A dark grey star indicates that the revision is a favorite while a white star indicates it is not.
- **Record Actions Menu:** Click the triangle on the right of a revision's row to access the Record Actions Menu which includes the following options:
  - **Preview:** To [preview](#) a revision by displaying its fields and activity

---

stream in the right hand side drawer, click the Eye icon to the far right of the revision's row.

- **Edit:** To inline edit the revision directly within the subpanel, choose "Edit" from the Actions menu on the right of the revision's row and click "Save" to preserve the changes.
- **Note:** The new subpanel order will reset when the user's browser cache is cleared.
- **More Records:** By default, Sugar displays up to five revisions in each subpanel, though administrators can alter the number via Admin > System Settings as described in the [System](#) documentation of the Administration Guide. If additional related revisions exist, click "More {Module Name}..." (e.g., "More Emails...") at the bottom of the subpanel to load the next set of records.

For more information on revisions, please refer to the [Revisions](#) section of this documentation.


## Article Categories

Categories provide a way to group knowledge base articles so that writers, as well as viewers, can easily locate desired articles and related topics. Each article can belong to one category, and a category can have many articles. Categories can also have child or parent categories, allowing for a hierarchical structure of categories and sub-categories. Categories can be viewed in the Categories list view, in the [Knowledge Base Categories & Published Articles dashlet](#), and in the [Knowledge Base Search dashlet](#). Clicking on a category's hyperlink in the Knowledge Base list view or an article's record view will open a drawer containing all articles belonging to that category, providing a convenient way to view and open articles.


Alternatively, you can directly filter the Knowledge Base list view for a particular category. For more information about filtering list views, please refer to the [Search](#) documentation.

## Categories List View

Click the triangle in the Knowledge Base module tab then select "View Categories" from the menu to open the Categories list view.



In the Categories list view, you can view all knowledge base categories and their subcategories by expanding the Categories tree view or search for categories by title in the search bar. Grey folder icons indicate that a category contains subcategories while white folder icons represent categories with no children. Clicking the grey folders, as opposed to the category name, will reveal its subcategories. You can perform actions on an individual category by clicking the triangle to the right of a category's row in the list view.



Each category's Record Actions menu allows you to perform the following operations:

Menu Item	Description
<a href="#">Add Subcategory</a> (Plus icon)	Create a new category as a child of this category.
<a href="#">Edit</a>	Edit the name of the category.

<a href="#">Delete</a>	Delete the category.
<a href="#">Move Down</a>	Move the category down in the tree.
<a href="#">Move To</a>	Move the category to a parent folder.
<a href="#">Move Up</a>	Move the category up in the tree.


## Creating Categories

Categories and subcategories can be created from the [Categories list view](#), and top-level categories can be created from the Category field within an article's record view.


### Creating via Categories List View

Use the following steps to create a category from the Categories list view:

1. Select "View Categories" from the Knowledge Base module tab's Actions menu.




2. Click "Create" and enter the category name in the new row which appears. Press the Enter key to save.



3. To create a subcategory, select the "+" to the far right of the category's row and enter the name of the new child row which appears. Press the

---


Enter key to save.



## Creating via Category Field


Use the following steps to create a top-level category from the Category field while creating or editing a knowledge base article. Please note that this method does not allow for creating subcategories:

1. Create a new article or edit an existing article in the Knowledge Base module.
2. Click the Categories field and select "Create a category" in the bottom left corner of the dropdown.



Alternatively, select the expand icon located in the bottom right corner to open the Search and Select Categories drawer and click "Create" in the top-right corner of the drawer that opens.

3. Type the desired category's name into the open text box which appears and press the Enter key to save the new category.




4. Select the new category's name in the dropdown to select it for the current knowledge base article. If you do not wish to change the category of the current article, click outside of the Category field's dropdown.

## Renaming Categories


Categories may be renamed via the Categories list view and the Categories field in an article's record view. To rename a category from the [Categories list view](#),

---

simply click the triangle to the far right of the category row and select "Edit". Type the new category name followed by the Enter key to save your change.



You can also rename categories while editing or creating an article. Click the category field to open the dropdown and select the Expand icon located in the bottom right corner. The drawer that opens allows categories to be renamed similarly to the list view. After renaming desired categories, you can click "Cancel" or select a category to relate to the current article.



## Moving Categories

Users can change the order and hierarchy of categories via the [Categories list view](#). Categories and subcategories can be moved up, down, or into a different folder. This can be accomplished through the drag and drop method or through the move options in the Record Actions menu.

### Moving via Drag and Drop

To drag and drop a category to a new position in the Categories tree view, click and hold the category and drag it to the desired location. A category can be moved into a new position in the main tree view or into a different folder. A checkmark will appear beside the category name when the category is in a successful drop


position.



## Moving via Record Actions Menu

To move a category using the Record Actions menu, click the triangle located on the right of the category's row. The menu presents the following three options for moving categories:

- **Move Up:** Moves the category up one position within its current folder
- **Move Down:** Moves the category down one position within its current folder
- **Move To:** Moves the category to be the child of another category




## Deleting Categories

Categories can be deleted via the Categories list view and the Category field in an article's record view. Use caution when deleting a category because it will not only delete the current category, it will also delete all of its subcategories. When a category is deleted, any articles belonging to the category will have empty Category fields. While the Category field is not required, it is useful for organizing articles. It is recommended to associated articles be assigned a new category using mass update prior to the deletion.


---

**Note:** When a parent category is deleted, all subcategories are automatically deleted as well.

To delete a category and its child subcategories from the [Categories list view](#), simply click the triangle to the far right of the category row and select "Delete".



You can also delete categories while editing or creating an article. Click the category field to open the dropdown and select the Expand icon located in the bottom right corner. The drawer that opens allows categories to be deleted similarly to the list view. After deleting unwanted categories, you can click "Cancel" or select a category to relate to the current article.



## Working With Sugar Modules

While the Knowledge Base module has some features that only apply to knowledge base records, it also uses the Sidecar user interface that most Sugar modules are based on. The following sections detail menus, views, and actions common to Sidecar modules and contain links to additional information within the page or links to the User Interface documentation.


### Article Menus

The Knowledge Base module contains various options and functionality which are

available via menus in the module tab, list view, and record view. The following sections present each menu and its options with links to more information about each option in the User Interface documentation or, for Knowledge Base-specific functionality, within this page.

## Module Tab Menus

The Knowledge Base module tab is typically found by clicking the "More" icon represented by three vertical dots to the right of the module tabs on the navigation bar. The additional modules will appear on the list and you can click "Knowledge Base" to access the list view. Once the Knowledge Base tab is visible in the navigation bar, you may click the triangle in the tab to display the Actions, Recently Viewed, and Favorites menus. The Actions menu allows you to perform important actions within the module. The [Recently Viewed menu](#) displays the list of articles you most recently viewed. The [Favorites menu](#) displays the list of Knowledge Base records you most recently marked as favorites.



The module tab's Actions menu allows you to perform the following operations:

Menu Item	Description
<a href="#">Create Article</a>	Opens the record view layout to create a new article.
<a href="#">Create Template</a>	Opens the record view layout to create a new template. <b>Note:</b> This option is only available to administrators.
<a href="#">View Articles</a>	Opens the list view layout to search and display articles.
<a href="#">View Categories</a>	Opens the list view layout to search and

	display categories.
<a href="#">View Templates</a>	Opens the list view layout to search and display templates. <b>Note:</b> This option is only available to administrators.
<a href="#">Settings</a>	Opens the Knowledge Base language-configuration settings. <b>Note:</b> This option is only available to administrators.


For more information on module tab menus including reasons a module may not be included in the menu, see the [User Interface](#) documentation.

## List View Menus

The Knowledge Base [list view](#) displays all knowledge base records and allows for searching and filtering to locate specific articles. You can view the basic details of each record within the field columns of the list view or click an article's name to open the record view. To access a module's list view, simply click the module's tab in the navigation bar at the top of any Sugar page.

### List View Mass Actions Menu

The Mass Actions menu to the right of the checkbox option in the list header allows you to perform mass actions on all currently selected records. You can use the checkbox on each record's row to select individual article records or click the checkbox in the list header to select all records displayed on the current set of list view results.



The Mass Actions menu allows you to perform the following operations:

Menu Item	Description
<a href="#">Mass Update</a>	Mass update one or more articles at a time.

<a href="#">Recalculate Values</a>	Visible only if the module contains fields using <a href="#">Sugar Logic</a> and only to System Administrators or users with Developer-level role access, this option will refresh the selected records' calculated values.
<a href="#">Delete</a>	Delete this article.
<a href="#">Doc Merge</a>	Select or create a DOCX template to merge record data into documents that will be accessible in the Doc Merge widget.
<a href="#">Doc Merge to PDF</a>	Select or create a DOCX, XLSX, or PPTX template to merge record data into PDF documents that will be accessible in the Doc Merge widget.

### List View Record Actions Menu

The Record Actions menu to the far right of each record's row allows you to perform actions on the individual article directly from the list view.

<input type="checkbox"/>	▼	Name	Language	Status	Category	⋮
<input type="checkbox"/>	☆	<a href="#">How to change the language</a>	English	Expired	Help	⦿ ▼
<input type="checkbox"/>	☆	<a href="#">Charging the battery - revision 3</a>	English	Published	T	⦿ ▼
<input type="checkbox"/>	☆	<a href="#">Resetting the device</a>	English	In Review	E	⦿ ▼
<input type="checkbox"/>	☆	<a href="#">How to print</a>	English	Draft	H	⦿ ▼
<input type="checkbox"/>	☆	<a href="#">Verbinden mit dem Internet</a>	Deutsch	Approved	H	⦿ ▼
<input type="checkbox"/>	☆	<a href="#">Connecting to the Internet</a>	English	Approved	H	⦿ ▼

Edit  
Create Localization  
Create Revision  
Delete  
Doc Merge  
Doc Merge to PDF


The list view's Record Actions menu allows you to perform the following operations:

Menu Item	Description
<a href="#">Edit</a>	Edit this article.
<a href="#">Follow</a>	(Available if <a href="#">Activity Streams</a> are enabled) Follow changes to this case/call/bug/etc. in your activity stream.
<a href="#">Create Localization</a>	Copy this article in order to adapt it for

	a different audience via another language.
<a href="#">Create Revision</a>	Create a new or corrected version of the original article.
<a href="#">Delete</a>	Delete this article.
<a href="#">Doc Merge</a>	Select or create a DOCX, XLSX, or PPTX template to merge record data into documents that will be accessible in the Doc Merge widget.
<a href="#">Doc Merge to PDF</a>	Select or create a DOCX, XLSX, or PPTX template to merge record data into PDF documents that will be accessible in the Doc Merge widget.

## Record View Actions Menu

The Knowledge Base [record view](#) displays a single article in full detail including its fields, subpanels of related records, and activity stream. To access an article's record view, simply click a hyperlinked article name from anywhere within Sugar. The record view's Actions menu appears on the top right of the page and allows you to perform various operations on the current record.



The Actions menu allows you to perform the following operations:

Menu Item	Description
<a href="#">Edit</a>	Edit this article.
<a href="#">Create Localization</a>	Copy this article in order to adapt it for a different audience via another

	language.
<a href="#">Create Revision</a>	Create a new or corrected version of the original article
<a href="#">Share</a>	Share a link to this article via email. <b>Note:</b> To send emails through Sugar, users must first configure a default user email account via <a href="#">Emails &gt; Email Settings</a> .
<a href="#">Download PDF</a>	Download the record's information as a PDF file. <ul style="list-style-type: none"> <li>• This menu option is only visible if the administrator has created a PDF template for the Knowledge Base module via Admin &gt; <a href="#">PDF Manager</a>.</li> <li>• Clicking on this menu item will expand and contract the menu to reveal or hide the available PDF templates.</li> </ul>
<a href="#">Email PDF</a>	Email the record's information as a PDF attachment. <ul style="list-style-type: none"> <li>• This menu option is only visible if the administrator has created a PDF template for the Knowledge Base module via Admin &gt; <a href="#">PDF Manager</a>.</li> <li>• Clicking on this menu item will expand and contract the menu to reveal or hide the available PDF templates.</li> </ul> <p><b>Note:</b> To send emails through Sugar, users must first configure a default user email account via <a href="#">Emails &gt; Email Settings</a>.</p>
<a href="#">Copy</a>	Duplicate this article.
<a href="#">View Audit Log</a>	View a record of changes to this article's fields.
<a href="#">Delete</a>	Delete this article.
<a href="#">Doc Merge</a>	Select or create a DOCX, XLSX, or PPTX template to merge record data into

	documents that will be accessible in the Doc Merge widget.
<a href="#">Doc Merge to PDF</a>	Select or create a DOCX, XLSX, or PPTX template to merge record data into PDF documents that will be accessible in the Doc Merge widget.

## Common Views and Actions

In the table below, the left column contains links to the User Interface page covering topics that are applicable to all Sidecar modules. The right column has links to sections of the current page that cover topics specific to knowledge base articles.

<b>General Instructions for Working With Sugar Modules</b>	<b>Knowledge-Base-Specific Instructions</b>
Use the links below to navigate to the User Interface page which covers topics generic to many Sugar modules.	When Knowledge-Base-specific help exists for each topic, use the links below to navigate to sections of the current page.
<a href="#">Creating Records</a>	<a href="#">Creating Articles via Cases</a> <a href="#">Article Templates</a> <a href="#">Creating Categories</a>
<a href="#">Viewing Records</a>	<a href="#">Viewing Published Articles by Category</a>
<a href="#">Searching for Records</a>	<a href="#">Article Categories</a>
<a href="#">List View</a>	<a href="#">List View Mass Actions Menu</a> <a href="#">List View Record Actions Menu</a> <a href="#">Categories List View</a>
<a href="#">Record View</a>	<a href="#">Record View Actions Menu</a>
<a href="#">Intelligence Pane</a>	<a href="#">Viewing Article Ratings</a> <a href="#">Viewing Useful Published Articles</a> <a href="#">Published Articles in Other Languages</a> <a href="#">Dashlet</a>
<a href="#">Editing Records</a>	<a href="#">Publishing Articles</a> <a href="#">Article Attachments</a> <a href="#">Article Localizations</a> <a href="#">Article Revisions</a> <a href="#">Renaming Categories</a> <a href="#">Moving Categories</a>
<a href="#">Deleting Records</a>	<a href="#">Deleting Revision Articles</a> <a href="#">Deleting Categories</a>
<a href="#">Viewing Record Audit Logs</a>	

---

<a href="#">Record PDFs</a>	
<a href="#">Favoriting Records</a>	
<a href="#">Following Records</a>	
<a href="#">Sharing Records</a>	
<a href="#">Using the TinyMCE Text Editor</a>	


# SugarLive

## Overview

SugarLive, available to users with a Sugar Serve 11.0 and higher or Sugar Sell 12.0 and higher [license type](#), is an omnichannel tool for customer service agents and sales team members to communicate in real-time with customers. While the user is in a call or chat with the client, relevant customer information is available at all times to be viewed and updated without navigating away. To use SugarLive, your organization must have an Amazon Connect account because Amazon Connect is used to route incoming calls and chats to SugarLive. See the [Prerequisites](#) section for more details.

Please note that you will only be able to see tabs, dashlets, and records as allowed by your [license type](#), [team membership](#), [assigned roles](#), and [user access type](#). For more information, please refer to the referenced documentation in the Administration Guide.

Accessible in Sugar's footer, SugarLive comprises two sides. On the left side are the [Summary panel](#), where a few key details on the current call or chat are available to view and edit, and the [Communication panel](#), where you can accept incoming calls and chats and carry them out. The right side is the [Detail panel](#) and contains a tabbed dashboard that allows you to find, view, and update records in Sugar to help you efficiently assist the customer you are talking to. In this panel, the Search tab lets you find the record(s) associated with the customer you are working with so that you can open them in SugarLive. The module tabs (e.g., Contact) each present a holistic view of that record, providing you with the tools needed to find information, aid the customer, and track the details of your encounter. SugarLive can be [viewed](#) in a variety of dynamic ways throughout a chat or call session.



## Prerequisites


SugarLive's [Communication panel](#) uses Amazon Connect to handle incoming calls and chats. As a result, SugarLive can only be used after an admin has configured your organization's Amazon Connect instance and connected it to Sugar. See the [Amazon Web Services](#) page in the Administration Guide for details on this configuration.

To access SugarLive in the footer, you must have the following:

- A Sugar Serve or Sugar Sell [license type](#)
- An Amazon Connect user account in your organization's Amazon Connect instance
- A web browser that is supported for use with SugarLive. For more information, refer to the [Supported Platforms](#) page.
- Role access to the Calls and Messages modules

## Accessing SugarLive

You can access SugarLive by clicking the icon in the footer:



If you cannot see the icon in the footer, contact your administrator to ensure that you have a Sugar Serve or Sugar Sell license type and that your Sugar instance has been set up to connect to your organization's Amazon Connect instance.

If you are not [logged in](#) to Amazon Connect, the SugarLive icon is grey. The icon turns green upon login and remains this way whether your status is set to "Available" or "Offline". When you have at least one call or chat open in SugarLive, the footer icon's background changes to black.

**Note:** Firefox is a supported browser. However, if you see an error that says "Firefox Can't Open This Page" you will need to navigate to Settings > Privacy & Security and change from "Standard" security to "Custom" security. Within the Custom security option, uncheck Cookies and Tracking Content.


## SugarLive Views

SugarLive can be expanded and collapsed to allow you to work with SugarLive and your Sugar data in a variety of dynamic ways throughout a chat or call session. When making an outbound call, SugarLive will default to the view, either full or compact, you were in when your last outbound session ended. When accepting an incoming call or chat, SugarLive will default to the view, either full or compact, you were in when your last inbound session ended. Outbound calls default to [compact view](#) and inbound calls and chats default to [full view](#) if a prior session view is unknown.

**Note:** You can navigate within Sugar while in a call or chat but you cannot refresh your browser. Doing so will disconnect the call or chat and discard any unsaved changes in the Detail panel. This is always true, whether you are in an active session or an ended but not yet closed session, and also if SugarLive is in full view, compact view, or minimized.


### Full View

SugarLive's full view displays the [Summary panel](#), [Communication panel](#), and [Detail panel](#). Work with your Sugar records directly from SugarLive through the available tabs and the dashlets contained in each tab. Enter [compact view](#) or [minimize](#) SugarLive by clicking the available icons on the top right side of the Detail panel.



## Compact View

SugarLive's compact view displays the [Summary panel](#) and [Communication panel](#). Work with your Sugar data throughout the platform while SugarLive remains visible. From compact view, you can [minimize](#) SugarLive or enter [full view](#) where your module tabs will be updated based on the content you were viewing.



## Minimize

To minimize SugarLive, either from compact or full view, use the dash ( - ) icon in the top right corner. If you receive a new chat message while SugarLive is minimized, the footer icon flashes green until you open it again. If SugarLive is


---

minimized and then opened again, it returns to the view (i.e., full or compact) it was in when minimized.

## Logging In

You must be logged in to an Amazon Connect account to receive calls and chats. If you are not logged in, click the SugarLive icon in the footer to open it. The login behavior is different depending on if you are using the [standard login](#) or [single sign-on authentication](#).

When you first log in, your status in the [Communication panel](#) is set to "Offline", which prevents new chats or calls from being routed to you. Change it to "Available" in the top left corner to make yourself available to new chats and calls. You cannot change your status back to "Offline" when you have active sessions but can after the call or chat has ended and you are still working in the [Detail panel](#) and [Summary panel](#).



Your status in the Communication panel is preserved when you log out of Sugar and log back in before your Amazon Connect session has ended. As a result, you may wish to change your status to "Offline" before logging out of Sugar to prevent immediately receiving a new call or chat when you log back in to Sugar.

### Standard Login

If your instance is [set up for standard login](#), SugarLive will open a new tab in your browser with the Amazon Connect login page. Simply log in to your Amazon Connect account and then return back to the tab with Sugar open; you will now be logged in to SugarLive and can close the Amazon Connect tab.

### Single Sign-On Authentication

If your Sugar instance and Amazon Connect instance are [set up for SAML](#)

---


[2.0-based authentication](#) and you logged in to Sugar using single sign-on (SSO), you will be automatically logged in to Amazon Connect via your identity provider when you open SugarLive. You will remain on the same page and SugarLive will be opened with your Amazon Connect account logged in.

## Communication Panel

The Communication panel is a small panel that appears in the bottom left corner when you open SugarLive with no active sessions. It uses Amazon Connect's Contact Control Panel (CCP) to route incoming calls and chats to agents. When a new incoming call or chat has been routed to you or when you have an ongoing session, it and the [Summary panel](#) fill the entire left-hand side of the screen with the [Detail panel](#) on the right. Between these three panels, SugarLive provides you with the tools you need to work on relevant records in Sugar while talking to the customer.

## Accepting an Incoming Chat

When you receive a new customer chat, SugarLive opens and the Communication panel allows you to either accept or reject the chat. If you already have one or more ongoing chats, the Accept and Reject buttons are displayed in a pop-up at the top of the Communication panel instead.



If you are using Sugar Portal Chat, your customers can start a chat session within the portal to chat with a chatbot or connect to an agent in SugarLive. See the [Amazon Web Services](#) page in the Administration Guide for the steps needed to

---

set up Sugar Portal Chat and see the [Portal User Guide](#) for details on how the portal chat works.


After you accept an incoming chat, a message record is created and populated with certain values, such as the start date, direction ("Inbound"), and the related record(s) (e.g., contact), if known. The conversation opens in the Communication panel and the [Detail panel](#) and [Summary panel](#) open to fill the rest of the screen. Here, you can see the message from the customer and carry out your conversation while using the other panels to open and update relevant Sugar records. Use the [Search tab](#) to find the correct record or use the Quick Create menu in the top right corner of Sugar to create a new one. See the [User Interface](#) page for more details on Quick Create.

If the incoming chat is associated with a particular contact or case record in Sugar, those records are automatically opened in the [Contact](#) or [Case](#) tab and are [linked to](#) the current session's message record. For example, if a customer uses [Sugar Portal Chat](#) to contact your Customer Service department, SugarLive matches their portal user with its contact record in Sugar and opens that contact. If the customer speaks with a chatbot about a specific case before asking to connect to an agent, that case is also opened in SugarLive.

If a chat session is started using an external chat window (e.g., on an external website), the chat may be configured to send certain values to SugarLive, such as the contact's name or email address. SugarLive uses these values to open the relevant record(s) in the Detail panel. If more than one record matches the provided name or email address, they are opened in the [Search tab](#) instead so you can select the correct one to open.

If you create a new case using the Quick Create or module tab menu when you already have a contact open in the Contact tab, the Primary Contact field is automatically populated with the contact and the Account Name field is populated with the contact's account. The Source field of the case is also automatically populated with "Chat". After the case is created, the primary contact is opened in the Contact tab while the newly created case is opened in the Case tab.


When you have more than one active chat, each chat is displayed as a separate tab within the Communication panel so that you can navigate between conversations. Doing so updates the other panels in SugarLive to show the records you opened while talking to that particular customer. Note that there is a maximum number of chats that you can have open at once, which is configured by your administrator in Amazon Connect. A chat that has ended but is not yet closed counts towards this. If you have the maximum number of chats open, you are not considered available to receive more until you [close a contact](#).




## Ending a Chat

To end a chat session, click the End Chat button at the bottom of the Communication panel. When you or the customer ends a chat, the message record is updated with the end time and the Completed status. If the Guests or Related To field is set, this message will appear in the [Timeline dashlet](#) when viewing that record. See the [Messages](#) documentation for more details on this module and how SugarLive uses it.

After saving the message record, the chat remains open in an inactive state so that you can continue working in the [Detail panel](#) and [Summary panel](#) to finish updating records after the conversation ends. To close the chat and the records you have open in SugarLive, click the Close Contact button in the Communication panel. Doing so saves the chat transcript in the Conversation field on the message record.




If you have unsaved changes in the Detail panel when you close the contact, you will be asked to confirm before discarding the changes. If you choose to continue editing after the chat is closed, a new Close button appears in the top right corner of the Detail panel. This allows you to close the panel later, after saving your changes, even though the chat itself has already been closed in the Communication panel.




---

## Accepting an Incoming Call

When you receive a new customer call, SugarLive opens and the Communication panel allows you to either accept or reject the call.



After accepting, a call record is created and populated with certain values, such as the start date, direction ("Inbound"), and the related record(s) (e.g., contact), if known. The call opens in the Communication panel and includes basic softphone features such as "Hold", "Mute", and "Number pad". You can also use the [Quick Connects button](#) to transfer the call internally or externally. The [Summary panel](#) and [Detail panel](#) appear above and beside the Communication panel, respectively, to allow you to view and update relevant Sugar records while on the phone with the customer.



When receiving a call, SugarLive will search for a record based on the phone number. For more information on searchable fields, please refer to the [Search](#) documentation. If the incoming phone number matches a phone number in a single contact, account, or lead record in Sugar, that record is automatically opened in the respective module tab of the [Detail panel](#) so you can view and update their customer information. If there is more than one match in any of the three modules, the records are opened in the [Search tab](#) and the contact record will be in focus. If no contact is found, the account record and lastly the lead is prioritized. If there are no matches, you can search for the record in the Search tab or use the Quick Create menu in the top right corner of Sugar to create a new one. See the [User Interface](#) page for more details on Quick Create.

If you create a new record using the Quick Create or module tab menu, the Office Phone field is automatically populated with the phone number of the incoming call.

In order for SugarLive to match an incoming phone number to one in Sugar, the phone numbers in Sugar must use a format that is recognizable to SugarLive; the following format is the only consistently recognized format: +10123456789.


It is only possible to have one call at a time, and a call that has ended but is not yet cleared in the Communication panel counts towards this. If you have a call ongoing or open in an inactive state, you are not considered available to receive another call until you [clear the contact](#).

## Ending a Call


---

To end a call, click the End Call button at the bottom of the Communication panel. When you or the customer ends a call, the call record is updated with the end time and the Held status. If an admin has configured call recordings, transcripts, and sentiment evaluations to be saved in Sugar, these values are populated on the call record, although it may take some time for the values to become available. See the [Calls](#) page for details on how call recordings, transcripts, and sentiment analysis work in SugarLive.

After the call has ended, the Communication panel remains open with the call in an inactive state so that you can continue working in SugarLive to finish updating records after the conversation ends. To close the call and the records you have open in the other panels, click the Clear Contact button in the Communication panel.




If you have unsaved changes in the Detail panel when you clear the contact, you will be asked to confirm before discarding the changes. If you choose to continue editing after the call is closed, a new Close button appears in the top right corner of the Detail panel. This allows you to close the panel later, after saving your changes, even though the call itself has already been closed in the Communication panel.



## Using Quick Connects

Amazon Connect allows an administrator to create quick connects, which are saved call destinations, for agents to transfer an active call to. You can dial a quick connect when [making an outbound call](#) or transfer an active call to one by clicking "Quick connects" in the Communication panel. This opens a list of quick connects available for you to use, as configured by an admin.



---


When you use a quick connect to transfer a call, the initial call record is saved in Sugar. When the recipient of the transfer receives the call, the transferred call is saved as a separate record.

## Making an Outbound Call

If the [Click-to-Call](#) system setting has been enabled by an admin, simply click any phone number field in Sidecar modules in Sugar to call the number using SugarLive. Clicking a phone number in a contact, account, lead, or case record will open the record in the respective tab in the Detail panel, and the record will automatically link to the call. A linked contact or lead record is displayed in the Summary Panel in the Guests field and a linked account or case is displayed in the Related To field. In all other Sidecar modules where a relationship to the Activities module exists, clicking a phone number will automatically link the record to the call record via the Related To field.

**Note:** You cannot use Click-to-Call to dial if you have any chat sessions open in SugarLive. You also cannot make an outbound call while on another call, including an inactive call before the [contact has been cleared](#).

Aside from using Click-to-Call, you can dial by entering a phone number using the number pad or by typing or copy and paste in the Communication panel of SugarLive. If the dialer is not open when you open SugarLive, simply click the phone icon at the top to open it.




---

If the number you dial matches a phone number in a single contact, account, or lead record in Sugar, that record is automatically opened in the respective tab(s) of the [Detail panel](#) so you can view and update their customer information while on the call. If there is more than one match in any of the three modules, the records are opened in the [Search tab](#) and the contact record will be in focus. If no contact is found, the account record and lastly the lead is prioritized. If the number you dial does not match a phone number in any contact, account, or lead records, but you are viewing a Sidecar module record with a relationship to the Activities module (e.g., Opportunities), SugarLive will automatically link the record to the call record via the Related To field.

In order for SugarLive to match an outbound call's phone number to one in Sugar, the phone numbers in Sugar must use a format that is recognizable to SugarLive; the following format is the only consistently recognized format: +10123456789.

## Configuring the Communication Panel

Several configuration settings are available in the Settings page of the Communication panel by clicking the gear icon in the top right corner. Here, you can set your phone type (e.g., softphone), choose your language, report an issue, download logs, and log out.



The screenshot shows a settings dialog box for the Communication Panel. At the top, there is a dark header bar with the word "Available" on the left and three icons (phone, chat, and a gear icon) on the right. The gear icon is highlighted with a red square. Below the header, the dialog is titled "Settings". Under "Phone type", there are two radio buttons: "Softphone" (which is selected) and "Desk phone". Under "Language", there is a dropdown menu currently showing "English" with a downward arrow. At the bottom of the settings section, there are "Cancel" and "Save" buttons. Below the settings section, there are two links: "Download logs" and "Logout".

## Summary Panel

---

The Summary panel opens when you receive an incoming call or chat in SugarLive and is displayed above the [Communication panel](#). It displays fields from the call or message record for the active SugarLive session to keep relevant information in view and available to edit while you are working. Based on the type of session you have open, the panel title is either "Message Summary" or "Call Summary", and the fields that are displayed for each can be [configured by an admin](#).

In the top part of the panel, the Guests and Related To fields indicate to which record(s) the current call or chat is [linked](#), if any. The Guests field will automatically populate the lead, contact, or user record if identified by SugarLive. If not automatically populated, you can search and select a record from the Leads, Contacts, or Users modules from the Guests field. The Related To field can be automatically populated if identified by SugarLive (e.g., a customer identifies an existing case number when beginning the chat). The Related To field can be populated with a record from any of the following modules, as allowed by your license type and role restrictions:

- Account
- Contact
- Task
- Opportunity
- Quoted Line Item
- Quote
- Bugs
- Case
- Lead
- Target
- Knowledge Base
- Note
- Purchased Line Item
- Purchase
- Revenue Line Item

The bottom section of the panel contains auto-saved Subject and Description fields to allow you to easily take notes while talking with the customer. During a chat session, these fields' values are saved on the message record, and during a call, the values are saved on the call record. The value you enter is automatically saved as soon as you click out of the field.

SugarLive

Message Summary

Guests

Winter Esper X v

Related To

Account v Income Free Investi... X v

Subject

Chat from Customer at 2021-06-24 09:16

Description

Customer is using an outdated driver. Asking them to update.

Available v

Customer

09:11 04:04

than 5 minutes.

You are now being placed in queue to chat with an agent.

9:15 AM

Customer

Good afternoon

9:16 AM

Q Search

Co Contact

Ac Accour

Co Winter Esper

✓

Edit

⚙

Contact

Account

Opportunity

Quotes (Bill To)

Title

Director Operations

Mobile

(115) 547-6779

Department

Do Not Call

☐

Account Name

Income Free Investing LP

Business Center Name

Email Address

the93@example.tv

sales.kid@example.edu

Tags

Africa Application East

Cases

⚙

Filter v All Cases Search by subject, number...

↺

Num.	Subject	Account Name
250	Warning message wh...	Income Free Investin.


The context of the Summary panel (i.e., which record the field values are displayed for) is maintained whenever you have a specific call or chat open. If you have multiple chats open and switch between them using the tabs in the Communication panel, the Summary and Detail panels' context switches as well so that you always have the right records in view when talking with the customer.

## Linking Records

To keep track of the records relevant to a specific encounter, they can easily be related to the call or message record for the SugarLive session via the Link button.

Cs

Warning message when using the...



Edit

Case	Tasks	Contacts	Documents
Number		Priority	
4		High	
Account Name		Show in Portal	
Smallville Resources Inc		<input checked="" type="checkbox"/>	
Type		Source	
Product			
Status		Assigned to	
Rejected		Max Jensen	
Description			
Tags		Business Center Name	

This Link button is displayed in the header of all Record views and single-record tabs of Record View dashlets for all Sidecar modules that have a relationship to the Activities module (e.g., Contacts, Cases, Opportunities, etc). Clicking the button will relate the record to the current call or chat and update the Guests and Related To fields in the Summary panel:

Call Summary

Guests

Justa Montesino

X

Related To

Case

Warning message w...

X

Subject

Call from Justa at 2021-06-15 09:19

Description

Justa is experiencing a warning message when clicking the shortcut link.

Available

27:46

After call work


Search

Co Contact

Ac Accc

Co

Justa Montesino



Edit

Contact	Account	Opportunity	Quotes (Bill To)
Title		Mobile	
VP Operations		(975) 335-9701	
Department		Do Not Call	
		<input type="checkbox"/>	
Account Name		Business Center Name	
Spend Thrift Inc			
Email Address			
qa.beans@...			
sales.sugar.info@exam...			
Tags			

When you link a contact or lead record, the value is automatically saved as a guest on the call or message record at the time you add the link and other record types

---

are saved in the Related To field. See the [Messages](#) and [Calls](#) pages for details on which values SugarLive sets on these modules.

Once a link has been added, the Link button becomes disabled and the link cannot be removed, but it can be replaced by opening a different record and linking it instead. If no record is linked by the end of the SugarLive session, which includes the time when the call or chat is inactive but still open, then no record will be related. However, it is still possible to update the call or message record manually at any time directly in its module.

## Detail Panel

The Detail panel opens when you receive an incoming call or chat in SugarLive and fills the right-hand side of the screen next to the [Communication panel](#) and [Summary panel](#). It consists of up to five tabs with fixed layouts: Search, Contact, Account, Lead, and Case; these tabs help you find, view, and update Sugar records while talking to the customer. The sections below discuss the default layouts of these tabs, but the layouts can also be [configured by an admin](#).

**Note:** You will only be able to see tabs as allowed by your [license type](#), [team membership](#), [assigned roles](#), and [user access type](#). For more information, please refer to the referenced documentation in the Administration Guide.

The context of the Detail panel (i.e., which records are open) is maintained whenever you have a specific call or chat open. If you have multiple chats open and switch between them using the tabs in the Communication panel, the Detail and Summary panels' context switches as well so that you always have the right records in view when talking with the customer. In addition, if you have unsaved changes in a dashlet when switching between chat tabs, the unsaved changes remain when you return for you to complete and save them.

If you create a new case using the Quick Create or module tab menu while in SugarLive, the Source field of the case is automatically populated with either "Phone" or "Chat", based on the type of SugarLive session you currently have open. In addition, if you are viewing a specific contact in the Contact tab, that contact is set as the primary contact and its account is set in the Account Name field on the case you are creating. After the case is created, the primary contact is opened in the Contact tab while the newly created case is opened in the [Case tab](#).

## Search Tab

The Search tab contains a search bar at the top to locate records across the Contacts, Accounts, Leads, and Cases modules to locate the record in Sugar associated with the customer you are talking to. Click the down arrow to select which specific module(s) you wish to search. The right side contains additional

filter options. Clicking a record in the search results opens them in their respective tabs within the Detail panel so that you can view information relevant to the record without leaving SugarLive.

Q Search

Co Contact

Ac Account

Le Lead

Cs Case

Ac Co ▾ Da

Search all

✓ Accounts (20 of 28)

Cases

✓ Contacts example.it

Leads

Co

Primary Email: kid87@example.cn

Co

Daron Bustillos  
Primary Email: beans.beans.dev@example.it

Co

Irma Banda  
Primary Email: section33@example.it

Filter

☐ Contacts (27)

☐ Accounts (1)

☐ Assigned to Me (3)

☐ My Favorites (0)

☐ Created by Me (0)

☐ Modified by Me (1)

## Contact Tab

The Contact tab provides an overview of the customer and the tools needed to help them without leaving SugarLive. This tab is disabled until a contact has been opened. When a contact is automatically opened by a call, manually opened via the [Search tab](#), or created using the Quick Create menu in the top right corner of Sugar, it is opened in this tab. In addition, other related and useful information is displayed by default, including a searchable view of the knowledge base and a list of interactions with the contact. The dashlets on this tab can be [configured by an admin](#).

The screenshot displays the SugarCRM interface with the 'Contact' tab selected. The top navigation bar shows 'Search', 'Contact' (highlighted), 'Account', 'Lead', and 'Case'. The main content area is divided into four dashlets:

- Contact Record:** Displays details for 'Leora Emmett'. Fields include Title (Senior Product Manager), Mobile ((542) 353-5672), Department (Do Not Call), Account Name (Start Over Trust), Email Address (the.dev@example.info), and Tags (Application, License, Proprietary).
- Knowledge Base Search:** A search bar with a list of categories: Documentation (Calendar, Calls, Email, Database), Tutorials (Charging the battery - revision 3), Video, and Help.
- Cases:** A table with columns 'Num.', 'Subject', and 'Account Name'. It shows one case: '251 System Down Start Over Trust'.
- Contact Timeline:** Shows a timeline of interactions. It includes a calendar icon for 'Friday 2021-06-04 15:12' and a 'Follow-up on proposal' event on '2021-09-06 09:45 - 13:00 (3 hours 15 minutes)'.

The context of the tab's dashlets (i.e., which contact the dashlets are displaying data for) is maintained whenever you have the current call or chat open. If you have multiple chats open and switch between them using the tabs in the [Communication panel](#), the Contact tab's context switches as well so that you always have the right records in view when talking with the customer. Read more about the dashlets it contains in the following sections:

- [Contact Record Dashlet](#)
- [Knowledge Base Search Dashlet](#)
- [Cases Console List View Dashlet](#)
- [Contact Timeline Dashlet](#)
- [Purchase History Dashlet](#)
- [Active Subscriptions Dashlet](#)

## Account Tab

The Account tab provides an overview of an account and the tools needed to help them without leaving SugarLive. This tab is disabled until an account has been opened. When an account is automatically opened by a call, manually opened via the [Search tab](#), or created using the Quick Create menu in the top right corner of Sugar, it is opened in this tab. In addition, other related and useful information is displayed by default, including a timeline of interactions with the account. The

dashlets on this tab can be [configured by an admin](#).

The screenshot shows the SugarCRM interface with the 'Account' tab selected. The 'Start Over Trust' account record is displayed with fields like Website, Industry, and Assigned to. The 'Timeline' dashlet shows two events: 'Outbound' and 'Follow-up on proposal'. The 'Comment Log' dashlet shows a comment from Will Westin. The 'Cases' dashlet shows a list of cases with columns for Number, Subject, Account Name, and Priority.

Num.	Subject	Account Name	Priori
251	System Down	Start Over Trust	P1
250	Warning message wh...	Income Free Investin...	P2


The context of the tab's dashlets (i.e., which account the dashlets are displaying data for) is maintained whenever you have the current call or chat open. If you have multiple chats open and switch between them using the tabs in the [Communication panel](#), the Account tab's context switches as well so that you always have the right records in view when talking with the customer. Read more about the dashlets it contains in the following sections:

- [Account Record Dashlet](#)
- [Account Timeline Dashlet](#)
- [Comment Log Dashlet](#)
- [Cases Console List View Dashlet](#)
- [Purchase History Dashlet](#)
- [Active Subscriptions Dashlet](#)

## Case Tab

The Case tab provides an overview of a case and the tools needed to understand and work the case without leaving SugarLive. This tab is disabled until a case has been opened. When you open a case via the [Search tab](#) or create one using the Quick Create menu in the top right corner of Sugar, it is opened in this tab along with other related and useful information by default, including a searchable view of

the knowledge base and access to the case's comment log. The dashlets on this tab can be [configured by an admin](#).



The screenshot displays the SugarLive interface with the 'Case' tab selected. The top navigation bar includes tabs for Search, Contact, Account, Lead, and Case. The 'Case' tab is highlighted. Below the navigation bar, there are five dashlets:

- Warning message when using the wrong...**: A table showing case details.

Case	Tasks	Contacts	Documents
Number	Priority		
250	Medium		
Account Name	Show in Portal		
Income Free Investing LP	<input checked="" type="checkbox"/>		
Type	Source		
Administration			
Status	Assigned to		
Assigned	Chris Olliver		
Description			
Tags	Business Center Name		
- Knowledge Base Search**: A search bar and a list of categories: Documentation, Tutorials, Video, and Help.
- Comment Log**: A section for adding comments with an 'Add comment' field and an 'Add' button.
- Case Timeline**: A section showing a recent inbound call from Sherry reporting a warning message.
- Related Account Record Dashlet**: A section showing details for 'Income Free Investing LP' including Website (http://www.kidhr.cn), Industry (Technology), Member of, Type (Customer), Business Center Name, Service Level, Assigned to (Chris Olliver), and Office Phone ((243) 265-4805).

The context of the tab's dashlets (i.e., which case the dashlets are displaying data for) is maintained whenever you have the current call or chat open. If you have multiple chats open and switch between them using the tabs in the [Communication panel](#), the Case tab's context switches as well so that you always have the right records in view when talking with the customer. Read more about the five dashlets it contains in the following sections:

- [Case Record Dashlet](#)
- [Knowledge Base Search Dashlet](#)
- [Related Account Record Dashlet](#)
- [Comment Log Dashlet](#)
- [Case Timeline Dashlet](#)

## Dashlets

The [Detail panel](#) of SugarLive contains a variety of dashlets by default in a fixed

---

three-tab layout to help you serve the customer while talking to them in the [Communication panel](#). The sections below outline each of these dashlets and how they can be used. An admin can also [configure the layouts](#) of these dashlets within each tab.

**Note:** Although regular users can edit some of these dashlets outside of SugarLive, none of the dashlets are available for editing by regular users in SugarLive. An administrator must configure the dashlets if changes are required.

## Cases Console List View Dashlet

The Cases Console List View Dashlet is available in the [Contact](#) and [Account](#) tabs. In the Contact tab, the list is automatically filtered to the cases with the currently displayed contact in their Primary Contact field. Clicking a record in the dashlet opens it in the [Case tab](#) rather than navigating away from SugarLive and opening its record view. The most recently selected record stays in context in the Detail panel whenever SugarLive is open to the same call or chat.


Cases				
Filter ▾ All Cases Search by subject, number...				
Num.	Subject	Account Name	Priority	Status
9	Need to purchase addi...	Cumberland Trails Inc	P3	Closed
68	Warning message whe...	Chandler Logistics Inc	P2	Assigned

For more information on Console List View dashlets, including the searchable Case fields, refer to the [Dashboards and Dashlets](#) documentation.

## Record View Dashlet

By default, on the top left of the Contact, Account, Lead, and Case tabs is a Record View dashlet. The dashlet displays the relevant record type and fields for the record you have open during the current call or chat. In addition, the Contact, Account, and Case Record View dashlets are all configured to display additional tabs containing related records. During a SugarLive session, each Record View dashlet has a Link button in the dashlet header. This button can be used to relate the record to the current call or message record. See the [Linking Records](#) section of this page for more information.

Records can be edited directly in the dashlet. Additionally, an Actions menu is available in the Record View dashlet for modules that can be escalated. For more information on escalating records, refer to the [Escalations](#) documentation. If you wish to access the record's full-page record view, simply hover over the name in the dashlet and click the arrow icon that appears to navigate to the record.




Note that in SugarLive, only administrators can change the tabs displayed in Record View dashlets. For more information, refer to the [Record View dashlet](#) documentation.

## Knowledge Base Search Dashlet

The Knowledge Base Search dashlet is displayed in the top right corner of both the Contact tab and the Case tab by default to give you quick access to published articles that may help in troubleshooting a customer issue. It includes a search bar that lets you find articles with matching titles or contents. To search, simply enter a keyword and a dropdown will appear containing matching articles. Clicking an article opens it in a new browser tab.

Below the search bar, you can see a tree-based view showing the structure of the knowledge base. Here, you can navigate through the folders to browse articles in specific categories and click articles to open them in a new browser tab. See the [Dashboards and Dashlets](#) page for more details on this dashlet.



## Related Account Record Dashlet

By default, on the bottom left of the Case tab is another Record View dashlet, similar to the top left. Out of the box, this dashlet displays the account related to the case you are viewing, providing additional customer information and the ability to edit the related account without having to navigate from SugarLive. If you wish to access the account's full-page record view, simply hover over the account's name in the dashlet and click the arrow icon that appears to navigate to the record. Note that only administrators can configure Record View dashlets in

SugarLive. For more information on this dashlet, refer to the [Record View dashlet](#) documentation.

Ac

SuperG Tech

Edit

Website

Industry

<http://www.supergtech.com>

Technology

Member of

Type

Customer

Comment Log Dashlet

This dashlet displays the case's Comment Log field's entries with the most recent entry on top. You can also quickly create new entries by typing in the open text box then clicking the Add button. For more information about comment logs including mentioning records and users, refer to the [User Interface](#) page and for details on the Comment Log dashlet itself, see the [Dashboards and Dashlets](#) page.

Comment Log

Add comment

Add

Chris Olliver

I'll take this case

Jim Brennan

29 minutes ago

Purchase History Dashlet

By default, the bottom left of the Contact and Account tabs contain the Purchase History dashlet which shows a list of all the current account's purchases regardless of the start or end date of the purchase record. The dashlet shows each purchase's name, date range, quantity, and total. For more information, please review the [Dashboards and Dashlets](#) documentation.

Purchase History <span>⬆</span> <span>⚙</span>			
Search by Purchase Name...		Sort	Date (Last Purchase) ▾
6 month Service <span>5 ▾</span>			
2020-10-01 - 2023-03-31	Quantity	370	Total \$2,930.10
Reyna Gadget <span>2 ⬆</span>			
2021-08-18		21	\$-439.74
2021-03-25		29	\$1,200.00
2021-03-25 - 2021-08-18	Quantity	50	Total \$760.26
Amal Gadget <span>1 ▾</span>			
2021-03-17	Quantity	24	Total \$5,524.00
Coletta Gadget <span>1 ▾</span>			
2021-01-13	Quantity	13	Total \$2,477.00

## Active Subscriptions Dashlet

By default, the bottom right of the Contact and Account tabs contain the Active Subscriptions dashlet which shows a list of all of the current account's purchases that are marked "Service", have a start date in the past, and an end date in the future. The dashlet shows each purchase's name, quantity of units, and calculated revenue line item amount next to "Total". A simple bar chart visualizes the time elapsed and time remaining for the subscription, which you can explicitly view by hovering your mouse over the bar. For more information, please review the [Dashboards and Dashlets](#) section of the User Interface documentation.


Active Subscriptions <span>⬆</span>		
1 year Service, quantity 11 Total \$3,715.19	<div></div>	in a year
48 month Service, quantity 90 Total \$47,340.00	<div></div>	in 4 years

## Timeline Dashlet

By default, the Contact, Account, Lead, and Case tabs all contain a Timeline dashlet. This dashlet displays the current record's related activities (e.g., calls,

---

meetings) and select field updates (e.g., Assigned To) in the form of record cards. Each card in the dashlet displays key information (e.g., subject, description, guest's name) for the related record, and the cards are sorted in chronological order based on the date they occur or are due (for tasks), with the most recent at the top. You can also quickly create new activities by clicking the Plus (+) icon in the dashlet header. Selecting a type of record will open a Create drawer and automatically select the current record in the new record's Related To field. For more information on Timeline dashlet, refer to the [Dashboards and Dashlets](#) documentation.



---

## Reports

### Overview

Sugar's Reports module allows users to build, generate, and manage reports for modules such as Accounts, Contacts, Calls, etc. Reporting is a valuable tool in Sugar as users can gather data from various modules to generate vital information for their organization.

There are four types of reports (Rows and Columns Report, Summation Report with Details, Summation Report, Matrix Report) available in Sugar. Some reports can be rendered as charts that allow you to drill through to see the corresponding records. This page covers functionality specific to the Reports module. For instructions concerning views and actions which are common across most Sugar modules, such as viewing, editing, etc., please refer to the [Working With Sugar Modules](#) section of this page.

**Note:** Some of the examples in this documentation contain steps to create Opportunity reports. Users with Revenue Line Items enabled should adjust the steps to target the Revenue Line Items module. Users with Sugar Serve license types will not have access to opportunities or revenue line items but can adapt the steps to other modules in their Sugar instance. For more information on license types and the module functionality available for each type, refer to the [User Management](#) documentation.

---

## Report Fields

The Reports module contains a number of stock fields that come out-of-the-box with Sugar. For information on using and editing various field types, refer to the [User Interface](#) documentation. The definitions below are suggested meanings for the fields, but the fields can be leveraged differently to best meet your organization's needs. The following fields are available when viewing the Reports list view.

Field	Description
Accessed On	The date the report record was last opened.
Chart Type	The chart type (if applicable) defined for the report.
Date Created	The date the report record was created.
Date Modified	The date the report record was last modified.
Description	A description or other key information about the report. <b>Note:</b> The Description field is only viewable and editable via the <a href="#">list view preview</a> .
Integration Sync ID	The sync key field used by external integrations to identify Sugar records in the external application. See the <a href="#">Integrate REST API endpoints</a> in the Developer Guide for more details on how to use this field. <b>Note:</b> This field is not visible in the user interface.
Module	The target module (e.g., Accounts) associated with the report.
Name	The name of the report.
Report Type	The report type (Rows and Columns Report, Summation Report, Summation Report with Details, Matrix Report) specific to the report.
Tags	User-created keywords that can be used to identify, organize, and group report records by common attributes.  <b>Note:</b> The reports module contains over

	<p>100 stock reports that are pre-tagged using a combination of the following out-of-the-box tags:</p> <ul style="list-style-type: none"> <li>• Stock Report</li> <li>• Sales and Marketing</li> <li>• Customer Service</li> <li>• Data Privacy</li> <li>• Administrative</li> </ul> <p>For more information on tags in Sugar, please refer to the <a href="#">Tags</a> documentation. For more information on stock reports, please refer to the <a href="#">Stock Reports</a> documentation.</p>
Team	The Sugar team(s) assigned to the report record.
User	The Sugar user assigned to the report record.

## Report Types

There are four types of reports (Rows and Columns Report, Summation Report, Summation Report with Details, Matrix Report) available for users to create in Sugar. Please note that each report type provides users with information for records that meet the specified criteria, but each type displays the report results in different layouts.

### Rows and Columns

The Rows and Columns report is the most basic report to create out of the four report types. The report results display the data in a simple rows-and-columns format displaying values for the selected display column fields for all records meeting the specified criteria. For more information on creating a Rows and Columns report, please refer to the [Rows and Columns Report](#) section.

### Summation

The Summation Report provides computed data based on the selected fields for records meeting the specified criteria. You can group the report based on one or more fields from the target or related module. The report result displays the data in groups, summarized using computed derivatives (e.g., SUM, AVG, MAX, MIN) from numeric-type field values (e.g., Likely) as well as weighted amounts. Summation Reports can be viewed in a chart format and displayed as a Sugar

---

Dashlet on your Home page as well. For more information on creating a Summation Report, please refer to the [Summation Report](#) section.

## **Summation Report with Details**

The Summation Report with Details is a combination of the Summation-type and Rows and Columns-type report as you can group the data, get the total count of records, and choose display columns (e.g., Contact Name, Account Name, Email Address) as well. You can group the report based on one or more fields from the target or related module. Summation Report with Details can be viewed in a chart format and displayed as a Sugar Dashlet on your Home page. For more information on creating a Summation Report with Details, please refer to the [Summation Report with Details](#) section.

## **Matrix**

The Matrix Report is also similar to the Summation-type report as it provides an overview of the computed data and displays the total summary count. The report results display in a grid table with row and column headers. The numeric field values for all display summaries appear on the table along with the total amounts for each row and column. Matrix Reports can be viewed in a chart format and displayed as a Sugar Dashlet on your Home page. For more information on creating a Matrix Report, please refer to the [Matrix Report](#) section.

## **Creating Reports**

There are various types of reports (e.g., Rows and Columns Report, Summation Report with Details, Summation Report, Matrix Report) you can create via the Reports module. The first step of creating a report via the Report Wizard is to choose the report type, and the steps to create the report vary slightly depending on the report type chosen. Please note that you can create reports in Sugar via the Reports module itself using the Create options as well as by duplicating an existing report via the Copy option.

### **Creating via Reports Module**

The most common method of report creation is via the Reports module using the Create button in the list view or the Create Report option in the module tab. This opens the Report Wizard which allows you to build the necessary report and generate the results accordingly. The following sections cover creating the four different report types via the Reports module.


#### **Creating a Rows and Columns Report**

Of the four report types, the Rows and Columns report is the most basic one to



create in Sugar. Users can simply define filters to determine which records the report will include or exclude then choose the fields (e.g., Name, Email Address) they would like displayed in the report result. The Rows and Columns report creates a tabular report containing the values of selected display column fields for all records meeting the specified criteria.

The following steps cover creating a Rows and Columns report for calls with a status of "Held" as an example:

1. Click the triangle in the Reports module tab and select "Create Report".
2. Choose "Rows and Columns Report" as the report type and "Calls" as the target module in the following step.



3. To filter on a field related to the target module, select it from the Available Fields list on the bottom left to add it to the list of filters. In this example, select "Status" to filter the report based on call records already held. Click "Next".
  - For more information on report filters, please refer to the [Report](#)



4. On the Choose Display Columns step, select the fields you would like included in the report results from the Available Fields list then click

"Next". We are adding the following fields as an example: Subject, Status, Description, Date Created, User Name, Contacts Name, and Account Name.

- For more information on selecting display column fields, please refer to the [Report Display Columns](#) section.
5. Select "Subject", "Date Created", "Status", and "Description" in the "Available Fields: Calls" list, as these are fields contained in the Calls module. By default, the target module's fields display in the Available Fields list.
- **Note:** You can designate the generated report to be sorted by a specific display column field in either ascending or descending order. Simply mark the radio button next to the field label then select "Ascending" or "Descending" in the corresponding dropdown list.

Column Name	Label	Sort By
Calls > Subject	Subject	
Calls > Date Created	Date Created	Ascending
Calls > Status	Status	
Calls > Description	Description	

6. For the User Name field, click "Assigned to User" from the Related Modules list at the top left then select "User Name" from the "Available Fields : Assigned to User" list.
- **Note:** User names are stored in their own table in the database and are related to the modules in Sugar. So even though the Assigned User field appears in various module layouts, they are not direct fields in those modules.

Column Name	Label
Calls > Subject	Subject
Calls > Date Created	Date Created
Calls > Status	Status
Calls > Description	Description
Calls > Assigned to User > User Name	User Name

7. For the Contact Name field, click "Contacts" from the Related Modules list then select "Name" from the "Available Fields : Contacts" list.
  - By default, the label for the Name field displays "Name", but you can change the label to "Contact Name" to differentiate the field between accounts and contacts. For more information on changing display column labels, please refer to the [Changing Display Column Labels](#) section.
8. For the Account Name field, click "Account" from the Related Modules list then select "Name" from the "Available Fields : Account" list.
  - Change the label for the Name field to display "Account Name". For more information on changing display column labels, please refer to the [Changing Display Column Labels](#) section.
9. To place the fields in a different order on the report, drag and drop the field rows within the display column list.
  - The first field (Subject) on the display columns list represents the first column of the report, the second field (Date Created) is the second column, and so forth. For more information on changing the display column order, please refer to the [Changing Display Column Order](#) section.
10. Click "Next" after adding all of the appropriate fields.
11. On the Report Details step, enter the report name and assign it to the desired user and team.
  - Please note that if you want your report to include all held calls whether or not they have an assigned user, related contact, or account, you must mark the Optional Related Modules boxes. For more information on marking related modules as optional, please refer to the [Optional Related Modules](#) section.

Report Name: \* Calls with Held Status  
 Assigned to: \* max   
 Teams: \*       
 Optional Related Modules: ☒ Calls > Assigned to User ☒ Calls > Contacts ☒ Calls > Account

12. After entering the report details, click "Save and Run" to save and generate the report immediately.
- Clicking the Preview button allows you to preview the report before saving.
  - Clicking the Save button saves the report without running it

Name: Calls with Held Status  
 Modules: Calls, Calls > Assigned to User, Calls > Contacts, Calls > Account  
 Display Columns: Subject, Date Created, Status, Description, User Name, Contacts Name, Account Name  
 Schedule: None  
 Filters:

Type: Rows and Columns Report  
 Teams: Global  
 Assigned to: Max Jensen

Subject	Date Created	Status	Description	User Name	Contacts Name	Account Name
Follow up call	02/28/2013 03:20pm	Held	Call with Sheena regarding new account.	max	Sheena Rathbone	
Contract Renewal	03/04/2013 11:21am	Held	Call with Waverly Trading House regarding contract renewal.	max		Waverly Trading House

## Creating a Summation Report

The Summation Report groups and provides computed data for records that meet the specified criteria. You can choose a number of group-by columns to group the data in the report and can define group-by data for related modules as well. You can also drag and drop the group-by fields to a different order in the Define Group By step to change the layout in the report results. Please note that the Summation Report does not provide detailed information like [Summation Report with Details](#) and will not include any display columns in the report.

The following steps cover creating a report to capture closed won opportunities for Q2 2017 grouped by assigned user and the month it was closed as an example:

- Click the triangle in the Reports module tab and select "Create Report".
- Choose "Summation Report" as the report type and "Opportunities" as the target module.

Click an icon to select a Report Type.



#### Rows and Columns Report

Create a tabular report that contains the values of selected display fields for records matching the specified criteria.



#### Summation Report with Details

Create a summation report that displays additional data related to the records in the results.



#### Summation Report

Create a tabular report that provides computed data for records matching the specified criteria. The data can also be represented within a chart.



#### Matrix Report

Create a summation report that displays results in a grid format and grouped by a maximum of three fields.

- Next, define the [report filters](#) as follows then click "Next":
  - Select "Expected Close Date" from the Available Fields panel, then choose "Is Between" and select "04/01/2017 and 06/30/2017" from the options appearing to the right of the Expected Close Date filter.
  - Select "Sales Stage" from the Available Fields panel, then choose "Is" and "Closed Won" in the dropdowns appearing to the right of

#### Report Wizard

Summation Report : [Select Module](#) > [Define Filters](#) > [Define Group By](#) > [Choose Display Summaries](#) > [Chart Options](#) > [Report Details](#)

< Back **Next >** Save Preview Save and Run Delete Cancel

Related Modules *i*

Opportunities

Accounts

Assigned to User

Calls

Campaign Opportunity

Contacts

Contracts

Created User

Documents

Emails

Available Fields : Opportunities *i*

Search for Field  Clear

Field Name

Expected Close Date

Forecast

ID

Lead Source

Likely

Marketo Lead ID

Next Step

Opportunity Name

Probability (%)

Sales Stage

Define Filters *i*

Select Operator: AND

Opportunities > Expected Close Date

Is Between

04/01/2017

and

06/30/2017

Opportunities > Sales Stage

Is

Closed Won

☐ Run-time *i*

- On the [Define Group By](#) step, select "User Name" and "Month: Expected Close Date", which will group the closed won opportunity records by the assigned user and month it was closed. Click "Next".

Column Name	
Opportunities > Assigned to User > User Name	-
Opportunities > Month: Expected Close Date	-

5. On the Choose Display Summaries step, select "SUM: Likely" to summarize the report based on the opportunity's likely total amounts. Click "Next". Please note that the field(s) selected in the Define Group By step are automatically included in the Choose Display Summaries step.
  - **Note:** You can sort results by a specific field column in either ascending or descending order. Simply select the radio button next to the field label (e.g., Month: Expected Close Date) then select "Ascending" or "Descending" in the corresponding dropdown list.

Column Name	Sort By
Opportunities > Assigned to User > User Name	<input type="radio"/>
Opportunities > Month: Expected Close Date	<input checked="" type="radio"/> Descending
Opportunities > SUM: Likely	<input type="radio"/>

6. On the Chart Options step, select the type of chart, if any, that you wish to display in the report as well as how the data should be summarized on the chart, then click "Next". For more information on setting up the chart options, please refer to the [Report Chart Options](#) section.
7. On the Report Details step, enter a name for the report and assign it to the appropriate user and team.
  - **Note:** Enable the "Optional Related Modules" box to include all

---

closed won opportunities whether or not they are assigned to a user. For more information regarding this option, please refer to the [Optional Related Modules](#) section.

< Back Save Preview Save and Run Delete Cancel

Report Name: \* Total Closed Won Opportunity for Q2 2017


Show Query: ☐

Assigned to: \* Max Jensen Select

Teams: \* Global Primary

Optional Related Modules: ☒ Opportunities > Assigned to User

8. After entering the report details, click "Save and Run" to save and generate the report immediately.
- Click the Preview button to preview the report before saving.
  - Click the Save button to save the report without running it immediately.
  - To view the values corresponding to a section of the chart, hover your mouse over the section.
  - To view the list records corresponding to a section of the chart, simply click the bar in the chart. For more information, refer to the [Drilling Through Charts](#) section.



User Name	Month: Expected Close Date	SUM: Likely
sally	June 2017	\$50,337.00
chris	June 2017	\$30,790.00

## Creating a Summation Report with Details


The Summation Report with Details groups and summarizes data with detailed information related to records in the report. You can group the report based on one or more fields from the target or related module. Grouping the report by particular fields allows the report results to display data in categories by the specified field values. You can also drag and drop the group-by fields to a different order in the Define Group By step to change the layout in the report results.

The following steps cover creating a Summation Report with Details to capture closed won opportunities in 2016 grouped by month as an example:

- Follow Steps 1-5 of the [Summation Report](#) section and complete the report criteria as follows:
  - Report Type:** Select "Summation Report with Details"
  - Target Module:** Choose "Opportunities"
  - Define Filters:** Define the [report filters](#) as follows then click "Next":
    - Select "Expected Close Date" from the Available Fields panel, then choose "Is Between" and select "01/01/2016"

and "12/31/2016" from the options appearing to the right of the Expected Close Date filter.

- Select "Sales Stage" from the Available Fields panel, then choose "Is" and "Closed Won" in the dropdowns appearing to the right of the Sales Stage filter.
  - **Define Group By:** Select "Month: Expected Close Date" from the Available Fields panel then click "Next".
  - **Choose Display Summaries:** Select "SUM: Likely" from the Available Fields panel then click "Next".
    - **Note:** The field(s) selected in the Define Group By step are automatically included in the Choose Display Summaries step.
2. On the Choose Display Columns step, select the fields (e.g., "Opportunity Name", "Expected Close Date", "Likely", "Sales Stage", and "User Name") you would like included on the report from the Available Fields panel then click "Next".
- Refer to Steps 5-10 of the [Rows and Columns Report](#) section for instructions on adding fields as display columns.
  - For more information on selecting display column fields, please




Column Name	Label
Opportunities > Opportunity Name	Opportunity Name
Opportunities > Expected Close Date	Expected Close Date
Opportunities > Likely	Opportunity Amount
Opportunities > Sales Stage	Sales Stage
Opportunities > Assigned to User > User Name	User Name

3. On the [Chart Options](#) step, select the type of chart, if any, that you wish to display in the report as well as how the data should be summarized on the chart and then click "Next".
4. On the Report Details step, enter a name for the report and assign it to the appropriate user and team.
- **Note:** Select the "Optional Related Modules" box to include all

closed won opportunities whether or not they are assigned to a user. For more information regarding this option, please refer to the [Optional Related Modules](#) section.

5. After entering the report details, click "Save and Run" to save and generate the report immediately.
  - Click the Preview button to preview the report before saving.
  - Click the Save button to save the report without running it immediately.
  - To view the corresponding chart values, simply hover your mouse



Collapse All

Month: Expected Close Date = January 2016, SUM: Likely = \$208,272.56				
Opportunity Name	Expected Close Date	Opportunity Amount	Sales Stage	User Name
<a href="#">Spindle Broadcast Corp.</a>	01/30/2016	\$50,950.00	Closed Won	<a href="#">will</a>
<a href="#">Chandler Logistics Inc</a>	01/27/2016	\$51,683.00	Closed Won	<a href="#">chris</a>

## Creating a Matrix Report

The Matrix Report provides an overview of the data and displays the total for display summaries in a grid format. The numeric field values for all display summaries appear on the table along with the total amounts for each row and column. You can choose a maximum of three group-by columns to group the data in the report.

You can also choose specific [layout options](#) (e.g., 1x2 and 2x1) on the Report Details step of the Report Wizard if you selected three group-by columns on the Define Group By step. The 1x2 layout option displays the data for the first group-by field in a row and displays the data for the other two group-by fields in columns. The 2x1 layout option displays the data for the first two group-by fields in rows and displays the data for the third group-by field in a column. If you only have two

---


group-by columns, you can manually change the report layout by dragging and dropping the group-by fields to a different order on the Define Group By step. Please note that the Matrix Report does not provide detailed information like Summation Report with Details and will not include display columns in the report.

The following steps cover creating a Matrix Report to capture closed won opportunities in 2016 grouped by assigned user and the month it was closed as an example:

1. Follow Steps 1-5 of the [Summation Report](#) section and complete the report criteria as follows:
  - **Report Type:** Select "Matrix Report"
  - **Target Module:** Choose "Opportunities"
  - **Define Filters:** Define the [report filters](#) as follows then click "Next":
    - Select "Expected Close Date" from the Available Fields panel, then choose "Is Between" and select "01/01/2016" and "12/31/2016" from the options appearing to the right of the Expected Close Date filter.
    - Select "Sales Stage" from the Available Fields panel, then choose "Is" and "Closed Won" in the dropdowns appearing to the right of the Sales Stage filter.
  - **Define Group By:** Select "Month: Expected Close Date" and "User Name" from the Available Fields panel then click "Next"  
**Note:** You must click the related Assigned to User module to select the User Name field as user names are not direct fields of the Opportunities module.
  - **Choose Display Summaries:** Select "SUM: Likely" from the Available Fields panel then click "Next"  
**Note:** The field(s) selected in the Define Group By step are automatically included in the Choose Display Summaries step.
2. On the Chart Options step, select the chart type that you wish to display in the report as well as how the data should be summarized on the chart, then click "Next". For more information on setting up the chart options, please refer to the [Report Chart Options](#) section.
3. On the Report Details step, enter a name for the report and assign it to the appropriate user and team.
4. Mark the "Optional Related Modules" box to include all closed won opportunities whether or not they are assigned to a user. For more information regarding this option, please refer to the [Optional Related Modules](#) section.
  - **Note:** The [Layout Options dropdown list](#) (1x2 and 2x1) will appear if you selected three group-by columns on the Define Group By step. Select the appropriate layout depending on how you want the data to be displayed on the report grid.

5. After entering the report details, click "Save and Run" to save and generate the report immediately.
  - Click the Preview button to preview the report before saving.
  - Click the Save button to save the report without running it immediately.

When viewing the report's chart, hover your mouse over the bar in the report chart to see the corresponding chart values.



SUM: Likely

Month: Expected Close Date	User Name					Grand Total
	chris	max	sally	sarah	will	
January 2016	\$51,683.00	\$27,472.00	\$36,522.00	\$41,645.56	\$50,950.00	\$208,272.56
February 2016		\$82,423.33	\$80,942.22	\$38,284.00		\$201,649.55


## Creating Reports via Duplication

You can also create a new report by duplicating an existing report in Sugar. The Copy option is useful if the report you are creating has similar information to an existing report. You can also copy a report if you would like to view the same or similar data as a different report type. This option is presented when the user clicks "Copy" from the report's Actions menu.

**Note:** If any report schedule records have been created and related to the original report, they will not copy over to the new report. For more information on creating report schedule records, please refer to the [Scheduling Reports](#) section.

The following steps cover creating a report by duplicating an existing Rows and Columns-type report as an example:

1. Navigate to a report's detail view.
2. Click the Actions menu and select "Copy".
3. Choose the report type you would like to create from the Copy-As submenu. To keep the new report's type the same, choose "As Original Type".



4. Go through the Report Wizard to select and enter new data as described in the sections under [Report Options](#). If you selected a report type other than the original type, there may be additional or fewer steps in the Report Wizard to complete and you may need to edit the report to meet the new report type's requirements.
5. In the final step, enter a new name for the report and click "Save and Run".

## Report Options

There are various steps involved when creating reports in Sugar and the steps can vary slightly depending on the report type (e.g., Summation report versus Rows and Columns). The following sections provide details concerning the steps involved when creating reports.

## Report Filters

The Define Filters step of the Report Wizard determines which records the report includes or filters out. Filter groups and operators allow for additional levels of complexity as you combine filters to get the precise result set you desire.

## Target Module Filters

By default, the fields for the Target Module you are creating the report on will be displayed in the Available Fields list. To filter on the field related to the target module, select it from the Available Fields list on the bottom left, and it will be added to the list of filters. Please note that only fields marked as "Reportable" in Studio will display in the Available Fields list. For more information on marking fields as reportable, please refer to the [Studio](#) documentation in the Administration Guide.

---

Available Fields : Accounts

i

Search for Field

Clear

Field Name

Billing Street

Date Created

Date Modified

Description

You can also use the search feature above the Available Fields list to easily locate a field. Enter the appropriate keyword (e.g., billing, date) in the search field and the matching results will display in the Available Fields list. Sugar automatically appends the wildcard character (%) to the beginning and end of your search phrase, so the system will return all fields that contain the keyword.

Available Fields : Accounts

i

Billing

Clear

Field Name

Billing City

Billing Country


Billing Postal Code

Billing State


Billing Street

## Related Module Filters

The Related Modules list shows all modules that have a relationship with the target module. To filter on a field in a related module, choose the name of the module (e.g., Documents) in the Related Modules list, and the Available Fields list below will display fields belonging to the related module. You can select the desired field(s) from the related module to add as a filter for your report. Please note that only fields marked as "Reportable" in Studio will display in the Available Fields list. For more information on marking fields as reportable, please refer to the [Studio](#) documentation in the Administration Guide.




You can also use the search feature above the Available Fields list to easily locate a field. Enter the appropriate keyword (e.g., billing, date) in the search field and the matching results will display in the Available Fields list. Sugar automatically appends the wildcard character (%) to the beginning and end of your search phrase, so the system will return all fields that contain the keyword.



## Filter Values

Once the filter has been created, you can specify what field values constitute a match for the report in the Define Filters section. Select the appropriate value from the corresponding dropdown list and enter the relevant value in the open text box (if applicable).



---

Please note that if the assigned user or a member of your team changes or adds a new filter, the system alerts you that the report filters have been modified since the last run when you save and run the report.

Customer Account List ☆

Title: Customer Account List

Run Report ▼

Report filters have been modified since last run.

Hide Details

Name: Customer Account List

## Run-Time Filters

The run-time option in the Define Filters step allows you to make the filter(s) available on the saved report, which enables you to quickly change your filter values without having to edit the report. Simply mark the Run-time box for any filter(s) you wish to view on the saved report.

Define Filters ⓘ

Select Operator: AND ▼ Add Filter

Accounts > Date Created Before 03/31/2013 ☒ Run-time

Accounts > Documents > Date Created Last 7 Days ☐ Run-time ⓘ

Once the report is created and saved, the run-time filter (e.g., "Accounts > Date Created") will appear on the generated report view. You can change the filter values directly from the report view by selecting the new filter values from the dropdown list and clicking "Apply" or "Run Report" at the top of the report's detail view. Clicking the Reset button will reset the run-time filter back to the original filter value you set.

Run-time Filters: ⓘ

Accounts > Date Created > Before 03/31/2013


Apply Reset

Please note that the Report Wizard retains the original filter value(s) you set when building the report regardless of the changes you or other users make on the run-time filters on the report's detail view. If the report is shared by a team, then each user can run the report with different run-time filter values to meet their individual needs. The run-time filter values set by each user will be preserved for future viewing until they change or reset the value.

---


## Operators

When building the report, you have the option to choose between two operators, "AND" and "OR", using dropdowns within the Define Filters section. By default, operators are set to "AND" which will cause the filters to work cumulatively. All filters or groups of filters under an AND operator will need to be true for a record in order for that record to appear in the report result. Changing an operator to "OR" will mean that if any single filter under that "OR" is true for a record, the record will be included in the report results. The OR operator accepts records matching any of the filters while the AND operator accepts records matching all filters.




## Filter Groups

By default, all filters will be added to a single group. To split filters into multiple groups, use the Add Filter Group button.



When you have more than one filter group and click a new filter field, Sugar will prompt for which filter group the new field should belong.



Filter groups and operators can be combined to achieve complex filtering situations. For example, if we need a report for documents belonging to accounts created prior to the first quarter where the document is either new this week or new this month is connected to a lead, we would use the following filter groups with an OR operator joining the two together:

Define Filters *i*

Select Operator: **OR** *i* Add Filter Group

---

Filter.1.1

Select Operator: **AND** *i* Remove Filter Group Add Filter Group

**Accounts > Date Created** Before  *i* Run-time -

**Accounts > Documents > Date Created** Last 7 Days *i* Run-time -

---

Filter.1.2

Select Operator: **AND** *i* Remove Filter Group Add Filter Group

**Accounts > Date Created** Before  *i* Run-time -

**Accounts > Documents > Date Created** Last 30 Days *i* Run-time -

**Accounts > Documents > Leads > Last Name** Is Not Empty *i* Run-time -

## Filters on Tag Fields

If a report's target module contains the Tags field, the report can be filtered by tags via the Related Modules filters. To filter by tags, click on the Tags module name in the Related Modules list. The Available Fields list below will display fields belonging to the Tags module. Select the Name field to create a tag filter. Please note that you can select any field(s) from the Tags module as a filter for your report, but this example will only demonstrate filtering by the tag's name.

Related Modules *i*

- Quotes
- Quotes Ship to
- Revenue Line Items
- Tags**
- Tasks
- Teams

Available Fields : Tags *i*

Search for Field  Clear

Field Name *i*

- Date Created
- Date Modified
- Description
- ID
- Name**

Define Filters *i*

Select Operator: **AND** *i* Add Filter Group

**Accounts > Tags > Name** **Equals**  *i* Run-time -

Does Not Equal  
Contains  
Does Not Contain

After clicking on the Name field, a line item will appear in the Filters view that allows you to select an operator and specify a tag name in its adjacent text field. This text field is not a type-ahead style like the Tags field is in the Sidecar modules and can only contain a single tag phrase (e.g., tradeshow, hot lead). While the field is case-insensitive, you must know the precise spelling of the tag name that you wish to use as a filter.

To filter a report by more than one tag, click on the Name field again for each

additional tag. This will produce additional filter rows where you can specify the appropriate operator and its corresponding tag. In the following example, the report will display a list of account records that are tagged with any one or more of the three specified tags (manufacturing, laser, or hot prospect).

When the Tags field is used as a related-module display column in a [Rows and Columns](#) report or [Summation Report with Details](#), the Tags column will display a separate line item for each tag that a record contains. For example, an account tagged as both "manufacturing" and "laser" will be displayed twice in an Accounts report if the report displays the Tags column. Also, note that the Tag column will only display a single tag even if the record contains multiple tags. This will be the tag that matches the filter criteria.

(1 - 2 of 2)			
Name	Tag	Office Phone	Type
<a href="#">Cumberland Trails Inc</a>	<a href="#">laser</a>	(190) 868-0957	Customer
<a href="#">Cumberland Trails Inc</a>	<a href="#">manufacturing</a>	(190) 868-0957	Customer

Please note that clicking on a hyperlinked tag name from report results will take you to the tag's record view. For more information on tags in Sugar, please refer to the [Tags](#) documentation.

## Filters on Date and Datetime Fields

When creating reports in Sugar, specifying a range of time is a useful way to isolate your desired results. Sugar provides a set of pre-defined options to help you easily target the most common date ranges:

Date Range Filter	Definition
On	A specific day.
Before	Any value before the specified date.
After	Any value after the specified date.
Is Between	Any values after a specified start date but before a specified end date.
Not On	Any values except the specified date.

Is Empty	No date set for the field.
Is Not Empty	Any date set for the field.
Yesterday	A value set to the prior day.
Today	A value set to the current day.
Tomorrow	A value set to the following day.
Last # Days	Any values within the last X days including the current day.
Next # Days	Any values within the next X days including the current day.
Last 7 Days	Any values within the last 7 days including the current day (e.g., Running on Monday includes the previous Tuesday morning through the end of the current Monday).
Next 7 Days	Any values within the next 7 days including current day (e.g., Running on Monday includes the current Monday morning through the end the following Sunday).
Last Month	Any values that fall within the prior calendar month.
This Month	Any values that fall within the current calendar month.
Next Month	Any values that fall within the next calendar month.
Last 30 Days	Any values within the last 30 calendar days including the current day.
Next 30 Days	Any values within the next 30 calendar days including the current day.
Last Quarter	Any values within the prior quarter defined by the calendar year (e.g., January - March, April - June).
This Quarter	Any values within the current quarter defined by the calendar year (e.g., January - March, April - June).
Next Quarter	Any values within the upcoming quarter defined by the calendar year (e.g., January - March, April - June).
Last Year	Any values within the prior calendar year.

This Year	Any values within the current calendar year.
Next Year	Any values within the upcoming calendar year.

**Note:** When generating reports with datetime filters, Sugar will always adjust the results to ensure they are accurate according to the time zone settings of the user accessing the report. For instance, a user on Eastern Standard Time (-5 GMT) may see a different set of results for a report than would a user on Pacific Standard Time (-8 GMT) because the date ranges are adjusted for the user's time zone.

## Group By Fields

Summation Reports and Summation Reports with Details allow you to group records by one or multiple fields within a module. Select a module in the Related Modules pane to display the fields by which you can group. Note that some module fields may not be displayed since only field types that contain set values can be used for grouping (e.g., text fields cannot be used).

The screenshot shows the 'Define Group By' interface. On the left, the 'Related Modules' pane displays a tree view of modules, with 'Assigned to User' selected. On the right, the 'Define Group By' pane shows a list of selected fields: 'Opportunities > Assigned to User > User Name' and 'Opportunities > Month: Expected Close Date'. Below the panes, the 'Available Fields : Assigned to User' section shows a search field and a list of fields, with 'User Name' highlighted.

Click field names individually to add them to the Define Group By list, or use the Search field to locate specific fields. There is no limit to the number of fields you can include; however, including too many fields may make the report difficult to read. When there are multiple Group By fields, drag and drop field names to reorder this list. The first field in the list determines the Y-axis of a chart and the remaining fields appear as different colors in the chart legend.

## Report Display Columns

---

The display columns step allows users to select which field(s) they would like included when generating the report. The system will pull data specific to these fields based on the report criteria for the associated module record. When you select a field from the Available Fields list, they will be added to the right of the list with the displayed path of the field (e.g., Contacts > Assigned to User > User Name). The displayed field paths show users where the field is originating from to retrieve the value for the report. For example, although "Email Address" appears as a field in several modules (e.g., Accounts, Contacts, Leads), email addresses are actually stored in their own table and are related to the modules where they appear as opposed to being direct fields of those modules. So, the corresponding displayed path will show the primary module record, then the related module followed by the field name (e.g., Contacts > Email Address > Email Address) since the email address field is a field of the related Email Address module.

To remove any unnecessary fields from the display column list, simply click the "-" sign to the far right of the displayed field path row.

## Changing Display Column Labels

By default, the selected display column fields will display stock labels that can be changed if you desire. To change the label, simply enter the new label name in the open text field then click outside of the text box to preserve the change.

Column Name	Label
Contacts > Assigned to User > User Name	Assigned User Name
Contacts > Email Address > Email Address	Email Address

## Changing Display Column Order


You can change the left-to-right order of the display columns by dragging and dropping the displayed field paths in the Choose Display Columns section.


Column Name	Label
Contacts > Email Address > Email Address	Email Address
Contacts > Assigned to User > User Name	Assigned User Name
Contacts > First Name	First Name
Contacts > Last Name	Last Name

## Defining Column Sort

You can also designate the generated report to be sorted by a specific field column in either ascending or descending order. Simply mark the radio button next to the field label then select "Ascending" or "Descending" in the corresponding dropdown

list. Please note that only one display column can be designated to sort by default in the report.

Choose Display Columns 

Column Name	Label	Sort By
Contacts > First Name	<input type="text" value="First Name"/>	<input type="radio"/>
Contacts > Last Name	<input type="text" value="Last Name"/>	<input type="radio"/>
Contacts > Email Address > Email Address	<input type="text" value="Email Address"/>	<input type="radio"/>
Contacts > Assigned to User > User Name	<input type="text" value="Assigned User Name"/>	<input checked="" type="radio"/> Ascending 

## Optional Related Modules

The Optional Related Modules option will appear on the Report Details step if you add fields from related modules to the display column. Please note that if you want your report to include records whether or not they have data in the fields, you will need to mark the displayed module relationship(s) in the Optional Related Modules section. For example, if you add the email address field as a display column for the New Leads report, the Optional Related Modules section will display "Leads > Email Address". Check the box for the Email Address relationship in order to include all applicable results even if the lead record does not contain an email address. By default, Sugar treats all related modules in a report as mandatory meaning that an email address will be required for a lead record to be included.





Rows and Columns Report : [Select Module](#) > [Define Filters](#) > [Choose Display Columns](#) > [Report Details](#)


[< Back](#) [Save](#) [Preview](#) [Save and Run](#) [Delete](#) [Cancel](#)

Report Name: \*

Show Query: ☐

Assigned to: \*  [Select](#)

Teams: \*    [Primary](#)  

**Optional Related Modules:**  ☒ Accounts > Assigned to User

Leaving this box unchecked will exclude all lead records from your report that do not have an email address associated with them.

This holds true for all related modules. You will need to check the box for any relationship you do not wish to be treated as mandatory when Sugar is generating your report. In order to report on records with no related records of a particular module (e.g., Contacts without a related Account) using a filter such as Contacts > Accounts > Name > Is Empty, the Optional Related Modules will also need to be

---

checked.

## Show Query

The Show Query option is only visible to system administrators and displays as a checkbox on the Report Details step. If the Show Query box is checked and the Preview button is clicked, the generated report will display all the SQL queries at the bottom of the page for administrators to use and analyze how the specific data was retrieved in the system.

Rows and Columns Report : [Select Module](#) > [Define Filters](#) > [Choose Display Columns](#) > [Report Details](#)

[< Back](#) [Save](#) [Preview](#) [Save and Run](#) [Delete](#) [Cancel](#)

Report Name: *	<input type="text" value="Customer Account List"/>	
Show Query:	<input type="checkbox"/>	
Assigned to: *	<input type="text" value="Max Jensen"/>	<a href="#">Select</a>

## Reports Detail View

The Reports detail view displays thorough report information including display column fields (if applicable), charts (if applicable), etc. The detail view can be reached by clicking a report record's link from anywhere in the application including from the Reports list view. The detail view's [Actions](#) menu appears on the top left of the page and allows you to perform various actions on the current report.


Please note that your access to reports and the displayed results in a report will vary according to your team membership, user type, and role restrictions. For more information on teams and roles, please refer to the [Team Management](#) and [Role Management](#) documentation in the Administration Guide.

## Favorite Designation

Users have the option to mark reports as a favorite via the detail view as well as the list view. This allows users to designate reports that are important or will be viewed often so that they can easily be accessed via Advanced search or from the Reports module tab. In the Reports detail view, the star on the right of the report's name is yellow once marked to indicate a favorite report. For more information on how to mark reports as favorites, please refer to the [Favoriting Reports](#) section.

Customer Account List 

Title: Customer Account List

[Run Report](#) 

---

## Run-time Filters

Run-time filters allow you to quickly change the filter values on the report without having to edit the report. Please note that run-time filters only appear if filters are set in the Define Filters step when building the report. The report will be filtered based on the original filter value, but you can change the value via the Run-time filter and click "Apply" or "Run Report" to re-generate the report result. For more information on run-time filters, please refer to the [Run-Time Filters](#) section.

Title: 2013 Accounts Report

Run Report

Report filters have been modified since last run.

Hide Details

Name: 2013 Accounts Report

Modules: Accounts, Accounts > Assigned to User, Accounts > Documents, Accounts > Document

Display Columns: Name, User Name

Schedule: None

Filters: ⌵

Run-time Filters: ⓘ

Accounts > Date Created > Before 03/31/2013

Apply

Reset

## Report Details

By default, the report details box will appear displaying the report's name, display columns, report type, team(s) assigned to report, etc. To hide the report details, simply click the Hide Details button on the upper left of the report's detail view. Once the report details are hidden, the Show Details button will appear in place of the Hide Details button. Click the Show Details button to display the report details again.

Hide Details

Name: Open Cases by User by Status

Modules: Cases, Cases > Assigned to User

Display Columns:

Group By: User Name, Status

Create Schedule: None

Filters: ⌵

Type: Matrix Report

Teams: Global (Primary)

Assigned to: Administrator


Summary Columns: User Name, Status, Count

## Report Chart

Users have the option to display the data as a chart which then allows users to [drill into each segment](#) to display the associated records. The chart option is available

for Summation with Details-type, Summation-type, and Matrix-type reports. You can choose a type of chart for display via the [Chart Options](#) step of the Report Wizard. Please note that at least one group-by and one calculated display summary (e.g., Count, AVG: Likely, SUM: Likely) must be selected in order to be able to display a chart.

The chart is displayed with the report by default and its visibility can be toggled using the Hide/Show Chart button. After running the report, you can hover on a segment of the chart to view the corresponding chart values. Clicking on a segment will open a drawer containing a list of the records making up that segment. For more information, refer to the [Drilling Through Report Charts](#) section below.



User Name	Month: Expected Close Date	SUM: Likely
sally	June 2017	\$50,337.00
chris	June 2017	\$30,790.00

**Note:** When you make a chart in the Reports module, there is a limit to the number of groups allowed. The limit is 50 groups for all charts except funnel, for which the limit is 16. The limit only applies to charts. If the number of elements is more than 50 (or 16 for funnel), then an error message is displayed at runtime.

Report charts can also be added and displayed as a Sugar dashlet on your Home page. These Saved Report Chart dashlets also allow for drilling through to access the associated records. For more information on adding report charts as dashlets, refer to the [Home](#) documentation. Please note that at least one group-by and one


Display Summary column is required to generate a chart.

## Drilling Through Report Charts

In order for drill-through to work for a given report chart, the following conditions must be met:

- When viewing from the Reports module, the report has been run by navigating to the report's detail view, clicking the Run button, or clicking "Save and Run" after editing.
- When viewing from a dashboard, you are viewing a [Saved Reports Chart dashlet](#). Drill-through is not supported for other dashlets containing charts (e.g., Pipeline dashlet).
- The base module of the report is a Sidecar module. For more information, refer to the [User Interface](#) documentation.
- The report is not grouped by a DateTime-type field such as Date Created or a Multiselect-type field. Reports grouped by aggregate DateTime-fields (e.g., Month: Date Created) do support drill-through. For more information on field types, refer to the [Studio](#) documentation.

Clicking a segment of a report chart will open a drawer containing a filtered list view showing the records belonging to that segment. To the right of the list view is the chart with the currently selected segment highlighted. The segment's applied filter will also be noted above the list view (e.g., "Industry: Communications").



The following operations are available when drilling through a report chart:

- **Select a new segment:** Click a different chart segment to update the list view filters and show the new segment's associated records.
- **Cancel:** Click the Cancel link to close the drawer and return to the previous view.
- **Refresh list and chart:** Click the Refresh button above the report chart to

---

update and reload the filtered list view results and chart.

- [Display columns](#): Click the three-dots menu to the far right of the list view column headers to choose which fields to display.
- **Open records**: Click the name of a record in the list to open it in record view.
- [Preview records](#): Click the Preview button (eye icon) to the right of any row to preview that record. Refer to the [User Interface](#) page for information on editing via the record's preview.
- [Favorite designation](#): Click the star on the left of a record's row to toggle it as a favorite. A dark-gray star indicates that the record is a favorite while a white star indicates it is not.
- [Record Actions menu](#): Click the triangle to the right of any row to access the Record Actions menu to edit, follow, or delete specific records from the list view.
- [Edit records](#): Double-click on a row to enable inline editing or use the Edit option from the row's Actions menu.
- [Checkbox selection](#): Mark the checkbox on the left of each record row to select individual records from the list view. Click the checkbox to the left of the Mass Actions menu to select all records displayed on the current set of list view results.
- [Mass Actions menu](#): Click the triangle to the right of the checkbox option to access the Mass Actions menu to perform various actions (e.g., Mass Updates, Delete) on the currently selected records.

## Report Chart Options

The Chart Options step of the Report Wizard allows users to choose the chart type that they want to be displayed on the generated report as well as how to summarize the data within the chart. Please note that at least one of the calculated fields (e.g., Count, AVG: Amount, SUM: Amount) in the Choose Display Summaries step must be selected in order to be able to select a chart type in the Chart Options step.

The following options are available in the Chart Options step of the Report Wizard:

- **Chart Type**: Select the type of chart that you want to display on your report. The available chart types are:

At least one Group By and one Summary column are required to render a chart.

**Chart Type:**

Data Series: ⓘ

Description:

Round Numbers Over 100000: ⓘ

< Back   Next >   Save   te   Cancel

- ✓ No Chart
- Horizontal Bar (Stacked)
- Horizontal Bar (Grouped)
- Vertical Bar (Stacked)
- Vertical Bar (Grouped)
- Pie
- Funnel
- Line
- Donut
- Treemap

- **No Chart:** The report will not have a chart.
- **Horizontal/Vertical Bar (Stacked):** Categorical data will be displayed as rectangular bars with heights or lengths proportional to the values that they represent. When a secondary grouping exists, the values will be proportionally stacked within the bars as color blocks.
  - **Note:** For the Saved Reports Chart Dashlet, this chart type can be used by selecting the chart type "[Horizontal/Vertical] Bar Grouped Chart" and leaving "Stack Data Series" disabled in the bar chart display options.
- **Horizontal/Vertical Bar (Grouped):** Categorical data will be displayed as rectangular bars with heights or lengths proportional to the values that they represent. When a secondary grouping exists, clusters of bars will be proportionally organized within each primary grouping.
  - **Note:** For the Saved Reports Chart Dashlet, this chart type can be used by selecting the chart type "[Horizontal/Vertical] Bar Grouped Chart" and enabling "Stack Data Series" in the bar chart display options.
- **Pie:** Most useful for visualizing numerical proportions, a pie chart will depict data as proportional sections where the sum of all data is 100%.
- **Funnel:** Most useful for visualizing values across multiple stages in a linear process, funnel charts should be used to show values in decreasing order as data points are filtered out at each stage. When visualizing dates, values are sorted in chronological order. When visualizing dropdown values, values are sorted based on the order of the dropdown field. For more information on editing the order of dropdown lists in Studio, please see the [Administration Guide](#).
- **Line:** Line charts will comprise a series of data points connected by line segments and are useful for displaying data trends over time.

---

Line charts are only available when a report has two or more group-by columns. The first group-by is used to create one or more lines, and the second group-by is used to plot the data along the x-axis.

- **Donut:** Donut charts are similar to pie charts but with the center cut out. This chart is most useful for visualizing numerical proportions. The donut chart will depict data as proportional sections where the sum of all data is 100%.
  - **Treemap:** Treemap charts display data as a set of rectangles whose area is proportional to the total area of all rectangles. This treemap chart displays one group-by column and additional group-by columns are ignored.
- **Data Series:** Select the data that you want to be summarized by the chart. The field(s) you selected in the Choose Display Summaries step will be available to choose in this dropdown list.

At least one Group By and one Summary column are required to render a chart.

Chart Type:	Horizontal Bar (Stacked) ▾
Data Series: ⓘ	Count ▾

- **Description:** Enter a brief description to label the chart.
- **Round Numbers Over 100000:** Enable this option if you want numbers over 100,000 to be rounded to the nearest thousand in the report charts. For example, 150,000 will be displayed as 150K.

## Report Results

The report's detail view will display the report results with relevant data and report chart (if applicable) for all records that meet the specified criteria. Please note that each report type will display the report results differently and users should consider how they would like to view the data prior to creating the report.

### Rows and Columns Report Result

The report results for this report type display the data in simple rows and columns format. The display column field values for all records that meet the specified criteria will appear on the report result. You can view a record's details by clicking on the record's name. You can also sort the report results by a display column in either ascending or descending order. To sort by a field or switch the sort direction, click the column header noting that the fields which allow sorting will have a pair of arrows. Please note that the report may be sorted by only one column at a time. To view an example Rows and Columns report result, please refer to the creating [Rows and Columns Report](#) section.

(1 - 3 of 3)			
Subject	Status	Date Created	User Name
Discuss review process	Scheduled	04/10/2017 16:43	chris

## Summation Report Result

The Summation Report provides an overview of the selected field data(s) grouped by specific criteria(s). The report result displays the data in groups summarized using computed derivatives (e.g., SUM, AVG, MAX, MIN) from numeric-type field values (e.g., Likely) as well as weighted amounts. Each field you select in the Define Group By and Choose Display Summaries steps will be displayed as a column in the report result. The field(s) in the Define Group By list determines how the data will be grouped on the report results table and the chart. For example, if you group the opportunity report by "User Name" then "Month: Expected Close Date" on the Define Group By list, the opportunity records will be grouped by the user assigned to the opportunity and each user will be broken up by the month of the expected close date in the report results. The grand total of the summarized field values will display at the bottom of the report results page.

You can sort the report results by a field column in either ascending or descending order. To sort by a field or switch the sort direction, click the column header noting that the fields which allow sorting will have a pair of arrows. Please note that the report may be sorted by only one column at a time. To view an example Summation report result, please refer to the [Creating Summation Report](#) section.

User Name	Month: Expected Close Date	SUM: Likely
sally	June 2017	\$50,337.00
chris	June 2017	\$30,790.00

## Summation Report with Details Result

The Summation Report with Details groups the data and displays the total summary count for records in the report result. Unlike the Summation Report, this report type includes display columns for fields related to the target and related module. The report result will group the data in different categories based on the specified field values. If you choose to display the data as a chart, it will appear at the top of the report results page. The field values for all records that meet the specified criteria will be displayed in a rows and columns type table broken up into grouped panels. You can sort the report results by a field column in either ascending or descending order. To sort by a field or switch the sort direction, click the column header (e.g., Expected Close Date) noting that the fields which allow sorting will have a pair of arrows. Please note that the report may be sorted by only one column at a time. You can also view the record's details by clicking the

record name.

Each panel header will display the grouped by field value(s) along with the total summary count for the group. You can collapse the grouped panels individually by clicking the double up arrow to the far left of the header or click "Collapse All" to collapse all panels. Collapsed panels will display the header with the display summaries for each group and you can click the double down arrow to open the panels again. The grand total for the summarized field values will appear at the bottom of the report results page. To view an example Summation with Details report result, please refer to the [Creating Summation Report with Details](#) section.

Collapse All

Month: Expected Close Date = January 2016, SUM: Likely = \$208,272.56			
Opportunity Name ⇅	Expected Close Date ⇅	Opportunity Amount ⇅	Sales Stage ⇅
<a href="#">Spindle Broadcast Corp.</a>	01/30/2016	\$50,950.00	Closed Won
<a href="#">Chandler Logistics Inc</a>	01/27/2016	\$51,683.00	Closed Won
<a href="#">Complete Holding</a>	01/29/2016	\$36,522.00	Closed Won
<a href="#">Cumberland Trails Inc</a>	01/29/2016	\$41,645.56	Closed Won
<a href="#">Tortoise Corp</a>	01/29/2016	\$27,472.00	Closed Won
Month: Expected Close Date = February 2016, SUM: Likely = \$201,649.55			

## Matrix Report Result

The Matrix report groups the fields based on the group-by fields and displays the summary for specific numeric-type field values that you select. The report result displays the data in a grid table with row and column headers. If you selected three group-by columns, then you will have the option to choose specific report layouts (e.g., 1x2 and 2x1) on the Report Details step. The 1x2 layout option will display the data for the first group-by field in a row and display the data for the other two group-by fields in columns. The 2x1 layout option will display the data for the first two group-by fields in rows and display the data for the third group-by field in a column. The report results will show the grand total for each field row on the table as well as for each column. To view an example Matrix report result, please refer to the [Creating Matrix Report](#) section.

User Name	Month: Expected Close Date			Grand Total
	February 2013	January 2013	March 2013	
chris	\$155,000.00			\$155,000.00
max		\$75,000.00	\$100,000.00	\$175,000.00
sally		\$50,000.00		\$50,000.00
Grand Total	\$155,000.00	\$125,000.00	\$100,000.00	\$380,000.00

## Viewing Currency Fields

When the viewing user's profile has the Show Preferred Currency option selected, all currency values will be displayed in reports using the user's preferred currency.

---

The values will use the current conversion rate set in Admin > Currencies at the time the report is run. This means that the displayed value may not be historically correct for closed business since the conversion rate of the user's preferred currency may have changed since the purchase was completed.

When the user does not have this option selected, reports will display all currency values in the system's default currency. To keep amounts historically accurate, the conversion rate will only update on on currency fields when the business is still open and under the following scenarios:

- The record undergoes a save event (e.g., mass update, manual save) and the record's currency has a different conversion rate defined in Admin > Currencies than is currently saved.
- An administrator updates the currency exchange rate under Admin > Currencies. This will trigger a scheduled job which updates all records saved with that currency to the new rate.

For more information about currency exchange rates, please refer to the [System](#) documentation in the Administration Guide.

## Running Reports

Once the reports are generated and saved in Sugar, you can view the report results at any time. While viewing the report's detail view, there may be times when you need to re-run the report to generate new report results. The Run Report button on the upper left of the report's detail view allows you to refresh and run the report to re-generate report results. For example, if you make a change to the run-time filter on the report, you can click "Run Report" to generate the report based on the new filter values. For more information on run-time filters, please refer to the [Run-Time Filters](#) section. You can also click "Run Report" each time you want to re-generate the report to capture new records not included in the current report results.

Title: Open Meetings Report

Run Report ▾

Show Details

---

Run-time Filters: ⓘ

Meetings > Start Date > This Month ▾

Meetings > Assigned to User > User Name > Is One Of ▾

Administrator  
Chris Olliver  
Jim Brennan  
Max Jensen  
Sally Bronsen

Apply Reset

---

## Editing Reports

Reports may be edited at any time to refine or adjust the report's details or criteria. There are various methods of editing the report from the Reports detail view and [Reports list view](#). Regardless of where you initiate the edit, you will always go through the Report Wizard to make the necessary changes to your report.

You can edit the report by going through the Report Wizard step-by-step using the Back and Next button or by clicking the step's link (e.g., Define Filters, Choose Display Columns, Choose Display Summaries) in the breadcrumbs at the top of the Report Wizard. When ready, click "Save and Run" to preserve the changes made and generate the report. If any users have created a [scheduled report](#) based on the edited report, the changes will automatically be reflected the next time they receive a copy of the report.

### Report Wizard

Rows and Columns Report [Select Module](#) > [Define Filters](#) > [Choose Display Columns](#) > [Report Details](#)


[< Back](#) [Next >](#) [Save](#) [Preview](#) [Save and Run](#) [Cancel](#)

Related Modules <i>i</i>	Define Filters <i>i</i>
<div>Accounts</div> <div>Assigned to User</div>	Select Operator: <input type="text" value="OR"/>

Please note that your ability to edit reports in Sugar may be restricted by a role. For more information on roles, please refer to the [Role Management](#) documentation in the Administration Guide. Check with your system administrator if you do not see the Edit options.

## Editing via Detail View

You can edit reports via the [detail view](#) by clicking "Edit" in the Actions menu on the upper left of the page. This will open the Report Wizard where you can make the necessary updates to the various steps (e.g., Define Filters, Define Group By, Choose Display Columns, Choose Display Summaries). Once the changes are complete, click "Save and Run" to preserve the changes made and generate the report again.



## Deleting Reports


If a report is invalid or should no longer appear in your organization's Sugar instance, it may be deleted from either the Reports detail view or [list view](#). Deleting via the detail view allows you to delete a single report while the list view allows for deleting one or more records at a time. Deleting a report from Sugar will also delete any [report schedule](#) records related to the report.

Please note that your ability to delete reports in Sugar may be restricted by a role. For more information on roles, please refer to the [Role Management](#) documentation in the Administration Guide. Check with your system administrator if you do not see the Delete options.

### Deleting via Detail View

Use the following steps to delete a report via the detail view:

1. Navigate to a report's detail view.
2. Select "Delete" from the Actions menu.




3. A pop-up message will display asking for confirmation. Click "Ok" to proceed.

## Exporting Reports

The Export option allows users to export a report's results as a CSV file. For more information on exporting records in Sugar, please refer to the [Export](#)

---

documentation. Please note that your ability to export reports from Sugar may be restricted by a role. For more information on roles, please refer to the [Role Management](#) documentation in the Administration Guide. Check with your system administrator if you do not see the Export option.



Exporting reports is useful when you need to use Sugar data with other software such as Microsoft Excel. You can also use exported report results to update existing Sugar records by creating a report (including Record IDs), exporting, making changes, then importing the altered data back into Sugar. For more information on updating existing records via import, please refer to the [Import](#) documentation.

**Note:** Due to PHP memory limitations on the server, there may be occasions when the application times out while exporting a report with a large amount of data. If you encounter an error when performing this action, we recommend breaking up the report into smaller batches.

## Printing Reports as PDFs


Sugar's Print as PDF option in the Reports module allows users to download the reports to PDF files onto their local machine. This may be useful when needing to email the file to other members of the team to share the report data or to keep track of key historical data from the system. You can also view charts on the downloaded PDF files for Report types (e.g., Summation Report with Details, Summation Report, Matrix Report) with chart options.

Please note that your ability to print PDF reports from Sugar may be restricted by a role preventing the export of data. For more information on roles, please refer to the [Role Management](#) documentation in the Administration Guide. Check with your system administrator if you do not see the Print as PDF option.

Use the following steps to download a copy of a report as a PDF file via the Reports detail view:

1. Navigate to a report's detail view.

- 
2. Select "Print as PDF" from the Actions menu.



3. Open the downloaded PDF file to view the report and save it to your local machine if you wish.

## Scheduling Reports

Users can schedule regular email deliveries of Sugar reports to themselves and other Sugar users via the Reports Schedule module. Scheduled reports will be delivered as PDF or CSV file attachments to the users' primary email addresses in Sugar. When scheduling a report, you can choose the date and time to start sending reports and at what interval you wish to continue receiving them. If you choose to receive the report at a specified time of day, Sugar will output the report and email it to you at that time according to the time zone set in your user profile. If you are configuring the scheduled report for multiple users, then Sugar will convert the time of day to UTC so that each user receives the report simultaneously regardless of their time zones.

**Note:** Scheduled reports may arrive after the set time based on the cycle increment set by your administrator for the Run Report Generation Scheduled Tasks scheduler. For more information, please refer to the [Report Schedule Requirements](#) section.

Please note that your ability to schedule reports from Sugar may be restricted by your role settings. Check with your system administrator if you do not see the option to schedule a report. Furthermore, delivery to users added to a scheduled report may be prevented by teams or roles. For example, if a user schedules a report for a user who does not have access to the report, then the restricted user will not receive the report. For more information on roles, please refer to the [Role Management](#) documentation in the Administration Guide.

**Note:** Reports that contain charts in Sugar will not have a chart in the PDF or CSV version of the scheduled report.

### Report Schedule Requirements

The Report Schedules module requires the following configurations:

- **User email settings:** A personal outgoing email account must be configured by the user scheduling a report. For more information on setting up individual email accounts, please refer to the [Emails](#) documentation in the Application Guide.
- **System mail server:** The outgoing mail server for the Sugar system must be configured by an administrator. For more information on setting up the system email settings, please refer to the [Email](#) documentation in the Administration Guide.
- **Scheduler activation:** The Run Report Generation Scheduled Tasks scheduler must be activated by an administrator (default is inactive) and configured to run at proper intervals. For example, if the scheduler is set to trigger once per day and a user schedules a report to be delivered every hour, the report will only be delivered once each day due to the interval set in the scheduler. The administrator must change the interval for the scheduler to run at least every hour for the user's report to be delivered hourly. For more information on configuring schedulers, please refer to the [Schedulers](#) section of the System documentation.

## Report Schedule Fields

The Report Schedules module contains the following fields:

Field	Description
Active	The enabled (Active = true) or disabled (Active = false) state of the scheduled report event. <b>Note:</b> Disabled report schedule records will not send emails.
Assigned to	The Sugar user assigned to the report schedule record. <b>Note:</b> The Assigned To user is not always the same user as the recipient of the scheduled report.
Created by	The Sugar user who created the report schedule record.
Date Created	The date and time that the report schedule record was created.
Date Modified	The date and time that the report schedule record was last modified.
Description	A description or other information about the scheduled report event.
File Type(s)	The format of the related Report that

	will be emailed. You can send the report as a PDF, CSV, or both a PDF and CSV.
Name	A unique and descriptive name for the scheduled report event.
Next Email Scheduled For	The date and time that the next report will be emailed to the recipient(s).
Repeat Type	The interval of time between recurrences.
Report	The related Report that will be emailed as a PDF or CSV file attachment to the recipient(s).
Start Date	The date and time that the first report will be emailed as a PDF or CSV file attachment to the recipient(s).
Teams	The Sugar team(s) with access the scheduled report record (subject to role permissions).

In addition to the Report Schedule fields, the Users subpanel under a report schedule record contains the following User module fields:

Field	Description
Department	The department where the user works as saved in their user profile.
Full Name	The user's first and last name.
Status	The status of the user's record (e.g., Active or Inactive).
Title	The user's title as saved in their user profile.
User Name	The user's Sugar username.

Please note that the Report Schedule fields and the fields in the Users subpanel cannot be edited via Studio.


## Creating Report Schedules

Use the following steps to schedule an automated report for delivery to your email inbox:

1. Navigate to the Reports module and create a new report schedule via one of the following methods:

- The actions menu on a report's detail view:


**Title: Open Opportunities and Number of Meetings**



- The report's actions menu in the Reports list view:

<input type="checkbox"/>	<input type="checkbox"/>	Name	Module	Report Type	
<input type="checkbox"/>	☆	Cases with No Calls, Meetings, Tasks, or Emails	Cases	Matrix	👁️ ⌵
<input type="checkbox"/>	☆	Leads with No Calls, Meetings, Tasks, or Emails	Leads	Summation	👁️ ⌵
<input type="checkbox"/>	☆	Open Calls	Calls	Rows and Col..	👁️ ⌵
<input type="checkbox"/>	☆	Open Opportunities and Number of Calls	Opportunities	Edit	
<input type="checkbox"/>	☆	Opportunities with No Calls, Meetings, Tasks, or E...	Opportunities	Edit Report	
<input type="checkbox"/>	☆	Upcoming Calls Scheduled by Account	Calls	Create Schedule	
<input type="checkbox"/>	☆	Weekly Calls Held this Quarter by User	Calls	View Schedules	
<input type="checkbox"/>	☆	Weekly Calls Scheduled this Quarter by User	Calls	Delete	
				Doc Merge	
				Doc Merge to PDF	

- Via the Report Schedules module directly:
  - Use the Report Schedules link in the Reports module tab and then click the Create button at the top of the list view:



2. If necessary, use the Search and Select functionality to choose a report in the Report field. This will only be necessary when scheduling a report via the Create button in the Report Schedules module.
3. Give the scheduled event a descriptive name that you can find later. For example, "Will's daily call list - 9am".
4. Complete the Repeat Type and Start Date fields with the frequency of

delivery and desired date and time to receive your first emailed report. Optionally, add a description. Choose whether to receive a PDF or CSV report. For more information on the available fields, please refer to the [Report Schedule Fields](#) section.

Name: Will's daily call list - 9am

Report: Open Calls

Repeat Type: Daily

Start Date: 2021-12-20 09:15

Next Email: 2021-12-20 09:15

Description: List of my open calls emailed daily at 9am.

File Type(s): PDF

Active: ☒

Assigned to: Administrator

Buttons: Cancel, Save


5. Click "Save".

After saving, you can [view the report schedule](#) record to edit, disable (i.e., set "Active" to false), or delete the scheduled email as your role permits. If you would like to add more users to the distribution list for the scheduled report, please refer to the [Adding Users to Report Schedules](#) section.

## Adding Users to Report Schedules

Use the following steps to schedule an automated report for delivery to the email inboxes of other Sugar users:

1. Follow the steps in the [Creating Report Schedules](#) section to create a scheduled report for yourself. If you do not want to receive this scheduled report, you still need to create the record for yourself but can unlink your user record in the following steps.
2. Next, navigate back to the report schedule record by clicking the link in the confirmation message or using the [View Schedules](#) option on the related report record.




3. On the report schedule's record view, scroll down to the Users subpanel.
4. Click on the subpanel's Actions menu and select "Link Existing Record".

Related: All Filter: All Records Search...

USERS (3)


Full Name	User Name	Title	Actions
			Link Existing Record

5. Find and select the user or users you would like to add to the scheduled report's distribution list and then click "Add".
6. To remove users from the distribution list, click the Unlink button next to the user's name in the Users subpanel for the report.


Us USERS (3) <span>+</span> <span>▼</span>				
	Full Name	User Name	Title	Depa
	Chris Olliver	chris	Senior Account Rep	
	Will Westin	will	Sales Manager East	Unlink

## Copying Report Schedules

Users with the appropriate role permissions can schedule new reports via duplication, which will copy the entire user recipient list over to a new report schedule record. Simply select "Copy" from a report schedule record's actions menu. Give the copy a unique name, update the related report field and scheduled times as needed, and save. The related user recipients will copy over to the new report schedule record.


RS Will's daily call list - 9am <span>Edit</span> <span>▼</span>				
Report	Open Calls	Start D...	2021-12-20 09:15	
Repeat ...	Daily	Active	<input checked="" type="checkbox"/>	Delete
Next E...	2021-12-20 09:15	Assigne...	Administrator	View Audit Log
Descrip...	List of my open calls emailed daily at 9am.			
				Doc Merge
				Doc Merge to PDF

If needed, you can [add more users](#) to the distribution list or remove users by clicking the Unlink button next to a user's name in the Users subpanel.


Us USERS (3) <span>+</span> <span>▼</span>				
	Full Name	User Name	Title	Depa
	Chris Olliver	chris	Senior Account Rep	
	Will Westin	will	Sales Manager East	Unlink

## Viewing Report Schedules


You can navigate directly to the Report Schedules module to access the Report Schedules list view. There is a link to the Report Schedules module in the Reports module tab menu:



In addition, you can view only the scheduled reports related to a given report using the "View Schedules" option on the report's actions menu in list view or detail view.



When using "View Schedules" from a report's actions menu, Sugar will automatically filter the Report Schedules list view to show only records related to that report.



Click on the name of a record to view its details and [edit](#) or [add users](#) to the report schedule. To disable a report schedule, deselect its Active checkbox and save. For more information on working with list views and editing records in Sugar, please refer to the [User Interface](#) documentation.

---

## Favoriting Reports

Users have the option to mark records as favorites via the report's detail view. This allows users to designate records that are important or will be viewed often so that they can easily be accessed via the [search filter](#) or from the [Reports module tab](#).

### Favoriting via Detail View

Use the following steps to mark records as favorites via the Reports detail view:

1. Navigate to a report's detail view.
2. Click the star icon to the right of the report's name on the upper left of the detail view to designate it as a favorite.
3. To remove the report as a favorite, click the star again to revert it to white.


Total Sales by Quarter 

Title: Total Sales by Quarter

Run Report ▼

## Sharing Reports

Individual reports can be shared with other users in your organization by sending an email containing the record's link directly from the detail view. In the report's detail view, select "Share" from the Actions menu. This will open a Compose Email window that includes the URL of the report in Sugar. Enter the recipient(s) email address in the To field then click "Send".



Users can simply click the link in the email to access the report in Sugar. Please note that the user must be logged in to Sugar in order to access the record, and its visibility will depend upon their team membership, user access type, and assigned roles. For more information on teams and roles, please refer to the [Team Management](#) and [Role Management](#) documentation in the Administration Guide.


**Note:** To send emails through Sugar, users must first configure a default user

email account via [Emails > Email Settings](#).

## Adding Report Results to Target Lists

A target list consists of a group of individuals or organizations you wish to be included or excluded from a mass marketing campaign. These targets are typically identified based on a set of predetermined criteria such as being a prospect or existing customer, age group, industry, etc. The Reports module gives users the ability to add a large number of records (e.g., Contacts, Leads, Accounts) to a target list at once instead of selecting them one-by-one.

For example, if you need to add all leads in the state of California to a target list, you can create a report based on the Leads module filtered by the Primary Address State field (e.g., CA). After saving the report, navigate to the Target Lists module and select the desired target list record you wish to add the report results to. Scroll down to the Leads subpanel, click the Actions menu, and choose "Select from Reports". Select the saved lead report from the Search and Select Reports drawer and all lead records from the report will be added to the target list.



For more information on adding records to target lists, please refer to the [Target Lists](#) documentation. Please note that Sugar allows up to 1000 records to be added at a time when adding to a target list. If you desire to add more than 1000 records to a target list, you will need to create the reports in several batches.

## Working With Sugar Modules

The Reports module uses Sugar's Sidecar user interface. The following sections detail menus, views, and actions common to sidecar modules and contain links to additional information within the page or links to the User Interface documentation.


### Report Menus

The Reports module contains various options and functionality which are available via menus in the module tab, list view, and detail view. The following sections present each menu and its options with links to more information about each option in the User Interface documentation or, for Reports-specific functionality, within this page.

---

## Module Tab Menus

The Reports module tab is typically located on the navigation bar at the top of any Sugar screen. Click the tab to access the Reports list view. You may also click the triangle in the Reports tab to display the Actions, Recently Viewed, and Favorites menu. The Actions menu allows you to perform important operations within the module. The [Recently Viewed menu](#) displays the list of reports you last viewed. The [Favorites menu](#) displays the list of reports you most recently marked as favorites in the module.




The module tab's Actions menu allows you to perform the following operations:

Menu Item	Description
<a href="#">Create Report</a>	Opens the Report Wizard for creating a new report.
<a href="#">View Reports</a>	Opens the list view layout for searching and displaying reports.
<a href="#">Manage Advanced Reports</a>	Opens the Advanced Reports tab for creating and viewing advanced reports.
<a href="#">Report Schedules</a>	Opens the Report Schedules module for scheduling automated reports via email.

For more information on module tab menus including reasons a module may not be included in the menu, see the [User Interface](#) documentation.





The list view's Record Actions menu allows you to perform the following operations:


Menu Item	Description
<a href="#">Preview</a> (eye icon)	Preview this report in the intelligence pane.
<a href="#">Edit</a>	Inline edit this report.
<a href="#">Edit Report</a>	Edit the report via the Report Wizard.
<a href="#">Create Schedule</a>	Send a copy of this report to your email inbox on a recurring basis.
<a href="#">View Schedules</a>	View any scheduled reports for this report in the Report Schedules list view.
<a href="#">Delete</a>	Delete this report.
<a href="#">Doc Merge</a>	Select or create a DOCX, XLSX, or PPTX template to merge record data into documents that will be accessible in the Doc Merge widget.
<a href="#">Doc Merge to PDF</a>	Select or create a DOCX, XLSX, or PPTX template to merge record data into PDF documents that will be accessible in the Doc Merge widget.

## Detail View Actions Menu

The Reports [detail view](#) displays a single report in full detail including display column fields (if applicable), charts (if applicable), etc. To access a report's detail

view, simply click a hyperlinked report name from anywhere within Sugar. The Actions menu appears on the top left of each report's detail view and allows you to perform various operations on the current report. Administrator users can change the action items to be displayed as separate buttons instead of a dropdown menu via Admin > System Settings. For more information on configuring the actions menu, please refer to the [System](#) documentation in the Administration Guide.

## Tasks Due This week



The Actions menu allows you to perform the following operations:

Menu Item	Description
<a href="#">Run Report</a>	Run this report to generate the result.
<a href="#">Share</a>	Share a link to this report via email. <b>Note:</b> To send emails through Sugar, users must first configure a default user email account via <a href="#">Emails &gt; Email Settings</a> .
<a href="#">Edit</a>	Edit this report.
<a href="#">Copy</a>	Duplicate this report to create a new report.
<a href="#">Create Schedule</a>	Send a copy of this report to your email inbox on a recurring basis.
<a href="#">View Schedules</a>	View any scheduled reports for this report in the Report Schedules list view.
<a href="#">Print as PDF</a>	Download this report as a PDF file.
<a href="#">Export</a>	Export this report's result to a CSV file.
<a href="#">Delete</a>	Delete this report.

---

## Common Views and Actions

The following links will open specific sections of the User Interface documentation where you can read about views and actions that are common across most Sidecar modules.

Content Link	Description
<a href="#">Viewing Reports</a> <a href="#">Viewing via List View</a> <a href="#">Viewing via Recently Viewed</a> <a href="#">Viewing via Dashlets</a> <a href="#">Viewing via Preview</a>	<p>The Viewing Records section describes the various methods of viewing report records, including via the Reports list view, the Recently Viewed menu in the Reports module tab, list view dashlets showing report information, and previewing reports in the right-hand side panel.</p>
<a href="#">Searching for Reports</a> <a href="#">List View Search</a> <a href="#">Creating a Filter</a>	<p>The Searching for Records section provides an introduction to list view search, which searches and filters within the Reports module.</p> <p><b>Note:</b> The Report module's Filter option also includes the following filters out-of-the-box:</p> <ul style="list-style-type: none"><li>• <b>Stock Reports:</b> Filter the list view to show only the reports that were included with Sugar.</li><li>• <b>Non-Stock Reports:</b> Filter the list view to show only user-created reports.</li><li>• <b>With Charts:</b> Filter the list view to show only reports that are designed with charts.</li></ul> <p>For more information on stock reports, please refer to the <a href="#">Stock Reports</a> documentation.</p>
<a href="#">Reports List View</a> <a href="#">Total Record Count</a> <a href="#">Create Button</a> <a href="#">List View Search</a> <a href="#">Checkbox Selection</a> <a href="#">Mass Actions Menu</a> <a href="#">Favorite Designation</a>	<p>The List View section walks through the many elements of the Reports List View layout which contains a filterable list of all report records in Sugar. While the generic menu options are described in the User Interface sections linked to the left, the options specifically available in</p>

<a href="#">Column Reordering</a> <a href="#">Column Resizing</a> <a href="#">Column Sorting</a> <a href="#">Column Selection</a> <a href="#">Preview</a> <a href="#">Record Actions Menu</a> <a href="#">Pagination</a> <a href="#">Intelligence Pane</a>	the Reports list view are described in the <a href="#">List View Mass Actions Menu</a> and <a href="#">List View Record Actions Menu</a> sections of this page.
<a href="#">Editing Reports</a> <a href="#">Editing Inline via List View</a> <a href="#">Editing via Preview</a> <a href="#">Mass Editing via List View</a>	The Editing Records section describes the various methods of editing existing report records, including inline via the Reports list view, via the List View preview, and via the Mass Update option on the list view.
<a href="#">Deleting Reports</a> <a href="#">Deleting via List View</a> <a href="#">Mass Deleting via List View</a>	The Deleting Records section describes the various methods of deleting unwanted reports, including via an individual record's Actions menu on the Reports list view and the Mass Actions menu on the list view.
<a href="#">Favoriting Reports</a> <a href="#">Favoriting via List View</a>	The Favoriting Records section describes marking reports as favorites via the Reports list view. Favoriting a report allows you to easily access it from list views, dashlets, or the Reports module tab.

## Stock Reports

### Overview

Sugar's Reports module comes with a number of pre-built, stock reports. These reports display information from Sugar modules (e.g., Accounts, Contacts, Opportunities, etc.) that will help provide insights into your CRM data. This page lists each of the stock reports that come out-of-the-box with the current version of Sugar and helps explain the type of information provided in each report.

Please note that Sugar ships with over 100 stock reports, which may vary by version. For descriptions of stock reports that shipped with previous versions of Sugar, please refer to the [Understanding Legacy Stock Reports](#) article. In addition to stock reports, users can create their own reports. For more information on creating reports, please refer to the [Reports](#) documentation.

---

## Viewing Stock Reports

All of Sugar's stock reports can be accessed via the Reports module. From the Reports list view, stock reports can be identified using [stock report tags](#) and [stock report filters](#). You may also preview a stock report from list view to read its description and other information from the [report's fields](#). For more information on previewing reports, please refer to the [User Interface](#) documentation.

If you do not see the Reports module tab in the navigation bar, please check your user profile to see if the module may be marked as hidden. For more information on hiding and displaying modules, please refer to the [Getting Started](#) documentation. If the Reports module is not marked as hidden in your user profile, then check with your administrator to confirm that the module is enabled for your instance. Please note that team and role restrictions also apply to report results and affect what records users can see when they run the reports. For more information on teams and roles, please refer to the [Team Management](#) and [Role Management](#) documentation.

## Stock Report Tags

Stock reports are automatically tagged in Sugar with the "Stock Report" tag. Each report also has a category tag such as "Administrative" or "Sales and Marketing". The reports listed on this page under [Stock Reports by Category](#) are organized by the reports' category tags in Sugar. Users can filter the Reports list view by tag as explained in the [User Interface](#) documentation.

## Stock Report Filters

The Reports list view search provides a filter option that allows users to narrow the list of visible reports. In addition to the [default module filters](#), the following filters are available for the Reports module:

- **Stock Reports:** Filter the list view to show only stock reports.
- **Non-Stock Reports:** Filter the list view to hide all stock reports.
- **With Charts:** Filter the list view to show only reports designed with charts.

Users can further refine the results by typing a search query in the search bar and can create and save their own custom filters. For more information on searching and filtering the list view, please refer to the [Search](#) documentation.

## Editing Stock Reports

Any user with the proper team and role permissions may edit a stock report as they would [edit any other report](#), but it is not recommended. Instead, we recommend [duplicating the report](#) and saving the edited copy with a new name

---

and description. This will preserve the stock report's state as it was made by Sugar. To copy a stock report, simply follow the steps in the [Reports](#) documentation to create a report via duplication. For more information on restoring deleted stock reports, please refer to the [Restoring Deleted Stock Reports](#) section of this page.

## Stock Reports by Category

The reports on this page have been shipped with the current version. For more information on reports that shipped with previous versions but are no longer being shipped in current versions of Sugar, please refer to the [Understanding Legacy Stock Reports](#) article.

## Administration Reports

The following reports were designed for administrators to gain insight into teams and users, usage patterns, and the performance of their Sugar instance. The reports in this section are tagged "Stock Report" and "Administrative" in the Reports module.

**Note:** The tracker settings must be enabled via Admin > Trackers before tracker data becomes reportable in Sugar. Please refer to the [Understanding Tracker Reports](#) article for in-depth descriptions of each stock tracker report.

Name	Module	Type	Chart Type	Description
Active User Sessions (Last 7 Days)	Tracker Sessions	Rows and Columns		Lists the duration of all user sessions over the last 7 days
Licensed User List	Users	Rows and Columns		Administrators can refer to this report in order to periodically check the number of active users counting against their license and ensure that they are not close to

				exceeding their limit.
List of Teams and Licensed Users	Teams	Summation with details		Provides the list of teams and the number of users in the team. Group and portal users are excluded from this list.
Modules Used By My Direct Reports (Last 30 Days)	Trackers	Summation	Horizontal Bar	Displays a summary of module usage in the past 30 days for all users who report to the user who is running the report
My Module Usage (Last 30 Days)	Trackers	Summation	Horizontal Bar	Displays a summary of module usage in the last 30 days for the current user
My Module Usage (Last 7 Days)	Trackers	Summation	Horizontal Bar	Displays a summary of module usage in the last 7 days for the current user
My Module Usage (Today)	Trackers	Summation	Horizontal Bar	Displays a summary of module usage so far today for the current user
My Recently Modified Records (Last 30 Days)	Trackers	Rows and Columns		Lists records assigned to the current user that were

				saved in the last 30 days
My Records Modified (Last 7 Days)	Trackers	Rows and Columns		Lists records assigned to the current user that were saved in the last 7 days
My Usage Metrics (Last 30 Days)	Tracker Performance	Summation		Shows the total server response time in seconds, total number of database round trips, and total number of files accessed for the user who is running the report in the last 30 days
My Usage Metrics (Last 7 Days)	Tracker Performance	Summation		Shows the total server response time in seconds, total number of database round trips, and total number of files accessed for the user who is running the report in the last 7 days
My Usage Metrics (Today)	Tracker Performance	Summation		Shows the total server response time in seconds, total number of database round trips, and total number of files accessed for the user who is

				running the report so far today
Records Modified By My Direct Reports (Last 30 Days)	Trackers	Rows and Columns		Lists records saved in the last 30 days by users who report to the user who is running the report
Slow Queries	Tracker Queries	Rows and Columns		Lists the details for queries that took longer than the query threshold limit defined in Admin > Trackers
User Sessions Summary (Last 7 Days)	Tracker Sessions	Summation		Summarizes the number of session roundtrips and total active time for each user over the last 7 days
Users Usage Metrics (Last 30 Days)	Tracker Performance	Summation		Shows the total server response time in seconds, total number of database round trips, and total number of files accessed for each user in the last 30 days
Users Usage Metrics (Last 7 Days)	Tracker Performance	Summation		Shows the total server response time in seconds, total number of

				database round trips, and total number of files accessed for each user in the last 7 days
--	--	--	--	---

## Customer Service Reports

The following reports will help customer service users and managers gather important information about cases and bugs in Sugar. The reports in this section are tagged "Stock Report" and "Customer Service" in the Reports module.

Name	Module	Type	Chart Type	Description
Bugs by Product Category by Status	Bugs	Matrix	Horizontal Bar	Number of bugs created by category and their current status. This report gives a sense of which area of the product generates bugs. The time period can be adjusted in the report using run-time filters.
Bugs Created by Month By Category	Bugs	Matrix	Vertical Bar	Number of bugs created each month summarized by the category. This report provides a trend on the number of bugs being generated across the category.
Bugs Created by Month By	Bugs	Matrix	Vertical Bar	Number of bugs created

Priority				each month summarized by their priority. This report provides a trend on the number of bugs.
Cases with No Calls, Meetings, Tasks, or Emails	Cases	Matrix		Summary count of cases where no activity has taken place or is scheduled. Those cases are counted that have no calls, meetings or tasks scheduled or completed.
My Open Bugs by Priority	Bugs	Summation	Pie	List of open bugs assigned to the user who is running the report summarized by priority.
My Open Cases by Priority	Cases	Summation	Horizontal Bar	List of open cases assigned to the user who is running the report summarized by priority.
New Cases By Month	Cases	Summation	Vertical Bar	List of new cases opened by month
Open Bugs by User by Priority	Bugs	Matrix		Number of bugs assigned to each user grouped by priority of the bug. This report gives a

				sense of which bugs need attention the most.
Open Bugs by User by Status	Bugs	Matrix		Number of bugs assigned to each user and the priority of the bug. This report gives a sense of the workload of users working on the bugs.
Open Cases By Month By User	Cases	Summation	Vertical Bar	List of open cases by created month and grouped by user.
Open Cases by User by Priority	Cases	Matrix	Horizontal Bar	Number of cases assigned to each user and the priority of the bug. This report gives a sense of the workload of users working on the cases.
Open Cases by User by Status	Cases	Matrix	Horizontal Bar	Number of cases assigned to each user and the current status of the bug. This report gives a sense of which cases need attention the most.
Summary of Bugs by Priority by Week Created	Bugs	Matrix	Vertical Bar	Number of bugs created each week by priority. The

				time period can be adjusted in the report using the run-time filters.
Summary of Bugs by Source by Week Created	Bugs	Matrix	Vertical Bar	Number of bugs created each week by source. The time period can be adjusted in the report using the run-time filters.
Summary of Bugs by Status by Week Created	Bugs	Matrix	Vertical Bar	Number of bugs created each week by status. The time period can be adjusted in the report using the run-time filters.
Summary of Cases by Priority by Week Created	Cases	Matrix	Vertical Bar	Number of cases created each week by priority. The time period can be adjusted in the report using the run-time filters.
Summary of Cases by Source by Week Created	Cases	Matrix	Vertical Bar	Number of cases created each week by source. The time period can be adjusted in the report using the run-time filters.
Summary of Cases by Status by Week	Cases	Matrix	Vertical Bar	Number of cases created each week by

Created				status. The time period can be adjusted in the report using the run-time filters.
Summary of Open Cases by Priority	Cases	Summation	Horizontal Bar	Number of cases that are still open summarized by priority of bug.
All Cases Due Today and Overdue*	Cases	Summation	Horizontal Bar	All cases with a follow-up date that has passed or is today. Defaults to all cases with a follow-up date in the past 30 days.
All Open Cases by Followup Date*	Cases	Summation with details	Vertical Bar	Number of open cases grouped by the follow-up date.
Average Difference From Follow-Up Date by Week by Agent*	Cases	Matrix	Vertical Bar	The average difference from the targeted follow-up date in business hours by week for each agent. Includes cases created in the last 30 days, but this range can be changed using the run-time filter. A run-time filter can also be used to filter by cases that either met or missed their

				first response SLA.
Average Time to First Response by Agent*	Cases	Summation	Horizontal Bar	The average time in business hours until the first response on a case, per agent. Includes cases created in the last 30 days, but this range can be changed using the run-time filter.
Average Time to Resolution by Week by Agent*	Cases	Summation	Horizontal Bar	The average time in business hours it takes to resolve cases by week for each agent. Includes cases resolved in the last 30 days, but this range can be changed using the run-time filter.
Average Time to Resolution by Week by Type*	Cases	Summation	Horizontal Bar	The average time in business hours it takes to resolve cases by week for each case type. Includes cases resolved in the last 30 days, but this range can be changed using the run-time filter.

Cases That Missed the First Response SLA*	Cases	Matrix	Vertical Bar	The number of cases that missed their first response SLA in the last 7 days. The time period can be changed using the run-time filter.
Daily Average Time to First Response*	Cases	Summation	Horizontal Bar	The daily average time in business hours until the first response on a case. Includes cases created in the last 7 days, but this range can be changed using the run-time filter.
First Response SLA Success Rate*	Cases	Summation	Pie	All cases created in the last 30 days, separated by whether or not their first response SLA was met. The run-time filters can be used to change the time period or narrow the results to only cases assigned to a specific agent.
List of Changes to Case Status*	Change Timers	Rows and Columns		List of all changes to case status. Includes cases created in the

				last 30 days, but this range can be changed using the run-time filter.
List of Recently Resolved Cases*	Cases	Rows and Columns		A list of recently closed cases across all business centers. The time period can be adjusted in the report.
My Average Difference From Follow-Up Date by Week*	Cases	Summation	Vertical Bar	The average difference from the targeted follow-up date in business hours by week for the current user. Includes cases created in the last 30 days, but this range can be changed using the run-time filter. A run-time filter can also be used to filter by cases that either met or missed their first response SLA.
My Cases Due Today and Overdue*	Cases	Summation	Horizontal Bar	All cases assigned to the user who is running the report with a followup date that has passed or is today. Defaults to all cases with

				follow-up date in the past 30 days.
My Cases in the Last Week by Status*	Cases	Summation	Horizontal Bar	Cases modified by the user who is running the report in the last 7 days, grouped by the status of the case. The time period can be adjusted in the report. This report makes it easy to identify recently worked on cases.
My Cases Resolved this Month by Week*	Cases	Summation	Vertical Bar	This report displays a chart for all cases that were closed in the selected time period and groups them by week
My Open Cases by Followup Date*	Cases	Summation with details	Vertical Bar	Number of open cases assigned to the user who is running the report grouped by the follow-up date.
My Open Cases by Status*	Cases	Summation	Pie	This pie chart shows the percent of cases that are open by status for the user who is running the report.

My SLA Success Rate*	Cases	Summation	Vertical Bar	The history of cases the current user responded to that either met or missed their first response SLA. Includes cases in the last 30 days, but this range can be changed using the run-time filter.
New Cases by Business Center by Week*	Cases	Summation	Vertical Bar	Number of cases created for each business center by week. The time period can be adjusted in the report.
New Cases by Customer Tier by Week*	Cases	Summation	Vertical Bar	Number of cases created by the service level of the customer (customer tier) by week. The time period can be adjusted in the report.
New Portal Users Awaiting Activation*	Contacts	Rows and Columns		A list of portal users created but not yet activated. Includes contacts created in the last 7 days, but this range can be changed using the run-time filter.

Open Cases Awaiting First Response That Missed SLA*	Cases	Rows and Columns		All open cases that missed the first response SLA and are still awaiting first response.
Open Cases Awaiting First Response Within SLA*	Cases	Rows and Columns		All open cases that are within their SLA and awaiting first response.
Open Cases by Customer Tier and Priority*	Cases	Matrix	Horizontal Bar	A summary of open cases grouped by the service level of the customer (customer tier) and priority.
Recently Created Cases*	Cases	Rows and Columns		A list of all recently created cases across all business centers. The time period can be adjusted in the report.
Status of Open Tasks Assigned by Me*	Tasks	Summation with details	Vertical Bar	Open tasks that the user who is running the report has assigned to others. This report helps users know who to follow up with.
Total Cases Resolved this Month by Agent*	Cases	Summation	Horizontal Bar	Number of cases that were resolved during the month grouped by agent and priority. The

				time period can be adjusted in the report.
Total Cases Resolved this Month by Business Center*	Cases	Matrix	Horizontal Bar	Number of cases that were resolved during the month grouped by business center and priority. The time period can be adjusted in the report.
Total Time Spent on Cases by Week by Case Type*	Change Timers	Summation	Vertical Bar	The total time in business hours spent on cases for each week by case type. Includes cases created in the last 30 days, but this range can be changed using the run-time filter.

\*This report is only available for Sugar Serve users.

## Data Privacy Reports

The following reports will help data privacy managers and marketing users make privacy-related insights and identify leads, contacts, and targets who have opted in to or out of marketing communications. The reports in this section are tagged "Stock Report" and "Data Privacy" in the Reports module.

Name	Module	Type	Chart Type	Description
Count of Contacts by Country	Contacts	Summation		Total count of existing contacts grouped by country.
Count of Leads	Leads	Summation		Total count of

(unconverted) by Country				existing leads (unconverted) grouped by country.
Count of Targets by Country	Targets	Summation		Total count of existing targets grouped by country.
Data privacy activity completed and rejected each month	Data Privacy	Matrix	Vertical Bar	Number of data privacy activities completed or rejected each month. The month is based on date closed.
Data Privacy Activity Due Now	Data Privacy	Summation with details	Horizontal Bar	List of all Data Privacy Activity that is due shortly. Use the run-time filter to adjust the time period.
Data Privacy Activity Overdue	Data Privacy	Summation with details	Horizontal Bar	List of all Data Privacy Activity that are still open and the due date is in the past.
List of Contacts with No Consent	Contacts	Rows and Columns		List of all contacts who have not provided any consent for any business purpose.
List of Emails Opted In	Email Address	Rows and Columns		List of all emails currently opted in.
List of Emails Opted Out	Email Address	Rows and Columns		List of all emails

				currently opted out.
List of Leads with no Consent	Leads	Rows and Columns		List of all leads who have not provided any consent for any business purpose.
List of Open Data Privacy Activities	Data Privacy	Rows and Columns		A list of all data privacy activities that have a status of open.
List of Open Data Privacy Activities assigned to me	Data Privacy	Rows and Columns		List of open data privacy activity assigned to me
Number of Data Privacy Activity created each month by type	Data Privacy	Matrix	Vertical Bar	Number of data privacy activity created each month by activity type
Open Data Privacy Activities by Type	Data Privacy	Summation with details	Horizontal Bar	List of all open data privacy activity grouped by activity type
Recently Created Data Privacy Activity	Data Privacy	Rows and Columns		A list of all recently created data privacy activity. The time period can be adjusted in the report using the run-time filters.

## Restoring Deleted Stock Reports

If a user deletes a stock report, it is marked with a deleted flag in the instance's database. Should you need to recover the deleted report, a person with access to your instance's file system can locate the report in the saved\_reports table and

---

change the Deleted field from "1" to "0" for this specific report record. Upon doing so, the report will be restored in your Sugar instance. If the stock report has been deleted from the database and cannot be recovered, you must manually recreate the report from scratch in the Reports module.

To hide one or more stock reports from your users, consider mass updating the team to the Administrator's private team because deleted reports cannot be restored via the user interface.

**Note:** Customers with instances hosted on Sugar's cloud service do not have direct access to the database and, therefore, cannot restore stock reports once they have been deleted. A support-authorized contact for your organization can [file a case](#) with the Sugar Support team for assistance in trying to restore the report that has been deleted from your Sugar instance.

---

## Export

### Overview

There may be times in which users will want to access, review, or manipulate information from their Sugar database in another format outside of Sugar. To facilitate this process, users have two options on ways to export their data from Sugar. Upon exporting data from Sugar, a CSV ("Comma Separated Value") format file will be downloaded to the user's computer. This file can be reviewed in Microsoft Excel, Notepad, or other spreadsheet tools and text editors.

Exporting restrictions can be controlled by a System Administrator via Admin > Locale. For more information on the Locale menu, please refer to the [Locale](#) section of the Administration guide. An administrator also has the option to create a Role hindering regular users' access to the export functionality. Please refer to the [Role Management](#) section of the Administration Guide for more information on setting roles for users.

### Exporting From Module List Views

The first type of export that will be covered is exporting from the module list view. When exporting this way, the downloaded file contains every field from the database within the given module for the specified record or records. This export will not include any information from records which are associated via relationships to this module. Please note that the export method varies slightly between modules using the Sidecar user interface (e.g., Accounts, Contacts, Leads, etc.) and Legacy user interface (e.g., Projects).

This export method is most useful when performing a type of data migration,

---


needing an excess of detail, or performing a comprehensive import and update of the data, since this method exports all fields within a module. It is recommended the [Export From Reports](#) functionality be used for any other export use case to isolate the specific information needed.

Due to PHP memory limitations on the server, there may be occasions when the application times out while exporting a large number of records. If you encounter an error when performing this action, we recommend selecting the records in smaller batches.

## Exporting From Sidecar Module List Views


The following steps cover exporting from the Accounts module as an example:

1. Navigate to the Accounts list view by clicking the Accounts module tab.
2. Use the [Module Search](#) to find the Account records you wish to export.
3. Select the desired account records individually by marking the checkbox on the left of each row.
  - **Note:** You can also use the [Select All](#) feature in the list view to select the first 1000 records in the result set. If you wish to export more than 1000 records or export a specific group of records on the list view, please use the [filter option](#) in module search to perform



<input checked="" type="checkbox"/>		Name	City	Billing Country	Phone	User
You have selected all 20 records in this view. <a href="#">Select all records</a> in the result set.						
<input checked="" type="checkbox"/>	★	<a href="#">360 Vacations</a>	Persistence	USA	(777) 954-2...	<a href="#">Max Jensen</a>
<input checked="" type="checkbox"/>	★	<a href="#">5D Investme...</a>	Salt Lake City	USA	(405) 569-3...	<a href="#">Max Jensen</a>

4. Choose "Export" from the Actions menu.



<input checked="" type="checkbox"/>		Name	City	Billing Country	Phone	User
You have selected all 58 records in the result set. <a href="#">Clear selections.</a>						
Mass Update		Persistence	USA	(777) 954-2...	<a href="#">Max Jensen</a>	
Add To Target List		Salt Lake City	USA	(405) 569-3...	<a href="#">Max Jensen</a>	
Merge		Alabama	USA	(814) 408-2...	<a href="#">Sarah Smith</a>	
Delete		Los Angeles	USA	(008) 217-7...	<a href="#">Sarah Smith</a>	
Export						


The CSV file will be downloaded to your local machine to a location defined by your browser settings. The file can be read and manipulated as necessary.

## Exporting From Legacy Module List Views


The following steps cover exporting from the Calls module as an example:

1. Navigate to the Calls list view by clicking the Calls module tab.
2. Use the [Basic](#) or [Advanced Search](#) functionality to find the records you wish to export.
3. Select the desired call records individually or by using the checkbox dropdown's options.

#### Search Calls



4. Choose "Export" from the Actions menu.



The CSV file will be downloaded to your local machine to a location defined by your browser settings. The file can be read and manipulated as necessary.

## Exporting From Reports

In addition to exporting from a list view, users also have the option to export data from a report. Because reports allow you to select the specific fields you would like to see, users can narrow down what they see on the export file and filter the module data however they would like. The advantage to using reports is that users will only be presented with the data that they need, and no excess data. In addition, users can also export data from related modules using reports, which is not possible when [Exporting From Module List Views](#). Finally, because the reports are much more focused and specific, there is a higher threshold of the number of records that can be exported before encountering a timeout or any other such issues.

Due to PHP memory limitations on the server, there may be occasions when the application times out while exporting a report with a large amount of data. If you


---

encounter an error when performing this action, we recommend breaking up the report in smaller batches.

For more information on creating your report, please refer to the [Reports](#) documentation.

Use the following steps to complete an export from a report:

1. Select an existing report from the Report module's list view, or create a new one based on the information that you would like to export.
2. Click on the actions menu of the report details and select "Export".



3. The CSV file will be downloaded to your computer to a location defined by your browser settings. The file can then be read and manipulated at will.

When exporting from a report, the data is more well-rounded for a user to review. The user can determine which fields should be included on the export by configuring the report. This means that while reviewing it in a spreadsheet, the information appears exactly as it does in Sugar. This makes for a more positive user experience and a more focused export file. In addition, the user is able to use modules related to the reported-on module. This makes the report more useful in a business sense for individual users.

## Exported Files

When data is exported from Sugar, the file that is produced is a CSV, or "Comma Separated Value" file. When viewed in a plain text editor, a CSV file looks like a long string of text with groupings of text separated with quotation marks and commas (e.g., "First Name","Last Name","Title"). The file first lists out all columns that are in the file, and then the corresponding rows follow, also separated by quotation marks and commas (e.g., "Dusty","Connor","IT Developer").

However, most spreadsheet software, such as Microsoft Excel, will read this file and convert the quotation marks and commas into rows and columns. This makes your data much easier to read and turns it into a useful format that can be manipulated and re-purposed as need be.

---

	A	B	C
1	First Name	Last Name	Title
2	Dusty	Connor	IT Developer

The records that appear in your spreadsheet are dependent on what type of search, if any, you did prior to your export.

When exporting from list view, the user is left with every part of the module database information, which is often not all readable by the user. This file will only contain information specific to the module where the export was performed. This exported data will be comprised of all stock and custom fields from the module. No data that would normally be found in a subpanel will appear on this export.

Exports from modules with [team-based permissions](#) enabled will contain two additional columns:

- **Selected Teams:** A comma-delimited list of the team names that are selected for extra access
- **Selected Team Set ID:** A unique identifier that references the group of teams contained in the Selected Teams field

---

## Import

### Overview

For most modules, Sugar® allows users to transfer data from an external source (usually a comma-separated-values file) into the database via import. Sugar's import wizard is a quick and easy way to create or update many records at once. The import tool can be used to add a list of new customers or leads to the database, update existing data, migrate from a previous CRM system, or for any process that requires manipulating many records at once.

Your system's Sugar administrator may enable importing for the following modules:

- Accounts
- Bugs
- Business Centers
- Calls
- Cases
- Contacts
- Contracts
- Custom modules (if applicable)

- 
- Escalations
  - Manufacturers
  - Meetings
  - Messages
  - Notes
  - Product Catalog
  - Product Categories
  - Product Types
  - Purchased Line Items
  - Purchases
  - Shift Exceptions
  - Shifts
  - Tasks

Users with an administrator or developer role can import records into the following modules:

- SugarBPM modules:
  - Process Definitions
  - Process Business Rules
  - Process Email Templates
- Tags
- Tax Rates
- Users

**Note:** The import option can only be used to update existing user records for instances that use SugarIdentity. Administrators can access SugarIdentity to [import](#) a list of new users using a CSV file.

When importing through any of the above modules, Sugar presents users with a wizard to help guide users through the process of creating and updating records.

## Import Guidelines

Importing is a very important process for both new Sugar users and those who have been using Sugar for years. Depending on your business needs, you may run imports anywhere from multiple times per week to only once or twice per year. Regardless of the import frequency, all users follow the same import guidelines:

- **File Delimitation:** Sugar accepts files that are delimited by a given separator, such as commas or tabs. The most common type of import will be using a CSV (Comma Separated Value) file, but Sugar will accept other file types as long as it recognizes the delimiter.


- **Imposed Limitations:** Sugar, by default, does not impose any type of import limitations. However, System Administrators can impose a limit on the number of rows or records that can be imported at one time. This limitation is found in Admin > System Settings > Advanced > Import - Maximum Number of Rows. Administrators can also limit what modules users are allowed to import into through the use of [Roles](#).
- **Scrub Data Before Import:** It is strongly recommended that all data is reviewed and scrubbed before importing. It is much easier to see if you are importing good data or that you have removed all duplicates before importing than finding them after they are already in Sugar and are already in use by other users. In addition, you want to ensure standardized fields such as dates, phone numbers, etc. adhere to a common format so that the import will run as smoothly as possible.
- **Parent Records First:** When importing any records that use a relationship to another module, such as the Account - Contact relationship, it is best to try importing the parent, or higher level, records first. This is demonstrated with a one-to-many relationship between the two modules. In this case, it is best to import accounts first and then contacts, which rely on account records.

## Importing New Records

The first type of import that will be covered is importing new records. Whether you are just starting a migration from another CRM to Sugar or if you are adding a new list of records that you have received, such as a new list of leads or accounts, this process will help to get the data into Sugar without having to manually enter each record. After preparing your import file, follow these steps to import the list into Sugar:

**Note:** For instances that use SugarIdentity, administrators need to access SugarIdentity to [import](#) a list of new users using a CSV file.

1. Navigate to the module tab for the module that you are importing into and select the import option. This will open the Import Wizard and bring you to the "Upload Import File" screen.



2. If you would like to review the Import File Template, you can download it from this page. This will give you a template of the format Sugar is going to be using to import your data. For more information on the template, please review the [Import File Template](#) section of this documentation.
3. Select the import file that you are going to use to import by clicking the Choose File button. When prompted, select the file from your computer and it will appear in this box.

Select file: Choose File No file chosen i

4. Ensure that "Create new records only" is selected.
5. If you have performed imports before and have previously saved your import settings, you can select your setting at the bottom of the page using the "To use pre-set import settings, select from below" option. If you do not have any saved import settings, this section will not appear. For more information on saving mapping, please review the [Saving Field Mappings](#) section of this documentation.

To use pre-set import settings, select from below: i

☐ None

☒ Standard Account Import Publish Delete

Next >


6. Click "Next" to access the "Confirm Import File Properties" screen.
7. This screen will show you the first two rows that Sugar is going to try to import as an example to let you know that your file was read properly by Sugar.
8. The Import Wizard automatically detects the properties of the file that has been uploaded to ensure the best import possible. If you notice any mistakes or need to set up any advanced configuration, click "View Import File Properties". These changes are specific to the import and do not affect your standard user preferences.

Hide Import File Properties i

File Encoding:	UTF-8	Fields Delimited By:	,	<span>i</span>
Fields Qualified By:	Double Quote (")	Header Row:	<input checked="" type="checkbox"/>	<span>i</span>
Date Format:	12/23/2010	Time Format:	11:00 pm	
Time Zone:	America/Los Angeles (GMT-7:00)	Currency:	US Dollars : \$	
Currency Significant Digits:	2	Example:	123,456,789.00	
1000s separator:	,	Decimal symbol:	.	
Name Display Format:	s f l <small>"s" Salutation, "f" First Name, "l" Last Name</small>			

9. If the file was exported from either Salesforce.com or Microsoft Outlook, select the corresponding option under "If the import file data was exported

- 
- from any of the following sources, select which one". If not, leave this as "None". This option will set up your mapping properly on the next screen.
10. Click "Next" to access the Confirm Field Mappings screen.
  11. Click the View Notes button for any relevant information, specific to this module, to the import that you are performing.



12. This screen presents you with four columns:
  - **Header Row:** This is the column header from your import file. This column will let you reference your file to make sure your column mapping is correct. If your import file does not have a header row, this column will not show.
  - **Module Field:** This column contains a dropdown list of all importable fields for the module. The Import Wizard tries to match the Header Row with the corresponding Sugar field. If the suggested mapping is incorrect, use the dropdown list to change the mapping. Required fields are marked with an asterisk (\*).
  - **Row 1:** This column contains the values from the first row of data in your import file. This is another aid to help ensure you have your mapping correct, so that you can see the mapping using real data and not just the headers. If your import file does not have column headers, there will be an additional column for Row 2.
  - **Default Value:** This column is hidden by default, but can be expanded if needed. When expanded, you have the option to fill in a value that will populate all records where a value for that field does not exist. For example, if you do not have anything populated in the Accounts Industry field, but you know this is a list of Technology companies, you can populate all blank values in the Industry field

Header Row <i>i</i>	Module Field <i>i</i>	Row 1 <i>i</i>	< Default Value <i>i</i>
Name	Name *	Southern Realty	

13. Click "Add Field" if any data needs to be added to the import that is not on your import file. This can be used if you would like to assign a value to a record when the column is not on your import file. This is used in conjunction with the Default Value column. For example, if you are importing these accounts, but would like to assign them all to another user, John Smith, you would click the Add Field button, select the field from the Module Field column, and populate the desired value in the Default Value column. Now, all records will be assigned to John Smith upon import.

Header Row	Module Field	Row 1	Default Value
Name	Name *	Southern Realty	
Billing City	Billing City	Cupertino	
Billing State	Billing State	CA	
Billing Postal Code	Billing Postal Code	72197	
Billing Country	Billing Country	USA	
	Assigned User Name		Will Westin


14. Click "Next" to access the Check for Possible Duplicates screen.
15. This menu allows users to check if there are duplicated values on the import to records that already exist in Sugar. This menu will vary depending on what module you are importing into as the fields will be specific to this module. The fields available to the Import Wizard are determined based on the system-defined indexes. This is why you will not see all fields shown on this list, but only a subset of fields from the module. If you would like to cross reference existing Sugar records against what is being imported, simply drag and drop the field name from the right column, "Available Fields", to the left column, "Fields to Check". For more information on duplicate checking, please review the [Detecting Duplicates](#) section of this documentation.

Fields to Check	Available Fields
Name	Assigned To
	Email Address
	Parent Account ID

16. If the import configuration that you have set up is going to be used again in the future for additional imports, add a name at the bottom of the page so that it can be referenced later. For more information on saved field mappings, please review the [Saving Field Mappings](#) section of this documentation.

To save the import settings, provide a name for the saved settings:

17. When your duplicate checking settings are complete, click "Import Now" to begin the import.
18. After the import completes, you are brought to the "View Import Results" page. Here, you are provided with a summary of the import.




19. The summary will tell you how many records were created, how many were not created due to an error, and how many were found as duplicates.
20. There are three buttons below the Summary:


- **Undo Import:** If there was a mistake in the import that you realized after importing, you can check this button. All records that were created via the import will be deleted. This button cannot be re-accessed for this import. As soon as you navigate away from this page, the import is considered complete.
- **Import Again:** Click this button if you would like to go back to the first step of the Import Wizard and perform additional imports. Clicking this button will consider the import to be complete.
- **Exit:** This button will also consider the import to be complete, but will bring you back to the module's list view to be able to further review or search your records.

21. There are also three tabs on the summary page under the buttons:

- **Created Records:** This tab will show you a list view of all of the records that were properly imported on this import.
- **Duplicates:** This tab will present you with any records that were not imported due to the Import Wizard finding duplicates from Step 15. There is an option to download a list of the duplicates, which produces a new CSV file. You have the option to download this list, make any changes, and import again following this same process.



- **Errors:** This tab will show you any records that were not imported due to an error during the import process. This is usually seen when there is a problem with data that is on one of the records or rows in the CSV file. For instance, if you are missing a value for a required field, or a field is formatted incorrectly.



**Note:** Similar to the option to download duplicate records, you also have the option to download the list of errors using the two links

provided:

- The "Download list of errors" option will produce a new CSV file with columns showing (from left to right) the error, the field affected, the value, and the line in your original import file where the error occurred.

	A	B	C	D
1	Invalid datetime	Date Modified: (date_modified)	Yesterday	2
2	Required value missing	Name: (name)	NULL	3

- The "Download list of rows that were not imported" option will download a new CSV file with the same format of your original one, containing only the rows that were not imported so that you can clean them up and then re-import.

	A	B	C	D	E	F
1	Name	Billing City	Billing State	Billing Postal	Billing Count	Date_modified
2	SugarCRM	New York	NY	14402	USA	Yesterday
3		Los Angeles	CA	69904	USA	

(1 - 2 of 2)						
	Name	Billing City	Billing State	Billing Postal Code	Billing Country	Date_modified
Error: Invalid datetime	Field Name	SugarCRM	New York	NY	14402	USA
Date Modified: (date_modified)	Value					Yesterday
Error: Required value missing	Field Name		Los Angeles	CA	69904	USA
Name: (name)	Value					NULL

22. Once you have downloaded the desired lists and reviewed the import, the buttons mentioned in Step 20 can be used to complete your import.

## Importing Updates to Existing Records

In addition to importing new records, Sugar's Import Wizard also has the functionality to use an import file to update existing Sugar records. The process runs very similarly to the new record import process described above.

The most important aspect to importing updates to existing records is that Sugar will only update records where there is a matching ID in the import file. Every Sugar record, regardless of what module it is in, is defined with an alphanumeric ID field. This field is typically a 36-character alphanumeric value but may be less if imported from a previous CRM. This field is the only way that the Import Wizard will know which record to update.

**Note:** All other fields (name, email address, etc.) are not considered unique and can have duplicates, so only the ID field will work to differentiate records for an update from import.


---

The ID field is not usually shown in Sugar and must be found either by running a report or an export within the module.

During the import, if there are any other records without ID fields and they are in the import file, they will create new records, which will create duplicates in your database.


To import updates, follow the steps below.

1. To prepare the import file, you must have the ID numbers for all of the records that you are going to be updating. The most common methods are either by exporting a list of records from the module list view or by running a report and exporting the results. For more information on exporting, please review the [Export](#) documentation.
  - **Export from List View:** This option will include the record ID field, but it is recommended that you open the file in a spreadsheet editor (Microsoft Excel) and delete any columns that you are not updating. Be sure to leave the ID field and any required fields, such as Name, as the import will not complete without these.
  - **Export from Report:** If you choose to run a report, be sure to include the ID field in your display columns so that the records can be matched up. You will also want to include any required fields, such as Name, as the import will not complete without these. Please note that only Rows and Columns reports can be used for exports. After you have your file ready for import, you can proceed with working through the Import Wizard.
2. Navigate to the module tab for the module that you are updating and select the import option. This will open the Import Wizard and bring you to the "Upload Import File" screen.




3. If you would like to review the Import File Template, you can download it from this page. This will give you a template of the format Sugar is going to be using to import your data. For more information on the template, please review the [Import File Template](#) section of this documentation.
4. Select the import file that you are going to use to import by clicking the "Choose File" button. When prompted, select the file from your computer

and it will appear in this box.

Select file: Choose File No file chosen 


5. Select the option "Create new records and update existing records".
6. If you have performed imports before and have previously saved your import settings, you can select your setting at the bottom of the page using the "To use pre-set import settings, select from below" option. If you do not have any saved import settings, this section will not appear. If your CSV file was exported from Sugar, this is likely not a necessary step. For more information on saving mapping, please review the [Saving Field Mappings](#) section of this documentation.

To use pre-set import settings, select from below: 

☐ None

☒ Standard Account Import

7. Click "Next" to access the "Confirm Import File Properties" screen. Before the "Confirm Import File Properties" screen opens, you will be prompted with an alert informing you that updates made to existing records cannot be undone. Read, and then click "OK" to proceed.
8. This screen will show you the first two rows that Sugar is going to try to import as an example to let you know that your file was read properly by Sugar.
9. The Import Wizard automatically detects the properties of the file that has been uploaded to ensure the best import possible. If you notice any mistakes or need to set up any advanced configuration, click "View Import File Properties". These changes are specific to the import and do not affect your standard user preferences.




File Encoding:	UTF-8	Fields Delimited By:	,
Fields Qualified By:	Double Quote (")	Header Row:	<input checked="" type="checkbox"/>
Date Format:	12/23/2010	Time Format:	11:00 pm
Time Zone:	America/Los Angeles (GMT-7:00)	Currency:	US Dollars : \$
Currency Significant Digits:	2	Example:	123,456,789.00
1000s separator:	,	Decimal symbol:	.
Name Display Format:	s f l	Example:	

"s" Salutation, "f" First Name, "l" Last Name

10. If the file was exported from either Salesforce.com or Microsoft Outlook, select the corresponding option under "If the import file data was exported from any of the following sources, select which one". If not, leave this as "None". This option will set up your mapping properly on the next screen. If this file was exported from Sugar, keep it set to "None".

- 
11. Click "Next" to access the Confirm Field Mappings screen.
  12. Click the View Notes button for any relevant information, specific to this module, to the import that you are performing.



13. This screen presents you with four columns:
  - **Header Row:** This is the column header from your import file. This column will let you reference your file to make sure your column mapping is correct. If your import file does not have a header row, this column will not show.
  - **Module Field:** This column contains a dropdown list for each row that contains the name of a field in Sugar. The Import Wizard tries to match the Header Row with the corresponding Sugar field. If the suggested mapping is incorrect, use the dropdown list to change the mapping. Required fields are marked with an asterisk (\*).
  - **Row 1:** This column contains the values from the first row of data in your import file. This is another aid to help ensure you have your mapping correct, so that you can see the mapping using real data and not just the headers. If your import file does not have column headers, there will be an additional column for Row 2.
  - **Default Value:** This column is hidden by default, but can be expanded if needed. When expanded, you have the option to fill in a value that will populate all records where a value for that field does not exist. For example, if you do not have anything populated in the Accounts Industry field, but you know this is a list of Technology companies, you can populate all blank values in the Industry field

Header Row <i>i</i>	Module Field <i>i</i>	Row 1 <i>i</i>	< Default Value <i>i</i>
Name	Name *	Southern Realty	

14. Click "Add Field" if any data needs to be added to the import that is not on your import file. This can be used if you would like to assign a value to a record when the column is not on your import file. This is used in conjunction with the Default Value column. For example, if you are importing these accounts, but would like to assign them all to another user, John Smith, you would click Add Field button, select the field from the Module Field column, and populate the desired value in the Default Value column. Now, all records will be assigned to John Smith upon import.

Header Row	Module Field	Row 1	Default Value
Name	Name *	Southern Realty	
Billing City	Billing City	Cupertino	
Billing State	Billing State	CA	
Billing Postal Code	Billing Postal Code	72197	
Billing Country	Billing Country	USA	
	Assigned User Name	Will Westin	

15. Click "Next" to access the Check for Possible Duplicates screen.
16. This menu allows users to check if there are duplicated values on the import to records that already exist in Sugar. Duplicate checking will only apply to new records created by the import. For more information on detecting duplicates, please review the [Detecting Duplicates](#) section of this documentation.
17. If the import configuration that you have set up is going to be used again in the future, add a name at the bottom of the page so that it can be referenced later. For more information on saving mapping, please review the [Saving Field Mappings](#) section of this documentation.

To save the import settings, provide a name for the saved settings: ?

18. Click "Import Now" to begin the import.
19. After the import completes, you are brought to the "View Import Results" page. Here, you are provided with a summary of the import.

**Summary**

5 records were created

20. The summary will tell you how many records were updated, how many were created, how many were not created due to an error, and how many were found as duplicates, as applicable.
21. There are three buttons below the Summary:
  - **Undo Import:** If there was a mistake in the import of any new records that you realized after importing, you can check this button. All new records that were created via the import will be deleted. After updating, no changes to updated records can be reverted. This


---

button cannot be re-accessed for this import. As soon as you navigate away from this page, the import is considered complete. This button will not show if there were no new records created.

- **Import Again:** Click this button if you would like to go back to the first step of the Import Wizard and perform additional imports. Clicking this button will consider the import to be complete.
- **Exit:** This button will also consider the import to be complete, but will bring you back to the module's list view to be able to further review or search your records.

22. There are also three tabs on the summary page under the buttons:

- **Created Records:** This tab will show you a list view of all of the records that were properly imported on this import. If this was only an update, there will not be any records showing on this tab as it does not show updated records.
- **Duplicates:** This tab will present you with any records that were not imported due to the Import Wizard finding duplicates from Step 16. There is an option to download a list of the duplicates, which produces a new CSV file. You have the option to download this list, make any changes, and import again following this same process. If you did not use any duplicate settings, this tab will be empty.



- **Errors:** This tab will show you any records that were not imported due to an error during the import process. This is usually seen when there is a problem with data that is on one of the records or rows in the import file. For instance, if you are missing a value for a required field, or a field is formatted incorrectly.



Here are the rows in the import file that were not imported due to errors.



**Note:** Similar to the option to download duplicate records, you also have the option to download the list of errors using the two links provided:

- The "Download list of errors" option will produce a new CSV file with columns showing (from left to right) the error, the field affected, the value, and the line in your original import file where the error occurred.

	A	B	C	D
1	Invalid datetime	Date Modified: (date_modified)	Yesterday	2
2	Required value missing	Name: (name)	NULL	3

- The "Download list of rows that were not imported" option

will download a new CSV file with the same format of your original one, containing only the rows that were not imported so that you can correct the errors and then re-import.

	A	B	C	D	E	F
1	Name	Billing City	Billing State	Billing Postal	Billing Count	Date_modified
2	SugarCRM	New York	NY	14402	USA	Yesterday
3		Los Angeles	CA	69904	USA	

<div>⏪ ⏩ (1 - 2 of 2) ⏪ ⏩</div>						
Name	Billing City	Billing State	Billing Postal Code	Billing Country	Date_modified	
<div><div><div>Error: Invalid datetime</div><div>Field Name</div><div>Date Modified: (date_modified)</div><div>Value</div><div>Yesterday</div></div></div>						
SugarCRM	New York	NY	14402	USA	Yesterday	
<div><div><div>Error: Required value missing</div><div>Field Name</div><div>Name: (name)</div><div>Value NULL</div></div></div>						
	Los Angeles	CA	69904	USA		
<div>⏪ ⏩ (1 - 2 of 2) ⏪ ⏩</div>						

23. Once you have downloaded the desired lists and reviewed the import, the buttons mentioned in Step 21 can be used to complete your import.

For more information on updating records in Sugar, please refer to the article [Updating Records Via Import](#).

## Updating the 'Date Modified' and 'Modified By ID' Fields

If the Date Modified and Modified By ID field values are blank in the import file or are set to "Do not map" during import, "Date Modified" will be set to the date and time that the record is imported and "Modified By ID" will be set to the ID of the user performing the import.

To make changes to records without affecting the Date Modified and Modified By ID fields, first export the data including the Date Modified and Modified by ID columns, and then import with the desired changes, including the original values in the Date Modified and Modified by ID columns. For example, if you want to mark half of your RLIs for purchase generation, but you do not want to affect the historical values of these fields, do an import to update the Purchase Generation field value to "Yes" and include the exported Date Modified and Modified By ID fields to preserve their values.

## Updating the 'Date Created' and 'Created By ID' Fields

If the Date Created and Created By ID field values are blank in the import file or are set to "Do not map" during import, "Date Created" will be set to the date and time that the record is imported for new records. For existing records, the original

time will be preserved. "Modified By ID" will be set to the ID of the user performing the import for new records. For existing records, the original user will be preserved.

## Importing Fields With Multiple Values

Multiselect fields allow for the input of multiple values. When importing data to these fields, it is possible to import multiple field values using a comma delimiter within the field.

### Importing Multiselect Fields to New Records

To import multiple values to a multiselect field on a new record, the import data file's mapped column should contain exact character matches to existing dropdown values separated by commas. For example, a multiselect field for Flavors contains the options Chocolate, Pistachio, Rocky Road, Spumoni, and Vanilla.

Flavors

Chocolate

Pistachio

Rocky Road

Spumoni

Vanilla

To import a new record that contains both "Vanilla" and "Chocolate" in the Flavors field, the import data file's Flavors column should contain Vanilla,Chocolate with a comma separating the values and no extra spaces. If one of the imported multiselect options is a phrase, such as "Rocky Road", then the imported data field should contain a space character only within that value: Vanilla,Chocolate,Rocky Road.

	A	B	C
1	First Name	Last Name	Flavors
2	Justine	Cambra	Vanilla,Chocolate,Rocky Road
3	Hugo	Bork	Vanilla,Pistachio,Chocolate
4	Jewell	Haas	Vanilla,Pistachio,Spumoni,Chocolate
5	Beulah	Randel	Chocolate
6	Abdul	Ducote	Chocolate


**Note:** The dropdown option display labels are not required to be unique, so best practice is to import the database values if they are known. For more information about how admin users can see database values and display labels for dropdown options, please refer to the [Dropdown Editor](#) documentation.

## Importing Multiselect Fields to Existing Records

Importing updates to a multiselect field of a record already existing in Sugar will erase any previous values and replace them with the imported values. If you wish to append new values to the existing values via import, you must first export the contents of the field for each record you will be updating, add the desired values to the existing values in by modifying the exported CSV file, then import the modified export file to Sugar.


For example, imagine you would like to update 100 existing contact records. Each of the 100 contacts should have "Chocolate" added to the multiselect field "Flavors" without losing the data that is stored in the multiselect field already. The following steps explain how to append a multiselect field via import:

1. Export the list of 100 contacts that need to be updated.
2. Preserve (at least) the Last Name, ID, and Flavors fields in the export file. The other field columns may be deleted.
3. Sort the spreadsheet data by the Flavors column.
4. Remove any rows from the file that already contain "Chocolate" as a value in the Flavors column.



	A	B	C	D
1	First Name	Last Name	ID	Flavors
2	Benny	Blackmore	aa7fb471-d90d-3beb-3b03-5488b9f99170	Chocolate
3	Wes	Lathrop	aaf2441d-6598-4db5-300b-5488b99e6636	Chocolate
4	Kate	Teach	d3d48a00-55f1-f310-5c43-5488b90a4462	Chocolate,Rocky Road
5	Cut	⌘X	4717-60c8-01dd-5488b93b4c65	Chocolate,Rocky Road
6	Copy	⌘C	36bf-107b-bf88-5488b91f1f1f	Chocolate,Rocky Road
7	Paste	⌘V	8cbd-912a-eab2-5488b98dc7dc	Chocolate,Rocky Road
8	Paste Special...	⌘⇧V	d8d7-15ad-6054-5488b919ba23	Chocolate,Rocky Road
9	Insert		df10-9560-5354-548f6440dd91	Vanilla
10	Delete		ad5a-b55e-e325-548f64ff3f9a	Vanilla
11	Clear Contents		b391-ef04-1adf-548f64973ede	Vanilla
12	Format Cells...	⌘1	5a4-9972-52de-548f646d3850	Vanilla
13	Row Height...		073e-c429-d9e2-548f644fd267	Vanilla
14	Hide		789f-b3f1-45b0-5488b9a2236d	Vanilla
15	Unhide		0052-10e9-bfca-5488b98c6fa4	Vanilla
16			2572-bbed-91ff-5488b9969bcd	Vanilla
17			58cf-0241-d686-5488b9001c7d	Vanilla
18			cbcb-e1f9-e265-5488b99fb2b7	Vanilla
19			e3b4-f925-069a-5488b92062c0	Vanilla
20			fe2d-364b-9726-5488b96e0e6c	Vanilla

5. If the Flavors column contains any empty cells, type the word Chocolate in those cells. In the remaining cells of the Flavors column, add ,Chocolate (with a leading comma but no extra spaces) to the end of the existing character string.



	A	B	C	D
1	First Name	Last Name	ID	Flavors
2	Justine	Cambra	f3192b55-09ce-65a7-8a57-5488b9595d78	Vanilla,Chocolate
3	Hugo	Bork	e6280f35-6c18-1b8a-f786-5488b95a56a3	Vanilla,Pistachio,Chocolate
4	Jewell	Haas	f0eae666-a073-6209-4c29-5488b965d593	Vanilla,Pistachio,Spumoni,Chocolate
5	Beulah	Randel	d1cb0162-83da-2fb2-1b1f-5488b91ba650	Chocolate
6	Abdul	Ducote	d3c422fd-105a-8f74-5bed-5488b9aee0db	Chocolate
7	Royal	Dockins	d789f052-968d-8ae0-c781-5488b9465c56	Chocolate
8	Toney	Denman	dc9ae08d-6c17-94ee-3fe7-5488b948499e	Chocolate
9	Hilda	Mire	dcc7362b-fb2c-24e0-78c7-5488b950e1ab	Chocolate

6. Save this file for import.

- 
7. Follow the steps in the [Importing Updates to Existing Records](#) section of this documentation to complete the import and update process.

## Importing Relationships

There are many situations where imports need to forge a relationship between two modules. A common example of this would be how importing contacts without an account name would leave the contacts orphaned and not linked to any parent account. To solve this problem, Sugar allows one-to-many and one-to-one relationships to be imported during the standard import process. The available fields will vary depending on the module being imported and will show on the [Import Template](#).

When importing a relationship, Sugar will need the related record's unique ID, or, in some cases, will accept the record's Name field. Examples of the fields that relate one module to another are explained below. For additional tips and steps to import related records, please refer to the [Importing Related Records](#) article.

Module	Module Related To	Field(s) Used For Relationship	Instructions For Import
Accounts	Accounts	Member Of	<p>On the import file, add a column for "Member Of". You can use either the Sugar record ID or the exact name of the parent account. This will cause the imported record to be related to the parent account on the "Member Of" field.</p> <p>Using an account name that Sugar does not recognize will create an additional new account record.</p> <p><b>Note:</b> If you are using the account name, it must be exactly as it shows</p>

			in Sugar. For example, if your account in Sugar is "SugarCRM", but your import file contains "Sugar CRM" or "SugarCRN", the account will not relate properly.
		Parent Account Id	On the import template, there is a column for "Parent Account". Use the existing Sugar record ID of the parent account. The dropdown option for this is Parent Account Id. This will cause the imported record to be related to the parent account on the "Member Of" field.
Calls	Contacts	Contact ID	Use the existing Sugar contact record ID number to connect the contact name into the new call record.
	Flex Relate	Related To Module Related To ID	On the import template, there are columns for both "Related To Module" and "Related To ID". Both need to be used to form the proper relationship.  <b>Related To Module:</b> The Sugar module's plural

			<p>name for the record that you are going to relate (Accounts, Contacts, etc.).</p> <p><b>Related To ID:</b> The ID for the record you are relating.</p>
Cases	Accounts	Account ID	Use the existing Sugar account record ID to relate the case to the account record.
		Account Name	<p>Use the existing Sugar account name or record ID to relate the contact to the account record.</p> <p><b>Note:</b> If you are using the account name, it must be exactly as it shows in Sugar. For example, if your account in Sugar is "SugarCRM", but your import file contains "Sugar CRM" or "SugarCRN", the account will not relate properly.</p>
Contacts	Accounts	Account ID	Use the existing Sugar account record ID to relate the contact to the account record.
		Account Name	Use the existing Sugar account name or record ID to relate the

			<p>contact to the account record.</p> <p>Using an account name that Sugar does not recognize will create a new account record with a relationship to the contact.</p> <p><b>Note:</b> If you are using the account name, it must be exactly as it shows in Sugar. For example, if your account in Sugar is "SugarCRM", but your import file contains "Sugar CRM" or "SugarCRN", the account will not relate properly.</p>
	Contacts	Reports To	Use the existing Sugar contact record ID number to connect the new contact and the existing one.
	Emails	Email Address  Non-Primary Email Address	Importing an existing email address into Sugar's Contacts module will cause all email messages related to that email address may match the contact's primary or non-primary email address and must be exact for the relationship to form

			properly. <b>Note:</b> Importing an update to a contact with an existing email address, the Opt-Out and Invalid checkboxes will not be disabled if they are checked on the existing email address.
Meetings	Contacts	Contact ID	
			Use the existing Sugar contact record ID number to connect the contact name into the new meeting record.
	Flex Relate	Related To Module Related To ID	On the import template, there are columns for both "Related To Module" and "Related To ID". Both need to be used to form the proper relationship.  <b>Related To Module:</b> The Sugar module's plural name for the record that you are going to relate (Accounts, Contacts, etc.).  <b>Related To ID:</b> The ID for the record you are relating.
Notes	Contacts	Contact ID	Use the existing Sugar contact

			record ID number to connect the contact name into the new note record.
	Flex Relate	Related To Module Related To ID	<p>On the import template, there are columns for both "Related To Module" and "Related To ID". Both need to be used to form the proper relationship.</p> <p><b>Related To:</b> The Sugar module's plural name for the record that you are going to relate (Accounts, Contacts, etc.).</p> <p><b>Related To ID:</b> The ID for the record you are relating.</p>
Tasks	Contacts	Contact ID	Use the existing Sugar contact record ID number to connect the contact name into the new Task record.
	Flex Relate	Related To ID Related To Module	<p>On the import template, there are columns for both "Related To ID" and "Related To Module". Both need to be used to form the proper relationship.</p> <p><b>Related To ID:</b></p>

---

			The ID for the record you are relating.  <b>Related To Module:</b> The Sugar module's plural name for the record that you are going to relate (Accounts, Contacts, etc.).
--	--	--	---

## Importing Team-Based Permissions

Modules with [team-based permissions](#) enabled support two additional columns for imports:

- **Selected Teams:** A comma-delimited list of the team names that are selected for extra access
- **Selected Team Set ID:** A unique identifier that references the group of teams contained in the Selected Teams field

When importing a list of new records or record updates, include one of these columns in the import file to set record-level access to the records. If known, the Selected Team Set ID field is the most efficient way to communicate the data to Sugar. In the more common scenario that the ID is unknown, simply insert the name of the selected team (or teams separated by commas) in the Selected Teams field.

## Import File Template

The Import File Template is a very useful tool for building your import file from another source or from scratch. The template for any module can be found on the Upload Import File page, which is either the first or second page of the wizard, depending on the module.

The purpose of this file is to let you know what format Sugar is going to be looking for when you perform your import. The file contains all fields for a given module, regardless of if they show on any of your layouts. For instances that use SugarIdentity, there are a number of [user fields](#) that are read-only which can only be [edited](#) in SugarIdentity. So, including any read-only fields in the import file will not update the user records with the updated values. The file is also properly


---

formatted and all settings are ready for the import. Upon opening the template, you will see a few example lines of either actual records from your instance, or, "demo data" if you have not yet performed an import. The template also contains instructions on how it is used.

It is best to use the format supplied in this template whenever possible to make your import process as seamless as possible.

## Saving Field Mappings


When importing data, there can be times where you will be using the same import file format. If this file was not exported from Sugar, that likely means that you have to re-map most of the fields on the Confirm Field Mappings screen of the Import Wizard. To save time in the future, you can use the Import Wizard's pre-set import settings.



To use pre-set import settings, select from below: ⓘ

☐ None  
☒ Standard  
☐ Account Import


On the "Check for Possible Duplicates" page of the wizard, which is the last page before performing your import, there is a text box where you can name the import settings that you have used on this import.



To save the import settings, provide a name for the saved settings: ⓘ

Once you click "Import Now", this mapping will be saved and available for your use in future imports.

This mapping is now saved for your user and will appear on the Upload Import File page of the Import Wizard. This will include two buttons for "Publish" and "Delete".



To use pre-set import settings, select from below: ⓘ

☐ None  
☒ Standard  
☐ Account Import

- **Publish:** Clicking this option will make your mapping available to all users. The Publish button will change to "Un-Publish" so that you can stop other

---

users from using the template mapping. When it is published, it will appear as an option in the same section for other users when they perform an import.

- **Delete:** This button will remove the pre-set import mapping for all users. This action cannot be undone.

## Detecting Duplicates

During an Import, Sugar's Import Wizard includes the functionality to check for duplicate records. When enabled, Sugar will check to see if a record already exists in Sugar with the given criteria. When checking for duplicates, Sugar will mark any record as a duplicate if it cross-references against any of the duplicate fields. For example, when importing Contacts, if you select Last Name and Email Address as your duplicate check fields, any record that has a matching last name or a matching email address to an existing contact in Sugar will be marked as a duplicate.

Fields to Check	Available Fields
Last Name	Assigned User ID
Email Address	First Name
	Full Name
	Reports To ID

The duplicate check fields used in each module differ depending on what fields are available to the module. Not all fields are used or available in the duplicate check and are pre-determined based on system-defined indexes.

If your import file has any duplicate records based on the fields you elect to verify against, the first record will be imported, and then all subsequent records in the file matching the duplicate criteria will be flagged.

Any duplicates will show as such on the final page of the import. You will also have the option to download the duplicates so that they can be manually cross-referenced to verify if they are actually duplicates. If they are not, simply re-run the import process without selecting any fields on the "Check for Possible Duplicates" page.

**Note:** If you have both new and existing records on the same import file and would like to perform a duplicate check, please import them separately. It is not necessary to check for duplicates when updating existing records since you already know that the records exist in the system.


## Adding Fields to Duplicate Check

---

There is a set of predefined fields that are used when checking for possible duplicates during an import. If you would like to perform the duplicate checks against other fields in the system, you can create a non-database index to have the specific field be checked. For more information on how to add additional fields, please refer to the article [Creating Indexes for Import Duplicate Checking](#). If your instance is hosted on Sugar's cloud servers, you can apply the changes via module loadable package, as explained in the [Creating an Installable Package That Copies Files](#) article.

## Admin Import Wizard

Administrators have special functionality available in Sugar that may not be available for all other users. One of these is access to the Admin Import Wizard. In the "Admin" menu, under the "System" panel, there is a link for "Import Wizard".



Clicking this option will bring you to the Import Wizard, similar to the one for specific modules. However, the first step here is for "Select Data Source", where you will need to select the module you wish to import data. The dropdown provided includes options for all importable modules in one convenient location. Once you select the module from the list, click "Next" and you will be directed to the standard import wizard where you can [import new records](#) or [update existing ones](#). Please note that the import option can only be used to update existing user records for instances that use SugarIdentity. Administrators can access SugarIdentity to [import](#) a list of new users using a CSV file.

---

## Processes

### Overview

Sugar's Processes module is the user-facing portal to [SugarBPM™](#), Sugar's business process management tool that allows administrators to streamline everyday business processes by managing approvals, sales processes, call triaging, and more. A business process is a set of logically related tasks that are performed in order to achieve an organizational goal. It presents all of the tasks that must be completed in a simplified and streamlined format.

SugarBPM empowers Sugar administrators to automate vital business processes for their organization. Some examples of business processes that can be automated using SugarBPM include invoice approvals, lead routing, customer service case routing, and automated reminders and escalations. This documentation will cover how to use the Processes module, as well as the various actions and options

---

available from within the module. For more information on how administrators can create and configure processes, please refer to the [SugarBPM](#) documentation in the Administration Guide.

For instructions concerning views and actions which are common across most Sugar modules, such as creating, editing, and deleting quote records, please refer to the [Working With Sugar Modules](#) section of this page.

## Process Fields

The Processes module contains the following fields. Please note that administrators and users with developer-level role access cannot alter, add, or remove fields via Studio as they typically can with other Sugar modules.

Field	Description
Assigned To	The user assigned to the record that requires approval or routing.
Date Modified	The date and time that the process definition's Activity element was initiated.
Date Created	The date and time that the process definition's Activity element was initiated.
Integration Sync ID	The sync key field used by external integrations to identify Sugar records in the external application. See the <a href="#">Integrate REST API endpoints</a> in the Developer Guide for more details on how to use this field. <b>Note:</b> This field is not visible in the user interface.
Process Number	A unique, auto-increment number that is used to identify this process. <b>Note:</b> Process numbers are generated in sequential order as new processes are triggered.
Process Definition Name	The name of the process definition record that generated this process; For more information about Process Definitions, please refer to the <a href="#">Process Definitions</a> documentation in the Administration Guide.
Process Name	The name given to the process

	definition's Activity element by the process owner.
Process User	The user responsible for executing this process' Activity element.
Process Owner	The user assigned to the process definition record that generated this process.
Record Name	The name or title of the record that requires approval or routing.

## Viewing Processes


The Processes module is the only SugarBPM module that is visible to regular users. From the [Processes module list view](#), you can view running processes if there is anything for you to approve or review. You can view those same processes via the [Processes dashlet](#) in addition to any self-service processes waiting to be claimed in the Self Service Processes tab.

### Viewing Via Dashlet


All users who may be engaged in a process should place the Processes dashlet on their home screens. Process users will not receive an email notification when an activity is ready for them (unless the administrator has explicitly configured this within the process definition). The dashlet makes it easy for users to know when it is their turn to participate in a process and to take the appropriate action.

**Note:** Users (including administrators) will see only the processes that immediately require their attention in the Processes dashlet.

To add the Processes dashlet, please refer to the [Adding Dashlets](#) section of the Dashboards and Dashlets documentation, choosing "Processes" from the Add a Dashlet page.



After saving the dashlet and its containing dashboard, the dashlet will offer several Processes-specific filtering tools:



- **Current:** Click on this button to view processes that are running within the expected timeframe.
- **Overdue:** Click on this button to view processes that have a due date in the past. The label "Overdue" and the due date will be displayed adjacent to the Process description.
- **My Processes:** Enable this tab to view only the running processes upon which the logged-in user must act. To execute the Process, click on the name of the process. Please note that admin users can not see processes running for other users via the dashlet. To access the system's exhaustive list of running and completed processes, please refer to the Process Management section of the Administration Guide.
- **Self Service Processes:** Enable this tab to view only the running processes in the queue to be claimed by a user. Self-Service processes are configured inside the User Activity element settings of the related process definition.
- **Process Description:** Running processes are displayed in list view format with descriptive fields including the unique process number, the name of the affected Sugar record, the process title, the responsible user's name, and the label of the relevant process step.
- **Due Date:** When a due date exists it will appear adjacent to the process description.

To execute a process from the Processes dashlet, please refer to the [Executing Processes](#) section of this page.

## Viewing Via List View

The Processes list view displays all running processes that require the logged-in user to take action (e.g., approve, reject, etc.) and that meet the current search criteria. Users will not see processes for any other user – even if the other user is a direct report or a member of the same team. To access the list view, simply click the Processes module tab. To view or execute one of the process activities from the

list view, select "Show Process" from the record's [list view Actions menu](#).


## Executing Processes

When a running process requires action from a user, that user will see the process in their Processes dashlet and Processes module list view. At these moments within a flow, a user needs to decide if a circumstance is approved or rejected or review and/or edit a Sugar record. This decision is formally indicated by executing the process. The following sections explain how to execute the different process activities in Sugar.

## Approval Processes

An approval process is a moment within a flow where a user must decide if a circumstance is approved or rejected. When an approval process requires action from a user, that user will see the process in their Processes dashlet and Processes module list view. The user will formally indicate their approval by executing the process.

As an example, an organization may require a different manager's approval depending on the discount total. The following image portrays how a Sugar process could automate this approval:




All of the steps in the above process are automated except for two approval steps: "Needs Jim Approval" and "Needs Chris Approval". When the automated process reaches either of these steps, Jim or Chris will see a line item in his Processes dashlet and list view. The following two sections explain what a running approval

process looks like and how to execute the approval.

## Approval Process Actions Menu

When a process requires an approve or reject response, the process' record view will display the record that is pending approval.



Below the process details are the process' approval buttons and process Actions menu, which allow you to perform the following operations:


Menu Item	Description
<a href="#">Approve</a>	Allow the process to continue to the next step along the approval path.
<a href="#">Reject</a>	Allow the process to continue to the next step along the rejection path.
<a href="#">Edit</a>	Edit the fields on the record to be approved.
<a href="#">History</a>	Display the entire time-stamped history of all transitions, user engagements, and automated occurrences for this process.
<a href="#">Status</a>	Display an image of this process' overall flow including the approval and rejection paths for this approval step.
<a href="#">Add Notes</a>	Add notes for people who will engage with the process later and/or read notes left by other users before you.
<a href="#">Change Assigned To User</a>	Choose a new Assigned To user for the Sugar record. <b>Note:</b> This option must be enabled by the administrator.
<a href="#">Select New Process User</a>	Choose a new user to execute this process.

**Note:** This option must be enabled by the administrator.


## Executing an Approval Process

Follow the steps below to execute an approval process:

1. Click on the hyperlinked process name in your Processes dashlet. Please note that the dashlet will not differentiate between Approval processes and Routed processes. The process type will become apparent on the next screen.




Alternatively, navigate to Processes list view and choose "Show Process" from the Actions menu of the record:



2. The process landing page is the record view of the affected Sugar record. Expand the record's Actions menu to browse the available process options. For an overview of Processes-specific features and options that are available here, please refer to the [Approval Process Actions Menu](#) section of this page. You can review the user notes and history or, if enabled, choose to delegate this process step to another user.
3. If desired or required by the process, edit any fields on the Sugar record by clicking the Edit button.
4. Finally, click on either "Approve" or "Reject" to execute the process and return to your dashboard, where the executed process will no longer appear in the Processes dashlet.

## Routed Processes

The other user activity that a process may require is to simply review and/or edit a Sugar record. For example, a high-value quote record may not require approval, but the executive team should be able to review the quote for capacity-planning purposes. In this situation, the process definition can be configured to route the process flow through the members of the executive team without requiring a conditional response. The following image portrays how a Sugar process will automate this procedure:



## Routed Process Actions Menu

When a process routes a record to a user to review and/or edit, the process' record view will display the record that is pending review.

High Value Credit Check | Set Credit Score [ Due Date 2020-03-25 13:39 ]

Op Powell Funding - 265 Units ☆

Accou...	Powell Funding	Expect...	2021-02-16
Likely	\$8,208.89		
Best	\$9,461.11	Worst	\$6,956.67
+ Tags		Status	In Progress

[Route](#) [Edit](#) [History](#) [Status](#) [Add Notes](#) [Change Assigned To User](#) [Select New Process User](#)

Below the process details are the process' Route button and Actions menu, which allow you to perform the following operations:


Menu Item	Description
<a href="#">Route</a>	Allow the process to continue to the next step.
<a href="#">Edit</a>	Edit the fields on the record to be approved.

<a href="#">History</a>	Opens a popup window that displays the entire time-stamped history of all transitions, user engagements, and automated occurrences for this process.
<a href="#">Status</a>	Opens a popup window that displays an image of this process' overall flow including the approval and rejection paths for this approval step.
<a href="#">Add Notes</a>	Opens a popup window where you can add notes for people who will engage with the process later or read notes left by other users before you.
<a href="#">Change Assigned To User</a>	Choose a new Assigned To user for the Sugar record. <b>Note:</b> This option must be enabled by the administrator.
<a href="#">Select New Process User</a>	Choose a new user to execute this process. <b>Note:</b> This option must be enabled by the administrator.

## Executing a Routed Process

Follow these steps to execute a process that has been routed to you:

1. Click on the hyperlinked process name in your Processes dashlet. Please note that the dashlet will not differentiate between Approval processes and Routed processes. The process type will become apparent on the next screen.



Alternatively, navigate to Processes list view and choose "Show Process" from the Actions menu of the record:

<div> <div></div> <div>Accounts</div> <div>Contacts</div> <div>Opportunities</div> <div>Leads</div> <div>Calendar</div> <div>Reports</div> <div>Processes</div> </div>						
My Processes (2)						
<div> <div>Filter</div> <div>Create</div> <div>Search by process name...</div> <div></div> <div></div> <div></div> </div>						
	Pro...	Process Definition Name	Process Name	Record Name	Date Created	
3	Account Approval	Supervisor App...	Slalom Adventures	2020-02-13 10:32		
2	Account Approval	Supervisor App...	Avant Accounting	20	Show Process	

- The process landing page is the record view of the routed Sugar record. Expand the record's Actions menu to browse the available process options. For an overview of process-specific features and options that are available here, please refer to the [Approval Process Actions Menu](#) section of this page.
- When a flow has been routed to you for review, the only required action is to acknowledge receipt. However, you may first choose to edit the affected record. Review the details of the Sugar record and inspect the process notes for any critical information that your colleagues may have shared. For information about viewing process Notes, please refer to the [Viewing Process Notes](#) section of this page.
- When you have completed making edits and reviewing the record, click "Route" to complete the process. This will redirect you to your dashboard, where the executed process will no longer be visible in your Processes dashlet.

## Self-Service Processes

Some user-facing processes will not have a designated process owner. Instead, users will be empowered to claim responsibility for them. These processes will appear in the Self Service Processes tab of the Processes dashlet. Self-service processes may require either an approval/rejection response or review of a routed action.

### Self-Service Process Actions Menu

Self-service processes may require either an approval/rejection response or review of a routed record, but first, a user must claim the process. When a user claims a self-service process, the process' record view will display the record that is waiting to be claimed.

High Value Credit Check | Set Credit Score [ Due Date 2020-03-25 13:45 ]

Op

Powell Funding - 265 Units ☆

Claim

Cancel

History

Status

Accou...

Powell Funding

Expect...

2021-02-16


Below the process details are the process' Claim button and Actions menu, which allow you to perform the following operations:

Menu Item	Description
<a href="#">Claim</a>	Volunteer to execute this process and remove it from view of other team members. The process can be immediately executed after claiming it, or you can navigate away and find the process later in the My Processes tab of your Processes dashlet.
Cancel	Navigate back to the home page without claiming this process.
<a href="#">History</a>	Opens a popup window that displays the entire time-stamped history of all transitions, user engagements, and automated occurrences for this process.
<a href="#">Status</a>	Opens a popup window that displays an image of this process' overall flow including the approval and rejection paths for this approval step.

## Claiming a Self-Service Process

Follow these steps to claim and then execute a self-service process:

1. Click on the hyperlinked process name in the Self Service Processes tab of your Processes dashlet.



2. The process landing page is the record view of the affected Sugar record. Expand the record's Actions menu to browse the available process options. For an overview of process-specific features and options that are available here, please refer to the [Self-Service Process Actions Menu](#) section of this page.
3. Click on "Claim" to indicate your intention to execute this process and remove it from the view of other team members. After clicking the Claim button, the page will reload and expose the Approve/Reject or Route


---

buttons, depending on what type of process activity has been configured. The process can be immediately executed after claiming it, or you can navigate away and find the process later in the My Processes tab of your Processes dashlet.

4. Execute the process as explained in either the [Executing Approval Processes](#) or [Executing Routed Processes](#) sections of this page.


## Choosing a New Process User

When a process is routed to you for review or approval, it may be possible to designate a new user to execute the process. The administrator can enable or disable this option on each process definition, so it may be possible to do this for one process but not another. If the option is enabled, "Select New Process User" will be available in the Actions menu on the process record view:




Follow these steps to reassign a process:


1. Click on the hyperlinked process name in your Processes dashlet. Please note that the dashlet will not differentiate between Approval processes and Routed processes. The process type will become apparent on the next screen.



Alternatively, navigate to Processes list view and choose "Show Process" from the Actions menu of the record:




2. The process landing page is the record view of the affected Sugar record.  
**Note:** [Legacy user-interface](#) modules will display the record's edit view.
3. Click on the triangle next to the Edit button to reveal the Actions menu. Click on "Select New Process User".



**Note:** If "Select New Process User" is not displayed, then the administrator has not enabled reassignments for this type of process. Please contact the administrator and ask them to reassign the process for you.

4. The "Select New Process User" window will appear.



There are three options:


- **User:** Choose a user to complete this step of the process. The administrator will have specified one Sugar team from which you may choose any member.
- **Type:** Choose a reassignment method:
  - **Round Trip:** Choose "Round Trip" to make the process route back to you when the new user has completed this

step.

- **One Way:** Choose "One-Way" to direct the process to a new user, and then have it continue to its next step without routing back to you.
  - **Note:** As a best practice, add a note explaining why you are choosing a new user to execute this process. The new user will see your note when she clicks on "View Notes".
5. Click on "Save" to be redirected to your dashboard where the reassigned process will no longer be visible on your Processes dashlet.


## Choosing a New Assigned To User

When a process is routed to you for review or approval, it may be possible to choose a new assigned user for the affected Sugar record without affecting the flow of the process. The administrator can enable or disable this option for each process definition, so it may be possible to reassign the Sugar record for one process but not another. If the option is enabled, "Change Assigned To User" will be available in the Actions menu on the process record view:




Follow these steps to designate a new assigned user:


1. Click on the hyperlinked process name in your Processes dashlet. Please note that the dashlet will not differentiate between Approval processes and Routed processes. The process type will become apparent on the next screen.



Alternatively, navigate to Processes list view and choose "Show Process" from the Actions menu of the record:




2. The process landing page is the record view of the affected Sugar record.  
**Note:** [Legacy user-interface](#) modules will display the record's edit view.
3. Click on the triangle next to the Edit button to reveal the Actions menu. Click on "Change Assigned To User".



**Note:** If "Change Assigned To User" is not displayed, then the administrator has not enabled reassignments for this type of process. Please contact the administrator and ask them to reassign it for you.

4. The "Change Assigned To User" window will appear:




There are two options:

- **User:** The user chosen here will become the "Assigned To" user of the related Sugar record. The administrator will have specified a Sugar team from which you may choose any member. No other users will be displayed in the User dropdown.
  - **Note:** As a best practice, insert an explanation of why you are choosing a new assigned user. The next process user will see your note when he or she clicks on "View Notes".
5. Click on "Save" to update the Sugar record. The page will reload to reflect


the change. You can now execute the process as explained in either the [Executing Approval Processes](#) or [Executing Routed Processes](#) sections of this page.

## Viewing Details About a Running Process

When executing a running process, there are three options available that will help you gain valuable insight into the past, present, and future state of the process: History, Show Notes, Show Status. These options are accessible via the Actions menu on the process record view. Click on the triangle to the right of the edit button to expand the Actions menu:




In processes targeting [legacy user-interface](#) modules, these options are represented by icons in the upper right area of the process record view:



The three icons on a legacy record view represent the following actions:


Action	Icon	Description
<a href="#">Show History</a>		View the entire time-stamped history of all process transitions, user engagements, and automated occurrences that were executed by the SugarBPM engine.
<a href="#">Show Notes</a>		Read messages from users who have already engaged in the process and send messages to users who will engage in the process


		later.
<a href="#">Show Status</a>		Reveal an image of the process' visual design layout in a pop-up window. The image will reveal key information regarding the stages that have already been completed, the current stage of the process, and the stages that have yet to execute.


## Viewing Process History


All process records retain a timeline of events that have occurred throughout the process. This timeline can be displayed in a popup window by the process user or by a SugarBPM administrator.


**# 10: Process History**



**Administrator** created a(n) Case record, which caused Advanced Workflow to trigger a Process #10. ( 8 minutes ago ) ✓  
2018-04-24 05:20pm


**Sarah Smith** was assigned Process #10 and the Case record by the Round Robin Action 'Assign to Tier 1'. ( 8 minutes ago ) ✓  
2018-04-24 05:20pm


The Wait Event 'Case Open 2 Days' was processed. ( a few seconds ago ) ✓  
2018-04-24 05:28pm


The Diverging Exclusive Gateway '2 days - case open?' was evaluated and routed to the next task(s). ( a few seconds ago ) ✓  
2018-04-24 05:28pm


**Chris Olliver** was assigned Process #10 and the Case record by the Round Robin Action 'Assign to Tier 2'. ( a few seconds ago ) ✓  
2018-04-24 05:28pm


The Wait Event 'Case Open 4 Days' was started. ( a few seconds ago ) ✓

To review the entire time-stamped history of all transitions, user engagements, and automated occurrences for a particular process, follow these steps:

1. From the Processes dashlet, click on the hyperlinked process name to view the process record view.
2. Click on the triangle next to the Edit button to reveal the Actions menu, and then click "History". In [legacy user-interface](#) modules, click on the History icon in the corner of the screen. A popup window will appear over the current page outlining the transition history of the current process. Each process History entry will include the following components:
  - The profile image and name of the process user who executed the transition

---

**Note:** Automated events will be executed by the SugarBPM (AW) engine.

# 10: Process History

**Administrator** created a(n) Case record, which cau:  
2018-04-24 05:20pm

**Sarah Smith** was assigned Process #10 and the Ca:  
2018-04-24 05:20pm

The Wait Event 'Case Open 2 Days' was processed.  
2018-04-24 05:28pm

- Explanation of the transition that occurred:

**Administrator** created a(n) Case record, which caused Advanced Workflow to trigger a Process #10.  
2018-04-24 05:20pm

- Transition status indicator (checkmark):

w quote is created'. ( 3 days ago ) ☒

( 3 days ago ) ☒

ity record (task has been (not yet started) ☐

- Checkmark ☒: The action has been executed.
- No Checkmark: The action has not yet been executed.

3. Click on the X in the corner of the window to return to the process record view.

## Viewing Process Notes

A process user who is engaged in a process activity can add notes for people who will engage with the process later in its flow. When a different user engages in that same process later, he can see the earlier user notes and choose to add his own. Users who executed process activities at the beginning will not see the notes added by subsequent process users unless the process is routed back to them for review or approval later.


**Note:** Admin users can see all notes and add notes to any running process at any time from the Process Management page.

To create a note and view process notes from other users, follow these steps:

1. From the Processes dashlet, click on the hyperlinked process name to view the process record view.
2. Click on the triangle next to the Edit button to reveal the Actions menu,

---

and then click "Show Notes".

**Note:** In [legacy user-interface](#) modules, click on the Notes  icon in the corner of the screen.

3. A popup window will appear over the current page that displays time-stamped notes from earlier users of the current process.
4. At the top of the window, there is also a composition area where you can add more notes. Simply type a message in the empty field and then click on "Add Note" to add it to the Notes window.




5. Click on the X in the corner of the window to return to the process' record view.


Every person that may be involved in a process will not see the process throughout its entire flow. Regular users can only see the process in list view when they have a record to approve, reject, or review. Therefore, only one regular user (non-admin) can see the notes at any given time. In other words, the notes will only be seen by users who approve/reject/review the process after the note is added.

## Previewing the Process Design

Users can view the progression of a process within the overall flow directly from the process' record view. Click on the triangle next to the Edit button to reveal the Actions menu, and then click "Show Process".

**Note:** In [legacy user-interface](#) modules, click the Status  icon in the upper right corner.

The process' visual design layout will open in a pop-up window, providing key information regarding the stages that have already been completed, the current stage of the process, and the stages that have yet to execute. The executed and in-progress stages of the process will be displayed in color, while bypassed or not-yet-executed stages will be presented in a grayed-out style.



Visual Element	Example	Description
Colorized shapes		This element has been executed or is in progress.
Gray shapes		This element has been bypassed or occurs in the future.
Green-outlined activity		The activity is waiting for you (the viewing user) to respond.
Red-outlined activity		The activity is waiting for a user to respond, but not the viewing user.
Red glowing shape		This element is in progress.
Shape containing a small crossed-out circle		The process was terminated or canceled on this element.
Numeric value in parentheses		This element was triggered by multiple events concurrently. <b>Note:</b> This parenthetical notice may indicate that there is a flaw in the design of the process definition. Please review

---

		the conditions on the triggering event to eliminate the possibility of overlapping triggers.
--	--	--

## Terminated vs. Cancelled Processes

The SugarBPM automatically terminates a process when the record related to the process' Start event is deleted. The associated process will be removed from the Processes dashlet and the process record will display "Terminated" in the Status column of the administrator's Process Management list view.

Cancelled processes, on the other hand, have been intentionally stopped by the administrator. The associated process will be removed from the Processes dashlet and the process record will display "Canceled" in the Status column of the administrator's Process Management list view.

## Working With Sugar Modules


The following sections detail menus, views, and actions common to Sidecar modules and contain links to additional information within the page or links to the User Interface documentation.

### Process Menus


The Processes module contains various options and functionality which are available via menus in the module tab, list view, and record view. The following sections present each menu and its options with links to more information about each option in the User Interface documentation or, for Process-specific functionality, within this page.

#### Module Tab Menu

The Processes module tab is typically found by clicking the "More" icon represented by three vertical dots to the right of the module tabs at the top of any Sugar screen. The additional modules will appear on the list and you can click "Processes" to access the list view.



From the Processes list view, click the triangle in the Processes tab to display the Actions menu. The module tab's Actions menu has one option, View Processes, which is another way to navigate to the Processes list view.



Administrators and users with developer-level role access may see additional options such as a link to the Process Management screen. For more information about options available to administrators and developers, please refer to the [SugarBPM](#) documentation in the Administration Guide.

For more information on module tab menus including reasons a module may not be included in the menu, see the [User Interface](#) documentation.

## List View Record Actions Menu

The Record Actions menu to the right of each record's Preview button allows users to execute a running process directly from the list view by clicking "Show Process". This will direct the user to a landing page where they will be instructed to approve, reject, or resume (route) the current process. For more information about executing processes, please see the [Executing Processes](#) section of this page.

Filter
Create
Search by process name...

Proc...
Process Definition Name
Process Name
Record Name
Date Created

3
Account Approval
Supervisor Appr...
Slalom Adventures
2020-02-13 10:32

2
Account Approval
Supervisor Appr...
Avant Accounting
20

Show Process

Process Design Preview

The list view's Record Actions menu allows you to perform the following operations:

Menu Item	Description
<a href="#">Preview</a> (Eye icon)	Preview the progression of this process in the intelligence pane.
<a href="#">Show Process</a>	Navigate to the process' landing page to approve, reject, or resume (route) this process.

## Record View Actions Menu

The Process [record view](#) displays the Sugar record that is awaiting action in full detail including its module name, fields, process buttons, and subpanels of related records. To access a process' record view, click on the process name in the [Processes dashlet](#) or select "[Show Process](#)" from the process record's [list view Actions menu](#).

The process' Actions menu appears on the top right of the page and allows you to perform operations on the current record specific to its process type. To learn more about the three available Actions menus ([approval](#), [routed](#), and [self-service](#)), please refer to the corresponding Actions menu section under the [Executing Processes](#) section below.

In addition to a Processes-specific Actions menu, there are several process-specific elements added to the record view above the record's name and module icon.

Account Approval | Approve Account [ Overdue 2020-03-25 11:33 ]

Ac
Jungle Systems Inc ☆

Approve
Reject
Edit

BUSINESS CARD

Website
http://www.infove...

Industry
Biotechnology

Type
Customer

---

From left to right across the top of the record view, the process record view displays the following information:

Menu Item	Description
Process Definition Name	The name of the process definition record that generated this process; For more information about Process Definitions, please refer to the <a href="#">Process Definitions</a> documentation in the Administration Guide.
Process Name	The name that was given to the process definition's Activity element by the process owner.
Process Due Date	The date and time by which you should execute this process step. <b>Note:</b> If the administrator has not specified a due date, then no date will appear. If the due date occurs in the past, then the date will be preceded by the word "Overdue" in red text.

## Common Views and Actions

The following links will open specific sections of the User Interface documentation where you can read about views and actions that are common across most Sidecar modules.

Content Link	Description
<a href="#">Searching for Processes</a> <a href="#">List View Search</a> <a href="#">Creating a Filter</a>	The Searching for Records section provides an introduction to list view search, which searches and filters within the Processes module.
<a href="#">Processes List View</a> <a href="#">Total Record Count</a> <a href="#">List View Search</a> <a href="#">Column Reordering</a> <a href="#">Column Resizing</a> <a href="#">Column Sorting</a> <a href="#">Column Selection</a> <a href="#">Pagination</a> <a href="#">Dashboards</a>	<p>The List View section walks through the many elements of the Processes List View layout, which contains a list of all running processes that require action (e.g., approve, reject, etc.) from the logged-in user. Unlike other Sidecar modules, you will only see processes in the list view if there is anything requiring your approval or review.</p> <p>While the generic menu options are described in the User Interface sections</p>

	linked to the left, the options specifically available in the Processes list view are described in the <a href="#">List View Record Actions Menu</a> section of this page.
<a href="#">Processes Record View</a> <a href="#">Favorite Designation</a> <a href="#">Following Designation</a> <a href="#">Next or Previous Record</a> <a href="#">Actions Menu</a> <a href="#">Show More</a> <a href="#">Subpanels</a> <a href="#">Related Record Subpanels</a> <a href="#">Filtering Subpanels</a> <a href="#">Reordering Subpanels</a> <a href="#">Activity Stream</a> <a href="#">Dashboards</a>	<p>The Process record view displays the Sugar record that is awaiting action in full detail including its module name, fields, activity stream, and subpanels of related records. For information about navigating these elements of a record, please refer to the User Interface links on the left or the relevant module page in the <a href="#">Application Guide</a>.</p> <p>To access the Process record view, click on a process name on the <a href="#">Processes dashlet</a> or select "<a href="#">Show Process</a>" from the process record's list view Actions menu. There are several process-specific elements added to the standard record view, which are explained in the <a href="#">Approval Process Actions Menu</a>, <a href="#">Routed Process Actions Menu</a>, and <a href="#">Self-Service Actions Menu</a> sections of this page.</p> <p><b>Note:</b> Processes may affect Sidecar module records as well as legacy user-interface modules. For information on navigating the legacy user interface, please refer to the <a href="#">User Interface (Legacy)</a> documentation.</p>

## Sugar Hint

### Overview

Sugar Hint is a relationship intelligence service that is available to be purchased and enabled on your Sugar instance to make external information available for your contacts, leads, and accounts in Sugar. Data such as social media accounts, work information, and company details are visible for contacts and leads based on their email address and for accounts based on their websites and company names. Users can then quickly import the enhanced data into the Sugar database with a single click.

---

Hint includes details about the individual (for the contacts and leads modules), the company, a history of your interactions with the individual or company in the [Activity History section](#), and company news in the [News section](#). Hint can also be configured to notify you of news on specific companies using a variety of communication channels including the [Sugar Hint Insights dashlet](#), push notifications, and email.

## Prerequisites

The following prerequisites must be met before Hint can be used:

- You must be using Sugar 12.0 or higher and have a Hint license (Sugar Sell Premier users automatically have a Hint license). Please refer to the [Sugar Hint](#) documentation in the Administration Guide for more details.
- Hint requires contacts and leads to have an email address and accounts to have a name or website. Hint retrieves data based on these specific fields.
- We recommend including the Country field on contact and lead record views so that users can input the country of the contact or lead before the individual's email address to improve the accuracy of the results.

## Understanding Hint Data

Hint retrieves data from a third-party provider rather than directly from sources such as social media and news sites. Therefore, Hint's enriched data may not exactly reflect information available by direct navigation to these sources; recent changes may not yet be available in the data set. Currently, Hint's data is strongest and most complete for individuals and companies based in the United States.

## Sugar Hint Panel

The Sugar Hint panel is composed of four sections outlining details on an account, contact, or lead. It displays information on a company or individual such as company size or contact information and allows you to [import this enriched data](#) into your Sugar instance. In addition, it displays relevant information such as recent news stories and a history of recent activity related to the record in Sugar. The panel is available in the intelligence pane on list view, record view, and Global Search; refer to the [Accessing the Sugar Hint Panel](#) section of this page for more information.


## Enriched Data Section

The top section of the Sugar Hint panel contains enriched data retrieved by Hint on a company or individual. If the enriched data has not already been imported into Sugar, download buttons are displayed next to each piece of information, allowing the data to be imported. To download all of the information at once, there

---

is also a global download button in the top right corner. See the [Importing Hint Data](#) section for more information on importing this enriched data.

**Note:** If a field value has been erased using the Data Privacy module, its value is hidden and it cannot be enriched. See the [Data Privacy](#) documentation in the Application Guide for more information.

Sugar Hint		⬇
	SugarCRM <a href="http://sugarcrm.com">http://sugarcrm.com</a>	
Company Size	570	⬇
Industry	Internet Software & Services	⬇
Company Location	10050 N Wolfe Rd, Cupertino, CA 95014, USA	⬇
Annual Revenue		
Company Description	SugarCRM is a software company based in Cupertino, ...	
NAICS Code	Professional, Scientific, and Technical Services (54)	⬇
SIC Code	COMMUNICATIONS (48)	
FY End		
Year Founded	2004	⬇
Company Facebook	<a href="http://www.facebook.com/7151687461">http://www.facebook.com/7151687461</a>	⬇
Company Twitter	<a href="http://www.twitter.com/SugarCRM">http://www.twitter.com/SugarCRM</a>	
Industry Tags	Information Technology & Services, Technology, SAAS...	⬇
<a href="#">Show less...</a>		


## Related Contacts Section

If [accessing the Sugar Hint panel](#) via the Accounts list view, the Related Contacts section is displayed below the company information. This section lists the three most recently updated contact records related to the account, showing their name, title, and contact information. If there are more than three contacts, a Show More link is displayed at the bottom which opens a Search and Select drawer containing the full list of contacts.

[illegible]


## News Section

The News section on the Sugar Hint panel automatically shows five recent news stories about the account or about the lead or contact's company. Click any headline to open the full article in a new window or scroll down to load additional stories. To see news stories that were released after you opened the Sugar Hint panel, refresh the page.



The news stories can be filtered or searched using the dropdown menu in the top right corner. You can either filter by a category (e.g., Financial or Personnel), or perform a search by entering a keyword into the text field and pressing Return. The search will be applied to all news stories retrieved for the account or company. To clear a keyword search, select the All News category.

The gear icon navigates to the Hint Insights Preference Center where you can configure your notification preferences for news stories. Note that this does not have any impact on the News section of the Sugar Hint panel, which only displays news stories related to the current account. For more information on the Hint Insights Preference Center, refer to the [Hint Insights](#) section of this page.




## Activity History Section

The Activity History section appears at the bottom of the Sugar Hint panel. This section shows a history of interactions with the lead, contact, or account, ordered with the most recent on top, in order to give users a quick overview of the past interactions your organization has had with the individual. You can see more details about any of the activity records by clicking the record name, opening it in

---

record view.



Hint will display up to 50 of the most recent activity records that match the following criteria:

- **Calls:** Related calls in a status of "Held" or "Cancelled"
- **Meetings:** Related meetings in a status of "Held" or "Cancelled"
- **Emails:** Related emails from the Sugar database
  - **Note:** Emails that are visible in the Emails module but have not been imported to Sugar will not appear in Hint's Activity History.

## Accessing the Sugar Hint Panel

The Sugar Hint panel is available in the intelligence pane when performing the following actions in Sugar:

- By clicking the Preview button on a contact, lead, or account record via the modules' list views, subpanels, and Global Search
- By selecting the Sugar Hint panel on Contacts, Leads, or Accounts record view
- When creating a new contact or lead record and providing an email address then moving focus away from the field
- When creating a new account and providing a company name or website then moving focus away from the field

## Accessing via Previews

Once Hint is installed in your instance, using the stock Preview button for contacts, leads, and accounts displays a tabbed view containing both the record preview and the Sugar Hint panel in Sugar's list-view or record-view intelligence pane. The tab that you most recently had open is displayed by default, but you can navigate between the preview and the Sugar Hint panel by selecting the tab you wish to see.

From the Contacts, Leads, or Accounts list view, clicking a record's Preview button opens a tabbed view containing the record preview and the Sugar Hint panel on the right-hand side:


You can also click the Preview button from any Contacts, Leads, or Accounts subpanel to view the Sugar Hint panel. For example, while viewing an account record, you can scroll down to the Leads subpanel and open the tabbed view on a lead to preview the record or view the Sugar Hint panel:

Finally, clicking the Preview button to the right of a contact, lead, or account in Global Search also opens the tabbed view:

## Accessing via Record View

The Sugar Hint panel is also available when viewing a contact, lead, or account in

record view. The Sugar Hint panel is automatically added to Contacts, Leads, and Accounts record views; it can be accessed by selecting it from the dashboards dropdown menu. To close the Sugar Hint panel and return to the dashboard that was previously displayed, click the X button in the upper right corner.



## Importing Hint Data

Hint imports external values into several stock Sugar fields as well as to custom fields added by Hint. The following fields in the Contacts, Leads, and Accounts modules are available to import data from Hint:


Field Name	Field Origin	Import for Accounts	Import for Contacts	Import for Leads
Account Name	Stock Sugar			<input type="checkbox"/>
Annual Revenue	Hint		<input type="checkbox"/>	<input type="checkbox"/>
Annual Revenue	Stock Sugar	<input type="checkbox"/>		
Avatar	Stock Sugar		<input type="checkbox"/>	<input type="checkbox"/>
Company Description	Hint		<input type="checkbox"/>	<input type="checkbox"/>
Company Facebook	Hint	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
Company Location	Hint	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
Company Logo	Hint	<input type="checkbox"/>		
Company Size	Hint	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
Company Twitter	Hint		<input type="checkbox"/>	<input type="checkbox"/>
Company Website	Hint		<input type="checkbox"/>	
Description	Stock Sugar	<input type="checkbox"/>		
Education	Hint		<input type="checkbox"/>	<input type="checkbox"/>



---

Hint data can be retrieved and imported using the Sugar Hint panel when creating a new contact or lead. Simply type the individual's email address in the Email Address field and click or tab out of the field or hit the Enter key. Any enhanced data that Hint retrieves will be displayed in the Sugar Hint panel to the right. You can download individual field values using the download button adjacent to that field. You can also download all available field values using the download button in the top right corner of the Sugar Hint panel. Add or change any field values as desired, then click "Save" to create the new record. Note that any values you have typed into Hint's import fields after the Hint data was retrieved will be overridden by values from Hint upon import.

**Note:** To improve the accuracy of your results, ask your administrator to include the Country field on the record view and type the country into the field before you add the individual's email address. This ensures that the country information is used in the query to help find the correct person.



The screenshot shows the top portion of a contact creation form in Sugar CRM. At the top, there are fields for Salutation (a dropdown menu with 'Select...' and a plus icon), First Name, and Last Name (marked as 'Required'). To the right of these fields are 'Cancel' and 'Save' buttons. Below this is a section titled 'BUSINESS CARD' with a dropdown arrow. It contains several fields: Title, Mobile, Department, Do Not Call (a checkbox), Account Na... (a dropdown menu with 'Select Account...'), and Business Ce... (a dropdown menu with 'Select Business Center...'). At the bottom, the Email Address field contains the text 'beverly.ol' and is highlighted with a red box. To the right of the email field are four small icons: a star, a circle with a slash, an information icon, and a minus sign.

## Importing During Account Creation

Hint data can be retrieved and imported automatically when creating a new account by filling in the Name field. Start typing either the company's name or website to bring up a list of suggested matches. When you select the desired company in the list of suggestions, Hint automatically populates the fields on record view with the enriched data. If you do not wish to populate all fields, simply click or tab out of the Name field; Hint will still provide the enriched data in the Sugar Hint panel where you can choose which fields to enrich.

Accounts

Contacts

Opportunities

Leads

Calendar

wCalendar

Reports

Quotes

Ac

Name

Micros

Cancel

Save

>>

BUSIN

Microsoft Bing

bing.com

Microsoft Office

office.com

Microsoft

microsoft.com

Microsoft

microsoft.com

Micro-Star International Co.,

msi.com

Industry

Select...

Type

Select...

Level

Select...

Phone

## Importing to Existing Records

In addition to displaying enhanced information about existing contacts, leads, and accounts, Hint allows you to import the information into Sugar. Doing so saves the found values to the record in your Sugar database. You can download individual field values using the download button to the right of that field. You can also download all available field values using the download button on the top right corner of the Sugar Hint panel.

Sugar Hint

Richard Green

Chief Product Officer and CTO

Office Phone

+1 707-257-4044, +1 650-960-1300, ...

Education

MA/BA from State University of New Y...

Previous Jobs

Chief Product Officer/CTO, SugarCRM

When you click a Download button, a green checkmark will briefly display and the Download button will no longer be visible.

When an existing record's field has a value that is different from the data in the Sugar Hint panel, the download button is available in Hint. If no download button appears next to a field, then the value displayed matches the value in the Sugar record. No download button will appear at the top of the Sugar Hint panel if all of the values displayed are already saved in Sugar and are not being provided by Hint. Note that phone number fields can contain multiple numbers separated by commas. In order for the download button to disappear, the Sugar field must match the full list of phone numbers provided by Hint.

---

## Hint Insights


Hint Insights is a service that delivers news relevant to your key accounts using the communication channels that you prefer. Depending on how you configure it, Hint can notify you of newly released news stories for your chosen accounts through the [Hint Insights dashlet](#), pop-up desktop notifications, and emails sent either instantly, once a day, or once a week.

Navigate to the Hint Insights Preference Center by opening the gear menu in the top right corner of the Sugar Hint Insights dashlet and clicking "Edit". From here, you can set up which companies' news stories you are notified of and how you receive the notification.


It is also possible to access the preference center via the [News section](#) of the Sugar Hint panel by clicking the gear icon in the top right corner. Note that although you can access the preference center from here, it does not affect what is displayed in the News section, which only displays stories related to the current account, contact, or lead.

Both of these options direct you to the same location where you can configure your notification preferences.

Accessing the preference center via the dashlet:



Accessing the preference center via the News section of the Sugar Hint panel:



The Sugar Hint Insights Preference Center lets you set up one or more rules that specify your notification preferences for different groups of accounts.



**Sugar Hint Insights Preference Center**
Cancel **Save** »

**Preferences**

For	My Accounts ▼	Show me:	All News ▼	Notify me by:		-
For	Favorite Accounts ▼	Show me:	Press Releases ▼	Notify me by:		-
For	Accounts tagged ▼ with <span style="border: 1px solid black; border-radius: 50%; padding: 2px 5px;">P1</span> <input type="text"/>	Show me:	Financial ▼	Notify me by:		-
+						

Use the plus and minus buttons to add and remove rows; note that at least one row is required even if it is inactive. For new rows, select which accounts the rule should apply to in the first dropdown menu. If choosing accounts with one or more specific tags, a text field will appear where you can start typing to find the desired tag(s). For example, you may wish to apply the rule to only a select few accounts by adding a specific tag to them. Next, select the type of news you want to see for these accounts, then choose your preferred notification type(s). The options are outlined below:

Icon	Notification Type	Description
	Sugar Hint Insights Dashlet	News stories are displayed in the Hint Insights dashlet.
	Pop-up Desktop Notification	<p>News stories are displayed to the user as a desktop notification.</p> <p><b>Note:</b> The first time you enable desktop notifications, a pop-up will appear asking you to confirm that you want to proceed. Subsequently, your browser will ask for permission to allow notifications from your Sugar instance. You must allow notifications to receive desktop notifications from Hint.</p>
	Instant Email Alert	News stories are sent as an email to the user's

		primary email address.
	Daily Email Digest	All news stories from the last day are sent in a single daily email to the user's primary email address at 6:00 AM in the user's time zone.
	Weekly Email Digest	All news stories from the last week are sent in a single weekly email to the user's primary email address on Sunday at 5:00 PM in the user's time zone.

**Note:** Email alerts and digests are sent from SugarCRM and do not use the System Email Settings configured in your instance.

If you wish to turn off all notifications for a group of accounts, please disable all of the notification types that are displayed next to it. Because at least one row is required, it is not possible to delete all of the rules. However, you can still ensure that you do not receive any notifications by leaving only one row and disabling all of its notification types.

Once you have finished updating your preferences, click "Save" to preserve the changes. Note that it may take a few minutes for the changes to take effect. In addition, if you disable daily or weekly email digests, any news stories that have already been queued up will still be sent out at the appropriate times, but no new stories will be added to the queue.

## Sugar Hint Insights Dashlet


The Sugar Hint Insights dashlet displays breaking news for accounts as configured in the [Hint Insights Preference Center](#) and can be added to any list view, record view, or Home dashboard. If you do not have a Hint license but are viewing a dashboard where the dashboard owner has added the Sugar Hint Insights dashlet, you will see the dashlet but be unable to access the content. If you do have a Hint license, you can add the dashlet and update your Hint Insights preferences before saving. Once the dashlet is added and new stories are displayed in it, click any headline to open the full article in a new window or scroll down to load additional stories.

The dashlet is one of several ways in which Hint Insights can notify you of breaking news; other options include desktop notifications and email. Once you have configured your Hint Insights preferences to show stories in the dashlet, they will

---

begin to appear as they are released. This means that the dashlet only shows stories starting from the moment you turn on the setting. While the setting is enabled, the dashlet is continuously refreshed.

Note that the dashlet is not context-sensitive and always shows the same content regardless of where it is located. In addition, the content may not match that of the [News section](#) of the Sugar Hint panel because the Hint Insights service only includes breaking stories released after setup.



If a new story is released while you are scrolled down in the list, a notification will appear in the dashlet briefly. Clicking the notification returns you to the top of the list where the new story has been added.

The stories can be searched by entering a keyword into the text field in the top right corner and pressing Return or clicking the Search button. The stories with headlines containing the keyword you searched will be displayed, including those not currently loaded in the dashlet. However, note that the dashlet only displays stories that were released after you enabled dashlet notifications for the relevant accounts. To clear a keyword search, click the X button that appears.

The gear icon to the right of the search field opens a dropdown menu with options for managing the dashlet. Choosing "Edit" navigates to the Hint Insights Preference Center where you can configure your notification preferences for news stories related to accounts, including what you see in the Sugar Hint Insights dashlet. For more information, refer to the [Hint Insights](#) section of this page.

When using a shared dashboard with the Sugar Hint Insights dashlet on it, the gear icon is not displayed. However, you can access the Hint Insights Preference Center from the gear icon on the Sugar Hint panel's [News section](#) instead. Using a shared dashboard containing the dashlet does not affect your preferences.

---

## Data Privacy

---

## Overview

The Data Privacy module allows users to record and take action on data privacy requests and events in Sugar. This module is one portion of a feature set aimed at supporting your ability to carry out your organization's data privacy policies. Sugar's [Data Privacy Guide](#) provides information that spans the entire data privacy feature set and presents consolidated information and instructions for leveraging these tools to accomplish your organization's data privacy procedures. This Data Privacy Guide will describe these enhancements, the configuration steps an admin must complete before users can access the new functionality, as well as provide guidance for end users and Data Privacy Managers. This documentation will instead focus on the mechanics of using the module including its fields, options, menus, and how to perform common actions on data privacy records.

## Data Privacy Fields

The Data Privacy module contains a number of stock fields that come out-of-the-box with Sugar. For information on using and editing various field types, refer to the [User Interface](#) documentation. The definitions below are suggested meanings for the fields, but the fields can be leveraged differently to best meet your organization's needs. Administrators or users with developer-level role access have the ability to alter, add, or remove fields via Admin > Studio. For more information on configuring fields, please refer to the [Studio](#) documentation in the Administration Guide.

Field	Description
Assigned To	The Sugar user assigned to the data privacy record.
Business Hours to Resolution <sup>1</sup>	The calculated duration in business hours from the moment the data privacy record is created until an admin or a user in the <a href="#">Data Privacy Manager role</a> clicks the "Complete" or "Reject" buttons at the top of the record.
Business Purposes Consented for	Available when Type is set to "Consent to Process" or "Withdraw Consent, the various business purposes the individual is being asked to consent to or for which the individual is withdrawing consent. For more information about tracking consent, refer to the <a href="#">Data Privacy Guide</a> .
Comment Log	A shared log of messages, comments, or

	other text, including the name of the user that added the log entry and the date and time it was added. It is possible to tag other users and link to other Sugar records in Comment Log entries by inserting a clickable pill; see the <a href="#">User Interface</a> documentation for more details.
Date Closed	User-populated recording of when the data privacy record was rejected or completed.
Date Created	The date the data privacy record was created.
Date Modified	The date the data privacy record was last modified.
Date Opened	The date the data privacy record was created. This field will default to today's date upon creation but can be modified by users if the actual request date differs from the creation date of the record.
Description	A description or other information about the data privacy record.
Due Date	For request types with time limits, the date by which the request must be completed.
Follow Up Date	The internal follow-up date by which the data privacy request should be acted upon.
Hours to Resolution <sup>1</sup>	The calculated duration in calendar hours from the moment the data privacy record is created until an admin or a user in the <a href="#">Data Privacy Manager role</a> clicks the "Complete" or "Reject" buttons at the top of the record.
Integration Sync ID	The sync key field used by external integrations to identify Sugar records in the external application. See the <a href="#">Integrate REST API endpoints</a> in the Developer Guide for more details on how to use this field.
Number	An automatically incremented number,

	uneditable by users, which identifies each data privacy record.
Priority	The relative importance of the request or data privacy activity.
Requested By	For request types, the individual who made the request to your organization.
Resolution	Freeform field to record how the request or activity was handled.
Source	How the request or data privacy need originated (e.g., "Email from subject", "Gaining consent per policy", etc.).
Status	The status of the record which is automatically changed from "Open" to "Rejected" or "Completed" when an admin or a user in the <a href="#">Data Privacy Manager role</a> clicks the "Complete" or "Reject" buttons at the top of the record.
Subject	A brief description of the request of activity that appears at the top of the record.
Tags	User-created keywords that can be used to identify records in filters, dashlets, and reports. <b>Note:</b> For more information on creating and using tags, please refer to the <a href="#">Tags</a> documentation.
Teams	The Sugar team(s) assigned to the data privacy record.
Type	The type of request or activity being handled in this record. For more information, refer to the <a href="#">Data Privacy Types</a> section below.
Work Log	Free form field to add activities and notable events while working on the request or activity.

<sup>1</sup> This field's value is only visible to Sugar Serve and Sugar Sell users; when this field appears on layouts, users without a supported license type will see a placeholder containing the text "License Required" instead of the field's value. See the [User Management](#) page for more details on license types.

## Data Privacy Types

---

The Data Privacy module includes a Type field that captures the nature of the privacy event or request. You may wish to add, edit, or remove Type field values in order to match the kinds of activities and requests you will need to process and record, according to your organization's needs.

Three of the out-of-the-box Type values enable additional functionality in the Data Privacy module. You can edit their display labels, but the Item Name portions of the following options must remain unchanged in order to retain the full capabilities of the module:

Item Name*	Display Label	Functionality Enabled
Request to Erase Information	Request to Erase Information	Allows users in the Data Privacy Manager role to permanently erase personal information fields on records related to the data privacy record.
Consent to Process	Consent to Process	Enables the "Business Purposes Consented for" field on the data privacy record.
Withdraw Consent	Withdraw Consent	Enables the "Business Purposes Consented for" field on the data privacy record.

\* The item names cannot be changed.

For more information about modifying the available type values, refer to the [Data Privacy Guide](#).

## Managing Data Privacy in Sugar

The Data Privacy module is one portion of a feature set aimed at supporting your ability to carry out your organization's data privacy policies. Sugar's [Data Privacy Guide](#) provides information that spans the entire data privacy feature set and presents consolidated information and instructions for leveraging these tools to accomplish your organization's data privacy procedures. This guide will describe these enhancements, the configuration steps an admin must complete before users can access the new functionality, as well as provide guidance for end users and Data Privacy Managers.

---

## Working With Sugar Modules

While the Data Privacy module has some features that only apply to data privacy records, it also uses the Sidecar user interface that most Sugar modules are based on. The following sections detail menus, views, and actions common to Sidecar modules and contain links to additional information within the page or links to the User Interface documentation.

### Data Privacy Menus


The Data Privacy module contains various options and functionality which are available via menus in the module tab, list view, and record view. The following sections present each menu and its options with links to more information about each option in the User Interface documentation or, for Data Privacy-specific functionality, within this page.

#### Module Tab Menus

The Data Privacy module tab is typically located under the More tab on the navigation bar at the top of any Sugar screen. Sugar normally displays the top six modules shown in the Display Modules list of your user preferences with the remaining displayed modules grouped under the More tab. For more information on displayed modules for the navigation bar, please refer to the [Layout Options](#) section of the Getting Started documentation.

**Note:** By default, the Data Privacy module is hidden in Sugar and the system administrator must enable the module via Admin > Display Modules and Subpanels. For more information on displaying modules in Sugar, please refer to the [Developer Tools](#) documentation in the Administration Guide.

Click the tab to access the Data Privacy list view. You may also click the triangle in the Data Privacy module tab to display the Actions, Recently Viewed, and Favorites menus. The Actions menu allows you to perform important operations within the module. The [Recently Viewed](#) menu displays the list of data privacy activities you most recently viewed. The [Favorites menu](#) displays the list of data privacy activities you most recently marked as favorites.



The module tab's Actions menu allows you to perform the following operations:

Menu Item	Description
<a href="#">Create Data Privacy Activity</a>	Opens the record view layout to create a new data privacy activity.
<a href="#">View Data Privacy Activities</a>	Opens the list view layout to search and display data privacy activities.


For more information on module tab menus including reasons a module may not be included in the menu, see the [User Interface](#) documentation.

## List View Menus

The Data Privacy [list view](#) displays all data privacy records and allows for searching and filtering to locate specific data privacy activities. You can view the basic details of each record within the field columns of the list view or click a data privacy activity's name to open the record view. To access a module's list view, simply click the module's tab in the navigation bar at the top of any Sugar page.

### List View Mass Actions Menu

The Mass Actions menu to the right of the checkbox option in the list header allows you to perform mass actions on all currently selected records. You can use the checkbox on each record's row to select individual data privacy activities or click the checkbox in the list header to select all records displayed on the current set of list view results.




The Mass Actions menu allows you to perform the following operations:

Menu Item	Description
<a href="#">Mass Update</a>	Mass update one or more data privacy records at a time.
<a href="#">Export</a>	Export one or more data privacy records to a CSV file.
<a href="#">Doc Merge</a>	Select or create a DOCX template to merge record data into documents that will be accessible in the Doc Merge widget.
<a href="#">Doc Merge to PDF</a>	Select or create a DOCX, XLSX, or PPTX template to merge record data into PDF documents that will be accessible in the Doc Merge widget.

### List View Record Actions Menu

The Record Actions menu to the far right of each record's row allows you to perform actions on the individual data privacy record directly from the list view.




The list view's Record Actions menu allows you to perform the following operations:

Menu Item	Description
<a href="#">Preview</a> (Eye icon)	Preview this data privacy in the intelligence pane.
<a href="#">Edit</a>	Edit this data privacy.
<a href="#">Doc Merge</a>	Select or create a DOCX template to merge record data into documents that will be accessible in the Doc Merge widget.
<a href="#">Doc Merge to PDF</a>	Select or create a DOCX, XLSX, or PPTX template to merge record data into PDF documents that will be accessible in the Doc Merge widget.

## Record View Actions Menu

The Data Privacy [record view](#) displays a single data privacy in full detail including its fields and subpanels of related records. To access a data privacy's record view, simply click a hyperlinked data privacy name from anywhere within Sugar. The record view's Actions menu appears on the top right of the page and allows you to perform various operations on the current record.



The screenshot shows the Data Privacy record view for 'Erase personal data per ...'. The Actions menu is open, displaying the following options:

- Share
- View Audit Log
- Doc Merge
- Doc Merge to PDF

The record details include:

- Number: 34
- Type: Request to Erase Information
- Status: Open
- Priority: High
- Source: Email
- Assigned to: Max Johnson

The Actions menu allows you to perform the following operations:

Menu Item	Description
<a href="#">Edit</a>	Edit this data privacy.
<a href="#">Share</a>	Share a link to this data privacy via email.
<a href="#">View Audit Log</a>	View a record of changes to this data privacy.
<a href="#">Doc Merge</a>	Select or create a DOCX template to merge record data into documents that will be accessible in the Doc Merge widget.

---

[Doc Merge to PDF](#)

Select or create a DOCX, XLSX, or PPTX template to merge record data into PDF documents that will be accessible in the Doc Merge widget.

## Common Views and Actions

In the table below, the left column contains links to the User Interface page covering topics that are applicable to all Sidecar modules. The right column has links to sections of the current page that cover topics specific to data privacy.

General Instructions for Working With Sugar Modules	Data-Privacy-Specific Instructions
Use the links below to navigate to the User Interface page which covers topics generic to many Sugar modules.	When Data-Privacy-specific help exists for each topic, use the links below to navigate to sections of the current page.
<a href="#">Creating Records</a>	
<a href="#">Viewing Records</a>	
<a href="#">Searching for Records</a>	
<a href="#">List View</a>	<a href="#">List View Mass Actions Menu</a> <a href="#">List View Record Actions Menu</a>
<a href="#">Record View</a>	<a href="#">Record View Actions Menu</a>
<a href="#">Intelligence Pane</a>	
<a href="#">Editing Records</a>	
<a href="#">Deleting Records</a>	
<a href="#">Exporting Records</a>	
<a href="#">Viewing Record Audit Logs</a>	
<a href="#">Favoriting Records</a>	
<a href="#">Following Records</a>	
<a href="#">Sharing Records</a>	

## Employees

### Overview


Sugar's Employees module consists of individual people within your organization. The Employees module allows you to see a list of all employees, their contact information, and their employment status in one convenient location. Employee records are typically created when a user record is created, but users with

administrative access can also add non-user employees. This means that, typically, all users will be listed as employees, but not all employees are necessarily Sugar users.

For more information on having administrators create employee records in Sugar, please refer to the [Employee Management](#) documentation in the Administration Guide.

For more information on having administrators create user records in Sugar, please refer to the [User Management](#) documentation in the Administration Guide.

To access the Employees module, click your profile icon on the upper right of any page in Sugar then select "Employees" in the user menu.



## Employee Fields


The Employees module contains a number of stock fields which come out-of-the-box with Sugar. The below definitions are suggested meanings for the fields, but the fields can be leveraged differently to best meet your organization's needs. Users with administrator or developer access have the ability to alter, add, or remove fields via Admin > Studio. For more information on configuring fields, please refer to the [Studio](#) documentation in the Administration Guide.

Field	Description
City	The city of the employee's address.
Country	The country of the employee's address.
Department	The department where this employee works.
Email Address	The employee's email address.
Employee Status	The employee's employment status in the organization, either: Active, Terminated, or Leave of Absence.
Fax	The employee's fax number.

First Name	The employee's first name.
Home Phone	The employee's home phone number.
IM Name	The employee's instant message screen name.
IM Type	The employee's instant message client type.
Last Name	The employee's last name.
Mobile	The employee's mobile phone number.
Notes	A description or other information about this employee.
Office Phone	The employee's office phone number and extension.
Other	An additional phone number for the employee.
Picture	A picture, headshot, or identifying image of the employee.
Primary Address	The number and street of the employee's address.
Postal Code	The postal code of the employee's address.
Reports to	This field can be related to the Sugar user who is the employee's supervisor.
State	The state of the employee's address.
Title	The employee's job title.

## Employees Module Tab

The Employees module tab can be accessed by clicking your profile icon and selecting "Employees" in the user menu. Once in the Employees list view, you can click the triangle in the Employees module tab to display the Actions and Recently Viewed menus. The Actions menu allows you to perform important actions within the module. The [Recently Viewed menu](#) displays the list of employees you last viewed in the module.



## Viewing Employees

There are various options available for viewing employee records in Sugar including via Employees list view, Employees detail view, and the Employees Recently Viewed menu. Please note that you will only be able to access these views by first clicking on the Employees button after clicking on your user name on the top right side of Sugar.

### Viewing Via List View

The Employees list view displays all employee records meeting the current search criteria. To access the list view, simply click the Employees option under your user name on the module tab bar. While list view shows key employee fields, you can click the employee's name to open the record in detail view. For more information on viewing employees via list view, please refer to the [Employees List View](#) section of this documentation.

### Viewing Via Detail View

The Employees detail view displays thorough employee information by showing all employee fields. The detail view can be reached by clicking an employee record's link from the Employees list view. For more information on viewing employees via detail view, please refer to the [Employees Detail View](#) section of this documentation.

### Viewing Via Recently Viewed

As you work, Sugar will keep track of which employees you have recently viewed.

---

Click the triangle in the [Employees module tab](#) to see a list of the 3 records you most recently viewed in the module. Clicking the record's name (e.g., Will Westin) within the list will open the record in detail view.

## Searching Employees

The Employees list view includes a Basic and Advanced Search to help you locate records easily and effectively in a module-specific manner. Once the search is performed, the relevant results will be displayed in the Employees list view below. Please note that Sugar automatically appends the wildcard character (%) to the end of your search phrase. This allows the system to retrieve all records that start with the keyword entered in the search. If you would like to broaden the search, you can use the wildcard at the beginning of your text as well (e.g., %services). This will pull up any record that has the word "services" in the name, regardless of how it starts or ends.

For more information on using the various search methods as well as how wildcards are used in the different methods, please refer to the [Search](#) documentation.


### Basic Search

Basic search offers a few, commonly used fields for a simplified search experience. From the Basic Search panel, you can click "Advanced Search" to access additional search functionality as needed.

The buttons and checkboxes available in Basic Search panel have the following functions:

- **Search:** Click the Search button or press your Return/Enter key to perform the search.
- **Clear:** Click the Clear button to clear all criteria from the searchable fields.
- **Active Employees:** Select this box to return only records where Employee Status is Active.

#### Search Employees



The screenshot shows a search interface with a text input field labeled 'Name', a checkbox labeled 'Active Employees', and three buttons: 'Search', 'Clear', and 'Advanced Search'.

When you run a search, Sugar will return records matching all (as opposed to any) of the fields and checkboxes for which you have given a value. For example, if you select "Active Employees" and enter an employee's name, Sugar will only return employee records with a matching name that are active. Once the search is complete, the relevant results will populate in the [list view](#) below the search panel. To see all employee records, simply click "Clear" and then "Search" to perform a

---

blank search with no filters.


Administrators can configure what fields appear on the Employees Basic Search via Admin > Studio. For more information on editing layouts, please refer to the [Studio](#) documentation in the Administration Guide.

## Advanced Search

Advanced Search offers a more in-depth search experience than Basic Search including additional fields, layout options, and saved search capability. From the Advanced search panel, you can click "Basic Search" for simplified searching.

The buttons, checkboxes, and dropdowns available in Advanced Search have the following functions:

- **Search:** Click the Search button or press your Return/Enter key to perform the search.
- **Clear:** Click the Clear button to clear all criteria from the searchable fields.
- **Active Employees:** Select this box to return only records where Employee Status is Active.
- **Layout Options:** Use the expandable Layout Options section to configure your list view. For more information, please refer to the [Layout Options](#) section of the Search documentation.
- **Saved Searches:** Save, recall, update, and delete searches which you use often. For more information, please refer to the [Saved Search](#) section of the Search documentation.



When you run a search, Sugar will return records matching all (as opposed to any) of the fields and checkboxes for which you have given a value. For example, if you select "Active Employees" and enter an employee's name, Sugar will only return employee records with a matching name that are active. Once the search is complete, the relevant results will populate in the [list view](#) below the search panel. To see all employee records, simply click "Clear" and then "Search" to perform a blank search with no filters.

---

Administrators can configure what fields appear on the Employees Basic Search via Admin > Studio. For more information on editing layouts, please refer to the [Studio](#) documentation in the Administration Guide.

## Employees List View


The Employees list view displays all employee records meeting the current search criteria. You can view the basic details of each employee within the field columns.

You have the option to change what fields are displayed in list view by configuring your layout options in the Employees Advanced Search. For more information on configuring your list view, please refer to the [Layout Options](#) section of the Search documentation. Users with administrator or developer access also have the ability to change what fields are visible in the list view via Admin > Studio. For more information on editing layouts, please refer to the [Studio](#) documentation in the Administration Guide.

## Pagination

List view displays the current search results broken into pages that you can scroll through rather than displaying potentially thousands of rows at once. To the right just below the search panel you can see which records of the total results set are currently being displayed. The two single-arrow Next and Previous buttons can be used to scroll through the records page-by-page. The two double-arrow First Page and Last Page buttons allow you to skip to the beginning or the end of your current results.

By default, Sugar displays 20 records per list view page, but administrators can change the number of records displayed via Admin > System Settings. For more information on changing the number of displayed records, please refer to the [System](#) documentation in the Administration Guide.



## Column Sorting

List view provides the ability to sort all of the current search results by a field column in either ascending or descending order. To sort by a field or switch the sort direction, click the column header, noting that the fields which allow sorting will have a pair of arrows. The list view may be sorted by only one column at a time. You can also set a default order-by column using the layout options in Advanced Search. For more information on setting a default column sort, please refer to the [Layout Options](#) section of the Search documentation.

---

Name	Department	Title	Reports To
Jim Brennan	Sales	VP Sales	Chris Olliver

## Employees Detail View

The Employees detail view displays thorough employee information by way of all employee fields grouped into one page. The Shifts and Shifts Exceptions subpanels are displayed at the bottom showing the shifts and shift exceptions to which the user is related. They allow you to view the shifts and the exceptions to these shifts that a user has so that you can understand their work schedule and their availability to be round-robin assigned records in SugarBPM. To update an employee's work schedule, click the relevant shift or shift exception to open its record view and add or remove the user in the Users subpanel. See the [Shifts](#) and the [SugarBPM](#) documentation for more details.

Users with administrator or developer access have the ability to change the detail view by configuring the layout via Admin > Studio. For more information on editing layouts, please refer to the [Studio](#) documentation in the Administration Guide.

## Next or Previous Record

On the upper right of the Employees detail view, there are two buttons that allow you to page through each employee in the Employees list view's current search results. Clicking the Previous button displays the previous employee of the current search results while clicking the Next button displays the next employee of the current search results. The text in between shows which employee result you are currently viewing within the total number of current results.

» Jim Brennan



Employee Status:	Active	Picture:	
Name:	Jim Brennan		

---

## Mobile Browser

Sugar can be accessed via browsers on mobile devices (i.e., Android, iOS) as a

---

means of working with your Sugar® instance without installing the SugarCRM mobile app. To access your Sugar instance via browsers in a mobile view, simply enter your instance URL and append `/?mobile=1` to the end of the URL as follows: `https://example.sugarondemand.com/?mobile=1`.

For more information on navigating and utilizing your Sugar instance in a mobile view, please refer to the [SugarCRM Mobile App User Guide](#).

**Note:** Please be aware that some features covered in the SugarCRM mobile app user guides may be unavailable in the mobile browser view.

---

## Projects

### Overview

Sugar's Projects module is used to track a variety of tasks in order for a project manager to properly organize and complete a given project. Projects are tracked using both a project grid and a Gantt chart. Resources (e.g., contacts and users) can be allocated to the tasks of each project to help ensure your deadlines are met. Projects are also able to be associated to different [accounts](#), [contacts](#), [opportunities](#), or other modules so that if a project is a direct result of one of these modules, such as the project being performed that was purchased through an opportunity, the relationship will show and alternate details be made available.

**Note:** This module is hidden by default. The administrator must [enable it](#) for your use.

### Project Fields


The Projects module contains the following fields which enable users to create and properly organize projects.

Field	Description
Assigned to	Enter the name of the user who has ownership of the project, which is assigned to you by default.
Date Created	The date the project record was created.
Date Modified	The date the project record was last modified.
Description	Enter a brief description of the project.
End Date	The date when the project will be completed.

Name	Enter a name for the project.
Priority	Select the importance of the project from the dropdown list, such as Low, Medium, or High.
Start Date	Click the Calendar icon and select the project start date.
Status	Select a value from the dropdown list such as Draft, In Review, or Published to show the approval status of the project.
Team	The Sugar team(s) assigned to the project.

## Projects Module Tab

The Projects module tab is typically located on the navigation bar at the top of any Sugar screen. Click the tab to access the Projects list view. You may also click the triangle on the tab to display the Actions and Recently Viewed menus. The Actions menu allows you to perform important actions within the module. The [Recently Viewed](#) menu displays the list of projects you last viewed in the module.



The Actions menu allows you to perform the following operations:

Menu Item	Description
<a href="#">Create Project</a>	Opens the edit view layout to create a new project.
<a href="#">Create Project Template</a>	Opens the edit view layout to create a new project template.
<a href="#">View Project List</a>	Opens the list view layout to search and display projects.
<a href="#">View Project Templates</a>	Opens the list view layout to display project templates.

<a href="#">View Project Tasks</a>	Opens the list view layout to search and display project tasks.
<a href="#">View My Projects Dashboard</a>	Opens the Projects Dashboard.

For more information on module tab menus including reasons a module may not be included in the menu, see the [User Interface](#) documentation.

## Creating Projects

There are three methods for creating projects in Sugar including via the Projects module, quick create, and Project Templates. The full edit view layout opens when creating the project directly from the Projects menu as well as via the Quick Create menu and includes all of the relevant fields for your organization. You can quick create a project while viewing an existing record (e.g., Accounts) of another module and Sugar will automatically create a relationship between both records. For example, if you are viewing an account record (e.g., ABC Company) and create a new project via the Projects subpanel, the project record's Accounts subpanel will automatically populate with "ABC Company", thus creating the relationship. Please note that administrators can configure both the Edit View and Quick Create layouts via Admin > Studio. For more information on configuring layouts, please refer to the [Studio](#) documentation in the Administration Guide.


### Creating via Projects Module

One of the most common methods of project creation is via the Create Project option in the Projects module tab. This opens up the edit view layout, which allows you to enter all the relevant information for the project.

Use the following steps to create a project via the Projects module:

1. Click the triangle on the Projects module and select "Create Project".
2. Enter appropriate values for the [fields](#) in the edit view layout. All required fields are marked with a red asterisk and must be completed prior to saving.
3. Once the necessary information is entered, click "Save".

Create



Save Cancel

Overview

Name: \* Top Secret Project

Start Date: \* 01/25/2013


---

## Creating via Quick Create

The Quick Create menu allows you to easily create new records from anywhere in Sugar. Simply click the quick create button on the upper right of all Sugar pages to access the menu. You can also easily create new records from any Projects subpanel on related module records.

Use the following steps to create a project via Quick Create:

1. Open the Quick Create menu on the upper right of any Sugar page and select "Create Project". You can also quick-create projects using the following methods:
  - From Projects Subpanel (Sidecar modules):



Pr	Projects					^	+	▼
	Name	Assigned To	Start Date	End Date				
	Quarterly Sales Project	Max Jensen	10/01/2014	11/03/2014				

- From Projects Subpanel (Legacy modules):


Projects

Create

Name	Assigned To	Start Date:
Quarterly Sales Project	Max Jensen	10/01/2014

2. Enter appropriate values in the [fields](#) in the edit view layout. All required fields are marked with a red asterisk and must be completed prior to saving.
3. If creating the project via the Projects subpanel in a Legacy module and additional fields are desired, click the Full Form button to use edit view instead.
4. Once the necessary information is entered, click "Save".

[4th Quarter Marketing Project](#) » Edit



Save Cancel

Overview

Name: \*

4th Quarter Marketing Project

Start Date: \*

10/06/2014


---

## Creating via Project Template

Project Templates are used when a similar project is going to be configured time and time again. See [Project Templates](#) for more information. After you have a template already created, you can use the template to create additional projects, following these steps:

1. Click the triangle on the Projects module tab and select "View Project Templates".
2. While on the Project Template list view, click the name of your template to open the template's detail view.
3. Select "Save as Project" from the Actions menu.

[Top Secret Project](#) » Project Template



4. Change the name of your new project as need be and click "Save as New Project", where you will be brought to the detail view of your new project.

## Viewing Projects

There are various options available for viewing projects in Sugar including via Projects list view, Projects detail view, Projects Recently Viewed menu, the Project Dashboard, dashlets, and reports. Please note that you will only be able to see projects records as allowed by your team membership, user access type, and assigned roles. For more information on teams and roles, please refer to the [Teams](#) and [Roles](#) documentation in the Administration Guide.

### Viewing via List View

The Projects list view displays all project records meeting the current search criteria. To access the list view, simply click the Projects module tab. While list view shows key project fields, you can click the project's name to open the record in detail view. For more information on viewing project via list view, please refer to the [Projects List View](#) section.

### Viewing via Detail View

The Projects detail view displays thorough projects information including all project fields followed by subpanels of the project's related records belonging to

---

various modules. The detail view can be reached by clicking a project record's link from anywhere in the application including from the Projects list view. For more information on viewing projects via detail view, please refer to the [Projects Detail View](#) section.

## Viewing via Recently Viewed

As you work, Sugar will keep track of which projects and project templates you have recently viewed. Click the triangle on the [Projects module tab](#) to see a list of your most recently viewed projects and click each name to open the project in detail view.

## Viewing via Project Dashboard

The Project Dashboard allows users to view upcoming and overdue project tasks, as well as any support cases related to projects the user is assigned to. It also allows an option for users to view any upcoming or overdue project tasks that are assigned to the user. The Project Dashboard can be reached by clicking the appropriate link in the [Projects module tab](#).

The "My Projects Dashboard" panel shows four columns, showing projects that are assigned to you, any overdue project tasks where the Finish Date is in the past, any upcoming project tasks where the Start Date is within the next week, and any cases that are open related to the project.

The "My Project Tasks" panel shows two columns, showing any overdue project tasks assigned to you where the Start Date is in the past, any upcoming project tasks assigned to you where the Finish Date is within the next week.

All record references, for projects, project tasks, or cases, on either panel, are clickable and will bring you to either the detail view for the specific record or the Gantt chart of the parent project.

### My Projects Dashboard

Project	Overdue Tasks	Upcoming Tasks (1 Week)	Open Cases
<a href="#">Top Secret Project</a> 01/25/2014	<a href="#">Receive funding</a> 02/28/2013	<a href="#">Prepare draft</a> 07/05/2013 <a href="#">Execute proposal</a> 10/29/2013	
<a href="#">Create new plan for the annual audit</a> 12/31/2014	<a href="#">Perform field studies to collect data</a> 03/28/2013 <a href="#">Create draft of the plan</a> 04/01/2013	<a href="#">Update draft of the plan</a> 04/04/2013 <a href="#">Gather data from meetings</a> 04/04/2013	<a href="#">57</a> <a href="#">149</a> <a href="#">59</a>

### My Project Tasks

Overdue Tasks	Upcoming Tasks (1 Week)
<a href="#">Review requirements</a> 03/14/2013	<a href="#">Identify resources</a> 04/03/2013 <a href="#">Secure workspace</a> 04/03/2013

---

## Viewing via Dashlets

Sugar Dashlets allow users to get a quick view of various records, activities, reports, etc. Dashlets may be added to a user's Home page or to the intelligence pane of any module. You can view account information in List View dashlets specific to the Projects module (e.g., My Projects dashlet). Clicking a project's name from any dashlet will open the Project record view. For more information on using dashlets and viewing account records via dashlets, please refer to the [Intelligence Pane](#) documentation.

## Viewing via Reports

Users with access to the Reports module can build, run, and manage reports to gather key data regarding projects and their related records. In addition to only displaying desired fields and relationships, reports can also incorporate complex filters to only display specific subsets of your records. Once the report is run, you will be able to view the project record's detail view by clicking the project's name in the report results. Please note that you can only directly access project detail views with Rows and Columns-type and Summation with Details-type reports as Summation-type and Matrix-type reports do not include hyperlinks in their display columns. For more information on using reports, please refer to the [Reports](#) documentation.

All Project Tasks ☆

Title: All Project Tasks

Run Report ▾

Hide Details

<b>Name:</b> All Project Tasks	<b>Type:</b> Rows and Columns Report
<b>Modules:</b> Project Tasks	<b>Teams:</b> Global
<b>Display Columns:</b> Name, % Complete, Duration, Duration Unit, Start Date, Finish Date	<b>Assigned to:</b> Administrator
<b>Schedule:</b> None	
<b>Filters:</b> None	

⏪ ⏩ (1 - 2 of 2) ⏪ ⏩					
Name ⌵	% Complete ⌵	Duration ⌵	Duration Unit ⌵	Start Date ⌵	Finish Date ⌵
Gather data from meeting	50	3	Days	10/13/2014	10/15/2014
Update draft of plan	0	5	Days	10/13/2014	10/17/2014

Please note that your ability to access reports may be restricted by a role. For more information on roles, please refer to the [Roles](#) documentation in the Administration Guide. Check with your system administrator if you cannot access the Reports module.

## Searching Projects

---

The Projects list view includes a Basic and Advanced Search to help you locate records easily and effectively in a module-specific manner. Once the search is performed, the relevant results will be displayed in the Projects list view below. Global Search allows users to search for information across their entire Sugar database as opposed to restricting search within a specific module. Please note that Sugar automatically appends the wildcard character (%) to the end of your search phrase. This allows the system to retrieve all records that start with the keyword entered in the search. If you would like to broaden the search, you can use the wildcard at the beginning of your text as well (e.g., %services). This will pull up any record that has the word "services" in the name, regardless of how it starts or ends.

For more information on using the various search methods as well as how wildcards are used in the different methods, please refer to the [Search](#) documentation.

**Note:** Projects is hidden from Global Search by default. The administrator must [enable it](#) for your use.


## Basic Search

Basic search offers a few, commonly used fields for a simplified search experience. From the Basic Search panel, you can click "Advanced Search" to access additional search functionality as needed.

The buttons and checkboxes available in Basic Search panel have the following functions:

- **Search:** Click the Search button or press your Return/Enter key to perform the search.
- **Clear:** Click the Clear button to clear all criteria from the searchable fields.
- **My Items:** Select this box to return only records assigned to you.
- **My Favorites:** Select this box to return only your favorite records.

Search Projects

The image shows a screenshot of the 'Search Projects' interface. It features a text input field labeled 'Name' with a light blue border. To the right of the input field are two checkboxes: 'My Items' and 'My Favorites', both of which are currently unchecked. Further right are three buttons: 'Search' (light blue), 'Clear' (light blue), and 'Advanced Search' (blue with white text). The entire search panel is enclosed in a light gray border.

When you run a search, Sugar will return records matching all (as opposed to any) of the fields and checkboxes for which you have given a value. For example, if you select "My Items" and enter a project name, Sugar will only return projects with a matching name that are assigned to you. Once the search is complete, the relevant results will populate in the [list view](#) below the search panel. To see all projects to which you have access, simply click "Clear" and then "Search" to perform a blank search with no filters. Please note that you will only be able to see projects as allowed by your team membership, user access type, and assigned roles. For more

---

information on teams and roles, please refer to the [Teams](#) and [Roles](#) documentation in the Administration Guide.

Administrators can configure what fields appear on the Projects Basic Search via Admin > Studio. For more information on editing layouts, please refer to the [Studio](#) documentation in the Administration Guide.

## Advanced Search

Advanced Search offers a more in-depth search experience than Basic Search including additional fields, layout options, and saved search capability. From the Advanced search panel, you can click "Basic Search" for simplified searching.

The buttons, checkboxes, and dropdowns available in Advanced Search have the following functions:

- **Search:** Click the Search button or press your Return/Enter key to perform the search.
- **Clear:** Click the Clear button to clear all criteria from the searchable fields.
- **Layout Options:** Use the expandable [Layout Options](#) section to configure your list view. For more information, please refer to the Layout Options section of the Search documentation.
- **Saved Searches:** Save, recall, update, and delete searches that you use often. For more information, please refer to the [Saved Search](#) section of the

When you run a search, Sugar will return records matching all (as opposed to any) of the fields for which you have given a value. For example, if you select "My Items" and enter in a project name to search, Sugar will only return projects with a matching name that are assigned to you. When searching by a multiselect or dropdown field (e.g., "Status"), however, Sugar will return records matching any of these selections. Once the search completes, the relevant results will populate in the [list view](#) below the search panel. To see all projects to which you have access, simply click "Clear" and then "Search" to perform a blank search with no filters. Please note that you will only be able to see projects as allowed by your team membership, user access type, and assigned roles. For more information on teams and roles, please refer to the [Teams](#) and [Roles](#) documentation in the Administration Guide.

Administrators can configure what fields appear on the Projects Advanced Search via Admin > Studio. For more information on editing layouts, please refer to the

---

[Studio](#) documentation in the Administration Guide.

## Global Search

Global Search allows users to search for information across their entire Sugar database as opposed to restricting search within a specific module. Beginning with version 6.5.0, Full Text Search may be used with Global Search to search throughout nearly all fields and modules for an enhanced search experience. The Global Search bar is located on the top right hand side of Sugar. You can click the magnifying glass icon or hit Return/Enter to perform your search once the text string is entered in the search box.

To use global search, you need to first enter the keyword into the search box. With Full Text Search enabled, pop-up results will begin appearing once you input three or more characters. Clicking the magnifying glass icon or hitting your Return/Enter key will cause Sugar to return exact matches for your keyword rather than matches with words beginning with your keyword. When Full Text Search is not enabled, results starting with your keyword will appear after clicking the magnifying glass icon or hitting your Return/Enter key. For more information on using and configuring Global Search, please refer to the [Global Search](#) section of the Search documentation.

Regular Sugar users can configure some aspects of global search such as what modules are displayed in the search results. For more information on configuring your Global Search, please refer to the [Search](#) documentation. Administrators can control additional elements of global search via Admin > Search and Admin > Studio. For more information on administrator configuration of Global Search, please refer to the [Studio](#) documentation as well as the [Search](#) section of the System documentation in the Administration Guide.

## Projects List View


The Projects list view displays all projects meeting the current search criteria and to which your user has access. You can view the basic details of each project within the field columns. Please note that you will only be able to see projects as allowed by your team membership, user access type, and assigned roles. For more information on teams and roles, please refer to the [Teams](#) and [Roles](#) documentation in the Administration Guide.

You have the option to change what fields are displayed in list view by configuring your layout options in the Projects Advanced Search. For more information on configuring your list view, please refer to the [Layout Options](#) section of the Search documentation. Users with administrator or developer access also have the ability to change what fields are visible in the list view via Admin > Studio. For more information on editing layouts, please refer to the [Studio](#) documentation in the

## Pagination

List view displays the current search results broken into pages that you can scroll through rather than displaying potentially thousands of rows at once. To the right just below the search panel you can see which records of the total results set are currently being displayed. The two single-arrow Next and Previous buttons can be used to scroll through the records page-by-page. The two double-arrow First Page and Last Page buttons allow you to skip to the beginning or the end of your current results.


By default, Sugar displays 20 records per list view page, but administrators can change the number of records displayed via Admin > System Settings. For more information on changing the number of displayed records, please refer to the [System](#) documentation in the Administration Guide.



## Checkbox Selection


You can perform several actions on projects directly from the list view by first selecting the desired records. To select individual projects on the Projects list view, mark the checkbox on the left of each row. To select or deselect multiple projects on the list view, use the options in the checkbox dropdown menu:

- **Select This Page:** Selects all records shown on the current page of project results.
- **Select All:** Selects all records in the current search results across all pages of project results.
- **Deselect All:** Deselects all records that are currently selected.



## Actions Menu

The Actions menu to the right of the checkbox dropdown allows you to perform various actions on the currently selected records.



The options in the Actions menu allow you to perform the following operations:

Menu Item	Description
<a href="#">Delete</a>	Delete one or more projects at a time.
<a href="#">Mass Update</a>	Mass update one or more projects at a time.
<a href="#">Export</a>	Export one or more projects to a CSV file.

## Favorite Designation

Users have the option to mark project records as favorites via the list view as well as the detail view. This allows users to designate records that are important or will be viewed often so that they can easily be accessed via search or from the Projects module tab. In the Projects list view, the star on the left of each record's row is yellow once marked to indicate a favorite project. For more information on how to mark records as favorites, please refer to the [Favoriting Projects](#) section of this documentation.

## More Information

Additional details for each project can be viewed by clicking the "i" icon to the far right of each list view row. This provides users a quick view of additional project information in addition to what appears in the display column fields. The resulting pop-up window will show the Description field by default. The list of fields appearing here may only be configured through a code-level customization.

Name	Start Date	End Date	Status	Assigned To
Create new plan for the annual audit	11/01/2010	12/31/2014	Draft	Administrator



## Column Sorting

List view provides the ability to sort all of the current search results by a field column in either ascending or descending order. To sort by a field or switch the sort direction, click the column header noting that the fields which allow sorting will have a pair of arrows. The list view may be sorted by only one column at a

---

time. You can also set a default order-by column using the layout options in Advanced Search. For more information on setting a default column sort, please refer to the [Layout Options](#) section of the Search documentation.

Name	Start Date	End Date	Status
<input type="checkbox"/>  Create new plan for the annual audit	11/01/2010	12/31/2014	Draft

## Projects Detail View

The Projects detail view displays thorough project information including all project fields, which are grouped by default into the Overview and Other panels. You can also view a project's related records (Activities, Opportunities, Cases, etc.), which appear in [subpanels](#) beneath the project fields. The detail view can be reached by clicking a project's link from anywhere in the application including from the Projects list view.

Please note that you will only be able to view a project record according to your team membership, user type, and role restrictions. For more information on teams and roles, please refer to the [Teams](#) and [Roles](#) documentation in the Administration Guide. Users with administrator or developer access have the ability to change the detail view by configuring the layout via Admin > Studio. For more information on editing layouts, please refer to the [Studio](#) documentation in the Administration Guide.

## Actions Menu

The Actions menu on the top left of each project's detail view allows you to perform various actions on the current record. Administrator users can change the action items to be displayed as separate buttons instead of a dropdown menu via Admin > System Settings. For more information on configuring the actions menu, please refer to the [System](#) documentation in the Administration Guide.

Create new plan for the annual audit



The options in the Actions menu allow you to perform the following operations:

Menu Item	Description
<a href="#">Edit</a>	Edit this project.
<a href="#">Delete</a>	Delete this project.
<a href="#">View Gantt</a>	View the project's Gantt chart.
<a href="#">Save As Template</a>	Save this project as a template for future use.
<a href="#">Export To MS Project</a>	Export this project to an MPX file for use with Microsoft Project.

## Favorite Designation

Users have the option to mark project records as a favorite via the detail view as well as the list view. This allows users to designate records that are important or will be viewed often as they can easily be accessed via search or from the Projects module tab. In the Projects detail view, the star on the right of the record's name is yellow once marked to indicate a favorite project. For more information on how to mark records as favorites, please refer to the [Favoriting Projects](#) section of this documentation.

## Next or Previous Record

On the upper right of the Projects detail view, there are two buttons that allow you to page through each project in the Project list view's current search results. Clicking the Previous button displays the previous project of the current search results while clicking the Next button displays the next project of the current search results. The text in between shows which project result you are currently viewing within the total number of current results.

Create new plan for the annual audit



Overview

Name: Create new plan for the annual audit Status: Draft

## Subpanels

Beneath a project's fields are subpanels containing all of the users and contacts that are working on the project, the project's tasks that need to be done, any holidays or days off of the project so they will not be included in the date and time calculations, and related records from various modules.

Please note that administrators can prevent users from moving subpanels to

---

different locations in the detail view. For more information on preventing rearranging of subpanels, please refer to the [System](#) documentation in the Administration Guide. Check with your system administrator if you are not able to rearrange your subpanels.

## Resources Subpanel

The Resources subpanel is used to add specific Sugar users and contacts to the project. When these users and contacts are added to the project, they will be available to be added as resources on project tasks via the Gantt chart, meaning they are the responsible party for the task. For more information on project resources, please review the [Project Resources](#) section of this documentation.

The Resources subpanel allows the following operations to be performed:

- To view the details of a related user or contact, click the Users or Contacts icon in the subpanel to open it in detail view.
- To relate an existing user or contact to the project, choose the appropriate "Select" option from the subpanel's Action menu, then locate and select the desired record.
- To remove the resource from the project, click "Unlink" from the dropdown on the far right of the record's row. This removes the relationship, but does not delete any actual records.
- To collapse or expand the subpanel, click the double arrow to the left of the subpanel's name.
- To move the subpanel to a new location on the detail view, drag and drop the subpanel's header.



**Note:** If you are not able to view this subpanel, the administrator may have disabled the Projects subpanel for your entire Sugar instance. Reach out to your Sugar administrator to have the subpanel displayed. For more information on displaying and hiding subpanels throughout Sugar, please refer to the [Developer Tools](#) documentation in the Administration Guide.

## Project Tasks Subpanel

The Project Tasks subpanel lists all of the project's Project Tasks and basic details

---

of each task. When a task is added to the project via the Gantt chart, the project task will appear on this subpanel. The Project Tasks subpanel allows the following operations to be performed:

- To view the details of a project task, click the record's name in the subpanel to open it in detail view.
- To add additional tasks to the project, click the "View Gantt" button from the subpanel's header and follow the information provided in [Creating Project Tasks](#) section of this documentation.
- To collapse or expand the subpanel, click the double arrow to the left of the subpanel's name.
- To move the subpanel to a new location on the detail view, drag and drop the subpanel's header.


### **Project Holidays Subpanel**

The Project Holidays subpanel lists all of the resources' days that they will not be working. The subpanel includes columns showing the resource's name, the date of the holiday, and a description of the holiday. For more information on Project Holidays, please refer to the [Project Holidays](#) section of this documentation. The Project Holiday's subpanel allows the following operations to be performed:

- To add additional holidays to the project, click the "Create" button from the subpanel's header and fill in the necessary fields.
- To remove the holiday from the project, click "Unlink" from the dropdown on the far right of the record's row.
- To collapse or expand the subpanel, click the double arrow to the left of the subpanel's name.
- To move the subpanel to a new location on the detail view, drag and drop the subpanel's header.

### **Activities and History Subpanels**

The Activities subpanel lists open or upcoming tasks, calls, and meetings that are related to the project. Once the activities have taken place or are completed, they will instead appear within the History subpanel. The History subpanel also includes notes and emails associated with the project. For more information on the history and activities subpanel, please refer to the [User Interface](#) documentation.



## Related Record Subpanels

The most common type of subpanels displayed on a project's detail view contain the project's related records belonging to various modules. The relationship type determines whether a related record will be displayed in the field listing or in a subpanel. Out-of-the-box, the Projects module does not include any relationships to other modules that would cause a related record to be displayed in the field listing. However, for example, a project may be related to multiple cases. This means that the cases will be displayed in a subpanel beneath the fields listing.

Users with administrator or developer access have the ability to change the fields (e.g., Name, Assigned User, etc.) and labels of each subpanel by configuring the layout via Admin > Studio to provide visibility to the most important fields. For more information on modifying subpanels, please refer to the [Studio](#) documentation in the Administration Guide.

Related record subpanels allow the following operations to be performed. Please note that administrators in Sugar can change the subpanel's Action menu to be displayed as separate buttons instead of a dropdown via Admin > System Settings. For more information, please refer to the [System](#) documentation in the Administration Guide.

- To view the details of a related record, click the record's name in the subpanel to open it in record view (for Sidecar modules) or detail view (for Legacy modules).
- To relate an existing record to the project, choose "Select" from the subpanel's Action menu, then locate and select the desired record.
- To relate a new record to the project, choose the Create option (e.g., Create Task) from the subpanel's Action menu, then complete the record view layout and click "Save".
- To edit the project's related record, choose "Edit" on the far right of the record's row.
- To delete the project's relationship to a record, choose "Unlink" from the

dropdown on the far right of the record's row. This removes the relationship, but does not delete the record itself.

- To collapse or expand the subpanel, click the double arrow to the left of the subpanel's name.
- To move the subpanel to a new location on the detail view, drag and drop the subpanel's header.

Cases						
Select						
(1 - 1 of 1)						
Num.	Subject	Account Name	Status	Date Created	Assigned User	
57	Warning message when using the wrong browser	Super Star Holdings Inc	Pending Input	04/02/2013 10:47am	Sarah Smith	edit
						unlink

## Editing Projects

Projects may be edited at any time to update or add information to the record. You can make changes to existing project records via the Projects edit view and quick create forms (for Legacy modules). Edit view is available within the Projects module and includes all of the Project fields you should need. To edit the Project Tasks related to this project, please refer to the [Editing Project Tasks](#) section of this documentation.

[Top Secret Project](#) » Edit

Save

Cancel

(1 of 1+)

Overview

Name: \*

Top Secret Project

Status:

In Review

Start Date: \*

10/08/2014

Priority:

High

End Date: \*

10/21/2014

Description:

Quick create is available for editing projects from outside the Projects module and opens as a pop-up without navigating away from your current page. It generally contains fewer fields, but the Full Form button may be used to access the full edit view should you need to edit additional fields. Please note that the quick create form is only available when viewing Legacy module records (e.g., Quotes).

## Projects

Save

Cancel

Full Form

Name: \*

Create new plan for the annual .

Status:

Draft

Start Date: \*

12/01/2013

End Date: \*

01/25/2014

Priority:

Medium

Assigned to:

Administrator

Teams: \*

Global

Description:

The annual audit is coming up next month.

Save

Cancel

Full Form

Name	Assigned To	Start Date:	End Date:
Create new plan for the annual audit	Administrator	12/01/2013	01/25/2014

Please note that your ability to edit projects in Sugar may be restricted by a role. For more information on roles, please refer to the [Role Management](#) documentation in the Administration Guide. Check with your system administrator if you do not see the Edit options.

Administrators in Sugar may configure both the Projects edit view and quick create via Admin > Studio. For more information on configuring layouts, please refer to the [Studio](#) documentation in the Administration Guide.

## Editing via Detail View

You can edit projects via the [detail view](#) by clicking the Edit button on the upper left of the page. Once the edit view layout is open, update the necessary fields, then click "Save" to preserve your changes.

Create new plan for the annual audit

Edit

Overview

Name:

Create new plan for the annual audit


Start Date:

12/01/2013

## Editing via List View

---

You can edit projects via the [list view](#) by clicking the Pencil icon to the left of each project's name. Once the edit view layout is open, update the necessary fields, then click "Save" to preserve your changes.

Name	Start Date	End Date	Status
 Create new plan for the annual audit	12/01/2013	01/25/2014	Draft

## Deleting Projects

If a project record is invalid or should no longer appear in your organization's Sugar instance, it may be deleted from either the Projects detail view or list view. Deleting via the detail view allows you to delete a single record while the list view allows for mass deleting multiple records at once. Deleting projects will not delete related records and will only remove the relationship, so you may wish to also delete any related records to avoid orphaned records if necessary.


Please note that your ability to delete projects may be restricted by a role. For more information on roles, please refer to the [Role Management](#) documentation in the Administration Guide. Check with your system administrator if you do not see the Delete options.

### Deleting via Detail View

Use the following steps to delete a project via the detail view:

1. Navigate to a project's detail view.
2. Select "Delete" from the Actions menu.

Create new plan for the annual audit




3. A pop-up message will display asking for confirmation. Click "Ok" to proceed.

### Mass Deleting via List View

---

Use the following steps to delete one or more projects via the list view:

1. Navigate to the Projects list view by clicking the Projects module tab.
2. Use the [Basic](#) or [Advanced Search](#) to find the project records you wish to delete.
3. Select the desired project records individually or using the [Checkbox Dropdown's](#) options.
4. Choose "Delete" from the Actions menu.




5. A pop-up message will display asking for confirmation. Click "Ok" to proceed.

Due to PHP memory limitations on the server, there may be occasions when the application times out while deleting a large number of project records. If you encounter an error when performing this action, we recommend selecting the records in smaller batches.

## Exporting Projects

Sugar's Export option allows users to download all fields for the selected projects to their computers as a .CSV (comma-separated values) file. This may be useful when needing to use Project data with other software such as Microsoft Excel. Due to PHP memory limitations on the server, there may be occasions when the application times out while exporting a large number of project records. If you encounter an error when performing this action, we recommend selecting the records in smaller batches.

Projects may be exported from the Projects list view by selecting "Export" from the Actions menu. Users with access to the Reports module also have the option of creating or accessing reports containing specifically chosen fields for projects and their related record(s). Please note that only Rows and Columns-type reports have the ability to be exported. For more information on exporting records in Sugar, please refer to the [Export](#) documentation.



Please note that your ability to export projects from Sugar may be restricted by a role. For more information on roles, please refer to the [Role Management](#) documentation in the Administration Guide. Check with your system administrator if you do not see the Export option.


## Exporting to Microsoft Project

Sugar includes the functionality to export projects not just in CSV format, but also in .MPX format. MPX is the standard format used by Microsoft Project. Upon exporting this file, you will be able to open the file in Microsoft Project, which allows people who are not Sugar users to be able to view this project information.

**Note:** MPX file format is not supported by MS Project 2013.

The following steps cover exporting a project to Microsoft Project:

1. Navigate to a project's detail view.
2. Select "Export to MS Project" from the Actions menu.



3. Open the downloaded file in Microsoft Project.

## Mass Updating Projects

Mass Updating allows users to make the same change to multiple projects at once from the Projects list view. Users with administrator or developer access can control which fields are available to change during mass update via Admin > Studio. Currently, only fields with the data type of date, datetime, dropdown, multiselect, and radio may be altered during a mass update. For more information on configuring mass update, please refer to the [Studio](#) documentation in the Administration Guide. Due to the PHP memory limitations on the server, there may


---

be occasions when the application times out while mass updating a large number of project records. If you encounter an error when performing this action, we recommend selecting the records in smaller batches.

Please note that your ability to mass update projects may be restricted by a role. For more information on roles, please refer to the [Role Management](#) documentation in the Administration Guide. Check with your system administrator if you do not see the Mass Update option.

Use the following steps to mass update projects from the list view:

1. Navigate to the Projects list view by clicking the Projects module tab.
2. Use the list view's [Basic](#) or [Advanced Search](#) to find projects you wish to modify.
3. Select the desired project individually or using the [Checkbox Dropdown's](#) options.
4. Choose "Mass Update" from the Actions menu.



5. Scroll to the Mass Update panel and set values for the fields you wish to alter.

**Note:** For the Teams field, use "Replace" to remove existing team assignments before adding those specified here. Use "Add" to add the teams specified here to any existing team assignments.

A screenshot of the 'Mass Update' panel in SugarCRM. The panel has a title 'Mass Update' and contains several input fields for project attributes. On the left, there are fields for 'Assigned To:', 'Start Date:', 'Status:', and 'Teams'. On the right, there are fields for 'Created by:', 'End Date:', and 'Priority:'. The 'Status:' and 'Priority:' fields are dropdown menus with '-none-' selected. The 'Teams' field has a text input, a 'Primary' button, and radio buttons for 'Replace' (selected) and 'Add'. At the bottom of the panel, there are 'Update' and 'Cancel' buttons. The 'Update' button is highlighted with a red box.

6. Click "Update" to save the changes to all of the currently selected project.

## Favoriting Projects

Each Sugar user has the option to designate their own favorite projects which are

---

important or will be viewed often so that they can easily be accessed via search or from the Projects module tab. Once records are marked as favorites, use the My Favorites checkbox in the Projects [Basic](#) or [Advanced Search](#) to retrieve your favorites or select from your most recent favorites directly from the [Projects module tab](#).

## **Favoriting via List View**

Use the following steps to mark records as favorites via the Projects list view:

1. Navigate to the Projects list view by clicking the Projects module tab.
2. Use the [Basic](#) or [Advanced Search](#) to find the Project records you wish to mark as favorites.
3. Mark the star icon on the left of each desired project's row.
4. To remove the project as a favorite, click the star again to revert it to gray.

## **Favoriting via Detail View**

Use the following steps to mark records as favorites via the Projects detail view:

1. Navigate to a project's detail view.
2. Click the star icon to the right of the project's name in the upper left of the detail view to designate it as a favorite.
3. To remove the project as a favorite, click the star again to revert it to gray.

## **Favoriting via Subpanel**

Use the following steps to mark project records as favorites via the subpanel in related modules:

1. Navigate to a related module's record view (e.g., Contacts).
2. Click the star icon to the left of the desired record's row in the Projects subpanel.
3. To remove the project as a favorite, click the star again to revert it to gray.


## **Project Templates**

Project Templates are used when a similar project is used multiple times. Project Templates will save you from recreating the project each time. Instead, the template can be used to create a new project which will have the same information from the detail view and the same [Project Tasks](#). Templates can be reused as often as need be. They can be created using two different ways:

- The module tab's Action Menu

- 
- Replicating an existing project using the Detail View's Action Menu

Create new plan for



Choosing this option will bring you to a screen to define a new name for the template so that it can be made unique before saving the template and being mixed with others.

When creating a project from a Project Template, the [Project Tasks](#) carry over from the template to the new project. In addition, all of the fields within the module carry over.

To see a list of all project templates, navigate to the Project Templates list view. To access the list view, simply click the triangle over the Projects [module tab](#) and select "View Project Templates".

While list view shows key project template fields, you can click the project template's name to open the record in detail view. For more information on the Project Template's list view, please review the [Projects List View](#) section of this documentation.

To create a project from a template, please review the [Creating via Project Template](#) section of this documentation.

## Project Resources

Project Resources are a list of users and contacts that can be assigned [Project Tasks](#). On a project where you are the assigned user, you will see a subpanel on the [Projects detail view](#) called "Resources". The subpanel will provide options to Select User, Select Contact, or unlink an existing relationship. In addition any related user or contact resource will have a corresponding icon allowing you to view the [user's detail view](#) or contact's record view. For more information on viewing a contact's record view, please refer to the [Viewing via Record View](#) section of the User Interface documentation.

Resources

Select User (1 - 2 of 2)

Select Contact

Will Westin		unlink
Joseph Kelly		unlink

When a resource has been added to the project, the resource will show on the Gantt chart as an available option for Project Tasks to be assigned. For more information on the Gantt chart, please review the [Project Tasks Gantt Chart](#) section of this documentation.

**Note:** If you are not able to view project resources, the administrator may have disabled the Projects subpanel for your entire Sugar instance. Reach out to your Sugar administrator to have the subpanel displayed. For more information on displaying and hiding subpanels throughout Sugar, please refer to the [Developer Tools](#) documentation in the Administration Guide.

## Project Resource Reports

From the Gantt chart, a resource report can be created showing a specific user's or contact's assigned tasks across all projects and the user or contact's workload for a given timeframe.

[Audit Preparation](#)

### View Gantt

View... Export to PDF Resource Report

ID	% Complete	Task Name	Duration	Start	Finish	Predecessors	R
----	------------	-----------	----------	-------	--------	--------------	---

The report is filtered by each resource and filters for tasks starting or finishing after a date, and before another given date. This allows an overall view of the resource's time relative to all projects, not just one specific project.

### Resource Report

Resource::\* Joseph Kelly

Tasks that Start or Finish After:\* 04/01/2013

And Before:\* 04/05/2013

Report

This report shows the following information:

- **Daily Report:** This section shows a daily breakdown of all weekday dates for the report for the resource. The section also shows a "% Busy" section

showing what percentage of an 8 hour day is being taken up for this resource by project tasks. If the resource has a Project Holiday scheduled, the % Busy will show as "Holiday".

#### Daily Report

Date	% Busy
04/01/2013	0
04/02/2013	100
04/03/2013	100
04/04/2013	Holiday
04/05/2013	Holiday

- **Project Tasks:** This section shows a list of all [project tasks](#) associated with the resource in the given timeframe. This includes tasks across all projects, not just the project from which the report was generated. This shows details for each task so that you can see each task assigned to the user, as well as the project that the task is for.

#### Project Tasks

ID	Project	Task Name	% Complete	Duration	Start	Finish
1	Create new plan for the annual audit	Communicate with internal stakeholders	100	3 Days	04/02/2013	04/04/2013

- **Holidays:** This section shows a list of all of the resource's [project holidays](#) for the given timeframe. This will show all holidays, regardless of which project they are associated.

#### Holidays

Date	Project
04/04/2013	Audit Preparation
04/05/2013	Create new plan for the annual audit

## Project Holidays

The Project Holidays subpanel allows you to list any days that a user or contact resource will not be working on a given project. This links with the project tasks to ensure that timing of tasks is not affected by a resource taking a holiday. The holidays are marked for specific days for specific project resources. Project Holidays contain three fields:

Field	Description
Description	A brief description or reason for the holiday.
Holiday Date	The holiday or vacation date for this

	resource on the project.
Resource Name	The user or contact taking the holiday, selected from a dependent dropdown list.

Holidays created from this subpanel are specific to the project. Holiday records can be deleted and removed from the project by clicking "Unlink" on the corresponding line on the subpanel.

Project Holidays

Create

(1 - 2 of 2)

Resource Name	Holiday Date	Description	
Joseph Kelly	04/05/2013	Joseph off project	unlink
Will Westin	04/10/2013	Will off project	unlink

## Project Tasks

Project Tasks are a list of each task that needs to be performed to complete the project. Project Tasks is a separate module than the Projects module, but it can only be accessed via Projects. Each task can be tracked and monitored via the Gantt chart. Each task can also be assigned a specific [resource](#) and is given a planned start and finish date allowing the timing to be tracked and planned.

## Project Task Fields

The Project Tasks module contains the following fields, which enable users to properly organize and track each task.

Field	Description
% Complete	A numerical value to indicate what percentage of the task has been completed.
Actual Duration	After the task is completed, enter a numerical value for the actual duration of the task.
Description	Found only in the edit and detail views, enter a brief description of the task and any necessary details.
Duration	Only editable from the Gantt chart, enter a numerical value to indicate how long it would take to complete the task

	<p>which can be specified in days or in hours.</p> <p><b>Note:</b> Changes to this field will affect the Finish Date as well.</p>
Estimated Effort (hrs)	<p>Found only in the edit and detail views, enter a numerical value for the estimated amount of work needed for this task.</p>
Finish Date	<p>Only editable from the Gantt chart, this field will populate based on the Start Date and Duration. Clicking on this field on the Gantt chart will produce a calendar popup to easily select a date.</p> <p><b>Note:</b> Changes to this field will affect the Duration as well, and will be affected by changes to the Start Date and/or Duration fields.</p>
Milestone	<p>Mark tasks as milestones if they are an important and measureable landmark on the way to completing the project. Tasks can be marked with a checkbox on the edit view or by clicking the task ID to highlight the entire row and then right clicking in the Gantt chart. Milestone tasks will include an asterisk next to the task ID on the Gantt chart.</p>
Order	<p>The project task's detail view and edit view display an Order field. This field, which was used in the application prior to version 5.0, has been replaced by the Task ID field. If you are not using an order number, you can safely remove this field from the Project Task layouts in Studio.</p>
Predecessors	<p>If the completion of this task depends on the completion of other tasks, enter the Task ID in this column. This field must be edited and viewed from the Gantt chart.</p> <p><b>Note:</b> Multiple tasks can be predecessors and the IDs can be separated by commas.</p>
Priority	<p>Choose a value of Low, Medium, or High for the task which can be edited and</p>

	viewed from the edit and detail views.
Project	The name of the parent project that can be viewed from both the edit and detail views. This value cannot be edited.
Resource	Select the individual who is assigned to the task from the Resources dropdown list.
Start Date	Only editable from the Gantt chart, this field will automatically populate with today's date. Clicking on this field on the Gantt chart will produce a calendar popup to easily select a date.
Status	Found only in the edit and detail view, choose a value representing the current stage of the task. This field also shows on the <a href="#">Project Tasks subpanel</a> .
Task ID	When viewing the Gantt chart, the tasks are ordered by Task ID. Task IDs cannot be directly edited from the Gantt chart or the edit and detail views. To move a task to a different section of the list, and therefore change its Task ID, click on the existing ID to highlight the row, then right click to "Cut" and then "Paste" it in the new location.
Task Name	Enter the name for the project task here.
Task Number	The project task's detail view and edit view display a Task Number field. This field, which was used in the application prior to 5.0, has been replaced by the Task ID field. If you are not using task number, you can safely remove this field from the Project Task layouts in Studio.
Teams	The Sugar team(s) assigned to the task. This is only viewable from the edit and detail view.
Utilization (%)	From the dropdown list, select the percentage of a day that the resource should dedicate their work hours towards the assigned task. This field is only found in the edit and detail views of

	the project task. <b>Note:</b> The value of this field is not reflected in the Resource Report.
--	--

## Project Tasks Module Tab

The Project Tasks module tab is located on the navigation bar at the top of the Project Task detail view, Project Task edit view, or Project Task list view. Click the tab to access the Project Task list view. You may also click the triangle on the tab to display the Actions and Recently Viewed menus. The Actions menu allows you to perform important actions within the module. The [Recently Viewed](#) menu displays the list of project tasks you last viewed in the module.

The Actions menu allows you to perform the following operations:

Menu Item	Description
Create Project	Opens the edit view layout to create a new project.
Project List	Opens the list view layout to search and display projects.
Project Tasks	Opens the list view layout to search and display project tasks.

## Creating Project Tasks

Project Tasks can only be created from the Gantt chart's project grid. The tasks are specific to each project, so they must be created directly from the project. When creating a Project Task from the grid, you will be able to put in basic information about the task. To add additional information later, please review the [Editing Project Tasks](#) section of this documentation.

Use the following steps to create a project task via the Projects module:


1. Navigate to the [detail view](#) of the project where you would like to add tasks.
2. From the detail view, select "View Gantt" from either the Project Tasks subpanel or the Action Menu.



- [View Gantt](#)



- View Gantt



There are various options available for viewing project tasks in Sugar including via the grid and Gantt chart, the My Projects Dashboard, Project Tasks list view, Project Tasks detail view, Project Tasks Recently Viewed menu, dashlets, and reports.

## Viewing Project Tasks via Gantt Chart

The Projects module includes a grid and Gantt chart, which allows you to view all project tasks related to a specific project in one place. The grid, on the left of the screen, outlines each task with pertinent information regarding each project task. The Gantt chart, on the right, shows a timeline of each task and how they overlap. For more information on the Gantt chart, please review the [Project Tasks Gantt Chart](#) section of this documentation.

[Create new plan for the annual audit](#)

### View Gantt



## Viewing Project Tasks via My Projects Dashboard

The Project Dashboard allows for users to view any upcoming or overdue project tasks that are assigned to the user, or are related to any projects for which the user is the assigned user. The Project Dashboard can be reached by clicking the appropriate link in the [Projects module tab](#).

The "My Projects Dashboard" panel shows four columns, showing projects that are assigned to you, any overdue project tasks where the Finish Date is in the past, any upcoming project tasks where the Start Date is within the next week, and any cases that are open related to the project.

The "My Project Tasks" panel shows two columns, showing any overdue project tasks assigned to you where the Start Date is in the past, any upcoming project tasks assigned to you where the Finish Date is within the next week.

Any project task link is clickable and will take you to the grid and Gantt chart for the given project. Next to the task name, Sugar also displays the Finish Date for the task.

### My Projects Dashboard

Project	Overdue Tasks
<a href="#">Audit Preparation</a> 01/25/2014	<a href="#">Perform field studies to collect data</a> 03/28/2013
	<a href="#">Create draft of the plan</a> 04/01/2013
	<a href="#">Gather data from meetings</a> 04/04/2013

---

## Viewing Project Tasks via List View

The Project Tasks list view displays all project records meeting the current search criteria. To access the list view, click the "View Project Tasks" option from the Projects module tab. While list view shows key project fields, you can click the project task's name to open the record in detail view. For more information on viewing project via list view, please refer to the [Project Tasks List View](#) section.

## Viewing Project Tasks via Detail View


The Project Tasks detail view displays thorough project task information including all project task fields followed by subpanels of the project task's related records belonging to various modules. The detail view can be reached by clicking a project task record's link from anywhere in the application including from the Projects detail view. For more information on viewing project tasks via detail view, please refer to the [Project Tasks Detail View](#) section.

## Viewing Project Tasks via Recently Viewed

As you work, Sugar will keep track of which project tasks you have recently viewed. Click the triangle on the [Project Tasks module tab](#) to see a list of your most recently viewed project tasks and click each name to open the project task in detail view.

## Viewing Project Tasks via Dashlets

Sugar Dashlets allow users to get a quick view of various records, activities, reports, etc. Dashlets may be added to a user's Home page or to the intelligence pane of any module. You can view project task information in List View dashlets specific to the Project Tasks module (e.g., My Project Tasks dashlet), as well as List View dashlets based on other modules such as "My Calls". Clicking a project task's name from any dashlet will open the Project Tasks detail view. For more information on using dashlets and viewing project task records via dashlets, please refer to the [Intelligence Pane](#) documentation.



My Project Tasks			My Calls		
Name	Project Name	Start Date	Subject	Related to	Start Date
<a href="#">Create Draft of the...</a>	My Test Project	2015-06-11	Call with John (Pro...	<a href="#">Create Draft of the...</a>	2015-06-15 11:00

## Viewing Project Tasks via Reports

Users with access to the Reports module can build, run, and manage reports to

gather key data regarding projects and their related records. In addition to only displaying desired fields and relationships, reports can also incorporate complex filters to only display specific subsets of your records. Once the report is run, you will be able to view the project task record's detail view by clicking the project's name in the report results. Please note that you can only directly access project task detail views with Rows and Columns-type and Summation with Details-type reports as Summation-type and Matrix-type reports do not include hyperlinks in their display columns. For more information on using reports, please refer to the [Reports](#) documentation.

All Project Tasks ☆

Title: All Project Tasks

Run Report

Hide Details

Name: All Project Tasks

Modules: Project Tasks

Display Columns: Name, % Complete, Duration, Duration Unit, Start Date, Finish Date

Schedule: None

Filters: None

Type: Rows and Columns Report

Teams: Global

Assigned to: Administrator

(1 - 2 of 2)					
Name	% Complete	Duration	Duration Unit	Start Date	Finish Date
Gather data from meeting	50	3	Days	10/13/2014	10/15/2014
Update draft of plan	0	5	Days	10/13/2014	10/17/2014

Please note that your ability to access reports may be restricted by a role. For more information on roles, please refer to the [Role Management](#) documentation in the Administration Guide. Check with your system administrator if you cannot access the Reports module.

## Searching Project Tasks

The Project Tasks list view includes a Basic and Advanced Search to help you locate records easily and effectively in a module-specific manner. Once the search is performed, the relevant results will be displayed in the Project Tasks list view below. Global Search allows users to search for information across their entire Sugar database as opposed to restricting search within a specific module. Please note that Sugar automatically appends the wildcard character (%) to the end of your search phrase. This allows the system to retrieve all records that start with the keyword entered in the search. If you would like to broaden the search, you can use the wildcard at the beginning of your text as well (e.g., %services). This will pull up any record that has the word "create" in the name, regardless of how it starts or ends.

---

For more information on using the various search methods as well as how wildcards are used in the different methods, please refer to the [Search](#) documentation.

**Note:** Project Tasks is hidden from Global Search by default. The administrator must [enable it](#) for your use.

## Project Tasks Basic Search

Basic search offers a few, commonly used fields for a simplified search experience. From the Basic Search panel, you can click "Advanced Search" to access additional search functionality as needed.

The buttons and checkboxes available in Basic Search panel have the following functions:

- **Search:** Click the Search button or press your Return/Enter key to perform the search.
- **Clear:** Click the Clear button to clear all criteria from the searchable fields.
- **My Items:** Select this box to return only records assigned to you.

Project Task: Home



When you run a search, Sugar will return records matching all (as opposed to any) of the fields and checkboxes for which you have given a value. For example, if you select "My Items" and enter a project task name, Sugar will only return project tasks with a matching name that are assigned to you. Once the search is complete, the relevant results will populate in the [list view](#) below the search panel. To see all project tasks to which you have access, simply click "Clear" and then "Search" to perform a blank search with no filters. Please note that you will only be able to see projects as allowed by your team membership, user access type, and assigned roles. For more information on teams and roles, please refer to the [Teams](#) and [Roles](#) documentation in the Administration Guide.

Administrators can configure what fields appear on the Project Tasks Basic Search via Admin > Studio. For more information on editing layouts, please refer to the [Studio](#) documentation in the Administration Guide.

## Project Tasks Advanced Search

Advanced Search offers a more in-depth search experience than Basic Search including additional fields, layout options, and saved search capability. From the Advanced search panel, you can click "Basic Search" for simplified searching.


The buttons, checkboxes, and dropdowns available in Advanced Search have the

---

following functions:

- **Search:** Click the Search button or press your Return/Enter key to perform the search.
- **Clear:** Click the Clear button to clear all criteria from the searchable fields.
- **Layout Options:** Use the expandable [Layout Options](#) section to configure your list view. For more information, please refer to the Layout Options section of the Search documentation.
- **Saved Searches:** Save, recall, update, and delete searches that you use often. For more information, please refer to the [Saved Search](#) section of the

Project Task: Home



When you run a search, Sugar will return records matching all (as opposed to any) of the fields for which you have given a value. For example, if you select a Project Name and search on a project task name to search, Sugar will only return project tasks with a matching name that related to that specific project. When searching by a multiselect or dropdown field (e.g., "Assigned to"), however, Sugar will return records matching any of these selections. Once the search completes, the relevant results will populate in the [list view](#) below the search panel. To see all project tasks to which you have access, simply click "Clear" and then "Search" to perform a blank search with no filters. Please note that you will only be able to see project tasks as allowed by your team membership, user access type, and assigned roles. For more information on teams and roles, please refer to the [Teams](#) and [Roles](#) documentation in the Administration Guide.

Administrators can configure what fields appear on the Projects Advanced Search via Admin > Studio. For more information on editing layouts, please refer to the [Studio](#) documentation in the Administration Guide.

## Project Tasks List View

The Project Tasks list view displays all project tasks meeting the current search criteria and to which your user has access. You can view the basic details of each project task within the field columns. Please note that you will only be able to see project tasks as allowed by your team membership, user access type, and assigned roles. For more information on teams and roles, please refer to the [Teams](#) and [Roles](#) documentation in the Administration Guide.

You have the option to change what fields are displayed in list view by configuring


---

your layout options in the Project Tasks Advanced Search. For more information on configuring your list view, please refer to the [Layout Options](#) section of the Search documentation. Users with administrator or developer access also have the ability to change what fields are visible in the list view via Admin > Studio. For more information on editing layouts, please refer to the [Studio](#) documentation in the Administration Guide.

## Project Tasks Pagination

List view displays the current search results broken into pages that you can scroll through rather than displaying potentially thousands of rows at once. To the right just below the search panel you can see which records of the total results set are currently being displayed. The two single-arrow Next and Previous buttons can be used to scroll through the records page-by-page. The two double-arrow First Page and Last Page buttons allow you to skip to the beginning or the end of your current results.


By default, Sugar displays 20 records per list view page, but administrators can change the number of records displayed via Admin > System Settings. For more information on changing the number of displayed records, please refer to the [System](#) documentation in the Administration Guide.



## Project Tasks Checkbox Selection


You can perform several actions on project task records directly from the list view by first selecting the desired records. To select individual project tasks on the Project Tasks list view, mark the checkbox on the left of each row. To select or deselect multiple project tasks on the list view, use the options in the checkbox dropdown menu:

- **Select This Page:** Selects all records shown on the current page of project results.
- **Select All:** Selects all records in the current search results across all pages of project results.
- **Deselect All:** Deselects all records that are currently selected.



## Project Tasks Actions Menu

The Actions menu to the right of the checkbox dropdown allows you to perform various actions on the currently selected records.



The options in the Actions menu allow you to perform the following operations:

Menu Item	Description
Delete	Delete one or more project tasks at a time.
Mass Update	Mass update one or more project tasks at a time.
Export	Export one or more project tasks to a CSV file.

## Favorite Designation

Users have the option to mark project tasks records as favorites via the list view as well as the detail view. This allows users to designate records that are important or will be viewed often so that they can easily be accessed via search or from the Project Tasks module tab. In the Project Tasks list view, the star on the left of each record's row is yellow once marked to indicate a favorite record. For more information on how to mark records as favorites, please refer to the [Favoriting Projects Tasks](#) section of this documentation.

## Project Tasks More Information

Additional details for each project task can be viewed by clicking the "i" icon to the far right of each list view row. This provides users a quick view of additional project task information in addition to what appears in the display column fields.

The resulting pop-up window will show the Description field by default. The list of fields appearing here may only be configured through a code-level customization.

Name	Project Name	Start Date	Finish Date	Priority	% Complete	Assigned To
Gather data from meetings	Create new plan for the annual audit	05/15/2013	05/15/2013	Low	50	Administrator

## Project Tasks Column Sorting

List view provides the ability to sort all of the current search results by a field column in either ascending or descending order. To sort by a field or switch the sort direction, click the column header noting that the fields which allow sorting will have a pair of arrows. The list view may be sorted by only one column at a time. You can also set a default order-by column using the layout options in Advanced Search. For more information on setting a default column sort, please refer to the [Layout Options](#) section of the Search documentation.

Name	Project Name	Start Date	Finish Date
Gather data from meetings	Create new plan for the annual audit	05/15/2013	05/15/2013

## Project Tasks Detail View

The Project Tasks detail view displays thorough project task information including all project task fields which are grouped by default into one panel. You can also view a project task's related records (Activities, History, etc.), which appear in [subpanels](#) beneath the project task fields. The detail view can be reached by clicking a project task's link from within Sugar including from the Project Tasks list view.


Please note that you will only be able to view a project task record according to your team membership, user type, and role restrictions. For more information on teams and roles, please refer to the [Teams](#) and [Roles](#) documentation in the Administration Guide. Users with administrator or developer access have the ability to change the detail view by configuring the layout via Admin > Studio. For more information on editing layouts, please refer to the [Studio](#) documentation in the Administration Guide.

## Project Tasks Actions Menu

The Actions menu on the top left of each project's detail view allows you to perform two actions on the current record. Administrator users can change the action items to be displayed as separate buttons instead of a dropdown menu via Admin > System Settings. For more information on configuring the actions menu, please refer to the [System](#) documentation in the Administration Guide.

---

## Gather data from meetings



The options in the Actions menu allow you to perform the following operations:

Menu Item	Description
Edit	Edit this project task.
Edit Task In Grid	View the project task's parent project's Grid and Gantt chart.

### Favorite Designation

Users have the option to mark project tasks records as a favorite via the detail view as well as the list view. This allows users to designate records that are important or will be viewed often as they can easily be accessed via search or from the Project Tasks module tab. In the Project Tasks detail view, the star on the right of the record's name is yellow once marked to indicate a favorite record. For more information on how to mark records as favorites, please refer to the [Favoriting Projects Tasks](#) section of this documentation.

### Next or Previous Project Task Record

On the upper right of the Project task's detail view, there are two buttons that allow you to page through each project in the Project Task list view's current search results. Clicking the Previous button displays the previous project task of the current search results while clicking the Next button displays the next project task of the current search results. The text in between shows which project task result you are currently viewing within the total number of current results.

Gather data from meetings



### Project Tasks Subpanels

Beneath a project task's fields are subpanels containing containing related records from various modules, including different activities such as calls and meetings, as

---

well as a history of notes and emails.

Please note that administrators can prevent users from moving subpanels to different locations in the detail view. For more information on preventing rearranging of subpanels, please refer to the [System](#) documentation in the Administration Guide. Check with your system administrator if you are not able to rearrange your subpanels.

## **Project Tasks Related Record Subpanels**

The most common type of subpanels displayed on a project task's detail view contain the project task's related records belonging to various modules. The relationship type determines whether a related record will be displayed in the field listing or in a subpanel. Out-of-the-box, the Project tasks module does not include any relationships to other modules that would cause a related record to be displayed in the field listing. However, a project task may be related to multiple notes which means that the related notes will be displayed in a subpanel beneath the fields. Please note that the Project Tasks module displays the Activities and History subpanels by default. Administrators can create new relationships between various modules in Sugar to create additional subpanels. For more information on creating relationships, please refer to the [Studio](#) documentation in the Administration Guide.

Users with administrator or developer access have the ability to change the fields (e.g., Subject, Assigned User, etc.) and labels of each subpanel by configuring the layout via Admin > Studio to provide visibility to the most important fields. For more information on modifying subpanels, please refer to the [Studio](#) documentation in the Administration Guide.

Related record subpanels allow the following operations to be performed. Please note that administrators in Sugar can change the subpanel's Action menu to be displayed as separate buttons instead of a dropdown via Admin > System Settings. For more information, please refer to the [System](#) documentation in the Administration Guide.

- To view the details of a related record, click the record's name in the subpanel or choose "View" from the Actions menu on the far right of the record's row to open it in record view.
- To relate a new record to the project task, choose the Create option (e.g., Create Task) from the subpanel's Action menu, then complete the record view layout and click "Save".
- To delete the project task's relationship to a record, choose "unlink" from the Actions menu on the far right of the record's row. This removes the relationship, but does not delete the record itself.
- To close an activity (e.g., Tasks) from the Activities subpanel, choose "close" from the Actions menu on the far right of the record's row. This moves the record to the History subpanel within the Project Tasks record.

- To collapse or expand the subpanel, click the double arrow to the left of the subpanel's name.
- To move the subpanel to a new location on the detail view, drag and drop the subpanel's header.

**Activities**

Create Task (1 - 2 of 2)

Subject	Status	Contact	Due Date	Assigned User	
Follow up with client	Not Started	Heidy Breit	2015-06-24	Administrator	view
Team Meeting	Scheduled		2015-06-16 14:30	Administrator	close unlink

Please note that administrators can prevent users from moving subpanels to different locations in the detail view. For more information on preventing rearranging of subpanels, please refer to the [System](#) documentation in the Administration Guide. Check with your system administrator if you are not able to rearrange your subpanels.

### Project Tasks Activities and History Subpanels

The Activities subpanel lists open or upcoming tasks, calls, and meetings that are related to the project task record. Once the activities have taken place or are completed, they will instead appear within the History subpanel. The History subpanel also includes notes and emails associated with the project task record. For more information on the history and activities subpanel, please refer to the [User Interface](#) documentation.

**Activities**

Create Task (1 - 2 of 2)

Subject	Status	Contact	Due Date	Assigned User
Meeting	Planned		04/19/2013 03:00pm	Administrator

**History**

Create Note or Attachment (1 - 2 of 2)

Subject	Status	Contact	Date Modified	Date Created	Assigned User
Notes from meeting	Note		04/18/2013 11:58am	04/18/2013 11:58am	Administrator

### Project Tasks Gantt Chart

The Projects module includes a grid and Gantt chart to allow you to visualize, track, and easily make changes to your project tasks all in one place. This menu is

accessible from each project's detail view through the [Actions Menu](#) or the [Project Tasks](#) subpanel. The page consists of a grid which shows each project task, as well as information on the timing, % complete, preceding tasks, and who is responsible for completing the task. Project tasks on the grid can be edited by clicking on the specific cell and making in-line changes. Whole rows can be selected by clicking the Task ID number in the ID column on the far left column. The Gantt chart shows a timeline of each task represents which tasks are being worked on at a given time.

[Create new plan for the annual audit](#)

#### View Gantt



## Gantt Chart Toolbar

The Gantt Chart Toolbar allows you to make changes to both what tasks are showing on the grid, but also how they are displayed. The icons and menus perform the following actions, from left to right:

Toolbar Option	Description
Add New Row	Adds a new row to the end of the task list, unless a row is selected, when the button will add the row above the selection.
Indent Row	When a row is selcted, this button will make it a subordinate function of the above row, causing any subordinate tasks to be grouped under the parent task.
Outdent Row	When a row is selcted and already indented, this button will move it out from being a subordinate function of the above row and making it its own task.
Copy Row	When a row is selected, the Copy button will allow the data in the row to be placed in another row while keeping the original in tact.
Cut Row	When a row is selected, the Cut button

	will delete the entire row, but allow it to be pasted into another as an ensuing action.
Paste Row	Adds currently copied or cut row to the end of the task list, unless a row is selected, when the button will place the row above the selection.
Delete Row	When a row is selected, the Delete button will remove the entire row and delete the project task.
Expand All	This button will affect the entire grid by expanding all hidden rows created by indenting to show all rows on the grid.
Collapse All	This button will affect the entire grid by collapsing all visible indented rows on the grid.
Save	Saves all changes to the grid and updates the related project task records.
Week View	Changes the Gantt chart to show one week of events at a time.
2 Week View	Changes the Gantt chart to show two weeks of events at a time.
Month View	Changes the Gantt chart to show one month of events at a time.
View...	Dropdown list to provide filters to change which project tasks are showing on the grid.
Export to PDF	Exports a PDF from Sugar containing the information shown in the task grid.
Resource Report	Opens the <a href="#">Resource Report</a> popup.
Grid	Changes the view of the page to only show the task grid and releted toolbar buttons.
Gantt	Changes the view of the page to only show the Gantt chart and releted toolbar buttons.
Grid/Gantt	Changes the view of the page to show both the task grid and Gantt chart.

## Editing Project Tasks

---

Project Tasks may be edited at any time to update or add information to the record. You can make changes to existing project task records via the Gantt chart and Project Tasks edit view. Edit view is available within the Project Tasks module and includes all of the Project Task fields you should need.

[Gather data from meetings](#) » Edit

The screenshot shows the 'Edit' view for a project task. At the top are four buttons: 'Save' (highlighted with a red box), 'Cancel', 'View Change Log', and 'Save and Continue'. Below the buttons are several fields: 'Name' with a text box containing 'Gather data from meetings', 'Task ID' with the value '5', 'Duration' with '2 Days', 'Start Date' with '05/15/2013', 'Finish Date' with '05/15/2013', 'Status' with a dropdown menu showing 'Not Started', 'Priority' with a dropdown menu showing 'Low', and '% Complete' with the value '50'.

Please note that your ability to edit project tasks in Sugar may be restricted by a role. For more information on roles, please refer to the [Role Management](#) documentation in the Administration Guide. Check with your system administrator if you do not see the Edit options.

Administrators in Sugar may configure the Project Tasks edit view via Admin > Studio. For more information on configuring layouts, please refer to the [Studio](#) documentation in the Administration Guide.

## Editing Project Tasks via Detail View

You can edit project tasks via the [Detail View](#) by clicking the Edit button on the upper left of the page. Once the edit view layout is open, update the necessary fields, then click "Save" to preserve your changes.

Gather data from meetings



Name:	Gather data from meetings
Start Date:	05/15/2013

## Editing Project Tasks via Gantt Chart

Project Tasks can be edited one at a time via the task grid and Gantt Chart. The Gantt chart can be accessed via the [Projects detail view](#) and [Project Tasks detail view](#). Project Task fields can be edited by clicking on the field, either if it is empty or if it contains existing data, and edits can be made directly inline on the grid. Selecting the entire row can be done by clicking the ID number for the row of each

---


project task. Multiple tasks can be selected by holding the Shift key on your keyboard while clicking.

The following [fields](#) can be edited from the task grid and Gantt chart:

- % Complete
- Task Name
- Duration
- Start
- Finish
- Predecessors
- Resource
- Actual Duration

## Editing Project Tasks via List View

You can edit project tasks via the list view by clicking the Pencil icon to the left of each project task's name. Once the edit view layout is open, update the necessary fields, then click "Save" to preserve your changes.



## Deleting Project Tasks

If a project task is invalid or should no longer appear in your organization's Sugar instance, it may be deleted from either the project's Gantt chart or the Project Tasks list view. Deleting via the Gantt chart allows you to delete a single record while the list view allows for mass deleting multiple records at once. Deleting projects will not delete related records and will only remove the relationship, so you may wish to also delete any related records to avoid orphaned records if necessary.


Please note that your ability to delete project tasks may be restricted by a role. For more information on roles, please refer to the [Role Management](#) documentation in the Administration Guide. Check with your system administrator if you do not see the Delete options.

## Deleting Project Tasks via Gantt Chart

Use the following steps to delete a project task via the Gantt chart:

1. Navigate to the project's Gantt chart
2. Select the project task's row by clicking on the ID number for the task


#### View Gantt



ID	% Complete	Task Name	Duration	Start	Finish
1	50	Gather data from meeting	3 Days	10/13/2014	10/15/2014
2	0	Update draft of plan	5 Days	10/13/2014	10/17/2014

3. Right click on the selected row and select the "Delete" option from the action menu, or click the "Delete" button from the Gantt toolbar

#### View Gantt




ID	% Complete	Task Name	Duration	Start	Finish
1	50	Gather data from meeting	3 Days	10/13/2014	10/15/2014
2	0	Update draft of plan	5 Days	10/13/2014	10/17/2014

4. Save the Gantt chart to confirm the change to the project.

## Mass Deleting Project Tasks via List View

Use the following steps to delete one or more project tasks via the list view:

1. Navigate to the Project Tasks list view by clicking the triangle on the Projects module tab and selecting "View Project Tasks".
2. Use the [Basic](#) or [Advanced Search](#) to find the project task records you wish to delete.
3. Select the desired project tasks individually or using the [checkbox dropdown's](#) options.
4. Choose "Delete" from the Actions menu.




5. A pop-up message will display asking for confirmation. Click "Ok" to proceed.

Due to PHP memory limitations on the server, there may be occasions when the application times out while deleting a large number of project task records. If you encounter an error when performing this action, we recommend selecting the records in smaller batches.

## Exporting Project Tasks

Sugar's Export option allows users to download all fields for the selected project tasks to their computers as a .CSV (comma-separated values) file. This may be useful when needing to use Project data with other software such as Microsoft Excel. Due to PHP memory limitations on the server, there may be occasions when the application times out while exporting a large number of project tasks. If you encounter an error when performing this action, we recommend selecting the records in smaller batches.

Project tasks may be exported from the Project Tasks list view by selecting "Export" from the Actions menu. Users with access to the Reports module also have the option of creating or accessing reports containing specifically chosen fields for project tasks and their related record(s). Please note that only Rows and Columns-type reports have the ability to be exported. For more information on exporting records in Sugar, please refer to the [Export](#) documentation.



Please note that your ability to export projects from Sugar may be restricted by a role. For more information on roles, please refer to the [Role Management](#) documentation in the Administration Guide. Check with your system administrator if you do not see the Export option.

---


## Mass Updating Project Tasks

Mass Updating allows users to make the same change to multiple project tasks at once from the Project Tasks list view. Users with administrator or developer access can control which fields are available to change during mass update via Admin > Studio. Currently, only fields with the data type of date, datetime, dropdown, multiselect, and radio may be altered during a mass update. For more information on configuring mass update, please refer to the [Studio](#) documentation in the Administration Guide. Due to the PHP memory limitations on the server, there may be occasions when the application times out while mass updating a large number of project tasks. If you encounter an error when performing this action, we recommend selecting the records in smaller batches.

Please note that your ability to mass update project tasks may be restricted by a role. For more information on roles, please refer to the [Role Management](#) documentation in the Administration Guide. Check with your system administrator if you do not see the Mass Update option.

Use the following steps to mass update projects from the list view:

1. Navigate to the Project Tasks list view by clicking the triangle on the Projects module tab and selecting "View Project Tasks".
2. Use the list view's [Basic](#) or [Advanced Search](#) to find project tasks you wish to modify.
3. Select the desired project tasks individually or using the [checkbox](#) [dropdown's](#) options.
4. Choose "Mass Update" from the Actions menu.



5. Scroll to the Mass Update panel and set values for the fields you wish to alter.

**Note:** For the Teams field, use "Replace" to remove existing team assignments before adding those specified here. Use "Add" to add the teams specified here to any existing team assignments.

---

**Mass Update**

Status:	-none-	Start Date:	<input type="text"/>
Finish Date:	<input type="text"/> (mm/dd/yyyy)	Due Date:	<input type="text"/>
Assigned To:	<input type="text"/>	Priority:	-none-
Created by:	<input type="text"/>	Milestone:	-none-
Teams	<input type="text"/> <input type="button" value="+"/> <input type="button" value="-"/> <input type="radio"/> Primary		
<input checked="" type="radio"/> Replace <input type="radio"/> Add			

- Click "Update" to save the changes to all of the currently selected project tasks.

## Favoriting Project Tasks

Each Sugar user has the option to designate their own favorite project tasks which are important or will be viewed often so that they can easily be accessed via search or from the Project Tasks module tab. Once records are marked as favorites, use the My Favorites checkbox in the Project Tasks [Basic](#) or [Advanced Search](#) to retrieve your favorites or select from your most recent favorites directly from the [Project Tasks module tab](#).

### Favoriting via List View

Use the following steps to mark records as favorites via the Project Tasks list view:

- Navigate to the Project Tasks list view by clicking "View Project Tasks" from the Projects module tab.
- Use the [Basic](#) or [Advanced Search](#) to find the Project Tasks records you wish to mark as favorites.
- Mark the star icon on the left of each desired record's row.
- To remove the record as a favorite, click the star again to revert it to gray.

### Favoriting via Detail View

Use the following steps to mark records as favorites via the Project Tasks detail view:

- Navigate to a Project Task's detail view.
- Click the star icon to the right of the record's name in the upper left of the detail view to designate it as a favorite.
- To remove the record as a favorite, click the star again to revert it to gray.