
Sugar Professional 11.3 Application Guide

Sugar Professional 11.3 Application Guide	28
Introduction	28
Overview	28
Core Features	28
Sales Force Automation	28
Marketing Tools	29
Customer Support	29
Record Keeping	29
Collaboration	29
Reporting	30
Getting Started	30
Overview	30
Accessing Sugar	30
Logging In	31
Standard Login	31
Logging in With SugarIdentity Using Multi-Factor Authentication	32
Resetting Your Password	34
Resetting Your Password Without SugarIdentity	35
Resetting Your Password With SugarIdentity	36
Setting Your Language	38
Logging Out	39
Automatic Log Outs	39
New User Wizard	39
Accepting Cookies	40
Configuring Your Information	40
Configuring Your Locale	41
Tour	42
User Preferences	43
User Profile Tab	44
User Profile	44
Employee Information	45
Email Settings	45
Password Tab	47
Advanced Tab	48
User Settings	48
Layout Options	49
Locale Settings	50
PDF Settings	51
Calendar Options	52
External Accounts Tab	54
Access Tab	56
Access Table	56
Roles	57
My Teams	58
Downloads Tab	59

User Holidays	60
Resetting a User's Preferences	60
Changing Password	61
Resetting Multi-Factor Authentication	62
Accessing Support	63
Viewing Instance Information	64
User Interface	64
Overview	64
Sidecar Modules	65
Theme	65
Navigation Bar	65
Home	66
Module Tabs	67
Global Search	69
Notifications	69
Notification Severity Levels	70
User Menu	71
Quick Create	72
Footer	73
Field Types	75
Checkbox Fields	75
Comment Log Fields	75
Tagging Users in Comment Log Entries	76
Linking to Records in Comment Log Fields	77
Date Fields	77
Datetime Fields	78
Dropdown Fields	78
Email Address Fields	79
Flex Relate Fields	80
Iframe Fields	81
Integer Fields	82
Multiselect Fields	82
Radio Fields	82
Relate Fields	82
Tags Fields	83
Teams Fields	83
Text Fields	84
Text Area Fields	84
Creating Records	84
Basic Record Creation	85
Creating via Quick Create	86
Creating via Subpanels	86
Creating via Duplication	87
Importing Records	88
Viewing Records	88

Viewing via List View	88
Viewing via Record View	89
Viewing via Recently Viewed	89
Viewing via Dashlets	89
Viewing via Activity Streams	90
Viewing via Preview	91
Viewing via Reports	92
Searching for Records	93
Global Search	93
Sweet Spot Search	93
List View Search	94
Creating a Filter	96
Filtering User Fields	98
Saving a Filter	98
List View	99
Total Record Count	100
Create Button	100
List View Search	100
Refreshing Search Results	101
Checkbox Selection	101
Mass Actions Menu	102
Favorite Designation	103
Column Reordering	104
Column Resizing	104
Column Sorting	105
Column Selection	105
Preview	106
Record Actions Menu	106
More Records	107
Activity Stream	107
Dashboards	108
Record View	109
Favorite Designation	110
Following Designation	110
Next or Previous Record	111
Actions Menu	111
Show More	112
Subpanels	112
Related Record Subpanels	113
Filtering Subpanels	116
Reordering Subpanels	117
Refreshing Subpanels	117
Activity Stream	117
Dashboards	118
Intelligence Pane	119

Dashboards	119
Previews	119
Viewing Previews	119
Previewing From List Views	119
Previewing From Record View	120
Previewing From Activity Streams	121
Previewing From Global Search	122
Show More	122
Previewing a Record's Activity Stream	123
Previewing Next and Previous Records	124
Closing a Preview	124
Editing Records	125
Editing Inline via Record View	125
Editing via Record View	125
Editing Inline via Subpanels	126
Editing Inline via List View	126
Editing via Preview	127
Mass Editing via List View	128
Deleting Records	130
Deleting via Record View	130
Deleting via List View	131
Mass Deleting via List View	131
Emailing Records	132
Emailing via List View	133
Emailing via Quick Create	134
Emailing via the Emails Module	136
Emailing via Workflows	137
Exporting Records	137
Recalculating Calculated Values	138
Finding Duplicate Records	139
Merging Records	140
Merging via List View	141
Viewing Record Historical Summaries	142
Viewing Record Audit Logs	144
Viewing Email Address Audit Logs	146
Viewing Personal Information	147
Record PDFs	147
Downloading Record PDFs	148
Emailing Record PDFs	148
Favoriting Records	149
Favoriting via List View	150
Favoriting via Record View	150
Favoriting via Subpanel	150
Following Records	151
Following via List View	151

Following via Record View	152
Sharing Records	152
Using the TinyMCE Text Editor	153
Activity Streams	154
Overview	154
Viewing Activity Streams	155
Viewing via Home Page	155
Viewing via Dashlet	156
Viewing via List View	156
Viewing via Record View	157
Viewing via Intelligence Pane	158
Activity Stream Views	159
Post Options	159
Filter Options	159
Refresh Button	160
Preview Button	160
Comment Button	161
Post Icon	161
Right Hand Side Drawer	162
More Posts	162
Personalizing Activity Stream	163
Following Records	163
Favoriting Records	163
Unfollowing Records	163
Creating User Posts	164
Creating via Home Page	164
Creating via List View	165
Creating via Record View	166
User Post Options	166
Adding Rich Content and External Messages	167
Adding Attachments	168
Adding via Dashlets	171
Referencing Users and Records	171
Viewing Field Changes	172
Commenting on Posts	173
Previewing Posts	174
Accessibility	176
Overview	176
Shortcut Keys	176
Global Shortcut Keys	177
List View Shortcut Keys	177
Record View Shortcut Keys	179
Customizing Shortcut Keys	180
Tabbing in Sugar	181
Tabbing in Global Search	182

Dashboards and Dashlets	182
Overview	182
Understanding Dashboards	183
Dashboards in Views vs the Dashboards Module	183
Shared Dashboards	183
Teams Access	184
Favorites and Default Dashboards	184
Personalizing Shared Dashboards	184
Out-of-the-Box Default Dashboards	185
Using Dashboards and Dashlets	185
Dashboard Floating Actions Button	187
Creating Dashboards	189
Duplicating Dashboards	190
Editing Dashboards	191
Renaming Dashboards	192
Switching Between Dashboards	192
Deleting Dashboards	193
Removing Dashboards From Views	194
Adding Dashlets	195
Rearranging Dashlets	196
Editing Dashlets	197
Deleting Dashlets	198
Collapsing and Expanding Dashlets	198
Resizing Dashlets	199
Refreshing Dashlets	200
Managing Dashboards	201
Dashboard Module Fields	203
Working With the Dashboards Module	203
Sharing Dashboards With Teams	205
Pulling Dashboards to Your Views	206
Pushing Dashboards to Teams	207
Reassigning Dashboards	208
Commonly Used Dashlets	209
List View Dashlet	209
Creating a Filter	211
Steps to Edit a Dashlet	214
Active Tasks Dashlet	216
Inactive Tasks Dashlet	218
History Dashlet	219
Planned Activities Dashlet	220
Calendar Scheduler Dashlet	221
Notes & Attachments Dashlet	221
My Activity Stream Dashlet	222
Opportunity Metrics Dashlet	223
Cases Summary Dashlet	224

Product Catalog Dashlet	226
RSS Feed Dashlet	227
Web Page Dashlet	227
Sales Pipeline Chart Dashlet	228
Saved Reports Chart Dashlet	230
Organization Chart	233
Module-Specific Dashlets	235
Home	236
Overview	236
Home Module Tab	237
Dashboards	238
Dashlets	238
Commonly Used Dashlets	238
Adding Dashlets to Home Dashboards	239
Activity Stream	240
Search	241
Overview	241
Sweet Spot Search	241
Global Search	244
Operators	249
Viewing All Results	252
Filtering the View All Results Page	253
Filtering by Module	254
Keyboard Navigation	255
Admin Configuration	257
Advanced Options	257
List View Search (Sidecar Modules)	258
Wildcards	259
AND vs OR	261
Filter	262
Creating a Filter	263
Preview	265
Record View Search (Sidecar Modules)	265
Related Records Search	266
Related Module	266
Wildcards	267
Filter	268
Creating a Related Records Filter	269
Activity Stream Search	270
Activity Type Filter	271
Preview	271
List View Search (Legacy Modules)	272
Basic Search	272
Advanced Search	273
Layout Options	275

Saved Search	277
AND vs OR	278
Wildcards	279
Search Memory	280
Admin Configuration	281
Tags	281
Overview	281
Understanding Tag Behavior	282
Clicking on Tags	283
Tag Fields	284
Creating Tags	284
Creating via Tags Field	285
Creating via Tags Module	285
Tagging Records	285
Tagging via Record View	286
Tagging via Mass Update	288
Tagging via Import	289
Formatting Tag Imports	290
Using Tags in Global Search	290
Managing Tags	291
Working With Sugar Modules	292
Tag Menus	292
Module Tab Menus	292
List View Menus	293
List View Mass Actions Menu	293
Record View Actions Menu	294
Common Views and Actions	294
Calendar	296
Overview	296
Suggested Settings	297
Calendar Module Tab	297
Calendar Actions	298
Calendar List View	301
List View Mass Actions Menu	301
List View Record Actions Menu	302
Calendar Record View	302
Configuring Calendars	303
Creating or Editing a Calendar	303
Calendar Settings	303
Understanding End and Duration Fields	306
Calendar Templates	306
Other Calendar Fields	309
Importing a Calendar	309
Creating Calendar Events	310
Creating Events via Calendar	310

Creating Events via Calendar Actions Menu	311
Viewing the Calendar	312
Calendar Views	315
Viewing User and Team Calendars	316
Editing Calendar Events	319
Moving Scheduled Events on the Calendar	320
Editing Recurring Meetings and Calls	322
Removing Events From Your Calendar	322
Sharing Calendars	324
Publishing Your Sugar Calendar	325
Publishing to Your Outlook Calendar	325
Integrating With MS Outlook	325
Calendar Scheduler Dashlet	326
Leads	328
Overview	328
Lead Fields	329
SugarPredict	332
Lead Creation via Web-to-Lead Form	333
Converting Leads	333
Lead Conversion Options	334
Duplicate Record Check	334
Steps to Convert a Lead	335
Emails and Leads	338
Emails Subpanel	339
Calls, Meetings, and Leads	339
Calls and Meetings Subpanels	339
Campaigns and Leads	340
Adding to a Target List via Leads List View	340
Managing Lead Subscriptions	341
Campaign Log Subpanel	342
vCards and Leads	343
Creating Leads via vCard	343
Downloading a Lead's vCard	343
Working With Sugar Modules	344
Lead Menus	344
Module Tab Menus	345
List View Menus	346
List View Mass Actions Menu	346
List View Record Actions Menu	347
Record View Actions Menu	348
Common Views and Actions	349
Contacts	350
Overview	350
Contact Fields	351
Emails and Contacts	354

Emails Subpanel	354
Calls, Meetings, and Contacts	356
Calls and Meetings Subpanels	356
Campaigns and Contacts	356
Adding to a Target List via Contacts List View	357
Managing Contact Subscriptions	358
Campaign Log Subpanel	360
Converting Leads to Contacts	361
vCards and Contacts	363
Creating Contacts via vCard	363
Downloading a Contact's vCard	364
Working With Sugar Modules	364
Contact Menus	365
Module Tab Menus	365
List View Menus	366
List View Mass Actions Menu	366
List View Record Actions Menu	367
Record View Actions Menu	368
Common Views and Actions	370
Accounts	371
Overview	371
Account Fields	371
Emails and Accounts	374
Emails Subpanel	374
Campaigns and Accounts	375
Adding to a Target List via Accounts List View	375
Campaign Log Subpanel	376
Leads and Accounts	377
Creating via Lead Conversion	377
Working With Sugar Modules	379
Account Menus	380
Module Tab Menus	380
List View Menus	381
List View Mass Actions Menu	381
List View Record Actions Menu	382
Record View Actions Menu	382
Common Views and Actions	384
Emails	385
Overview	385
Sending and Receiving Email in Sugar	386
Receiving Email	386
Emails	386
Email Fields	386
Archiving Emails	390
Manually Creating Archived Emails	390

Composing Emails	391
Working With Recipient Fields	392
Using the Address Book	393
Freehand Address Entry	394
Adding Attachments	394
Using a Template	396
Using an Email Signature	397
Saving and Editing Draft Emails	398
Sending Emails	399
Replying to Emails	399
Forwarding Emails	400
Relating Emails to Records	401
Understanding Email Address Opt-Outs	402
Unlinking Emails	403
Email Templates	404
Viewing Email Templates	404
Creating Email Templates	404
Email Template Fields	405
Inserting Template Variables	406
Editing Email Templates	407
Email Signatures	408
Viewing Email Signatures	408
Creating Email Signatures	408
Email Signature Fields	409
Editing Email Signatures	410
Sugar Email Archiving Service	411
Features and Limitations	411
Relating Archived Emails to Sugar Records	411
Email Assignment	413
Outgoing Email Accounts	413
Creating Outgoing Email Accounts	415
Editing Outgoing Email Accounts	418
Deleting Outgoing Email Accounts	418
Email's Direction Field	419
Working With Sugar Modules	420
Email Menus	420
Emails Module Tab Menu	420
List View Menus	422
List View Mass Actions Menu	422
List View Record Actions Menu	423
Record View Actions Menu	423
Common Views and Actions	424
Meetings	427
Overview	427
Meeting Fields	427

Meetings Color Codes	430
List View Filters	431
Meeting Guests	432
Adding via the Guests Panel	432
Adding via Create a Guest	433
Recurring Meetings	434
Creating Recurring Meetings	434
Editing All Recurrences via Record View	435
Deleting All Recurrences via Record View	436
Deleting All Recurrences via List View	436
Meeting Reminders	437
Email Reminders	437
Popup Reminders	438
Closing Meetings	439
Closing via Record View	439
Closing via List View	440
Closing via Dashlet	440
Working With Sugar Modules	441
Meeting Menus	441
Module Tab Menus	442
List View Menus	443
List View Mass Actions Menu	443
List View Record Actions Menu	443
Record View Actions Menu	444
Common Views and Actions	446
Calls	447
Overview	447
Call Fields	447
Calls Color Codes	450
List View Filters	451
Call Guests	451
Adding via the Guests Panel	452
Adding via Create a Guest	453
Recurring Calls	454
Creating Recurring Calls	454
Editing All Recurrences via Record View	455
Deleting All Recurrences via Record View	456
Deleting All Recurrences via List View	456
Call Reminders	457
Email Reminders	457
Popup Reminders	458
Closing Calls	458
Closing via Record View	459
Closing via List View	459
Closing via Dashlet	460

Working With Sugar Modules	461
Call Menus	461
Module Tab Menus	461
List View Menus	462
List View Mass Actions Menu	462
List View Record Actions Menu	463
Record View Actions Menu	464
Common Views and Actions	465
Tasks	468
Overview	468
Task Fields	468
Task Due Date Colors	470
Task Dashlets	471
Active Tasks Dashlet	471
Inactive Tasks Dashlet	472
Closing Tasks	472
Closing via List View	472
Closing via Record View	473
Closing and Creating New via Record View	473
Closing via Subpanels	474
Closing via Dashlet	474
Working With Sugar Modules	475
Task Menus	475
Module Tab Menus	475
List View Menus	476
List View Mass Actions Menu	476
List View Record Actions Menu	477
Record View Actions Menu	478
Common Views and Actions	480
Notes	483
Overview	483
Note Fields	483
Note Attachments	485
Working With Sugar Modules	486
Note Menus	486
Module Tab Menus	486
List View Menus	487
List View Mass Actions Menu	487
List View Record Actions Menu	488
Record View Actions Menu	489
Common Views and Actions	490
Opportunities	491
Overview	491
Opportunity Fields	491
Sales Stages	494

SugarPredict	496
Product Catalog Quick Picks Dashlet	496
Quotes and Opportunities	497
Generating Opportunities From Quotes	497
Emails and Opportunities	498
Emails Subpanel	498
Leads and Opportunities	500
Creating via Lead Conversion	500
Forecasts and Opportunities	502
Contacts and Opportunities	503
Currencies and Opportunities	503
Filtering on Currency Fields	504
Updating Currency Rates	504
Working With Sugar Modules	505
Opportunity Menus	505
Module Tab Menu	506
List View Menus	506
List View Mass Actions Menu	507
List View Record Actions Menu	507
Record View Actions Menu	508
Common Views and Actions	510
Quotes and Quoted Line Items	514
Overview	514
Quotes and Quoted Line Items	515
Quote Fields	515
Quote Stages	518
Order Stages	519
Calculated Fields	520
Quoted Line Item Fields	521
Building Quotes	524
Quote Worksheet Options and Menus	524
Creating Quoted Line Items via Quote Worksheet	525
Creating Quoted Line Items	526
Creating Custom Quoted Line Items	527
Creating Quoted Line Items via Product Catalog	528
Editing Quoted Line Items	530
Moving Quoted Line Items	531
Deleting Quoted Line Items	531
Quoted Line Item Groups	532
Creating Groups	533
Creating Empty Groups	533
Creating Groups from Quoted Line Items	534
Editing Groups	534
Deleting Groups	535
Comments	535

Creating Comments	535
Editing Comments	536
Moving Comments	537
Deleting Comments	537
Products and Quoted Line Items	538
Product Catalog Dashlet	538
Viewing Products and Categories via Dashlet	539
Searching for Products and Categories via Dashlet	539
Previewing Products via Dashlet	540
Favoriting Products via Dashlet	541
Product Catalog Quick Picks Dashlet	541
Previewing Products via Dashlet	542
Favoriting Products via Dashlet	543
Creating Opportunities from Quotes	544
Downloading Quotes as PDFs	545
Currencies and Quotes	547
Grand Total vs Converted Amount	549
Updating Currency Rates	550
Filtering on Currency Fields	550
Working With Sugar Modules	551
Quote Menus	551
Module Tab Menus	551
List View Menus	552
List View Mass Actions Menu	552
List View Record Actions Menu	553
Record View Actions Menu	554
Common Views and Actions	555
Product Catalog	556
Overview	556
Product Catalog	557
Product Catalog Fields	557
Product Status	560
Product Categories	560
Product Category Fields	560
Ordering Product Categories	561
Product Types	561
Product Type Fields	561
Ordering Product Types	562
Manufacturers	562
Manufacturer Fields	562
Ordering Manufacturers	563
Working With Products-Related Modules	563
Menus	563
Module Tab Menus	563
List View Menus	565
Mass Actions Menu	565

Record Actions Menu	566
Record View Actions Menu	566
Common Views and Actions	567
Forecasts	570
Overview	570
Forecast Fields	571
Forecasts Module Tab	573
Forecast Actions	573
Sales Representatives	574
Time Periods	574
Summary and Commit History	575
Filters	575
Column Resizing	576
Column Sorting	576
Column Selection	577
Line Items and Totals	577
Editing Forecast Inclusion	578
Editing Opportunity Fields	579
Currency Support	579
Intelligence Pane	579
In Forecast Dashlet	580
Forecast Bar Chart Dashlet	582
Sales Managers	583
Forecast Drilldown	584
Own Line Items	584
Reportee's Line Items	584
Team Worksheet	585
Management Hierarchy	586
Time Periods	586
Summary and Commit History	587
Column Resizing	587
Column Sorting	588
Column Selection	588
Filters	589
Intelligence Pane	589
In Forecast Dashlet	590
Forecast Bar Chart Dashlet	592
Saving Forecast Drafts	594
Committing Forecasts	594
Assigning Quotas	595
Exporting Forecasts	595
Configuring Forecasts	596
Contracts	596
Overview	596
Contract Fields	597

Working With Sugar Modules	599
Contract Menus	599
Module Tab Menus	599
List View Menus	600
List View Mass Actions Menu	600
List View Record Actions Menu	601
Record View Actions Menu	602
Common Views and Actions	603
Documents	604
Overview	604
Document Fields	605
Documents and Google Drive	606
Creating via Google Drive	607
Document Revisions	608
Downloading Documents	609
Working With Sugar Modules	610
Document Menus	610
Module Tab Menus	610
List View Menus	611
List View Mass Actions Menu	611
List View Record Actions Menu	612
Record View Actions Menu	613
Common Views and Actions	614
Cases	615
Overview	615
Case Fields	615
Case Attachments	617
Emails and Cases	618
Creating Cases via Inbound Email	618
Email Case Macro	619
Emails Subpanel	620
Contacts and Cases	620
Knowledge Base Articles and Cases	621
Working With Sugar Modules	622
Case Menus	622
Module Tab Menus	622
List View Menus	623
List View Mass Actions Menu	623
List View Record Actions Menu	624
Record View Actions Menu	625
Common Views and Actions	627
Bugs	630
Overview	630
Bug Fields	631
Emails and Bugs	632

Emails Subpanel	633
Escalations and Bugs	634
Creating a Knowledge Base Article	634
Working With Sugar Modules	635
Bug Menus	635
Module Tab Menus	635
List View Menus	636
List View Mass Actions Menu	636
List View Record Actions Menu	637
Record View Actions Menu	638
Common Views and Actions	640
Knowledge Base	643
Overview	643
Article Fields	644
Article Statuses	646
Publishing Articles	647
Publishing Articles Immediately	648
Scheduling a Future Publish	648
Viewing Published Articles by Category	649
Creating Articles via Cases	649
Article Templates	650
Applying Templates to Articles	650
Article Ratings	651
Viewing Article Ratings	651
Viewing Useful Published Articles	652
Article Attachments	652
Article Localizations	653
Creating Localization Articles	653
Localizations Subpanel	655
Published Articles in Other Languages Dashlet	657
Article Revisions	657
Creating Revision Articles	658
Deleting Revision Articles	659
Revisions Subpanel	659
Article Categories	661
Creating Categories	662
Creating via Categories List View	662
Creating via Category Field	663
Renaming Categories	664
Moving Categories	665
Moving via Drag and Drop	665
Moving via Record Actions Menu	666
Deleting Categories	666
Working With Sugar Modules	667
Article Menus	668

Module Tab Menus	668
List View Menus	669
List View Mass Actions Menu	669
List View Record Actions Menu	670
Record View Actions Menu	671
Common Views and Actions	672
Targets	673
Overview	673
Target Fields	674
Converting Targets to Leads	677
Emails and Targets	678
Emails Subpanel	678
Campaigns and Targets	678
Adding to a Target List via Targets List View	679
Managing Target Subscriptions	680
Campaign Log Subpanel	682
vCards and Targets	682
Creating Targets via vCard	682
Downloading a Target's vCard	683
Working With Sugar Modules	684
Target Menus	684
Module Tab Menus	684
List View Menus	685
List View Mass Actions Menu	685
List View Record Actions Menu	686
Record View Actions Menu	687
Common Views and Actions	689
Target Lists	692
Overview	692
Target Lists Fields	693
Target List Types	694
Populating Target Lists	695
Populating via Individual Selection	696
Populating via Reports	696
Populating via Module List View	697
Populating via Importing Targets	698
Exporting Target List Members	699
Working With Sugar Modules	700
Target Lists Menus	700
Module Tab Menus	700
List View Menus	701
List View Mass Actions Menu	701
List View Record Actions Menu	702
Record View Actions Menu	703
Common Views and Actions	703

Campaigns	706
Overview	706
Campaign Fields	706
Campaigns Module Tab	708
Prerequisites	709
Campaign Diagnostic Tool	710
Campaign Types	712
Creating Campaigns	712
Creating Via Classic Option	712
Creating Via Duplication	713
Creating Target Lists	714
Creating Tracker URLs	715
Creating Redirect Tracker URLs	716
Creating Opt-Out Tracker URLs	717
Creating Email Marketing Records	718
Creating Email Templates	720
Inserting Variables	721
Inserting Tracker URLs	722
Testing Campaigns	723
Sending Campaigns	724
Viewing Campaign Status	725
Campaign Status Chart	726
Message Queue Subpanel	726
Campaign Response Subpanels	727
Campaign Results Subpanels	728
Viewing Campaign ROI	729
Viewing Campaigns	729
Viewing Via List View	729
Viewing Via Detail View	729
Viewing Via Recently Viewed	730
Viewing Via Dashlets	730
Viewing Via Reports	730
Searching Campaigns	731
Basic Search	731
Advanced Search	732
Global Search	733
Campaigns List View	734
Pagination	734
Checkbox Selection	735
Actions Menu	735
Favorite Designation	736
Campaign Status	736
Campaign Wizard	737
More Information	737
Column Sorting	737

Campaigns Detail View	738
Actions Menu	738
Favorite Designation	739
Next or Previous Record	739
Related Record Subpanels	740
Editing Campaigns	741
Editing Via Detail View	741
Editing Via List View	742
Deleting Campaigns	742
Deleting Via Detail View	742
Mass Deleting Via List View	743
Exporting Campaigns	743
Mass Updating Campaigns	744
Favoriting Campaigns	745
Favoriting Via List View	745
Favoriting Via Detail View	746
Sharing Campaigns	746
Marking Campaigns As Sent	747
Viewing Campaign Change Logs	747
Using the Campaign Wizard	748
Web-To-Lead Forms	748
Overview	748
Creating Web-To-Lead Forms	749
Including Email Addresses on Forms	752
Saving Web-To-Lead Forms	752
Lead Generation	753
Reports	755
Overview	755
Report Fields	755
Report Types	756
Rows and Columns	757
Summation	757
Summation Report with Details	757
Matrix	757
Creating Reports	758
Creating via Reports Module	758
Creating a Rows and Columns Report	758
Creating a Summation Report	762
Creating a Summation Report with Details	765
Creating a Matrix Report	768
Creating Reports via Duplication	770
Report Options	771
Report Filters	771
Target Module Filters	771
Related Module Filters	772

Filter Values	773
Run-Time Filters	774
Operators	775
Filter Groups	775
Filters on Tag Fields	776
Filters on Date and Datetime Fields	777
Group By Fields	779
Report Display Columns	780
Changing Display Column Labels	781
Changing Display Column Order	781
Defining Column Sort	781
Optional Related Modules	781
Show Query	782
Reports Detail View	783
Favorite Designation	783
Run-time Filters	783
Report Details	784
Report Chart	784
Drilling Through Report Charts	785
Report Chart Options	787
Report Results	789
Rows and Columns Report Result	789
Summation Report Result	790
Summation Report with Details Result	790
Matrix Report Result	791
Viewing Currency Fields	791
Running Reports	792
Editing Reports	793
Editing via Detail View	794
Deleting Reports	794
Deleting via Detail View	794
Exporting Reports	795
Printing Reports as PDFs	795
Scheduling Reports	796
Report Schedule Requirements	797
Report Schedule Fields	797
Creating Report Schedules	799
Viewing Report Schedules	801
Favoriting Reports	802
Favoriting via Detail View	802
Sharing Reports	803
Adding Report Results to Target Lists	803
Working With Sugar Modules	804
Report Menus	804
Module Tab Menus	804

List View Menus	805
List View Mass Actions Menu	806
List View Record Actions Menu	806
Detail View Actions Menu	807
Common Views and Actions	808
Stock Reports	810
Overview	810
Viewing Stock Reports	811
Stock Report Tags	811
Stock Report Filters	811
Editing Stock Reports	812
Stock Reports by Category	812
Administration Reports	812
Customer Service Reports	816
Data Privacy Reports	829
Sales and Marketing Reports	831
Restoring Deleted Stock Reports	843
Export	844
Overview	844
Exporting From Module List Views	844
Exporting From Sidecar Module List Views	845
Exporting From Legacy Module List Views	846
Exported Files From List View	847
Exporting From Reports	847
Exported Files From Reports	848
Import	849
Overview	849
Import Guidelines	850
Importing New Records	851
Importing Updates to Existing Records	856
Updating the 'Date Modified' and 'Modified By ID' Fields	862
Updating the 'Date Created' and 'Created By ID' Fields	862
Importing Fields With Multiple Values	863
Importing Multiselect Fields to New Records	863
Importing Multiselect Fields to Existing Records	864
Importing Relationships	865
Importing Team-Based Permissions	877
Import File Template	878
Saving Field Mappings	878
Detecting Duplicates	879
External Data Sources	880
Importing Data From Google	880
Admin Import Wizard	882
Data Privacy	882
Overview	883

Data Privacy Fields	883
Data Privacy Types	885
Managing Data Privacy in Sugar	886
Working With Sugar Modules	886
Data Privacy Menus	886
Module Tab Menus	887
List View Menus	888
List View Mass Actions Menu	888
List View Record Actions Menu	888
Record View Actions Menu	889
Common Views and Actions	890
Employees	890
Overview	891
Employee Fields	891
Employees Module Tab	892
Viewing Employees	893
Viewing Via List View	893
Viewing Via Detail View	893
Viewing Via Recently Viewed	893
Searching Employees	894
Basic Search	894
Advanced Search	895
Employees List View	896
Pagination	896
Column Sorting	896
Employees Detail View	897
Next or Previous Record	897
Mobile Browser	898
Projects	898
Overview	898
Project Fields	898
Projects Module Tab	899
Creating Projects	900
Creating via Projects Module	900
Creating via Quick Create	901
Creating via Project Template	902
Viewing Projects	902
Viewing via List View	903
Viewing via Detail View	903
Viewing via Recently Viewed	903
Viewing via Project Dashboard	903
Viewing via Dashlets	904
Viewing via Reports	904
Searching Projects	905
Basic Search	906

Advanced Search	906
Global Search	907
Projects List View	908
Pagination	908
Checkbox Selection	909
Actions Menu	909
Favorite Designation	910
More Information	910
Column Sorting	910
Projects Detail View	911
Actions Menu	911
Favorite Designation	912
Next or Previous Record	912
Subpanels	912
Resources Subpanel	913
Project Tasks Subpanel	913
Project Holidays Subpanel	914
Activities and History Subpanels	914
Related Record Subpanels	915
Editing Projects	916
Editing via Detail View	917
Editing via List View	917
Deleting Projects	918
Deleting via Detail View	918
Mass Deleting via List View	919
Exporting Projects	919
Exporting to Microsoft Project	920
Mass Updating Projects	920
Favoriting Projects	921
Favoriting via List View	922
Favoriting via Detail View	922
Favoriting via Subpanel	922
Project Templates	922
Project Resources	923
Project Resource Reports	924
Project Holidays	926
Project Tasks	926
Project Task Fields	926
Project Tasks Module Tab	929
Creating Project Tasks	929
Viewing Project Tasks	931
Viewing Project Tasks via Gantt Chart	931
Viewing Project Tasks via My Projects Dashboard	931
Viewing Project Tasks via List View	932
Viewing Project Tasks via Detail View	932

Viewing Project Tasks via Recently Viewed	932
Viewing Project Tasks via Dashlets	933
Viewing Project Tasks via Reports	933
Searching Project Tasks	934
Project Tasks Basic Search	934
Project Tasks Advanced Search	935
Project Tasks List View	936
Project Tasks Pagination	937
Project Tasks Checkbox Selection	937
Project Tasks Actions Menu	937
Favorite Designation	938
Project Tasks More Information	938
Project Tasks Column Sorting	939
Project Tasks Detail View	939
Project Tasks Actions Menu	939
Favorite Designation	940
Next or Previous Project Task Record	940
Project Tasks Subpanels	940
Project Tasks Related Record Subpanels	941
Project Tasks Activities and History Subpanels	942
Project Tasks Gantt Chart	943
Gantt Chart Toolbar	943
Editing Project Tasks	945
Editing Project Tasks via Detail View	945
Editing Project Tasks via Gantt Chart	946
Editing Project Tasks via List View	946
Deleting Project Tasks	946
Deleting Project Tasks via Gantt Chart	947
Mass Deleting Project Tasks via List View	948
Exporting Project Tasks	949
Mass Updating Project Tasks	949
Favoriting Project Tasks	950
Favoriting via List View	951
Favoriting via Detail View	951

Sugar Professional 11.3 Application Guide

The Sugar Application Guide covers the user-facing functionality of Sugar's CRM system.

Last Modified: 2021-11-08 16:25:59

Introduction

Overview

Welcome to Sugar - a commercial Customer Relationship Management (CRM) application. Strong relationships are at the core of every organization's success. Sugar brings ease and order to the creation, development, and maintenance of your organization's important relationships.

Sugar consists of interrelated records in modules such as Accounts, Contacts, Opportunities, Cases, Meetings, Emails, etc. and wraps your data in an intuitive user interface which helps make sense of these different elements of your business. Whatever your organization's focus - sales, marketing, support, or other ventures - Sugar's flexible modules bend to align with your business' models and practices. Manage your relationships from inception to fruition and beyond with Sugar's built-in modules and relationships as well as your custom modules and configurations available to [Sugar administrators](#).

Core Features

Sales Force Automation

- [Target](#), [Lead](#), and [Contact](#) management to direct and organize efforts throughout the sales life cycle
- [Account](#) management to aggregate interactions with organizations and individuals
- [Opportunity](#) management to pursue new business, share sales information, and track deal progress
- [Sales Forecasting](#) to enable sales representatives and managers to

-
- understand upcoming business
 - [Quote](#) management to prepare potential sale figures including multiple line items, currencies, and tax codes
 - [Quoted Line Item](#) management to capture the details of your organization's goods and services

Marketing Tools

- [Target](#), [Lead](#), and [Contact](#) management to support the creation of new relationships
- [Email marketing campaigns](#) to present relevant email messages to groups of recipients
- [Campaign](#) management and reporting for tracking campaigns across multiple channels and analyzing the effectiveness of marketing activities
- [Target List](#) management to organize groups of recipients for ensuring campaign message relevance
- [Web-to-Lead Forms](#) to capture lead information directly from external web input

Customer Support

- [Case](#) management to track service and resolution of customer issues
- [Bug](#) tracking to identify, prioritize, and resolve product issues
- [Contact](#) and [Account](#) management to track support history and enable continuity of service
- [Knowledge Base](#) to manage information and share it externally

Record Keeping

- [Email](#), [Task](#), [Call](#), and [Meeting](#) management to facilitate day-to-day work
- [Note](#) management to affix information and file attachments to other Sugar modules
- [Document](#) management to track living documents and their changes
- [Contract](#) management to capture and maintain sales and service contracts
- [Search](#) capabilities to quickly and easily locate your data

Collaboration

-
- Shared [Email](#) and [Calendar](#) to provide visibility across individuals and teams
 - [Connectors](#) and tools to leverage third-party information regarding your prospects and clients

Reporting

- [Report](#) creation and management to gain insight into your organization's Sugar data
- [Home](#) page dashlets to display important tables and reports

Last Modified: 2021-11-08 16:25:59

Getting Started

Overview

Sugar offers users a wide range of configuration options when getting started with the application. Your first time logging into Sugar the New User Wizard will step through configuring some basic settings (i.e., Your Information, Your Locale). You may skip these steps and configure these settings in your user preferences at a later time. Please note that system administrators can also set up each user's basic settings when creating the user in Sugar. This documentation will cover the various options (e.g., New User Wizard, User Preferences) available when first getting started with Sugar and accessing your account.

Note: For instances that use [SugarIdentity](#), certain configuration options (e.g., editing certain user fields) will not be available. These differences are covered in the following sections.

Accessing Sugar

Prerequisites

The following will need to be installed and configured on your local machine prior to accessing Sugar:

- A supported web browser application (e.g., Chrome, Firefox) is required on

your computer. For more information on the various supported web browsers, please refer to the [Supported Platforms](#) page.

- The web browser must have JavaScript and cookie support enabled in order to access Sugar.
- Network access to a server running your Sugar instance is required.

Logging In


Refer to the appropriate section below for steps on logging in to your Sugar instance.

Standard Login

Use the following steps to log in to your Sugar instance:

Note: The following steps pertain to instances that do not use SugarIdentity as well as instances that use [SugarIdentity](#).

1. Enter your Sugar instance URL (e.g., <https://example.sugarondemand.com>) in your web browser to access Sugar's login screen.
2. Enter your Sugar login credentials (User Name and Password) on the login screen then click "Log In".
 - If you do not know your instance URL or login credentials, please reach out to your system administrator for assistance.
 - If your Sugar instance is configured for [single sign-on \(SSO\)](#) (e.g., SAML), then the login screen will display a separate login button where you will enter your identity provider (e.g., Okta) login credentials to be authenticated and automatically logged in to your Sugar account.



The image shows a screenshot of the SugarCRM Partner Portal Login page. At the top left is the SugarCRM logo. Below it, the text reads "Welcome to SugarCRM Partner Portal Login". There are two input fields: "User Name" and "Password". Below the "Password" field is a link that says "Forgot Password?". At the bottom right, there is a blue "Log In" button, which is highlighted with a red rectangular border.

3. The New User Wizard will launch upon your first successful login to Sugar allowing you to configure some of your basic personal settings.

Note: For instances that use SugarIdentity, the [User Profile](#) step of the

User Wizard is read-only and the displayed fields (e.g., First Name, Last Name) will not be editable in your user profile as they can only be edited by administrators in [SugarIdentity](#) via the SugarCloud Settings console.

Note: If your instance has more active users than is allowed by your Sugar license, regular users will not be able to log in and a warning will be displayed on the screen once the user attempts to log in. Admin users will be able to log in but will be redirected to the Users module. For more information, see the [Understanding User Types, License Types, and Sugar Licenses](#) article.

Logging in With SugarIdentity Using Multi-Factor Authentication


For instances that use [SugarIdentity](#), administrators can enable [multi-factor authentication](#), which provides an added layer of security when logging in to Sugar to prevent unauthorized users from gaining access to your account. If multi-factor authentication is enabled for your Sugar instance, you will need to use a mobile authenticator app (e.g., Authy, Google Authenticator, Microsoft Authenticator) and enter the 6-digit code generated from the app to verify your identity when logging in to Sugar. Please note that multi-factor authentication only applies to users who log in using Sugar credentials or use [LDAP authentication](#).

Once multi-factor authentication is enabled for your Sugar instance, the following Sugar products will also use multi-factor authentication when logging in using SugarIdentity:

- [Sugar Mobile](#)
- [Sugar Connect](#)
- [Sugar Plug-in for Outlook](#)
- [Sugar Discover](#)


Use the following steps to log in to Sugar using multi-factor authentication:

1. Enter your Sugar instance URL (e.g., <https://example.sugarondemand.com>) in your web browser to access Sugar's login screen.
2. Enter your login credentials (User Name and Password) on the Sugar login screen, then click "Log In".




3. If this is your first time logging in after multi-factor authentication has been enabled or [reset](#), a QR code will appear on the screen. Scan the QR code using your authenticator app (e.g., Google Authenticator) to pair the app with Sugar. Click "Continue". If you cannot scan the QR code using your mobile device, skip to step 4.

Note: If you have already paired an authenticator app with Sugar, then skip to step 5.




4. If you cannot scan the QR code on step 3 using your mobile device, click the "Can't scan?" link and enter the secret key that appears on the screen into your authenticator app. Click "Continue".



5. On the next step, enter the 6-digit code generated from your authenticator app, then click "Log In" to access your Sugar account.

Note: Once your authenticator app is paired with Sugar, for future logins, you will just be required to enter a new 6-digit code on this screen after entering your login credentials on step 2.



6. The New User Wizard will launch upon your first successful login to Sugar allowing you to configure some of your basic personal settings.

Note: For instances that use SugarIdentity, the [User Profile](#) step of the User Wizard is read-only and the displayed fields (e.g., First Name, Last Name) will not be editable in your user profile as they can only be edited by administrators in [SugarIdentity](#) via the SugarCloud Settings console.

If you ever need to reset your multi-factor authentication, for example, to set up the authenticator app on a new mobile device, select the Reset Multi-Factor Auth option under your user menu on the upper right of Sugar. For more information, refer to the [Resetting Multi-Factor Authentication](#) section of this page.

Resetting Your Password

There may be occasions when users forget their Sugar password and will need to reset it. If the system administrator has enabled the Forgot Password feature via Admin > Password Management, users will have the option to request a password reset directly from Sugar's login screen. If you do not see the "Forgot Password?" link on your login screen, please reach out to your system administrator for further assistance.


System administrators can either enable the Forgot Password feature, send a system-generated password to the user, or manually change the user's password via Admin > User Management. For more information on how to set up and manage passwords in Sugar, refer to the [Password Management](#) documentation. Please note that the outbound mail server for the system must be configured via Admin > Email Settings and users will also need to have their [personal email settings](#) configured in their user preferences in order for the temporary password information to be emailed. For more information on setting up the system email settings, refer to the [Email](#) documentation in the Administration Guide.

Note: For Sugar instances that use [SugarIdentity](#), administrators will not be able to configure the [Forgot Password](#) option, [change](#) the user's password, or manually send a [system-generated password](#) to the user.

Resetting Your Password Without SugarIdentity

The following steps cover requesting a new password to receive a temporary system-generated password for a Sugar instance that does not use SugarIdentity:

1. Click the "Forgot Password?" link on the bottom left of Sugar's login dialog box.



The screenshot shows the SugarCRM login interface. At the top left is the SugarCRM logo. Below it are two input fields: 'User Name' and 'Password'. At the bottom left, there is a link labeled 'Forgot Password?' which is highlighted with a red rectangular box. To the right of this link is a blue button labeled 'Log In'.

2. Enter your Sugar user name and primary email address on file, then click "Request Password". If submitted successfully, a message will appear that your request has been submitted.


3. A temporary password will be emailed to your primary email address.
Note: If the administrator has disabled the System-Generated Passwords feature, then the password reset email will instead contain a link you can click to reset your password.
4. Enter the temporary password into Sugar's login screen.
Note: Be sure to change your password once logged in by navigating to the [Password tab](#) in your user preferences.

Resetting Your Password With SugarIdentity

Use the following steps to reset your password in a SugarIdentity-enabled instance:

1. Click the "Forgot Password?" link on the bottom of Sugar's login dialog box.

2. Enter your Sugar user name and primary email address on file, then click "Send". A message will appear confirming that the password reset email has been sent to your primary email address.


Welcome to
ABC Company Production

Forgot Password?

Enter your user name and email address below to receive the password reset instructions.

User Name (Required)

Email (Required)

Cancel Send

3. Click the password reset link in the email and you will be directed to the password reset page.
4. Enter your new password and confirmed password making sure to meet the password requirements listed on the screen. Click "Change password" then click the Log In button on the following dialog box if you wish to log in to your account.

Note: System administrators can [configure](#) the password requirements in SugarIdentity via the SugarCloud Settings console.


Welcome to
ABC Company Production

Reset your password

Password requirements:

- Minimum length = 8
- Maximum length = 18
- Must contain one upper case letter (A-Z)
- Must contain one lower case letter (a-z)
- Must contain one number (0-9)

New password

Confirm password

Change password

Note: System administrators also have the ability to send password reset emails to

users via the [SugarCloud Settings](#) console.

Setting Your Language

Users have the option to choose the primary language they want to be displayed in Sugar by clicking the Language link on the bottom right of the Login screen. The Language dropdown list will appear allowing you to select the appropriate language you want to be displayed in your Sugar account. The out-of-the-box default language is English (US), but administrators can change the default language globally via Admin > Locale. For more information on configuring the default language in Sugar, please refer to the [User Interface](#) section of the System documentation. Once the default language is changed by the administrator, it will display as the default selection on the login screen for all users.

Administrators can also control what languages are available to select in the Language dropdown list via Admin > Languages. If you do not see one of the listed languages below displayed in the Language dropdown list, please reach out to your system administrator for assistance. For more information on managing languages in Sugar, please refer to the [Languages](#) section of the System documentation.




The following languages are available for use in Sugar:

Albanian	Hungarian
Arabic	Italian
Brazilian Portuguese	Japanese
Bulgarian	Korean
Catalan	Latvian
Chinese (Simplified)	Lithuanian
Chinese (Traditional)	Norwegian
Croatian	Polish
Czech	Portuguese
Danish	Romanian
Dutch	Russian

English (UK)	Serbian
English (US)	Slovak
Estonian	Spanish
Finnish	Spanish (Latin)
French	Swedish
German	Thai
Greek	Turkish
Hebrew	Ukrainian

Logging Out

When you are done working in Sugar and wish to log out of the system, simply click your user name on the upper right of Sugar and select "Log Out". This will log you out completely from Sugar and you must [log in](#) again in order to access your account.



Automatic Log Outs

While working in Sugar, a user may be automatically logged out of the system. There are several valid and expected reasons that this may occur, primarily for security purposes. For more information and steps to troubleshoot this behavior, please refer to the [Troubleshooting Sugar Logging Out Unexpectedly](#) Knowledge Base article.

Please note that users can have multiple tabs of Sugar pages open within the same web browser (e.g., Chrome) without getting logged out of the system. For example, this is useful when working with multiple Sugar pages or records without navigating away from previous pages.


New User Wizard

When users first log in to Sugar, they will step through the New User Wizard to configure some basic settings (i.e., User Profile and User Locale Settings). If the system administrator already configured your basic settings when adding you as a user to Sugar, the fields in the wizard will be populated with the provided information. You can update your information as you go through the New User Wizard to make any necessary changes. Please note that you can skip the steps in the wizard if you wish to configure the settings via your user preferences at a later time.

Note: For instances that use SugarIdentity, the [User Profile](#) step of the User Wizard is read-only and the displayed fields (e.g., First Name, Last Name) will not be editable in your user profile as they can only be edited by administrators in [SugarIdentity](#) via the SugarCloud Settings console.

Accepting Cookies

In order to log in to Sugar, you must accept the use of cookies in the application. You will only be asked to accept the first time you log in, and any time there are changes to the privacy policy. To accept, enable the checkbox option then click "Continue" to advance to your user profile information.



This application uses cookies

This application uses cookies to aid in providing you with a better experience. By continuing, you consent to the use of cookies in accordance with our [privacy policy](#).

Check to accept (Required)

Cancel Continue

Configuring Your Information

The User Profile step of the New User Wizard allows you to enter basic information (e.g., name, email address, phone) about yourself to be stored in your user profile. Please note that the information provided in this step can be updated in your user preferences at a later time if desired. For more information on configuring your personal information, please refer to the [User Preferences](#) section.

Note: For instances that use SugarIdentity, the [User Profile](#) step is read-only and the displayed fields (e.g., First Name, Last Name) will not be editable in your user

profile as they can only be edited by administrators in [SugarIdentity](#) via the SugarCloud Settings console.

The following options are available to configure your user profile:

- **First Name:** Enter your first name.
- **Last Name:** Enter your last name.
- **Email:** Enter your primary email address.
- **Phone:** Enter your office number.

Please note that all required fields will indicate "Required" in the field and must be completed prior to moving to the next step of the wizard. Once your personal information is entered, click "Next".

1 **User Profile** Setup your user information

Setup progress

First name	Last name
<input type="text" value="Jim"/>	<input type="text" value="Brennan"/>
Email	Phone
<input type="text" value="jim@example.com"/>	<input type="text" value="(415) 226-8888"/>

Next

Configuring Your Locale

The User Locale Settings step allows you to configure the date, time, and name format you want to be displayed in Sugar based on your current geographical location. Please note that the information provided on this page can be updated in your [user preferences](#) at a later time if desired.

The following options are available to configure your locale settings:

- **Time Zone:** Select the time zone based on your current geographical location.
- **Date Format:** Select the format you want the date stamps displayed in Sugar.
- **Time Format:** Select the format you want the timestamps displayed in Sugar.
- **Name Format:** Select the format you want the concatenated name fields displayed in Sugar's list view and record view.

Once your locale information is entered, click "Next".

2 User Locale Settings Setup progress
Set your time zone, date, and name formats

Time Zone: America/Los Angeles (GMT-8:00) | Time Format: 23:00
Date Format: 2010-12-23 | Name Format: Dr. David Livingstone

Back **Next**

The following page will confirm that your setup is complete and that you are ready to use Sugar. You can access the various support resources (e.g., Documentation, Knowledge Base) available by clicking one of the boxes in the dialog box. Please note that you can click "Start Sugar" to go directly into your Sugar account.

✓ Setup Complete Setup progress
Start using Sugar!


Sugar Training | Documentation | Knowledge Base | Forums

Back **Start Sugar**

Tour

You can launch the Welcome to Sugar tour on the Home page to see key features of the user interface. Simply click the Help link in Sugar's footer then click "Tour This Page" in the help pane. The Welcome to Sugar window will appear and include links that provide access to additional resources (e.g., training, documentation). Click the appropriate link in the window to be directed to the specific page (e.g., Support page) in a separate tab. To begin the tour, simply click the Right arrow and a bubble will appear to point out the various parts of the application such as where to access the dashboard and activity stream, perform a


global search, etc. You can click the Left arrow at any time during the tour to go back through the key features again. Once you have completed viewing the tour, click the Done button to exit the tour. Please note that you can launch the tour again by clicking the Tour link in Sugar's help pane at any time. For more information regarding the Tour link, please refer to the [User Interface](#) documentation. As you navigate around Sugar, you can launch the tour for any of the Sidecar modules (e.g., Accounts, Leads, Contacts) by clicking the Tour This Page link in the help pane to view key features of the list view and record view.



User Preferences

There is a wide range of configuration options available to users when setting up their profiles in Sugar. The User Preferences section gives users the ability to view and update their basic information, personal email settings, etc. To access user preferences, click your user name on the upper right of Sugar and select "Profile".

Note: For instances that use SugarIdentity, certain fields (e.g., First Name, Last Name, Work Phone, Title) in the [user's profile](#) are read-only and can only be edited by administrators in [SugarIdentity](#) via the SugarCloud Settings console.



User Profile Tab

The User Profile tab displays basic information such as your name, license type, email address, etc. If the New User Wizard was completed, the information you entered will appear under the User Profile tab. For Sugar instances that use SugarIdentity, the [User Profile](#) step of the User Wizard is read-only and the displayed fields can only be edited by administrators in [SugarIdentity](#) via the SugarCloud Settings console. The system administrator can also enter the user's basic information when creating the user via Admin > User Management. For more information on creating new users, please refer to the [User Management](#) documentation. Your personal information on this tab is grouped by default into the User Profile, Employee Information, and Email Settings sections. To enter or update your information, simply enter the appropriate values for the fields then click "Save" to preserve the changes.



For instances that use SugarIdentity, the following fields under the User Profile tab are read-only and can only be edited by administrators in [SugarIdentity](#) via the SugarCloud Settings console:

- First Name
- Last Name
- Work Phone
- Address Street
- Address City
- Address State
- Address Postal Code
- Address Country
- Primary Email Address

User Profile

The User Profile section displays your Sugar name, user name, status, user type, avatar, and license type. Of these fields, regular users can only modify First Name, Last Name, and Avatar; the rest are set by Sugar administrators as described in the [User Management](#) documentation. Each user must have one or more Sugar products selected in their License Type fields. This field controls what functionality you may access. When working in Sugar or learning about the features available to you, view your profile to confirm your license type(s). A list of functionality available for each license type is listed in the [User Management](#) documentation.

User Profile	Advanced	Access	Downloads
---------------------	----------	--------	-----------

^ User Profile	
Full Name: Chris Olliver 	User Name: chris
Status: Active	User Type: Regular User
Avatar: 	License Type: Sugar Serve

Employee Information

The Employee Information section displays your employee status, title, phone number, address, etc. If you completed the Your Information step of the New User Wizard, the information you entered will appear in this section. You can update your address, phone number (e.g., Work Phone, Mobile), description, IM Type (e.g., MSN, Yahoo!), and IM Name in this section accordingly. Please note that only system administrators can change your employee status, title, department, and supervisor information. For instances that use SugarIdentity, administrators will need to access [SugarIdentity](#) via the SugarCloud Settings console in order to update the Title and Department fields. For more information on administrator updates to the Employee Information section, please refer to the [User Management](#) documentation.

^ Employee Information			
Employee Status:	Active		
Title:	Account Rep	Work Phone:	
Department:		Mobile:	
Reports to:	Sarah Smith	Other Phone:	
		Fax:	
		Home Phone:	
Business Center Name:			
IM Type:		IM Name:	
Address Street:		Address City:	
Address State:		Address Postal Code:	

Email Settings

The Email Settings section contains your primary email address and preferred method for sending mail from Sugar.

Note: For instances that use SugarIdentity, the user's primary email address can only be edited by administrators in [SugarIdentity](#) via the SugarCloud Settings console.

The screenshot shows the 'Email Settings' form. The 'Email Address' field contains 'tom@example.com' and is marked as 'Primary'. The 'Email Client' is set to 'External Email Client'. The 'Save' button is highlighted with a red box.

The Email Settings section contains two fields:

- **Email Address:** Enter your primary email address.
 - Sugar refers to the primary email address in the user's profile to send messages such as password-reset emails, record-assignment notifications, and workflow alerts to users.
 - Users can add multiple email addresses in email settings, but only one can be marked "Primary".
 - If the administrator has enabled the system email account for users, the primary email address will be displayed when the user sends outbound emails via the system email account.
 - Outgoing email accounts (e.g., support@example.com) that are used to send outbound email messages will get added to the Email Address field as Sugar links the user to that email address since they used it to send an email message through Sugar.
- **Email Client:** Select how you would like to send email from Sugar.
 - **Sugar Email Client** (most common): To send messages through the Sugar application and automatically archive them in Sugar, you must select "Sugar Email Client" from the Email Settings section of your user profile. This is the default setting.
 - **Note:** To send email from Sugar, you must configure your outbound email server via [Emails > Email Settings](#) or, if using the system email account to send email, the system's outbound email server must be configured by an administrator via Admin > [System Email Settings](#).
 - **External Email Client:** Users can choose this option if they would like to send email from an application outside of Sugar (e.g., Microsoft Outlook, Gmail). If you choose the External Email Client

option, emails sent to contacts, leads, etc. will not be saved in Sugar as archived emails unless you use the Sugar Email Archiving service (a.k.a. "SNIP") or [Sugar Connect](#).

Note: The administrator may have configured the user's email settings when adding the user to the system, but the user can always edit the options in their profile.

Password Tab

Users have the option to change their password in Sugar by navigating to the Password tab in their user preferences. You can use this option to change temporary Sugar passwords, system-generated passwords for password resets, etc. Administrators also have the ability to change or reset a user's password via Admin > User Management. For more information on how administrators can reset a user's password, please refer to the [Resetting User Passwords](#) section of the User Management documentation. Please note that passwords can be changed as often as you wish in Sugar. Updating passwords in Sugar on a regular basis is recommended for the security of your account.

Note: For Sugar instances that use [Sugaridentity](#), users can reset their password by selecting the [Change Password](#) option under the user menu on the upper right of Sugar.

To reset your password, enter your current password, new password, and confirmed password making sure to meet the password requirements listed on the right. Each password requirement will be checked off in the list as the new password meets the required conditions. Please note that the new password you enter must meet all the restrictions in order for the password to save. System administrators can configure the password requirements via Admin > Password Management. They can choose the minimum and maximum lengths required for the password, as well as indicate if any special characters are needed. Additional requirements such as upper case, lower case letters, and numbers can also be part of the set restriction. The password requirement set by the system administrator determines what users will need to include when creating new passwords. Although not recommended, administrators can choose to not set password requirements if they wish, which will allow users to change their passwords without any restrictions. For more information on configuring password requirements, please refer to the [Password Requirements](#) section of the Password Management documentation. Once you have entered the new password, click "Save" to preserve the change.

Advanced Tab

The Advanced tab shows information specific to the user's preferences in Sugar. This information includes user settings, locale settings, PDF settings, calendar options, and layout options. Users can set up, view, or change the information under this tab based on their geographical location and personal preference.

User Settings

The User Settings section allows you to configure various settings for your account such as default team(s), reminders, notify on assignment, etc. The system administrator can configure these settings for you when adding you as a user in Sugar, but you can change these settings accordingly based on your personal needs and preference.

The options available to configure in the User Settings section are as follows:

- **Export Delimiter:** Specify the character used to delimit exported data from Sugar. By default, the comma is used to separate exported data in Sugar.
- **Import/Export Character Set:** Select the default character set used for data import, data export, and vCard generation. By default, UTF-8 (US or Western Europe region) is selected as the import/export character set.
 - Please be sure to select the proper character set based on your


locale setting in Sugar. This will make sure that the character set between Sugar and your local machine matches when you export data, import data, or generate PDFs.

- **Show Full Names:** Select this option if you would like your full name (e.g., John Smith) instead of your assigned user name (e.g., jsmith) displayed in Sugar. If enabled, your full name will appear in the My Activity Stream dashlet, Assigned to fields, and on the upper right of your Sugar account.
- **Default Teams:** Select the default team(s) that will be automatically assigned to new records you create in Sugar. Whenever you create a record, the team is set as your default team, similar to how the "Assigned To" field is set to you. You can have any number of default teams. When selecting a default team set, you must select one team as the primary team and, if the Administrator has enabled team-based permissions, you may optionally indicate whether the teams on each set should be automatically set to "selected" (Additional Permissions Enabled).
- **Email on Assignment:** Enable this option to receive an email notification when a record is assigned to you by another user. Both the outbound mail server and [personal email settings](#) must be configured in order to receive the notification. For more information on configuring the outbound mail server, please refer to the [Email](#) documentation.
- **Email on Mention:** Select this option to receive an email notification every time your name is mentioned in a comment log.
- **Reminders:** Enable the popup or email reminder checkbox to set default reminders for calls and meetings. Once marked, you can select the default reminder time (e.g., 10 minutes prior) to send reminders to invitees.
- **Appearance:** Choose which theme you want to use when viewing Sugar.
 - **Light:** A light and bright white-based theme
 - **Dark:** A theme based in blacks and grays, often preferred for nighttime viewing
 - **Use system setting:** The theme (light or dark) will respect whatever rule your computer or device has set up

Note: You can configure [Sugar Mobile](#) to send push notifications to your device for record assignments and comment log mentions, but note that the "Email on Assignment" and "Email on Mention" settings are independent of the mobile settings. Each must be configured separately.

Layout Options

The Layout Options section allows users to select what modules they want Sugar to display or hide in the navigation bar.



The options available to configure in the Layout Options section are as follows:

- **Select Modules for Navigation Bar:** Select which modules will be displayed or hidden in the navigation bar by using the left and right arrows to move modules between the Display and Hide Modules column. You can also designate the order of the modules displayed in the navigation bar by selecting the module in the Display Modules column and clicking the up and down arrows.
- **Field Name Placement:** Choose whether field names are displayed above or beside field values in record view; by default, field names are displayed beside the field value. This option does not apply to the Record View dashlet.

Locale Settings

The Locale Settings section is where you can specify how you would like the data in Sugar displayed based on your geographical location. Please note that system administrators can set the system locale settings via Admin > Locale, which will be the default setting for all users in Sugar. But each user has the option to change the default locale settings for their Sugar account in their user preferences.

Locale Settings			
Date Format: ⓘ	2010-12-23 ⇅	Preferred Currency: ⓘ	US Dollars : \$ ⇅
Time Format: ⓘ	23:00 ⇅	Show Preferred Currency: ⓘ	<input type="checkbox"/>
Time Zone: ⓘ	America/Los Angeles (GMT-7:00) ⇅	System Significant Digits:	2 ⇅
Name Display Format: ⓘ	Dr. David Livingstone ⇅	Example:	\$123,456,789.00
		1000s separator: ⓘ	,
		Decimal Symbol: ⓘ	.

The options available to configure in the Locale Settings section are as follows:

-
- **Date Format:** Select the format you want the date stamps displayed in Sugar.
 - **Time Format:** Select the format you want the timestamps displayed in Sugar.
 - **Time Zone:** Select the time zone based on your current geographical location.
 - Please note that if the selected time zone is different from your browser's set time zone, a warning message ("Your browser's timezone does not match your saved timezone Adjust Your Timezone.") will appear upon your next log into Sugar. You can click the link in the warning dialog box to change the time zone in your user preference accordingly.
 - **Note:** This Time Zone setting only applies to modules using the Legacy user interface. Modules using the Sidecar user interface will utilize the browser's time zone.
 - **Name Display Format:** Select the format you want the concatenated name fields displayed in Sugar's list view and record view.
 - **Preferred Currency:** Select the default currency you wish to use when creating new records.
 - **Show Preferred Currency:** Mark the checkbox to convert the base currency to user-preferred currency in list views and record views.
Note: User-preferred currency is not used in the Quotes record view or for quoted line items. For more information, refer to the [Quotes and Quoted Line Items](#) documentation.
 - **System Significant Digits:** Select how many digits will appear after the decimal symbol for currencies.
 - **1000s Separator:** Enter the default character used to separate numeric values in the thousands.
 - **Decimal Symbol:** Enter the default character used as the decimal symbol.

PDF Settings

The PDF Settings section allows users to set and change the default font settings for PDF documents generated in Sugar.

The options available to configure in the PDF Settings section are as follows:

- **Font for Header and Body:** Select the font for the header and body of PDF documents when generated in Sugar.
- **Main Font Size:** Enter the default font size for the PDF header when generated in Sugar.
- **Font for Footer:** Select the font for the footer of the PDF document when generated in Sugar.
- **Data Font Size:** Enter the default font size for the PDF body when

generated in Sugar.

PDF Settings	
Font for Header and Body: <small>(i)</small>	DejaVuSans
Main Font Size:	8
Font for Footer: <small>(i)</small>	DejaVuSans
Data Font Size:	8

Calendar Options


Sugar calendars can be shared and viewed with various iCal compatible calendar applications such as Apple Calendar, Google Calendar, Yahoo! Calendar, Mozilla Thunderbird, etc. The calendars are viewable as read-only in the external calendar applications and any edits to existing calendar events (e.g., meetings, calls) can only be done in Sugar. The Calendar Options section allows users to generate a unique publish key to sync their Sugar calendar to external calendar application(s). The publish key is a security feature as it prevents other users from viewing your calendar unless they have this information. The user must have your publish key information to view your Sugar calendar via the external calendar application.

- **Publish Key:** The publish key is used to uniquely identify a user's calendar and sync Sugar's calendar to external calendar applications (e.g., Google Calendar, Apple Calendar). A system-generated alphanumeric value (e.g., 948fc65a-9c89-a11f-b40c-5) is displayed by default, but users can change this key (e.g., mysecretkey) to whatever they wish. The Publish at my location site, Search location, and iCal Subscription URL all reflect the publish key within the URL.
- **Publish at my location:** Use this URL to sync free/busy information for meetings from Microsoft Outlook to Sugar. This is helpful when scheduling meetings in Sugar as you can view the user's free/busy information to avoid scheduling conflicts.
- **Search location:** Use this URL to sync free/busy information for meetings from Microsoft Outlook to Sugar. This is helpful when scheduling meetings in Sugar as you can view the user's free/busy information to avoid scheduling conflicts.
- **iCal Subscription URL:** Use this URL to integrate the external calendar application with your Sugar calendar.
- **First Day of Week:** Select the first day of the week that will display in Week, Work Week, and Month views when viewing your Sugar calendar. This setting also applies to calendar pickers which display when users are setting a value for a date field (e.g., Expected Close Date) in a record. You

may need to refresh your browser to see changes take effect.

Use the following steps to integrate the external calendar application with your Sugar calendar:

1. Navigate to the Advanced tab in your user profile and scroll down to the Calendar Options section.



Calendar Options

Publish Key:

Publish at my location:

Search location:


iCal Subscription URL:

First Day of Week:


2. Copy the iCal Subscription URL then paste the value into your iCal compatible calendar application.

- For Apple Calendar:

- Click "File" then select "New Calendar Subscription".




- Enter the iCal Subscription URL and click "Subscribe".



- For Google Calendar (<https://www.google.com/calendar>):

- Click "Other Calendars" then select "Add by URL".


Calendar



The screenshot shows the Google Calendar interface. At the top, there is a 'Calendar' title, a 'Today' button, and navigation arrows. Below this is a 'CREATE' button with a dropdown arrow. On the left, there is a calendar view for April 2013, with the 10th of April highlighted. Below the calendar view are sections for 'My calendars' and 'Other calendars'. The 'Other calendars' section has a dropdown arrow highlighted with a red box. A menu is open from this dropdown, showing options: 'Add a coworker's calendar', 'Browse Interesting Calendars', and 'Add by URL'. The 'Add by URL' option is highlighted with a red box.

- Enter the iCal Subscription URL and click "Add Calendar".

Add by URL



The screenshot shows the 'Add by URL' dialog box. It has a label 'URL:' followed by a text input field. Below the input field is a small text block: 'If you know the address to a calendar (in iCal format), you can type in the address here.' Below this is a checkbox labeled 'Make the calendar publicly accessible?'. At the bottom, there are two buttons: 'Add Calendar' and 'Cancel'. The 'Add Calendar' button is highlighted with a red box.

Use the following steps to sync the free/busy information from the Sugar calendar to Microsoft Outlook:

1. Navigate to the Advanced tab in your user preferences and scroll to the Calendar Options section.
2. Copy the Search location URL.
3. In Outlook, go to File > Options > Calendar > Free/Busy Options.
4. In the Internet Free/Busy section, paste the Search location URL into the corresponding box.

Please note that the settings must be configured on each user's computer. Once configured, the invitee shows as busy for any time currently scheduled in Sugar if the user's email address in Sugar matches the invitee email address in Outlook.

For help troubleshooting or displaying your Sugar calendar in an external application, refer to the [Troubleshooting Viewing Sugar Calendar in Google Calendar](#) and [Troubleshooting Feed Refresh in External Calendars](#) articles.

External Accounts Tab


The External Accounts tab allows users to connect to external applications (e.g., Google, GoToMeeting, WebEx) from Sugar. Please note that you must have an existing account with the external application prior to connecting in Sugar.

Connecting to your Google account enables you to upload and access documents stored in Google Drive™ from the Documents module. In addition, you can upload and view Sugar documents via Google Drive. For more information on how to upload and view external source documents, please refer to the [Documents](#) documentation.

If you connect to your GoToMeeting and WebEx accounts, you will be able to schedule meetings in Sugar to be hosted by one of these applications. Please note that you must indicate the specific meeting type (e.g., Sugar, GoToMeeting, WebEx) when creating the meeting in Sugar. For more information on scheduling meetings, please refer to the [Creating Records](#) section of the User Interface documentation.

The following steps cover connecting to the Google application as an example:

1. Click the External Accounts tab in your user preferences then click "Create".




2. Select "Google" in the Application field then click the Connect button.
 - **Note:** If the Google option is not available to select in the Application field, the Google connector may not have been configured properly via Admin > Connectors. Please reach out to your Sugar administrator to have the Google connector configured. For more information on configuring connectors, please refer to the [System](#) documentation in the Administration Guide.



3. After clicking "Connect", a pop-up window will appear. Click "Allow" to grant permission for the connection to occur.
 - Google's login screen may appear inside the pop-up if you are not already logged in to your Google account in the active browser window. Simply enter your credentials then click "Allow" in the next window.
 - **Note:** Your browser's pop-up blocker must be disabled to ensure that the Google account connects successfully to Sugar.

Google Connector would like to:



The Google application is now connected to your Sugar account and will appear under the External Accounts tab. Please note that for Google, GoToMeeting, and WebEx, you can only be connected to one account per application in Sugar.

Access Tab

Users can view their access information (e.g., Access table, Roles, My Teams) via the Access tab in the detail view of their profile. System administrators can assign users to various teams and roles depending on what each user is allowed access to in Sugar. You will be able to view the team(s) and role(s) assigned to you via the Roles and My Teams section in the Access tab.

Access Table

The Access table summarizes the set of permissions assigned to the user and allows them to view the type of access they have along with the actions (e.g., View, Edit, Delete) they can perform in Sugar. Only system administrators have the ability to create roles and assign them to users. Users who are assigned to the role will only be able to perform actions defined by it. Please note that users with more than one role assigned will have the more restrictive role setting prevail on the access table. For example, if one role allows the user to delete records in the Contacts module, but the other role does not allow record deletion, the user will not be able to delete records in the Contacts module. The table will list the modules in rows on the far left with column headers representing the type of action (e.g., Delete, Edit, Export) users can perform in each module. For more information on the Access table column headers, please refer to the [Setting Module-Level Permissions](#) section in the Role Management documentation.

The following setting options are available for the Access column on the table:

- **Enabled:** The user is allowed access to this module.
- **Not Set:** Does not restrict or grant access to this module, defaults to having "Enabled" access when selected.

- **Disabled:** The user will not be able to access this module, view any of its records, or see any trace of its existence in Sugar.

The following setting options are available for the Access Type column on the table:

- **Normal:** The user will be able to perform standard functions in this module barring restrictions from other roles or team settings. The user will not have any type of access to the Admin menu for this module.
- **Not Set:** Does not restrict or grant additional access to this module, defaults to having "Normal" access when selected.
- **Admin:** The user will supersede any team restrictions for this module and be able to view all records.
 - **Note:** User does not get access to developer tools such as Studio and Workflow Management.
- **Developer:** The user will be given access to the module-specific sections of Studio, Workflow Management, Dropdown Editor and any other necessary menus in Admin that are specific to the module.
For more information on developer tools, please refer to the [Developer Tools](#) documentation.
- **Admin & Developer:** The user will be given the rights defined with the Admin and Developer role settings.

The following setting options are available for the actions (e.g., Edit, Delete, Export) on the table:


- **All:** The user will be able to perform this action on any and all records that can be accessed.
- **Owner:** The user will only be able to perform this action where the Assigned To field is set to be this user.
- **Not Set:** Does not restrict or grant access to this function and actions default to having "All" access when selected.
- **Note:** The user is not able to perform this action while using this module.

	Access	Access Type	Delete	Edit	Export	Import	List	Mass Update	View
Accounts	Enabled	Admin & Developer	Owner	Owner	Owner	All	All	All	All
Bugs	Enabled	Normal	None	All	Owner	All	All	All	All
Calls	Enabled	Normal	All	All	All	All	All	All	All

Roles

Sugar Roles define permissions for users such as what kinds of records they can access and what level of access they are allowed. Roles work in conjunction with teams to form a robust security model for non-admin users in Sugar. Roles control three different layers of access for users within Sugar: module, field, and action-level access. Please note that only users who are assigned to the specific role will be able to perform actions (e.g., view, edit, delete) defined by it. For more information on the various actions and setting options for roles, please refer to the [Access Table](#) section. Users who are not assigned to a role can access and perform actions in any module as long as they are assigned to the record or a member of the team assigned to manage it. System administrators have the ability to create various roles and assign additional roles to users via Admin > Role Management. For more information on creating and assigning roles, please refer to the [Role Management](#) documentation.

The Roles section displays the list of roles (if any) assigned to the user. Please note that if you are assigned to more than one role, the more restrictive role setting prevails. For example, if you have two roles where one role allows exporting of records in the Leads module and the other does not, then you will not be able to export lead records due to the more restrictive role setting.



Name	Description
Customer Support Administrator	Customer Support Administrator Role

My Teams

Teams consist of one or more users who are assigned to manage records in Sugar. The defined permissions determine what records a user is and is not able to access. Teams are used in conjunction with roles to form a robust security model for non-admin users in Sugar. The My Teams section displays the list of teams a user is associated with, which determines what records the user has access to in Sugar. Please note that every record is assigned to at least one team, but can be assigned to multiple teams as well if different users need access to it. The default team(s) set in the User Settings section under the Advanced tab will automatically be assigned to new records created by the user. Users assigned to the record, as well as system administrators can access the record regardless of team membership. When a user is created in Sugar, they are automatically associated with the Global team (universal team) and a Private team (users own personal team) is created by default. System administrators can assign users to additional teams via Admin > User Management or Admin > Team Management as necessary. For more information on teams as well as creating and assigning teams, please refer to the [Team Management](#) documentation.

My Teams

Name	Description
Global	Globally Visible
Max Jensen	Private team for max
West	This is the team for the West

Downloads Tab

The Downloads tab contains the files to download for the following Sugar Plug-ins for Microsoft Office: Sugar Plug-in for Outlook, Sugar Plug-in for Word, and Sugar Plug-in for Excel. The Outlook plug-in allows you to archive emails to Sugar, synchronize contacts, meetings, and tasks, as well as create new Sugar records. The Word plug-in enables you to merge data, such as names and addresses in Sugar to perform mail merges. The Excel plug-in enables you to create, delete, update, or view data that is in your Sugar application. These plug-ins are available with all Sugar products and must be installed on each Windows computer running the Microsoft Office application where the plug-in is desired.

To download the plug-in(s), click the appropriate file that corresponds with your version and bitrate of Microsoft Office Outlook, Word, or Excel. Please be sure to check for the correct version and bitrate of your Microsoft Office application in order to download the correct file for installation. For more information on downloading and installing the Sugar plug-ins, refer to the appropriate [Plug-ins](#) documentation.

User Profile
Advanced
Access
Downloads

Sugar Plug-ins for Microsoft Office™

Read about the plug-in features within the [Plug-ins Documentation](#).

Sugar Plug-in for Outlook
Integrate Sugar e-mail and calendar information with Microsoft Outlook.

- [Sugar Plug-in for Outlook 2.7.1](#)

Sugar Plug-in for Word
Automatically populate information from SugarCRM into form letters, direct mail and other Microsoft documents.

- [Sugar Plug-in for Word 2.0.1](#)
- [Sugar Plug-in for Word 2010 64bit April2014](#)
- [Sugar Plug-in for Word 2013 32bit April2014](#)
- [Sugar Plug-in for Word 2013 64bit April2014](#)
- [Sugar Plug-in for Word 365 32bit April2014](#)
- [Sugar Plug-in for Word 365 64bit April2014](#)

Sugar Plug-in for Excel
Integrate Sugar with spreadsheets for better analysis of key metrics.

- [Sugar Plug-in for Excel 2.0.1](#)
- [Sugar Plug-in for Excel 2010 64bit April2014](#)
- [Sugar Plug-in for Excel 2013 32bit April2014](#)
- [Sugar Plug-in for Excel 2013 64bit April2014](#)
- [Sugar Plug-in for Excel 365 32bit April2014](#)
- [Sugar Plug-in for Excel 365 64bit April2014](#)

User Holidays

The User Holidays subpanel appears in the detail view (e.g., User Profile tab, Advanced tab) of the user's profile. Administrators can record the days that users will not be working so that the time off is considered when calculating project timelines in the Projects module. To add a holiday, click the Create button and enter the date of the holiday along with a description and then click "Save". Users will be able to select the scheduled holiday(s) via the Project Holidays subpanel in Projects-related modules. For more information on creating and managing projects, please refer to the [Projects](#) documentation.

⌄ User Holidays

Create

Holiday Date: ⌄	Description:
2017-12-27	PTO


Resetting a User's Preferences

Users can reset their user preferences back to the default out-of-the-box settings,

which will revert all changes made to the user preferences section (e.g., User Profile, User Settings, Locale Settings). To reset your user preference, click the Reset User Preferences button at the top of your profile in edit view or click the Actions menu then select "Reset User Preferences" in detail view.


From edit view:

Max Jensen » Edit



From detail view:


Max Jensen



Changing Password

For Sugar instances that use [Sugaridentity](#), users can change their password in Sugar by selecting the [Change Password](#) option under the user menu on the upper right of Sugar. The Change Password screen will open and display the Old, New, and Confirm password fields as well as the organization's password requirements (if any). Please note that passwords can be changed as often as you wish in Sugar, and it is also recommended that you update your Sugar passwords on a regular basis for the security of your account.

Note: Administrator users also have the option to change their Sugar password in [SugarIdentity](#) via the SugarCloud Settings console.



To change your password, simply enter your current password, new password, and confirmed password making sure to meet all the password requirements listed on

the screen. System administrators can [configure](#) the password requirements in SugarIdentity via the SugarCloud Settings console, which determines what users will need to include when creating new passwords. Administrators can set the minimum and maximum lengths required for the password, as well as indicate if any special characters are needed. Additional requirements such as upper case, lower case letters, and numbers can also be a part of the password requirements. If you do not remember your current Sugar password, click the "Forgot Password?" link to request a password reset.


Once you have entered the new password, click "Confirm" to preserve the change. A success message will appear once the password has been updated successfully; click "Continue" to be directed back to Sugar's home page. You will also receive an email notification confirming that your Sugar password has been changed.

Resetting Multi-Factor Authentication

For [SugarIdentity](#)-enabled instances that use [multi-factor authentication](#), users will need to use a mobile authenticator app (e.g., Authy, Google Authenticator, Microsoft Authenticator) to [log in](#) to their account. When the administrator enables multi-factor authentication for your Sugar instance, the Reset Multi-Factor Auth option will appear under your user menu on the upper right of Sugar. Do not click this option if you have not already authenticated using a mobile authenticator app. Only perform this action if you need to reset the multi-factor authentication for your account, for example, when you need to set up the authenticator app on a new mobile device. Please note that administrators also have the ability to reset multi-factor authentication for your account in case you lose your mobile device, for example, and need to re-authenticate using an authenticator app on a new device to log in to Sugar.

Use the following steps to reset multi-factor authentication for your account:

1. Click your user profile on the upper right of Sugar and select "Reset Multi-Factor Auth".




2. A pop-up message will appear asking for confirmation. Performing this action will immediately log you out and you will need to re-authenticate

using an authenticator app on your next log in. Click "Confirm & Log Out" if you wish to proceed.

The next time you log in to Sugar, you will be required to scan the QR code to pair the authenticator app with your Sugar account. For steps on logging in to Sugar using an authenticator app, refer to the [Logging In With SugarIdentity Using Multi-Factor Authentication](#) section of this page.

Accessing Support

The SugarCRM Support page provides access to various Sugar Support resources such as the case portal, documentation, knowledge base, etc. Users can easily access the support page by clicking the Documentation & Support link in Sugar's [help](#) pane. To access Sugar's Support page outside of your instance, go directly to the [SugarCRM Support site](#) on your web browser.



The Get Started section of the Support page provides users, administrators, and developers with the appropriate resources to get them started in configuring, customizing, and utilizing the application. The Documentation and Knowledge Base sections provide access to Sugar's self-help area where you can learn how to use various parts of the application via online documentation and knowledge base articles. The Knowledge Base provides articles based on specific topics and areas of Sugar while the Documentation goes over the entire Sugar application in detail.


The Resources section provides key information such as supported versions and platforms to ensure you are running Sugar in the best performing environment, customer resources to help you manage your Sugar subscription, view/download purchased orders, and access the bug and case portal. In addition, it provides

guidelines for deploying Sugar on-site and requirements for setting up development environments.

The Training section directs you to the Sugar University page where you can find a variety of training options to help end users, administrators, and developers. You can find self-paced videos or e-courses, live training and webinars, personalized training, and pursue Sugar certification. The Community section navigates you to the SugarCRM community page where you can collaborate with other users, Sugar partners, and Sugar employees to answer questions, participate in discussions, solve problems, etc.

Viewing Instance Information

Users can find information regarding their version and build of Sugar by clicking their user name on the upper right of Sugar and selecting "About". For example, this will be useful if you need to confirm the current product and version of your instance.



Last Modified: 2022-07-12 14:22:57

User Interface

Overview

The user interface includes all of the visible elements users see and interact with while using Sugar including the headers, fields, subpanels, dashboards, etc. Knowing how to properly navigate around the application along with what the various layouts, options, and action items do in Sugar will be critical in managing your data in the system. This documentation covers the basics of Sugar's user interface as well as how to perform common tasks or operations in the application.


Sidecar Modules

This page covers the user interface that was introduced in Sugar 7 called "Sidecar", which applies to all modules except for Campaigns. For information on the Campaigns module user interface (legacy), please refer to the [Legacy User Interface](#) knowledge base article. Custom modules created in Module Builder will utilize the Sidecar user interface. Custom modules installed to an instance prior to Sugar 7 that were not created in Module Builder will continue to use the Legacy user interface upon upgrade to 7.x and above.

Theme

Sugar offers two different theme options for viewing the application: light mode and dark mode. The selected theme is controlled by the Appearance setting in each user's profile. For more information on changing your user profile settings, please refer to the [Getting Started](#) documentation.

System Administrators can upload different logos for light vs dark mode. For more information, please refer to the [System](#) documentation in the Administration Guide.



Navigation Bar

All pages within Sugar display a navigation bar spanning across the top of the screen. The navigation bar allows you to access the various modules (e.g., Accounts, Contacts, etc.), access your Home page, perform a global search, etc. You can configure the navigation bar via your user preferences to select which modules you want to display as well as their order. For more information, please refer to the [Layout Options](#) section of the Getting Started documentation.

The default navigation bar consists of the following options from left to right:




Navigation Bar Item	Description
Home	Click the Sugar Cube icon on the upper left to access your Home page dashboards as well as your Activity Stream.
Module Tabs	Both stock and custom modules can be displayed in the navigation bar. Click the module name to open its list view or click the triangle to the right of each module name to display the Actions, Recently Viewed, and Favorites menus.
Global Search	Enter keywords into the global search bar to search for records across all Sugar modules.
Notifications	View system notifications (if any) by clicking the notification box. The number shown indicates the count of unread notifications.
User Menu	<p>Click the user profile image to open the user menu which allows access to your profile, the Employees module, etc.</p> <p>Note: For instances that use SugarIdentity, certain fields (e.g., First Name, Last Name, Work Phone, Title) in the user's profile are read-only and can only be edited by administrators in SugarIdentity via the SugarCloud Settings console.</p>
Quick Create	Click the Add button (plus icon) to open the Quick Create menu which allows you to create records from anywhere in Sugar.

Home


You can access your Home page from anywhere in Sugar by clicking the Sugar Cube icon at the top left of every page. Sugar's home page houses full-page

dashboards and your instance-wide [activity stream](#) (if enabled). Additionally, you can manage your dashboards and visit recent records from the Home page actions menu. For more information, please refer to the [Home](#) documentation.




Module Tabs

Module tabs are located to the right of the Sugar Cube icon on the navigation bar at the top of any Sugar screen. To access a specific module's list view, simply click the module's name. You may also click the triangle to the right of the name to display the Actions, Recently Viewed, and Favorites menus. The Actions menu allows you to perform important actions within the module. The Recently Viewed menu displays the list of records you last viewed in the module. The Favorites menu displays the list of records you most recently marked as favorites in the module.



The number of displayed module tabs depends on your screen resolution as well as the size of your browser window. When your available modules do not fit within the navigation bar's width, clicking the three-dots menu to the right of the displayed modules allows you to select and navigate to the list view of the additional modules.



If you do not see a particular module tab in Sugar, please check the following:


- The module may be marked as hidden in your user preferences which will prevent the module tab from being displayed. Navigate to your user menu (upper right of Sugar), click "Profile", click the Advanced tab, and check the Layout Options section. If you see the module in the Hide Modules list,

simply move it to the Display Modules list and click "Save". For more information on hiding and displaying modules, please refer to the [Layout Options](#) section of the Getting Started documentation.

- The administrator may have disabled the module for your entire Sugar instance. Reach out to your Sugar administrator to have the module displayed. For more information on displaying and hiding modules throughout Sugar, please refer to the [Developer Tools](#) documentation.

Global Search

Global search allows users to search for information across their entire Sugar database as opposed to restricting search within a specific module. The Global Search bar displays on the upper right of any Sugar page and utilizes full-text search to search throughout most fields and modules for an enhanced search experience.




Clicking on the search bar will expand it across Sugar's navigation bar. To perform a search, type the search phrase into the search box, and the pop-up results will begin appearing once you enter at least one character. Click "View all results" at the bottom of the pop-up results to see and filter additional matches. To minimize the search bar, simply click anywhere outside of the search bar. For more information on using Global Search, please refer to the [Global Search](#) section of the Search documentation.

Once expanded, you will be able to access the Modules dropdown by clicking the down arrow on the far left of the search box. This allows you to restrict results to particular modules (e.g., Accounts, Contacts, etc.). For more information on configuring your global search, please refer to the [Search](#) documentation. Administrators can also enable or disable modules as well as control additional elements of global search via Admin > Search and Admin > Studio. For more information on these configurations, please refer to the [Field Options](#) section of the Studio documentation as well as the [Search](#) section of the System documentation.


Notifications

Sugar notifications relay key messages, warnings, and alerts that are relevant to the current user. The Notifications indicator is located in the top right corner of the screen next to the global search bar; the number displayed represents how many messages have a status of Unread. If you are logged in to Sugar using the

Chrome or Firefox browser, the SugarCRM cube icon in your browser tab also displays the count of unread notifications. When the notification count changes, the icon's count will be updated within 5 minutes of the change or upon reloading the tab.



Clicking the number in Sugar opens a dropdown menu displaying your most recent unread notifications. Click any notification to open it in [record view](#), or click "View Notifications" to open the Notifications [list view](#). A notification is automatically marked as read when it is opened in record view or [previewed](#) from list view. If you wish to toggle its status between Read and Unread, simply click the status field in list view, record view, or preview. To change the status of multiple notifications at a time (e.g., to mark several notifications as read), you can also [mass update](#) the records from list view.



If a notification requires action within Sugar, a link may be included in the Description field, shown in record view or when previewing the notification. Clicking the link takes you to the related record or the area where action is needed.

Notification Severity Levels


Each notification can have one of four severity levels:

- **Alert (Red):** Indicates something is critically wrong with your Sugar instance and needs the attention of a system administrator immediately.
- **Warning (Yellow):** Indicates something in your Sugar instance needs your attention or the attention of a system administrator to be fixed.
- **Information (Blue):** Standard notification including reminders for upcoming meetings, calls, or tasks. Note that for a notification to appear, a newly created activity must be scheduled to begin at least one hour later than the time it was created.

- **Success (Green):** Indicates the successful completion of an action or configuration change.

User Menu

Your profile icon appears in the upper right of Sugar; clicking it displays the user menu where you can access your profile, the Employees page, and view important version information about your instance. To upload a photo for your profile image, please refer to the [Getting Started](#) documentation.




The user menu allows you to perform the following operations:

Menu Item	Description
Profile	View your user profile, change your password, and personalize various aspects of Sugar. Note: For instances that use SugarIdentity, certain fields (e.g., First Name, Last Name, Work Phone) in the user's profile are read-only and can only be edited by administrators in SugarIdentity via the SugarCloud Settings console. In addition, users will not be able to change or reset their password and will need to click the "Forgot Password?" link on the Sugar login screen to reset their password.
Employees	Navigate to the Employees module to search and view employee records. Users with administrative privileges can also create and edit employees in the system. For instances that use SugarIdentity, certain fields (e.g., First

	<p>Name, Last Name, Office Phone) in the employee's record are read-only and can only be edited by administrators in SugarIdentity via the SugarCloud Settings console.</p> <p>Note: Every user is listed as an employee; however, every employee may not be a user in Sugar.</p>
Admin	<p>Navigate to the Admin page to configure and customize various aspects of your Sugar instance.</p> <p>Note: This option is only available if you are an administrator user or have or Developer-type role access.</p>
About	<p>Navigate to the About page to view your instance's current Sugar product, version, and build, as well as resources and source code references.</p>
Log Out	<p>Log out of your current user session. You will be directed back to the Sugar login page for your instance.</p>

Quick Create

The Quick Create menu allows you to easily create new records from anywhere in Sugar. Simply click the Add button on the upper right of any Sugar page to access the menu. Please note that a maximum of ten modules may be enabled to display in the Quick Create menu. Administrators can configure which modules are enabled and the order in which they appear via Admin > Configure Navigation Bar Quick Create. For more information, refer to the [Developer Tools](#) documentation.



Clicking on an item in the Quick Create menu will open the record view form for the specific module. When using quick create while viewing an existing record where a relationship exists between the two modules, Sugar automatically relates the new record to the one being viewed. For example, if you are viewing an account, ABC Company, and create a new contact via quick create, the Account Name field in the new contact will automatically populate with "ABC Company", thus creating the link between the two records.

All required fields will indicate "Required" in the field and must be completed prior to saving. Once the necessary information is entered, click "Save". If you do not wish to create the record, simply click the Cancel button. Please note that administrators have the ability to configure the record view layout via Admin > Studio. For more information on configuring record view layouts, please refer to the [Studio](#) documentation.

Note: Because the Quick Create drawer overlays the page from where it is launched, using the browser's back button will appear to send you back two pages instead of to the previous view. To return to the previous view, use the Cancel button instead.

Footer





Sugar's footer displays the SugarCRM logo, Mobile link, Shortcuts link, Help link, as well as links to enabled third-party integrations.


<input type="checkbox"/>	☆	Kaos Trading Ltd	Salt La
<input type="checkbox"/>	☆	Tri-State Medical Corp	Denve
<input type="checkbox"/>	☆	Powell Funding	San M
<input type="checkbox"/>	☆	T-Squared Techs	Santa
<input type="checkbox"/>	☆	Air Safety Inc	Denve
<input type="checkbox"/>	☆	Waverly Trading House	San M
<input type="checkbox"/>	☆	P Piper & Sons	San Jo
<input type="checkbox"/>	☆	Draft Diversified Energy Inc	Alabar
<input type="checkbox"/>	☆	Jj Resources Inc	Persist

List View Help

For more information, refer to the [Accounts documentation](#).

The Accounts module consists of companies with whom your organization has a relationship and is

-  [Training & Certification](#)
-  [SugarClub Community](#)
-  [Documentation & Support](#)
-  [Tour This Page](#)



Mobile Shortcuts Help

The following links are available in Sugar's footer:

- **Logo:** Click the logo on the bottom left of Sugar to return to your home page. Administrators can replace the SugarCRM logo with a custom logo via Admin > System Settings. For more information, please refer to the [System Settings](#) documentation.
- **Widgets:** Links for any installed third-party integrations will appear to the right of the SugarCRM logo.
- **Mobile:** When viewing Sugar via a touch-screen device, the Mobile link will appear allowing you to view Sugar's mobile site.
- **Shortcuts:** Access the Keyboard Shortcuts help page to view the various shortcut keys available to use along with a description of the actions they perform. For more information regarding the Keyboard Shortcuts help page, please refer to the [Accessibility](#) documentation.
- **Help:** Click the Help link in the footer for a brief introduction to the current module and a link to its corresponding documentation. The following learning resources are also available in the help pane:
 - **Training & Certification:** Navigate to the SugarU space in SugarClub, where you can enroll in online classes, engage with live training, and get Sugar-certified.
 - **SugarClub Community:** Engage, learn, and explore with others around the world in the SugarClub online community. Level up your Sugar knowledge and share your expertise with other users, Sugar partners, and Sugar employees.
 - **Documentation & Support:** Navigate to the Sugar Support Site, where you can access the case portal and official product documentation.
 - **Tour This Page:** Take a quick, in-app tour of key features on the current page. For more information, refer to the [Tour](#) section of the Getting Started

documentation.

Field Types

Sugar records include a variety of field types that enable you to capture all of the different kinds of data that are important to your organization. While many fields are available for use on each module out-of-the-box, administrators and users with developer-level role access have the ability to add fields of these various types to modules via Admin > Studio as described in the [Studio](#) documentation. Studio may also be used to configure fields by, for example, making fields required, allowing them to be mass updated, making their values calculated, and specifying when they should be visible.

Descriptions and instructions for editing different field types are available in the following sections:

Checkbox Fields

Checkbox fields provide a boolean type typically used to answer a yes or no question. Click the box to toggle whether it is checked or not.

Do Not Call



Comment Log Fields

The Comment Log field allows users to add messages, comments, or other text to a log appearing on the record view. To add an entry, click anywhere inside the field and type a message into the text area that appears. After saving the record, the message is appended to the end of the log with a link to the user that added the entry and the date and time the entry was created. Once saved, entries cannot be edited or removed.

Comment Log

Sarah Smith 2019-07-22 14:17


Found nothing in the logs.

Max Jensen Can you please take this case?

Max Jensen 2019-07-23 08:10

Assigned to me. Looks like it may be related to

Warning message when using the wrong browser




If the length of a comment log entry is longer than the maximum set by the admin in the system settings, the text will be cut off with a "Show more..." link that displays the remainder of the entry when clicked. Once the entry is expanded, a "Show less..." link is displayed that collapses the text so that only the configured number of characters are displayed again. See the [System](#) documentation in the Administration Guide for more information.

Note that Comment Log fields cannot be created in Studio; they exist automatically on many modules and can be added to the layout in Studio. This can be done by a system administrator or someone with Developer-level role access. On the Bugs and Cases modules, the Comment Log field is displayed by default. For more information on using Studio to add fields to a module's layout, refer to the [Studio](#) documentation.

Tagging Users in Comment Log Entries

When you mention users in comment log entries, you can insert a link to their employee record in the form of a clickable pill; the tagged user receives a [notification](#) in Sugar and an email notification, if this preference is enabled in the [user's settings](#). To tag a user, type the @ symbol followed by at least the first two characters of the first or last name. A list of matching users will appear below the text area; select the user you want to mention and the tag will be added to the entry. After saving, the tag is displayed as a clickable pill.

Comment Log




To filter by letters in the middle or end of the first or last name instead of the beginning, use the wildcard character (%) at the beginning of your criteria. For example, "@%en" would yield Sally Bronsen, Max Jensen, and Jim Brennan.

If the user you want to mention does not have access to the record, their name will be disabled in the list of results, labeled with "No access", and you will not be able to tag the user.

Linking to Records in Comment Log Fields

It is possible to link to Sugar records in comment log entries; the link will appear as a clickable pill. To link to a record, type the # symbol followed by at least two characters in the name of the record. A list of matching records will appear below the text area; select the record you wish to link to and the link will be added to the entry. Upon saving, the link will be displayed as a clickable pill.



The screenshot shows a 'Comment Log' input field with the text '#aro' entered. Below the input field, a list of matching records is displayed. The first record, 'Daron Bustillos', is highlighted in blue and has a 'Co' icon. The other records are 'Carolina Guardiola' (Co), 'Hector Maroney' (Co), 'Carolynn Haigler' (Le), and 'Daron Arias' (Le). The 'Le' icon indicates that the user does not have access to that record.

If you are viewing a comment log entry containing a link to a record to which you do not have access, the link will still be clickable but the text will say "No data available".

Date Fields

Date fields allow users to specify a particular date by either typing a date in the provided format or clicking the Calendar icon and selecting it via the date picker. Click the month and year (e.g., "January 2018") to select the desired month or use the arrows to navigate to the desired month. To set the year, click the month and year at the top of the picker, then click the year at the top of the picker, and then select the desired year. Once the month and year are set, click the desired date below to set the date and close the picker.

Cancellation Date



mm/dd/yyyy

January 2018						
Su	Mo	Tu	We	Th	Fr	Sa
31	1	2	3	4	5	6
7	8	9	10	11	12	13
14	15	16	17	18	19	20
21	22	23	24	25	26	27
28	29	30	31	1	2	3
4	5	6	7	8	9	10

Datetime Fields

Datetime fields allow users to specify both a particular date and a time. The date portion is set just like a date field as described above. The time portion can be set by typing a time in the provided format or clicking the Clock icon and selecting it via the dropdown.

Start Date

01/10/2018  03:30pm 


Location

Description

- 03:15pm
- 03:30pm
- 03:45pm
- 04:00pm
- 04:15pm
- 04:30pm

Dropdown Fields


Dropdown fields provide a list of values where only one value can be selected at a time. The list will be collapsed to only display the selected value except during editing, making it appropriate for longer lists of values. Click the selected value to see the full list. Clicking the desired value will replace it as the selected value.



Email Address Fields

Email address fields contain one or more email addresses for a single record; email addresses are entered by clicking in the field and typing or pasting the address. The following options are available when editing an Email Address field:


- **Add/Remove:** Add additional email address fields by clicking the Add button. Click the minus button to remove the adjacent address.




- **Primary:** A white star with a black background represents the primary email address on a record. This will be the default address that Sugar will find when the record is included in email campaigns and other send-message events performed within the application. On a given record, only one email address can be the primary one. If a record contains only one email address, it will be set to primary by default.



- **Opted Out:** The button with a slashed circle indicates whether or not an email address has been opted out from email marketing campaigns. Sugar automatically opts-out an email address when a recipient clicks the opt-out link in an email-type campaign message. When enabled, the button will have a black background. Administrators can configure whether new email addresses added to Sugar records default to opted-in or opted-out by using the "Opt-out new email addresses by default" option via Admin > System Email Settings.



When an opted-out email address is saved, the opt-out status is indicated by a blue circle with a line through it. Opted-out email addresses also display a Link button in record view. Clicking this button will copy a link to your computer's clipboard which you can send to the email address owner in order to request that they confirm their desire to receive marketing emails from your organization. When the copied link is visited in a web browser, Sugar will automatically set the email address to opted-in.



Please note that opted-out email addresses are only excluded from campaigns, so users can continue to send them transactional emails via the Emails module. For more information about email opted-out email addresses, refer to the [Emails](#) documentation.

- **Invalid:** Invalid or undeliverable email addresses are represented by a black button with a white exclamation point. Sugar automatically marks email addresses as invalid if they are returned via the recipient's mail server during the distribution of an email campaign. Users can also manually toggle the invalid designation on and off by clicking the Invalid button next to the email address. Sugar will not permit users to send messages to invalid email addresses from anywhere within the application.



Flex Relate Fields

Flex relate fields require users to select first the module and then a record from that module to relate to the current record. The module selector works like a [dropdown field](#) (described above) while the record selector works like a [relate field](#) (described below). You can click the "x" to the right of the selected record's name (e.g., ABC Company) to clear out the value. Please note that a module may only have one flex relate field.

Related To

Account

Account

Contact

Opportunity

Task

Product Catalog

Quote

Quoted Line It...

In most views, once saved, the field label changes to the selected module and the field value displays the selected record. In list view, however, the column maintains its field label and you can instead identify the record's module using the color-coded module icon next to the record name. Hovering over the icon reveals the module name.

Filter Search by subject...

<input type="checkbox"/>	Subject	Related to
<input type="checkbox"/>	Discuss review process	<input type="button" value="Ac"/> Smallville Resources Inc
<input type="checkbox"/>	Left a message	<input type="button" value="Cs"/> Having trouble adding new items
<input type="checkbox"/>	Get more information on ...	<input type="button" value="Ts"/> Arrange reference call
<input type="checkbox"/>	Get more information on ...	<input type="button" value="Qu"/> 3 Year Service for Smallville Reso...

Iframe Fields

Iframe fields allow users to load content from an external website by entering a URL (<https://example.com>) in the field. Please note that Sugar will only load content from trusted domains that the system administrator has approved in Admin > Content Security Policy Settings. If you get an error indicating that the content has not been approved, please reach out to your administrator as they will need to update your system's [Content Security Policy](#) settings. If the CSP settings get updated while you are logged in to Sugar, you will need to refresh your browser for the changes to take effect in your session.

Iframe

Integer Fields

Integer fields allow users to enter whole number values (e.g., 850) by clicking on the field and typing. Administrators can specify a minimum and maximum value for the field via Admin > Studio.

Number of Employees

1,800

Multiselect Fields

Multiselect fields provide a list of values where one or more values can be selected at a time. The list will be collapsed to only display selected values except during editing, making it appropriate for longer lists of values. Click the blank space to the right of selected values to see additional options. Click the x on a selected value to deselect it.

Contact Preference

Office Phone x Email x

Mobile Phone

Alternate Phone

Radio Fields

Radio fields provide a list of values where only one value can be selected at a time. The entire list of all values will be displayed at all times, making it appropriate for shorter lists of values. Click the circle of the desired value, and any previously selected value will be deselected automatically.

Number of Employees


1-100

101-200

201-300

Relate Fields


Relate fields allow users to select a record from a single module. Both relate fields (which are visible via Admin > Studio > {Module Name} > Fields) and one-sided relationships (i.e., one-to-many and one-to-one) are represented by the same relate field user interface. Type the first few characters of the desired record and either select from the type-ahead results or click "Search and Select..." at the bottom for a more robust search.



The screenshot shows a user interface for a 'Relate Field' labeled 'Account Name'. At the top, it says 'Required' with a dropdown arrow. Below this is a search input field with a magnifying glass icon on the right. A red box highlights the search input field. Below the search field is a button labeled 'Search and Select...' with a red box around it.

Tags Fields

The Tags field allows users to enter keywords or phrases in order to connect Sugar records by common attributes that may not be defined via basic database fields. Once a new tag has been created, it can be re-used by any user in any module that contains a Tags field. To use the Tags field, click inside the field and type a word or phrase. Sugar will recommend existing tags as you type, but you can choose to ignore the recommendations and create an entirely new tag. For more information about tagging records in Sugar, please refer to the [Tags](#) documentation.



The screenshot shows a 'Tags' field. At the top, it says 'Tags'. Below this is a search input field with a magnifying glass icon on the right. A red box highlights the search input field. Below the search field is a button labeled 'Search and Select...'. Below the search field is a dropdown menu showing a list of tags. The first tag is '2018 Western Conference' with a close button (X) to its right. A red box highlights the '2018' part of this tag. Below the dropdown menu is a blue button labeled '2018 (New Tag)'. Below the blue button is a list of tags: '2018 Eastern Conference', '2018 European Conference', '2018 Latin America Conference', and '2018 North America Conference'. A red box highlights the entire list of tags.

Teams Fields

The Teams field specifies which teams of users have access to view the record. An individual team selection works like a [dropdown field](#) which is described above. Click the Add button to add additional teams to the record or the minus button to remove a team. Click the star button to set the primary team. For more information on teams, please refer to the [Team Management](#) documentation.

Teams

East	★	-
West	★	- +

Text Fields

Text fields allow users to enter a word or brief phrase by clicking into the field and typing. Text fields will accept any combination of characters (i.e., letters, numbers, spaces, and symbols) but have a 100-character limit by default. Administrators can edit the maximum character length restriction via Admin > Studio.

Department


Text Area Fields

Text area fields allow users to enter large amounts of text by clicking on the field and typing. Please note that any hyperlinks (e.g., website, email) entered in the text area field will appear clickable once the record is saved. Clicking the hyperlink(s) within the field will open the link in a new tab for you to access the external company website, compose email, etc.

Description The main points of contact for this account are John Smith (jsmith@abcco.com) and Tom Morrison (tmorrison@abcco.com). For renewals and billing, please contact Susan Jameson at (415) 788-8888 or sjameson@abcinfosales.com. For additional points of contact in the company, check out <https://www.abcco.com/contact/>.

Administrators can also modify the default display size of a text area field via Admin > Studio, but this will not limit the number of characters that can be entered by a user. Most browsers supported by Sugar will allow the user to resize an active text area field temporarily by dragging the bottom corner of the field to the desired width and height.

Description The main points of contact for this account are John Smith (jsmith@abcco.com) and Tom Morrison (tmorrison@abcco.com). For renewals and billing, please contact Susan Jameson at (415) 788-8888 or sjameson@abcinfosales.com. For additional points of contact in the company, check out <https://www.abcco.com/contact/>.



Creating Records

There are various methods for creating records in Sugar including basic creation, quick create, duplication, and import. The same record view layout opens when creating records by any of these methods and includes all of the relevant fields. Please note that administrators can configure the record view layouts to tailor them to your organization's needs via Admin > Studio. For more information on configuring layouts, please refer to the [Studio](#) documentation.


Basic Record Creation

The most common method of record creation is via the individual module itself using the Create button in the list view or the Create {Module} option in the module tab. This opens the record view layout in edit mode which allows you to enter all of the desired information.

The following steps cover creating an account via the Accounts module as an example:

1. Click the triangle in the Accounts module tab to open the actions menu and select "Create Account". You can also click the Create button on the upper right of the Accounts list view.

- From Accounts module tab:



- From Accounts list view:

Accounts (20 of 21+)					Create
Filter		Build Filter	Search by name...		<input type="refresh"/> <input type="list"/> <input type="close"/>
<input type="checkbox"/>	▼	Name	City	Billing Country	Phone
<input type="checkbox"/>	★	Tortoise Corp	San Mateo	USA	(811) 833-6547
<input type="checkbox"/>	★	Jungle Systems Inc	Santa Fe	USA	(108) 624-5252

2. Enter appropriate values for the fields in the record view layout. All required fields will indicate "Required" in the field and must be completed prior to saving.
3. Once the necessary information is entered, click "Save".


Creating via Quick Create

The Quick Create menu allows you to easily create new records from anywhere in Sugar. Simply click the quick-create button on the upper right of any Sugar page to access the menu.

Note: Administrators have the ability to enable or disable a module in the Quick Create menu. Also, some modules are not available to be enabled. For more information, please refer to the [Developer Tools](#) documentation.

The following steps cover creating an account via Quick Create as an example:

1. Open the Quick Create menu on the upper right of any Sugar page and select "Create Account".



2. Enter appropriate values in the fields in the record view form. All required fields will indicate "Required" in the field and must be completed prior to saving.
3. Once the necessary information is entered, click "Save".

Creating via Subpanels


On [record views](#), beneath a record's fields, subpanels appear which contain related records from various modules. You can create a related record as well as link an

existing record directly from the subpanel.

Note: Administrators have the ability to disable a module's subpanels for the entire instance via Admin > Display Modules and Subpanels. For more information, please refer to the [Developer Tools](#) documentation.

The following steps cover creating a contact via a Contacts subpanel as an example:

1. Click the Add button on any Contacts subpanel on a related module's record view.




2. Enter appropriate values in the fields in the record view form. All required fields will indicate "Required" in the field and must be completed prior to saving.
3. Once the necessary information is entered, click "Save".

Creating via Duplication

You can also create a new record by duplicating an existing record. The Copy option is useful if the record you are creating has similar information to an existing record. Please note that existing subpanel relationships for the original record will not carry over to the duplicate.

The following steps cover creating an account by duplicating an existing account as an example:

1. Navigate to an account's record view.
2. Click the Actions menu and select "Copy".



3. The displayed record view is pre-populated with the original account's


values. Update the necessary fields, then click "Save".

Importing Records

The import function allows you to push multiple records of a single module into Sugar using a .csv file instead of creating them one-by-one. For more information, please refer to the [Import](#) documentation.

The following steps cover importing accounts as an example:

1. Click the triangle to access the Actions menu in the Accounts module tab and select "Import Accounts".



2. In Step 1, select the import file and choose "Create new records only". Click "Next".
3. In Step 2, confirm the import file properties. Click "Next".
4. In Step 3, confirm the field mappings for the import. Click "Next".
5. In Step 5, view the import results.
 - The Created Records tab will show all of the new account records.
 - The Duplicates tab will show any records in the file that were identified as duplicates of existing records and thus not imported.
 - The Errors tab will show records that were not imported due to errors detected during import.

Viewing Records

Sugar records can be viewed from a variety of locations including via the module's list view, record view, Recently Viewed menu, dashlets, and reports. Please note that you will only be able to see records as allowed by your team membership, user access type, and assigned roles. For more information on teams and roles, please refer to the [Team Management](#) and [Role Management](#) documentation.

Viewing via List View


Each module's list view displays all of the module's records that meet the current search criteria. To access the list view, simply click the desired module tab. While list views only show key fields, you can click the record's name to open the record view and access additional details. For in-depth information about list views, please refer to the [List View](#) section of this page.

Viewing via Record View

Each record's record view displays thorough record information including all relevant fields followed by subpanels of related records belonging to various modules. The record view can be reached by clicking a record's name link from anywhere in the application. For in-depth information about record views, please refer to the [Record View](#) section of this page.

Viewing via Recently Viewed

As you work, Sugar will keep track of which records you have recently viewed. Click the triangle on the right of any module's tab to see a list of the 3 records you most recently viewed in that module. You can also click the triangle to the right of the Sugar cube icon to see records recently viewed from across all Sugar modules. Clicking a record name within these lists will open it in record view.



Viewing via Dashlets

Sugar Dashlets allow you to get a quick view of various records, activities, reports, etc. Dashlets may be added to your Home page or to the intelligence pane of any module's list view or record view. List View dashlets display lists of records and their desired fields. Clicking a record's name from any dashlet will open it in record view. For more information on using dashlets, please refer to the


[Intelligence Pane](#) documentation.

My Contacts ^ ⚙		
Name ⌵	Account Name ⌵	Office Phone ⌵
Daron Langone		(559) 848-6289
Johanne Bramwell	Insight Marketing Inc	(327) 402-3565
Tierra Palin	Tracker Com LP	(508) 131-9394
Sanford Bristol	Hammer Group Inc	(563) 201-0083
Trish Basta	Hammer Group Inc	(888) 171-3184
<hr/>		
More contacts...		

Viewing via Activity Streams

The activity stream allows you to see record changes and user posts relevant to records you are following in Sugar. Activity stream posts will display records when that record was modified or when a user mentions the record in their post.

Clicking the record's name link will open its record view. You can also preview the record directly from the activity stream by clicking the [Preview](#) button to the right of the post. For more information on viewing records via the activity stream, please refer to the [Activity Streams](#) documentation.



Note: Sugar's activity streams are disabled by default, but administrators can globally enable the functionality based on their organization's needs. For more information, refer to the [System](#) documentation in the Administration Guide.

Viewing via Preview

Record previews are accessible anywhere you see the Preview button (eye icon), usually to the right of a record's row. Click on the preview icon to expand or refresh the intelligence pane and view details about the record without leaving the current page. Record previews are available from list views, subpanels, duplicate search, Search and Select drawers, and activity stream posts.

In the preview, Sugar displays the topmost fields from the module's record view and the record's most recent activity stream entries in the intelligence pane. To view all of the fields that are on the record view, click "Show more...". From module list views, left and right arrow buttons at the top of the intelligence pane allow you to preview the next or previous record of the current list. To close a preview, simply click the "X" in the corner of the intelligence pane.

Contacts (20 of 21+) Create Preview

Filter Build Filter Search by first name, last name, email address, offi

Name	Title	Account Name	Email Address
June Arends	VP Operations	Gifted Holding...	jarends@test.c...
Aurelio Galang	President	South Sea Plu...	beans14@exa...
Justa Montesino	VP Operations	Spend Thrift Inc	sales.sugar.inf...
Linnie Bondi	Mgr Operations	X-Sell Holdings	hr46@example...
Hal Archambe...	Director Sales	Slender Broad...	beans.phone.k...
Lashonda Han...	VP Sales	Kaos Trading ...	sugar25@exa...
Arnold Losoya	IT Developer	Coolview Net ...	section37@exa...
Isis Arvizu	Mgr Operations	J.K.M. Corp (HA)	im38@exampl...
Rebekah Parra	VP Operations	Underwater M...	phone.hr.kid@...
Makeda Gadb...	Director Sales	Dirt Mining Ltd	vegan.support...
Annett Gobert	Mgr Operations	Smallville Res...	dev.section.im...

Preview

Name
June Arends

Title
VP Operations

Mobile
(660) 279-3029

Department
Operations

Do Not Call

Account Name
Gifted Holdings AG

Business Center Name

Email Address
jarends@test.com

Tags
Important Process Proprietary Support

Show more...

Viewing via Reports

The Reports module allows you to build, run, and manage reports to gather key record information. In addition to only displaying the fields and relationships you desire, reports can utilize complex filters to display specific subsets of your records. Once a report is run, you can click any record's name link in the results to open its record view. Please note that you can only directly access record views with Rows and Columns-type and Summation with Details-type reports as Summation-type and Matrix-type reports do not include hyperlinks in their display columns. For more information on using reports, please refer to the [Reports documentation](#).

Name: Accounts Report **Type:** Rows and Columns Report

Modules: Accounts, Accounts > Email Address **Teams:** Global

Display Columns: Name, Email Address **Assigned to:** Adminis


Schedule: None

Filters: None

(1 - 53 of 53)

Name	Email Address
ABC Company	abc@example.com
Evermore Company	evermore@example.com

In addition to navigating to the Reports module and finding or building relevant reports, you can use the View {Module} Reports option to see only the reports based on the desired module.



Please note that your ability to access reports may be restricted by a role. For more information on roles, please refer to the [Role Management](#) documentation. Check with your system administrator if you cannot access the Reports module.

Searching for Records

Each module's list view includes a list view search to help you easily locate records in a module-specific manner. Matching records will be displayed in the list view below. Global search allows users to search for information across their entire Sugar database rather than restricting searches to a specific module. Sweet Spot search allows users to search for information, modules, and common actions across their entire Sugar database by using a keyboard shortcut. In each of these three searches, Sugar automatically appends the wildcard character (%) to the end of your search phrase. This allows the system to retrieve all records that start with the keyword entered in the search. If you would like to broaden the search, you can use the wildcard at the beginning of your text as well (e.g., %services). This will pull up any record that has the word "services" in the name, regardless of how it starts or ends.

Global Search

For a brief introduction to global search, please refer to the [Global Search](#) section of this page. For in-depth information on both search methods as well as how wildcards are used in each method, please refer to the [Search](#) documentation.

Sweet Spot Search

The Sweet Spot feature allows you to quickly and conveniently search Sugar from anywhere within the application. Using the Sweet Spot feature, you can find and

navigate to:

- The Home page Actions menu
- A module (e.g., Accounts, Bugs)
- Common actions in the modules' Actions menus (e.g., Create Account, View Account Reports)
- A specific record
- The user menu

You will only be able to see actions and records as allowed by your team membership, user access type, and assigned roles. If you are an administrator, you can also find and navigate to many of the sections on Sugar's Admin page.

To open Sweet Spot, use the appropriate shortcut key sequence for your operating system:

OS	Shortcut
Mac OS X	shift+cmd+space
Windows	shift+ctrl+space
Linux	shift+ctrl+space

Once the Sweet Spot opens, begin typing your query and the search results will update as you type. For more information on configuring Sweet Spot search, please refer to the [Search](#) documentation.


List View Search

List view search enables users to easily search by the record's name within an individual module and pull up matching records in the list view. The search also provides a Filter option allowing you to narrow your search further using the available options. The following universal default filters are available in all modules:

- **Build Filter:** Create a new custom filter that you can use to filter your search
Note: You can also click "Build Filter" to the right of the Filter option.
- **All "Module Name":** Returns all records in the module (e.g., Accounts) to which you have access
- **My "Module Name":** Returns only records assigned to you
- **My Favorites:** Returns only records you have marked as favorites
- **Recently Created:** Returns only records you created in the module within the last 7 days
- **Recently Viewed:** Returns only records you have viewed in the module


within the last 7 days

Refer to the module page for default filters that are unique to specific modules (e.g., [Meetings](#), [Calls](#)).



The screenshot shows the 'Accounts (20 of 21+)' list view. At the top right is a 'Create' button. Below the header is a search bar with the text 'Search by name...'. To the left of the search bar are two buttons: 'Filter' (highlighted with a red box) and 'Build Filter'. A dropdown menu is open from the 'Filter' button, showing several options: '+ Build Filter', 'All Accounts' (checked), 'My Accounts', 'My Favorites', 'Recently Created', and 'Recently Viewed'. Below the menu, a table of account records is visible with columns for Name, City, and Phone. The first row shows 'Smith & Sons' in Santa Monica with phone number '(603) 183-0316'.

When you choose a filter, Sugar will return records that match both the selected filter and any name provided in the open Search box in the filtered list view results. For example, if you select "My Accounts" in the Filter options and enter a query in the Search box, Sugar will only return account records that are assigned to you and have names that match the search term. Once the search is complete, the relevant results will populate in the [list view](#) below the search bar.




The screenshot shows the 'Accounts (3)' list view. At the top right is a 'Create' button. Below the header is a search bar with the text '%tr'. To the left of the search bar is a 'Filter' dropdown menu (highlighted with a red box) showing 'My Accounts' selected. Below the menu, a table of account records is visible with columns for Name, City, Billing Country, and Phone. The first row shows 'Introductory Holdings' in Pittsburgh, USA, with phone number '(41...'. The second row shows 'Kings Royalty Trust' in Toronto, Canada, with phone number '(12...'. The third row shows 'Tracker Com LP' in Denver, USA, with phone number '(01...'. The text 'Introductory Holdings', 'Kings Royalty Trust', and 'Tracker Com LP' are highlighted in yellow.


Note: The yellow highlighting in this image has been added for effect and will not appear in the application.

When you perform a search using a filter from the filter list, the filter will continue to apply if you navigate away from and then return to the module's list view. Any text query entered in the open Search box, however, will not be preserved.


To see all account records to which you have access, simply select the All Accounts option in the filter and remove any text from the search bar:



To clear an applied filter, click the "x" on the selected filter option (e.g., My Accounts) in the Search box; to clear a text query from the search, click the "x" on the right end of the search box:



To update the filtered list view with the most recent results, click on the Refresh button to the right of the search box:



Please note that you will only be able to see records as allowed by your team membership, user access type, and assigned roles. For more information on teams and roles, please refer to the [Team Management](#) and [Role Management](#) documentation. Administrators can configure what fields appear on the List View Search via Admin > Studio for certain modules. For more information on editing layouts, please refer to the [Studio](#) documentation.

Creating a Filter


Users can also create new filters via the Build Filter option in the Filter list of the search bar. This allows users to add custom, complex filter options when searching in the module's list view. You have the option to add multiple fields to your new filter by clicking the Add button to the right of the filter selection dropdown lists and set select operators along with their value(s). A filter's criteria need to be true for a record in order for it to appear in the list view search result. Additionally, filters with no specified values may be saved as a custom filter to act as a filter template when a user often searches using the same fields but with varying values. Please note that only fields you have view access for will appear in the Filter list

when creating a search filter.


When you run a search using a created filter, the search will be preserved when you navigate away from the module. Returning to the list view will automatically display the results of your last filter.

The following steps cover creating a new Assigned to filter in the Accounts module as an example:

1. Click the Filter option on the Accounts search bar then select "Build Filter".



- You can also click "Build Filter" to the right of the Filter option.
2. Select the field you want to add to your filter as well as the condition and matching criteria.
 - **Note:** Only fields you have view access for will be available to add to the Filter list.
3. To add additional fields to the new filter, click the Add button to the right of the filter.
 - To remove fields from the new filter, click the Remove button to the right of the filter.
 - To clear any filter values (e.g., Will Westin), simply click the "x" to the right of the value or select "Reset" to the left of the Save button.




The list view will automatically display results matching your filters as you create and modify the criteria. To view the most recent matching records for an existing filter, click on the Refresh button to the right of the search box.

Note: When filtering a relate field using "is any of" or "is not any of", you can select up to 20 values.

Filtering User Fields


When filtering a User field, only users with an Active status are returned by default. If needed, you can filter list views to show records that are assigned to or created/modified by inactive users by filtering the user list on the Status field. As an example, use the following steps to search for records assigned to an inactive user:

1. Navigate to a Sidecar module (e.g., Accounts) and create a filter as described above.
2. Choose "Assigned to" for the field and click on "Search and Select" in the value field.



The screenshot shows a filter configuration window. At the top, there is a 'Filter' dropdown and a 'Build Filter' button. Below that, a search bar is labeled 'Search by name...'. The main configuration area has two dropdown menus: the first is set to 'Assigned to' and the second is set to 'is any of'. To the right of these is a text input field with a 'Search and Select...' button highlighted by a red box. Below the input field is a 'Save' button. At the bottom, there is a field for 'Enter new filter name...'.

3. In the Search and Select window, create another filter with the following condition and criteria: "Status is any of Inactive".



The screenshot shows the 'Search and Select' window. At the top, there is a 'Filter' dropdown and a 'Build Filter' button. Below that, a search bar is labeled 'Search by first name, last name...'. The main configuration area has two dropdown menus: the first is set to 'Status' and the second is set to 'is any of'. To the right of these is a list of values: 'Active' and 'Inactive'. The 'Inactive' option is highlighted with a blue background and a red box. Below the list is a 'Save' button. At the bottom, there is a field for 'Enter new filter name...' and a table with columns for 'Full Name', 'User Name', and 'Title'.

4. Select the inactive user from the list.

Upon returning to the Accounts list view, the list will be filtered to show only records assigned to the inactive user you selected.

Saving a Filter

Saving a filter will preserve the chosen fields as well as the condition(s) of the matching value(s). Additionally, it will allow users to easily select previously created and saved filters from the Filter options.

The following steps cover saving a new search by Name filter for the Accounts module as an example:

1. Create a [new filter](#) to perform a search on your desired fields.
2. Enter a name for the new filter (e.g., "Accounts assigned to Sarah and Will").

Filter ▾ Build Filter Search by name...

Assigned to is any of Sarah Smith Will Westin

Accounts assigned to Sarah and Will

Reset Cancel Save

3. Click "Save" to add this filter to the module's Filter options.

You can also create and save a filter without entering any filter values (e.g., Sarah Smith) if you wish to enter new values each time you utilize the filter. When re-using the filter simply enter the appropriate filter value(s) and the list view will display the matching results. Once you are done with the filter, click "Reset" to the far right of the filter's name to clear the filter value(s).

The custom filter can always be edited as necessary by selecting the filter and updating the fields, conditions, values, etc. via the filter details panel. Once the necessary updates have been made, click "Save" to preserve the changes.

Please note that you can easily delete custom filters by selecting the filter (e.g., Accounts assigned to Sarah and Will) from the Filter list, clicking the filter's name on the Search bar, then clicking "Delete" on the filter details panel.

List View

A module's list view displays all records meeting the current search criteria and to which users have access. You can view the basic details of each record within the field columns of the list view or click the record's name to open the record view. To access a module's list view, simply click the module tab (e.g., Accounts) in the navigation bar at the top of Sugar.

Please note that you will only be able to see records as allowed by your team membership, user access type, and assigned roles. For more information on teams and roles, please refer to the [Team Management](#) and [Role Management](#) documentation.

Accounts (20 of 21+) Create »


Filter ▾ Build Filter Search by name...

<input type="checkbox"/>	Name	City	Phone	Billing	
<input type="checkbox"/> ☆	Jungle Systems Inc	Santa Fe	(415) 624-5252	USA	<input type="checkbox"/> ▾
<input type="checkbox"/> ☆	Smallville Resources Inc	Denver	(555) 089-2406	USA	<input type="checkbox"/> ▾

Users with administrator or developer access have the ability to change what fields are visible in the list view via Admin > Studio. For more information on editing layouts, please refer to the [Studio](#) documentation.

Total Record Count


The list view displays the total count of records (e.g., "20 of 21+") on the upper left of the page next to the module name (e.g., Accounts). The count will capture the total number of records displayed on the current set of list view results. If there are additional records in the list view results set, a hyperlinked number (e.g., "21+") will display to the right of the initial count. Simply click the hyperlinked number in the parentheses to view the total count of all records in the list view result set.



Please note that, by default, Sugar displays 20 records per list view results set, but administrators can change the number of records displayed via Admin > System Settings. For more information, please refer to the [System](#) documentation.


Create Button

The Create button on the upper right of the module's list view allows users to easily create new record's in the module. Once you click the button, the module's record view layout opens where you can enter all of the relevant information to create the new record. Please note that administrators can configure the Record View layout via Admin > Studio. For more information on configuring layouts, please refer to the [Studio](#) documentation.



List View Search


To search for a specific record within a module or for a list of module records filtered by name, use the search bar located above any module's list view. Start typing a word into list view search and Sugar will retrieve all records that start with the given characters.



List view searches also support the system wildcard character (%) to retrieve results that contain certain characters in their name or title. For more information about performing module-specific searches via list view, please refer to the [Search](#) documentation.

Refreshing Search Results

The list view's Refresh button provides a quick way to reload the results of any filtered or unfiltered list view without reloading the browser or losing any filter or search criteria you may have set. Simply click on the Refresh button to the right of the search box to load the most current list of matching records.



Checkbox Selection

Users can perform various types of actions on module records by first selecting the desired records from the module's (e.g., Contacts) list view. To select individual records from the list view, mark the checkbox on the left of each record row.

A screenshot of the Accounts list view showing a table of records. The table has columns for Name, City, and Phone. The first row is 'Jungle Systems Inc' with phone '(415) 624-5252'. The second row is 'Smallville Resources Inc' with phone '(555) 089-2406'. The third row is 'Dirt Mining Ltd' with phone '(603) 995-6451'. A red box highlights the checkboxes in the first column of the table. The checkboxes for 'Jungle Systems Inc' and 'Dirt Mining Ltd' are checked, while the checkbox for 'Smallville Resources Inc' is unchecked. There are also star icons and dropdown menus in the first column of each row.

<input type="checkbox"/>	Name	City	Phone	
<input checked="" type="checkbox"/>	Jungle Systems Inc	Santa Fe	(415) 624-5252	<input type="checkbox"/> <input type="checkbox"/>
<input type="checkbox"/>	Smallville Resources Inc	Denver	(555) 089-2406	<input type="checkbox"/> <input type="checkbox"/>
<input checked="" type="checkbox"/>	Dirt Mining Ltd	St. Petersburg	(603) 995-6451	<input type="checkbox"/> <input type="checkbox"/>

To select all records displayed on the current set of list view results, click the checkbox to the left of the Actions menu. Please note that a dialog will appear below the list view's column headers indicating that you have selected all records on the list view's current result set (e.g., 20). To select all records in the search results, click "Select all records" in the dialog.

<input checked="" type="checkbox"/>	Name	City	Phone	
You have selected all 20 records in this view. Select all records in the result set.				
<input checked="" type="checkbox"/> ☆	Jungle Systems Inc	Santa Fe	(415) 624-5252	▼
<input checked="" type="checkbox"/> ☆	Smallville Resources Inc	Denver	(555) 089-2406	▼

If you wish to clear the selection for all records on the list view result set, simply click "Clear selections" in the dialog. You can also clear the selections for all records by clicking the checkbox option again to remove the checkmarks.

<input checked="" type="checkbox"/>	Name	City	Phone	
You have selected all 45 records in the result set. Clear selections.				
<input checked="" type="checkbox"/> ☆	Jungle Systems Inc	Santa Fe	(415) 624-5252	▼
<input checked="" type="checkbox"/> ☆	Smallville Resources Inc	Denver	(555) 089-2406	▼

Mass Actions Menu

The Mass Actions menu to the right of the checkbox option allows you to perform various actions on the currently selected records. Please note that the actions available to perform will vary between each of the modules. To access the Mass Actions menu simply click the triangle next to the checkbox option.

<input checked="" type="checkbox"/> ▼	Name	City	Phone	
You have selected all 45 records in this view. Select all records in the result set.				
<input checked="" type="checkbox"/>	Jungle Systems Inc	Santa Fe	(415) 624-5252	▼
<input checked="" type="checkbox"/>	Smallville Resources Inc	Denver	(555) 089-2406	▼
<input checked="" type="checkbox"/>		St. Petersburg	(603) 995-6451	▼
<input checked="" type="checkbox"/>		Santa Fe	(108) 624-5252	▼

- Email
- Mass Update
- Add To Target List
- Merge
- Delete
- Export

For more information on the actions available within a specific module, please refer to the list view section in the application guide pertaining to that module. The most common actions available in the Mass Actions menu are as follows:

Menu Item	Description
Email	For modules that include an Email field, send an email to one or more records' email addresses.
Mass Update	Mass update one or more records at a time.
Add To Target List	Add the selected records to a target list to be included or excluded from a mass marketing campaign.
Merge	Merge two or more duplicate records.
Recalculate Values	Visible only if the module contains fields using Sugar Logic and only to System Administrators or users with Developer-level role access, this option will refresh the selected records' calculated values.
Delete	Delete one or more records at a time.
Export	Export one or more records to a CSV file.

The following sections will cover the most common type of actions available in the Mass Actions menu.

Favorite Designation

Users have the option to mark records as favorites via a module's list view. This allows users to designate records that are important or will be viewed often so that they can easily be accessed via the search filter's My Favorites option or from the module tab's Favorites option. In the module's list view, the star on the left of each record's row is blue once marked to indicate a favorite record. For more information on how to mark records as favorites, please refer to the [Favoriting Records](#) section of this documentation.

The following steps cover marking records as favorites via the Accounts list view as an example:

1. Navigate to the Accounts list view by clicking the Accounts module tab.

2. Use the [List View Search](#) to find the Account records you wish to mark as favorites.
3. Mark the star icon on the left of each desired account's row.
4. To remove the account as a favorite, click the star again to revert it to white.

<input type="checkbox"/>	☆	Introductory Holdings	Pittsburgh
<input type="checkbox"/>	★	Kings Royalty Trust	Toronto
<input type="checkbox"/>	Favorite	Insight Marketing Inc	Persistence

Column Reordering

List view provides the ability to reorder columns by dragging and dropping the title of the column to the desired location. The new column order is saved to the database so that the order will remain for a user upon subsequent visits to the module, even if the browser cache is cleared. You can reset the column order back to the default view by clicking the three-dots menu to the far right of the list view column headers and selecting "Reset default view". Please note that this option only appears if the current column order differs from the default order.

<input type="checkbox"/>	Name	Phone	Billing Country	
<input type="checkbox"/>	Jungle Systems Inc	Santa Fe	USA	(415) 624-5252

Column Resizing

Users can easily adjust the size of columns in list views per their viewing preference. Simply place your cursor on the column divider, and when the left-and-right arrow appears, click and drag the column to the desired size.

The set column width will be preserved when you navigate away from the page or resize your browser window. Sugar will render the preferred column size across sessions. You can reset the column width back to the default size by clicking the three-dots menu to the far right of the list-view column headers and selecting "Reset default widths". Please note that this option only appears if at least one of the column widths in the current list view is different from the default column width.

Changes to the column width made by administrators in Studio are only respected if the user has not resized the specific column in the list view. The column width

set by the user will supersede the default column width configured in Studio until the user resets the list view back to the default widths. For more information on how admins can set column widths, please refer to the [Studio](#) documentation.

Note: Sugar enforces a minimum width for currency fields (e.g., Best, Likely, etc.) in list view columns to prevent the columns from being collapsed beyond this limit.

<input type="checkbox"/> <input type="checkbox"/>	Name	City	Phone	Billing Country	⋮
<input type="checkbox"/> ☆	Jungle Systems Inc	Santa Fe	(415) 624-5252	USA	<input type="checkbox"/> <input type="checkbox"/>
<input type="checkbox"/> ☆	Smallville Resources Inc	Denver	(555) 089-2406	USA	<input type="checkbox"/> <input type="checkbox"/>

Column Sorting

Sugar's list view provides users the ability to sort all of the current search results by a field column in either ascending or descending order. To sort by a field or switch the sort direction, click the column header noting that columns that allow sorting have an arrow that appears when hovering over the column header. You can click the column header again to reverse the sort order.

Note: List views may only be sorted by one column at a time and cannot be sorted by custom relate fields or the Tags field.

<input type="checkbox"/> <input type="checkbox"/>	Name	City	Phone	Billing Country	⋮
<input type="checkbox"/> ☆	Pullman Cart Company	Sunnyvale	(880) 872-3881	USA	<input type="checkbox"/> <input type="checkbox"/>
<input type="checkbox"/> ☆	Nimble Technologies Inc	Sunnyvale	(559) 537-7972	USA	<input type="checkbox"/> <input type="checkbox"/>

Column Selection

Sugar gives users the ability to personalize the list view by specifying which fields they want to be displayed in the list view. You can click the three-dots menu to the far right of the list view column headers to see the list of available fields. Click a field name to toggle whether or not it is included as a column in your list view. Please note that administrators have the ability to configure what fields are available to display in the list view via Admin > Studio. For more information on configuring fields to display in the list view, please refer to the [Studio](#) documentation.

<input type="checkbox"/>	<input type="checkbox"/>	Name	City	Phone	Billing Country	
<input type="checkbox"/>	<input type="checkbox"/>	Jungle Systems Inc	Santa Fe	(415) 624-5252	U	<ul style="list-style-type: none"> ✓ Name ✓ City ✓ Phone ✓ Billing Country ✓ User ✓ Email Address ✓ Date Modified ✓ Test MS ✓ Date Created
<input type="checkbox"/>	<input type="checkbox"/>	Smallville Resources Inc	Denver	(555) 089-2406	U	
<input type="checkbox"/>	<input type="checkbox"/>	Dirt Mining Ltd	St. Petersburg	(603) 995-6451	U	
<input type="checkbox"/>	<input type="checkbox"/>	Jungle Systems Inc	Santa Fe	(108) 624-5252	U	
<input type="checkbox"/>	<input type="checkbox"/>	Smith & Sons	Santa Monica	(603) 183-0316	U	
<input type="checkbox"/>	<input type="checkbox"/>	Anytime Air Support Inc	Salt Lake City	(806) 130-2861	U	
<input type="checkbox"/>	<input type="checkbox"/>	X-Sell Holdings	Kansas City	(440) 255-3199	U	
<input type="checkbox"/>	<input type="checkbox"/>	King Software Inc	Kansas City	(589) 685-0571	U	
<input type="checkbox"/>	<input type="checkbox"/>	Spend Thrift Inc	Alabama	(094) 158-0575	U	

Preview

Users can preview a record's details directly from the module's list view by clicking the Preview button to the far right of each record's row. Please refer to the [Viewing via Preview](#) section of this page for more information.

Contacts (20 of 21+) [Create](#)

Filter Search by first name, last name, email address, offi

<input type="checkbox"/>	<input type="checkbox"/>	Name	Title	Account Name	Email Address	
<input type="checkbox"/>	<input type="checkbox"/>	June Arends	VP Operations	Gifted Holding...	jarends@test.c...	
<input type="checkbox"/>	<input type="checkbox"/>	Aurelio Galang	President	South Sea Plu...	beans14@exa...	
<input type="checkbox"/>	<input type="checkbox"/>	Justa Montesino	VP Operations	Spend Thrift Inc	sales.sugar.inf...	

Preview

Name
June Arends

Title
VP Operations

Mobile
(660) 279-3029

Department
Operations

Record Actions Menu

The Record Actions menu to the right of each record's Preview button allows users to edit, follow, delete, etc. specific records directly from the list view. For example, users have the ability to inline-edit the display column fields directly from the list view by clicking the triangle next to the Preview icon then selecting "Edit".

<input type="checkbox"/>	☆	Daryl Leaman	New	Overhead & U...	(661) 675-8591	s	👁	▼
<input type="checkbox"/>	☆	Sherrill Pfeil	Recycled	Underwater Mi...	(39			Edit
<input type="checkbox"/>	☆	Veta Puryear	Assigned	White Cross Co	(4			Follow
<input type="checkbox"/>	☆	Marge Heeter	Assigned	RR. Talker Co	(6			Delete
<input type="checkbox"/>	☆	Soon Basler	New	Dirt Mining Ltd	(19			Convert

The options in the Record Actions menu allow you to perform the following operations:

Menu Item	Description
Edit	Edit this record.
Follow	(Available if Activity Streams are enabled) Follow changes to this record in your activity stream.
Delete	Delete this record.
Convert	For the Leads module, convert this lead.

More Records

The list view loads an initial number of records meeting the current search criteria with the option to show additional results at the user's request. By default, Sugar displays 20 records per list view results set, but administrators can change the number of records displayed via Admin > System Settings. For more information on changing the number of displayed records, please refer to the [System](#) documentation. To load the next set of list view results, simply click the More "Module Name" (e.g., More accounts...) link at the bottom of the list view.

<input type="checkbox"/>	☆	J.K.M. Corp (HA)	Santa Monica	USA	(63	👁	▼
<input type="checkbox"/>	☆	Nimble Technologies Inc	Sunnyvale	USA	(55	👁	▼
More accounts...							


sugarcrm Mobile Doc Merge Shortcuts Help

Activity Stream

The module's activity stream displays user posts made directly via the module as well as record posts relevant to the module record. To view the module's activity stream, simply click the Activity Stream button to the right of the list view's search bar. For more information on how to add posts to the activity stream, please refer to the [Activity Streams](#) documentation.


Note: Sugar's activity streams are disabled by default, but administrators can globally enable the functionality based on their organization's needs. For more information, refer to the [System](#) documentation in the Administration Guide.

You can add comments to posts using the comment button to the far right of each post. You can also preview the record referenced in record posts by clicking the [Preview](#) button to the right of each post. The activity stream can be filtered to only display certain messages (e.g., Messages for Create, Messages for Update, etc.) by clicking "Filter" above the post input box and selecting the desired message type. You can also refresh the activity stream to view its latest entries by clicking the Refresh button to the right of the filter area.



Dashboards

To the right of list views, the intelligence pane displays dashboards when not displaying a record [preview](#). Dashboards are sets of dashlets configured for the specific list view to display useful Sugar data. An out-of-the-box default dashboard will likely be initially displayed on your list view intelligence pane. Sugar admins are able to create and push custom default dashboards to your views. You may also create personal dashboards using the dashlets and configurations that best suit your business needs. All dashboards can also be shared with teams of users who can then pull the dashboards to their views as desired. Ensure the intelligence pane is expanded using the arrow button at the top right of the list view. For more information, refer to the [Dashboards and Dashlets](#) documentation.



Record View

The module's record view displays thorough information regarding the record such as name, email address, phone number, etc. Beneath the fields, you can toggle between viewing a record's [subpanels](#) of related records (e.g., Opportunities, Leads) and the record's activity stream. The record view can be reached by clicking a record's link from anywhere in the application including from the module's list view.

Please note that you will only be able to view a record according to your team membership, user type, and role restrictions. In addition, if you can view a record but do not have the required license type to view a particular field on that record, the field value is replaced with a pill containing the text "License Required":

Website <http://www.kidhr.cn>

+ Member of

Business Center Name

License Required

Assigned to [Chris Olliver](#)

For more information on teams, roles, or license types, please refer to the [Team Management](#), [Role Management](#), and [User Management](#) documentation.

Users with administrator or developer access have the ability to change the record

view by configuring the layout via [Admin > Studio](#). For more information on editing layouts, please refer to the [Studio](#) documentation.

A screenshot of a record view in Sugar CRM. The record is for 'June Arends'. The header shows a purple circle with 'Co', the name 'June Arends', a star icon, and a 'Follow' button. To the right are navigation arrows and an 'Edit' button. The record details are: Title: VP Operations, Mobile: (660) 279-3029, Account Name: Gifted Holdings AG, and Email Address: vega...@the65@... There are also buttons for '+ Departm...', 'Do Not Call' (checkbox), and '+ Business ...'.


Favorite Designation

Users have the option to mark records as favorites via the module's record view. This allows users to designate records that are important or will be viewed often so that they can easily be accessed via the search filter or from the module tab. In the module's record view, the star to the right of the record's name is dark gray once favorited.

A screenshot of the same record view for 'June Arends'. The star icon next to the name is now dark gray, and the 'Follow' button has been replaced by a 'Following' button. The rest of the record details and layout are identical to the previous screenshot.


Following Designation

Users can also choose to follow changes to specific records that they have access to in Sugar by clicking the Follow button to the right of the record's name. The ability to follow records allows each user to personalize their [activity stream](#) by specifying which records' posts should appear on the activity streams displayed on their Home page and in module list views. Please note that you will automatically follow the records that you create as well as records that are assigned to you. You will not, however, automatically follow records you import. Should a user lose access to a record in Sugar, they will automatically stop following that record. For instructions for toggling the Following button on a record view, please refer to the [Following via Record View](#) section of this documentation.




Next or Previous Record

On the upper right of the record view, there are two buttons that allow you to page through each record in the module's list view's current search results. Clicking the Left arrow button displays the previous record of the current search results while clicking the Right arrow button displays the next record of the current search results.



Actions Menu

The Actions menu on the top right of each module's record view allows you to perform various actions (e.g., edit, copy, delete) on the current record.




Please note that certain options (e.g., Convert Lead) in the Actions menu can vary between the various modules. The following sections will cover the most common action items across the modules. For more information on a specific action not listed below, please refer to the record view actions menu section for the specific module's documentation in the Application Guide.

Menu Item	Description

Edit	Edit this record.
Share	Share a link to this record via email.
Download PDF	Download record information as a PDF file.
Email PDF	Email record information as a PDF attachment.
Find Duplicates	Locate potential duplicates of this record.
Copy	Duplicate this record.
Historical Summary	View a historical summary of activities (e.g., calls, meetings related to this record).
View Audit Log	View a sequence of changes made to this record.
View Personal Info	Display this record's fields which an admin has designated as personal information.
Delete	Delete this record.


Show More

The record view typically displays a few key fields (e.g., website, mobile phone, office phone) on the business card panel with the option to view more fields by clicking the "Show more..." link on the bottom left. Please note that administrators can configure the fields that appear on the business card panel via Admin > Studio > Layouts > Record View. For more information on editing layouts, please refer to the [Studio](#) documentation.



Subpanels

Beneath the module (e.g., Accounts) record's fields are subpanels containing related records from various modules (e.g., Contacts, Leads, Opportunities). You can create a related record as well as link an existing record directly from the subpanel. Once the records appear within the subpanel, users can [preview](#) the record's detail and edit the record's data directly from the record view. Please note that the subpanels are viewable when you access the Data View section of the module's record view.



Note: Administrators may choose to disable a module's subpanels for the entire instance via Admin > Display Modules and Subpanels. For more information, please refer to the [Developer Tools](#) documentation.

Related Record Subpanels

Subpanels under a module's record view contain its related records. Each relationship between two modules has a type, and that type determines if the relationship produces a field or a subpanel for each side. When a record of the primary module can be related to only one record of a second module (i.e., 1-1 or M-1 relationships), the relationship is displayed as a field on the primary module. When the record can be related to multiple records of a second module (i.e., 1-M or M-M relationships), the relationship is displayed as a subpanel instead since subpanels can hold many records.

For example, an account may be related to multiple contacts, so the related contacts are displayed in a subpanel on the account record. Administrators or users with developer-level role access may choose to change a subpanel's title and included fields by configuring the layout via Admin > Studio to provide visibility to the most important fields. For more information on modifying subpanels, please refer to the [Studio](#) documentation.

Related-record subpanels provide the following information and capabilities:

Related ▾ All Filter All Records Search...

CI CALLS (1) open/close + ▾

Me MEETINGS (5 of 6+) + ▾

	Subject	Status	Start Date	Link Existing Record
☆	Introduce all players	Canceled	2020-12-12 03:00	2020-12-12 04:45
★	Initial discussion	Scheduled	2020-09-14 13:00	2020-09-14 16:15
☆	Introduce all players	Held	2020-06-07 14:30	Edit
☆	Introduce all players	Scheduled	2021-02-25 05:45	Unlink
☆	Follow-up on propo...	Scheduled	2020-11-05 10:00	Close

More meetings...

Me MEETINGS (5 of 6+) + ▾

	Subject	Status	Start Date	End Date	Assigned User
☆	Review needs	Held	2021-02-23 09:...	2021-02-23 10:...	✓ Subject
☆	Review needs	Scheduled	2021-09-20 08:...	2021-09-20 09:...	✓ Status
☆	Initial discussi...	Held	2021-07-26 06:...	2021-07-26 08:...	✓ Start Date
☆	Follow-up on ...	Held	2021-04-07 09:...	2021-04-07 12:...	✓ End Date
☆	Discuss pricing	Scheduled	2021-09-09 11:...	2021-09-09 14:...	✓ Assigned User

- **Record Count:** Subpanel headers display the total count of related records (e.g., "5 of 6+") next to the module name. The count captures the number of records currently displayed with an additional, hyperlinked number (e.g., "6+") where there are more records than currently displayed. Click the hyperlinked number to see the total count of related records.
- **Collapse or Expand:** Click anywhere in the subpanel's header to collapse or expand it. Subpanels will remain collapsed or expanded on future visits to the module.
 - **Note:** Administrators can choose to disable the sticky feature and collapse all subpanels by default via Admin > System Settings. For more information, please refer to the [System](#) documentation.
- **Column Widths:** Place your cursor on the column divider and, when the double arrow cursor appears, click and drag the column to the desired size. The column width will be preserved when you navigate away from the

page. You can restore the default column widths by selecting "Reset default widths" from the three-dots menu.

- **Note:** Sugar enforces a minimum width for currency fields in list view columns to prevent the columns from being collapsed beyond this limit.
- **Column Sort:** Click a column header to sort the subpanel's items by that value. Clicking the same header again will reverse the sorting order (e.g., from ascending to descending).
- **Column Display:** You can also click the three-dots menu to change the list of fields that display as column headers.
 - **Note:** The list of available fields/columns is determined by the default vs hidden fields set in Admin > Studio.
- **Create a New Linked Record:** Click the Add button on the upper right of a subpanel to relate a new record to the record you are currently viewing. Please note that the Link Existing Record option is not available when the relationship is required in the related module (e.g., in an account's Opportunities subpanel).
 - **Note:** Because creating a new related record opens a drawer on top of the current record view, you should use the Cancel button to return to record view. Using the browser's back button will return you to the previous page.
- **Link Existing Record:** Click the triangle to the right of the Add button then select "Link Existing Record" to relate existing records to the record you are currently viewing.
 - **Note:** Because linking an existing record opens a drawer on top of the current record view, you should use the Cancel button to return to record view. Using the browser's back button will return you to the previous page.
- **Favorites Designation:** Click the star on the left of a record's row to toggle it as a favorite. A blue star indicates that the record is a favorite while a white star indicates it is not. For more information, please refer to the [Favoriting Records](#) section of this page.
- **Hyperlink Fields:** Blue field values, such as record names, may be clicked to open the record in record view. Record view provides a complete picture of the record and is described in detail in the [Record View](#) section of this page. Email addresses also appear in blue and can be clicked to compose an email to that recipient.
- **Record Actions Menu:** Click the triangle on the right of a record's row to access the Record Actions Menu which includes the following options:
 - **Preview:** To preview a record by displaying its fields and activity stream in the right-hand side drawer, click the Preview button (eye icon) to the far right of the record's row. For more information, please refer to the [Viewing via Preview](#) section of this page.
 - **Edit:** To inline edit the record directly within the subpanel, choose "Edit" from the Actions menu on the right of the record's row and click "Save" to preserve the changes.

- **Unlink:** To delete the relationship between the two records, choose "Unlink" from the Actions menu on the far right of the record's row. This removes the relationship but does not delete the record itself. Please note that the Unlink option is not available when the relationship is required in the related module (e.g., in an account's Opportunities subpanel).
- **Additional Options:** Some modules may have additional options available that are covered in the individual module's documentation.
- **More Records:** By default, Sugar displays up to five records in each subpanel though administrators can alter the number via Admin > System Settings as described in the [System](#) documentation. If additional related records exist, click "More <Module Name>..." (e.g., "More Accounts...") at the bottom of the subpanel to load the next set.

Filtering Subpanels

While in Data View, all of the related records will be displayed beneath the record's fields. Users have the ability to search for records that appear in the subpanels as well as filter the view to only display a specific module (e.g., Leads, Contacts). To locate a record by name, enter the keyword into the Search bar, and the subpanel(s) with the matching record(s) will appear below.


The screenshot shows a search bar with a dropdown menu set to 'Related' and 'Contacts' selected. The search term is '%albright%'. Below the search bar, a subpanel titled 'CONTACTS (1)' is displayed. The subpanel contains a table with the following data:

Name	City	State	Email
Eve Albright	Ohio	NY	hr46@example.c

To filter, simply click the Related option to the far left of the Search bar and select the module whose subpanel you wish to view. Filter and search may be combined to only display matching records within a selected module. To see all subpanels to which you have access, simply select "All" in the Related options and remove any text from the search bar. When you run a search using a saved or created filter, the search will be preserved when you navigate away from the page. Returning to the page will automatically display the results of your last filter. Please note that search strings entered in the open Search box are not preserved when navigating away.

When a Sidecar module (e.g., Contacts, Leads, Tasks) is selected from the Related options, you have the option to filter the related subpanels further using one of the available options (e.g., My Favorites, Recently Created). Please note that you can also create custom filters for related Sidecar modules. Once the related module

(e.g., Contacts) is selected, either click the Filter option and select "Create" or click "Create" to the right of the Filter option. For more information on creating a related records filter, please refer to the [Creating a Related Records Filter](#) section of the Search documentation.




Reordering Subpanels

Users can easily move subpanels to a new location on the record view by dragging and dropping the subpanel's header. The new subpanel order is saved to the database so that the order will remain for a user upon subsequent visits to the module, even if the browser cache is cleared.

Refreshing Subpanels


To refresh the results of a filtered or unfiltered subpanel view, simply click on the Refresh button to the right of the search box. This will reset the current view of expanded subpanels with the most current results that match your search and filter criteria. Please note that subpanel results in a collapsed state are not affected by the Refresh button.



Activity Stream

The record view's activity stream displays user posts and record posts specific to the individual module record. To view the record's activity stream, simply click the Activity Stream button below the record's fields. Users can view all posts in the record view's activity stream even if they do not follow the record in Sugar. Please note that you must follow the record if you wish to view the record view posts via


the Home page or List View activity stream. For more information on how to add posts to the activity stream, please refer to the [Activity Streams](#) documentation. You can add comments to posts by clicking the Comment button to the far right of each post, entering your comment, then clicking "Reply". You can also preview the record referenced in the record post by clicking the [Preview](#) button. The activity stream can also be filtered to only display certain messages (e.g., Messages for Create, Messages for Update) by clicking "Filter" above the post input box then selecting the desired message type.



Note: Sugar's activity streams are disabled by default, but administrators can globally enable the functionality based on their organization's needs. For more information, refer to the [System](#) documentation in the Administration Guide.

Dashboards

To the right of record views, the intelligence pane displays dashboards when not displaying a related record [preview](#). Dashboards are sets of dashlets configured for the specific record view to display useful Sugar data. An out-of-the-box default dashboard will likely be initially displayed on your record view intelligence pane. Sugar admins are able to create and push custom default dashboards to your views. You may also create personal dashboards using the dashlets and configurations that best suit your business needs. All dashboards can also be shared with teams of users who can then pull the dashboards to their views as desired. Ensure the intelligence pane is expanded using the arrow button at the top right of the record view. For more information, refer to the [Dashboards and Dashlets](#) documentation.



Intelligence Pane

Intelligence panes display on list views, record views, and to the right of the Home page activity stream. They provide users with valuable record information via dashboards as well as showing previews of Sugar records.

Dashboards

Most intelligence panes have out-of-the-box default dashboards with a set of commonly used dashlets. Admin users may also have created default dashboards that are pushed to teams of users. In addition, individual users can create their own personal dashboards with whichever dashlets they wish to use. Any dashboard can also be shared with additional teams who can then pull the dashboard into their intelligence panes for use.

Please refer to the [Dashboards and Dashlets](#) documentation for in-depth documentation about using dashboards as well as information about [commonly used dashlets](#).

Previews


Users can preview a record's details by clicking the Preview button to the far right of a record's row or activity stream post. The preview appears in the intelligence pane to the right of the Home page's activity stream and on list views and record views. The preview displays the fields that have been configured by your Administrator in Studio > Layouts > Preview View and the record's most recent activity stream entries. For more information on editing preview layouts, please refer to the [Studio](#) documentation.

Viewing Previews

There are various options available for viewing previews in Sugar including via the list view, record view, and activity stream. Previewing allows users to easily view key information regarding a record directly from the intelligence pane without navigating away from the current page. Users can [mark a record to follow or unfollow](#) via the preview by clicking the Follow or Unfollow button within the record's details. Clicking the hyperlinks (e.g., account name, website, email address) within the preview allows you to access the record view, external company website, compose email, etc.

Previewing From List Views

Users can view a record's topmost fields directly from the module's list view by clicking the Preview button to the far right of each account's row. The intelligence pane will display the record's details with key information regarding the record as well as any related activity stream information.



The screenshot displays a CRM interface with a list of accounts and a preview pane. The list view is titled "Accounts (20 of 21+)" and includes a "Create" button. A filter bar at the top allows searching by name. The table below lists various accounts with columns for Name, City, Phone, and Billing Country. The "Jungle Systems Inc" row is highlighted, and a red arrow points to the "Preview" button (represented by an eye icon) in the rightmost column of that row. The preview pane on the right shows details for "Jungle Systems Inc", including its website (http://www.junglesystems.com), industry (Engineering), type (Customer), and assigned user (Max Jensen).

Name	City	Phone	Billing Country
Smallville Resources Inc	Denver	(415) 089-2406	USA
Jungle Systems Inc	Santa Fe	(650) 624-5252	USA
Dirt Mining Ltd	St. Petersburg	(603) 995-6451	USA
Smith & Sons	Santa Monica	(603) 183-0316	USA
Anytime Air Support Inc	Salt Lake City	(806) 130-2861	USA
X-Sell Holdings	Kansas City	(440) 255-3199	USA
King Software Inc	Kansas City	(589) 685-0571	USA
Spend Thrift Inc	Alabama	(094) 158-0575	USA
Avery Software Co	Santa Monica	(632) 442-0051	USA
Kaos Trading Ltd	Salt Lake City	(541) 447-5124	USA
Tri-State Medical Corp	Denver	(659) 867-7620	USA
Powell Fundings	San Mateo	(704) 715-0424	USA
Air Safety Inc	Denver	(083) 843-8362	USA

Preview Pane Details:

- Name: Jungle Systems Inc
- Website: http://www.junglesystems.com
- Industry: Engineering
- Type: Customer
- Assigned to: Max Jensen
- Office Phone: (650) 624-5252
- Tags: Sponsors

Previewing From Record View

Users can also view a record's details from the module's record view by clicking the Preview button to the far right of each record row in the subpanel. The intelligence pane will display the record's details with key information regarding the record as well as any related activity stream information.

The screenshot shows a CRM record for 'Spend Thrift Inc' with various details and an activity stream. The 'Preview' pane on the right displays the contact information for 'Justa Montesino'.

Record Details:

- Website: <http://www.sectionphone.cn>
- Industry: Transportation
- Member of: Anytime Air Support Inc
- Type: Customer
- Service Level: Tier 1
- Assigned to: Sarah Smith
- Office Phone: (094) 158-0575
- Tags: Sponsors

Activity Stream:

- CALLS (1)
- MEETINGS (5)
- TASKS (1)
- NOTES (1)
- MEMBER ORGANIZATIONS
- EMAILS (3)
- CONTACTS (5)

Name	City	State	Email	Office
Justa Montesino	Sunnyvale	CA	sales.sugar.info@exam...	(326)
Terina Crepeau	Denver	CA	sugar.hr.support@exa...	(912)

Preview Pane Details:

- Name: Justa Montesino
- Title: VP Operations
- Mobile: (975) 35-9701
- Department:
- Do Not Call:
- Account Name: Spend Thrift Inc
- Business Center Name:
- Email Address:
 - qa.beans@example.it
 - sales.sugar.info@example.de
- Tags: Candy Bean, Sponsors

Previewing From Activity Streams

In addition, you can also preview the record referenced in activity stream posts from the Home page, list view, and record view activity stream by clicking the Preview button to the right of each post. Please note that preview is only available for Create, Update, Relate, and Un-relate-type posts in the activity stream. For more information about previewing activity stream posts, please refer to the [Previewing Posts](#) section of the Activity Streams documentation.

Note: Sugar's activity streams are disabled by default, but administrators can globally enable the functionality based on their organization's needs. For more information, refer to the [System](#) documentation in the Administration Guide.

The intelligence pane displays the topmost fields from the module's record view and the record's most recent activity stream entries.

The screenshot shows a CRM record for 'Anytime Air Support Inc'. The record details include: Website (http://www.devegan.tw), Industry (Utilities), Type (Customer), Assigned to (Sally Bronsen), Office Phone ((806) 130-2861), and Tags (California, North, Process, San Francisco). A 'Preview' pane on the right displays: Opportunity Name (48 month Service - 90 Units - 647 Renewal), Renewal (March, 2024 Renewal), Account Name (Anytime Air Support Inc), Expected Close Date (2024-03-16), Likely (\$984.00), Best (\$984.00), Worst (\$984.00), and Tags. A red arrow points from the 'Preview' button in the record's activity stream to the preview pane.

Previewing From Global Search

Users can view a record's details directly from the View All Results page for Global Search by clicking the Preview button to the far right of each record's row. The intelligence pane displays the topmost fields from the module's record view and the record's most recent activity stream entries. For more information on previewing via the View All Results page, please refer to the [Search](#) documentation.

The screenshot shows search results for 'Nelson' (20 of 27). The results list includes: Nelson Canales (Primary Email: vegan.section.support@example.us), Nelson Inc (Expected Close Date: 2019-05-11), Nelson Inc (Expected Close Date: 2020-03-26), Nelson Inc (Expected Close Date: 2020-04-26), Nelson Inc (Expected Close Date: 2020-01-05), Nelson Inc (Expected Close Date: 2020-01-13), Nelson Inc (Expected Close Date: 2020-03-11), and Nelson Inc (Expected Close Date: 2020-04-24). A preview pane for 'Nelson Canales' is open, showing: Name (Nelson Canales), Title (IT Developer), Mobile ((634) 670-8090), Department, Do Not Call (checkbox), Account Name (Nelson Inc), Business Center Name, Email Address (qa.info@example.it, vegan.section.support@example.us), and Tags (Global, South, Support). A red arrow points from the preview button in the search results to the preview pane.

Show More

In the preview, Sugar displays the topmost fields from the module's record view. To view all of the fields that are on the record view, click "Show more...". Please

note that administrators can configure what fields appear on the business card panel via Admin > Studio > Layouts > Record View. For more information on editing layouts, please refer to the [Studio](#) documentation.

The screenshot shows a 'Preview' window with a close button (x) and navigation arrows. The business card content is as follows:

- Name:** Nelson Canales
- Title:** IT Developer
- Mobile:** (634) 670-8090
- Department:**
- Do Not Call:**
- Account Name:** Nelson Inc
- Business Center Name:**
- Email Address:** qa.info@example.it, vegan.section.support@example.us
- Tags:** Global, South, Support
- Show more..** (highlighted with a red box)

Previewing a Record's Activity Stream

When previewing a record via the intelligence pane, you can also view any related activity stream posts which will appear below the record's detail. Please note that you cannot create new posts or comment on posts via the activity stream when previewing a record. For more information on creating posts and commenting on posts, please refer to the [Activity Streams](#) documentation.

The screenshot shows a 'Preview' window for a record titled 'Spend Thrift Inc'. The window has a title bar with 'Preview' and navigation icons. The main content area displays the following information:

- Name:** Spend Thrift Inc
- Website:** <http://www.sectionphone.cn>
- Industry:** Transportation
- Member of:** Anytime Air Support Inc
- Type:** Customer
- Business Center Name:**
- Service Level:** Tier 1
- Assigned to:** Sarah Smith
- Office Phone:** (094) 158-0575
- Tags:** Sponsors
- Show more...**

At the bottom, there is an activity stream entry highlighted with a red box:

- Updated Parent Account ID, Service Level on Spend Thrift Inc.**
- Administrator on 2020-03-25 11:26**

Note: Sugar's activity streams are disabled by default, but administrators can globally enable the functionality based on their organization's needs. For more information, refer to the [System](#) documentation in the Administration Guide.


Previewing Next and Previous Records

Above a previewed record in the intelligence pane, there is a Left and Right arrow button that allows you to scroll through the previous and next records. Clicking the Left arrow button displays the previous record's preview while clicking the Right arrow button displays the next record's preview. When previewing from the module's list view, you can scroll through the list view's current search results. When previewing a related module record from a module's record view, you can scroll through the list of related records in the specific subpanel.

This screenshot is similar to the one above, but it highlights the navigation controls in the title bar. A red box surrounds the left and right arrow buttons, indicating their function in navigating between records.

Closing a Preview

If you no longer wish to preview the records, you can simply close the preview by clicking the "X" on the upper right of the intelligence pane. Please note that the dashboard view will display again on the intelligence pane once you close the preview.




Editing Records

Records may be edited at any time to modify or add information. Edits can be made via record view or list view as detailed below. For instructions on how to edit the various field types, please refer to the [Field Types](#) section.

Please note that your ability to edit records in Sugar may be restricted by a role. For more information, please refer to the [Role Management](#) documentation. Check with your system administrator if you do not see the edit options.

Editing Inline via Record View

Users can edit individual fields in [record view](#) without entering the full edit mode by clicking the field name or value. If a field that supports inline editing is not empty, a pencil icon appears when you hover over it. If the field is empty, the field's label is displayed as a clickable pill with a plus icon next to it. You can click on the pencil or pill to begin editing the field. After entering your desired values, click "Save" to preserve your changes to one or several fields.



Editing via Record View

You can edit many fields at once via the [record view](#) by clicking the Edit button on the upper right of the page. Once the record view layout is editable, update the necessary fields, then click "Save" to preserve your changes.

Ac ABC Incorporated ★ Following < > Edit

Website <http://www.abcinc...> Industry Communications

Editing Inline via Subpanels

Beneath the record's fields are subpanels containing related records from various modules. You can edit individual fields (e.g., Email, Office Phone) for records directly within the subpanel without entering the full edit mode. Simply click the Actions menu to the far right of the record's row and select "Edit" or double-click on the row to open the inline editing mode. You can activate multiple rows for editing by double-clicking on each row that you want to edit.

Co CONTACTS (5) +

	Name	City	State	Email	Office	
☆	Justa Montesino	Sunnyvale	CA	sales.sugar.info@exam...	(326)	👁️ ▼
☆	Terina Crepeau	Denver	CA	sugar.hr.support@exa...	(912)	👁️ ▼
☆	Xochitl Brunetti	San Mateo	CA	phone.hr@exam...		👁️ ▼
☆	Britney Stoltenberg	Sunnyvale	CA	dev.dev.im@ex...		👁️ ▼
☆	Paula Constable	Cupertino	CA	dev.beans@example.org	(126)	👁️ ▼

The fields on the record's row will become editable and allow users to type or select a new value. You can click the double arrow icon on the upper right of the page to expand the subpanel list view's width to make editing easier. Click "Save" on the right side of the row to preserve your changes, or click "Cancel" on the left side of the row to close editing mode without saving.

Editing Inline via List View

You can also edit individual fields on a module's list view without entering the full edit mode. Click the Record Actions menu to the far right of the record's row and select "Edit" or double-click on the row to open the inline editing mode. You can activate multiple rows for editing by double-clicking on each row that you want to edit.

<input type="checkbox"/>	☆	Anytime Air Support Inc	Salt Lake City	USA	(806) 130-2861	Sally Br...	👁️ ▼
<input type="checkbox"/>	☆	ABC Incorporated				Adminis...	👁️ ▼
<input type="checkbox"/>	☆	Spend Thrift Inc	Alabama	USA	(094) 158-0575	Sarah Sr...	👁️ ▼
<input type="checkbox"/>	☆	Tortoise Corp	San Mateo	USA	(811) 833-	Edit	👁️ ▼
<input type="checkbox"/>	☆	Income Free Investing LP	Cupertino	USA	(243) 265-4	Follow	👁️ ▼
<input type="checkbox"/>	☆	Jungle Systems Inc	Santa Fe	USA	(108) 624-5	Delete	👁️ ▼


The fields on the record's row will become editable and allow users to type or select a new value. You can click the double arrow icon on the upper right of the page to expand the list view's width to make editing easier. Click "Save" on the right side of the row to preserve your changes or click "Cancel" on the left side of the row to close editing mode without saving. After saving, please refresh the page to have any list view filters be applied to the new record's values.

Note: Text area fields are not inline-editable from list views.

Editing via Preview

Users have the option to edit fields directly in a record's preview when previewing from the module's list view or related-record subpanel. Please note that the preview edit feature is enabled by default, but administrators can [disable this feature](#) via Admin > System Settings based on their organization's needs.

To edit a record via the list view preview, navigate to a module's list view and click the Preview button to the far right of a record's row in order to open the preview.



The screenshot shows a list view for 'Accounts (20 of 21+)'. The list includes columns for Name, City, Phone, and Billing Country. The 'Jungle Systems Inc' record is selected. A 'Preview' panel is open on the right, showing fields for Name, Website, Industry, Member of, Type, and Business Center Name. A red arrow points from the 'Preview' button in the list view to the preview panel.

Name	City	Phone	Billing Country
Smallville Resources Inc	Denver	(415) 089-2406	USA
Jungle Systems Inc	Santa Fe	(650) 624-5252	USA
Dirt Mining Ltd	St. Petersburg	(603) 995-6451	USA
Smith & Sons	Santa Monica	(603) 183-0316	USA
Anytime Air Support Inc	Salt Lake City	(806) 130-2861	USA
X-Sell Holdings	Kansas City	(440) 255-3199	USA
King Software Inc	Kansas City	(589) 685-0571	USA
Spend Thrift Inc	Alabama	(094) 158-0575	USA

Preview Panel Fields:

- Name: Jungle Systems Inc
- Website: http://www.junglesystems.com
- Industry: Engineering
- Member of: Select Account...
- Type: Customer
- Business Center Name: Select Business Center...

To edit a record via the subpanel preview, navigate to a module's record view, scroll down to the subpanel area beneath the record's details, and click the Preview button to the far right of the desired record's row to open the preview.

The screenshot shows a CRM record for 'Jungle Systems Inc' in 'Preview' mode. The record details include: Website (http://www.infovegan.edu), Industry (Retail), Type (Customer), Assigned to (Max Jensen), and Office Phone ((108) 624-5252). Below this is a table of related contacts:

Name	City	State	Email	Other
Ms. Dwana Motz	Salt Lake City	CA	info.sales.phone@ex...	(8)
Cari Galang	Santa Monica	CA	vegan.hr.hr@exampl...	(4)

The 'Preview' panel on the right contains the following fields:

- Name: Ms. Dwana Motz
- Title: Senior Product Manager
- Mobile: (354) 524-6467
- Department: Product Development
- Do Not Call:
- Account Name: Jungle Systems Inc
- Business Center Name: Select Business Center.

To edit the record's fields, simply click the pencil icon in the Preview header. The fields on the record's preview will become editable and allow you to type or select a new value. Click "Save" to preserve your changes.

Mass Editing via List View

Mass Updating allows you to apply the same changes to multiple records at once. Administrator users or users with developer-type role access can control which fields are available during mass update via Admin > Studio. Fields with the following data types can be made available for mass updating:


- Checkbox
- Date
- Datetime
- Decimal
- Dropdown
- Encrypt
- Float
- Iframe
- Integer
- Multiselect
- Phone
- Radio
- Relate
- Text
- URL

For more information on configuring the mass update fields, please refer to the [Studio](#) documentation. After using [list view search](#) to locate the desired records, you can choose individual records or use the [Select All](#) option to modify all of the current results. Using the Select All option will allow you to update up to 1000 records at a time. If you wish to update more than 1000 records or update a specific group of records from the list view, use filters to perform the updates in smaller batches.


Please note that your ability to mass update may be restricted by a role. For more information on roles, please refer to the [Role Management](#) documentation. Check with your system administrator if you do not see the Mass Update option.

The following steps cover mass updating account records as an example:


1. Navigate to the Accounts list view by clicking the Accounts module tab.
2. Use the list view's [list view search](#) to identify accounts you wish to modify.
3. Select the desired accounts then choose "Mass Update" from the Actions menu.



4. The Mass Update panel will appear below the search bar. Set values for the field(s) you wish to alter. The following options may be available in the Mass Update panel:
 - **Add Row/Remove Row:** To mass update several fields at once, click the Add button to the right of the row.
 - **Append {Field}(s):** When mass updating a field that may contain multiple values (e.g., Tags, Teams), Sugar will display a checkbox labeled "Append {field}(s)", where {field} is the name of the field you have selected. This option is enabled by default to prevent loss of data by adding the new values to any existing data in the updated field. Disable the checkbox if you prefer to overwrite any existing data in the updated field.



- These additional options appear when mass updating the Teams field:
 - **Set as Primary Team:** Use the star icons to specify which team, if any, should be set as the primary team on the updated records. A primary designation is required when the Append Team(s) option is disabled.
 - **Add Team/Remove Team:** Specify multiple teams by using the Add and Remove buttons adjacent to the Team selection field.



5. Click "Update" to save the changes to all of the selected account records.

Deleting Records


If a record is invalid or should no longer appear in your organization's instance, it may be deleted from either the record view or list view. Deleting via the record view allows you to delete the current record while the list view allows for deleting one or more records at a time. Deleting a record will not delete its related records and will only remove the relationship, so you may wish to also delete any related records to avoid orphaned records.

Please note that your ability to delete in Sugar may be restricted by a role. For more information on roles, please refer to the [Role Management](#) documentation. Check with your system administrator if you do not see the Delete options.

Deleting via Record View

The following steps cover deleting an account via record view as an example:

1. Navigate to an account's record view.
2. Select "Delete" from the Actions menu.




3. A pop-up message will display asking for confirmation. Click "Confirm" to proceed.

Deleting via List View

The following steps cover deleting an account via list view as an example:

1. Navigate to the Accounts list view by clicking the Accounts module tab.
2. Use the [List View Search](#) to find the Account record you wish to delete.
3. Click the Record Actions Menu to the far right of the record's row and select "Delete".



4. A pop-up message will display asking for confirmation. Click "Confirm" to proceed.

Mass Deleting via List View

The following steps cover deleting one or more account records via the list view as an example:

1. Navigate to the Accounts list view by clicking the Accounts module tab.
2. Use the [List View Search](#) to find the Account records you wish to delete.

3. Select the desired account records then choose "Delete" from the Actions menu.

<input type="checkbox"/>	Name	City	Phone	Billing Country
<input type="checkbox"/>	Email	Denver	(415) 089-2406	USA
<input type="checkbox"/>	Mass Update	Santa Fe	(650) 624-5252	USA
<input checked="" type="checkbox"/>	Add To Target List	St. Petersburg	(603) 995-6451	USA
<input checked="" type="checkbox"/>	Merge	Santa Monica	(603) 183-0316	USA
<input checked="" type="checkbox"/>	Delete	Salt Lake City	(806) 130-2861	USA
<input checked="" type="checkbox"/>	Export	Kansas City	(440) 255-3199	USA
<input checked="" type="checkbox"/>	☆ King Software Inc	Kansas City	(589) 685-0571	USA

4. A pop-up message will display asking for confirmation. Click "Confirm" to proceed.

You can also use the [Select All](#) feature in the list view, which will allow you to easily select the first 1000 records in the result set. If you wish to delete more than 1000 records or delete a specific group of records on the list view, please use the [filter option](#) in list view search to perform the deletions in smaller batches.

Emailing Records

Sugar allows users to compose and send outbound emails to records that include an Email Address field such as accounts, contacts, leads, and targets as well as any custom person- or company-type modules which include an email address field. The sections below cover the various ways to send emails to records. [Accounts](#), [contacts](#), [leads](#), and [targets](#) may also be emailed via campaigns; more information about emailing these records via campaigns can be found on the respective product guide pages.

Note: Before users can send email messages from Sugar, please complete the required configurations described in the [Emails](#) documentation. The logged-in user must have at least one [outgoing email account](#) successfully configured in the Emails module.

Once an email is successfully sent by a method other than workflows or

campaigns, the email record will appear in the History dashlet and Emails subpanel on the record's record view. For more information on sending emails from your own account, please refer to the [Emails](#) documentation.

The screenshot displays a software interface with a left sidebar and a main content area. The sidebar contains several sections: 'MEETINGS (5)', 'EMAILS (3)', 'TASKS (1)', 'NOTES (1)', and 'MEMBER ORGANIZATIONS'. The 'EMAILS (3)' section is expanded to show a table with columns for 'From', 'Subject', 'Status', and 'Date'. The third row, representing an email from Sarah Smith with the subject 'Review needs', is highlighted with a red border. The main content area features a 'History' panel with a dropdown menu set to 'Last 30 Days'. It shows three email entries, with the third entry, 'Review needs' from Chris Olliver, also highlighted with a red border.


	From	Subject	Status	Date	
☆	Lashonda Hannum	Demo	Archived	2020-02-09 11:4	👁
☆	Jeana Schimke	Demo	Archived	2020-02-10 07:1	👁
☆	Sarah Smith	Review needs	Archived	2020-03-04 09:3	👁

Emailing via List View

For modules that include an Email field, the Email option in the list view's mass actions menu enables users to send an email message to one or more records at a time from the module's list view. Simply select the desired record(s) from the list view then choose "Email" from the list view Mass Actions menu. The Compose Email window will open allowing you to enter all relevant information (e.g., subject, body). Please note that the email will be sent to the selected record's primary email address on file.

The following steps cover composing and sending an email from the Accounts list view as an example:

1. Navigate to the Accounts list view by clicking the Accounts module tab.
2. Find and select the accounts in the list view that you would like to send an email to.
3. Choose "Email" from the Mass Actions menu.



4. In the Compose Email window, enter the subject and body of the email message, [edit the recipient fields](#) (optional), then click "Send".


After sending the message, the email record will appear in the Emails subpanel and History dashlet of each related record.

Emailing via Quick Create


Quick Create provides an easy way to send an email from Sugar to the recipient associated with the record you are viewing. Quick Create for email messages can be accessed from the Quick Create menu on the navigation bar, from any Emails subpanel, or by clicking on a linked email address in Sugar list views or record views.

- **Quick creating via Quick Create menu:** Use "Compose Email" in the Quick Create menu to relate a message to the record you are currently


viewing and automatically populate the message's "To" field with the record's name and primary email address. If you use the Compose Email quick-create option from any other page, simply insert the desired recipient(s) manually as explained in the [Working With Recipient Fields](#) section of the Emails documentation.



- **Quick creating via email address:** The Quick Create view will also open if you click on a hyperlinked email address inside the Sugar application. For example, email addresses displayed in list views, dashlets, intelligence panes, and record views can be clicked to expose the Quick Create email compose view pre-filled with the clicked email address.
 - Quick create from an email address in list view:



- Quick create from an email address on the record view:



- **Quick creating via Emails subpanel:** Click the Create (+) button on the Emails subpanel to compose an email to the record's primary email address and automatically relate the message to the record you are viewing. **Note:** Legacy modules contain an Activities subpanel instead of an Emails subpanel.

Me MEETINGS (4)					+ ▼
Em EMAILS (4)					+ ▼
	From	Subject	Status	Date	Create
☆	Jim Brennan	Discuss pricing	Archived	2020-03-07 10:0	👁
☆	Piedad Fleagle	Demo	Archived	2020-03-04 09:3	👁
☆	Chris Olliver	Review needs	Archived	2020-02-11 01:0	👁
☆	Isaura Pfarr	Review needs	Archived	2020-03-08 06:0	👁

To edit or override a default email recipient on Quick Create, click on the name above the Subject field and the area will transform into the standard From/To/Cc/Bcc form.

Compose Email Cancel Save Draft Send

Sherrill Pfeil Click on the recipient's name to make the To field editable.

Subject

<>
B
I
U
~~S~~
☰
☰
☰
☰
☰
A ▼
A ▼

Font Sizes ▼ Paragraph ▼ Font Family ▼
 📎
✍
📄


For more information on editing recipients, please refer to the [Working With Recipient Fields](#) section of the Emails documentation.

Emailing via the Emails Module

Users can compose and send messages directly from the Emails module by clicking the Compose Email button on the Emails list view or by selecting "Compose Email" on the Emails module tab menu. This opens up the compose layout, which allows you to enter all of the relevant information for the email.

Use the following steps to compose an email via the Emails module:

1. Click "Compose Email" on the Emails module list view or the Emails module tab menu:



2. Enter appropriate values for the [fields](#) in the layout. All required fields are marked as such and must be completed prior to saving.
3. Once the necessary information is entered, click "Send" to deliver the message to the recipients specified in the To, CC, and BCC fields. Alternatively, click "Save Draft" to navigate away from a message without sending it. Email records in a draft state are only visible to the email's assigned user and the administrator.

For more detailed information about sending email messages, please refer to the [Emails](#) documentation.

Emailing via Workflows


Sugar's Workflows module is available to administrators and users with developer-type role access. With each workflow, a set of conditions triggers a combination of actions and email alerts, including the ability to send emails to Sugar records that include an email address. Workflows can send simple emails or can utilize alert email templates built to include relevant data pulled from the record as well as your organization's design and branding. For more information, please refer to the [Workflow](#) documentation.

Exporting Records

Exporting downloads all fields for the selected records to your computer as a CSV (comma-separated values) file. This may be useful when needing to use Sugar data with other software such as Microsoft Excel or to update existing records by exporting, making changes, then importing the altered records back into Sugar.

For more information on updating existing records via import, please refer to the [Import](#) documentation. Due to PHP memory limitations on the server, there may be occasions when the application times out while exporting a large number of records. If you encounter an error when performing this action, we recommend selecting the records in smaller batches.

Records may be exported from the module's list view by first locating and selecting the checkboxes of the desired record. Then, select "Export" from the Mass Actions menu. You can also export Rows and Columns-type reports if you wish to employ more complex filter criteria and have greater control over which fields will be included. For more information on exporting records, please refer to the [Export](#) documentation.



The screenshot shows a table with columns: Name, City, and Billing Country. A dropdown menu is open from the top-left corner, listing actions: Email, Mass Update, Add To Target List, Merge, Delete, and Export. The 'Export' option is highlighted with a red box. Below the table, two records are visible: 'John Smith and Co...' and 'ABC Company'. Both records have their selection checkboxes checked, also highlighted with red boxes.

<input type="checkbox"/>	Name	City	Billing Country
<input type="checkbox"/>	d	San Francisco	USA
<input type="checkbox"/>	st	St. Petersburg	USA
<input type="checkbox"/>		St. Petersburg	USA
<input type="checkbox"/>		San Francisco	USA
<input type="checkbox"/>	c	Kansas City	USA
<input type="checkbox"/>		Los Angeles	USA
<input checked="" type="checkbox"/>	John Smith and Co...	San Francisco	USA
<input checked="" type="checkbox"/>	ABC Company	San Francisco	USA

Please note that your ability to export accounts from Sugar may be restricted by a role. For more information, please refer to the [Role Management](#) documentation. Check with your system administrator if you do not see the Export option.

Recalculating Calculated Values


Administrators or users with developer-level role access to a module may see an additional option in the list view's Actions menu: "Recalculate Values". This option appears only for modules that contain one or more calculated fields. For more information on calculated fields, please refer to the [Studio](#) documentation.

This utility allows administrators to recalculate affected field values following the addition or alteration of a calculated field in Studio. The Mass Actions menu option allows you to recalculate field values for up to 1000 records at a time. To update more than 1000 records, perform the recalculations in multiple batches as needed.

Note: This action will not appear unless the user is an administrator or has developer-level access to the module and there is at least one calculated value in that module. Please note that your ability to recalculate values may be restricted by a role. For more information on roles, please refer to the [Role Management](#) documentation. Check with your system administrator if you do not see the Recalculate Values option.

The following steps cover recalculating values for records from the Accounts list view as an example:

1. Navigate to the Accounts list view by clicking the Accounts module tab.
2. Use the list view's [List View Search](#) to identify accounts you wish to update.
3. Select the desired accounts then choose "Recalculate Values" from the Actions menu.



The screenshot shows the Accounts list view with 20 records. The 'Actions' menu is open, and 'Recalculate Values' is highlighted. The table columns are Name, City, Billing Country, Phone, and User. The selected records are:

Name	City	Billing Country	Phone	User
Inc	Santa Fe	USA	(650) 624-5252	Max Jensen
Inc	Denver	USA	(415) 089-2406	Max Jensen
g LP	Cupertino	USA	(243) 265-4805	Chris Olliver
	St. Petersburg	USA	(603) 995-6451	Chris Olliver
	Santa Monica	USA	(603) 183-0316	Sarah Smith
Anytime Air Support Inc	Salt Lake City	USA	(806) 130-2861	Sally Bronsen

Finding Duplicate Records

Between multiple users working in Sugar, importing new records, and converting leads, it is possible for duplicate records to be accidentally put into the system. Before creating a new record, the best practice is to first check that the record does not already exist in Sugar. You can identify duplicate records for cleanup using [list view search](#) from the module's list view.


Searching for records with similar names or other information can turn search into a powerful, duplicates-finding tool. A wizard is also available for finding potential duplicates and may be used as shown below. If duplicate records are detected, you can perform a merge per the [Merging Records](#) section of this documentation.

Please note that your ability to use the Find Duplicates action may be restricted by


any role which prevents editing records. For more information on roles, please refer to the [Role Management](#) documentation. Check with your system administrator if you do not see the Find Duplicates option.

The following steps cover locating duplicate accounts using the Find Duplicates option from the Accounts record view as an example:

1. Navigate to an account's record view.
2. Choose "Find Duplicates" from the Actions menu.



3. Potential duplicate account records will be listed on the Find Duplicates page. Select the duplicate record(s) you wish to merge then click "Merge Duplicates".
 - You can preview the duplicate record's details by clicking the [Preview](#) button to the far right of the record's row.
 - You can search for specific records from the Accounts list view if you wish to check for more potential duplicates. For more information on performing a search, please refer to the [List View Search](#) section of this documentation.
 - You can also click the three-dots menu above the Preview button to change the list of fields that display on the list view column headers.



Once you click "Merge Duplicates", the merging process with the current record will begin. For instructions on performing the merge that follows, please refer to Steps 3-9 of the [Merging via List View](#) section of this documentation.

Merging Records

When duplicate records are identified in Sugar, you have the option to merge two

or more into a single record. Once the merge is complete, the duplicate record(s) will be deleted, and the primary record will remain. Please note that all relationships belonging to the duplicate records will be merged to the primary record meaning that any calls, meetings, cases, etc. related to the duplicate record(s) will automatically be related to the resulting, merged record.

Note: Date Created, Date Modified, and Password field types are not supported when merging duplicate records in Sugar.

Merging via List View

[List View Search](#) may be used to identify duplicate records by, for example, searching for records with similar names. Once your search has identified duplicates, you can merge them directly from the module's list view.

The following steps cover merging accounts via the list view as an example:

1. Use the list view's [List View Search](#) to identify duplicate accounts.
2. Possible duplicates will be displayed in the list view. Select the duplicate record(s) that you wish to merge.
 - Please note that up to five records may be merged at once in Sugar. An error message ("Invalid number of records passed. The valid range is from 2 to 5 records.") will appear if more than five records are selected when attempting to perform a merge.

The screenshot shows the 'Accounts (20 of 21+)' list view. At the top, there is a 'Filter' dropdown and a 'Build Filter' button. Below that is a search bar labeled 'Search by name...'. The main table has columns for 'Name', 'City', 'Billing Country', and 'Phone'. A dropdown menu is open over the first row, with 'Merge' selected. The 'Merge' option is highlighted with a red box. Other options in the menu include 'Email', 'Mass Update', 'Recalculate Values', 'Delete', and 'Export'. The 'Delete' and 'Export' options are also checked with blue boxes. The table rows show various account details, including names like 'Santa Fe', 'Denver', 'Cupertino', 'St. Petersburg', 'Santa Monica', and 'Salt Lake City'.

Name	City	Billing Country	Phone
	Santa Fe	USA	(650) 624-5252
	Denver	USA	(415) 089-2406
	Cupertino	USA	(243) 265-4805
	St. Petersburg	USA	(603) 995-6451
	Santa Monica	USA	(603) 183-0316
	Salt Lake City	USA	(806) 130-2861

3. Select "Merge" from the Actions menu to display the Merging Records page. The primary record's field values are displayed on the left while other record's values are in columns to the right. For convenience, fields with different values will appear at the top of the list. Saving the merged

records will preserve only the field values marked with the radio button into a single record.


The screenshot displays the 'Merging 3 Records' interface. At the top, there are 'Cancel' and 'Save' buttons. The main area is divided into three columns representing different records. Each column has a radio button to select a field value. The first column is labeled 'Primary'. A red box highlights the 'Primary' label and the '95111' value in the 'Shipping Postal Code' field. A red arrow points from this box to the 'Preview' pane on the right. The 'Preview' pane shows the merged record details: Name (ABC Company), Website (http://www.abcco.com), Industry (Biotechnology), Member of, Type (Customer), Assigned to (Mary Thompson), Office Phone (415) 800-8888, Tags, and Billing Address (123 First St). A red box highlights the 'Save' button and the eye icon in the 'Preview' pane.

If 3 or more records are selected to be merged, an X icon will appear at the top right of each record. Clicking the "X" will remove the record from the merge process but will not delete the record.

4. To change which record is considered the primary, drag and drop the Primary label on the top of a different column.
5. Review the field values in each column and click the radio button to the left of the value that should appear on the final record. You can also manually type or select a new value for any field as necessary.
 - **Note:** Fields you do not have Edit access for cannot be edited on the merging records page.
6. Preview what the final, merged record will contain as you work by clicking the Preview button (eye icon) to display the [preview](#) in the Intelligence Pane.
7. Click "Save" once all fields you wish to appear on the single, merged record have their radio buttons selected.
8. A pop-up message will display confirming that the duplicate record(s) should be deleted. Click "Confirm" to proceed.

Viewing Record Historical Summaries

For modules that are related to activity records (e.g., calls, meetings, emails, notes, and tasks), you can view quick details of the related activities via a record's Historical Summary option. From the record view, simply select "Historical Summary" in the Actions menu.



The Historical Summary shows a digest of the following activity records that are considered closed by virtue of their statuses:

Record Type	Included Statuses
Calls	Held, Canceled
Emails	Sent, Received, Archived
Meetings	Held, Canceled
Notes	All notes
Tasks	Completed, Deferred

Note: Calls and meetings with a Canceled status will display a status of "Not Held" in the Historical Summary.

The Historical Summary page will display as a list view with each activity's type, subject, status, description, etc., and allow you to click the activity's name to view its full details. You can add additional fields by clicking the Column Selection icon to the far right of the list view column headers. You can also preview the activity record in the intelligence pane by clicking the [Preview](#) button to the far right of each record's row, providing key information as well as any activity stream information. For more information on activity streams, please refer to the [Activity Streams](#) documentation.

The Historical Summary list view provides the ability to reorder columns by dragging and dropping the title of the column to the desired location. The new column order is saved to the database so that the order will remain for a user upon subsequent visits to the module, even if the browser cache is cleared. You can reset the column order to the default view by clicking the Gear icon to the far right of the list view column headers and selecting "Reset default view". Please note that this option only appears if the current list view column order is different from the


system's default column order.

Users can also easily adjust the size of columns in the Historical Summary list view per their viewing preference. Simply place your cursor on the column divider, and when the Left-and-Right arrow appears, click and drag the column to the desired size. The set column width will be preserved when you navigate away from the page. Sugar will render the preferred column size across sessions. You can reset the column width to the default size by clicking the Gear icon to the far right of the list view column headers and selecting "Reset default widths". Please note that this option only appears if at least one of the column widths in the Historical Summary list view is different from the default column width.


Type	Subject	Status	Description
Me	Demo	Not Held	Meeting to discuss project plan and hash out t...
Me	Initial discussion	Not Held	Meeting to discuss project plan and hash out t...
Nt	Call Information		The initial sales call went well. Will follow up wi...
Ts	Arrange introduction	Completed	
Em	Review needs	Sent	Important Meeting to discuss project plan and ...
Em	Review needs	Sent	Important Meeting to discuss project plan and ...
Em	Demo	Sent	Important Meeting to discuss project plan and ...
Em	Discuss pricing	Sent	Important Meeting to discuss project plan and ...

Viewing Record Audit Logs

Changes made to each record are tracked over time, and users are able to view the history of changes via each record's audit log. To access the audit log, simply navigate to the record view and select "View Audit Log" from the Actions menu. Please note that the audit log only tracks changes to fields that are marked as "Audit" via Admin > Studio. For more information on designating fields for audit, refer to the [Studio](#) documentation. The list of fields currently marked for audit for the module will appear at the bottom of each record's audit log page.



Once the audit log opens, the header will display the name of the current record to better identify which record's audit log the user is viewing. Please note that the header will just display "Audit Log" and not include the record's name if the user does not have access to the record's name or the record's name is blank. Below the header, the user can perform a search to retrieve log entries for specific fields (e.g., Office Phone), old values, or new values.



The audit log contains the following fields:

Field	Description
Field	The name of the audited field that has a change in value. Note: Only fields marked as "Audit" in Admin > Studio will be displayed in the audit log.
Old Value	The old field value prior to the data change.
New Value	The new field value after the data change.

Changed By	The Sugar user who made the data change.
Source	The source (e.g., Sugar user, Web to Lead form) from which each field change originated. Note: The field may be blank if the source is unknown.
Change Date	The date the field change occurred.


The rows of the audit log represent each time that an audited field is set or changed, starting with values specified during the record's creation. In addition, when any email address changes are captured in the audit log, the email audit icon appears to the right of the email address which provides users access to the email address audit log. For more information, refer to the [Viewing Email Address Audit Logs](#) section below.

In addition to the old and new values of each field change, the time and source of the change are recorded. When a user is directly responsible for the change, whether by editing in Sugar or via an authenticated service such as Sugar's Plug-in for Microsoft Outlook, the user will be specifically named. However, many non-user entities are also responsible for record changes. Potential source values are as follows:

- SugarBPM
- BWC UI
- Rest API
- SOAP or v4_1 and older REST API
- CLI
- Cron Job
- Logic Hook
- Sugar Workflow
- User
- Web to Lead
- Installer

Viewing Email Address Audit Logs

Email address audit log entries are generated for an email address whenever the "Opted Out" or "Invalid" flags are modified or when an opt-in link is generated. These changes are captured in the email address audit log which can be accessed by clicking the email audit icon to the right of the email address on the record audit log.

Audit Log for Thomas Wellington			
Search by Field, Old Value, New Value...			
Field	Old Value	New Value	Changed By
Email Address	thomas.wellington..		admin
Office Phone	(415) 788-7800	(415) 788-7820	max

The email address audit log contains the same fields (e.g., Fields, New Value, Source) as the record audit log but will only display entries when there are changes to the Opted Out and/or Invalid options for the email address. Please note that the email address audit log will not display any data if an email address is not marked as "Opted Out" or "Invalid" when it is initially added to the record.

Audit Log for thomas.wellington@example.com						Close
Search by Field, Old Value, New Value...						
Field	Old Value	New Value	Changed By	Source	Change Date	
Opted Out	<input type="checkbox"/>	<input checked="" type="checkbox"/>	admin	Administrator	04/03/2018 09:45am	

Viewing Personal Information

For organizations that prioritize data privacy, fields that contain personally identifying information for an individual are of particular importance. Admins can designate these fields as "Personal Information" via Admin > Studio. If your organization's data privacy procedures include providing individuals with a record of the data you have recorded about them, the View Personal Info option provides a valuable tool for condensing all of a record's personal information on one screen. For more information on using this option and servicing data privacy records of types "Send Personal Information Being Process" or "Export Information", refer to the [Data Privacy Guide](#).

Record PDFs


If you require a record's information outside of Sugar, you can download or email the information in PDF form. Administrators have the ability to build multiple PDF templates via Admin > PDF Manager for each module to ensure that the relevant record information is being included for your specific purpose. For more information on creating and managing PDF templates, please refer to the [PDF Manager](#) documentation. Please note that the Download PDF and Email PDF options will only appear in the Actions menu if there is an existing PDF template

available for the module.

Note: If a user's email address is empty in their profile or if they have set their email client to "External Email Client", then the "Email PDF" option will be hidden for that user.


Downloading Record PDFs

Download record information as a PDF file via the desired record's record view by selecting "Download PDF" from the Actions menu. All PDF templates which your administrator has created and made available for the module will appear beneath the Download PDF option. Simply select one of the templates to generate the PDF file to view or save onto your local machine.



Emailing Record PDFs

Users also have the option to email record information as a PDF file using Sugar's email client. From the originating record's record view, click the Actions menu and select "Email PDF". All of the PDF templates that your administrator has created and made available for the module will appear beneath the Email PDF option in the Actions menu.



Select one of the templates to create a draft in the Emails module. Sugar will

deliver you to the record view for the email.

Em **Calm Sailing Inc** ☆ Edit ▾

From **Sally Bronsen** Date 03-31-2020 09:45 am

To **sugar.sales@example.tw**

Here is the file you requested (You can change this text)

Attach... Email Attachment : C... (408K)

The draft will have the following information pre-populated:

- **From:** The logged-in user's outgoing default email account
- **Date:** The date the message is being sent
- **To:** The primary email address of the originating record (if available)
- **Subject:** The name of the originating record
- **Body:** "Here is the file you requested (You can change this text)"
- **Attachment:** The PDF file created from the originating record
 - The file's name will appear as "Email Attachment : {originating_record_name}_{template_name}.pdf"; for example, "Email Attachment : Acme_25_units_Customer_invoice.pdf".
- **Teams:** The logged-in user's default team(s)
- **Assigned To:** The Sugar user assigned to the email record
- **Related To:** The originating record and its module

Click "Edit" on the draft email record to reveal the Send button or to update the fields as necessary and then click "Send". For more information on sending emails via the Emails module, please refer to the [Emails](#) documentation.


Favoriting Records

Each Sugar user has the option to designate their own favorite records which are important or will be viewed often so that they can easily be accessed via [list view search](#) or from the [module tab](#). Once records are marked as favorites, select "My Favorites" from the Filter option next to the Search bar or select from your most recent favorites directly from the module tab.

Favoriting via List View

The following steps cover marking records as favorites via the Accounts list view as an example:

1. Navigate to the Accounts list view by clicking the Accounts module tab.
2. Use the [List View Search](#) to find the account records you wish to mark as favorites.
3. Darken the star icon on the left of each desired account's row by clicking on the star one time.




<input type="checkbox"/>	Name	City	Billing Country	Phone
<input type="checkbox"/>	Jungle Systems Inc	Santa Fe	USA	(650) 624-5252
<input type="checkbox"/>	Smallville Resources Inc	Denver	USA	(415) 089-2406

4. To remove the account as a favorite, click the star again to revert it to white.

Favoriting via Record View

The following steps cover marking records as favorites via the Accounts record view as an example:


1. Navigate to an account's record view.
2. Click the star icon to the right of the account's name in the upper left of the record view to designate it as a favorite.
3. To remove the account as a favorite, click the star again to revert it to white.



Favoriting via Subpanel

The following steps cover marking account records as favorites via the subpanel in related modules as an example:

1. Navigate to a related module's record view.
2. Click the star icon to the left of the desired record's row in the Contacts subpanel.



Co CONTACTS (5) + ▾					
	Name	City	State	Email	
☆	Chere Clore	San Jose	CA	qa.im@example.com	(👁️ ▾)
★	Naomi Banker	Santa Fe	CA	vegan.beans.beans...	(👁️ ▾)

3. To remove the contact as a favorite, click the star again to revert it to white.

Following Records

Users can also choose to follow individual records. This allows each user to personalize their [activity stream](#) by specifying which records' posts should appear on the activity streams displayed on their Home page and in module list views. Please note that you will automatically follow the records that you create as well as records that are assigned to you. You will not, however, automatically follow the records you import. Should a user lose access to a record in Sugar, they will automatically stop following that record. For more information about activity streams, please refer to the [Activity Streams](#) documentation. Please note that the Follow option in Sugar is not available if the activity stream functionality is disabled for your instance. For more information, refer to the [System](#) documentation in the Administration Guide.

Following via List View

The following steps cover marking an account to follow via the Accounts list view as an example:

1. Navigate to the Accounts list view by clicking the Accounts module tab.
2. Use the [List View Search](#) to find the Account records you wish to follow.
3. Click the Record Actions menu to the far right of the records row and select "Follow".

<input type="checkbox"/>	Name	City	Billing Country	Phone	
<input type="checkbox"/>	Anytime Air Support Inc	Salt Lake City	USA	(806) 130-2861	⋮
<input type="checkbox"/>	Jungle Systems Inc	Santa Fe	USA		⋮
<input type="checkbox"/>	Smallville Resources Inc	Denver	USA		⋮
<input type="checkbox"/>	Income Free Investing LP	Cupertino	USA		⋮


Edit
Follow
 Delete

- To stop following the account, click the Record Actions menu and select "Unfollow".

Following via Record View


The following steps cover marking an account to follow via the account's record view as an example:

- Navigate to an account's record view.
- Click on the Follow button to the right of the account's name to change its label to "Following".



Website <http://www.sugarhr.de>


- To unfollow the account, click on the Following button to revert its label to "Follow".



Website <http://www.sugarhr.de>

Sharing Records

Individual records can be shared with other users in your organization by sending an email including the record's direct link. In the desired record's record view, select "Share" from the Actions menu. A Compose Email window will open, and the email's text will include the URL of the record. Enter the recipient(s) email address in the To field then click "Send".








The recipient can simply click the link in the email to access the account record in Sugar. Please note that the user must be logged in to Sugar in order to access the record. Users will only be able to view the shared record as allowed by their team membership, user access type, and assigned roles. For more information on teams and roles, please refer to the [Team Management](#) and [Role Management](#) documentation.

Using the TinyMCE Text Editor

TinyMCE is a third-party WYSIWYG editing tool used by Sugar so that users can create content such as knowledge base articles and email messages with rich-text formatting elements. TinyMCE V4 is used in all Sugar modules with the exception of [email templates](#) within the Campaign wizard, which uses TinyMCE V3.

TinyMCE's rich-text editor framework presents the following familiar formatting options. This does not represent all tools that may be available in the editor. Please refer to the [TinyMCE Documentation](#) for more information.

Element	Button(s)	Function
Source Code		Bypass the rich-text editor options and insert your own HTML code or view the HTML code of an existing template to make advanced changes.
Bold, Italic, Underline, Strikethrough		Use these basic font formatting options to easily add common styles to text in the message body.
Bullet List, Numbered List		Transform paragraphs in the message body into a formatted list.
Align Left, Align Center, Align Right, Justify		Set paragraph alignment.
Text Color, Background		Choose a custom font

Color		color or highlight text with a background font color.
Clear Formatting		Clear any formatting.
Insert/Edit Image, Insert/Edit Link		Insert or edit an image or a link.
Font Sizes		Choose a font size for the text.
Paragraph		Choose a format for headers.

Last Modified: 2022-01-14 03:19:36

Activity Streams

Overview

Sugar's activity stream allows users to view a list of activities performed on records, create posts, preview posts, comment on posts, etc. Users can easily track the most recent updates across their entire organization via the record and user posts on the activity stream. The activity stream can be accessed via the home

page, module list view (e.g., Contacts list view), module's record view (e.g., Contacts record view), as well as the intelligence pane.

Note: Sugar's activity streams are disabled by default, but administrators can globally enable the functionality based on their organization's needs. For more information, refer to the [System](#) documentation in the Administration Guide.

Please note that older activity stream records may be purged from the database by the [Activity Stream Purger scheduler](#) if enabled by your administrator.

There are a number of modules currently enabled to generate record posts for the activity stream such as Accounts, Contacts, Calls, Meetings, etc. This documentation will go over the basics of the activity stream as well as the various options available when viewing posts, creating posts, commenting on posts, etc.

Viewing Activity Streams


There are various options available for viewing activity streams in Sugar including via the home page, dashlet, list view, record view, and intelligence pane. Users will be able to view record posts (e.g., create, update, link, unlink), user posts, comments, and attachments via the activity stream. Keep in mind that if you are not the assigned user or did not create the record, you must follow the record in order to view all related posts via the Home page and List view activity stream.

Please note that you will only be able to view and access the activity stream for audit-enabled modules (e.g., Accounts, Contacts, Meetings, Calls) in Sugar. Un-audited modules (e.g., Target, Target List) will not display the list view activity stream, record view activity stream, or provide the option to follow a record.

Note: Activity streams are not available for custom modules.


Viewing via Home Page

The Home page activity stream allows users to view all posts for records they are following in Sugar as well as all user posts created on the Home page activity stream. For more information on following records, please refer to the [Following Records](#) section. You can access the Home page activity stream by clicking the triangle next to the Sugar cube icon on the upper left of Sugar then selecting "Activity Stream". All posts created via the Home page activity stream will be viewable by users in your organization. For more information on creating posts, please refer to the [Creating User Posts](#) section. You can also [comment](#) on posts by clicking the Comment button and [preview](#) posts by clicking the Preview button to the right of each post.



Viewing via Dashlet


The My Activity Stream dashlet displays the user's main Activity Stream within a dashboard, eliminating the need to navigate to the Activity Streams view to monitor the most recent stream activities. Like other Activity Stream views, the dashlet supports inline commenting on specific stream activities, but it does not allow record previews. The dashlet may be added to your home page or to the intelligence page of any module's list view or record view. When added to an Intelligence Pane, the My Activity Stream dashlet will display stream items in context to the data within the main container of the page. For more information on the My Activity Stream dashlet, please refer to the [Dashboards and Dashlets](#) documentation.



Viewing via List View

The list view's activity stream displays all posts for records being followed in the current module as well as all user posts created on the list view activity stream. For more information on following records, please refer to the [Following Records](#)

section. To access the list view activity stream, click the specific module tab (e.g., Contacts) at the top of the navigation bar then click the Activity Stream button to the right of the list view's search bar. You can view both user and record posts relevant to the module as well as create a post and comment on posts. For more information on creating posts and commenting on posts, please refer to the [Creating User Posts](#) and [Commenting on Posts](#) section. You can also [preview](#) the post by clicking the Preview button to the right of each post.



Viewing via Record View

The record view's activity stream displays all posts specific to the current record you are viewing. Users can view all posts in the record view's activity stream even if they do not follow the record in Sugar. Please note that you must follow the record if you wish to view the record view posts via the Home page or List View activity stream. For more information on following records, please refer to the [Following Records](#) section. To access the record view's activity stream, navigate to a module's record view (e.g., Avery Software Co) then click the Activity Stream button below the module's fields.

Please note that user posts created via the Home page or List View activity stream that reference the specific record's name will also appear in the record view's activity stream. For more information on referencing specific records, please refer to the [Referencing Users and Records](#) section.

Ac

Dirt Mining Ltd ☆ Follow

Edit >

<p>Website http://www.salesthe.de</p> <p>+ Member of</p> <p>+ Business Center Name</p> <p>Assigned to Chris Olliver</p> <p>Tags License</p> <p>Show more...</p>	<p>Industry Electronics</p> <p>Type Customer</p> <p>Service Level Tier 2</p> <p>Office Phone (603) 995-6452</p>
--	---

Module Accounts Filter ▾ All Activity Stream

↺
📅
👁️

Type a note or drag and drop an attachment. Type @ to mention a user. Type # to reference a record.
 Submit

Ac

Updated Service Level on Dirt Mining Ltd.

Chris Olliver 5 minutes ago

💬
👁️

Ts

Linked Deliver Invoice to Dirt Mining Ltd.

Sally Bronsen 7 minutes ago

💬
👁️

Chris Olliver

Sally Bronsen 6 minutes ago

Please set up a followup call once you've delivered.

Viewing via Intelligence Pane

The intelligence pane in Sugar allows users to view a record's detail along with the related activity stream information directly from the Home page activity stream, module's list view, as well as the record view. To preview a record's details, simply click the Preview button to the right of a record post on the Home page or List View activity stream. You can also preview a record via the module's list view or related record subpanel by clicking the Preview button to the far right of each record's row. Any associated user and record posts will appear below the record's detail in the intelligence pane. Please note that unlike viewing via the Home page, List View, or Record View activity stream, you cannot create posts or comment on posts via the intelligence pane.

The screenshot displays the SugarCRM interface for a record named "Dirt Mining Ltd". The top navigation bar includes the record name, a "Follow" button, and an "Edit" dropdown. The main content area is divided into two sections: a metadata section on the left and a "Preview" pane on the right.

Metadata Section:

- Website:** <http://www.salesthe.de>
- Industry:** Electronics
- Type:** Customer
- Service Level:** Tier 2
- Office Phone:** (603) 995-6452
- Assigned to:** Chris Olliver
- Tags:** License

Activity Stream:

- Module: All | Filter: All Activity Stream
- Input: Type a note or drag and drop an attachment. Type @ to mention a user. Type # to reference a record. [Submit]
- Activity 1: Updated Office Phone on Dirt Mining Ltd. (Sally Bronsen, 5 minutes ago)
- Activity 2: Updated Office Phone on Dirt Mining Ltd. (Chris Olliver, 8 minutes ago)
- Activity 3: Updated Service Level on Dirt Mining Ltd. (Chris Olliver, 8 minutes ago)
- Activity 4: Linked Deliver Invoice to Dirt Mining Ltd. (Sally Bronsen, 10 minutes ago)
 - Comment: Chris Olliver Please set up a followup call once you've delivered. (Sally Bronsen, 9 minutes ago)

Preview Pane:

- Subject: Deliver Invoice
- Start Date: [Empty]
- Priority: High
- Due Date: [Empty]
- Status: Not Started
- Assigned to: Sally Bronsen
- Related to: Dirt Mining Ltd
- Tags: [Empty]

A red box highlights the activity stream post "Linked Deliver Invoice to Dirt Mining Ltd." and its comment, which is also visible in the preview pane.

Activity Stream Views


The activity stream allows users to view a list of activities performed on records, post messages, share external links, etc. The activity stream can be accessed via the Home page, module's list view (e.g., Contacts list view), as well as the module's record view (e.g., Contacts record view). For more information on viewing the activity stream in Sugar, please refer to the [Viewing Activity Streams](#) section. The following will cover the various options available to users when creating posts, viewing posts, commenting on posts, etc. in the activity stream.

Post Options

There are various post options (e.g., external links, images) available to users when creating user posts in the activity stream. You can add external links, messages, etc. to your user post by dragging and dropping the corresponding links into the post input box. Files saved on your local machine can also be attached to your user post to share with users in your organization. In addition, you can mention specific users as well as reference specific records by typing in the @ or # sign followed by the user or record name. For more information on the various post options available, please refer to the [User Post Options](#) section.

Filter Options

The activity stream can also be filtered to only display certain messages (e.g., Messages for Create, Messages for Update) by clicking "Filter" above the post input box then selecting the desired message type. This enables users to filter the activity stream to only display specific activity type's they wish to view. To view all posts in the activity stream, simply select the All Activity Stream option in the filter.



Refresh Button


The Refresh button is located to the right of the filter options and provides a quick way to load the most recent activity stream posts without reloading the browser or losing any filter criteria you may have set. Simply click the button to refresh the current view.



Preview Button


The Preview button to the right of each post allows users to preview the record referenced in record posts. The intelligence pane will display the record's details with key information regarding the record as well as any related activity stream information. Please note that preview is available for Create, Update, Link, and Unlink-type posts in the activity stream. User posts that originate from the record view's activity stream can also be previewed on the Home page and List View activity stream as it automatically references the record in the post. To close the

preview, simply click the "X" on the upper right of the intelligence pane. For more information on previewing posts, please refer to the [Previewing Posts](#) section.




Comment Button

Users can respond to posts via the activity stream by clicking the Comment button to the right of each post. Once you click on the button, simply type your message into the comment box then click "Reply". Please note that comments are visible to all users in Sugar unless they do not follow the record in Sugar. For more information on following and unfollowing records, please refer to the [Following Records](#) and [Unfollowing Records](#) section. When a comment is added, the post will move to the top of the activity stream once the activity stream page is refreshed. For more information on commenting, please refer to the [Commenting on Posts](#) section.




Post Icon

To the left of each post is the Post icon which allows users to easily identify the module that a record post is specific to, the user who created the post, etc. The Post icons for record posts are color-coded and display the first two letters of the module to differentiate the various record posts for modules. For example, an update post for the Accounts module will display a green circle with the letters "Ac", while a post for the Opportunities module will display a purple circle with the letters "Op". User posts, as well as comments added to posts, display the user's profile image as the post icon, which helps to identify the user who created the post or added the comment. For more information on uploading a profile picture to your Sugar account, please refer to the [User Profile](#) section of the Getting Started documentation.



Right Hand Side Drawer

On the upper right of the Home page activity stream, module's list view, and record view, there is a double-arrow icon that allows users to expand the activity stream to the full-screen width. The intelligence pane is hidden when the activity stream is expanded. To reduce the activity stream's width and reveal the intelligence pane, simply click the double-arrow icon again.



More Posts

The activity stream loads an initial number of posts with the option to show additional posts at the user's request. By default, Sugar displays 20 posts per activity stream view, but administrators can change the number of posts displayed via Admin > System Settings. For more information on changing the number of displayed posts, please refer to the [System](#) documentation in the Administration Guide. To load the next set of posts, simply click the "More posts..." link on the bottom left of the activity stream.



Linked **ABC Inc - 800 units** to **ABC Incorporated**.
Mary Thompson 6 hours ago



[More posts...](#)

Personalizing Activity Stream

Users can personalize their activity stream by specifying which records' posts should appear on their Home page and List View activity streams. You can follow specific records that you have access to view in Sugar by marking the Follow button in the record view or the Follow option in the list view. Please note that you automatically start following records that you mark as favorites in Sugar.

Following Records

Users can choose to follow specific records to which they have access to in Sugar. You can mark a record to follow via the module's list view by selecting "Follow" in the record actions menu as well as the record view by clicking the Follow button to the right of the record's name. For more information on following records in Sugar, please refer to the [User Interface](#) documentation. All posts appear on the Home page and List View activity stream for records you follow in Sugar. Please note that you will automatically follow records that you create as well as records that are assigned to you. You will not, however, automatically follow records you import. Should a user lose access to a record in Sugar, they will automatically stop following that record.

Favoriting Records





Each Sugar user has the option to designate their own favorite records which are important or will be viewed often so that they can easily be accessed via search or from the module tab. You can mark a record as a favorite via the module's list view, record view, and related record subpanels. For more information on favoriting records in Sugar, please refer to the [User Interface](#) documentation. Please note that you will automatically start following records you designate as favorites in Sugar.

Unfollowing Records


Users can also choose to unfollow records that they no longer wish to view posts for in their activity stream. Please note that this will prevent all future posts as

well as the associated comments from appearing in your Home page and List View activity stream. However, historical posts associated to the unfollowed record will continue to appear in your activity stream. To unfollow a record via the list view, click the Record Actions menu then select "Unfollow". To unfollow a record via the record view, simply click the Following button again. Please note that you will automatically stop following a record should you lose access to a record in Sugar. Also, if you remove a record as a favorite, the Following status will not change and you must unfollow the record accordingly.

From list view:

Name	City	Billing Country	
ABC Incorporated	San Francisco	USA	 
XY&Z Funding Inc	Kansas City	USA	 
Smith & Sons	Los Angeles	USA	Edit
John Smith and Co...	San Francisco	USA	Unfollow

From record view:




The record view header for XY&Z Funding Inc includes a profile icon with the initials 'Ac', the company name 'XY&Z Funding Inc', a star icon, a 'Following' button (highlighted with a red box), navigation arrows, and an 'Edit' button with a dropdown arrow. Below the header, the 'Website' is listed as 'http://www.xyz.com' and the 'Industry' is listed as 'Banking'.

Creating User Posts

Users can access the activity stream to view a list of activities performed in Sugar, track updates, as well as post messages to other users in their organization. To create a post, simply enter your message into the post input box at the top of the activity stream view then click "Submit". Please note that user posts display the user's profile image to the left of the post as the Post icon. For information on Post icons, please refer to the [Post Icon](#) section in this documentation. In addition to the Post icon, the timestamp of when the post was created and the user's name who created it will display as well. There are various options available when creating posts such as adding links, images, attachments, external messages, etc. You can also reference a specific Sugar record or user by typing @ followed by the user's name (e.g., @John Smith) or # followed by the records name (e.g., #ABC Company) in your post. For more information on the different post options available, please refer to the [User Post Options](#) section.

Creating via Home Page

The [Home page activity stream](#) can be accessed by clicking the triangle next to the Sugar cube icon then selecting "Activity Stream". The post input box displays beneath the Filter option and you can enter your message then click "Submit" for the post to appear within the activity stream. Please note that user posts created via the Home page are viewable by all users in your organization. Posts that reference a specific record will also appear in that record view's activity stream as it is linked. For more information on referencing records in your post, please refer to the [Referencing Users and Records](#) section.



The screenshot shows the top navigation bar with a Sugar cube icon and dropdown menus for Accounts, Contacts, Opportunities, Leads, and Calendar. Below this is the "Activity Stream" header. A filter dropdown is set to "All Activity Stream". The main input area contains the text "Can we get a status update on 24 months widget service from Sally Bronsen?" with a "Submit" button to the right. Below the input box, a post is visible from Will Westin: "Meeting confirmed with Mr. Fred Mercury Wednesday at 10am." with a timestamp "Jim Brennan in a few seconds".

Creating via List View

The List View activity stream can be accessed by navigating to a module's list view (e.g., Accounts) then clicking the Activity Stream button to the right of the list view's search bar. You can create a user post by entering your message into the post input box then clicking "Submit". Please note that posts created via the list view activity stream are visible in the record view's activity stream if the specific record's name is referenced in the post. Also, if you reference a user (e.g., @Jim Brennan) in your post, they will see the post on their Home page activity stream as well. For more information on referencing records and users in your post, please refer to the [Referencing Users and Records](#) section.

Creating via Record View

The Record View activity stream can be accessed by navigating to a module's record view (e.g., ABC Incorporated) then clicking the Activity Stream button below the module's fields. To create a user post, simply enter your message into the post input box then click "Submit". Please note that posts added via the record view activity stream are only viewable within that record's view unless a user is following the record. All posts appear on the Home page and List View activity stream for records you follow in Sugar. For more information on following records in Sugar, please refer to the [Following Records](#) section.

User Post Options

There are various options available when posting a message in the activity stream such as adding an attachment, external link, referencing Sugar records, etc. Users can easily drag and drop files, links, news feeds, etc. from their local machine, external sites, as well as Sugar dashlets. You can also mention a specific user in your post that you would like the message targeted to as well as reference records that you wish to link the post to in Sugar. Please note that every user in Sugar will be able to view the post if it's created via the Home page activity stream regardless of whether a specific user is mentioned in the post.

Adding Rich Content and External Messages

Users have the option to add external links, images, and videos as well as external messages (e.g., tweets, news articles) into their user post. This allows you to easily share information across the organization by posting relevant links, videos, news articles, etc. that will be important for other users to view. For more information on previewing posts, please refer to the [Previewing Posts](#) section.

To add external links, messages, etc., simply drag and drop the corresponding title that's linked to a URL into the post input box. For example, to add a video from YouTube, click the title (e.g., "How to install SugarCRM") of the video then drag and drop the link that appears into the post input box. The URL along with the video will appear within the post once you submit it. For external twitter feeds, you will need to click the post date (e.g., Jan 3) of the feed then drag and drop the link that appears into the post input box. To attach an image to your post, copy and paste the corresponding image URL into the post input box and the image will appear within the post once submitted.

You can also reference a specific record in the post if you wish to link the post to the record. For more information on referencing a record in your post, please refer to the [Referencing Users and Records](#) section.

The following steps will cover adding an external link to the Home page activity stream as an example:

1. Go to an external site (e.g., www.support.sugarcrm.com) then select a link (e.g., Clearing Browser Cache article) you wish to add to your post.
Note: The actual link will popup when you click the link on the site and drag it across the page.

Latest News

SugarCloud Maintenance Scheduled for Saturday, December 25th, 2021

Posted: 12/22/2021

On Saturday, December 25th, 2021, beginning at 17:00 US Pacific Time, SugarCRM will be

Popular Topics

Email

Email [https://support...ge_Base/Email](https://support.sugarcrm.com/Knowledge_Base/Email)

Updated: 9/1/2016



The Email section includes topics covering creating, configuring, and troubleshooting email accounts in Sugar.

2. Drag and drop the link into the post input box on your Home page activity stream then click "Submit".

Activity Stream

Filter ▾ All Activity Stream

Will Westin Check out this article for more information on email: https://support.sugarcrm.com/Knowledge_Base/Email

The external link will now display in the post on the Home page activity stream and will be viewable by all users in your organization.

Activity Stream

Filter ▾ All Activity Stream

Type a note or drag and drop an attachment. Type @ to mention a user. Type # to reference a record.

Will Westin Check out this article for more information on email: https://support.sugarcrm.com/Knowledge_Base/Email
Administrator a few seconds ago


Adding Attachments

Users can also drag and drop files such as PDFs, .doc files, .csv files, and image files directly from their local machine (e.g., desktop) into the post input box to share documents related to records with other users.


The following steps will cover adding a file from your desktop to the account

record view's activity stream as an example:

1. Locate the file on your desktop that you wish to attach to a post.
2. Drag and drop the file into the post input box.



3. The attached file(s) will appear below the post input box. You may choose to enter a message simultaneously, which will appear as a separate comment-type post in the activity stream. To remove an attachment, click the "X" on the file's placeholder. Click "Submit" to post the file to the activity stream.



You may drag and drop more than one file into the post input box, but please note


that each file will generate two posts in the activity stream: one post showing the file item ("Fi" icon) and another linking to the note record ("Nt" icon) in Sugar where the file is stored. You can preview the note record in the intelligence pane by clicking the Preview button to the far right of the note activity stream post. Click the file name in the preview's Attachment field to instantly download the file to your local machine.

The screenshot displays the account record for ABC Incorporated. The top section shows account details: Website (http://www.abcinc.com), Industry (Communications), Member of (Type: Customer), Assigned to (Mary Thompson), and Office Phone ((415) 782-8788). Below this is a filter for 'All Activity Stream' and a 'Submit' button for creating a note. The activity stream shows two posts: 'Added file US Terms Agreement.docx on ABC Incorporated.' and 'Linked US Terms Agreement.docx to ABC Incorporated.'. A red box highlights these two posts, and a red arrow points from the 'Preview' button in the intelligence pane to the second post. The intelligence pane on the right shows the 'Preview' of the 'US Terms Agreement.docx' attachment, including fields for Subject, Contact, Related To (ABC Incorporated), Description, Teams (Global), and Attachment (US Terms Agreement.docx).

The newly created note record will appear in the Notes & Attachments dashlet in the account record view's intelligence pane as well as the related Notes subpanel. If the Notes & Attachments dashlet is not displayed in the intelligence pane, you can add the dashlet by editing the dashboard. For more information on adding dashlets, please refer to the [Adding Dashlets](#) section of the Dashboards and Dashlets documentation.


When posting an attachment to the activity stream, if you choose to also include a comment, any related records mentioned in the comment will not form a relationship with the note record or uploaded file.

If a new note is created via the Notes subpanel or Notes & Attachments dashlet, an activity stream post will be created indicating that a new note was linked to the record. Please note that, when a note is created or linked via the Notes & Attachments dashlet, you must refresh the activity stream or subpanel view in order to view the corresponding record.



Adding via Dashlets


Users also have the option to drag and drop news feeds directly from the RSS Feed dashlet into user posts. The [RSS Feed dashlet](#) can be added to the list view and record view's intelligence pane dashboard. For more information on adding dashlets to the intelligence pane, please refer to the [Dashboards and Dashlets](#) documentation. Once the dashlet is added and configured, simply click the specific news article from the RSS Feed dashlet then drag and drop the link that appears into the post input box. Click "Submit" to post the RSS feed link.




Referencing Users and Records

Sugar records and users can be referenced within the user post if you wish to target the message to a specific user or relate the post to a specific record. To mention a user in your post, type @ followed by the user's name (e.g., @John

Smith). Please note that even if a specific user is referenced, all users will be able to view the post in Sugar if the post originated from the Home page activity stream. If the post originated from the list view or record view activity stream, then only the specific user mentioned in the post will be able to view the message on their Home page activity stream. To reference a record in your post, type # followed by the record's name (e.g., #john). Please note that only modules enabled for full-text search via Admin > Search can be referenced in posts. For more information on how to enable modules for full-text search, please refer to the [System](#) documentation in the Administration Guide. Posts that reference a specific record in Sugar will appear in that record view's activity stream. Users can access the referenced record and user by clicking the highlighted record or user name within the post. Please note that you can reference more than one user and record in the same post.



As you type in the record name or user name, the type-ahead feature will begin to display matching results below the post input box. Simply select one of the matching users or records from the list then click "Submit" to post your message. Please note that a user must have view access to the record in order for you to be able to mention them when posting via the record view's activity stream. For example, if user Will Westin does not have access to view ABC Company, you cannot reference Will (e.g., @will) when posting a message via the ABC Company record view's activity stream. If you try to mention a user without view access, their name will be displayed in gray in the results list with a message stating that they have no access.




Please note that you cannot preview users or records referenced in the post as the preview is disabled. You will get an error message (Preview disabled: No data available) when you hover on the Preview button to the right of the post. For more information on previewing posts, please refer to the [Previewing Posts](#) section.

Viewing Field Changes

Fields in Sugar that are marked as "Audit" via Admin > Studio will generate update posts in the activity stream whenever the field gets updated. For more information on marking fields for audit, please refer to the [Studio](#) documentation in the Administration Guide. Please note that only audited fields will generate an update post in the activity stream.

Updates you make to audited fields in the record view will generate a post in the record view activity stream referencing the field name(s) that was updated (e.g., "Updated Office Phone on ABC Incorporated"). When you hover on the field's name within the update post, the old and new values will display above the post.




You will also be able to view the update post via the Home page and List View activity stream if you follow the record in Sugar. For more information on following records, please refer to the [Following Records](#) section.

Please note that users who do not have access to view the audited field due to a role restriction will see a generic update post (e.g., Updated ABC Incorporated) on their activity stream as the field name will not be mentioned. For more information on roles, please refer to the [Role Management](#) documentation in the Administration Guide.

Commenting on Posts

Users can respond to posts via the activity stream by clicking the Comment button to the right of each post. A comment box will appear below the post and you can type in your message then click "Reply" to post your comment. All associated comments will appear below the post in the activity stream and will display the timestamp of the comment along with the user's name who added the comment. You can mention a specific user by typing @ followed by the user's name (e.g., @Sarah Smith) or reference a specific record by typing # followed by the record's name (e.g., #ABC Company). For more information on referencing users and records in your post, please refer to the [Referencing Users and Records](#) section. Please note that comments are visible to all users in Sugar unless they are no longer following the record. For more information on unfollowing records, please refer to the [Unfollowing Records](#) section.



Will Westin Check out this article for more information on clearing browser cache:  

https://support.sugarcrm.com/Knowledge_Base/Troubleshooting/...
Mary Thompson 2 hours ago

Add your comment... Type @ to mention a user. Type # to reference a record.

Reply

When a user comments on a post, that post will move to the top of the activity stream once the page is refreshed. Please note that comments you add on the List View activity stream will appear on the Home page activity stream and vice versa if the post exists in both places. When there are multiple comments, the latest comment will appear on top and users can click the more comments link (e.g., 2 more comments...) to view all comments associated to the post. Once you click the link, all comments will display in cascading order with the most recent comments on top. To hide the comments again, simply refresh the activity stream page.



Will Westin Check out this article for more information on clearing browser cache:  

https://support.sugarcrm.com/Knowledge_Base/Troubleshooting/...
Mary Thompson 2 hours ago



Will do, thanks!
Will Westin a few seconds ago


[2 more comments...](#)

Previewing Posts

Users can preview activity stream posts by clicking the Preview button to the far right of the post. The intelligence pane will display the record's details with key information regarding the record as well as any related activity stream information. Please note that preview is available for Create, Update, Link, and Unlink-type posts in the activity stream. To close the preview, simply click the "X" on the upper right of the intelligence pane.


Also, messages posted via the Home page or List View activity stream cannot be previewed as records are not automatically referenced within the post. The Preview button will be grayed out and display a message ("Preview disabled: No data available") when you hover on the button. Messages posted via the record view can be previewed on the Home page and List View activity stream since the record is automatically referenced within the post. For linked and unlinked type posts, only the primary record that is linked or unlinked to can be previewed via the intelligence pane. For example, the below post states that Lindsay Smith is now linked to ABC Incorporated. Since ABC Incorporated is the primary record

that the contact is now linked to, the account record will display when previewing the post.



Please note that records for modules using the Legacy user interface cannot be previewed if included in the post (e.g., Link-type post) and will generate an error message ("Legacy modules cannot be previewed") when you hover on the button. For more information on the Legacy user interface, please refer to the [User Interface \(Legacy Modules\)](#) documentation.

Also when you are viewing a record in record view, you cannot preview a post that references the same record. For example, if you are viewing ABC Incorporated's record view and there is an update post referencing ABC Incorporated in the record view's activity stream, you will not be able to preview any posts where ABC Incorporated is the primary record.



Accessibility

Overview

Sugar enables users to quickly perform certain tasks using keyboard shortcuts to increase productivity and accessibility. Keyboard shortcuts can be used to navigate around the list view and record view layouts for Sidecar modules, allowing users quickly select records, inline edit records, preview records, etc. There are also global shortcuts available to perform tasks such as toggling the Quick Create menu, entering the Global Search field, etc. Users can also customize the key combinations which activate each shortcut.

This documentation will cover the various keyboard shortcuts available as well as how to navigate around Sugar using your keyboard. For more information regarding accessibility for Sugar, please refer to the [Accessibility](#) information.

Shortcut Keys

There are various shortcut keys available to easily perform actions in Sugar using your keyboard. You can use the shortcut keys to favorite a record, delete records, etc. in the Sidecar module's (e.g., Accounts, Contacts) list view and record view layouts. In addition, the global shortcuts can be utilized throughout the user interface to perform actions such as opening the Quick Create menu, accessing the Global Search field, etc.

You can access the Keyboard Shortcuts help page by either hitting the Shift and / key or clicking the Shortcuts link in Sugar's footer. The help page will display a table with the various shortcut keys available to use along with a description of the actions they perform. The shortcuts displayed are contextual based on what you are currently viewing in Sugar. For example, if you are viewing the Mass Update panel in the Accounts list view, then the Keyboard Shortcuts page will display shortcuts that specifically apply to this panel. Simply hit "Esc" on your keyboard or click the Close button if you wish to exit the page. You can also [customize](#) the key combinations for each shortcut by clicking the Gear button.

Keyboard Shortcuts
⚙️
Close

SugarCRM enables power users to quickly perform certain tasks with keyboard shortcuts to increase productivity. The tables on the right describe available shortcuts along with the keys and the actions they perform.

Contextual Shortcuts		Global Shortcuts	
Key	Function	Key	Function
t	Toggle sidebar	s, command+alt+0	Focus on global search field
a	Create new record	c	Toggle the quick create menu
j	Select next record on the list	?	Show shortcuts help page
k	Select previous record on the list	command+shift+space	Toggle the Sweet Spot bar
h	Scroll list left		
l	Scroll list right		
o	Open selected record on the list		
e	Edit selected record on the list		
d	Delete record		

Contacts (20 of 21+)
Contacts List Dashboard ▼
☆

sugarcrm
Mobile
⚙️ Shortcuts
Help

Global Shortcut Keys

The global shortcut keys can be used to perform the following actions in Sugar's user interface:

Windows/Linux Key	Mac Key	Function
c	c	Toggle the Quick Create menu.
esc, ctrl+alt+l	esc, cmd+alt+l	Exit the Global Search field.
s, ctrl+alt+0	s, cmd+alt+0	Access the Global Search field.
t	t	Toggle the intelligence pane in list view and record view.
ctrl+shift+space	cmd+shift+space	Toggle the Sweet Spot bar.

List View Shortcut Keys

The list view shortcut keys can be used to perform the following actions in the module's list view layout:

Windows/Linux Key	Mac Key	Function
+	+	Add field rows in the Mass Update or Filter panel.
-	-	Remove field rows in the Mass Update or Filter panel.
a	a	Create new record.
ctrl+a	cmd+a	Select all records displayed on current set of list view results.
ctrl+s, ctrl+alt+a	cmd+s, cmd+alt+a	Save record.
d	d	Delete record or custom filter in list view.
e	e	Edit selected record in list view.
esc, ctrl+alt+l	esc, cmd+alt+l	Exit out of certain elements (e.g., inline edit) in the list view.
f+a	f+a	Mark selected record as a favorite. Note: Hit "f+a" again to remove the record as a favorite.
f+c, ctrl+alt+8	f+c, cmd+alt+8	Create a new list view filter.
f+e	f+e	Edit custom list view filter.
f+i, ctrl+alt+9	f+i, cmd+alt+9	Place cursor in list view search box.
f+m	f+m	Open the list view filter menu.
f+o	f+o	Mark selected record to follow or unfollow.
h	h	Scroll list to the left.
j	j	Select the next record on the list view.

k	k	Select the previous record on the list view.
l	l	Scroll list to the right to view additional fields in the list view.
m	m	Open the mass actions menu. Note: Menu opens once at least one record is selected.
o	o	Open the selected record's (e.g., ABC Company) record view.
p	p	Preview the selected record.
r	r	Clear filter values.
t	t	Toggle the intelligence pane.
x	x	Mark the checkbox to the left of each selected record in list view.

Record View Shortcut Keys

The record view shortcut keys can be used to perform the following actions in the module's record view layout:

Windows/Linux Key	Mac Key	Function
ctrl+s, ctrl+alt+a	cmd+s, cmd+alt+a	Save the record.
d, ctrl+alt+d	d, cmd+alt+d	Delete the record.
e, ctrl+alt+i	e, cmd+alt+i	Edit the record.
esc, ctrl+alt+l	esc, cmd+alt+l	Exit out of certain elements (e.g., edit view) in the record view.
f+a	f+a	Mark record as a favorite. Note: Hit "f+a" again to remove the record as a favorite.


f+o	f+o	Mark record to follow or unfollow.
h	h	Open the previous record.
l	l	Open the next record.
m	m	Open the record's Actions menu.
shift+c, ctrl+alt+u	shift+c, cmd+alt+u	Copy the current record.
t	t	Toggle the Right Hand Side drawer.

Customizing Shortcut Keys

You can customize the key combinations which activate each shortcut. This is especially useful if you use the default key combinations for other functions such as typing special characters.

Use the following steps to customize the shortcuts' key combinations:

1. Access the Keyboard Shortcuts page by clicking the Shortcuts link in Sugar's footer.
2. Click the Gear button on the top right of the page.



Global Shortcuts	
Key	Function
s, command+alt+0	Focus on global search field

3. Update the Key value you want to change in the Contextual Shortcuts table.

Contextual Shortcuts	
Key	Function
t	Toggle sidebar
e,mod+alt+i	Edit record
d,mod+alt+d	Delete record
mod+shift+s,mo	Save record


Global Shortcuts	
Key	Function
s,mod+alt+0	Focus on global search field
c	Toggle the quick create menu
?	Show shortcuts help page
mod+shift+space	Toggle the Sweet Spot bar

Note: Depending on your operating system, the "mod" which appears in

key combinations will be the Control key (for Windows and Linux computers) or the Command key (for Mac). Use "mod" to indicate the use of these keys.

4. Click "Save" to preserve your changes.


If you ever wish to revert all of your custom key combinations, click the "Restore default" option in the actions menu.




Since the Keyboard Shortcuts page shows contextually appropriate shortcuts, repeat these steps on various Sugar views in order to access all of the shortcuts.

Tabbing in Sugar

Using the Tab key (Alt+Tab for Safari browser) on your keyboard enables you to easily navigate through Sugar's navigation bar which spans across the top of the screen. Please note that the default tab order is from left-to-right. As you hit the Tab key, each option (e.g., home, module tabs, global search, notifications, etc.) on the navigation bar will be highlighted in blue, and you can press "Enter" if you wish to access the module's list view, actions menu, notification's page, etc. For example, if you press "Enter" on the triangle in the Accounts module tab, the corresponding actions menu will open and you can use the Up and Down arrow keys on your keyboard to select an option (e.g., Create Account, View Accounts, etc.). If you hit "Tab" again while the module tab's Actions menu is open, you will navigate to the next option (e.g., Contacts) on the navigation bar and the current actions menu will close.



In addition, you can continue to tab outside of the navigation bar to highlight and access certain elements (e.g., Create button, Search box, Intelligence Pane, etc.) of the home page, list view, record view, etc. For example, if you continue tabbing after you get to the end of the navigation bar while viewing the Accounts list view, the tab will move onto the various elements on the page highlighting buttons, actions menu, account names, etc. You can simply hit "Enter" if you wish to perform a specific action (e.g., create a record, open the actions menu, etc.) on the list view. The tab will go through all of the currently displayed records on the list view then move onto the intelligence pane and footer before going back to the navigation bar again. Please note that each link (e.g., Mobile, Shortcuts) in Sugar's footer will be highlighted as you tab from left-to-right. Simply hit "Enter" on your keyboard if you wish to access any of the links on the footer.



Tabbing in Global Search

As you tab through Sugar's navigation bar, you will access the Global Search bar where you can perform a search across the entire Sugar database. Once you enter in a search term, you can use the Up and Down arrow keys on your keyboard to navigate through the quick search results and hit the Tab key to close the Quick Search Results list and return to the search bar. In addition, you can also tab through the View All Results page to highlight and access certain elements (e.g., Search box, Intelligence Pane, Preview button, etc.) of the page as well. For more information on navigating through global search using your keyboard, please refer to the [Search](#) documentation.

Last Modified: 2021-12-20 20:35:05

Dashboards and Dashlets

Overview

Sugar dashlets allow users to build specific data, insights, and useful visualizations into their Sugar views. Dashlets live within dashboards that are available on the Home page as well as on list view and record view intelligence panes.

Most modules and views include [out-of-the-box default dashboards](#) which include some [commonly-used dashlets](#). Sugar admin users may modify these stock, default

dashboards or create additional dashboards to [push to teams of users](#). Users can also [create additional dashboards](#) or [pull shared dashboards](#) onto their view from the Dashboards module and even [create duplicates](#) of existing dashboards to customize for their own use. If more than one dashboard is available for a particular view, users may switch between them using the view's [dashboard selection list](#).

Understanding Dashboards

The following sections explain the various methods of accessing and working with dashboards as well as provide an overview of the factors involved in sharing common dashboards between users.

Dashboards in Views vs the Dashboards Module

Users can access dashboards in the two following ways, with each way offering different functionality.

- **Dashboards in Views:** Every-day use of dashboards occurs in the Home page as well as list view and record view intelligence panes on Sidecar modules. Accessing dashboards in these locations will be referred to as "dashboards in views". The [Dashboards in Views](#) section of this page details the actions you can take when using dashboards in views.
- **Dashboards Module:** Certain actions are not available with accessing dashboards in views, particularly actions associated with sharing dashboards with other teams and making dashboards visible in views. These tasks are accomplished in the Dashboards module which includes a Dashboards list view and record view. The Dashboards list view can be accessed when viewing any dashboard in a view by selecting "Manage Dashboards" from the dashboard selection list. Viewing a dashboard in the Dashboards module does not display its dashlets or provide many of the actions available when using them in views. The [Managing Dashboards](#) section of this page details the actions you can take when accessing the Dashboards module.

Shared Dashboards

Several dashboard fields control whether a dashboard is available in a user's Dashboards module and whether it appears on the user's views.

Note: When a shared dashboard is modified, other users will see the effects of the changes after refreshing their view or switching to the affected dashboard.

Teams Access

The Teams field controls whether or not a dashboard is available in a user's Dashboards module. Dashboards follow the same team permissions rules as any other Sugar module. When a user first creates a dashboard, the Teams field is automatically set to only his or her private team, which typically makes it visible to that user and the user's management chain. This is because private teams, by default, only include the individual user, and Sugar recommends not adding other users to any private team. Each user's management chain inherently belongs to each of the user's teams. For more information, please refer to the [Private Teams](#) and [Team Membership Types](#) sections of the Team Management documentation.

The Teams field can be modified to allow other users to see it in their Dashboards module as described in the [Sharing Dashboards With Teams](#) section below. Once other users have teams access, the Favorite and Default Dashboard fields determine whether the dashboard appears for use in their views, as described in the next section.

Note: Admin users have access to all Sugar records, regardless of team membership. No dashboards will be hidden from admin users in their Dashboards module.

Favorites and Default Dashboards

Two dashboard fields factor into whether a dashboard to which a user has team access actually appears in that user's view: the Favorites designation and the Default Dashboards field.

The Default Dashboards field can only be edited by admin users. When it is checked, the dashboard will appear on the views of every user that has teams access. This effectively pushes the dashboard to users without their involvement. For more information, refer to the [Pushing Dashboards to Teams](#) section below.

When the Default Dashboards field is unchecked, a dashboard will only appear on a user's views when the user has marked it as a favorite. Dashboards can be favorited via the Dashboards list view or record view. To remove a dashboard from the view, users can simply unmark the Favorites designation, either from the dashboard itself or from the Dashboards module. For more information, refer to the [Pulling Dashboards to Your Views](#) section below.

Personalizing Shared Dashboards

As an alternative to using a shared dashboard as-is, users can duplicate any

dashboard which appears in their views. One of the main benefits of this is that it allows them to use the shared dashboard as a starting point for personalizing the dashlets to suit their particular needs. For more information, refer to the [Duplicating Dashboards](#) section.

Out-of-the-Box Default Dashboards

Many modules include prebuilt dashboards that come out-of-the-box with Sugar. Admin users have the ability to modify or remove these dashboards. By default, most of these dashboards have the following attributes:

- **Name:** Following the format <Module> <View> (e.g., "Accounts List")
- **Assigned To:** Assigned to the primary admin user (ID = 1)
- **Teams:** Global
- **Default Dashboard:** Checked

It is important that admin users not treat these default dashboards like personal dashboards. So long as the Default Dashboard field remains checked, any changes made to the dashboards will be pushed to all users belonging to the associated team(s). Since the Global team is automatically selected, changes would affect all users. If an admin user wishes to modify the default dashboards for personal use, they should duplicate the dashboards, then make changes to the new copy which will be assigned to their private team and not have the Default Dashboard box checked. For more information, refer to the [Personalizing Shared Dashboards](#) section. Alternatively, admins can always create new dashboards from scratch for their personal use.


Using Dashboards and Dashlets

Dashboards with their dashlets are available on the list view and record view of Sidecar modules. For example, to access the Accounts record view dashboards, click the Accounts module tab in Sugar's header. Then, click one of the account names that appear on the list view to open its record view. Ensure the intelligence pane is expanded by clicking the arrow icon at the top right of the list view. For more information about intelligence panes, refer to the [User Interface](#) page. Please note that the out-of-the-box Record View dashboards display a pre-defined set of dashlets which vary between each Sidecar module. The dashlets available in the dashboard will also vary depending on the user's assigned [license type\(s\)](#).

The floating actions button appears on the bottom-right corner of the intelligence pane, and it allows you to perform various actions (e.g., Create Dashboard) on the current dashboard. For more information, refer to the [Dashboard Floating Actions Button](#) section below.

The screenshot displays a CRM interface with a navigation bar at the top containing 'Accounts', 'Contacts', 'Calls', 'Meetings', 'Emails', and 'Tasks'. The main content area is split into two columns. The left column shows the account record for 'Smith & Sons', including details like website, industry, type, service level, assigned to (Sarah Smith), tags, and addresses. The right column shows a dashboard titled 'Accounts Record Dashb...' with three main sections: 'Account Timeline' showing a meeting with Sarah Smith, 'Purchase History' with a table of services, and 'Active Subscriptions' with a bar chart. A floating actions button (a blue circle with a white plus sign) is located in the bottom right corner of the dashboard area.

Dashboards are also available on the Home page which can be accessed by clicking the Cube icon at the top left of any Sugar page. For more information about the Home module, refer to the [Home](#) documentation. Please note that the [floating actions button](#) appears on the bottom-right corner of the screen by default, and it allows you to perform various actions (e.g., Create Dashboard) on the current dashboard.





Both locations will remember which dashboard you last accessed in each view and open it automatically when you return.

Dashboard records are also visible in the Dashboards module which can be accessed by selecting "Manage Dashboards" from any view's dashboard selection list. The Dashboards list view and record view offers fields and functionality not available when viewing dashboards in intelligence panes and the Home page. However, the dashboard's layout and dashlets are not visible via the Dashboards module. For more information, refer to the [Managing Dashboards](#) section.

Dashboard Floating Actions Button

The floating actions button on the dashboard allows you to perform various actions such as create dashboards, duplicate dashboards, etc. By default, the floating actions button appears on the bottom-right corner of the dashboard, but you can pin the floating actions button to the top corner by clicking the Pin to Top button in the floating actions menu. You can pin the floating actions button to the bottom corner again by clicking "Pin to Bottom".





The options in the floating actions menu allow you to perform the following operations which are explained in more detail in the sections below:

Option	Description
Create Dashboard	Create a new dashboard.
Duplicate Dashboard	Create and make changes to your own, private copy of the original dashboard without affecting what other users see.
Delete Dashboard	Delete the dashboard.
Collapse All Dashlets	Collapse all dashlets on the dashboard at once. Note that Sugar will remember the closed or open state of your dashlets the next time you return to the view.

	Note: This option appears for dashboards (e.g., Accounts List Dashboard) on intelligence panes.
Expand All Dashlets	Expand all dashlets on the dashboard at once. Note that Sugar will remember the closed or open state of your dashlets the next time you return to the view. Note: This option appears for dashboards (e.g., Accounts List Dashboard) on intelligence panes.
Add Dashlet	Add a dashlet to the dashboard.

Note: A dashboard and its dashlets may only be edited by the dashboard's Assigned To user and system admin users. Any change to a shared dashboard will update the dashboard for all users.


Creating Dashboards

Create a new dashboard and build out its dashlets. New dashboards are automatically assigned to the creating user and their private team. Users can create dashboards in list view and record view intelligence panes and on the Home page. By default, new dashboards will be assigned to the creating user with the Teams field set to the creating user's [private team](#). The dashboard will also be automatically designated as a favorite so that it appears on the user's view after being created.


To make the dashboard available for other users, additional teams can be added to the Teams field via the dashboard's record view. Click "Manage Dashboards" from any dashboard selection list to access the [Dashboards list view](#), then click a dashboard's name to open it in record view. Admin users also have the ability to check the Default Dashboards field to [push the dashboard](#) onto the views for all members of the associated teams.

The following steps cover creating a new dashboard called "My Favorites Dashboard" in the Accounts list view intelligence pane as an example:

1. Click the floating actions button in the intelligence pane then select "Create Dashboard".



2. Enter in the name for the new dashboard (e.g., My Favorites Dashboard) then click "Save".
3. Click the Add Dashlet button to add any desired dashlets. For more information on adding dashlets, refer to the [Adding Dashlets](#) section.



4. Click "Save" to finalize the new dashboard.

Duplicating Dashboards


Duplicating a dashboard will create a copy of the original with the following attributes:

- **Name:** Copy of <Original Name> (e.g., "Copy of Accounts List")
- **Assigned To:** The user who performed the duplication
- **Teams:** The [private team](#) of the user who performed the duplication
- **Default Dashboard:** Unchecked

Duplication is recommended when you wish to personalize a shared dashboard. By making your changes to your own, private copy, the original dashboard will not be affected for other users. Additionally, dashboards can only be edited by their Assigned To user and admin users. Creating a copy of a shared dashboard owned by another user allows you to optimize the dashboard for your purposes. For more information, refer to the [Personalizing Shared Dashboards](#) section.

Duplicating a dashboard containing a List View dashlet with custom filters applied will duplicate the dashlet as well including the custom filter. Please note that you can edit the dashlet but will not be able to edit the shared filter in the Configuration Options page. If you remove the shared filter from the dashlet, you will not be able to apply the same filter again as you do not own it.

To create a copy of a dashboard, simply click the Duplicate Dashboard button from the [floating actions menu](#).




Editing Dashboards

The edit options available for dashboards include [renaming dashboards](#), [adding dashlets](#), [resizing dashlets](#), and [rearranging dashlets](#). Refer to the respective sections for more information.

Renaming Dashboards

Rename dashboards from an intelligence pane, the Home page, or the [focus drawer](#). Click the pencil icon that appears when you hover over the dashboard name, and then type a new name. Shifting focus outside of the field automatically saves the new name.



Dashboards can also be renamed via the [Dashboards module](#) by modifying the Name field.

Note: A dashboard may only be edited by its Assigned To user and system admin users. Any change to a shared dashboard will update the dashboard for all users.


Switching Between Dashboards

Select a dashboard from the dashboard selection list to switch which dashboard is displayed.


Between default dashboards, shared dashboards, and personal dashboards, users may have multiple dashboards active for a single Sugar view (e.g., Accounts list view). The dashboards selection list contains all of the user's active and default dashboards for the particular view and allows for switching between the dashboards. In order for a dashboard to appear in a view's dashboard selection list, the following criteria must be true:

- The dashboard's Module and View fields match the user's current module and view (e.g., Accounts list view). Each dashboard is only visible in the module and view where it was originally created.
- The user belongs to one or more of the teams selected in the dashboard's Teams field.
- The user has selected the dashboard as a favorite OR the dashboard's Default Dashboard field is checked. Dashboards an admin has [marked as default](#) will appear in your views regardless of being a favorite or not.


On a record view or list view intelligence pane, click the arrow next to the current dashboard's name to view and select from the list of available dashboards.



On the Home page, click the arrow next to the Cube icon to view and select from the list of available dashboards.



On the [focus drawer](#), click the triangle next to the current dashboard's name (e.g., Contacts Focus Drawer) in the Focus Drawer header and select from the list of available dashboards.




Deleting Dashboards


Note: If a shared dashboard is no longer needed by its owner or the dashboard owner will no longer be using Sugar, the dashboard can be reassigned, either by editing the Assigned To field via the Dashboards module or using the [Reassign Records function](#) in Admin > User Management.

Use the following steps to delete a dashboard from a list view or record view intelligence pane or from the Home page:

1. Click the [floating actions button](#) on the intelligence pane then select "Delete Dashboard".




2. Click the Confirm button in the confirmation dialog to finalize the deletion.



Dashboards can also be deleted via the [Dashboards module](#) from both list view and record view.

Removing Dashboards From Views

If a user no longer wishes to use a dashboard, they can unmark the Favorites designation by clicking the Star icon. For more information on how the Favorites designation factors into which dashboards are available in your views, please refer to the [Pulling Dashboards to Your Views](#) section. Please note that dashboards an admin user has designated as defaults by checking the Default Dashboard box will remain available for use in your [dashboard selection list](#) regardless of whether or not you have favorited the dashboard.



The Favorite designation is also available to edit via the [Dashboards module](#).


Adding Dashlets

Users can add an unlimited number of dashlet rows to suit their business needs. Adding dashlets can be done when the dashboard is in edit mode either during [dashboard creation](#) or when [editing an existing dashboard](#).

Note: A dashboard and its dashlets may only be edited by the dashboard's Assigned To user and system admin users. Any change to a shared dashboard will update the dashboard for all users.

Use the following steps to add a new dashlet in the Accounts list view intelligence pane as an example:

1. Click the [floating actions button](#) in the intelligence pane then select "Add Dashlet".



2. Click the title (e.g., List View) corresponding to the desired dashlet in the Add a Sugar Dashlet page.

Add a Sugar Dashlet® Cancel

Search by Title, Description...

Title	Description	
List View	Lists records from a particular module accordi...	
Most Useful Published Knowledge Base Articles	Displays the most liked and viewed knowledge...	

3. Configure the dashlet as desired then click "Save".

My Favorite Accounts Cancel Save

Module
Accounts

Columns
Name City Billing Country Phone User Email Address Date Modified
Date Created

Display Rows: 5 Auto Refresh: Select...

Default Data Filter
Filter: My Favorites

4. The dashlet will now appear on your dashboard.

Rearranging Dashlets

Users have the option to arrange the dashlets within a dashboard to match their viewing preferences. You can easily swap two dashlets by dragging and dropping the dashlets in their desired locations. Simply click and drag a dashlet's menu bar to relocate it

Accounts List Dashboard ☆

Drag and drop the dashlet in the desired location to swap positions.

Name	Billing Country	City
P Piper & Sons	USA	San Jose
S Cane Sweeteners Ltd	USA	San Francisco
Hollywood Diner Ltd	USA	Alabama
Max Holdings Ltd	USA	San Mateo
More accounts...		

Click the dashlet's menu bar.

Name	City	Billing Country
NW Capital Corp	San Francisco	USA
Hammer Group Inc	Cupertino	USA
Overhead & Underfoot...	Los Angeles	USA

Note: A dashboard and its dashlets may only be edited by the dashboard's Assigned To user and system admin users. Any change to a shared dashboard will update the dashboard for all users.

Editing Dashlets

Dashlets can easily be configured to display specific information users want to view. Simply click the Gear icon at the top of the dashlet menu bar then select "Edit", which will display configuration options specific to the dashlet. Make the necessary changes using the available edit options then click "Save" to preserve the change. For more information about specific dashlets and how to configure them, refer to the [Commonly Used Dashlets](#) section.

Accounts List Dashboard ★


Click the dashlet's menu bar.

Name	Billing Country	
P Piper & Sons	USA	<div style="border: 1px solid #ccc; padding: 2px; display: inline-block;">Edit</div> Refresh

Note: You may not see the dashlet Gear menus, including the Edit option, if you are not the containing dashboard's Assigned To user or system admin user. Any change to a shared dashboard will update the dashboard for all users.

Deleting Dashlets

Users can delete dashlets they no longer wish to view on their dashboards by clicking the Gear icon at the top left of the dashlet then selecting "Remove". Prior to deleting a dashboard, consider if other users have access to it and consider instead reassigning the dashboard then un-favoriting it to remove it from your own views. For more information, refer to the [Reassigning Dashboards](#) and [Removing Dashboards From Views](#) sections.



Note: You may not see the dashlet Gear menus, including the Delete option, if you are not the containing dashboard's Assigned To user or system admin user. Any change to a shared dashboard will update the dashboard for all users.

Collapsing and Expanding Dashlets

Users can collapse or expand individual dashlets by clicking the Up or Down arrow on the upper right of the dashlet. Sugar will remember the state of your dashlets the next time you return to the view. For dashboards on intelligence panes, users can also collapse or expand all dashlets on the dashboard by clicking the [floating actions button](#) then selecting "Collapse All Dashlets" or "Expand All Dashlets".

Accounts Record Dashboard ☆

Opportunity Metrics ^

Category	Count	Value
Won	2	\$11,041
Lost	0	\$0
Active	5	\$22,022

Planned Activities ☰

Today **Future** 👤 🗒

1 Meeting

1

🗒 Collapse All Dashlets ↕


👤 Introduce all players
Max Jensen, in 3 days

⌵

✕

Resizing Dashlets

Users can easily resize the dashlets to fit the available screen real estate and accommodate their desired layout by clicking the double-ended arrow that appears in the bottom corners of the dashlet and dragging to the desired size. Please note that Sugar will remember the new size of the dashlet when you return to the view.




Note: Dashlets can only be resized by the containing dashboard's Assigned To user and system admin users. Any change to a shared dashboard will update the dashboard for all users.

Refreshing Dashlets

When users first navigate to a page in Sugar or refresh the browser window, the page's dashlets all retrieve fresh information. To update dashlet data between page loads, the dashlets themselves must be refreshed. Dashlet refreshes can be performed manually or automatically.

Users can manually refresh a dashlet by clicking the Gear icon at the top of the dashlet menu bar and then selecting "Refresh".



Users can schedule the dashlet to automatically refresh using the Auto-Refresh option. Click the Gear icon at the top of the dashlet menu bar then select "Edit". This will display the Configuration Options page where you can select how often the dashlet should automatically retrieve fresh information.

Cancel Save

Module

Columns

Display Rows

Default Data Filter
Filter

Auto Refresh
Select...
None
Every 1 Minutes
Every 5 Minutes
Every 10 Minutes
Every 15 Minutes
Every 30 Minutes

Note: You may not see the dashlet Gear menus, including the Refresh option, if you are not the containing dashboard's Assigned To user or system admin user.


Managing Dashboards

The Dashboards module consists of dashboard records visible in the Dashboards list view and Dashboards record view. Please note that when viewing a dashboard in list view and record view, its dashlets are not visible. Rather, the Dashboards module allows users to [share their dashboards with teams of users](#), [pull dashboards to their own views](#), [reassign dashboards](#), and update select fields on the dashboard record. Admin users are also able to [push dashboards to the views of teams of users](#).


Note: To add dashlets, create/duplicate dashboards, etc., click the [floating actions button](#) on the Home page dashboard or list view/record view intelligence pane.

The Dashboards module can be accessed from any record view or list view intelligence pane or from the Home module. Simply select "Manage Dashboards" from the view's [dashboard selection list](#).


From record view and list view intelligence panes, click the triangle next to the dashboard's name and select "Manage Dashboards".



From the Home page, click the triangle next to the Home module tab (Sugar cube icon) and select "Manage Dashboards".



From the [focus drawer](#), click the triangle next to the current dashboard's name (e.g., Contacts Focus Drawer) in the Focus Drawer header and select "Manage Dashboards".



Doing so will open the Dashboards module in list view. The list view will automatically be filtered by the module and view you navigated from so that you can quickly locate dashboards available in that view. To locate other dashboards, simply modify or remove the filters. For more information about filtering list views, refer to the [User Interface](#) documentation.

Note: If you do not see the desired dashboard in your Dashboards list view or receive a permissions error when attempting to navigate directly to its record view, you may not belong to one of its designated teams. The dashboard's owner or an admin user will need to update the dashboard's Teams field to grant you access. For more information, refer to the [Team Management](#) documentation in the Administration Guide. If the Teams field includes a team to which you belong, confirm that the dashboard's Module and View field match the module and view (e.g., Accounts record view) where you would like it to appear. Each dashboard can only be applied to the module and view where it was originally created. For more information, refer to the [Shared Dashboards](#) section above.

Dashboard Module Fields

The Dashboards module includes the following fields. For information on using and editing various field types, refer to the [User Interface](#) documentation.

Field	Description
Assigned To	The Sugar user assigned to the dashboard.
Date Created	The date the dashboard record was created.
Date Modified	The date the dashboard record was last modified.
Default Dashboard	Specifies that the dashboard will appear in the specified module and view for all users belonging to the teams selected in the Teams field. Note: Only admin users can check or modify the Default Dashboard checkbox.
Module	The module (e.g., Accounts, Opportunities, Home) where the dashboard appears. Note: This field is read-only for all users. Dashboards cannot be moved from one module to another.
Name	The name of the dashboard which is displayed in the dashboard selection list .
Teams	The teams whose members have access to the dashboard in the Dashboards module.
View	The view (e.g., "List" for list view and "Record" for record view) where the dashboard appears. Note: This field is read-only for all users. Dashboards cannot be moved from one view to another.

Working With the Dashboards Module

The following links will open specific sections of the User Interface documentation

where you can read about views and actions that are common across most Sidecar modules. The sections following this Working With Dashboards section describe Dashboards-specific behaviors and functionality.


Content Link	Description
Viewing Dashboards Viewing via List View Viewing via Record View	<p>The Viewing Records section describes the various methods of viewing dashboard records, including via the Dashboards list view and record view.</p> <p>Note: The Dashboards list view and record view include information about the dashboard but do not display the dashboard's dashlets. Dashboards including their dashlets are visible in intelligence panes and the Home page as described in the Dashboards in Views section.</p>
Searching for Dashboards List View Search Creating a Filter Saving a Filter	<p>The Searching for Records section provides an introduction to list view search, which searches and filters within the Dashboards module.</p>
Dashboards List View Total Record Count List View Search Checkbox Selection Mass Actions Menu Favorite Designation Column Reordering Column Resizing Column Sorting Column Selection Record Actions Menu More Dashboards	<p>The List View section walks through the many elements of the Dashboards list view layout which contains a filterable list of all dashboard records in Sugar.</p> <p>Note: A user can only access a dashboard's record actions menu in list view when they are the assigned user or an admin user.</p>
Dashboards Record View Favorite Designation Next or Previous Record Show More	<p>The Record View section walks through the many elements of the Dashboards Record View layout which contains detailed information about a single dashboard record.</p> <p>Note: The Dashboards list view and record view include information about the dashboard but do not display the dashboard's dashlets. Dashboards including their dashlets are visible in intelligence panes and the Home page</p>

	as described in the Dashboards in Views section.
Editing Dashboards Editing Inline via Record View Editing via Record View Editing Inline via List View Mass Editing via List View	The Editing Records section describes the various methods of editing existing dashboard records, including inline via the Dashboards record view, in full edit mode on the record view, inline via the Dashboards list view, and via the Mass Update option on the list view.
Deleting Dashboards Deleting via Record View Deleting via List View Mass Deleting via List View	<p>The Deleting Records section describes the various methods of deleting unwanted dashboards, including via the Dashboards record view, an individual record's Actions menu on the Dashboards list view, and the Mass Actions menu on the list view.</p> <p>Dashboards can also be deleted when viewing them in your intelligence pane or Home page as described in the Deleting Dashboards section.</p>
Favoriting Dashboards Favoriting via List View Favoriting via Record View	<p>The Favoriting Records section describes the various methods of marking dashboards as favorites, including via the Dashboards list view and record view.</p> <p>Marking a non-default dashboard as a favorite makes it available for the user in the specified module and view. For more information, refer to the Pulling Dashboards to Your Views section. Once on a view, dashboards can be de-favorited as described in the Removing Dashboards From Views section.</p>

Sharing Dashboards With Teams

When a dashboard is first created, it is automatically assigned to the creating user and his or her private team. In order to make the dashboard available for others to use, the Teams field must first be updated to grant those users access. Refer to the [Teams Access](#) section for more information.

From the [Dashboards list view](#), click a dashboard's name to open it in [record view](#) where additional teams can be added to the Teams field. Only the assigned to user and admin users can edit dashboard records, including the Teams field.



Once a dashboard has been shared with multiple users via the Teams field, those users can then favorite the dashboard to make it visible in their own views. Alternatively, an admin user can check the Default Dashboard field to push the dashboard to the user's views automatically. Refer to the [Pulling Dashboards to Your Views](#) and [Pushing Dashboards to Teams](#) sections for more information.

When a dashboard contains List View dashlets with custom filters applied, the filters will be shared with all members of the associated team(s). So, when the user views the shared dashboard, the List View dashlet will display a filtered list of records using the shared filter. Please note that users will only be able to see records as allowed by their team membership, user access type, and assigned roles. For more information on teams and roles, please refer to the [Team Management](#) and [Role Management](#) documentation in the Administration Guide. Please note that custom filters in the List View dashlet can only be edited by the original dashboard owner and any changes made to the shared filter will be pushed to all users belonging to the associated team(s). If the owner later deletes the filter, the shared filter will be removed from the List View dashlet for all users belonging to the associated team(s), and the dashlet will no longer return results when viewed from the dashboard.

Pulling Dashboards to Your Views


When a user wishes to use a dashboard that is available in their Dashboards module but does not appear in the relevant view's [dashboard selection list](#), they can designate the dashboard as a favorite in order to pull it onto the view. Dashboards a user has marked as favorites will appear for use in the relevant view as prescribed by the dashboard's Module and View fields (e.g., Accounts list view).

1. Navigate to the module and view where you would like to see the shared dashboard.
2. Select the Manage Dashboards option.
3. Locate the dashboard you wish to use.
4. Mark the dashboard as a favorite by clicking the star icon in the list view or record view.

Filter		All Dashboards for Accounts module List view		Search by name...		Refresh	Grid	Close
Module	is any of	Accounts		-	+			
View	is any of	List		-	+			
<input type="checkbox"/>	Name	Module	View	Settings				
<input type="checkbox"/>	<input checked="" type="checkbox"/> My Favorites Dashboard	Accounts	List	Edit				
<input type="checkbox"/>	<input checked="" type="checkbox"/> At-Risk Accounts	Accounts	List	Edit				


- Return to the module and view to confirm that the dashboard is now [available for selection](#).

Once a dashboard is a favorite and is available for use, it can be un-marked as a favorite from the Dashboards module or directly from the relevant view in order to remove it from that view's [dashboard selection list](#). Dashboards an admin has marked as default will appear in your views regardless of being a favorite or not, as described in the [Pushing Dashboards to Teams](#) section.



Pushing Dashboards to Teams

Sugar admin users have the ability to push dashboards to the views for teams of users. This is a two-step process that involves first sharing the dashboard with the desired user's teams, then checking the Default Dashboard field. For more information on how the Teams field plays a role, refer to the [Sharing Dashboards With Teams](#) section. When the Default Dashboard field is checked, the dashboard will appear on the named module and view's [dashboard selection list](#) for every user that has teams access. This effectively pushes the dashboard to users without their involvement. Default dashboards have a checkmark on the standard dashboard icon when viewing them in the selection list on views.



A dashboard can be pushed to its associated teams by updating the Default Dashboard checkbox when [editing the record](#). Only admin users can edit the

Default Dashboard field.

Default Dashboard



Sugar includes out-of-the-box default dashboards that automatically have "Default Dashboard" checked. Refer to the [Out-of-the-Box Default Dashboards](#) section for more information.

Reassigning Dashboards

There are several situations in which you may need to reassign a dashboard record to a different user. Only the Assigned To user and system admin users are able to edit dashboards. Therefore, reassigning the dashboard record will allow a different user to make changes to it. Additionally, because dashboards may be shared amongst multiple users, care needs to be taken before deleting a dashboard or removing a user account's record to Sugar. In both cases, the dashboard should be reassigned to prevent other users from losing access unintentionally.

A dashboard can be reassigned by updating the Assigned To field when [editing the record](#). Only the assigned to user and admin users can edit dashboard records, including the Assigned To field.

Assigned to

When the dashboard is reassigned, the following changes will automatically be made:

- The previous Assigned to user loses the ability to edit the dashboard.
- If the new Assigned To user is not a member of any team in the Teams field, their private team is automatically appended to the Teams field.
- If the previous Assigned to user's private team is selected in the Teams field, it will remain selected so that they continue to have access to the dashboard.

Please note that a custom filter applied to a List View dashlet will not be transferred to the new Assigned To user, but rather shared. So, the new owner can edit the dashlet but will not be able to edit the shared filter in the Configuration Options page. If the applied custom filter is removed from the dashlet, they will not be able to apply the same filter again as they do not own it.

All of a user's assigned dashboards can be reassigned at once using the Reassign Records tool available in the User Management section of the Admin panel. This is especially useful to preserve others' access to a dashboard when a user account is being deactivated. For more information, refer to the [User Management](#) documentation in the Administration Guide.

Commonly Used Dashlets

The following sections cover many commonly used dashlets that may appear on your default dashboards (e.g., Home page dashboard, List View dashboard) or can be added to your dashboards. Please note that the dashlets available to view and add will vary between the modules in Sugar.

Note: You may not see dashlet Gear menus, including the Edit, Remove, and Refresh options, if you are not the containing dashboard's Assigned To user or system admin user. Any change to a shared dashboard will update the dashboard for all users.

List View Dashlet

The List View dashlet enables users to view a filtered list of records belonging to a specific module (e.g., Accounts, Contacts, Leads). When configuring the dashlet, simply select the primary module (e.g., Accounts, Contacts, Leads) you wish to view a list of records for along with the filters (e.g., columns, display rows) you wish to apply. Please note that the dashlet title (e.g., My Accounts, My Contacts) will vary based on the primary module selected when adding the dashlet. Certain modules (e.g., Accounts, Contacts, Leads) in Sugar display the List View dashlet by default in their list view's intelligence pane. For example, if you navigate to the Contacts list view, the My Accounts dashlet will appear in the intelligence pane dashboard.

Once added, you can configure the dashlet as necessary by clicking the Gear icon on the upper right if you wish to change the designated module for the dashlet, apply predefined or custom filters, etc. Please note that any changes made by the administrator to the List View layout in Studio affect the list of available fields in the module's list view dashlet layout. The deployed changes will not display automatically in the corresponding module dashlet and users will need to edit the dashlet in order to view the changes in the Columns field, add new fields to the layout, etc. For more information on editing the List View layout in Studio, please refer to the [Studio](#) documentation in the Administration Guide.

The following are the most common options available when filtering and

configuring the list view dashlet:

- **Title:** Change the displayed name of the dashlet.
- **Module:** Change the module that the dashlet is displaying records from by selecting a different module from the list.
- **Columns:** Choose the field columns you wish to display on the dashlet. To remove a field column, simply click the "x" to the right of the field name.
Note: The field columns available to add to the dashlet are based on the specified fields in the List View layout in Studio. Any changes made to the List View layout in Studio will be reflected in the Columns field. For more information on configuring the List View layout, please refer to the [Studio](#) documentation in the Administration Guide.
- **Display Rows:** Specify how many rows or results this dashlet will display at once. Please note that the maximum is twenty rows.
- **Auto Refresh:** Choose a time frame to have the dashlet query automatically refresh.
- **Filter:** Click the Filter option to select a pre-defined filter or create a new filter to be applied to the List View dashlet.
Note: The My filter (e.g., My Accounts) is selected by default.

The screenshot shows the configuration interface for a List View Dashlet. At the top, there is a text input field containing "My Accounts", a "Cancel" button, and a "Save" button. Below this is a "Module" dropdown menu set to "Accounts". The "Columns" section displays a row of buttons for "Name", "City", "Billing Country", "Phone", "User", "Email Address", and "Teams", each with a small "x" icon to its right. Below these is another row with "Date Modified" and "Date Created" buttons, also with "x" icons. The "Display Rows" dropdown is set to "5", and the "Auto Refresh" dropdown is set to "Select...". At the bottom, the "Default Data Filter" section shows a "Filter" dropdown and a button labeled "My Accounts" with a refresh icon.

The following are options that are only available when configuring a list view dashlet on a record view:

- **Relate to current record:** Specify if the dashlet will be filtered to only list records related to the record you are viewing.
- **Linked field:** This field is shown only when "Relate to current record" is enabled; the dropdown will display all of the fields in the selected module that link back to the current record. In most cases, there will only be one field listed, but there are a few exceptions. For example, a Quotes list view dashlet on the Accounts record view can link to quotes where the account is either the billing account or the shipping account. Specify which of these

account fields should link to the current record.

Module

Columns

Display Rows Auto Refresh

Relate to current record Linked field


Default Data Filter

Creating a Filter

The Filters section of the Configuration Options page allows you to filter your dashlet based on pre-defined filters (e.g., My Favorites, Recently Created) as well as create custom filters. For example, if you select "My Contacts" in the Filter options, the List View dashlet will only display contact records that are assigned to you. To see all records to which you have access, simply select the All option in the filter.

The following Filter options are available to filter the List View dashlet:


- **Create:** Create a new custom filter which you can use to filter the List View dashlet
- **All "Module":** Select this filter to display all records in the module to which you have access
- **My Favorites:** Select this filter to only display records you have marked as favorites
- **My "Module":** Select this filter to only display records assigned to you
- **Recently Created:** Select this filter to only display records you created in the module within the last 7 days
- **Recently Viewed:** Select this filter to only display records you have viewed in the module within the last 7 day




Users can also create new filters via the Create option in the Filter list. This allows users to add custom, complex filter options when filtering the List View dashlet. You have the option to add multiple fields to your new filter by clicking the Plus button to the right of the filter selection dropdown lists. Please note that each one of the filter's criteria needs to be true for a record in order for it to appear in the List View dashlet. The fields available to filter the dashlet are based on specified fields in the Search layout in Studio. Any changes made to the Search layout in Studio will be reflected in the filter's field dropdown list. For more information on configuring the Search layout, please refer to the [Studio](#) documentation in the Administration Guide.

The following steps cover creating a new filter for contacts assigned to Will Westin as an example:


1. Click the Filter option on the Configuration Options page then select "Create".
2. Select the field (e.g., Assigned to) you wish to add to your filter as well as the condition (e.g., is) and matching criteria (e.g., Will Westin).
Note: Only fields you have view access for will be available to add in the Filter list.
3. To add additional fields to the new filter, click the Plus button to the right of the filter.
 - To remove fields from the new filter, click the Minus button to the right of the filter.
 - To clear any filter values (e.g., Will Westin), simply click the "x" to the right of the value.



4. Enter in a name for the new filter (e.g., "Contacts assigned to Will Westin").
5. Click "Save" to add this filter to the dashlet list view's Filter options.



The custom filter will automatically be applied to the dashlet upon save and all records meeting the filter criteria will display. Please note that you can edit the custom filters at any time by selecting the filter (e.g., Contacts assigned to Will Westin) from the Configuration Options page, then clicking the name that appears to the right of the Filter option. Simply make the necessary changes to the custom filter then click "Save" to preserve and apply the changes to the dashlet.




When viewing the List View dashlet, the first set of records meeting the filter criteria will be displayed, and you can click the More link (e.g., More accounts) at the bottom of the dashlet to display additional records. The number of records that load each time you click the link depends on the display row number (5, 10, 15, 20) selected in the Configuration Options page. Simply scroll down the dashlet list view to view all records that are loaded. Please note that dashlets set to display 5 rows will show the dashlet's height increasing slightly when initially clicking the More "Module" link to display more records at once. Any subsequent clicks on the link will load the next set of results and be viewable by scrolling. The More link will no longer appear once all records meeting the dashlet's filter criteria are loaded in the dashlet list view results.

Steps to Edit a Dashlet

Every user can configure their dashlet(s) to only display the information they wish to view via the display options and filters available in the Configuration Options page.

The following steps cover updating the title, display rows, columns, and only my favorites filter for the My Accounts dashlet as an example:

1. Click the Gear icon at the top of the My Accounts dashlet menu bar then select "Edit".



2. Change the "Title" (e.g., My Favorite Accounts) and the display rows from 5 to 10.

My Favorite Accounts Cancel Save

Module
Accounts

Columns
Name City Billing Country Phone User Email Address Teams
Date Modified Date Created

Display Rows
5
5
10
15
20

Auto Refresh
None

3. Click the "x" next to "Billing Country" to remove the field from the display column.
 - To add columns, simply click your mouse in the Columns field then select from the list of available fields that appear below the dropdown list.

My Favorite Accounts Cancel Save

Module
Accounts

Columns
Name City **Billing Country** Phone User Email Address Teams
Date Modified Date Created

Display Rows
10

Auto Refresh
None

Default Data Filter

Filter My Accounts

+ Create

Sarah's Accounts

All Accounts


✓ My Accounts

My Favorites

4. Click the Filter option then select "My Favorites".
5. Once the update is complete, click "Save" and the dashlet will reflect the

changes made.


- Click "Save" on the dashboards edit layout to apply the changes to your final dashlet view.



Name	City	Billing Country	Phone
XY&Z Funding Inc	Kansas City	USA	(415) 226-8888
J.K.M. Corp (HA)	Kansas City	USA	(375) 275-8268
Jungle Systems Inc	San Jose	USA	(374) 315-6162
24/7 Couriers	San Mateo	USA	(382) 239-7069
Rhyme & Reason Inc	Salt Lake City	USA	(976) 271-6285
Hammer Group Inc	Alabama	USA	(470) 909-5308
Powder Suppliers	Alabama	USA	(220) 464-3066
DD Furniture Inc	Cupertino	USA	(026) 864-7290
Dirt Mining Ltd	Denver	USA	(860) 954-1279
Rubble Group Inc	Alabama	USA	(563) 138-2457

[More accounts...](#)

Multiple List View dashlets can be added to the intelligence pane as well if you wish to view the list of records for various modules. For more information on adding dashlets, please refer to the [Adding Dashlets](#) section. You can also [refresh](#) and [remove](#) the dashlet by clicking the Gear icon. To collapse the dashlet, simply click the Up arrow to the left of the Gear icon.



Name	City	Billing Country	Edit
XY&Z Funding Inc	Kansas City	USA	Refresh
J.K.M. Corp (HA)	Kansas City	USA	Remove
Jungle Systems Inc	San Jose	USA	(374) 315-6162

Active Tasks Dashlet

The Active Tasks dashlet allows users to view open tasks that require attention and


need to be completed on a future or current date. Open tasks have a status of "Not Started", "In Progress", or "Pending Input". The dashlet is broken up into three tabs: "Due Now", "Upcoming", and "To Do", and displays a number on each tab to indicate the count of open tasks falling into each due-date range.

- **Due Now:** Open tasks that are due today and open tasks where the due date is in the past
- **Upcoming:** Open tasks that have a due date in the future
- **To Do:** Open tasks that have no due date specified

When placed on a user's Home page dashboard, the Active Tasks dashlet will show all active tasks assigned to the logged-in user or all active tasks that the logged-in user has team permission to view, depending on how the user has configured the dashlet's settings.

When the Active Tasks dashlet is placed on the record view for a related module (e.g., Accounts, Contacts), it will only show the active tasks that have a relationship with the current record. For example, if the Active Tasks dashlet is placed on the Account module's record view, when a user views ABC Account, the Active Tasks dashlet will only show the active tasks that are related to ABC Account.

You can close tasks as completed directly from the dashlet by clicking the Completed button to the right of the task's row. In addition, you can delete the task's relationship with the record by clicking the Unlink button to the right of the Completed button.



To access a task's record view, simply click the task's subject in the dashlet. You can also hover over the linked task subject and click the Focus icon to open the [focus drawer](#), which displays a 360-degree view of the linked record through a set of dashlets containing pertinent information. There are two buttons on the upper right of the Active Tasks dashlet which allow you to toggle between viewing tasks assigned to you and all tasks to which you have access. You can click the one person button to quickly view task records for which you are the assigned user. To

remove this filter and view tasks assigned to others as well as yourself, simply click the group button to the right of the one person button. You can also relate new tasks to the record by clicking the Plus icon on the upper right of the dashlet and selecting "Create Task". Complete the Tasks record view layout and save to create the new task. The Gear icon to the right of the Plus icon allows you to [edit](#), [refresh](#), close, and [remove](#) the dashlet. To collapse the dashlet, click the Gear icon then select the Close option. To expand the dashlet, simply click the Gear icon again and select "Open".


Inactive Tasks Dashlet

The Inactive Tasks dashlet allows users to view tasks that are on-hold or have already been completed. The dashlet is broken up into two tabs, "Deferred", "Completed", and displays a number on each tab to indicate the count of tasks falling into each status.

When placed on a user's Home page dashboard, the Inactive Tasks dashlet will show all inactive tasks assigned to the logged-in user or all inactive tasks that the logged-in user has team permission to view, depending on how the user has configured the dashlet's settings.

When the Inactive Tasks dashlet is placed on the record view for a related module (e.g., Accounts, Contacts), it will only show the inactive tasks that have a relationship with the current record. For example, if the Inactive Tasks dashlet is placed on the Account module's record view, when a user views ABC Account, the Inactive Tasks dashlet will only show the inactive tasks that are related to ABC Account.

You can delete the task's relationship with the record by clicking the Unlink button on the task's row.



To access a task's record view, simply click the task's subject in the dashlet. You can also hover over the linked task subject and click the Focus icon to open the [focus drawer](#), which displays a 360-degree view of the linked record through a set of dashlets containing pertinent information. There are two buttons on the upper right of the Inactive Tasks dashlet which allow you to toggle between

viewing tasks assigned to you and all tasks to which you have access. You can click the one person button to quickly view task records for which you are the assigned user. To remove this filter and view tasks assigned to others as well as yourself, simply click the group button to the right of the one person button. You can also relate new tasks to the record by clicking the Plus icon on the upper right of the dashlet and selecting "Create Task". Complete the Tasks record view layout and save to create the new task. The Gear icon to the right of the Plus icon allows you to [edit](#), [refresh](#), close, and [remove](#) the dashlet. To collapse the dashlet, click the Gear icon then select the Close option. To expand the dashlet, simply click the Gear icon again and select "Open".

History Dashlet

The History dashlet allows users to view a history of the record's related activities (e.g., calls, meetings, emails) that have already taken place. The activity types are broken up into three tabs (Meetings, Emails, Calls) and a number on each tab indicates the relevant count of historical activity records. You can also filter (Last 7 Days, Last 30 Days, Last Quarter) the History dashlet to only display a specific subset of the activities meeting the set time frame.

Clicking the Plus icon on the upper right of the dashlet displays the Archive Email option which allows users to manually enter received emails for historical purposes. An explicit relationship is formed between an archived email and the current record while implicit relationships are also created to other records based on any email addresses entered in the email. Simply enter the required information (e.g., Date Sent, From, Subject) along with the email body in the Compose Email window, then click "Archive" to save the email record. Please note that the archived email will display in the record's Emails subpanel as well as in the History dashlet. The Gear icon to the right of the Plus icon allows you to [edit](#), [refresh](#), close, and [remove](#) the dashlet accordingly. To collapse the dashlet, click the Gear icon then select the Close option. To expand the dashlet, you can simply click the Gear icon again and select "Open".

History

Last 7 Days

2 Meetings	1 Email	1 Call
---------------	------------	-----------

Meeting to gather additional info
Max Jensen, 3 days ago

Discuss product pricing
Max Jensen, 5 days ago

Hovering over the linked call, meeting, or email subject will display a Focus icon which can be clicked to open the [focus drawer](#). In addition, there are two buttons on the upper right of the History dashlet which allow you to toggle between viewing the record's activities assigned to you and activities assigned to users in other teams. You can click the one person button to quickly view the record's calls, meetings, and emails for which you are the owner. To view the record's activities for all users on your team, simply click the multi-group button to the right of the one person button.

Planned Activities Dashlet

The Planned Activities dashlet provides users with a list of open or upcoming calls and meetings that are related to the current record you are viewing. The activity types are broken up into two tabs (Meeting, Call) and a number on each tab indicates the relevant count of planned activity records. You can filter the dashlet to view either the current day's scheduled activities or upcoming activities in the future by toggling between the Today or Future button. Please note that any open activities where the start date is prior to the current date will display an Overdue status for the specific activity in the dashlet. Once the activities have taken place or are completed, they will appear within the History dashlet.

Note: Hovering over the linked call or meeting subject in the dashlet will display a Focus icon which can be clicked to open the [focus drawer](#).


In addition, there are two buttons to the right which allow you to toggle between viewing the record's scheduled activities assigned to you and activities assigned to users in other teams. Please note that you can use both sets of buttons (Today, Future, one person, multi-group) concurrently to further filter and view the information you need. For example, you can click the one person button plus the Future button if you wish to view all upcoming activities specifically assigned to you for the current record.

To create a new meeting or call, simply click the Plus icon on the upper right of the dashlet and select either "Schedule Meeting" or "Log Call". Once the Meeting or Call record view layout opens, enter the necessary information and click "Save" to create the activity. For more information on creating calls and meetings in Sugar, please refer to the [Creating Records](#) section of the User Interface documentation.

The Gear icon on the upper right of the dashlet allows you to [edit](#), [refresh](#), close, and [remove](#) the dashlet accordingly. To collapse the dashlet, click the Gear icon then select the Close option. To open up the dashlet, you can simply click the Gear icon again then select "Open".

To the right of the meeting and call record's row is a set of buttons that allow you to mark the activity as held, delete the call or meeting's relationship with the

current record, as well as accept, tentatively accept, or decline the call or meeting.



Calendar Scheduler Dashlet


The Calendar Scheduler dashlet provides users with a way to show event calendars throughout Sugar. You can choose which calendars to show on each dashlet and which view to display (e.g., day or week view). For more information on using the Calendar Scheduler dashlet, refer to the [Calendar](#) documentation.

Notes & Attachments Dashlet

The Notes & Attachments dashlet allows users to relate an existing note as well as a new note record to the module record. To create a new note, click the Plus icon on the upper right of the Notes & Attachments dashlet then select "Create Related Record". Once the Notes record view layout opens, enter the necessary information then click "Save". For more information on creating notes, please refer to the [Creating Records](#) section of the User Interface documentation. To relate an existing note, click the Plus icon then select "Link Existing Record". The Search and Select Notes page will open allowing you to select the note record you wish to relate to the module record.

To delete the record's relationship to a note record, click the Unlink button to the right of the attached note post. Please note that this removes the relationship, but does not delete the record itself.

The Gear icon on the upper right of the dashlet allows you to [edit](#), [refresh](#), close, and [remove](#) the dashlet accordingly. To collapse the dashlet, click the Gear icon then select the Close option. To open up the dashlet, you can simply click the Gear icon again then select "Open".




My Activity Stream Dashlet

The My Activity Stream dashlet displays the user's main Activity Stream within a dashboard, eliminating the need to navigate to the Activity Streams view to monitor the most recent stream activities. Like other Activity Stream views, the dashlet supports inline commenting on specific stream activities, but it does not allow record previews. For more information on Activity Streams, please refer to the [Activity Streams](#) documentation.

Note: Activity Streams are disabled by default. If you cannot access activity streams, the feature may be enabled via Admin > System Settings. For more information, refer to the [System](#) documentation in the Administration Guide.

The Gear icon on the upper right of the dashlet allows you to [edit](#), [refresh](#), and [remove](#) the dashlet accordingly. To collapse the dashlet, click the Up arrow to the left of the Gear icon. To open up the dashlet, you can simply click the arrow again.



When added to an Intelligence Pane, the My Activity Stream dashlet will display stream items in context to the data within the main container of the page. For example, if you add the dashlet to a dashboard on the main Accounts module page, the main container of the page contains the Accounts list view. Therefore, the My Activity Stream dashlet will restrict activity stream items to only those activities related to the Accounts module. Similarly, if the dashlet is added to the Opportunity module's Intelligence Pane, the My Activity Stream dashlet will restrict activity stream items to only those activities related to the Opportunities

module. If the My Activity Stream dashlet is added to any record view's Intelligence Pane dashboard, the dashlet will restrict activity stream items to only those activities related to the record displayed in the main container on the page.

To filter the My Activity Stream dashlet, [edit](#) the dashlet and click once on the Filter button. Choose any of the pre-defined Activity Stream filters, such as "Messages for Post", which will restrict the stream to only items that were posted by users, and then click "Save". For more information on Activity Stream filters, please refer to the [Activity Streams](#) documentation.

Accounts Activity Stream (Posts) Cancel Save

Display Rows
5

Auto Refresh
None

Default Data Filter

Filter All Activity Stream

- ✓ All Activity Stream
- Messages for Create
- Messages for Link
- Messages for Post

It is good practice to also rename an edited dashlet accordingly so that it is clear that this dashlet is displaying a filtered view. To change the dashlet's title, [edit](#) the dashlet, type a new name into the text box that contains the words "My Activity Stream", and then click "Save".

To add a comment or reply to the Activity Stream via the My Activity Stream dashlet, click on the Comment button next to the relevant stream entry, type your reply, and then press the Reply button. For more information about interacting with Activity Streams, please refer to the [Activity Streams](#) documentation.

Accounts Activity Stream + ^ ⚙

Ac Updated Service Level on Slender Broadband Inc.

Sally Bronsen an hour ago

Add your comment... Type @ to mention a user. Type # to reference a record. Reply

Opportunity Metrics Dashlet

The Opportunity Metrics dashlet appears in the intelligence pane of the Accounts record view. It provides information regarding opportunities related to the account that are won, lost, and active along with the relevant dollar amounts. The donut chart within the dashlet shows the breakdown of the opportunities by status and displays the total count of opportunities related to the current record you are viewing. The chart is color-coded based on the chart key to represent the won, lost, and active opportunity status.

The Gear icon on the upper right of the dashlet allows you to [edit](#), [refresh](#), and [remove](#) the dashlet accordingly. To collapse the dashlet, click the Up arrow to the left of the Gear icon. To open up the dashlet, you can simply click the arrow again.

Note: Dashlet Gear menus, including the Edit, Refresh, and Remove options in the Opportunity Metrics dashlet, are only available to the containing dashboard's Assigned To user and system admin users.



Cases Summary Dashlet


The Cases Summary dashlet also appears in the intelligence pane of the Accounts record view. It allows users to view status information for cases related to the specific account record. The case summary is broken up into multiple tabs (Summary, New, Pending Input, Assigned) and displays a number on each tab to indicate the relevant count of the open, closed, new, and pending cases. Please

note that the record must have at least one related case in order for data to appear within the dashlet and the status tabs (Pending Input, New, Assigned) will appear if there is a related case meeting that particular status.

The dashlet is not available for Sugar Sell users. For more information on license types and the functionality available for each, refer to the [User Management](#) documentation.

The Gear icon on the upper right of the dashlet allows you to [edit](#), [refresh](#), and [remove](#) the dashlet accordingly. To collapse the dashlet, click the Up arrow to the left of the Gear icon. To open up the dashlet, simply click the arrow again.


Note: Dashlet Gear menus, including the Edit, Refresh, and Remove options in the Case Summary dashlet, are only available to the containing dashboard's Assigned To user and system admin users.



The Summary tab displays a donut chart that shows the breakdown of open cases versus closed cases. If you hover over the breakdown it will display the number of open and closed cases for the record. The Pending Input tab displays a list of all pending cases related to the current record. The New tab displays a list of all new cases related to the current record. The Assigned tab displays a list of all open cases related to the current record. Users can easily view the case details by clicking the record's subject link under each tab. Please note that you can also mark a case as a favorite by clicking the star icon to the left of the case subject under each tab (Pending Input, New, Assigned).

Case Summary ^

Summary	New	Assigned	Pending Input
6	1	2	2

 Warning message when using the wrong browser


Product Catalog Dashlet

The Product Catalog dashlet allows users to easily access the [Product Catalog](#) and instantly add products from the catalog as line items on the quote worksheet. The dashlet appears to the right of the page when creating a new quote, and also on the Quotes record view intelligence pane. For more information on utilizing the Product Catalog dashlet in the Quotes module, refer to the [Quotes](#) documentation.

Note: Only products with a status of "Active" are displayed in the Product Catalog dashlet.


You can also access the Product Catalog from other Sidecar modules (e.g., Opportunities, Calls) simply by [adding](#) the Product Catalog dashlet to the intelligence pane dashboard. Please note that unlike the Quotes module, the Product Catalog dashlet will be read-only when added to other modules. You can search for products using the Search field on the dashlet, as well as clicking the blue Preview icon to the right of a product's name to view complete details of its Product Catalog record. When viewing the details of the record, you can mark the product as a favorite by clicking the star icon on the upper left of the product catalog's record view. Once the product is marked as a favorite, it will appear in the Product Catalog Quick Picks dashlet on [opportunities](#) and [quotes](#).

Product Catalog ^

- Desktops
- Haggins Widgets
- Laptops
 - 48 Month Service 
 - TK 1000 Desktop
- Pina Widgets
- Roland Widgets

RSS Feed Dashlet

The RSS Feed dashlet allows you to view external RSS or Blog feeds via the dashboard on the intelligence pane. When adding the dashlet, you will need to enter in the desired feed URL (e.g., "https://news.google.com/news/headlines/section/topic/TECHNOLOGY?ned=us&hl=en&gl=US") in the Feed URL field. You can also select a value in the "Number of entries to show" field to display the most recent 5, 10, 15, or 20 entries from the feed and specify an auto-refresh interval (e.g., Every Hour) if desired. Once the dashlet is added to the intelligence pane, the applicable feeds will display and you can click the title of each feed to access the full story on the parent site. If you wish to access the full site where the RSS feeds originate from, simply click the title (e.g., Technology - Google News) below the dashlet header.



The Gear icon on the upper right of the dashlet allows you to [edit](#), [refresh](#), and [remove](#) the dashlet accordingly. To collapse the dashlet, click the Up arrow to the left of the Gear icon. To open up the dashlet, you can simply click the arrow again.

Web Page Dashlet

The Web Page dashlet allows users to load content from an external website in Sugar's dashboard. When adding this dashlet, you will need to enter the desired URL (e.g., https://example.com) in the URL field then select the display rows value to define the size of the dashlet. Please note that Sugar will only load content from trusted domains that the system administrator has approved in Admin > Content Security Policy Settings. If you get an error indicating that the content has not been approved, please reach out to your administrator as they will need to update your system's [Content Security Policy](#) settings. If the CSP settings get updated while you are logged in to Sugar, you will need to refresh your browser for the changes to take effect in your session.

Web Page Cancel Save

URL


Some sites may not load correctly due to insecure content or policies.

Display Rows

Sales Pipeline Chart Dashlet


The Sales Pipeline Chart dashlet illustrates the flow of open sales opportunities through the various sales stages by displaying the total dollar amounts for open records grouped by sales stage. The top of the sales funnel is the widest point and represents sales deals that are still in the earliest stage of "Qualification". The funnel narrows as unqualified prospects fall away and opportunities with higher win potential approach final sale.

Note: The Sales Pipeline Chart dashlet is not available for Sugar Serve users. For more information on license types and the functionality available for each, refer to the [User Management](#) documentation.




Note: The Sales Pipeline chart assumes that the sales stages are being used as defined in the out-of-the-box Sales Stage dropdown list. While the dashlet will display custom Sales Stage field values, the out-of-the-box Closed Won and Closed Lost field values must be preserved in order for Sugar's Sales Pipeline Chart to properly identify open vs. closed business. Any custom stages added to the Sales Stage dropdown by your organization will be displayed at the top of the funnel, regardless of how the stages are sorted within the dropdown.


You can customize the Sales Pipeline Chart to monitor the overall health of your personal funnel or the aggregate funnel for you and all of the users that report to you. After adding this dashlet to the homepage, toggle between "My Pipeline" and "My Team's Pipeline" using the individual and group icons on the upper right of the dashlet. "My Pipeline" displays a summary of opportunities or revenue line items for the current user and "My Team's Pipeline" displays a summary of opportunities or revenue line items for the current user plus his direct reports as configured in the "Reports to" field of their user profile.



The pipeline can also be filtered by time periods that have been configured by the administrator in the Forecasts module by clicking on the time period dropdown. The chart will display only records with an expected close date within the specified date range. Hover over the time periods to see the dates that the time periods begin and end.



To further customize the dashlet, users can click on individual sales stage labels to add and remove those stages from the funnel view. In the example pictured below, only the Proposal/Price Quote and Negotiation/Review sales stages are enabled and therefore appear in the legend with solid dots. Sales stages that have been disabled will appear in the legend as empty circles.



For more detailed information on forecasting, please refer to the [Forecasts](#) documentation.

Saved Reports Chart Dashlet

The Saved Reports Chart dashlet allows you to view pre-defined report charts as well as charts of your saved reports. When adding a Saved Reports Chart dashlet, you can select from the pre-defined report charts as well as any custom report charts to which you have access. Summation-type, summation with details-type, and matrix-type reports have the chart option available to view as dashlets.

When adding the reports chart dashlet, you will first select your desired report via the Select a Report option. You can either type the first few characters of the report's name and select from the type-ahead results or click "Search and Select..." below the search box to select your desired report from the Search and Select Reports drawer. Please note that only reports with charts will be available to add to the dashlet. The Auto Refresh option allows you to choose a time frame (e.g., Every 30 Minutes) that you wish to have the dashlet query automatically refreshed.

In addition, the following configuration options allow you to define how the chart will display:

Note: The configuration options available may vary slightly between the report chart types.

- **Chart type:** Select the type of chart (e.g., Pie Chart, Funnel Chart) to display.
 - The chart type initially defaults to the chart type defined in the originating report.
 - The available chart types will vary between reports.
 - For more information on chart types, please refer to the [Reports](#) documentation.
- **Show total:** Enable the checkbox to display the report's total value on the dashlet.
 - The total value in the report chart dashlet dynamically updates to display the total as reflected in the originating report.
- **Show legend:** Enable the checkbox to display the full chart's legend on the dashlet.
- **Show x-axis label:** Mark the checkbox to display the chart's x-axis title on the dashlet.
 - A title from the originating report will populate automatically, but you can specify a different title for display in the dashlet by entering a new value in the open text box.
 - This option only applies to bar charts and line charts.
- **Tick display methods:** Enable the appropriate options based on how you wish to display x-axis labels with long texts on the chart dashlet. When all three options are enabled, Sugar will apply the display methods in order ("Wrap ticks", "Stagger ticks", "Rotate ticks") and display the x-axis labels based on the best option.
 - **Wrap ticks:** Wraps x-axis labels to the next line.
 - **Stagger ticks:** Staggers x-axis labels in alternating positions.
 - **Rotate ticks:** Rotates x-axis labels diagonally instead of across.
 - This option only applies to vertical bar charts and line charts.
- **Show y-axis label:** Enable the checkbox to display the chart's y-axis title on the dashlet.

- A title from the originating report will populate automatically, but you can specify a different title for display in the dashlet by entering a new value in the open text box.
- This option only applies to bar charts and line charts.
- **Bar chart value placement:** Select where the chart values (e.g., End, Middle) will be positioned for bar-type charts.
 - The Top option applies to bar grouped-type charts (e.g., Horizontal Bar Grouped Chart) with an un-stacked data series.
- **Bar chart display options:** Enable the appropriate options based on how you wish to view data on the chart.
 - **Allow scrolling:** Scroll the chart up-and-down or left-to-right on the dashlet, if applicable. Disabling this option re-sizes the chart to fit the full dashlet width.
 - Scrolling will work for charts where the data exceeds the size of the dashlet width.
 - This option only applies to bar charts.
 - **Stack data series:** Displays a stacked bar for each grouping in the report chart broken into sub-sections of data. Disabling this option displays separate bars for each sub-section in the same grouping.
 - This option only applies to grouped bar charts (e.g., Vertical Bar Grouped Chart).
 - **Hide empty groups:** Hides any empty data groups from the chart, if applicable.
 - This option only applies to bar charts.

Cancel Save

Select a Report

Opportunities By Lead Source ✕

Auto Refresh

None ▼

Chart type

Vertical Bar Grouped Chart ▼

Show total

Show legend

Show x-axis label

Tick display methods

 Wrap ticks
 Stagger ticks
 Rotate ticks

Show y-axis label

Bar chart value placement

End ▼


Bar chart display options

 Allow scrolling
 Stack data series
 Hide empty groups

Once the dashlet is added, click the Gear icon on the upper right to [edit](#), [refresh](#), or [remove](#) the dashlet as necessary. In addition, you can select the View Report option to access the originating report's [detail view](#) which will open in a new browser tab. The report may also be edited to update or add information as

necessary as long as your ability to edit reports in Sugar is not restricted by a role. For more information on teams and roles, please refer to the [Team Management](#) and [Role Management](#) documentation in the Administration Guide. If any changes are made to the report, the reports chart dashlet on your Home page will reflect the changes after saving the report and refreshing the dashlet.


To collapse the dashlet, simply click the Up arrow to the left of the Gear icon. You can click the colored circles in the chart legend to toggle whether or not that segment appears in the chart. Users can also drill through to view a list of records associated with a particular chart section by clicking on the section. For more information about drilling through report charts, please refer to the [Reports](#) documentation.








Note: Dashlet Gear menus, with the exception of the View Report and Refresh options in the Saved Reports Chart dashlet, are only available to the containing dashboard's Assigned To user and system admin users.


Organization Chart

The Organization Chart dashlet illustrates the reporting structure of your organization as determined by the [Reports To field](#) in the employee records. You will only see the users who report to you and the users who report to them (i.e., two levels of employees). Click on the tile of an employee to be taken to the employee record or the minus icon on the tile to collapse their reportees' tiles.



The icons along the top of the dashlet allow you to perform the following actions:

Option	Description
	Choose a user to focus the chart on. Names with a folder icon next to them have employees reporting to them; you can click their names to reveal the reportees' names.
	Zoom in and out on the chart.
	Change the orientation of the organization chart from top to bottom to left to right.
	Display all name tiles.
	Fit the organization chart to the dashlet size.




Module-Specific Dashlets

Certain modules (e.g., Forecasts) in Sugar contain dashlets that are built specifically for that module. For the Forecasts module, the intelligence pane displays dashlets that allow users to view key information regarding the various forecast stages, likely amounts, best amounts, etc. For more information regarding these forecast-specific dashlets, please refer to the [Forecasts](#) documentation.

The Gear icon also appears on the upper right of these dashlets to allow users to [edit](#), [refresh](#), and [remove](#) the dashlet's accordingly. To collapse the dashlet, click the Up arrow to the left of the Gear icon and to open up the dashlet, simply click the arrow again.

In Forecast ▲	
Quota	\$25,979.39
Closed Won	\$30,347.74
Surplus	\$4,368.35
Likely \$15,658.79	Best \$18,997.34
Exceed by 77% (\$20,027.14)	Exceed by 90% (\$23,365.69)



Last Modified: 2022-12-14 14:53:27

Home

Overview


Sugar's Home page houses the dashboard and activity stream which allows users to view pertinent record information via various dashlets and activity stream posts.

Every user in Sugar can configure their dashlets based on the display options and filters available from their dashboard. Users can also personalize their activity stream to only view posts specific to records that are important to them. This documentation will go over the basics of the Home page as well as the various options available to customize the Home page to best fit your individual needs.

Home Module Tab

The Home module tab, represented by the Cube icon, is the first tab on the Sugar navigation bar. Click the Cube icon to navigate to the Home page or click the triangle next to the cube to perform additional actions. The following options are available in the Home module tab's actions menu:

- **Create Dashboard:** Create a new dashboard and build out its layout and dashlet set. Refer to the [Dashboards and Dashlets](#) documentation for more information.
- **Activity Stream:** View your activity stream for all enabled modules. Refer to the [Activity Stream](#) section for more information.
- **Manage Dashboards:** Access the Dashboards module to share dashboards, pull dashboards to your Home page, etc. Refer to the [Dashboards and Dashlets](#) documentation for more information.
- **Dashboards List:** Choose one of the available Home page dashboards to view. Admin-designated default dashboards, shared dashboards you have pulled to your Home page view, and personal dashboards you have created will be displayed. For more information, refer to the [Dashboards and Dashlets](#) documentation.
Note: Up to 50 dashboards can be displayed in the Home module tab's menu.
- **Recent Records:** The three records you most recently viewed, from across all Sugar modules, are displayed at the bottom of the menu. Click a record name to navigate to its record view. Clicking "More recents..." will display a fourth record.



Dashboards

Sugar's Home page allows you to build full-page dashboards by combining dashlets and configuring the dashboard layout to suit your business needs.

Dashboards and dashlets are thoroughly documented in the [Dashboards and Dashlets](#) documentation, which covers dashboards both on the Home page and dashboards on list view and record view intelligence panes.

Dashlets

Dashlets reside within the dashboard and provide users with valuable information about their records in Sugar. By default, there are stock dashlets that come out-of-the-box with Sugar and users can easily add them to various dashboards per their viewing preference. Please note that each dashlet can be configured to display the necessary information you wish to view. For more information on configuring the dashlet, please refer to the [Editing Dashlets](#) section of the Dashboards and Dashlets documentation.

Commonly Used Dashlets

By default, the "My Dashboard" will display on your Home page and include stock dashlets such as "My Contacts", "Pipeline", etc. Users have the option to add various types of dashlets to each dashboard to view information that is of

importance to them. For more information on adding dashlets, please refer to the [Adding Dashlets](#) section of the Dashboards and Dashlets documentation.

The following are some commonly-used dashlets that are available to use on your Home page:

Dashlet	Description
List View Dashlet	Enables users to view a list of records for a specific module (e.g., Accounts, Contacts, Leads) in Sugar.
Planned Activities Dashlet	Provides users with a list of open or upcoming calls and meetings that are assigned to them.
Active Tasks Dashlet	Allows users to view outstanding tasks that require attention and need to be completed on a future or current date.
History Dashlet	Allows users to view a history of record's related activities (e.g., calls, meetings, emails) that have already taken place.
Saved Reports Chart Dashlet	Displays charts from your saved or pre-defined reports and allows users to drill through to view associated records.
My Activity Stream Dashlet	Displays the user's main Activity Stream within a dashboard, eliminating the need to navigate to the Activity Streams view to monitor the most recent stream activities.
Forecast Pipeline Chart Dashlet	Illustrates the flow of open sales opportunities through the various sales stages by displaying the total dollar amounts for open records grouped by sales stage.

Adding Dashlets to Home Dashboards

Additional dashlets can be added by clicking the floating actions button on the dashboard then selecting "Add Dashlet". By default, the floating actions button appears on the bottom-right of the dashboard but you can pin the button to the top corner by clicking the Pin to Top button in the floating actions menu. You can pin the button to the bottom corner again by clicking "Pin to Bottom" in the floating

actions menu. The Add a Sugar Dashlet page will open, and you can select the title (e.g., List View) corresponding to your desired dashlet then configure the dashlet accordingly before adding it to your dashboard. For more information on adding dashlets to dashboards, refer to the [Adding Dashlets](#) section of the Dashboards and Dashlets documentation.

Please note that you can add the same dashlet multiple times in the dashboard with different configurations to show different records or information.

The screenshot shows a dashboard titled "My Teams Closed Won Opportunities". It contains a table with the following data:

Name	Account Name	Expected Close Date	Status
Underwater Mining Inc...	Underwater Mining Inc.	2020-10-24	Closed Won
3 year Service - 14 Units	Dirt Mining Ltd	2020-10-12	Closed
24 month Service - 64 ...	Sea Region Inc	2020-11-02	Closed Won
3 year Service - 41 Units	South Sea Plumbing Pr...	2020-07-08	Closed


Below the table is a link "More opportunities...". To the right of the table is a vertical toolbar with icons for "Add Dashlet" (a pie chart icon), "Close" (an 'X' icon), "Refresh" (a circular arrow icon), "Print" (a printer icon), and "Delete" (a trash can icon). The "Add Dashlet" button is highlighted with a red box.

At the bottom of the dashboard, there are links for "Mobile", "Shortcuts", and "Help".




Activity Stream




Sugar's activity stream allows users to view a list of activities performed on records, create posts, preview posts, comment on posts, etc. Users can easily track the most recent updates across their entire organization via the record and user posts on the Home page activity stream. You can also personalize the activity stream by specifying which records' posts you wish to view in the activity stream. Please note that the modules currently enabled to generate record posts for the activity stream are Accounts, Contacts, Leads, Opportunities, Revenue Line Items, Bugs, and Cases. For more information on viewing posts, creating posts, etc. via the activity stream, please refer to the [Activity Streams](#) documentation.




Activity Stream

Filter ▾ **All Activity Stream** 

Type a note or drag and drop an attachment. Type @ to mention a user.
Type # to reference a record. **Submit**

 Updated [Primary Address Postal Code, Primary Address City, Primary Address Street, Office Phone](#) on [Lila Christen](#).
[Administrator](#) a few seconds ago  

 Unlinked [Lila Christen](#) to [King Software Inc.](#)
[Administrator](#) a few seconds ago  

 Linked [Cliff Hibbitts](#) to [Follow-up on proposal](#).
[Administrator](#) 2 minutes ago  

Note: If you cannot access activity streams, the feature may have been disabled via Admin > System Settings. For more information, refer to the [System](#) documentation in the Administration Guide.

Last Modified: 2022-01-04 17:26:50

Search

Overview

Sugar comes with the ability to search across the entire system to easily locate and filter records in the system. Users can perform a search via the module's list view, record view, as well as using the Sweet Spot and global search. The module search allows you to locate records easily and effectively in a module-specific manner. Once the search is performed, the relevant results will be displayed in the module list view or subpanel view of the record. Sweet Spot and Global search allow users to search for information across their entire Sugar database as opposed to restricting search within a specific module. This documentation will go over the basics of the various search options and cover how to perform a search, filter a search, view results, etc.

Sweet Spot Search

The Sweet Spot search feature allows you to quickly and conveniently search Sugar from anywhere within the application. Using the Sweet Spot feature, you can find and navigate to:


- The Home page Actions menu
- A module (e.g., Accounts, Bugs)
- Common actions in the modules' Actions menus (e.g., Create Account, View Account Reports)
- A specific record
- The user menu

You will only be able to see actions and records as allowed by your team membership, user access type, and assigned roles. If you are an administrator, you can also find and navigate to many of the sections on Sugar's Admin page.

To open Sweet Spot, use the appropriate shortcut key sequence for your operating system:

OS	Shortcut
Mac OS X	shift+cmd+space
Windows	shift+ctrl+space
Linux	shift+ctrl+space

Once the Sweet Spot opens, begin typing your query and the search results will update as you type.



You can configure Sweet Spot by clicking the gear icon in the top right corner or by typing "Sweet Spot Configuration Panel" into Sweet Spot to open the Sweet Spot Configuration Panel drawer.



In the Sweet Spot Configuration Panel, you can configure shortcuts in the form of hotkeys. These hotkeys allow you to access your commonly accessed actions even more quickly. For example, if you frequently search for the Process Business Rules module, you can configure a hotkey so that when you type a keyword, such as "PBR", the Process Business Rules module is found. To configure a hotkey, choose the desired Sweet Spot Action from the dropdown menu, then provide the keyword that will act as the shortcut. Note that a keyword can contain multiple words. To add multiple hotkeys, click the plus button at the end of the row. To remove a hotkey configuration, click the minus button at the end of the row you wish to remove.

Hotkeys

Sweet Spot Action	Keyword	
Process Business Rules	PBR	- +

Theme

Select... ▼

In the Theme dropdown menu on the right side of the Sweet Spot Configuration Panel, you can select whether you want to use the Default (i.e., system settings), Light, or Dark theme.

Global Search

Global Search allows users to search for information across their entire Sugar database as opposed to restricting searches to a specific module. The Global Search bar displays on the upper right of every Sugar page and utilizes Full-Text Search to search throughout nearly all fields and modules for an enhanced search experience. For more information on performing searches within a single module, please refer to the [List View Search](#) and [Record View Search](#) section.



By default, Sugar comes out-of-the-box with a defined list of fields for each module that users can search as well as view in the search results on the [View All Results](#) page. Please note that secondary fields (e.g., email address, office phone, start date) will display in the View All Results page only if they contain a value. In addition, if there is a match found in a searchable field, it will display on the View All Results page even though it is not defined as a displayed field for the module. For example, if you enter a search (e.g., John) and the system finds a match in the case's Description field, but the Description field is not configured in the record view layout for cases, the case record will appear on the View All Results page along with the description as the secondary field because it contains the search term.

Note: All email addresses (e.g., primary, secondary) in the record are included in the search. Primary email addresses have a higher relevance compared to the other email addresses for search results.

Module	Searchable Fields	Fields Displayed on View All Results Page

Accounts	Name, Email Address, Billing Street, Shipping Street, Office Phone, Fax, Alternate Phone, Description, DUNS, SIC Code	Name, Primary Email Address, Office Phone
Bugs	Subject, Bug Number, Description, Work Log	Subject, Bug Number, Status
Calls	Subject, Description	Subject, Start Date, End Date, Status
Campaigns	Name, Objective, Description	Name, Type
Cases	Subject, Description, Case Number, Resolution, Work Log	Subject, Case Number
Contacts	First Name, Last Name, Home Phone, Office Phone, Mobile Phone, Other Phone, Fax, Primary Address Street, Alternate Address Street, Portal Name, Description, Email Address	Name, Primary Email Address
Contracts	Contract Name, Description, Reference Code	Contract Name, Status
Custom Basic Type	Name, Description	Name
Custom Company Type	Name, Office Phone, Alternate Phone, Fax, Email Address, Billing Street, Shipping Street, Description	Name, Primary Email Address, Office Phone
Custom File Type	Document Name, Description	Document Name
Custom Issue Type	Subject, Number, Description, Work Log	Subject, Status
Custom Person Type	First Name, Last Name, Home Phone, Mobile Phone, Office Phone, Other Phone, Fax, Primary Address Street, Alternate Address Street,	Name, Office Phone, Primary Email Address

	Description, Email Address	
Custom Sale Type	Name, Description, Next Step	Name, Expected Close Date
Documents	Document Name, Description	Document Name
Emails	Subject, Date, From	Subject, Date, From
Employees	First Name, Last Name, Email Address	
Knowledge Base	Name, Body, Description Note: Only published articles are returned in Global Search.	Name
Leads	First Name, Last Name, Email Address, Home Phone, Mobile Phone, Office Phone, Other Phone, Fax, Primary Address Street, Alternate Address Street, Description	Name, Primary Email Address, Office Phone
Manufacturers	Name	Name
Meetings	Subject, Description, Location	Subject, Start Date, End Date, Status
Notes	Subject, Description	Subject
Opportunities	Opportunity Name, Description, Next Step	Opportunity Name, Expected Close Date
Product Categories	Name, Description	Name
Projects	Name, Description	Name, Status, Priority
Project Tasks	Name, Description	Name, Status
Quoted Line Items	Name, Mft Part Number	Name, Status
Quotes	Quote Subject, Description, Purchase Order Number, Quote Number, Billing Address Street, Shipping Address Street	Quote Subject, Quote Number, Quote Stage
Revenue Line Items	Name, Description, Next Step	Name, Expected Close Date
Target	First Name, Last Name,	Name, Primary Email

	Email Address, Description, Primary Address Street, Alternate Address Street	Address
Target Lists	Name, Description	Name
Tasks	Subject, Description	Subject, Status, Due Date

Please note that not all fields in Sugar are enabled by default for search, but can be enabled by an administrator. Administrators can control additional elements of global search via Admin > Search and Admin > Studio. If the administrator globally disables a module for search, you will not be able to perform a search on that module or filter by that module when searching. For more information on how to enable and disable certain fields and modules in Global Search, please refer to the [Studio](#) documentation as well as the [Search](#) section of the System documentation in the Administration Guide.

To use global search, you need to first enter a keyword into the search box and the pop-up results will begin appearing once you enter at least one character. Please note that clicking on the search bar will expand it across Sugar's navigation bar, which spans across the top of the screen. To minimize the search bar, simply click anywhere outside of the search bar or hit the Esc key on your keyboard.

Note: Elastic search strips out the non-numeric characters ("-", "()") from phone numbers so you can just enter the digits (e.g., 4082269800) when searching.

Once expanded, you will be able to access the Module dropdown by clicking the down arrow on the far left of the search box. This allows you to configure some aspects of global search such as what module(s) (e.g., Accounts, Contacts) to filter your search results by in Sugar. If you wish to clear your search term, simply click the X icon to the far right of the search box. Please note that this will collapse the search bar as well.

By default, up to five search results will display below the search box and include the primary field (e.g., name, subject) for the records matching your search term. The specific term (e.g., abc) in the record's field is bolded to indicate the match to the search term. In addition, if any secondary fields (e.g., office phone, description) match the search term as well, it will display beneath the record's primary field in the Quick Search Results list, with the matching term bolded. For any email addresses that include the matching search term, the entire email address (e.g., support@abc.com) will be bolded instead. Please note that the Quick Search Results list will display up to three matching fields for the record. To view all matching results, simply hit the Enter key while focused on the search bar or click the View all results link at the bottom of the Quick Search results list and you will be navigated to the [View All Results](#) page. Click the appropriate record (e.g., ABC Family Associates) in the Quick Search Results list to access the record's details.


Please note that users assigned a role restricting view access to a module (e.g., Cases), will not be able to view search results specific to that module.

The screenshot shows a search interface with a search box containing 'abc'. Below the search box is a list of search results. The first result is 'ABC Incorporated' with a primary email address 'support@abcinc.com'. The second result is 'ABC Company - 242 Units'. The third result is 'ABC Company'. The fourth result is 'TK m30 Desktop' with a part number 'ABCD123456890'. The fifth result is 'System not responding' with a description: 'None of our users can access the system this morning! Please help! Sally Jones ABC incorpor...'. At the bottom of the list is a button labeled 'View all results'.


You can also perform tag searches using Global Search to easily locate groups of records that are tagged by common attributes. For more information regarding tagging records, please refer to the [Tags](#) documentation. For example, if you have a set of leads that were acquired from a specific conference and you wish to locate all the lead records tagged with this value, you can perform a search using the tag value. As you search, the list of matching tags will appear in the tag ribbon beneath the search box and display up to five tags matching the search term.

The screenshot shows a search interface with a search box containing 'conference'. Below the search box is a tag ribbon with five tags: '2020 Eastern Conference', '2020 Western Conference', '2020 Latin America Conference', '2020 North America Conference', and '2020 Asia Conference'.

Simply select the appropriate tag (e.g., 2018 Western Conference) from the tag ribbon and the tag pill will get entered into the search box. If you wish to remove any selected tag pills from the search box, simply click the "x" to the right of the tag name. All matching records tagged with "2018 Western Conference" will display beneath the search box.



You can append additional search terms or tags in the search box if you wish to further narrow your search. Simply enter the keyword (e.g., Jeanette) to the right of the existing search term and the matching result(s) will display. If you search using multiple tags, the system will look for records that match any one of the tags in the search box using the "or" operator.



Please note that clicking the tag pill in the module's record view or the record's preview in the intelligence pane will navigate you to the View All Results page which will display the list of records that contain the same tag. When viewing the module's list view, dashlet list view, or subpanel list view, you can click the tag link to be navigated to the View All Results page.

Note: You cannot click the tag pill when editing the record to access the View All Results page.

Operators

When performing a search via global search, you can use operators such as "AND", "OR", and "NOT" in your search query to further narrow the search results. Please note that there must be at least three characters entered for each search term, and the operators must be entered in all caps (e.g., AND, OR, NOT) otherwise Sugar will consider it as a keyword to search on.

Note: Quotation marks cannot be used in multiple word searches (e.g., "John Smith") to return exact matches. So entering John Smith in your search query will return: **John** Moore with a street address of "123 **Smith** Dr.", **Smith** Company with a description of "Primary point of contact is **John** Lee", etc.

Operator	Description	Example
"AND"	Use this operator to specify search criteria where all keywords must match for records to be included in the search result.	John AND Texas: Search returns records (e.g., contacts) that include "John" and "Texas" in the searchable fields (e.g., Name, Primary Address City).
"OR"	Use this operator to specify search criteria where at least one keyword must match for records to be included as a search result.	95111 OR 95113: Search returns records (e.g., accounts) that include the digits "95111" or "95113" in the searchable fields (e.g., Billing Postal Code).
"NOT"	Use this operator if you wish to exclude records containing a specific keyword in the search query.	John NOT Texas: Search excludes records (e.g., contacts) that include the term "Texas" in the searchable fields (e.g., Billing State) then evaluates the remaining query to return records including "John".

The "AND" operator is implicitly added when there is a space between the search strings. For example, if you enter "John Smith AND California" into the search box, Sugar will look for records that include the term "John", "Smith", and "California" in the [searchable fields](#) (e.g., Name, Billing State). If there are records that match the search terms in the query, the record will display in the Quick Search Results list. The term(s) (e.g., Smith) in the record's fields will be bolded in the search result to indicate the match to the search term.



When entering your search criteria, you can also use a combination of the operators. Use parentheses if you wish to group a part of your search query. When using the parentheses to create subqueries, Sugar will first parse the subquery contained in the parentheses before evaluating the remaining query. For example, if you enter: "(Johnson OR Jonson) AND Systems", Sugar will return records including "Systems" with "Johnson" as well as "Systems" with "Jonson" in the searchable fields (e.g., Name: **Johnson Systems**, Name: **Jonson** with Website: www.jonsonsystems.com).

Note: When using the NOT operator, please keep in mind that it cannot be used in direct combination with parentheses (e.g., NOT (John Smith)).

The following are example search queries using the available operators in global search:

Search Criteria	Matching Search Results
Jane AND @example.com	<p>Jane Roberts</p> <p>Email: jroberts@example.com</p> <hr/> <p>ABC Company</p> <p>Primary Address Street: 123 Jane St.</p> <p>Email: support@example.com</p> <hr/> <p>J Thomas</p> <p>Email: jane@example.com</p>
(NOT John OR NOT Jane) Smith	<p>Bob Smith</p> <p>Email: bob.smith@example.com</p> <hr/> <p>Mary Smith</p> <p>Email: marys@smithcompany.com</p>
(ABC Technologies) OR (ABC Corporation) Brooklyn	<p>ABC Inc.</p> <p>Billing Street: 123 Technologies Dr.</p> <p>Billing City: Brooklyn</p> <hr/> <p>ABC Corporation</p> <p>Billing City: Brooklyn</p>
Bob AND (Smith OR Jones) AND Idaho NOT Boise	<p>Bob Smith Company</p>

	Billing State: Idaho Billing City: Nampa Bobby Lee Jones Primary Address State: Idaho Primary Address City: Meridian
(Jenn OR Jennifer) Martin AND Texas	JenniferMartinez Email: jmartinez@abc.com Primary Address State: Texas JennMoore Email: martin@example.com Primary Address Street:123 Texas Dr.

Viewing All Results

If there are more than five matching results, you can click on "View all results" at the bottom of the Quick Search Results list to view all matching records. The View All Results page loads an initial number of records meeting the current search criteria with the option to show additional results at the user's request. The total number of matching search results will display on the upper left of the page. By default, Sugar displays 50 records for each search results set on the View All Results page, but Administrators can change the number of records displayed via Admin > System Settings. For more information on changing the number of displayed records, please refer to the [System](#) documentation in the Administration Guide. To load the next set of Global Search results, simply click on "More search results" at the bottom of the View All Results page.

If you wish to view the full details of a record, click the record's name to open the record view (or detail view for Legacy modules). You can also view a record's details directly from the View All Results page by clicking the Preview button to the far right of a record's row. Please note that preview is only available for modules (e.g., Contacts, Leads) using the Sidecar user interface. The record's details will display in the intelligence pane to the right of the View All Results page and will provide users with key information regarding the record as well as any related activity stream information. For more information on previewing via the intelligence pane, please refer to the [Dashboards & Dashlets](#) documentation.

The screenshot shows a CRM interface with a search bar at the top containing 'All' and 'smith'. Below the search bar, the search results are displayed as a list of records. The first record is 'John Smith' with primary email 'john.smith@test.com'. The second record is 'Tony Smith' with primary email 'tsmith@example.com'. The remaining records are all 'Smith & Sons' with various expected close dates. To the right of the search results is a 'Filter' pane with a 'Reset' button. The filter pane is open to the 'Modules' section, which lists: Revenue Line Items (5), Opportunities (1), Leads (1), and Employees (1). Below the Modules section is a section for 'Modified by Me (8)', and at the bottom is 'Created by Me (8)'. The search results and the filter pane are both highlighted with red boxes in the image.

Filtering the View All Results Page

When not in preview mode, the intelligence pane to the right of the search results displays various Filter options (e.g., Assigned to Me, Created by Me) that allow you to further narrow the search results on the View All Results page. Please note that the filters only apply to the set of search results based on your current search query.

Each of the filter options displays a number in parentheses to indicate the number of records from the View All Results page that meet the criteria. Any filter option (e.g., My Favorites) that displays a zero count will not be clickable as there are no records that meet the criteria. As you select filter options, the search results on the page will dynamically change to only display records meeting the currently applied

filter(s). In addition, the counts for all of the filter options will dynamically change to indicate the total count of records that meet the currently selected filter(s). For example, if you select "Leads" under the Modules filter, the counts next to each of the other filter options (e.g., Created By Me, Modified by Me) will change according to the number of results which are both a lead and match the particular filter (e.g., Created By Me).

The screenshot shows a search results interface. On the left, a list of five lead records is displayed, each with a 'Le' icon, a name, and an email address. The records are: Sarah Smith (Primary Email: sarah.smith@example.com), Trudy Smith (Email Address: trudy@yahoo.com), Martha Jones (Primary Email: martha.j@smithandsons.com), Linda Smith (Email Address: linda@example.com), and Emily Smithson (Email Address: emily.s@example.com). A red box highlights this list. On the right, a 'Filter' panel is visible. It includes a 'Reset' button and a dropdown arrow. Below this, there are several filter options: 'Assigned to Me (5)', 'My Favorites (0)', 'Created by Me (5)' (which is checked and highlighted with a red box), and 'Modified by Me (5)'. Underneath these is a 'Modules' section with an up arrow icon (highlighted with a red box) and a list of options: 'Leads (5)' (checked and highlighted with a red box), 'Contacts (5)', 'Cases (2)', and 'Accounts (2)'.

Selecting multiple filter options within a single filter (e.g., Modules) will use an "or" operator. So if you select "Leads" and "Contacts" from the Modules filter, the View All Results page will display both lead and contact records. However, if you select filter options from different filters, it will use an "and" operator. For example, if you select "Leads" from the Modules filter and select "Created by Me", Sugar will only return lead records that you created.

To clear individual filters, click the filter again (e.g., Created by Me) to unselect the option. If you wish to clear all filters applied on the View All Results page, simply click the Reset button on the upper right of the intelligence pane.

To collapse a multi-option filter (e.g., Modules), you can click the Up arrow on the upper right of the filter. If you wish to collapse all multi-option filters (e.g., Modules) on the intelligence pane, click the Actions menu to the right of the Reset button and select "Close All". To expand them, simply click the Actions menu again and select "Open All".

Filtering by Module

Global Search gives you the option to filter the search results by module by clicking the down arrow to the far left of the expanded search bar. Please note that the Search all option is selected by default to include all modules when searching. The list of available modules to select will appear in the Modules list and you can simply select the appropriate module(s) you wish to include in your search. For example, if you select the Contacts module then enter "john" in the search box, Sugar will only return matching contact records.

When three or fewer modules are selected from the Modules dropdown, the corresponding Module icons will display in the search bar.



However, if more than three modules are selected, it will display the Multiple Modules icon in the search bar.



Note: The selected module(s) will remain in the search bar until the user's browser cache is cleared.

If you wish to unselect all modules at once, simply select the Search all option from the Modules dropdown. Please note that manually deselecting all modules will default back to the Search all option as well.



Administrators can configure what modules are available to select in the Modules list via Admin > Search. For more information on configuring which modules are available to search via Global Search, please refer to the [Search](#) section of the System documentation in the Administration Guide. Please note that only modules you have view access for will appear in the Modules list for Global Search.

Keyboard Navigation

Using the Tab key (Alt+Tab for Safari browser) on your keyboard enables you to


easily navigate through Sugar's navigation bar which spans across the top of the screen. You will be able to use the Tab key to access the Global Search bar and perform a search. For more information on navigating around Sugar using your keyboard, please refer to the [Accessibility](#) documentation. Once you have tabbed into the Global Search field, enter at least one character to expand the global search bar. Please note that hitting the Enter key while in the search box will navigate you to the View All Results page where you can also perform a search. If you hit the Tab key within the search bar without entering in a search term, the Magnifying Glass icon will be highlighted and you can hit "Enter" to be navigated to the View All Results page as well.

Note: You can use global shortcut keys to access and exit the Global Search field as well. For more information regarding global shortcut keys, please refer to the [Accessibility](#) documentation.

Once you enter a search term, you can use the Up and Down arrow keys on your keyboard to navigate through the Quick Search Results list and hit "Enter" while focused on a specific quick search result (e.g., Jane Smith) to open up the module's record view (for Sidecar modules) or detail view (for Legacy modules). Please note that hitting the Tab key while navigating through the quick search results will close the Quick Search Results list and highlight the X icon in the Search bar, which will allow you to clear your keyword and perform a new search. Please note that the Global Search bar will collapse as well when clicking the X icon to clear search. Hitting the "Shift" and "Tab" key will close the Quick Search Results list and highlight the search term in the search bar, allowing you to perform additional searches.

In addition, you can easily navigate through the [Modules dropdown](#) list using the Up and Down arrow keys on your keyboard and hitting the Spacebar key to select or unselect a module. Hitting the Tab key while navigating through the Modules dropdown list will close the dropdown and take you back to the search bar. If you wish to clear the text entered in the search box, you can either click the X icon or hit the Tab key while in the search box to highlight the X icon, then hit "Enter" or the Spacebar key.

To navigate through the tag ribbon, you can use either the Tab key or Arrow keys on your keyboard. To add a tag pill to the search bar, simply hit the Enter key while focused on the tag pill (e.g., 2018 Latin America Conference) in the tag ribbon. Hitting the Enter key again on the newly added tag pill in the search bar will open up the View All Results page to display all matching results.



In addition, you can tab through the View All Results page to highlight and access certain elements (e.g., Search box, Intelligence Pane, Preview button) of the page. For example, if you press "Enter" while focused on the Preview button, the record's data will display to the right of the search result providing key information regarding the record.

Admin Configuration

Sugar administrators have the ability to globally enable and disable modules for Global Search. Please note that disabled modules will not be included in search results nor in the list of modules to filter. For more information on how to enable and disable modules for Global Search, please refer to the [Search](#) section of the System documentation in the Administration Guide.

Administrators also have the ability to enable and disable specific fields for Global Search, as well as set the priority for searchable fields using boost values. To configure fields for search, simply navigate to Admin > Studio and update the Full-Text Searchable option to either "Searchable" or "Disabled" depending on whether you want it included for search or not. The Full-Text Searchable option is only available for the following data type fields: Phone, TextArea, TextField, and URL. Boosting is the process of enhancing the relevancy of a record's fields for global search. Fields with a higher boost level will be given greater weight when the search is performed. When a search is performed, matching records containing fields with a greater weight will appear higher in the search results. The default boost value is 1.0 which stands for a neutral boost. To apply a positive boost, set the boost value higher than 1. To apply a negative boost, use values lower than 1. For example, a value of 1.35 will positively boost a field by 135%. But using a value of 0.60 will apply a negative boost. Please note that it is not necessary to perform a full system index when boost values are changed for fields. For more information on how to enable or disable fields for Global Search or change the boost values, please refer to the [Studio](#) documentation in the Administration Guide.

Global Search functions off of an index created from the data in your system. When creating and updating records, data is added and modified in the index accordingly. Occasionally the index can become corrupt or inefficient, which may require a system index to be performed. You can perform a system index manually via Admin > Search. For more information on how to run a system index on Full-Text Search, please refer to the [System](#) documentation in the Administration Guide.

Advanced Options


The Advanced Options panel is available on the view all results screen of Global

Search to allow users to enable and disable modules for the Filter by list specific to their login. Please note that administrators have the ability to globally enable and disable modules for global search via Admin > Search. If the administrator globally disables a module, you will not be able to perform a search on that module or filter by that module when searching. The module will also no longer appear within the Advanced Options panel. For more information on how to globally enable and disable modules, please refer to the [System](#) documentation in the Administration Guide.

List View Search (Sidecar Modules)

List view search enables users to easily and effectively search by a record name in a module-specific manner to pull up relevant results they wish to view. The matching records will populate in the list view below the Search bar. Please note that the system retrieves all records that start with the keyword entered in the search. When looking up names, Sugar performs an OR search for each name entered. Records matching any of the names entered will appear in the list view. Sugar's list view search also supports wildcard characters (e.g., %) to search for records without including the entire word in the search query. For example, a search for "%univ" will pull up any records containing "univ", including "The University of Miami", "Miami University" or "Universidad de Miami". For more information on how to use wildcards in list view searches, please refer to the [Wildcards](#) section.

In addition, the search provides a Filter option which can be used in combination with the open Search box to narrow your search further using the available options on the list. For more information on the available filter options, please refer to the [Filter](#) section.



When you choose a filter and run a search, Sugar will return records with a matching name from within the filtered list view results. For example, if you select "My Accounts" in the Filter list and enter an account name, Sugar will only return account records with a matching name that are assigned to you. You can also build new filters if you wish to add more complex filters for your search criteria. For more information on building new filters, please refer to the [Creating a Filter](#) section. When you run a search using a saved or created filter, the search will be preserved when you navigate away from the module. Returning to the list view will automatically display the results of your last filter. Please note that searches using the open Search box only are not preserved when navigating away.

To see all records to which you have access, simply select the All "Module Name" (e.g., All Accounts) option in the filter. Please note that you will only be able to see records as allowed by your team membership, user access type, and assigned roles. For more information on teams and roles, please refer to the [Team Management](#) and [Role Management](#) documentation in the Administration Guide.

Wildcards

Wildcards can be used to search for criteria without including the entire word in the search. Use a wildcard character in place of characters you do not require in your search. You may use any combination of wildcard characters in the Search box as you desire. The following wildcard characters can be used in the List View search box:

Character	Wildcard Use
%	Matches any number of characters, including zero
_	Matches only one character

Please note that list view search automatically appends the wildcard character (%) to the end of your search phrase for each text field. This allows the system to pull up all records that include the keyword entered in the search.

When performing a multiple-word search, Sugar will behave differently based on the module (e.g., Accounts, Contacts) in which you perform the search. For example, performing a search for "Max Hold" in the Accounts module will match an account named "Max Holding Company" but will not match "Maximum Holding Company" because the wildcard is appended to the end of the entire query (e.g., Max Hold%). However, if the same search is performed for "Max Hold" in the Contacts module, it will return search results matching a contact named "Max Holder" as well as "Maximillian Holder" because it appends a wildcard to the end of each word in the query (e.g., Max% Hold%). Please note that the latter behavior applies to any person-type module (e.g., Leads) to account for search results that may contain multiple words in the First Name and/or Last Name field (e.g., "Jean Paul" as a first name).

The following search examples illustrate List View search behavior:

Search Criteria	Matching Search Results	
	First Name	Last Name
rob	Rob Roberta John	Smith Collins Roberts
%bert	Bert Roberta John	Andernie Collins Roberts
r_b	Roberta Ruby John	Collins Lieu Roberts
%r_b	Rob John Mirabel	Smith Roberts Glaston
_it	Rob Anita	Smith Nother
r_b% smit%	Robert Rob	Smith Smite

rob smith	Rob Robert Rob Roy	Smith Smith Smith
smith	Rob Smith	Smith Johnson
jean	Jeannine Jean Paul	Pugh Gaultier
paul	Sue Paul	Paulson Jones
jean paul	Jean Jean Paul	Paul Gaultier

When performing a search, Sugar will try to match your search text to the beginning of a record's field. So, if an account name starts with an article like "A" or "The", this must be accounted for in the search by adding a wildcard (%) at the beginning of your text. For example, to properly pull up an account named "The ABC Company", you will have to enter "%abc" for Sugar to find a match in the system.

In addition, you can use the wildcard character when specifying the search criteria for custom filters with the "starts with" operator. Please note that the wildcard character will only work with the "starts with" operator. For example, if you wish to find all records containing the word "systems", then you can use the "starts with" operator and type "%systems" as the filter value. For more information on building filters, please refer to the [Creating a Filter](#) section.

AND vs OR

When searching in the List View search, Sugar uses the "and" operator. This means that if you are searching against multiple fields in your filter option, Sugar will place an "and" in between each search field returning only records matching all (as opposed to any) of your search criteria. For example, if you select "My Accounts" in the Filter options and enter an account name, Sugar will only return account records with a matching name that are assigned to you.

Filter My Accounts abc					
	Name	City	Phone	Bi	
<input type="checkbox"/> ☆	ABC Incorporated	San Francisco	415-226-8900	US	<input type="checkbox"/> ▼
<input type="checkbox"/> ☆	ABC Company	Fremont	510-777-8000		<input type="checkbox"/> ▼

The only time Sugar will use the "or" operator is when using a multi-select option in the search criteria. For example, you can build a custom filter for the Accounts list view search and select "Type", "is any of", then add "Analyst", "Customer", and "Partner". If you perform a search based on this new filter, the system will return account records that match any one of the values specified in the filter. For more information on building custom filters, please refer to the [Creating a Filter](#) section.

Type ▼ is any of ▼

Analyst ✕ Competitor ✕

Customer ✕

- +

Account Type Reset Cancel Save

Please note that if any additional fields (e.g., industry, status) are added to the custom filter, the operators between the Type field and the other fields will be an "and" operator.

Filter

List View search provides a Filter option that allows users to narrow their search further using the available options on the list.

The following options are available to users when filtering their List View search:

- **Build Filter:** Build a new custom filter that you can use to filter your search
- **All "Module Name":** Returns all records in the module to which you have access
- **My "Module Name":** Returns only records assigned to you
- **My Favorites:** Returns only records you have marked as favorites
- **Recently Created:** Returns only records you created in the module within the last 7 days
- **Recently Viewed:** Returns only records you have viewed in the module within the last 7 days

When you choose a filter and run a search, Sugar returns records with a matching

name from within the filtered list view results. You can use one of the default filter options from the list or build a custom filter if you wish to have more complex filters options when searching.

Note: Only the fields that you have permission to view and that the administrator has configured to be available will appear in the Filter list when creating a search filter. For more information on field-level permissions, please refer to the [Role Management](#) documentation in the Administration Guide. For more information on adding and removing fields to filters in list view, please refer to the [Studio](#) documentation in the Administration Guide.

When you run a search using a filter, the search will be preserved when you navigate away from the module. Returning to the list view will automatically display the results of your last filter. In contrast, searches performed using only the list view's Search box are not preserved when navigating away.


Creating a Filter

Users can create and save new filters via the Build Filter option in the Filter list of the search bar. Filters may contain one or more fields and operators (e.g., is any of, is, starts with) along with their desired value(s). All of a filter's criteria must evaluate as true for a record to appear in the list view search result. Filters may also be saved as templates with empty field values to be completed at the time the filter is run. This is useful for searches that must be performed often against the same fields but with varying values.

The following steps cover building a filter for accounts with a type of "Customer", "Competitor", or "Partner" and assigned to Sara Smith as an example:

1. Click the Filter option on the Accounts search bar then select "Build Filter".

Note: You can also click "Build Filter" to the right of the Filter option.



2. Select "Type" as the filter field and select the "is any of" operator then add "Competitor", "Customer", "Partner" as the search values. As you create the new filter criteria, it will be applied to the list view concurrently to display the matching results. To remove specific filter values (e.g., customer, partner), you can simply click the "x" to the right of the field or you can select "Reset" to the left of the Save button to clear all filter values. **Note:** The "is any of" operator allows the system to pull up records that match any one of the set values (customer, competitor, partner).
3. To add additional fields (e.g., Assigned to) to the new filter, click the Add button to the right of the filter. **Note:** Only the fields that you have permission to view and that the administrator has configured to be available will appear in the Filter list when building a search filter. For more information on field-level permissions, please refer to the [Role Management](#) documentation in the Administration Guide. For more information on adding and removing fields to filters in list view, please refer to the [Studio](#) documentation in the Administration Guide.
4. Select "Assigned to" as the secondary filter field and select the "is any of" operator then add "Sarah Smith".
5. Enter a descriptive title for the filter (e.g., Sarah's Accounts) in the field that contains "Enter new filter name...".
6. Click "Save" to add this filter to the module's Filter options.

The screenshot shows the 'Accounts (11)' filter builder interface. At the top right is a 'Create' button. Below it is a 'Filter' dropdown, a 'Build Filter' button, and a search bar. The filter criteria are as follows:

- Field: Type (highlighted with a red box), Operator: is any of, Values: Analyst, Competitor, Customer (the 'x' on Customer is highlighted with a red box).
- Field: Assigned to (highlighted with a red box), Operator: is any of, Value: Sarah Smith.
- Filter Name: Sarah's Accounts (highlighted with a red box).

At the bottom right, there are buttons for 'Reset', 'Cancel', and 'Save' (the 'Save' button is highlighted with a red box).

You can also build and save a filter without entering any filter values (e.g., Customer) if you wish to enter new values each time you utilize the filter. When re-using the filter simply enter the appropriate filter value(s) and the list view will display the matching results. Once you are done with the filter, click "Reset" to the far right of the filter's name to clear the filter value(s).


The custom filter can always be edited as necessary by selecting the filter and updating the fields, conditions, values, etc. via the filter details panel. Once the necessary updates have been made, click "Save" to preserve the changes.

Please note that you can easily delete custom filters by selecting the filter (e.g., Sarah's Accounts) from the Filter list, clicking the filter's name on the Search bar,

then clicking "Delete" on the filter details panel.

Preview

Once the list view displays the search results, users can easily view the record's details directly from the module's list view by clicking the Preview button to the far right of the record's row. The record's detail will display in the intelligence pane to the right of the list view and provide users with key information regarding the record as well as the related activity stream information. For more information on viewing previews, please refer to the [Previews](#) section of the User Interface documentation.



The screenshot shows a user interface for managing accounts. At the top, there's a header for 'Accounts (11)' with a 'Create' button. Below the header is a filter section with 'Sarah's Accounts' selected and a search bar. A table lists accounts with columns for Name, City, Phone, and User. The first row, 'Smith & Sons', is highlighted. To the right of the table is a 'Preview' pane for the selected record, showing details like Name, Website, and Industry. A red arrow points to the 'Preview' button (an eye icon) in the table's rightmost column.

	Name	City	Phone	User	
<input type="checkbox"/>	Smith & Sons	Santa Monica	(603) 183-0316	Sarah Smith	
<input type="checkbox"/>	Spend Thrift Inc	Alabama	(094) 158-0575	Sarah Smith	

Preview

Ac Name
Smith & Sons


Website
<http://www.smithandsons.com>

Industry
Telecommunications

Record View Search (Sidecar Modules)

Users also have the ability to search for related records which appear in the subpanels of the record view. The Search bar appears below the record's fields and you can filter the view to only display a specific module (e.g., Leads, Contacts). You can search by a record name by entering the keyword into the Search bar, and the subpanel(s) with the matching record(s) will appear below. Please note that the system will retrieve records from the subpanel that start with the keyword entered in the search box. To clear the search, simply click the "x" to the right of the search keyword and all records meeting the search criteria will display in the corresponding subpanel(s). When you run a search using a saved or created filter, the search will be preserved when you navigate away from the page.

To filter, simply click the Related option to the far left of the Search bar and select the module whose subpanel you wish to view. For more information on how to filter records for search, please refer to the [Filter](#) section. Please note that filter and search may be combined to only display matching records within the selected module's subpanel. To see all subpanels to which you have access, simply select "All" in the Related dropdown list.




Related Records Search

Users can search for related records simply by entering in the name of the record in the Record View's search box. Please note that the system will only search for related records which appear in the subpanels of the record view. The relevant record(s) meeting the search criteria will display in their respective subpanels. Users have the option to filter the view to only display a specific module if they wish by selecting the module (e.g., Contacts, Leads) from the Related list. For more information on searching within a specific module, please refer to the [Related Module](#) section.

Related Module

When searching for records that appear in the subpanels of the record view, you can filter the view to only display a specific module (e.g., Leads, Contacts). Simply click the Related option to the far left of the Search bar then select the module whose subpanel you wish to view. Please note that you can narrow your search further using the Filter option to the right of the Related option. For more information on searching using the Filter option, please refer to the [Filter](#) section. To see all subpanels to which you have access, simply select "All" in the Related dropdown list.



Wildcards

Wildcards can be used to search for criteria without including the entire word in the search. Use a wildcard character in place of characters you do not require in your search. You may use any combination of wildcard characters in the search box as you desire.

The following wildcard characters can be used when searching for related module records in record view:

Character	Wildcard Use
%	Matches any number of characters, including zero
_	Matches only one character

Please note that search automatically appends the wildcard character (%) to the end of your search phrase for each text field. This allows the system to pull up all records that include the keyword entered in the search. If performing a multiple-word search, the wildcard is only appended to the last word and not all words.

The following are example searches using wildcards in record search:

Search Criteria	Would Match	Would Not Match
rob	Rob, Robert, Robin	Bob, Jacob
%bert	Albert, Bert, Robert	Bart
r_b	Robert, Ruby	Bob, Raab

%s_i	Dustin, Christi, Smith	Sophie, Josephine
_it	Nita, Littrell	Schmitt
r_b% smit%	Robert Smith, RobSmite	Bob Smith, Robert Phillip
rob smit	Rob Smith, Rob Smite	John Smith

When performing a search, Sugar will try to match your search text to the beginning of a record's field. So, if an account name starts with an article like "A" or "The", this must be accounted for in the search by adding a wildcard (%) at the beginning of your text. For example, to properly pull up an account named "The ABC Company", you will have to enter "%abc" for Sugar to find a match in the system.

In addition, you can use the wildcard character when specifying the search criteria for custom filters with the "starts with" operator. Please note that the wildcard character will only work with the "starts with" operator. For example, if you wish to find all related contact records containing the word "smith", then you can use the "starts with" operator and type "%smith" as the filter value. For more information on creating filters, please refer to the [Creating a Filter](#) section.

Filter

Record view search provides a Filter option that allows users to narrow their search further using the available options on the list.

The following options are available to users when filtering their Record View search:

- **Build Filter:** Build a new custom filter that you can use to filter your search.
- **All "Module Name":** Returns all records in the module to which you have access
- **My "Module Name":** Returns only records assigned to you
- **My Favorites:** Returns only records you have marked as favorites
- **Recently Created:** Returns only records you created in the module within the last 7 days
- **Recently Viewed:** Returns only records you have viewed in the module within the last 7 days

While in the record view, users can search for records that appear in subpanels


beneath the record's fields and filter the view to only display a specific subpanel (e.g., Contacts, Accounts). When you choose a filter and run a search, Sugar returns records matching the search criteria for the specified related module in the record view. You can use one of the default filter options from the list or build a custom filter if you wish to have more complex filter options when searching.

Creating a Related Records Filter


Users can also create new filters via the Build Filter option in the Filter list of the search bar. This allows users to add custom, complex filter options when searching in the module's record view. You have the option to add multiple fields to your new filter and set select operators (e.g., is any of, is, starts with) along with the value(s) it must contain. Please note that each one of the filter's criteria needs to be true for a record in order for it to appear in the subpanel view's search result. Unlike building a filter for the list view search, you must first select a module from the Related list then select the Build Filter option as it is specific to that module.

The following steps cover building a filter for the related Contacts module located in the state of "CA" as an example:

1. Click the Related option on a module record view's (e.g., Accounts) search bar then select "Contacts".




2. Click the Filter option on the Search bar then select "Build Filter".
 - You can also click "Build Filter" to the right of the Filter option.




3. Select "State" as the filter field and select the "exactly matches" operator then enter "CA" as the search value. As you add in the filter criteria, it will be applied to the subpanel view concurrently to display any matching results.
 - To clear any filter values (e.g., CA), simply select "Reset" to the left

of the Save button.

- You can also remove filter values by clicking the "x" within the search value (if applicable).
4. To add additional fields (e.g., Assigned to) to the new filter, click the Add button to the right of the filter dropdown list.
 5. Enter a descriptive title for the new filter (e.g., "Contacts in CA") in the field that contains "Enter new filter name...".
 6. Click "Save" to add this filter to the related module's Filter dropdown list.




The filter will now appear as an option in the Filter list when "Contacts" is selected as the related module. Please note that you can easily delete custom filters by selecting the filter from the Filter list of the related module (e.g., Contacts), clicking the filter's name (e.g., Contacts in CA) on the search bar, then clicking "Delete" on the filter details panel. You can also edit the custom filter as necessary via the filter details panel then click "Save" to preserve the changes.



Activity Stream Search


The record view's activity stream displays all posts specific to the current record you are viewing. Please note that users can view all post's in the record view's activity stream even if they do not follow the record in Sugar. To access the record view's activity stream, navigate to the module's record view (e.g., ABC Company) then click the Activity Stream button below the module's fields. For more information on activity streams, please refer to the [Activity Streams](#) documentation. You can filter the posts on the activity stream based on the activity type by selecting one of the available options on the Filter list. For more information on filtering the activity stream, please refer to the [Activity Type Filter](#) section.



Note: If you cannot access activity streams, the feature may have been disabled via Admin > System Settings. For more information, refer to the [System](#) documentation in the Administration Guide.

Activity Type Filter

The record view activity stream can be filtered to only display certain messages (e.g., Messages for Create, Messages for Update) by clicking "Filter" above the post input box then selecting the desired message type. This enables users to filter the activity stream to only display specific activity type's they wish to view. To view all posts in the activity stream, simply select the All Activity Stream option in the Filter list.



Preview

Once the subpanel view displays the search results, users can easily view the related record's details directly from the record view by clicking the Preview button to the far right of the record's row. The record's detail will display in the intelligence pane to the right of the record view and provide users with key information regarding the record as well as the related activity stream information. For more information on viewing previews, please refer to the [Previews](#) section of the User Interface documentation.

Website: <http://www.smith.sons.com>

Industry: Retail

Member of: Type: Customer

Assigned to: Max Jensen

Office Phone: (550) 176-4995

Tags

Show more...

Related **Contacts** Filter **Contacts in CA** Search by first name, last name

CONTACTS (4)

Name	City	State	Email
Jane Smith	Fremont	CA	jane@example.com
Lindsay Smith	San Francisco	CA	lindsay@example.c...
Precious Donalson	San Mateo	CA	qa.support.section...

Preview Panel:

Name: Jane Smith

Title: Sales Manager

Mobile: (415) 878-8888

Department: Sales

Do Not Call:

Account Name: Smith & Sons

Email Address: jane@example.com

Tags

Show more...

Linked Jane Smith to Smith & Sons.

List View Search (Legacy Modules)

Modules using the Legacy user interface in Sugar has a list view with basic and advanced search functionality to help you find records easily and effectively in a module-specific manner. These module-specific searches differ from global search in that you search by specific fields in a specific module, instead of across your entire Sugar database.

Much like global search, list view search has the ability to use wildcards and automatically appends a wildcard character (%) to the end of your search phrase. For more information regarding using wildcards in list view searches, please refer to the [Wildcards](#) section.

Basic Search


Basic search offers a few, commonly used fields for a simplified search experience. From the Basic Search panel, you can click "Advanced Search" to access additional search functionality as needed.

The buttons and checkboxes available in Basic Search panel have the following

functions:

- **Search:** Click the Search button or press your Return/Enter key to perform the search.
- **Clear:** Click the Clear button to clear all criteria from the searchable fields.
- **My Items:** Select this box to return only records assigned to you.
- **My Favorites:** Select this box to return only records you have marked as favorites.

When you run a search, Sugar will return records matching all (as opposed to any) of the fields and checkboxes for which you have given a value. For example, if you select "My Items" and enter a record name, Sugar will only return records with a matching name that are assigned to you. Once the search is complete, the relevant results will populate in the list view below the search panel. To see all records to which you have access, simply click "Clear" and then "Search" to perform a blank search with no filters. Please note that you will only be able to see records as allowed by your team membership, user access type, and assigned roles. For more information on teams and roles, please refer to the [Team Management](#) and [Role Management](#) documentation in the Administration Guide.



The image shows a search interface with a text input field labeled "Name", two checkboxes for "My Items" and "My Favorites", and three buttons: "Search", "Clear", and "Advanced Search".

Administrators can configure what fields appear on the Basic Search via Admin > Studio. For more information on editing layouts, please refer to the [Studio](#) documentation in the Administration Guide.

Advanced Search

Advanced search offers a more in-depth search experience than Basic Search including additional fields, layout options, and saved search capability. The search fields are context-sensitive and will vary depending on the module you are searching. From the Advanced search panel, you can click "Basic Search" for simplified searching. The buttons, checkboxes, and dropdowns available in Advanced Search have the following functions:

The buttons, checkboxes, and dropdowns available in Advanced Search have the following functions:

- **Search:** Click the Search button or press your Return/Enter key to perform the search.
- **Clear:** Click the Clear button to clear all criteria from the searchable fields.
- **My Favorites:** Select this box to return only records you have marked as favorites.
- **Layout Options:** Use the expandable Layout Options section to configure

your list view. For more information, please refer to the [Layout Options](#) section.

- **Saved Searches:** Save, recall, update, and delete searches that you use often. For more information, please refer to the [Saved Search](#) section.

Advanced search allows users to perform ranged searches on certain date or numeric fields. Ranged search fields include a dropdown to select the type of predefined search including the following options:

Search Documents

The screenshot shows the 'Search Documents' interface. It includes input fields for 'Document Name', 'Publish Date', and 'Expiration Date'. There are dropdown menus for 'Category' (Marketing, Knowledge Base, Sales) and 'Sub Category' (Marketing Collateral, Product Brochures, FAQ). A list of users is shown under 'Assigned to'. There are checkboxes for 'My Favorites' and 'Layout Options'. At the bottom, there are buttons for 'Search', 'Clear', 'Browse Documents', 'Basic Search' (highlighted with a red box), and a 'Saved Searches' dropdown menu.

- **Date Fields:** Equals, Last 7 Days, Last Month, Is Between, etc. Depending on the option selected, there will be zero (e.g., Last 7 Days, Next 7 Days), one (e.g., Equals, Not On), or two (e.g., Is Between) input boxes to search on.

Search Campaigns

The screenshot shows the 'Search Campaigns' interface. It includes input fields for 'Name', 'Start Date', and 'Type'. There is a dropdown menu for 'Status' (Planning, Active, Inactive, Complete, In Queue). There are checkboxes for 'My Favorites' and 'Layout Options'. A dropdown menu is open, showing search options: 'Equals' (checked), 'Not On', 'After', 'Before', 'Last 7 Days', 'Next 7 Days', 'Last 30 Days', 'Next 30 Days', 'Last Month', 'This Month', 'Next Month', 'Last Year', 'This Year', 'Next Year', and 'Is Between'. At the bottom, there are buttons for 'Search', 'Clear', 'Basic Search' (highlighted with a red box), and a 'Saved Searches' dropdown menu.

- **Numeric Fields:** Equals, Greater Than, Less Than, Is Between, etc. Depending on the option selected, there will be one (e.g., Equals, Does Not Equal) or two (e.g., Is Between) input boxes to search on.

Fields can be enabled or disabled to allow range searches via Admin > Studio. For

more information on how to enable or disable range searches on a field, please refer to the [Studio](#) documentation in the Administration Guide.

When you run a search, Sugar will return records matching all (as opposed to any) of the fields for which you have given a value. For example, if you select "My Favorites" and enter a record name to search, Sugar will only return records with a matching name that you have marked as favorites. When searching by a multiselect or dropdown field (e.g., "Assigned to"), however, Sugar will return records matching any of these selections. Once the search completes, the relevant results will populate in the list view below the search panel. To see all records to which you have access, simply click "Clear" and then "Search" to perform a blank search with no filters. Please note that you will only be able to see records as allowed by your team membership, user access type, and assigned roles. For more information on teams and roles, please refer to the [Team Management](#) and [Role Management](#) documentation in the Administration Guide.


Administrators can configure what fields appear on the Advanced Search via Admin > Studio. For more information on editing layouts, please refer to the [Studio](#) documentation in the Administration Guide.

Layout Options


Sugar gives users the ability to personalize the list view of each module through the advanced search layout options feature. Users can pick which fields are displayed in the list view, the order they are displayed in, and which column the records are ordered by.

Use the following steps to personalize the list view for a module using the layout options in advanced search:


1. Click on the Layout Options link to expand the available options below.




2. Select any column name in the Display Columns panel and click the right aligned arrow to remove the column from the list view.



3. Alternatively, select any column name in the Hide Columns panel and click the left aligned arrow to add a column to the list view.




4. Select any column name in the Display Columns panel and click the up or down aligned arrow to move a column left or right respectively in the list view.



5. In the Order By column dropdown, select a field to order your results by. Only columns in the Display panel will be available to order by and some columns (e.g., Email Address) are not available for sorting.
6. Select whether to order the fields by Ascending (i.e., 1-10, A-Z) or Descending (i.e., 10 -1, Z-A).

Note: Clicking on a column header in the list view will temporarily override the sort selected here. In order to order by the selection made here again, simply click the Search button.



7. Click Search to execute the search.



Not all columns in each module can be used in the layout options by default. If there is a column you desire to add to your list view or order by, please contact your Sugar administrator to enable the desired fields. For more information on how to add or remove fields as options in the layout options section, please refer to the [Studio](#) documentation in the Administration Guide.

Note: The layout options configured here supersede the default list view settings configured in Studio for the specified module.

Sugar remembers the last search run when you return to each module including whether or not the Layout Options panel was exposed. After changing your layout options, click "Layout Options" again to hide the expanded panel and click Search. Running a search locks in place whatever options you currently have on the search screen. Now the next time you run a search, the new options will be remembered and the Layout Options will be hidden. Click the Clear and the Search buttons to revert back to the default layout options.

Saved Search


Sugar gives users the ability to save any layout option changes and search criteria for easy access to perform the same search at a later time. A common example of this would be a manager saving a search where only his or her employees are the Assigned Users on the record. This way, the manager can review all of their team's records at the click of a button. You can save an unlimited number of search results and the Saved Searches dropdown displays the last saved search at the top of the list.

Note: Saved searches are user-specific and can not be seen or shared by other users.

Use the following steps to save a personalized search from advanced search:


1. Enter any number of search criteria you desire.
2. Enter a descriptive title for the search in the "Save search as" textbox and click "Save".

Note: Any layout option changes made will also be saved with the saved search.




-
- The search is saved and executed. You now have the ability to modify any search criteria or layout options. After any necessary modifications are made click the Update button next to "Modify current search".

Note: The name of the search you will be updating shows below the Update button.



A screenshot of a search interface. On the left, there is a text input field labeled "Save search as:" followed by a "Save" button. On the right, there is a text input field labeled "Modify current search:" with the text "My Saved Search" below it. To the right of this field are two buttons: "Update" and "Delete". The "Update" button is highlighted with a red rectangular box.


- There is no way to modify the name of a saved search. Alternatively, you can execute a saved search, enter a new name into the "Save search as" textbox and click save. This will create a new saved search with the same criteria as the original with the new name. You may then proceed to delete the old saved search.
- To execute a previously saved search, simply select the desired search from the "Saved Searches" dropdown.



A screenshot of a search interface. At the top left, there is a dropdown menu labeled "Layout Options". Below it are buttons for "Search", "Clear", and "Browse Documents". In the center, there are tabs for "Basic Search" and "Saved Searches". To the right of the "Saved Searches" tab is a dropdown menu that is open, showing options: "-none-", "My Sales Documents" (with a checkmark), and "My Saved Search". This dropdown menu is highlighted with a red rectangular box. Above the dropdown menu is a text input field labeled "Save search as:".

- This immediately executes the saved search.
- If you wish to remove a saved search, simply click the Delete button after executing a previously saved search.

Note: The name of the search you will be deleting shows below the Delete button.



A screenshot of a search interface. On the left, there is a text input field labeled "Save search as:" followed by a "Save" button. On the right, there is a text input field labeled "Modify current search:" with the text "My Sales Documents" below it. To the right of this field are two buttons: "Update" and "Delete".

AND vs OR

When performing searches in the Basic or Advanced search panels, Sugar uses the "and" operator, not "or". This means that if you are searching against multiple fields, Sugar will place an "and" in-between each search field returning only records matching all of your search criteria. For example, a search performed for a record name containing "Sales" and the My Favorites checkbox enabled will only return records where the record name contains "sales" and is marked as a favorite.


The only time Sugar will use the "or" operator is when using the mutiselect options in the search criteria. For example, a search performed in the Documents module for the Category field will allow you to select multiple options to search by.

Performing a search on the Category field with "Marketing" and "Sales" selected will return any records where the document's category is defined as "Marketing" or "Sales".

If any other field is added into the search criteria the operators between the Category field and any other field will remain an "and" operator.

Basic Search:


Search Documents



A search interface with a text input field containing "Sales", a "My Favorites" checkbox which is checked, and buttons for "Search", "Clear", and "Advanced Search". The "Sales" input and the "My Favorites" checkbox are highlighted with red boxes.

Advanced Search:

Search Documents



An advanced search interface with multiple fields: "Document Name" (Sales), "Category" (Marketing, Knowledge Base, Sales), "Publish Date", and "Expiration Date". The "Category" dropdown menu is open, showing "Marketing", "Knowledge Base", and "Sales" as options, and is highlighted with a red box.

Wildcards

Wildcards can be used to search for criteria without including the entire word in the search. Use a wildcard character in place of characters you do not require in your search. You may use any number of wildcard characters in any combination you desire. Search operators can be combined for queries, but if quotation marks and wildcard characters are used together, the quotation marks will supersede the wildcard, resulting in a search for an exact match. The following wildcard characters can be used in the related module filters in Sugar:

Character	Wildcard Use
%	Use this wildcard to match any number of characters, including zero
-	Use this wildcard to match a single character

Please note that a wildcard is implied at the end of all search queries. For example,

searching for "Acme" will match account names like Acme Industries or Acme Funds. Insert a wildcard before your search query with a % sign (%Acme) to match account names that begin with or contain the query, such as "ABC Acme Industries". If performing a multiple-word search, the wildcard is only appended to the last word and not all words.

The following are example searches using wildcards in related record search:

Search Criteria	Matches	Does Not Match
rob	Rob, Robert, Robin	Bob, Jacob
%bert	Albert, Bert, Robert	Bart
r_b	Robert, Ruby	Bob, Raab
%s_i	Dustin, Christi, Smith	Sophie, Josephine
_it	Nita, Littrell	Schmitt
r_b% smit%	Robert Smith, RobSmite	Bob Smith, Robert Phillip
rob smit	Rob Smith, Rob Smite	John Smith

When performing a search, Sugar will try to match your search text to the beginning of a record's field. Therefore, if an account name starts with an article like "A" or "The", this must be accounted for in the search by adding a wildcard (%) at the beginning of your text. For example, to properly return an account named "The ABC Company", you should enter "%abc" for Sugar to find a match in the system.

Search Memory

Sugar by default automatically saves your most recent search criteria when leaving the module then repopulates the search fields the next time you return. For example: Perform a search in the Accounts module for "sugar". Navigate away from the Accounts module and then return back to the Accounts module. The search for "sugar" will automatically be shown and the relevant results will be shown below in the list view.

Note: This can be an unintended result if a user is unaware of this functionality. For example, a search may have an assigned user selected that is not currently visible in the scrolling selection box. When running a new search, best practice is to click the Clear button before entering your search criteria.

Search memory can be set to one of the following options:

- **Remember last search:** This is the default behavior in Sugar
- **Populate only:** This will populate the search criteria, but will not execute

the search.

Note: This is recommended for systems experiencing performance issues.

- **Do not remember last search:** Search will be cleared and executed every time the search is loaded

Note: These options are global settings and will affect all users. Please be sure to inform users of any behavior change before making modifications.

Admin Configuration

A Sugar administrator has many options for configuring legacy searches. You have the ability to add, remove, and order fields on either the basic or advanced search layouts through Admin > Studio. For more information on how to change the basic and advanced search layouts, please refer to the [Studio](#) documentation in the Administration Guide.

The search results are controlled through the list view layout in Admin > Studio. Here you can also control the possible fields a user can add to their personalized list view. For more information on how to change the list view layout, please refer to the [Studio](#) documentation in the Administration Guide.

Last Modified: 2021-12-20 20:52:34

Tags

Overview

Tags are user-created keywords or phrases that can help users find, group, and classify large amounts of data by common attributes that may not already be defined via basic database fields. Sugar stores tags as individual records in the Tags module. Modules (e.g., Accounts, Contacts, etc.) using the Sidecar user interface contain a Tags field where users can create and share tags that can be used to identify records in filters, dashlets, and reports.

Users can easily create tags from any tags-enabled module's (e.g., Contact's) record view. Once the tag is created, it may then be related to other Sugar records such as meetings, cases, opportunities, and many others. One Sugar record can have multiple tags. This documentation will cover how users can create new tags and use existing tags by interacting with the system-wide tag repository.





While tags can be created and used by regular Sugar users, some actions in the Tags module are only available to administrators and users with developer-level role access. This documentation will cover the actions available to all users. For information about tag administration options that allow you to manage the system-wide tag repository, please refer to the [Tag Management](#) documentation in the Administration Guide. For instructions concerning views and actions which are common across most Sugar modules, please refer to the [Working With Sugar Modules](#) section of this page.

Unlike other Sugar modules, users can see all tag records regardless of their team membership, but visibility may be affected by user access and assigned roles. For more information on access types and roles, please refer to the [Role Management](#) documentation in the Administration guide.

Understanding Tag Behavior

The act of relating a tag to a Sugar record is referred to as "tagging". A user can tag any Sidecar module record in Sugar via the Tags field. Please refer to the [User Interface](#) documentation for a list of Sidecar modules. If you do not see the Tags field but expect that you should, reach out to your system administrator to discuss tag visibility and access settings for your user.

Use cases for effective tagging include:

Use Case	Example Tags
Classifying high-value or urgent business	Tags 
Connecting specific events and activities with clients	Tags 
Assigning role-based attributes	Tags 
Noting interest-based and demographic classifications	Tags 

When working with tags in Sugar, keep in mind the following rules of tag behavior:

- Tags may be a single word or a short phrase.
- Differentiate between single-word tags and multi-word phrases by using a comma between tags.
- Inserting a space character will result in a single, multi-word tag.
- Tags are not case-sensitive, but take care to prevent unintentional

duplicates due to misspellings or unnecessary punctuation.

- Tags are shared by every user in an instance and across all tags-enabled modules. When you create and save a new tag, all users will immediately be able to use that tag regardless of team restrictions.

Clicking on Tags

Clicking on a tag in Sugar may take you to the tag's record view or to the global search's View All Results page, depending on where you are in the application when you click the tag. If you click on a tag that links to its own record view, the Sugar records related to the tag will be visible, grouped by module, in the tag's related-record subpanels.

Note: Users cannot remove the tag-to-record relationship via a tag's related-record subpanels. To remove a tag relationship, edit the tagged record's Tags field as explained in the [Tagging via Record View](#) section of this page.

For more information on viewing a tag record's related-record subpanels, please refer to the [User Interface](#) page. If a tag links to the global search's View All Results page, you will see the records related to the tag in search-result form. For more information on navigating and viewing global search's View All Results page, please refer to the [Search](#) documentation.

When clicking on a tag to view related records, only modules (e.g., Accounts, Contacts) that are enabled for global search will appear in the [View All Results](#) page. Please note that the Reports module is not enabled for global search.

Note: When viewing related records via the tag's record view or global search's View All Results page, please keep in mind that you will only be able to see records as allowed by your team membership, user access, and assigned roles. For more information on teams and roles, please refer to the [Team Management](#) and [Role Management](#) documentation in the Administration Guide.

The following table summarizes what you can expect when clicking on a tag from various locations in Sugar:

Tag Location	Tag Format	Tag Appearance	Result
Tags List View	Hyperlink	SugarCon 2016 Visitor	Opens the tag's record view
Report Results	Hyperlink	SugarCon 2016 Visitor	
My Tags Dashlet	Hyperlink	SugarCon 2016 Visitor	
Related Module List View Dashlet	Hyperlink	SugarCon 2016 Vi...	Opens global search View All

Related Module List View	Hyperlink	SugarCon 2016 Visitor	Results page
Related Module Record View	Pill		
Intelligence Pane (Preview)	Pill		
Subpanel List View	Hyperlink	SugarCon 2016 Visitor	
Global Search Bar	Tag Ribbon		Adds the tag as a Global Search filter

Note: When editing a record, the tag pills displayed in the Tags field are not clickable.

Tag Fields

The Tags module contains a number of stock fields which come out-of-the-box with Sugar. The following definitions are suggested meanings for the fields, but the fields can be leveraged differently to best meet your organization's needs.

Field	Description
Name	The name or designation of the tag.
Assigned To	The Sugar user assigned to the tag record.
Date Created	The date the tag record was created.
Date Modified	The date the tag record was last modified.
Description	A description or other information about the tag.
Integration Sync ID	The sync key field used by external integrations to identify Sugar records in the external application. See the Integrate REST API endpoints in the Developer Guide for more details on how to use this field. Note: This field is not visible in the user interface.

Creating Tags

Regular users can create new tags by tagging records via the Tags field, [mass update](#), and [import](#) within Sugar Sidecar modules. Users with administrator or developer access can create Tag records in various ways directly via the Tags module. Please note that when a new tag is created and saved, all users will immediately be able to use that tag in any Sidecar module regardless of team restrictions.

Creating via Tags Field

All users can create new tags on the fly from the Tags field in any Sidecar module (Accounts, Contacts, etc.). This will automatically create a relationship between the record and the tag. Simply enter the name of the tag (e.g., skiing) in the Tags field to create the new tag record. Please note that the other fields (e.g., Assigned To, Date Created, etc.) in the Tags record view will automatically populate by default. For more information on creating tags via record view, please refer to the [Tagging via Record View](#) section of this documentation.


Note: Users will be able to edit the Tags field to create new tags regardless of any role restrictions the user has for the Tags module.

Creating via Tags Module


Another way to create tags is by using the Create Tag option in the Tags module. Only users with administrator or developer access to the Tags module will see the Create Tag option and Create button. For more information on creating tags via the Tags module, please refer to the [Tag Management](#) documentation in the Administration Guide.

Tagging Records

Users can tag any record that contains a Tags field. By default, every [Sidecar module](#) (Accounts, Contacts, etc.) will contain the Tags field on its record view. When you create and save a new tag on any Sugar record, all users will immediately be able to use that tag in any tags-enabled module regardless of team restrictions. Please note that users will be able to edit the Tags field to add existing tags or create new tags regardless of any role restrictions the user has for the Tags module.



Co Carolina Guardiola ☆ < > **Edit** ▾

Title	Mobile
VP Sales	(217) 486-9072
+ Department	Do Not Call
	<input type="checkbox"/>
Account Name	+ Business Center Name
Tortoise Corp	
Email Address	
phone40@example.info	
 sugar@example.name	
Tags	
North Professional	

Only administrator and developer users can merge, delete, or update records within the Tags module. To assign a tag management role to a Sugar User, please refer to the [Creating a Tags Administrator](#) section of the Tag Management page in the Administration Guide.

Tagging via Record View

Tagging a record will automatically create a relationship between that record and the tag. Simply type the name of the tag into the Tags field and then click "Save" to tag a record. If the tag does not already exist, the tag will automatically be created including setting the Date Created field and assigning the tag to you. For more information on available Tag fields, please refer to the [Tag Fields](#) section of this documentation.

Follow these steps to tag an account record as an example:

1. Navigate to an account's record view.
2. Click the Edit button on the upper right of the page or click inside the Tags field.

Co **Carolina Guardiola** ☆ Cancel Save

Title: VP Sales Mobile: (217) 486-9072

+ Department Do Not Call:

Account Name: Tortoise Corp + Business Center Name


Email Address: phone40@example.info
 sugar@example.name

Tags:


 Please enter 1 or more character

[Show more...](#)

3. Type the word or phrase that you would like to use as a tag. When you enter the first letter of a tag, Sugar will begin to display recommended tags that begin with the same letter.
 - To choose an existing tag, select it from the list of recommended tags by clicking on the appropriate menu option.



- To ignore the recommendations and create an entirely new tag, completely type out the word or phrase and then click on the New Tag menu option. Alternatively, use a comma or the Enter key to indicate the end of a tag. Take care not to create duplicate or synonymous tags unintentionally. Please note that new tags will not be saved to the database until you save the record that contains the new tag.



- To remove a tag or tags from a record, click the "x" on the tag to remove it from the Tags field and then save the current record.

Alternatively, place the mouse cursor to the right of the tag and use the keyboard's backspace to highlight it. Press the backspace key again to remove the highlighted tag from the Tags field. Please note that removing an existing tag from a record will not remove it from the database; the tag will still exist, but it will no longer be related to this particular record.



4. Once you have entered the desired tag or tags, click the record's Save button to commit the changes to the record and save any new tags to the database.

If the saved record contains any new tags, those tags will be saved as new records in the Tags module. Users can now find the newly created tag when adding tags to any tags-enabled module record, and may also search and browse the list of available tags via the [Tags module list view](#).


Tagging via Mass Update

Users can also use the mass update function on a tags-enabled module to tag many records at one time. Mass update provides the following conveniences:


- Add one or many tags to a group of records
- Use any combination of new and existing tags
- Replace existing tags or append additional tags to existing tag lists

Follow these steps to tag multiple contact records via mass update as an example:


1. Navigate to the Contacts list view.
2. [Filter or search](#) for the set of records you would like to tag. For example, create a filter for all contacts whose titles start with "vp".




3. Select all results or select the checkboxes next to the appropriate records. For more information about selecting multiple records at once, please refer to the [Checkbox Selection](#) section of the User Interface documentation.



- Click on the list view Actions menu and select "Mass Update".




- In the mass update bar, choose the Tags field and begin typing the phrases you would like to use as tags one at a time in the empty text box. When you enter the first letter of a tag, Sugar will begin to display recommended tags that begin with the same letter.




- Click on the tag suggestion to add the pill to the mass-update text box, or click the New Tag suggestion to create a new tag. Alternatively, press enter or the comma key. Continue adding tags if desired. For more information on tagging records, please refer to the [Tagging via Record View](#) section of this documentation.



- Decide if you would like to replace the existing tags on the selected records or if you prefer to append the specified tags to the records without removing their existing tags. By default, the Append Tag(s) checkbox is selected so that Sugar will not remove existing tags. Deselect this option to overwrite all existing data in the Tags field of the selected records.



- Click "Update" to add the tag to all selected records.



Tagging via Import

Users can tag new or existing Sugar records by including the Tags field as a column in an import file. For more information on tagging via import, please refer to the [Importing Fields With Multiple Values](#) section of the Import documentation.

Please note that importing an update to the Tags field of a record that already exists in Sugar will erase any previous tags on the record and replace them with the imported tags. For more information on importing tags to existing records, please refer to [Importing Multiselect Fields to Existing Records](#) in the Import documentation.

Formatting Tag Imports

Tags are not case sensitive, but they must be entered as an exact character match in the import file when adding existing tags to records in order to prevent creating duplicate variations of the same tag. For example, if there is an existing tag named "rocky road" in Sugar, importing the tag "ROCKY ROAD" as all uppercase will successfully find and relate the existing tag. However, if the import file contains "rocky-road" with a hyphen, an unintentional synonymous tag will be created.

When importing tags to related module records (e.g., contacts), multiple tags being added to one record should be separated with a comma. For example, to create or update a contact record tagged as both "vanilla" and "chocolate", the import data file's Tags column should contain vanilla,chocolate with a comma separating the tags and no extra spaces between the tags. If one of the imported tags is a multi-word phrase, such as "rocky road", then the imported data field should contain a space character only within that tag value: vanilla,chocolate,rocky road.

	A	B	C
1	First Name	Last Name	Tags
2	Darryl	Aarons	vanilla,chocolate,rocky road
3			

For more information on importing records with the Tags field, please refer to the [Import](#) documentation in the Application Guide.


Using Tags in Global Search

Global Search allows users to search for information across their entire Sugar database as opposed to restricting results to a specific module. The Global Search bar displays on the upper right of every Sugar page and utilizes full-text search to search throughout many fields and modules for an enhanced search experience.




Users can locate and select tags as global search filters to easily locate groups of records that are tagged by common attributes. For example, if you have a set of

leads that were acquired from a specific conference (e.g., 2015 Western Conference) and you wish to locate all the lead records tagged with this value, you can perform a search using the tag value. As you type the tag's name, a list of matching tags will appear in the tag ribbon beneath the search box and display up to five matching tags.



Click on the desired tag to apply it as a filter for the Global Search results. You can append additional search terms or tags in the search box to further narrow your search. Simply enter the keyword to the right of the current criteria and the matching result(s) will display below.



If you search using multiple tags, the system will look for records that match any one of the tags in the search box using the "or" operator. For more information on using Global Search, please refer to the [Search](#) documentation.

Managing Tags

When working with tags, common data management tasks such as editing, merging, and deleting are restricted to administrator users and users with administrator- or developer-role access to the Tags module. For more information on these administrative options, please refer to the [Tag Management](#) documentation in the Administration Guide.

Tags can be created, added to records, and removed from records without visiting the Tags module by performing those actions directly in a Sugar record. Regular users need only access the Tags module to view tags and their related records in list view and record view. The Tags module offers tag administrators additional functionality that is covered in the [Tag Management](#) page of the Administration Guide.

Working With Sugar Modules

The Tags module uses Sugar's Sidecar user interface. The following sections detail menus, views, and actions common to Sidecar modules and contain links to additional information within the page or links to the User Interface documentation.


Tag Menus

The following sections describe the various menu options in the Tags module with links to more information about each option in the User Interface documentation or, for tag-specific functionality, within this page.

Module Tab Menus

The Tags module tab is typically found by clicking the "More" icon represented by three vertical dots to the right of the module tabs on the navigation bar at the top of any Sugar screen. The additional modules will appear on the list and you can click "Tags" to access the list view.

Once the Tags module tab displays on the navigation bar, click the triangle within the tab to display the Actions, Recently Viewed, and Favorites menu. The Actions menu allows you to perform important actions within the module. The [Recently Viewed menu](#) displays the list of tags you last viewed in the module. The Favorites menu displays the list of tags you most recently marked as favorites in the module. For information about favoriting records in Sugar, please refer to the [User Interface](#) documentation.



The Actions menu allows you to perform the following operation:

Menu Item	Description
View Tags	Opens the list view layout to search and display tags.


For more information on module tab menus including reasons a module may not be included in the menu, see the [User Interface](#) documentation.

List View Menus

The Tags [list view](#) displays all tag records and allows for searching and filtering to locate specific tags. You can view the basic details of each record within the field columns of the list view or click a tag's name to open the record view. To access a module's list view, simply click the module's tab in the navigation bar at the top of any Sugar page.

List View Mass Actions Menu

The Mass Actions menu to the right of the checkbox option in the list header allows you to perform mass actions on all currently selected records. You can use the checkbox on each record's row to select individual call records, or click the checkbox in the list header to select all records displayed on the current set of list view results.




The Mass Actions menu allows you to perform the following operation:

Menu Item	Description
Export	Export one or more calls to a CSV file.

Record View Actions Menu

The tag's [record view](#) displays the fields relevant to the Tags module. To access a tag's record view, refer to the table within the [Clicking on Tags](#) section of this page. The record view's Actions menu appears on the top right of the record.



The Actions menu allows you to perform the following operations:

Menu Item	Description
Share	Share a link to this tag in Sugar via email.
View Audit Log	View a record of changes to this tag's audited fields.

Common Views and Actions

The following links will open specific sections of the User Interface documentation where you can read about views and actions that are common across most Sidecar

modules.

Content Link	Description
Viewing Tags Viewing via List View Viewing via Record View Viewing via Recently Viewed Viewing via Dashlets Viewing via Reports	There are various options available for viewing tag records in Sugar including via Tags list view, Tags record view, Tags Recently Viewed menu, dashlets, and reports. Unlike other Sugar modules, users can see all tag records regardless of their team membership, but visibility may be affected by user access and assigned roles. For more information on access types and roles, please refer to the Role Management documentation in the Administration guide.
Searching for Tags List View Search Creating a Filter Saving a Filter	The Searching for Records section provides an introduction to searching for tag records via list view search, which searches and filters within the Tags module. Tags can also be used to narrow global search results for records in other modules. For more information, please refer to the Using Tags in Global Search section of this page.
Tags List View Total Record Count List View Search Checkbox Selection Favorite Designation Column Reordering Column Resizing Column Sorting Column Selection Preview More Tags Dashboards	The List View section walks through the many elements of the Tags List View layout, which contains a filterable list of all tag records in Sugar.
Tags Record View Favorite Designation Next or Previous Record Subpanels Related Record Subpanels Filtering Subpanels Reordering Subpanels	The Record View section walks through the many elements of the Tags Record View layout, which contains detailed information about a single tag record. While the generic menu options are described in the User Interface sections linked to the left, the options specifically

Dashboards	<p>available in the Tags record view are described in the Record View Actions Menu section of this page.</p>
Exporting Tags	<p>The Exporting Records section provides an introduction to the export functionality which allows you to download a list of tags and all their data as a .csv file for use outside of Sugar (e.g., in Microsoft Excel).</p>
Viewing Tag Audit Logs	<p>The Viewing Record Audit Logs section describes the View Audit Log record view option which displays a history of changes to the tag's audited fields.</p> <p>Note: Only the Assigned User Id field is audited for the Tags module and will, therefore, be the only field displayed in the audit log.</p>
Favoriting Tags Favoriting via List View Favoriting via Record View Favoriting via Subpanel	<p>The Favoriting Records section describes the various methods of marking tags as favorites, including via the Tags list view and Tags record view. Favoriting a tag allows you to easily access it from list views, dashlets, or the Tags module tab.</p>
Sharing Tags	<p>The Sharing Records section provides instructions for the Share record view option, which composes an email with a link to the tag record. If the recipient is logged into Sugar, clicking the link will bring them directly to the tag's record view.</p>

Last Modified: 2021-12-21 01:05:50

Calendar

Overview

Sugar's Sidecar Calendar module allows users to easily schedule, view, and manage events like your calls, meetings, and other important Sugar occasions in one place. The calendar lets you show event milestones from Sugar that are not traditionally considered "activities", such as the expected close dates for your cases or opportunities. When creating a new calendar, you can decide what conditions must be met to have the event appear on your calendar. You can also view other users' and teams' scheduled events via the User and Team Calendars. This documentation will cover how to use the Calendar module as well as the various actions and options available from within the module. For information on using Sugar's legacy ("BWC") calendar, refer to the [Help Article](#).

Suggested Settings

We recommend making the following admin configurations to your Sugar instance to optimize the user experience. Most customers will want users to be able to access each other's calendars (team permitting), but only edit or delete their own calendars.

Note: You must be a system administrator to complete the following configurations.

To create a role that restricts calendar users from editing or deleting other users' calendars, create a new role via [Admin > Role Management](#) with the following settings:


- **Role Name:** Calendar Users
- **Module Permissions:** For the Calendar module, set the following permissions so that users can see each other's calendars (team permitting) but only edit or delete their own:
 - **Access:** Enabled
 - **Access Type:** Normal
 - **Delete:** Owner
 - **Edit:** Owner
 - **List:** All
 - **Record View:** All

After saving the new role, scroll to the role's Users subpanel and add all users who will have access to the Calendar module. By default, all users will have access to Calendar unless they have been restricted by a role. For more information on configuring roles in Sugar, refer to the [Role Management](#) documentation in the Administration Guide.

Calendar Module Tab

The Calendar module tab is typically shown as a tab in your navigation bar. If you do not see the Calendar tab, click the three-dots overflow menu on the right side of the navigation bar. If you do not see Calendar in your navigation bar or overflow menu, visit your user profile settings to enable the tab or contact your administrator to find out if it is disabled or hidden for your Sugar instance.

Unlike other modules where clicking the module tab displays the module's list view, clicking the Calendar module tab displays a calendar view. Clicking the triangle within the module tab will display an Actions menu with several options:



The Actions menu options will change depending on the calendars that you have created. You will see an option to create a new record in any module that you have established a calendar for. For example, if you have calendars for [Meetings](#), [Calls](#), and [Tasks](#) you will see the options to Schedule Meeting, Log Call, and Create Task. You will also see the following options by default:

Menu Item	Description
Create Calendar	Create a new calendar.
View Calendars	View the Calendar list view.
Legacy Calendar	Open the legacy Calendar module. This option is temporarily available and will be disabled in the future.
Import Calendar	Import a CSV file with Calendar data.

Calendar Actions

When viewing your calendar, there are several options across the top, side, and bottom of the calendar to help you navigate the calendar and increase the functionality available. These buttons are accessible from any calendar screen, with some notable exceptions. Most of the buttons are used to change the view of the calendar to show a specific time period or jump to a specific time period.

The options are defined as follows:

Option	Description
Date jumper	The Date jumper is the small, embedded calendar on the left side of the screen. Jump to a different date and remain in your day, work week, week, agenda, timeline, or scheduler view by clicking on a date in the Date jumper. If you are in month view and click on a date in the Date jumper, you will be taken to the day view for that date. Click the left and right arrows to scroll through months; or click the date written out along the bottom of the month to be taken to today's day, work week, week, agenda, timeline, or scheduler view, depending on your current view. If you are in month view, clicking the date along the bottom of the month will take you to today's day view. For more information, refer to the Viewing the Calendar section of this page.
Today	The Today button is located toward the top of the screen and lets you jump to today on the calendar. Click the left and right arrow buttons on either side of "Today" to move the calendar view backward or forward in time relative to today. For more information, refer to the Viewing the Calendar section of this page.
Date or date range	The date or date range is located toward the top of the screen to the right of the Today button. Click the date or date range to open a date picker from which you can select a new date or timeframe. For more information, refer to the

	<p>Viewing the Calendar section of this page.</p>
View selector	<p>At the upper right of the calendar view, choose whether to view the calendar by Day, Work Week, Week, Month, Agenda, Timeline, or Scheduler. For more information on the available views, refer to the Calendar Views section of this page.</p>
Users dropdown	<p>To the right of the View selector, the Users dropdown shows a key that matches users with the colored stripes on the left side of the visible calendar events. This dropdown menu is populated only if visible calendar events include at least one internal user as a guest or owner.</p>
Share	<p>To the right of the Users dropdown, you can share the calendar by exporting as a PDF or iCal or publishing the calendar in iCal format. For more information, refer to the Sharing Calendars section of this page.</p>
Define Calendar Day (gear icon)	<p>The button with a gear icon in the top right opens the Define Calendar Day dialog box. Set the "Start of Day" and "End of Day" to define the hours you want to show for your day, week, work week, and timeline view.</p>
Show full day	<p>The "Show full day" button is located below the calendar view on the left. This button is available only when the day, work week, week, or timeline view is showing your defined Calendar Day hours. Clicking "Show full day" will expand the viewable hours beyond the Calendar Day that you define. Hours outside the workday are shaded blue.</p>
Show Calendar Day	<p>The "Show Calendar Day" button is located below the calendar view on the left. This button is available only when the full day is visible in day, work week, week, and timeline view. Clicking "Show Calendar Day" will collapse the viewable</p>

hours to the Calendar Day that you defined by clicking the gear icon above the calendar.


Calendar List View

List View Menus

The Calendar [list view](#) displays all calendars and allows for searching and filtering to locate specific calendars. You can see the basic details of each calendar within the field columns of the list view or click a calendar's name to open the record view to see the calendar configuration. To access the Calendar module's list view, click the triangle within the Calendar module tab to display the Actions menu and then select "View Calendars".

List View Mass Actions Menu

The Mass Actions menu to the right of the checkbox option in the list header allows you to perform mass actions on all currently selected records. You can use the checkbox on each record's row to select individual calendar records or click the checkbox in the list header to select all records displayed on the current set of list view results.



The Mass Actions menu allows you to perform the following operations:



Menu Item	Description
Mass Update	Mass update one or more calendar records at a time.
Delete	Delete one or more calendars at a time.

[Export](#)

Export one or more calendar records' fields to a CSV file.

List View Record Actions Menu

The Record Actions menu to the far right of each record's row allows you to perform actions on the individual meeting directly from the list view.


<input type="checkbox"/>	▼	Name	Module	Assigned to	Date Modified ↓	Date Created	⋮
<input type="checkbox"/>	☆	Tasks	Tasks	Administrator	08-27-2021 07:5...	08-27-2021 07:5...	 
<input type="checkbox"/>	☆	Meetings	Meetings	Administrator	08-27-2021 07:5...	08-27-2021 07:5...	Edit
<input type="checkbox"/>	☆	Calls	Calls	Administrator	08-27-2021 07:5...	08-27-2021 07:5...	Delete

The list view's Record Actions menu allows you to perform the following operations:

Menu Item	Description
Preview (Eye icon)	Preview this calendar in the intelligence pane.
Edit	Edit this calendar.
Delete	Delete this calendar.

Calendar Record View

The calendar [record view](#) displays the calendar's configurations as described in the Configuring Calendars section below. To access a calendar's record view, simply click a hyperlinked calendar name from the [Calendar list view](#). The record view's Actions menu appears on the top right of the page and allows you to perform various operations on the current calendar record.



The Actions menu allows you to perform the following operations:

Menu Item	Description
Edit	Edit this calendar.
Share	Share a link to this calendar via email.
Copy	Duplicate this calendar.
Delete	Delete this calendar.

Configuring Calendars

You can use the Calendar module to set up calendars for many out-of-the-box or custom modules and configure the appearance of the calendar. You will only be able to see, create, and edit calendars as allowed by your team membership, user access type, and assigned roles. To view all calendars that you have access to, click the triangle in the Calendar module tab to open the Actions menu, then select "View Calendars".

Creating or Editing a Calendar

To create a new calendar, click the Create button in the top right of the Calendar list view or click the Create Calendar option in the Calendar module tab's Actions menu. To edit a calendar, click on the calendar name in the [Calendar list view](#) and then click on the Edit button. You can copy an existing calendar by clicking on the calendar name in the Calendar list view and then selecting "Copy" from the [record view Actions menu](#).

Calendar Settings

The following table describes the field options available in the Settings tab of the calendar record's edit view:

Field	Description
Module	Choose the module that has the information to be shown on the calendar.
Subject	Select the field whose value will be used for the subject of the calendar event. The subject of the event is displayed as the first line in the calendar event's tooltip.
Color	Choose the color of the calendar events.
Start	Select the field whose value represents the start date for the event.
End	For all-day events, select the field that represents the end date for the event. Providing the Start and End date will make the event appear as an all-day event at the top of the calendar day. Note: If you provide the Duration minutes, Duration hours, and Duration days, you will not see the End field.
Duration minutes	For events that occur at a specific time (as opposed to all-day events), select the field to be used in the <Minutes> slot of the <Days>:<Hours>:<Minutes> duration. Providing a Start and duration will make the event appear during the appropriate hours on your calendar. ¹
Duration hours	For events that occur at a specific time (as opposed to all-day events), select the field to be used in the <Hours> slot of the <Days>:<Hours>:<Minutes> duration. Providing a Start and duration will make the event appear during the appropriate hours on your calendar. ¹
Duration days	For events that occur at a specific time (as opposed to all-day events), select the field to be used in the <Days> slot of the <Days>:<Hours>:<Minutes>

	<p>duration, if any. Providing a Start and duration will make the event appear during the appropriate hours on your calendar. ¹</p>
<p>Double-click event</p>	<p>Configure the behavior that happens when you double-click an event in the calendar view. There are three types of options:</p> <ul style="list-style-type: none"> • Navigate to record: Navigate to the record in the module chosen for the calendar in the same window. • Navigate to record in a new tab: Navigate to the record in the module chosen for the calendar in a new tab. • Open drawer for edit: Open a drawer to open and edit the record in the module chosen for the calendar. <p>These options also exist for related modules. For all modules that are related one-to-one or one-to-many with the module chosen for the calendar, you will see additional options that include "(Related module name)" after the above three options. These options will direct you to the one record in the related module. For options that direct you to a related user profile (e.g., "Modified by"), the destination depends on your user type (i.e., administrators are directed to the Users module and regular users are directed to the Employees module).</p>
<p>Allow create</p>	<p>Choose whether to allow users to create an event/record for this module from the calendar view. Users will be allowed to create events/records as allowed by their team membership, user access type, and assigned roles.</p>
<p>Allow update</p>	<p>Choose whether to allow users to update an event/record for this module from the</p>

	calendar view. Users will be allowed to create events/records as allowed by their team membership, user access type, and assigned roles.
Allow delete	Choose whether to allow users to delete an event/record for this module from the calendar view. Users will be allowed to delete events/records as allowed by their team membership, user access type, and assigned roles.
Filter	Filter which events appear on the calendar. See the User Interface documentation for more information. Some modules, like Calls and Meetings , contain filters that are unique for those modules.

¹ For more information, see the Understanding Duration Fields section below.

Understanding End and Duration Fields


There are two ways to define an event's timeframe in the Calendar module: provide a start date and an end date or provide a start date/time and a duration. The former method (start and end dates) will display all-day events in every view since only the dates are known without times of day. The latter method (start date/time and duration) will display events on the calendar at the appropriate time slots in day, week, work week, and timeline views since the actual timespan for the events are known.

Some out-of-the-box modules, like Tasks, can only be configured using the start and end dates and will therefore only be visible as all-day events. Other modules, like Calls, can be configured in either way. By default, however, they use the start date and the duration time. You can change how these types of modules appear on your calendar by setting Duration minutes, Duration hours, and Duration days to the blank option and then select an option for the End field. If you provide the Duration minutes, Duration hours, or Duration days, you will not see the End field.

Note that not every module that contains a datetime field can be configured to be displayed using a start date and duration time. Datetime fields in some modules are handled differently within Sugar and, while many allow for displaying events with the start date and duration time, this is not universal.


Calendar Templates

In the Templates tab of the calendar configuration window, you can establish what information you want to be shown in the tooltip, day view, week view, month view, agenda, timeline, scheduler, or iCal event. Click "Edit" in the top right corner to enable editing of all fields, or click the pencil icon next to a specific field to enable editing of that field. Use the Insert Field dropdown menu to choose placeholders that will be populated from information in your records.



For example, if you want the tooltip for your meetings calendar to include the location of the meeting, you can use the following steps:

1. Click the triangle within the Calendar module tab to display the Actions menu and then select "View Calendars".
2. Select the Meetings calendar.
3. Go to the Templates tab and then click "Edit" in the top right corner.



4. Use the formatting toolbar to include any text that you want to be constant (e.g., Location:), then choose "Location" from the Insert Field dropdown menu.

Settings **Templates** Other

Tooltip

<> **B** *I* U ~~S~~ | | A ▾ **A** ▾

Formats ▾ Paragraph ▾ Verdana ▾ 11pt ▾

| | |

x_2 x^2 ▾ ▾ **Insert Field ▾**

{::name::} {::description::}


Location:

Day ... {::name::} {::description::}

Wee... {::name::} {::description::}

- Created By
- Date Created
- Date Modified
- Display URL
- Duration Hours
- Duration Minutes
- Email Reminder Time
- End Date
- Event Timestamp
- Integration Sync ID
- Internal Notes
- Invitation Body
- Location**

5. Click "Save".
6. Click the Calendar module tab to be taken to the calendar view. Hover over an event and see that the location is now visible in the tooltip.



Other Calendar Fields

The following table describes the field options in the Other tab of the calendar configuration window:

Field	Description
Description	The description of the calendar.
Assigned to	The Sugar user that is assigned to the calendar.
Teams	The Sugar team(s) that is assigned to the calendar.
Date Modified	The date the calendar was last modified.
Date Created	The date the calendar was created.
Comment Log	A shared log of messages, comments, or other text, including the name of the user that added the log entry and the date and time it was added. It is possible to tag other users and link to other Sugar records in Comment Log entries by inserting a clickable pill; see the User Interface documentation for more details.

Importing a Calendar

To import a calendar record, click the triangle within the Calendar module tab and select "Import Calendar". In the first step of the import, you can download a template CSV file. The template file contains instructions for how to format your data to import it to the calendar.

Creating Calendar Events


You create calendar events by creating a record in the module that the calendar represents. For example, if you have a calendar that shows your scheduled calls, you create a new event on your calls calendar by creating a new call record. You can create these records as usual (i.e., via the individual modules or the Quick Create menu) or via the Calendar module, as described below. For more information on creating records via Quick Create or modules, refer to the [User Interface](#) documentation or the specific module's page, respectively.

Creating Events via Calendar

The calendar allows you to easily create records for the modules that have configured calendars by clicking on the cell corresponding to the specific date (and time) you wish to attribute to the record. This option is available only if you have selected "[Allow create](#)" when creating the calendar and if you are allowed by your team membership, user access type, and assigned roles. The record view will appear in edit mode and the field that is [mapped to the start date](#) and time will automatically be populated based on the date and time cell you selected in the calendar.

Use the following steps to create a calendar event (e.g., meeting) via the calendar view:

1. Click the Calendar module tab. You can choose to view the calendar by Day, Work Week, Week, Month, Timeline, or Scheduler.
2. On the calendar view, double-click the cell corresponding to the date (and time, if applicable) you wish to schedule the meeting and choose "Schedule Meeting".



When "Schedule Meeting" is clicked, a Meeting record view will appear in edit mode.


3. Refer to the [Meetings](#) documentation for additional instructions about creating meeting records.

Creating Events via Calendar Actions Menu

When you add a calendar for a module, the module's create option is added to the Calendar module's Actions menu. For example, if you add a calendar that uses the Meetings module, the [Calendar module tab](#) contains the Schedule Meeting option. This opens up the record view in edit mode for the corresponding module (e.g., Meetings) which allows you to enter all the relevant information for the calendar event.

The following steps cover creating a new meeting via the Calendar module tab as an example:

1. Click the triangle in the Calendar module tab to open the actions menu and select "Schedule Meeting".



2. Refer to the [Meetings](#) documentation for additional instructions about creating meeting records.

Viewing the Calendar

The Calendar module allows users to schedule, view, and manage various events (e.g., Calls, Meetings, Tasks) in Sugar. The Calendar module can be accessed by clicking the [Calendar module tab](#). Calendar events are color-coded by default to match the color of the parent module icon.

Please note that you will only be able to see calendars and events on calendars as allowed by your team membership, user access type, and assigned roles. For more information on teams and roles, please refer to the [Teams](#) and [Roles](#) documentation in the Administration Guide.

A screenshot of the Sugar CRM calendar interface. On the left, there is a monthly calendar for September 2021 with the 16th highlighted. Below it, a section titled 'My Calendars (4)' lists: Sarah Smith's Opportunities, Sarah Smith's Calls, Sarah Smith's Meetings, and Sarah Smith's Tasks, all with checked selection boxes. Below that is 'User and Team Calendars' with a search bar and a 'Select All' checkbox. The main area is a weekly calendar grid for the week of Sunday, September 12, 2021, to Saturday, September 18, 2021. The grid shows events: 'Sunnyvale Reporting Ltd' (All Day, Wed 9/15), 'Make travel arrangem' (All Day, Thu 9/16), 'Pullman Cart Company' (All Day, Fri 9/17), 'Introduce all player' (Meeting to discuss, Mon 9/13, 10:00 AM), 'Get more informati' (Tue 9/14, 9:00 AM), 'Demo' (Meeting to discuss, Tue 9/14, 11:00 AM), and 'Bad time, will call b' (Wed 9/15, 12:00 PM). A 'Show full day' checkbox is at the bottom left of the grid.

You can choose which calendars to show on the calendar view by checking the boxes next to the calendar names in the My Calendars and [User and Team Calendars](#) panels on the left side of the calendar. The My Calendars panel shows all calendars that are assigned to a [team that you are a member of](#). Enabling more than one calendar will show each calendar's events overlaid on a single calendar view. Click "Select All" to select all calendars in the list.

Hover your mouse on the cell of an existing calendar event to view tooltip information that you specified in the [calendar templates](#). You can also double-click the calendar event to enact your [double-click event action](#) that is configured for the calendar. Click on the colored strip on the left side of the calendar event to open the record preview on the right side of the calendar.


Jump to a different date by using the Date jumper on the top left side of the calendar. You will remain in your day, work week, week, agenda, timeline, or scheduler view by clicking on a date in the Date jumper. If you are in month view and click on a date in the Date jumper, you will be taken to the day view for that date. Select any date within the same month or use the left or right arrows to navigate to previous or upcoming months. You can click the date written as text (e.g., "September 2021") at the top of the Date jumper to zoom out to see all months in the year, then you can click the year text (e.g., "2021") to zoom out to see all years in the decade, etc., to more easily navigate through months and years. Click the date link written as text (e.g., "Wednesday, December 01, 2021") at the bottom of the Date jumper to go to today's day, work week, week, agenda, timeline, or scheduler view, depending on your current view.

The screenshot shows a calendar interface. On the left is a month view for September 2021, with the date 16 highlighted in a blue circle. A date picker is open over this date, displaying 'Wednesday, December 01, 2021'. On the right is a day view for September 29 and 30, 2021. A blue button labeled 'Introduce all players' is visible on the 13th of the month view.

Jump to a different date and remain in your day, work week, week, month, agenda, timeline, or scheduler view by clicking the date text to the right of the Today button to open the date picker.

The screenshot shows a day view for Sunday, October 17, 2021. A date picker is open over the 20th of September, displaying 'Monday, September 20, 2021'. The background shows a timeline view with time slots from 8:00 AM to 12:00 PM.

You can always jump to today's date by clicking Today on the top left of the calendar view. Alternatively, you can jump to the next day, work week, week, month, agenda, timeline, or scheduler, depending on your current view, using the left and right arrows on either side of the Today button at the top left of the calendar view.



The calendar view can also be changed to have a different first day of the week using the Calendar Options in your user profile. Simply navigate to the Advanced tab of your user profile, then scroll to the Calendar Options panel and select the appropriate "First Day of Week" (e.g., Sunday, Monday). For more information on configuring the first day of the week, please refer to the [Getting Started](#) documentation.

Calendar Views

The Calendar module can be viewed as a Day, Week, Work Week, Month, Agenda, Timeline, or Scheduler view using the View selector dropdown menu near the top right of the calendar. The view options are:

View Option	Description
Day	View the calendar one day at a time with 30-minute increments marked. Click the "Show full day" or "Show Calendar Day" button on the bottom left of the calendar to expand or collapse the visible hours, respectively. All-day events are shown at the top of the day.
Work Week	View a 5-day work-week with 30-minute increments marked. Workdays are defined as Monday through Friday. If "First Day of Week" in Profile > Advanced > Calendar Options is set to either Saturday or Sunday, the Work

	<p>Week view displays Monday as the first day of the week. If "First Day of Week" is Tuesday, Wednesday, Thursday, or Friday, the Work Week view displays the remainder of the current week and then continues into the following week without showing weekend days. Click the "Show full day" or "Show Calendar Day" button on the bottom left of the calendar to expand or collapse the visible hours, respectively. All-day events are shown at the top of the day.</p>
Week	<p>View a 7-day week with 30-minute increments marked. Click the "Show full day" or "Show Calendar Day" button on the bottom left of the calendar to expand or collapse the visible hours, respectively. All-day events are shown at the top of the day.</p>
Month	<p>View a full month.</p>
Agenda	<p>View events in the upcoming week, including today. Three columns are shown: Date, Time, and Event. The Time column displays the start and end time of the event, if applicable. All-day events show "all day" in the Time column.</p>
Timeline	<p>View events for the current day in a horizontal hourly view that shows event duration (start and end times). Scroll left and right on the timeline to see more times. Click the "Show full day" or "Show Calendar Day" button on the bottom left of the calendar to expand or collapse the visible hours, respectively. All-day events are shown as spanning the full day.</p>
Scheduler	<p>View events for the current month in a horizontal day view. Scroll left and right on the scheduler to see more days.</p>

Viewing User and Team Calendars

The Calendar module allows you to view not just your own activities, but also the calendars of other Sugar users in the panel labeled "User and Team Calendars". These calendars will be added to the User and Team Calendars panel on the left side of the calendar and you can decide which calendars to overlay on your calendar view by checking the corresponding checkboxes. Click "Select All" to select all calendars in the User and Team Calendars panel.

Use the following steps to add a user or team calendar:

1. Click the plus button to the right of the User and Team Calendars panel.

The screenshot displays the Sugar CRM calendar interface. At the top, there is a calendar for December 2021, with the date Wednesday, December 01, 2021, highlighted. Below the calendar, there are two panels for managing calendars. The first panel, titled "My Calendars (4)", contains a search bar and a list of four calendars, each with a checked checkbox: "Sarah Smith's Opportunities", "Sarah Smith's Calls", "Sarah Smith's Meetings", and "Sarah Smith's Tasks". The second panel, titled "User and Team Calendars", also has a search bar and a plus sign button highlighted with a red box, indicating where to click to add a new calendar.

2. In the Add Calendar drawer, choose the calendar you want to show by clicking "Select Calendar" and then searching for the calendar. You can also click "Search and Select..." from the Select Calendar dropdown menu to open a list of calendars that you have access to.

Add Calendar

Calendar:

Module

Select

Name



- In the Add Calendar drawer, choose the user you want to apply the calendar to.

Calendar:


Module Basic Search...

Select	Name	Module
<input type="radio"/>	Administrator	Users
<input type="radio"/>	Chris Olliver	Users
<input type="radio"/>	Jim Brennan	Users
<input type="radio"/>	Max Jensen	Users

- The user's calendar is added to the User and Team Calendars panel. Check or uncheck the checkbox to the left of the calendar to show or hide the calendar on your calendar view.



5. To hide a user or team calendar that you no longer want to see in your User and Team Calendars list, click the x that appears to the right of the calendar name when you hover over the calendar in the panel.



Please note that you will only be able to see activity records as allowed by your team membership, user access type, and assigned roles. For more information on teams and roles, please refer to the [Teams](#) and [Roles](#) documentation in the Administration Guide.

Editing Calendar Events

Editing Events via Calendar

Sugar records displayed on the calendar can be edited directly from the calendar instead of having to access the record via the individual modules (e.g., Calls) depending on how you configured the [calendar's double-click event setting](#). Dragging and dropping event cells within the calendar can make changes to the start and end dates. For more information on moving calendar events from within the calendar, please refer to the [Moving Scheduled Events on the Calendar](#) section of this documentation.

If you have the Double-Click Event field set to "Navigate to record", "Navigate to record in a new tab", or "Open drawer for edit" in the [Settings tab](#) of the calendar configuration window, you can use the following steps to edit a Sugar record via the calendar:

1. Navigate to the calendar by clicking the Calendar module tab.
2. Locate the calendar event (e.g., Meeting) you would like to edit and double-click on the event to open the associated record in the current tab, a separate tab, or a drawer, depending on your Double-click event setting.
3. Make the necessary changes to the event.
4. Click "Save" or, if you would like an invitation email to go out to the invitees where they can accept or decline the call or meeting, click "Save and Send Invites".

Please note that your ability to edit events in Sugar may be restricted by a role. For more information on roles, please refer to the [Role Management](#) documentation in the Administration Guide. Check with your system administrator if you do not see the Edit options.

Moving Scheduled Events on the Calendar

The Sugar calendar allows for the start time and duration of events to be edited from the calendar instead of having to directly edit the record via the module. This option is available only if you have selected "[Allow update](#)" when creating the calendar and if you are allowed by your team membership, user access type, and assigned roles. The records that appear on the calendar can also be dragged and dropped to new locations to change the start date and time. When changing the details with drag-and-drop, a pop-up message will ask you to confirm your changes. For drag-and-drop changes to call and meeting events, you can also select "Save and Send Invites" in the pop-up message to send a system-generated email update to the meeting or call invitees. Sugar users will see the meeting updated in their Planned Activities dashlet and their calendars.

Note: All occurrences of recurring [meetings](#) and [calls](#) will not be modified by

dragging one record of the series.

	Sun 9/12	Mon 9/13	Tue 9/14	Wed 9/15
All Day				Assemble catalc
8:00 AM				
9:00 AM				
10:00 AM				✕
11:00 AM			Get more i...	
12:00 PM				
1:00 PM				Bad time, ...
2:00 PM				
3:00 PM				
4:00 PM				

In addition, the events can be dragged from the bottom of the box to be able to change the duration of the event. To do this, simply hover over the event's box to make the down arrow appear at the bottom. Click when the arrow appears and drag to the new end time of the event.

	Sun 9/12	Mon 9/13	Tue 9/14	Wed 9/15	Thu 9/16	Fri 9/17
All Day				Assemble catalo;		Pullman Cart Call to schedu
8:00 AM						
9:00 AM						
10:00 AM						
11:00 AM			Get more			
12:00 PM						
1:00 PM						

- Get more information on the proposed deal**
- Tue, September 14
11:15am - 11:45am
- Get more information on the proposed deal
- 1 invitees accepted
 - Sarah Smith

Editing Recurring Meetings and Calls

When a meeting or call is set to be recurring, additional copies or duplicates of the call or meeting record are created for the specific time and date of each recurrence. Therefore, editing one record's cell on the calendar will not affect the other occurrences of the same call or meeting and will only affect the one occurrence you are editing. Users must select "Edit All Recurrences" from the meeting record's Action Menu.

Demo ☆ Follow Canceled

< > Edit

Start & End Date
2018-02-28 09:45am - 12:30pm (2 hours 45 minutes)

Repeat Interval Repeat on Days of Week Repeat Occurrences
1 Wed 10

Edit All Recurrences

Share
Copy
Delete


Please refer to the steps in the [Editing All Recurrences via Record View](#) section of the Meetings documentation for instructions on how to edit all recurrences.

Removing Events From Your Calendar

If an event appears on your calendar and you want to remove it from the view but do not want to delete the associated record, there are multiple ways to do so. You can adjust your [filter settings](#) for the calendar so that events of this type do not appear on your calendar or you can edit the event record so that the record is not captured by your current filter settings. For example, if you have a calendar that shows all of your meetings, your calendar will show all meetings that have a Status of Scheduled, Held, and Canceled. If you want to remove the canceled meetings from your calendar, you would need to modify the calendar's filter so that only meetings that have a Status of Scheduled or Held are displayed. This is an example of adjusting your filter settings for the calendar to remove events. As an example of editing the event records to remove the event from your calendar, if you had a calls calendar that showed all calls with a Status of "Scheduled", "In Progress", or "Held" and you see a call on your calendar that you know was canceled, change the call's Status to "Canceled" to remove this event from your calendar. Once the status has been updated, the calendar's filter will remove it from the view.

If you want to remove an event from your calendar and permanently delete its associated record (not common), use the following steps:

1. Navigate to the calendar by clicking the Calendar module tab.
2. Locate the event you would like to delete.
3. Click the x that appears when you hover over the event.



4. You will be asked to confirm whether or not you want to delete this record. Click "Confirm" to delete the record, or "Cancel" to keep the record.


This option is available only if you have selected ["Allow delete"](#) when creating the calendar and if you are allowed by your team membership, user access type, and assigned roles.

Recurring calls and meetings can be deleted by this method if you would like to delete the individual call or meeting. Deleting one record through this process will not remove the entire series. Please refer to the steps in the [Deleting All Recurrences via Record View](#) section of the Meetings documentation for instructions on how to delete all recurrences.

Note: Your ability to delete calls and meetings in Sugar may be restricted by a role. For more information on roles, please refer to the [Role Management](#) documentation in the Administration Guide. Check with your system administrator if you do not see the Delete options.

Sharing Calendars

Sugar allows users to share calendars between applications to ensure that activities do not overlap between calendars. The Sugar calendar can be viewed in other applications such as the Outlook calendar to display the user's free/busy time from Sugar.



Option	Description
PDF Export	Export a PDF of the current calendar view. Deselected calendars and events outside of the current calendar view will be omitted from the PDF calendar. Events that are changed after you export the iCal will not be visible on your exported iCal.
Export iCal	Export an iCal file that contains all scheduled events on the currently visible calendar(s). Events that occur on visible (i.e., checked in the My Calendars or User and Team Calendars pane) calendar(s) will be included in the file even if they occur outside of the current calendar view. You can edit what information is shared via iCal by adjusting the iCal event template in the

	calendar configuration. Events that are changed after you export the iCal will not be visible on your exported iCal.
Publish iCal	Generate a URL that can be used in another iCal-compatible application (e.g., Apple Calendar or Google Calendar). Events that are changed after you publish your iCal will be synced to the published calendar. Note: The sync is not instantaneous and may take several hours to complete.

Publishing Your Sugar Calendar

Sugar calendars can be shared and viewed with various iCal-compatible calendar applications (e.g., Apple Calendar or Google Calendar). The calendars are viewable as read-only in the external calendar applications and any edits to existing activities can only be done in Sugar. For more information on sharing your calendar on another application, please review the [Calendar Options](#) section in the Getting Started documentation.

Publishing to Your Outlook Calendar

You can specify settings in another application, such as Outlook, to enable the ability to view a user's free/busy information from the Sugar calendar. Please note that the settings must be configured on each user's computer. Once configured, the invitee shows as busy for any time currently scheduled in Sugar if the user's email address in Sugar matches the invitee email address in Outlook.

Use the following steps to configure this functionality:

1. In Sugar, navigate to your [user preferences](#) and select the Advanced tab.
2. Copy the Search location URL located at the bottom in the Calendar Options panel.
3. In Outlook, go to File > Options > Calendar > Free/Busy Options.
4. In the Internet Free/Busy section, paste the Search location URL into the corresponding box.

Integrating With MS Outlook

Sugar allows you to sync meetings and calls in Sugar with your local installation of

Microsoft Outlook using the Outlook Plug-in. The plug-in also allows you to archive [emails](#) and sync [contacts](#). All meetings and calls, including recurring ones, can be synced using the plug-in. When a meeting or call is synced from Outlook to Sugar, the meeting or call will appear on the Sugar calendar, but will not be [editable](#) via Sugar and only [viewable](#).

For more information on using the Outlook Plug-in, please review the [Sugar Plug-in for MS Outlook User Guide](#).

Calendar Scheduler Dashlet

The Calendar Scheduler dashlet allows you to conveniently view your calendars of choice within Sugar dashboards. The Calendar Scheduler dashlet behaves similarly to the Sidecar Calendar module.

When you add the dashlet, the following fields are available for configuration:

Field	Description
Available Views	Select the calendar views that you want to have available for viewing. The selected views are available in a dropdown menu in the top right of the dashlet for you to easily switch the view.
Default View	Select the calendar view that you want to have as the default view. Refreshing the page or navigating to a new page resets the view to the default view. Refreshing the dashlet does not reset the view to the default view.
My Calendars	Check the calendars that you want to display. The calendars in the My Calendars list are the same as those in the My Calendars pane of the Calendar module. The behavior (e.g., Double-click event option) and settings (e.g., color) of these calendars also match the behavior and settings of the same calendar in the Calendar module.
User and Team Calendars	Check the calendars for other users and teams that you want to display. The Calendars listed in the User and Team Calendars list are the same as those in the User and Team Calendars pane of

	<p>the Calendar module. You can add other user or team calendars by clicking the plus icon. See the Viewing User and Team Calendars section for more information. The behavior (e.g., Double-click event option) and settings (e.g., color) of these calendars also match the behavior and settings of the same calendar in the Calendar module.</p>
--	--

You can edit the configuration of these fields at any time by clicking the gear icon in the top right corner of the dashlet.

When viewing the Calendar Scheduler, there are several options along the top and bottom of the dashlet to help you navigate and adjust the appearance of the calendar. These options are defined as follows:

Option	Description
Today	The Today button is located near the top left corner of the dashlet and lets you jump to today on the calendar. Click the left and right arrow buttons on either side of "Today" to move the calendar view backward or forward in time relative to today. For more information, refer to the Viewing the Calendar section of this page.
Date or date range	The date or date range is located along the top of the dashlet to the right of the Today button. Click the date or date range to open a date picker from which you can select a new date or timeframe. For more information, refer to the Viewing the Calendar section of this page.
View selector	Toward the upper right of the calendar view, choose which of your configured Available Views to use. For more information on the available views, refer to the Calendar Views section of this page.
Users dropdown	To the right of the View selector, the Users dropdown shows a key that matches users with the colored stripes

	on the left side of the visible calendar events. This dropdown menu is populated only if visible calendar events include at least one internal user as a guest or owner.
Define Calendar Day (gear icon)	The button in the top right opens the Define Calendar Day dialog box. Set the "Start of Day" and "End of Day" to define the hours to show in day, week, work week, and timeline view.
Show full day	The "Show full day" button is located in the lower left corner of the dashlet. This button is shown only when your defined calendar day hours are visible in day, work week, week, and timeline view. This button expands the viewable hours beyond the calendar day that you define. Hours outside the workday are shaded blue.
Show Calendar Day	The "Show Calendar Day" button is located in the lower left corner of the dashlet. This button is shown only when the full day is visible in day, work week, week, and timeline view. This button collapses the viewable hours to the calendar day that you define.

You can create, update, or delete events from the dashlet if allowed based on the calendar settings, which are defined in the Calendar module. Refer to the [Configuring Calendars](#) documentation for more information about configuring the behavior and appearance of calendars.

Last Modified: 2022-04-15 12:17:31

Leads

Overview

Sugar's Leads module consists of individual prospects who may be interested in a

product or service your organization provides. In addition to standard creation options, leads can provide their own details to you via a [web-to-lead form](#). Once the lead is qualified according to your organization's practices, it can be [converted](#) into a contact, opportunity, account, or another record. This documentation covers information and actions specific to the Leads module.

For instructions concerning views and actions which are common across most Sugar modules, such as creating, editing, and deleting leads, please refer to the [Working With Sugar Modules](#) section of this page.

Please note that you will only be able to see lead records as allowed by your team membership, user access type, and assigned roles. For more information on teams and roles, please refer to the [Team Management](#) and [Role Management](#) documentation in the Administration Guide.

Lead Fields

The Leads module contains a number of stock fields that come out-of-the-box with Sugar. For information on using and editing various field types, refer to the [User Interface](#) documentation. The definitions below are suggested meanings for the fields, but the fields can be leveraged to best meet your organization's needs. Administrators or users with developer-level role access have the ability to alter, add, or remove fields via Admin > Studio. For more information on configuring fields, please refer to the [Studio](#) documentation in the Administration Guide.

Field	Description
Account Description	A description or other information about the lead account.
Account Name	The account to which the lead belongs. Note: Unlike the Contacts module, the Account Name field is not a Relate field in the Leads module. When you convert the lead, you will have the option to create the account as a related record.
Alternate Address	The lead's alternate address (e.g., billing, shipping).
Assigned to	The Sugar user assigned to the lead.
Assistant	The name of the lead's assistant within his or her company.
Assistant Phone	The assistant's phone number. If an admin has turned on the Enable

	Click-to-Call setting in Admin > System Settings , phone number fields are displayed as links that can be opened to dial them using the default computer telephony integration software on the user's computer.
Avatar	The lead's profile image. Click on the circle to the left of the name to upload an image. Once an image is uploaded, you can remove the image by clicking on the image and then clicking the trash can icon in the lower right corner.
Birthdate	The lead's date of birth.
Campaign	The campaign, if any, from which the lead originated.
Comment Log	A shared log of messages, comments, or other text, including the name of the user that added the log entry and the date and time it was added. It is possible to tag other users and link to other Sugar records in Comment Log entries by inserting a clickable pill; see the User Interface documentation for more details.
Converted	An indication that the lead has been converted to a contact, opportunity, or account.
D&B Principal ID	Unique ID number associated with the individual in D&B.
Date Created	The date the lead record was created.
Date Modified	The date the lead record was last modified.
Department	The lead's department within their company.
Description	A description or other information about the lead.
Do Not Call	An indication that the lead should not be called.
Email Address	The lead's email address.
Facebook Account	The lead's Facebook account information.

Fax	The lead's fax number.
First Name	The lead's first name.
Google Plus ID	The lead's Google Plus ID.
Home Phone	The lead's residence number. If an admin has turned on the Enable Click-to-Call setting in Admin > System Settings , phone number fields are displayed as links that can be opened to dial them using the default computer telephony integration software on the user's computer.
Integration Sync ID	The sync key field used by external integrations to identify Sugar records in the external application. See the Integrate REST API endpoints in the Developer Guide for more details on how to use this field.
Last Name	The lead's last name.
Lead Source	The source from which this lead originated.
Lead Source Description	A description or other information about the lead source.
Mobile	The lead's mobile number. If an admin has turned on the Enable Click-to-Call setting in Admin > System Settings , phone number fields are displayed as links that can be opened to dial them using the default computer telephony integration software on the user's computer.
Name	When viewing, the lead's full name. Click the circle to the left of the name to upload an image to use as an avatar.
Office Phone	The lead's office number. If an admin has turned on the Enable Click-to-Call setting in Admin > System Settings , phone number fields are displayed as links that can be opened to dial them using the default computer telephony integration software on the user's computer.
Opportunity Amount	The expected opportunity amount for

	the potential business with the lead.
Opportunity Name	The opportunity name associated with the lead.
Other Phone	The lead's alternate phone number. If an admin has turned on the Enable Click-to-Call setting in Admin > System Settings , phone number fields are displayed as links that can be opened to dial them using the default computer telephony integration software on the user's computer.
Primary Address	The lead's primary address.
Referred By	The name of the individual or organization that referred the lead.
Salutation	Standard greeting for the lead (e.g., Mr., Ms., Mrs., etc.).
Status	The current status of the lead. Note: The converted status cannot be set directly in the Status field. Rather, the conversion process must be completed.
Status Description	A description or other information about the lead's status.
Tags	User-created keywords that can be used to identify records in filters, dashlets, and reports. Note: For more information on creating and using tags, please refer to the Tags documentation.
Teams	The Sugar team(s) assigned to the lead record.
Title	The lead's business title.
Twitter Account	The lead's Twitter account information.
Website	The website URL associated with the lead's organization.

SugarPredict

Customers interested in A.I.-powered lead prediction may want to consider the

Sugar Sell product line. SugarPredict in Sugar Sell uses your account data along with intelligence gathered from millions of other companies and contacts to accurately predict who is most likely to become your next customer. The predictions are surfaced in Sugar via badges and scoring in dashlets and list views, making it easy for Sugar Sell users to quickly benefit from the insights at a glance.

For more information on the products that use SugarPredict, refer to the [SugarPredict](#) documentation.

Lead Creation via Web-to-Lead Form

Sugar provides a simple way to allow visitors to your website or other online location to become leads in your Sugar instance. You can create a web-to-lead form in Sugar and place the form on an external website. Then when a visitor to your site completes and submits the form, their information is entered into Sugar as a new lead record. For more information on creating and managing web-to-lead forms, please refer to the [Web-To-Lead Forms](#) documentation.

Converting Leads

Sugar enables you to [convert leads](#) into contacts once they qualify according to your organization's practices (e.g., after an evaluation/qualification process or upon entering into business with the individual). Sugar Sell users have the added ability to leverage the A.I. capabilities of [SugarPredict](#), giving profound insight into their lead data and enabling them to convert leads faster and more consistently.

When a lead is converted, a new contact record is created in Sugar with a relationship to the original lead record. The "Convert Lead" page also gives you the option to create an account and opportunity record.

You can convert a lead (see the [steps to convert a lead](#)) from the following places in the Leads module:

- **Record view:** Click the Unconverted badge or select "Convert" from the record's Actions menu.
- **List view:** Select "Convert" from the record's Actions menu in list view.
- **Subpanel:** From a related module's subpanel (e.g., the Leads subpanel under Accounts), select "Convert" in the record's Actions menu.

Note: The converted status cannot be set directly in the Status field. Rather, the [conversion process](#) must be completed.

Administrators may configure the Convert Lead layout via Admin > Studio. Admins can mark modules as required for conversion, add additional modules (e.g., Notes, Tasks) to the Convert layout, remove modules, and more. For more information on configuring the Convert layout, please refer to the [Studio](#) documentation in the Administration Guide.


Lead Conversion Options

The lead's activities can be moved to the contact record created during conversion or left attached only to the lead depending on the lead conversion option selected by your administrator via Admin > System Settings. For more information, please refer to the [System](#) documentation in the Administration Guide.

The lead conversion options available to be enabled by your administrator are as follows:

- **Move:** This option allows all of the lead's activities to be moved to the contact record created during the conversion. When enabled, the "Move related activities to the contact record" checkbox will be displayed on the Convert Lead page.
- **Do Nothing:** This option leaves the lead's activities only related to the converted lead.

If the Move option is enabled by your administrator, then the "Move related activities to the contact record" option will be displayed at the top of the Convert Lead page. Please note that the checkbox will be marked by default, but users can simply uncheck the box before [converting the lead](#) if they do not wish to move the lead's related activities to the contact record.



Please note that even if "Do Nothing" is selected, emails associated with the lead will still appear under the created contact as long as the lead and contact share the same email address. This is because emails carry an implicit relationship with any record containing an email address matching an address in the From, To, or CC lines of the email record.

Duplicate Record Check

Sugar automatically checks for any duplicate records (e.g., Contacts) in the system when [converting the lead](#). The Convert Lead page will display any records that are

detected as duplicates in a list view within the panels (e.g., Contact, Account). The first record in the list view will be automatically selected and you can simply click the Select button (e.g., Select Contact) on the upper right of the panel if you wish to relate the existing record to the lead. You can also preview the duplicate record(s) by clicking the Preview icon to the far right of the record's row. For more information on previewing records, please refer to the [Preview](#) section of this page.

In addition, the Search bar is available if you wish to perform a list view search for other existing records to relate to the lead. For more information on performing searches, please refer to the [Search](#) documentation. Please note that the duplicate check feature is enabled by default in Sugar and cannot be disabled by administrators or users.

Convert Lead: Maisie Rakestraw Cancel Save and Convert Preview

1 Contact: 2 duplicates found Ignore and create new Select Contact

Filter Create Search by first name, last name...

Select	Name	Title	Account Name	Email Address	
<input type="radio"/>	Maisie Rakestraw	CEO	Tri-State Medical Corp	mrakestraw@i	
<input checked="" type="radio"/>	Maisie Rakestraw	Mgr Operations	South Sea Plumbing ...	dev.qa@exam	

Preview

Co Name Maisie Rakestraw

Title Mgr Operations

Mobile (730) 394-0763


Department

If none of the suggested duplicates are valid, simply click "Ignore and create new". If there are no duplicate records found for required modules (e.g., Contacts, Accounts) in lead conversion, the new record will be automatically related to the lead and the panel will be collapsed. The record view layout will be pre-populated with the associating record's (e.g., Leads) values (e.g., address).

Steps to Convert a Lead

Once the lead has been evaluated and qualified, it is ready to be converted to a contact. The panels (e.g., Account) on the Convert Lead page will indicate if any duplicate records are found and display the record(s) in the list view within the panel. If no duplicate records are found, the record (e.g., ABC Company) will be automatically related to the lead.


As the records are related to the lead, the panel will collapse and display a checkmark to the left of the header. If you wish to reset the association and complete the panel again, simply click the Reset link to the far right of the header, and the checkmark will disappear. Please note that the panel you are currently viewing (e.g., Contact) will collapse as you open up a different panel (e.g., Account) on the page.




Note: The required modules (Contacts, Accounts) must be related to the lead before you can save and convert the lead successfully. For more information on enabling and requiring modules for lead conversion, please refer to the [Studio](#) documentation in the Administration Guide.

Use the following steps to convert a lead via the Leads record view:

1. Navigate to a Leads record view.
2. Select "Convert" from the Actions menu or initiate conversion using one of the methods listed in the [Converting Leads](#) section.



3. Sugar will perform a duplicate check for any existing records in the various modules.
 - The duplicate records (if any) will be displayed in a list view within each panel. For more information on duplicate record checks and selecting the record to associate to the lead, please refer to the [Duplicate Record Check](#) section above.



4. To create a new Contact record, click "Ignore and create new" on the upper right of the panel. The displayed record view will be pre-populated with the lead's values. Update any necessary fields then click the Create button (e.g., "Create Contact") to relate the new record to the lead.

1 **New Contact:** [Back to duplicates](#) [Create Contact](#)

+
 Edit

Salutation:
 First Name:
 Last Name:

Title:
 Mobile:

5. If there are no duplicate records found for a required module (e.g., Accounts) in lead conversion, the new record will be automatically related to the lead and the panel will be collapsed. **Note:** The record view layout will be pre-populated with the lead's values (e.g., Address). Simply click the arrow to the far right of the header if you wish to expand the panel and view or alter the new record's details.

Convert Lead: Maisie Rakestraw [Cancel](#) [Save and Convert](#)

> **Creating Contact : Maisie Rakestraw** [Reset](#)

> **Creating Account : Stark Enterprise** [Reset](#)

6. A new or existing opportunity record can be related to the lead accordingly. If you wish to relate an existing opportunity to the lead, click "Search" to perform a list view search within the panel. If you wish to create a new record, simply complete the record view in the panel then click "Create Opportunity".

Note: If the Opportunity panel is marked as optional, then no opportunity is required to convert the lead. For more information on setting modules as required on the Convert Lead layout, please refer to the [Studio](#) documentation in the Administration Guide.

3 **New Opportunity (optional):** [Search](#) [Create Opportunity](#)

Op Opportunity Name

7. Once all of the necessary information is entered and the appropriate panels are completed, click "Save and Convert".

Convert Lead: Maisie Rakestraw
Cancel Save and Convert

> ✔ **Creating Contact : Maisie Rakestraw**
Reset

> ✔ **Creating Account : Stark Enterprise**
Reset

> ✔ **Creating Opportunity : Stark Ent - 500 units**
Reset

Once the lead has been converted successfully, the lead's record view will display the converted contact, account, and opportunity information below the record's detail. You can click the Preview icon to the far right of each record's row to view the details of the converted records.

Please note that the lead conversion can only be performed once in Sugar and once a lead is converted, the lead's status field will display "Converted". The status field becomes read-only upon conversion and cannot be manually changed for the lead.

Le

Maisie Rakestraw
☆
Converted
Edit ▼

Title	Mgr Operations	Mobile	(530) 394-0763
+ Web...		Do Not ...	<input type="checkbox"/>
Accoun...	Stark Enterprise	+ Busi...	
Email A...	d..		
+ Tags			

Show more...

Contact: Maisie Rakestraw	
Account: Stark Enterprise	
Opportunity: Stark Ent - 500 units	

Emails and Leads

Leads include an email address that can be used to email the lead as a recipient. The methods for doing so are covered in the [Emailing Records](#) section of the User Interface documentation. Leads may also be recipients of campaigns, which allow

338 / 951

you to send email messages to a large group of recipients as well as to track the results of that message. Please refer to the [Campaigns and Leads](#) section of this page for more information. In addition to being a recipient or sender of an email, leads may be related to emails by being selected in the email's Related To field. These relationships allow the lead to display all relevant email correspondence in the [Emails subpanel](#) and [History dashlet](#) on a case's record view.

Emails Subpanel

The Emails subpanel in the Leads module displays emails that are associated with the lead record in a variety of ways:

- **Explicitly related to the lead:** If the lead is selected in the email's Related To field, the email and lead are explicitly related, and the email will appear in the lead's Emails subpanel and History dashlet. Instructions for using this flex relate field are available in the [Emails](#) documentation.
- **Implicitly related to the lead:** If one of the lead's email addresses appears in the email's From, To, or Cc fields, the email and lead are implicitly related, and the email will appear in the lead's Emails subpanel and History dashlet. This implicit relationship is made for emails sent from Sugar as well as any email imported into Sugar via Inbound email leads or email archiving.

For more information on working with subpanels, please refer to the [User Interface](#) documentation.

Calls, Meetings, and Leads

Leads can be related to calls and meetings in two ways. First, they can be selected in the event's Related To field, indicating that the lead was the topic of the call or meeting. Second, they can be included as invitees to the call or meeting.

Calls and Meetings Subpanels

Each lead's record view includes a Calls subpanel and a Meetings subpanel. These subpanels display all calls and meetings which include the lead as an attendee. If the lead is not an attendee but is selected in the call's or meeting's Related To field, the call or meeting will not appear in the subpanels.

When relating an existing call or meeting to a lead via the subpanels on a lead's record view, the lead will automatically be added as an invitee. When creating a call or meeting from the subpanels, the lead will automatically be added as an

attendee and the lead's account will automatically be set in the event's Related To field.

For more information on working with subpanels, please refer to the [User Interface](#) documentation.

Campaigns and Leads

Sugar's Campaigns module can be used to send mass emails or a series of newsletter emails to Sugar accounts, contacts, leads, and targets. The results of each campaign are recorded to measure its impact. Leads are not related directly to campaigns. Rather, each campaign is related to several target list records, and each target list is related to leads and other recipients. To send a campaign email to a lead, the lead should belong to a default-type target list related to the campaign. To prevent a lead from receiving emails from a campaign, the lead should belong to the campaign's suppression list-type target list. Once a campaign is sent, the results specific to a particular lead will appear in the Campaign Log Subpanel on the lead's record view as described in the [Campaign Log Subpanel](#) section of this page.

Leads can be added to target lists via the target list record itself, from the Leads list view using the Add To Target List option, or from the Leads record view using the Manage Subscription option. Instructions for using the [Add To Target List](#) and [Manage Subscriptions](#) options in the Leads module are provided in the sections below. For instructions on other available methods of adding to target lists, please refer to the [Target Lists](#) documentation.

Adding to a Target List via Leads List View

A target list consists of a group of individuals or organizations you wish to be included in or excluded from a mass marketing campaign. These targets are typically identified based on a set of predetermined criteria such as being a prospect or existing customer, age group, industry, etc. There are various ways to add leads to a target list in Sugar including using the Add To Target List option from the Lead list view's Mass Actions Menu. For more information on target lists and other methods of adding leads, please refer to the [Target Lists](#) documentation.

You can use the [Select All](#) feature in the list view when adding to a target list, which will allow you to easily select the first 1000 records in the result set. If you wish to add more than 1000 records or add a specific group of records to the target list, please use the [filter option](#) in list view search to perform the additions in smaller batches.

Use the following steps to add leads to a target list via the Leads list view:

1. Navigate to the Leads list view by clicking the Leads module tab.
2. Use the [List View Search](#) to find the Lead records you wish to add to a target list.
3. Select the desired lead records then choose "Add to Target List" from the Mass Actions menu.

<input type="checkbox"/>	Name	Status	Account Name
<input type="checkbox"/>	John Smith	Converted	AtoZ Co Ltd
<input type="checkbox"/>	Jane Doe	New	XY&Z Corp
<input type="checkbox"/>	Bob Johnson	New	ABC Company
<input type="checkbox"/>	Alice Brown	New	Trait Institute Inc
<input type="checkbox"/>	Charlie White	Assigned	Underwater Mining I...
<input type="checkbox"/>	Diana Green	New	Rubble Group Inc
<input checked="" type="checkbox"/>	Melinda Dulmage	Assigned	Income Free Investin...
<input checked="" type="checkbox"/>	Daryl Leaman	New	Overhead & Underfo...

4. Below the search bar, locate and select the desired target list in the dropdown list or click "Create new target list" to add the leads to a new target list. Click "Update" to add the record(s) to the target list.

Filter **Create** Search by first name, last name...

Add To Target List **Create new target list** Cancel **Update**

Required

In order to view the leads that have been added, you can navigate to the Target Lists module. Click the target list's name to open the record view, and you will see the lead records within the Leads subpanel.


Le LEADS (3) <input type="plus"/> <input type="dropdown"/>					
	Name	Referred By	Lead Source	Office Phone	
☆	Melinda Dulmage		Employee	(510) 226-4430	<input type="eye"/> <input type="dropdown"/>
☆	Maryam Mclauchlin		Conference	(829) 401-4674	<input type="eye"/> <input type="dropdown"/>
☆	Daryl Leaman		Trade Show	(661) 675-8591	<input type="eye"/> <input type="dropdown"/>

Managing Lead Subscriptions

Leads who receive newsletter-type campaign emails from your Sugar instance are considered subscribers to that newsletter. Users can manage these newsletter subscriptions from the Leads record view using the Manage Subscriptions option in the Actions menu. Please note that you can only manage subscriptions for newsletter-type campaigns. A newsletter campaign you have created will have one or more default-type target lists. Leads are added to these target lists in order to receive your newsletter. The Manage Subscriptions option allows you to add a lead to the default-type or suppression-type target lists of your newsletter campaigns without leaving the Leads module. For more information on newsletter subscriptions, please refer to the [Campaigns](#) documentation.

Use the following steps to manage lead subscriptions via a lead's record view:

1. Navigate to a lead's record view.
2. Select "Manage Subscriptions" from the Actions menu.



3. To add the lead to a newsletter subscription mailing list, select the newsletter from the Available/Newsletters Unsubscribed To list and drag it to the Newsletters Subscribed To list. This will add the lead to the campaign's default target list.
4. To remove the lead from the newsletter subscription mailing list, select the newsletter from the Newsletters Subscribed To list and drag it to the Available/Newsletters Unsubscribed To list. This will add them to the suppression-type unsubscription target list for the newsletter campaign which will prevent the lead from receiving the newsletter. Please note that the lead will not be removed from the campaign's default target list.

Manage Subscriptions



5. Click "Save" to preserve your changes.

Campaign Log Subpanel

The Campaign Log subpanel contains historical information regarding a lead's interaction with all Sugar campaigns. When a mass marketing campaign is sent to a lead (or manually marked as sent in the case of non-email campaigns), the related campaign activity information will appear within the Campaign Log subpanel on the contact's record view. This information mirrors the "View Status" page available from within each individual campaign and shows activities such as when a campaign was sent, when the recipient viewed the campaign message, when the recipient clicked a tracked link within the campaign, etc. Since this subpanel contains historical campaign interactions for the lead, it cannot be used to associate a lead with a campaign or otherwise manage a campaign or target list. For more information on associating a lead with a campaign, please refer to the [Adding to a Target List via Leads List View](#) section of this page. For more information on campaigns, please refer to the [Campaigns](#) documentation.

For more information on working with subpanels, please refer to the [User Interface](#) documentation.


vCards and Leads

vCards are electronic business cards that are exchanged between applications such as email and web browsers. Leads may be [created from vCards](#) generated by another application or [saved as vCards](#) for use in other software.


Creating Leads via vCard

Use the following steps to create a lead in Sugar via vCard:

1. Click the triangle in the Leads module tab and select "Create Lead From vCard".




2. Choose the vCard file from your computer and click "Create".




Downloading a Lead's vCard

The following steps cover downloading a vCard and saving it as a contact in Microsoft Outlook as an example:

1. Navigate to a Leads record view.
2. Select "Download vCard" from the Actions menu to download the vCard file.



3. Open the downloaded file in your mail or address book application. For this example, double-clicking opens the vCard in Outlook.
4. Make any necessary changes to the information, then click "Save & Close" to save this lead in Outlook.



Working With Sugar Modules


The Leads module uses Sugar's Sidecar user interface. The following sections detail menus, views, and actions common to Sidecar modules and contain links to additional information within the page or links to the User Interface documentation.

Lead Menus

The Leads module contains various options and functionality which are available via menus in the module tab, list view, and record view. The following sections present each menu and its options with links to more information about each option in the User Interface documentation or, for Leads-specific functionality, within this page.

Module Tab Menus

The Leads module tab is typically located on the navigation bar at the top of any Sugar screen. Click the tab to access the Leads list view. You may also click the triangle in the Leads tab to display the Actions, Recently Viewed, and Favorites menus. The Actions menu allows you to perform important actions within the module. The [Recently Viewed menu](#) displays the list of leads you most recently viewed. The [Favorites menu](#) displays the list of leads you most recently marked as favorites.



The module tab's Actions menu allows you to perform the following operations:

Menu Item	Description
Create Lead	Opens the record view layout to create a new lead.
Create Lead From vCard	Imports a vCard file from your computer to create a new lead.
View Leads	Opens the list view layout to search and display leads.
View Lead Reports	Displays existing reports based on the

	Leads module.
Import Leads	Opens the import wizard to create or update leads using external data.


For more information on module tab menus including reasons a module may not be included in the menu, see the [User Interface](#) documentation.

List View Menus

The Leads [list view](#) displays all lead records and allows for searching and filtering to locate specific leads. You can view the basic details of each record within the field columns of the list view or click a lead's name to open the record view. To access a module's list view, simply click the module's tab in the navigation bar at the top of any Sugar page.

List View Mass Actions Menu

The Mass Actions menu to the right of the checkbox option in the list header allows you to perform mass actions on all currently selected records. You can use the checkbox on each record's row to select individual lead records or click the checkbox in the list header to select all records displayed on the current set of list view results.





The options in the Mass Actions menu allows you to perform the following operations:

Menu Item	Description
Email	Email one or more leads at a time.
Mass Update	Mass update one or more leads at a

	time.
Merge	Merge two or more duplicate leads.
Add to Target List	Add one or more leads to a target list.
Delete	Delete one or more leads at a time.
Export	Export one or more leads to a CSV file.
Recalculate Values	Visible only if the module contains fields using Sugar Logic and only to System Administrators or users with Developer-level role access, this option will refresh the selected records' calculated values.

List View Record Actions Menu

The Record Actions menu to the far right of each record's row allows you to perform actions on the individual lead directly from the list view.

Name	Status	Account Name	
Werner Rota	New	Rubble Group I...	 
Melinda Dulmage	Assigned	In	Edit
Maryam Mclauchlin	New	T	Follow
Daryl Leaman	New	C	Delete
Sherrill Pfeil	Assigned	U	Convert

The list view's Record Actions menu allows you to perform the following operations:

Menu Item	Description
Preview (Eye icon)	Preview this lead in the intelligence pane.
Edit	Edit this lead.
Follow	(Available if Activity Streams are enabled) Follow changes to this contact in your activity stream.
Delete	Delete this lead.
Convert	Convert a qualified lead into a contact, account, or opportunity.

Record View Actions Menu

The Leads [record view](#) displays a single lead in full detail including its fields, subpanels of related records, and activity stream. To access a lead's record view, simply click a hyperlinked lead name from anywhere within Sugar. The record view's Actions menu appears on the top right of the page and allows you to perform various operations on the current record.

The screenshot shows the record view for lead 'Maisie Rakestraw' with status 'Unconverted'. The Actions menu is open, displaying the following options: Share, Download PDF, Leads, Email PDF, Leads, Convert, Manage Subscriptions, Download vCard, Find Duplicates, Copy, Historical Summary, View Audit Log, View Personal Info, and Delete. The background shows lead details such as Title 'Mgr Operations', Mobile '(530) 394-0763', Account Name 'South Sea Plumbing Products', and Primary Address '777 West Filmore Ln, San Jose, CA 86087, USA'.

The options in the Actions menu allow you to perform the following operations:

Menu Item	Description
Edit	Edit this lead.
Share	Share a link to this lead via email.
Download PDF	Download lead information as a PDF file.
Email PDF	Email lead information as a PDF attachment.
Convert	Convert a qualified lead into a contact, account, or opportunity.

Manage Subscriptions	Manage this lead's campaign subscriptions.
Download vCard	Download a vCard from Sugar and transfer this lead's information to another application (e.g., Outlook).
Find Duplicates	Locate potential duplicates of this lead.
Copy	Duplicate this lead.
Historical Summary	View a historical summary of activities (e.g., calls, meetings, etc.) related to this lead.
View Audit Log	View a record of changes to this lead.
View Personal Info	Display this record's fields which an admin has designated as personal information.
Delete	Delete this lead.

Common Views and Actions

In the table below, the left column contains links to the User Interface page covering topics that are applicable to all Sidecar modules. The right column has links to sections of the current page that cover topics specific to leads.

General Instructions for Working With Sugar Modules	Leads-Specific Instructions
Use the links below to navigate to the User Interface page which covers topics generic to many Sugar modules.	When Leads-specific help exists for each topic, use the links below to navigate to sections of the current page.
Creating Records	Lead Creation via Web-to-Lead Form Converting Leads Creating Leads via vCard
Viewing Records	
Searching for Records	
List View	List View Mass Actions Menu List View Record Actions Menu
Record View	Record View Actions Menu
Intelligence Pane	
Editing Records	

Deleting Records	
Emailing Records	Emails and Leads Campaigns and Leads
Exporting Records	Downloading a Lead's vCard
Recalculating Calculated Values	
Finding Duplicate Records	
Merging Records	
Viewing Record Historical Summaries	
Viewing Record Audit Logs	
Record PDFs	
Favoriting Records	
Following Records	
Sharing Records	

Last Modified: 2022-03-16 19:09:41

Contacts

Overview

Sugar's Contacts module consists of individual people with whom your organization has an established relationship. Sugar enables you to [convert lead](#) records to contact records according to your organization's qualification process. Contact records are typically related to an account record, and multiple contacts may be associated with a single account. Each contact record may then relate to other Sugar records such as meetings, cases, opportunities, and many others, making the contact record a hub for viewing and continuing your interaction with the individual. This documentation will cover information and actions specific to the Contacts module. For instructions concerning views and actions which are common across most Sugar modules, such as creating, editing, and deleting contacts, please refer to the [Working With Sugar Modules](#) section of this page.

Please note that you will only be able to see contact records as allowed by your team membership, user access type, and assigned roles. For more information on teams and roles, please refer to the [Team Management](#) and [Role Management](#)

documentation in the Administration Guide.

Contact Fields

The Contacts module contains a number of stock fields that come out-of-the-box with Sugar. For information on using and editing various field types, refer to the [User Interface](#) documentation. The below definitions are suggested meanings for the fields, but the fields can be leveraged differently to best meet your organization's needs. Administrators or users with developer-level role access have the ability to alter, add, or remove fields via Admin > Studio. For more information on configuring fields, please refer to the [Studio](#) documentation in the Administration Guide.

Field	Description
Account Name	The account to which the contact belongs.
Alternate Address	The contact's alternate address (e.g., billing or shipping).
Assigned To	The Sugar user assigned to the contact.
Assistant	The name of the contact's assistant within his or her company.
Assistant Phone	The assistant's phone number. If an admin has turned on the Enable Click-to-Call setting in Admin > System Settings , phone number fields are displayed as links that can be opened to dial them using the default computer telephony integration software on the user's computer.
Avatar	An image of the contact (e.g., business card or profile picture). Click on the circle to the left of the name to upload an image. Once an image is uploaded, you can remove the image by clicking on the image and then clicking the trash can icon in the lower right corner.
Birthdate	The contact's date of birth.
Campaign	The campaign, if any, from which the contact originated.
Comment Log	A shared log of messages, comments, or other text, including the name of the

	user that added the log entry and the date and time it was added. It is possible to tag other users and link to other Sugar records in Comment Log entries by inserting a clickable pill; see the User Interface documentation for more details.
D&B Principal ID	Unique ID number associated with the contact in D&B.
Date Created	The date the contact record was created.
Date Modified	The date the contact record was last modified.
Department	The contact's department within his or her company.
Description	A description or other information about the contact.
Do Not Call	Indication that the contact should not be called.
Email Address	The contact's email address.
Facebook Account	The contact's Facebook account information.
Fax	The contact's fax number.
First Name	The contact's first name.
Google Plus ID	The contact's Google Plus ID.
Home	The contact's residence number. If an admin has turned on the Enable Click-to-Call setting in Admin > System Settings , phone number fields are displayed as links that can be opened to dial them using the default computer telephony integration software on the user's computer.
Integration Sync ID	The sync key field used by external integrations to identify Sugar records in the external application. See the Integrate REST API endpoints in the Developer Guide for more details on how to use this field.
Last Name	The contact's last name.

Lead Source	The source from which the contact originated.
Mobile	The contact's mobile number. If an admin has turned on the Enable Click-to-Call setting in Admin > System Settings , phone number fields are displayed as links that can be opened to dial them using the default computer telephony integration software on the user's computer.
Name	When viewing, the contact's full name. Click the circle to the left of the name to upload an image to use as an avatar.
Office Phone	The contact's office number. If an admin has turned on the Enable Click-to-Call setting in Admin > System Settings , phone number fields are displayed as links that can be opened to dial them using the default computer telephony integration software on the user's computer.
Other Phone	The contact's alternate phone number. If an admin has turned on the Enable Click-to-Call setting in Admin > System Settings , phone number fields are displayed as links that can be opened to dial them using the default computer telephony integration software on the user's computer.
Primary Address	The contact's primary address.
Reports To	The contact's manager in his or her company.
Salutation	Standard greeting for the contact (e.g., Mr., Ms., Mrs., etc.).
Sync to mail client	Indication that the contact should be synced to mail client when using the Sugar Plug-in for Outlook, for example. Note: This field must be set on a per-user basis.
Tags	User-created keywords that can be used to identify records in filters, dashlets, and reports.

	Note: For more information on creating and using tags, please refer to the Tags documentation.
Teams	The Sugar team(s) assigned to the contact record.
Title	The contact's title within his or her company.
Twitter Account	The contact's Twitter account information.

Emails and Contacts

Contacts include an email address that can be used to email the contact as a recipient. The methods for doing so are covered in the [Emailing Records](#) section of the User Interface documentation. Contacts may also be recipients of campaigns that allow you to send email messages to a large group of recipients as well as to track the results of that message. Please refer to the [Campaigns and Contacts](#) section of this page for more information. In addition to being a recipient or sender of an email, contacts may be related to emails by being selected in the email's Related To field. These relationships allow the contact to display all relevant email correspondence in the [Emails subpanel](#) and [History dashlet](#) on a contact's record view.

Emails Subpanel

The Emails subpanel in the Contacts module displays emails which are associated with the contact record in a variety of ways:

- **Explicitly related to the contact:** If the contact is selected in the email's Related To field, the email and contact are explicitly related, and the email will appear in the contact's Emails subpanel and History dashlet. Instructions for using this flex relate field are available in the [Emails](#) documentation.
- **Implicitly related to the contact:** If one of the contact's email addresses appears in the email's From, To, or Cc fields, the email and contact are implicitly related, and the email will appear in the contact's Emails subpanel and History dashlet. This implicit relationship is made for emails sent from Sugar as well as any email imported into Sugar via Inbound email contacts or email archiving.

The Emails subpanel allows the following functions to be performed:

- **Email Details:** To view the details of an email, click the subject to open it in detail view.
- **Record Count:** Subpanel headers display the total count of related records (e.g., "5 of 6+") next to the module name. The count captures the number of records currently displayed with an additional, hyperlinked number (e.g., "6+") where there are more records than currently displayed. Click the hyperlinked number to see the total count of related records.
- **Collapse or Expand:** Click anywhere in the subpanel's header to collapse or expand it. Subpanels will remain collapsed or expanded on future visits to the module.
 - **Note:** Administrators can choose to disable collapse stickiness or to collapse all subpanels by default via Admin > System Settings. For more information, please refer to the [System](#) documentation in the Administration Guide.
- **Column Widths:** Place your cursor on the column divider. When the double arrow cursor appears, click and drag the column to the desired size. Please note that the column width will not be preserved when you navigate away from the page.
- **Column Sort:** Click a column header to sort the subpanel's items by that value. Clicking the same header again will reverse the sorting order (e.g., from ascending to descending).
- **Compose a New Email:** Click the Plus button on the upper right of a subpanel to create a new email with, by default, both an implicit and explicit relationship to the contact you are currently viewing. The email will automatically select the contact in the Related To field as well as add the contact's primary email address as a recipient in the To field.
 - **Note:** To send email from Sugar, users must configure their outbound email server via [Emails > Email Settings](#) or, if using the system email account to send email, the system's outbound email server must be configured by an administrator in [Admin > System Email Settings](#).
 - **Note:** Because creating a new related record opens a drawer on top of the current record view, you should use the Cancel button to return to record view. Using the browser's back button will return you to the previous page.
- **More Records:** By default, Sugar displays up to five records in each subpanel, though administrators can alter the number via Admin > System Settings as described in the [System](#) documentation of the Administration Guide. If additional related records exist, click "More {Module Name}..." (e.g., "More Emails...") at the bottom of the subpanel to load the next set of records.

Related ▾ All Filter All Records Search...

Em EMAILS (5 of 6+) +

	From	Subject	Status	Date	
☆	Sally Bronsen	Demo	Archived	2017-07-14 05:45am	👁️ ▾
☆	Administrator	Discuss pricing	Draft	2017-12-29 02:05pm	👁️ ▾
☆	Sally Bronsen	Introduce all players	Archived	2017-10-12 08:00am	👁️ ▾
☆	Administrator	Demo	Draft	2017-12-29 02:05pm	👁️ ▾
☆	Will Westin	Demo	Archived	2017-03-07 01:00pm	👁️ ▾

More emails...

Calls, Meetings, and Contacts

Contacts can be related to calls and meetings in two ways. First, they can be selected in the event's Related To field, indicating that the contact was the topic of the call or meeting. Second, they can be included as invitees to the call or meeting.

Calls and Meetings Subpanels

Each contact's record view includes a Calls subpanel and a Meetings subpanel. These subpanels display all calls and meetings which include the contact as an attendee. If the contact is not an attendee but is selected in the call's or meeting's Related To field, the call or meeting will not appear in the subpanels.

When relating an existing call or meeting to a contact via the subpanels on a contact's record view, the contact will automatically be added as an invitee. When creating a call or meeting from the subpanels, the contact will automatically be added as an attendee and the contact's account will automatically be set in the event's Related To field.

Campaigns and Contacts

Sugar's Campaigns module can be used to send mass emails or a series of newsletter emails to Sugar accounts, contacts, leads, and targets. The results of each campaign are recorded to measure its impact. Contacts are not related directly to campaigns. Rather, each campaign is related to several target list

records, and each target list is related to contacts and other recipients. To send a campaign email to a contact, the contact should belong to a default-type target list related to the campaign. To prevent a contact from receiving emails from a campaign, the contact should belong to the campaign's suppression list-type target list. Once a campaign is sent, the results specific to a particular contact will appear in the Campaign Log Subpanel on the contact's record view as described in the [Campaign Log Subpanel](#) section of this page.

Contacts can be added to target lists via the target list record itself, from the Contacts list view using the Add To Target List option, or from the Contacts record view using the Manage Subscriptions option. Instructions for using the [Add To Target List](#) and [Manage Subscriptions](#) options in the Contacts module are provided in the sections below. For instructions on other available methods of adding to target lists, please refer to the [Target Lists](#) documentation.

Adding to a Target List via Contacts List View

A target list consists of a group of individuals or organizations you wish to be included or excluded from a mass marketing campaign. These targets are typically identified based on a set of predetermined criteria such as being a prospect or existing customer, age group, industry, etc. There are various ways to add contacts to a target list in Sugar including using the Add To Target List option from the Contact list view's Mass Actions Menu. For more information on target lists and other methods of adding contacts, please refer to the [Target Lists](#) documentation.

You can use the [Select All](#) feature in the list view when adding to a target list, which will allow you to easily select the first 1000 records in the result set. If you wish to add more than 1000 records or add a specific group of records to the target list, please use the [filter option](#) in list view search to perform the additions in smaller batches.

Use the following steps to add accounts to a target list via the Contacts list view:

- Navigate to the Contacts list view by clicking the Contacts module tab.
- Use the [List View Search](#) to find the Contact records you wish to add to a target list.
- Select the desired contact records then choose "Add to Target List" from the Mass Actions menu.

<input type="checkbox"/>	Name	Title
	Email	VP Operations
	Mass Update	President
	Merge	IT Developer
	Add To Target List	President
	Delete	President
	Export	President
<input checked="" type="checkbox"/>	Juanita Buse	Director Ope...
<input checked="" type="checkbox"/>	Jennifer Bradbury	Senior Produ...

- Below the search bar, locate and select the desired target list in the dropdown list or click "Create new target list" to add the contacts to a new target list. Click "Update" to add the record(s) to the target list.

Contacts (20 of 21+) Create >

Filter Create Search by first name, last name... ↺ 📄 ⌚

Add To Target List Create new target list Cancel Update

Required ▼

In order to view the contacts that have been added, you can navigate to the Target Lists module. Click the target list's name to open the record view, and you will see the contact records within the Contacts subpanel.

Co CONTACTS (3) + ▼			
	Name	Account Name	Email
☆	Karly Shealey	Insight Marketing Inc	sugar17@example....
☆	Juanita Buse	Union Bank	im.sugar@example....
☆	Jennifer Bradbury	Tracker Com LP	sales34@example.de


Managing Contact Subscriptions

Contacts who receive newsletter-type campaign emails from your Sugar instance are considered subscribers to that newsletter. Users can manage these newsletter subscriptions from the Contacts record view using the Manage Subscriptions

option in the Actions menu. Please note that you can only manage subscriptions for newsletter-type campaigns. A newsletter campaign you have created will have one or more default-type target lists. Contacts are added to these target lists in order to receive your newsletter. The Manage Subscriptions option allows you to add a contact to the default-type or suppression-type target lists of your newsletter campaigns without leaving the Contacts module. For more information on newsletter subscriptions, please refer to the [Campaigns](#) documentation.

Use the following steps to manage contact subscriptions via a contact's record view:

- Navigate to a contact's record view.
- Select "Manage Subscriptions" from the Actions menu.



- To add the contact to a newsletter subscription mailing list, select the newsletter from the Available/Newsletters Unsubscribed To list and drag it to the Newsletters Subscribed To list. This will add the contact to the campaign's default target list.
- To remove the contact from the newsletter subscription mailing list, select the newsletter from the Newsletters Subscribed To list and drag it to the Available/Newsletters Unsubscribed To list. This will add them to the suppression-type unsubscription target list for the newsletter campaign which will prevent the contact from receiving the newsletter. Please note that the contact will not be removed from the campaign's default target list.

Manage Subscriptions



-
- Click "Save" to preserve your changes.


Campaign Log Subpanel

The Campaign Log subpanel contains historical information regarding a contact's interaction with all Sugar campaigns. When a mass marketing campaign is sent to a contact (or manually marked as sent in the case of non-email campaigns), the related campaign activity information will appear within the Campaign Log subpanel on the contact's record view. This information mirrors the "View Status" page available from within each individual campaign and shows activities such as when a campaign was sent, when the recipient viewed the campaign message, when the recipient clicked a tracked link within the campaign, etc. Since this subpanel contains historical campaign interactions for the contact, it cannot be used to associate a contact with a campaign or otherwise manage a campaign or target list. For more information on associating a contact with a campaign, please refer to the [Adding to a Target List via Contacts List View](#) section of this page. For more information on campaigns, please refer to the [Campaigns](#) documentation.

The Campaign Log subpanel allows the following functions to be performed:

- **Campaign Details:** To view the details of a campaign, click its name to open it in detail view.
- **Record Count:** Subpanel headers display the total count of related records (e.g., "5 of 6+") next to the module name. The count captures the number of records currently displayed with an additional, hyperlinked number (e.g., "6+") where there are more records than currently displayed. Click the hyperlinked number to see the total count of related records.
- **Collapse or Expand:** Click anywhere in the subpanel's header to collapse or expand it. Subpanels will remain collapsed or expanded on future visits to the module.
- **Note:** Administrators can choose to disable collapse stickiness or to collapse all subpanels by default via Admin > System Settings. For more information, please refer to the [System](#) documentation in the Administration Guide.
- **Column Widths:** Place your cursor on the column divider. When the double arrow cursor appears, click and drag the column to the desired size. Please note that the column width will not be preserved when you navigate away from the page.
- **Column Sort:** Click a column header to sort the subpanel's items by that value. Clicking the same header again will reverse the sorting order (e.g., from ascending to descending).
- **More Records:** By default, Sugar displays up to five records in each subpanel though administrators can alter the number via Admin > System Settings as described in the [System](#) documentation of the Administration Guide. If additional related records exist, click "More {Module Name}..."

(e.g., "More campaign log...") at the bottom of the subpanel to load the next set of records.



The screenshot shows a table titled "CAMPAIGN LOG" with columns: Campaign, Activity Type, Activity Date, and Related. Two rows of data are visible, both for "Summer 2015 Specials" with "Message Sent/Attempted" activity on "2015-08-05 09:51". A "More campaign log..." link is located at the bottom left of the table area.

Campaign	Activity Type	Activity Date	Related
Summer 2015 Specials	Message Sent/Attempted	2015-08-05 09:51	Summer 2015 Specials
Summer 2015 Specials	Message Sent/Attempted	2015-08-05 09:51	Summer 2015 Specials


Converting Leads to Contacts

Sugar enables you to convert lead records to contact records as you determine that they qualify for your organization's definition of a contact (e.g., after an evaluation/qualification process or upon entering into business with the individual). When the lead is converted, a new contact record is created with a relationship to the original lead record. For more information on converting leads, please refer to the [Leads](#) documentation.

Use the following steps to convert leads into contacts:

- Navigate to a lead's record view.
- Select "Convert" from the Actions menu or click the Unconverted button to initiate the lead conversion process.

Note: Sugar will automatically perform a duplicate check for the modules (e.g., Contacts) on the Convert Lead page.



The screenshot shows the lead record for Jeanette McCormick. The "Unconverted" button is highlighted in red. The "Convert" button in the actions menu is also highlighted in red.

- If there are no duplicate records found for a module (e.g., Contacts), the new record will be automatically marked for creation on the Convert Lead page and associated to the lead. The panel will be collapsed as well, but you can click the header to open the panel and view the record's details.
- If there are duplicate records found for a module (e.g., Contacts), they will display in a list view within the panel. You can select an existing contact, or if none of the suggested duplicates are valid, simply click "Ignore and

create new" to create a new contact record.

Convert Lead: Jeanette McCormick Cancel Save and Convert »

1 Contact: 2 duplicates found Ignore and create new Select Contact ^

Filter Create Search by first name, last name...

Select	Name	Title	Account Name	Email Address	
<input checked="" type="radio"/>	Jeanette McCormick	Sales Manager	Air Safety Inc	j.mccormick@ex	
<input type="radio"/>	Jeanette McCormick	Marketing Manager	XY&Z Funding Inc	jeanette.m@exa	

- Some of the fields (e.g., address, phone) on the displayed record view will be pre-populated with the lead's values. Simply update any necessary fields then click the Create Contact button.

1 New Contact: Back to duplicates Create Contact ^

Salutation First Name Last Name

Select... Jeanette McCormick

Title Mobile

HR Manager (415) 781-2988

Department Do Not Call

Human Resources

- Complete the other module panels (Accounts, Opportunities) accordingly on the Convert Lead page.
- Once all of the necessary information is entered and the appropriate panels are completed, click "Save and Convert".

Once the lead has been converted successfully, the lead's record view will display the converted contact, account, and opportunity information below the record's detail. You can click the Preview icon to the far right of each record's row to view the details of the converted contact and other records.

Le **Maisie Rakestraw** ☆ **Converted** < > Edit >

Title Mgr Operations Mobile (530) 394-0763

+ Website Do Not Call

Account Name South Sea Plumbing Products + Business Cente...

Email Address dev.qa@example.it

+ Tags

Show more...

Contact: [Maisie Rakestraw](#)

Account: [South Sea Plumbing Products](#)

Opportunity: [3 year Service - 41 Units - 369 Renewal](#)


vCards and Contacts

vCards are electronic business cards that are exchanged between applications such as email and web browsers. Contacts may be [created from vCards](#) generated by another application or [saved as vCards](#) for use in other software.

Creating Contacts via vCard

Use the following steps to create a contact in Sugar via vCard:

1. Click the triangle in the Contacts module tab and select "Create Contact From vCard".




2. Choose the vCard file from your computer and click "Create".




Downloading a Contact's vCard

The following steps cover downloading a vCard and saving it as a contact in Microsoft Outlook as an example:

1. Navigate to a Contacts record view.
2. Select "Download vCard" from the Actions menu to download the vCard file.



3. Open the downloaded file in your mail or address book application. For this example, double clicking opens the vCard in Outlook.
4. Make any necessary changes to the information, then click "Save & Close" to save this lead in Outlook.



Working With Sugar Modules


While the Contacts module has some features that only apply to contacts, it also uses the Sidecar user interface that most Sugar modules are based on. The following sections detail menus, views, and actions common to Sidecar modules and contain links to additional information within the page or links to the User Interface documentation.

Contact Menus

The Contacts module contains various options and functionality which are available via menus in the module tab, list view, and record view. The following sections present each menu and its options with links to more information about each option in the User Interface documentation or, for Contacts-specific functionality, within this page.

Module Tab Menus

The Contacts module tab is typically located on the navigation bar at the top of any Sugar screen. Click the tab to access the Contacts list view. You may also click the triangle in the Contacts tab to display the Actions, Recently Viewed, and Favorites menus. The Actions menu allows you to perform important operations within the module. The [Recently Viewed menu](#) displays the list of contacts you most recently viewed. The [Favorites menu](#) displays the list of contacts you most recently marked as favorites.



The module tab's Actions menu allows you to perform the following operations:

Menu Item	Description
Create Contact	Opens the record view layout to create a new contact.
Create Contact From vCard	Imports a vCard file from your computer to create a new contact.
View Contacts	Opens the list view layout to search and display contacts.
View Contact Reports	Displays existing reports based on the Contacts module.
Import Contacts	Opens the import wizard to create or update contacts using external data.


For more information on module tab menus including reasons a module may not be included in the menu, see the [User Interface](#) documentation.

List View Menus

The Contacts [list view](#) displays all contact records and allows for searching and filtering to locate specific contacts. You can view the basic details of each record within the field columns of the list view or click a contact's name to open the record view. To access a module's list view, simply click the module's tab in the navigation bar at the top of any Sugar page.

List View Mass Actions Menu

The Mass Actions menu to the right of the checkbox option in the list header allows you to perform mass actions on all currently selected records. You can use the checkbox on each record's row to select individual contact records or click the checkbox in the list header to select all records displayed on the current set of list view results.





The Mass Actions menu allows you to perform the following operations:

Menu Item	Description
Email	Email one or more contacts at a time.
Mass Update	Mass update one or more contacts at a time.
Merge	Merge two or more duplicate contacts.
Add to Target List	Add one or more contacts to a target list.
Delete	Delete one or more contacts at a time.
Export	Export one or more contacts to a CSV file.
Recalculate Values	Visible only if the module contains fields using Sugar Logic and only to System Administrators or users with Developer-level role access, this option will refresh the selected records' calculated values.

List View Record Actions Menu

The Record Actions menu to the far right of each record's row allows you to perform actions on the individual contact directly from the list view.

Name	Title	Account Name	Email Address		
Johanne Bram...	VP Operations	Insight Marketi...	johanne@exa...	(:)	 
Tierra Palin	President	Tracker Com LP	info		Edit
Sanford Bristol	IT Developer	Hammer Grou...	veg		Follow
Trish Basta	President	Hammer Grou...	pho		Delete

The list view's Record Actions menu allows you to perform the following operations:

Menu Item	Description
Preview (Eye icon)	Preview this contact in the intelligence pane.
Edit	Edit this contact.
Follow	(Available if Activity Streams are enabled) Follow changes to this contact in your activity stream.
Delete	Delete this contact.

Record View Actions Menu

The Contacts [record view](#) displays a single contact in full detail including its fields, subpanels of related records, and activity stream. To access a contact's record view, simply click a hyperlinked contact name from anywhere within Sugar. The record view's Actions menu appears on the top right of the page and allows you to perform various operations on the current record.

The screenshot shows a contact profile for John Smith. The profile includes fields for Title (VP Operations), Department (Operations), Account Name (ABC Company), Tags, Primary Address (123 First St, San Francisco, CA 94015 USA), and Fax. Contact information includes Mobile (415) 788-XXXX, Do Not Call (unchecked), Email Address (john.smith@abc.com), and Office Phone (415) 788-XXXX. An 'Edit' button is highlighted in red, and its dropdown menu is open, listing various actions: Share, Download PDF, Email PDF, Manage Subscriptions, Download vCard, Find Duplicates, Copy, Historical Summary, View Audit Log, View Personal Info, and Delete.

The Actions menu allows you to perform the following operations:

Menu Item	Description
Edit	Edit this contact.
Share	Share a link to this contact via email.
Download PDF	Download contact information as a PDF file.
Email PDF	Email contact information as a PDF attachment.
Manage Subscriptions	Manage this contact's newsletter campaign subscriptions.
Download vCard	Download a vCard from Sugar and transfer this contact's information to another application (e.g., Outlook).
Find Duplicates	Locate potential duplicates of this contact.
Copy	Duplicate this contact to create a new contact.
Historical Summary	View a historical summary of activities (e.g., calls, meetings, etc.) related to this contact.

View Audit Log	View a record of changes to this contact.
View Personal Info	Display this record's fields which an admin has designated as personal information.
Delete	Delete this contact.

Common Views and Actions

In the table below, the left column contains links to the User Interface page covering topics that are applicable to all Sidecar modules. The right column has links to sections of the current page that cover topics specific to contacts.

General Instructions for Working With Sugar Modules	Contacts-Specific Instructions
Use the links below to navigate to the User Interface page which covers topics generic to many Sugar modules.	When Contacts-specific help exists for each topic, use the links below to navigate to sections of the current page.
Creating Records	Converting Leads to Contacts Creating Contacts via vCard
Viewing Records	
Searching for Records	
List View	List View Mass Actions Menu List View Record Actions Menu
Record View	Record View Actions Menu
Intelligence Pane	
Editing Records	
Deleting Records	
Emailing Records	Emails and Contacts Campaigns and Contacts
Exporting Records	Downloading a Contact's vCard
Recalculating Calculated Values	
Finding Duplicate Records	
Merging Records	
Viewing Record Historical Summaries	
Viewing Record Audit Logs	
Record PDFs	

Favoriting Records	
Following Records	
Sharing Records	

Last Modified: 2022-03-16 19:06:02

Accounts

Overview

Sugar's Accounts module consists of companies with whom your organization has a relationship. It is generally seen as the hub for managing and analyzing your business' interactions with each company. Each account record may then relate to other Sugar records such as contacts, meetings, cases, opportunities, and many others as your relationship with the customer matures. This documentation will cover information and actions specific to the Accounts module. For instructions concerning views and actions which are common across most Sugar modules, such as creating, editing, and deleting accounts, please refer to the [Working With Sugar Modules](#) section of this page.

Please note that you will only be able to see account records as allowed by your team membership, user access type, and assigned roles. For more information on teams and roles, please refer to the [Team Management](#) and [Role Management](#) documentation in the Administration Guide.

Account Fields

The Accounts module contains a number of stock fields that come out-of-the-box with Sugar. For information on using and editing various field types, refer to the [User Interface](#) documentation. The definitions below are suggested meanings for the fields, but the fields can be leveraged differently to best meet your organization's needs. Administrators or users with developer-level role access have the ability to alter, add, or remove fields via Admin > Studio. For more information on configuring fields, please refer to the [Studio](#) documentation in the Administration Guide.

Field	Description
Alternate Phone	The account's alternate phone. If an admin has turned on the Enable Click-to-Call setting in Admin > System Settings , phone number fields are displayed as links that can be opened to dial them using the default computer telephony integration software on the user's computer.
Annual Revenue	The company's annual revenue.
Assigned To	The Sugar user assigned to the account.
Billing Address	The account's billing address.
Campaign	The campaign, if any, from which the account originated.
Comment Log	A shared log of messages, comments, or other text, including the name of the user that added the log entry and the date and time it was added. It is possible to tag other users and link to other Sugar records in Comment Log entries by inserting a clickable pill; see the User Interface documentation for more details.
Copy Address From Left	Select the box to copy the account's billing address to the shipping address field.
Date Created	The date the account record was created.
Date Modified	The date the account record was last modified.
Description	A description or other information about the account.
DUNS	The unique 9-digit number associated with the company in D&B.
Email Address	The account's email address.
Employees	The number of employees at the company.
Facebook Account	The account's Facebook account information.
Fax	The account's fax number.

Google Plus ID	The account's Google Plus ID.
Industry	The industry type to which the company belongs.
Integration Sync ID	The sync key field used by external integrations to identify Sugar records in the external application. See the Integrate REST API endpoints in the Developer Guide for more details on how to use this field.
Name	When viewing, the account's name.
Office Phone	The account's office number. If an admin has turned on the Enable Click-to-Call setting in Admin > System Settings , phone number fields are displayed as links that can be opened to dial them using the default computer telephony integration software on the user's computer.
Ownership	Indicate if the company is privately or publicly owned.
Member Of	Designate a parent-child relationship between the account and another account in Sugar.
Rating	The rating for the company compared to other companies in Sugar.
Shipping Address	The account's shipping address.
SIC Code	The Standard Industrial Classification (SIC) code for the account.
Tags	User-created keywords that can be used to identify records in filters, dashlets, and reports. Note: For more information on creating and using tags, please refer to the Tags documentation.
Teams	The Sugar team(s) assigned to the account record.
Ticker Symbol	The stock trading symbol for the company.
Twitter Account	The account's Twitter account information.
Type	The account type (e.g., customer,

	investor, etc.).
Website	The website URL associated with the account.

Emails and Accounts

Accounts include an email address which can be used to email the account as a recipient. The methods for doing so are covered in the [Emailing Records](#) section of the User Interface documentation. Accounts may also be recipients of campaigns that allow you to send email messages to a large group of recipients as well as to track the results of that message. Please refer to the [Campaigns and Accounts](#) section of this page for more information. In addition to being a recipient or sender of an email, accounts may be related to emails by being selected in the email's Related To field. These relationships allow the account to display all relevant email correspondence in the [Emails subpanel](#) and [History dashlet](#) on an account's record view. An account's Emails subpanel and History dashlet may also display emails belonging to the contacts related to the account.

Emails Subpanel

The Emails subpanel in the Accounts module displays emails which are associated with the account record in a variety of ways:

- **Explicitly related to the account:** If the account is selected in the email's Related To field, the email and account are explicitly related, and the email will appear in the account's Emails subpanel and History dashlet. Instructions for using this flex relate field are available in the [Emails](#) documentation.
- **Implicitly related to the account:** If one of the account's email addresses appears in the email's From, To, or Cc fields, the email and account are implicitly related, and the email will appear in the account's Emails subpanel and History dashlet. This implicit relationship is made for emails sent from Sugar as well as any email imported into Sugar via Inbound email accounts or email archiving.
- **Related to the account's related contacts:** If the email is related, either explicitly or implicitly, to a contact record that belongs to the account, the email will appear in the account's Emails subpanel and History dashlet.
 - **Note:** Administrators can enable or disable an account from displaying related contact emails via Admin > Related Contacts Emails. For more information, please refer to the [Emails](#) documentation in the Administration Guide.

For more information on working with subpanels, please refer to the [User Interface](#) documentation.

Campaigns and Accounts

Sugar's Campaigns module can be used to send mass emails or a series of newsletter emails to Sugar accounts, contacts, leads, and targets. The results of each campaign are recorded to measure its impact. Accounts are not related directly to campaigns. Rather, each campaign is related to several target list records, and each target list is related to accounts and other recipients. To send a campaign email to an account, the account should belong to a default-type target list associated with the campaign. To prevent an account from receiving emails from a campaign, the account should belong to the campaign's suppression list-type target list. Once a campaign is sent, the results specific to a particular account will appear in the Campaign Log Subpanel on the account's record view as described in the [Campaign Log Subpanel](#) section of this page.

Accounts can be added to target lists via the target list record itself or from the Accounts list view as described below. For instructions on other available methods of adding to target lists, please refer to the [Target Lists](#) documentation.

Adding to a Target List via Accounts List View


A target list consists of a group of individuals or organizations you wish to be included in or excluded from a mass marketing campaign. These targets are typically identified based on a set of predetermined criteria such as being a prospect or existing customer, age group, industry, etc. There are various ways to add accounts to a target list in Sugar including using the Add To Target List option from the Account list view's Mass Actions Menu. For more information on target lists and other methods of adding accounts, please refer to the [Target Lists](#) documentation.

You can use the [Select All](#) feature in the list view when adding to a target list, which will allow you to easily select the first 1000 records in the result set. If you wish to add more than 1000 records or add a specific group of records to the target list, please use the [filter option](#) in the list view search to perform the additions in smaller batches.


Use the following steps to add accounts to a target list via the Accounts list view:

- Navigate to the Accounts list view by clicking the Accounts module tab.
- Use the [List View Search](#) to find the Account records you wish to add to a target list.

- Select the desired account records then choose "Add to Target List" from the Mass Actions menu.



- Below the search bar, locate and select the desired target list in the dropdown list or click "Create new target list" to add the accounts to a new target list. Click "Update" to add the record(s) to the target list.



In order to view the accounts that have been added, you can navigate to the Target Lists module. Click the target list's name to open the record view, and you will see the account records within the Accounts subpanel.

Related All Filter All Records Search...				
ACCOUNTS (3)				
	Name	Phone	Email	
☆	Stark Enterprise	(639) 881-8398	dev.qa@example.it	
☆	Income Free Investi...	(243) 265-4805	info96@example.edu	
☆	X-Sell Holdings	(440) 255-3199	support.beans@ex...	

Campaign Log Subpanel

The Campaign Log subpanel contains historical information regarding an account's

interaction with all Sugar campaigns. When a mass marketing campaign is sent to an account (or manually marked as sent in the case of non-email campaigns), the related campaign activity information will appear within the Campaign Log subpanel on the account's record view. This information mirrors the "View Status" page available from within each individual campaign and shows activities such as when a campaign was sent, when the recipient viewed the campaign message, when the recipient clicked a tracked link within the campaign, etc. Since this subpanel contains historical campaign interactions for the account, it cannot be used to associate an account with a campaign or otherwise manage a campaign or target list. For more information on associating an account with a campaign, please refer to the [Adding to a Target List via Accounts List View](#) section of this page. For more information on campaigns, please refer to the [Campaigns](#) documentation.

For more information on working with subpanels, please refer to the [User Interface](#) documentation.

Leads and Accounts

Once a lead has been evaluated and qualified, it can be converted into an account in addition to a contact and opportunity. Please note that Sugar automatically checks for any duplicate records in the system when converting the lead. The Convert Lead page will display any records that are detected as duplicates in a list view within the module panels (e.g., Account). You can either select the existing record or create a new record as necessary. For more information on lead conversion and creating new records, please refer to the [Leads](#) documentation.

Select	Name	City	Billing Country	
<input type="radio"/>	ABC Company	San Francisco	USA	


Creating via Lead Conversion

Sugar enables you to create a new account record during the lead conversion


process. For more information about lead conversion, please refer to the [Leads](#) documentation.

Use the following steps to create an account during lead conversion:

- Navigate to a Leads record view.
- Select "Convert" from the Actions menu or click the Unconverted button to initiate the lead conversion process.



- If there are no duplicate records found for a module (e.g., Contacts) in lead conversion, the new record will be automatically marked for creation on the Convert Lead page and related to the lead. The panel will be collapsed as well, but you can click the header to open the panel and view the record's details.
- If there are duplicate records found for a module (e.g., Accounts), you can either select an existing account or create a new account record if none of the suggested duplicates are valid. Click "Ignore and create new" to create a new account record.



- Some of the fields (e.g., address, phone, etc.) on the displayed record view will be pre-populated with the lead's values. Simply update any necessary fields then click the Create Account button.

Note: You can click "Save and Convert" at the top of the page if you wish to convert the lead at this point. However, if you wish to create or relate an opportunity record to the lead as well, please complete the Opportunity panel on the Convert Lead page before saving and converting.

Convert Lead: Leilani Cassel Cancel Save and Convert

> ✓ **Creating Contact : Leilani Cassel** Reset

▼ 2 **New Account:** Search Create Account

Ac Name

Website Industry

Membe... Type

Once the lead has been converted successfully, the lead's record view will display the converted contact, account, and opportunity information below the record's detail. You can click the Preview icon to the far right of each record's row to view the details of the converted account and other records.

Le Maisie Rakestraw ☆ Converted Edit

Title **Mgr Operations** Mobile **(530) 394-0763**

+ Web... Do Not ...

Accoun... **Stark Enterprise** + Busi...

Email A... **d..**

+ Tags

[Show more...](#)

Contact: [Maisie Rakestraw](#) 👁

Account: [Stark Enterprise](#) 👁

Opportunity: [Stark Ent - 500 units](#) 👁

Working With Sugar Modules

While the Accounts module has some features that only apply to accounts, it also uses the Sidecar user interface that most Sugar modules are based on. The following sections detail menus, views, and actions common to Sidecar modules and contain links to additional information within the page or links to the User


Interface documentation.

Account Menus

The Accounts module contains various options and functionality which are available via menus in the module tab, list view, and record view. The following sections present each menu and its options with links to more information about each option in the User Interface documentation or, for Accounts-specific functionality, within this page.

Module Tab Menus

The Accounts module tab is typically located on the navigation bar at the top of any Sugar screen. Click the tab to access the Accounts list view. You may also click the triangle in the Accounts tab to display the Actions, Recently Viewed, and Favorites menus. The Actions menu allows you to perform important operations within the module. The [Recently Viewed menu](#) displays the list of accounts you most recently viewed. The [Favorites menu](#) displays the list of accounts you most recently marked as favorites.



The module tab's Actions menu allows you to perform the following operations:

Menu Item	Description
Create Account	Opens the record view layout to create a new account.
View Accounts	Opens the list view layout to search and

	display accounts.
View Account Reports	Displays existing reports based on the Accounts module.
Import Accounts	Opens the import wizard to create or update accounts using external data.


For more information on module tab menus including reasons a module may not be included in the menu, see the [User Interface](#) documentation.

List View Menus

The Accounts [list view](#) displays all account records and allows for searching and filtering to locate specific accounts. You can view the basic details of each record within the field columns of the list view or click an account's name to open the record view. To access a module's list view, simply click the module's tab in the navigation bar at the top of any Sugar page.

List View Mass Actions Menu

The Mass Actions menu to the right of the checkbox option in the list header allows you to perform mass actions on all currently selected records. You can use the checkbox on each record's row to select individual account records or click the checkbox in the list header to select all records displayed on the current set of list view results.





The Mass Actions menu allows you to perform the following operations:

Menu Item	Description
Email	Email one or more accounts at a time.
Mass Update	Mass update one or more accounts at a

	time.
Merge	Merge two or more duplicate accounts.
Add to Target List	Add one or more accounts to a target list.
Delete	Delete one or more accounts at a time.
Export	Export one or more accounts to a CSV file.
Recalculate Values	Visible only if the module contains fields using Sugar Logic and only to System Administrators or users with Developer-level role access, this option will refresh the selected records' calculated values.

List View Record Actions Menu

The Record Actions menu to the far right of each record's row allows you to perform actions on the individual account directly from the list view.

Name	City	Billing Country	Phone	
AtoZ Co Ltd	San Francisco	USA	(415) 728-8000	 
XY&Z Funding Inc	Kansas City	USA		Edit
Air Safety Inc	St. Petersburg	USA		Follow
JJ Resources Inc	Cupertino	USA		Delete

The list view's Record Actions menu allows you to perform the following operations:

Menu Item	Description
Preview (Eye icon)	Preview this account in the intelligence pane.
Edit	Edit this account.
Follow	(Available if Activity Streams are enabled) Follow changes to this contact in your activity stream.
Delete	Delete this account.

Record View Actions Menu

The Accounts [record view](#) displays a single account in full detail including its fields, subpanels of related records, and activity stream. To access an account's record view, simply click a hyperlinked account name from anywhere within Sugar. The record view's Actions menu appears on the top right of the page and allows you to perform various operations on the current record.

The screenshot shows the record view for 'Tri-State Medical Corp'. The header includes a green circle with 'Ac', the account name 'Tri-State Medical Corp', and a star icon. On the right, there are navigation arrows and an 'Edit' button with a dropdown arrow. The main content area displays account details in a grid format, including Website, Industry, Type, Assigned to, Office Phone, Tags, Billing Address, Shipping Address, Email Address, and various add buttons like '+ Member of', '+ Business Cente...', '+ Alternate Phone', '+ Fax', '+ Campaign', and '+ Service Level'. A red box highlights the 'Edit' dropdown menu, which contains the following items: Share, Download PDF, Account, Email PDF, Account, Find Duplicates, Copy, Historical Summary, View Audit Log, View Personal Info, and Delete.

The Actions menu allows you to perform the following operations:

Menu Item	Description
Edit	Edit this account.
Share	Share a link to this account via email.
Download PDF	Download account information as a PDF file.
Email PDF	Email account information as a PDF attachment.
Find Duplicates	Locate potential duplicates of this account.
Copy	Duplicate this account to create a new account.
Historical Summary	View a historical summary of activities (e.g., calls, meetings, etc.) related to this account.
View Audit Log	View a record of changes to this

	account.
View Personal Info	Display this record's fields which an admin has designated as personal information.
Delete	Delete this account.

Common Views and Actions

In the table below, the left column contains links to the User Interface page covering topics that are applicable to all Sidecar modules. The right column has links to sections of the current page that cover topics specific to accounts.

General Instructions for Working With Sugar Modules	Accounts-Specific Instructions
Use the links below to navigate to the User Interface page which covers topics generic to many Sugar modules.	When Accounts-specific help exists for each topic, use the links below to navigate to sections of the current page.
Creating Records	Creating via Lead Conversion
Viewing Records	
Searching for Records	
List View	List View Mass Actions Menu List View Record Actions Menu
Record View	Record View Actions Menu
Intelligence Pane	
Editing Records	
Deleting Records	
Emailing Records	Emails and Accounts Campaigns and Accounts
Exporting Records	
Recalculating Calculated Values	
Finding Duplicate Records	
Merging Records	
Viewing Record Historical Summaries	
Viewing Record Audit Logs	
Record PDFs	
Favoriting Records	

Following Records	
Sharing Records	

Last Modified: 2022-01-13 20:37:03

Emails

Overview

Sugar's Emails module stores copies of email messages that have been sent from or archived to Sugar. While Sugar is not primarily an email application, it does allow users to send email using their personal email address, a shared email account, or a system account and to archive copies of messages and attachments sent or received through a third-party email application.

This documentation will cover how to send and archive email messages and how to use the following modules:

- [Emails](#)
- [Email Signatures](#)
- [Email Templates](#)
- [Outgoing Email Accounts](#)

In the Email Signatures, Email Templates, and Outgoing Email Accounts modules, you can view only the records that you have created with the exception of the system email account, which may be visible in the Outgoing Email Accounts list view. In the Emails module, you can search for and view emails that you have archived to Sugar or that have been archived by other users as allowed by your team membership, user access type, and assigned roles. Emails that are in a Draft status can only be seen by the created-by user and administrators. For more information on teams and roles, please refer to the [Team Management](#) and [Role Management](#) documentation in the Administration Guide.

Note: There are three types of [outgoing email accounts](#) in Sugar: system, user, and default user. This document focuses primarily on the user email account and the default user email account. For more information about the system email account and additional details on administering user email accounts, please refer to the [Email](#) documentation in the Administration Guide.

Sending and Receiving Email in Sugar

Sending Email

Emails sent from Sugar are automatically archived in Sugar and related to records that match the email addresses in the message. To send emails through Sugar, users must configure their default user email account via Email Settings, unless the administrator has enabled the "Allow users to use this account for outgoing email" option. Users may add additional [outgoing email accounts](#) (e.g., work email, home email, school email).

If the Administrator chooses to allow users to send email using the system email account by enabling the "Allow users to use this account for outgoing email" option in [Admin > System Email Settings](#) (this is not common), users will not be able to configure their default email account and must instead utilize the system email account or create a new user email account. Users will see the system email account in the Outgoing Email Accounts list view with an asterisk to indicate that it is a system account.

Receiving Email

Because Sugar is not an email application, users cannot receive email directly to Sugar via their user email accounts. Instead, users must archive emails they receive using one or more of the techniques listed in the [Archiving Emails](#) section of this page.

Emails

The Emails module contains email records, which are copies of the emails that have been sent from or archived to Sugar. Users can view, sort, filter, and favorite email records according to their team and role memberships even if the emails have been sent or archived by a different user.

For basic use and navigation of the emails module, please refer to the [Working With Sugar Modules](#) section, which contains links to the User Interface documentation for behaviors that are common among most Sidecar modules. More information is available on email-specific functionality such as sending, replying, archiving, and composing emails in the sections under the [Composing Emails](#) header below.

Email Fields

The Emails module contains the following fields. For information on using and editing various field types, refer to the [User Interface](#) documentation.

Field	Description	Notes
Assigned To	The Sugar user assigned to the email record.	By default, the Assigned To user is the user who creates and sends the message. For messages saved as drafts, the Assigned To user is the only users who will be able to edit and send the draft later.
Attachments	Any attachments included with the email.	For more information, please refer to the Adding Attachments section of this page.
Body	The content of the email message.	There is no label for this field in the application. The body of your message is composed in the TinyMCE text editor window. For more information on how to use the text editor, please refer to the User Interface documentation in the Application Guide. Note: To embed images directly into the email message, you can copy and paste the image source/image data or drag and drop the image into the body of the email.
Date	The date the message was sent, received, or modified, depending on the email's status and direction.	<ul style="list-style-type: none"> • Archived (incoming): The date the email was received • Archived (outgoing): The date the email was sent • Draft: The last

		modified date
Direction	The direction (e.g., Outbound, Inbound, Internal, Unknown) of the email based on the sender and recipient(s) in the email message.	Not visible on record views or as a list view column, the Direction field is available only as an available filter field in the Emails list view. For more information on filtering the Emails list view using the Direction field, refer to the Email's Direction Field . Note: Draft emails will have a direction of "Unknown".
From	The email address that the email was or will be sent from.	This field shows your available outgoing email accounts and determines the From name and From address that the recipient(s) will see. Note: The Emails list view can be filtered using the From field to locate emails from a particular sender.
Inbound Account	The incoming email account that received the email.	Not visible on record views, the Inbound Account field is available only for filtering the Emails list view.
Number of Attachments	An integer representing the number of individual files that are related to the email record as attachments.	Not visible on record views or as a list view column, the Number of Attachments field is available only as an available filter field in the Emails list view.
Recipient Fields	The fields that contain email addresses of the email recipients.	<ul style="list-style-type: none"> • To: The email address(es) that the email was or will be sent to • Cc: The email address(es) that the email was or

		<p>will be copied to</p> <ul style="list-style-type: none"> • Bcc: The email address(es) that the email was or will be blind copied to <p>For more information, please refer to the Working With Recipient Fields section of this page. Note: The Emails list view can be filtered using the To, CC, or Bcc fields to locate emails from certain recipients.</p>
Related To	The module and record that is related to this email.	The email will be listed in a subpanel under its "Related To" record.
Status	<p>The state of the message:</p> <ul style="list-style-type: none"> • Archived: The message has been sent or received. The message may have been sent through the Sugar application or synchronized to Sugar from an external email client such as Microsoft Outlook. • Draft: The message has not yet been sent from Sugar. Email records in a draft state are only visible to the email's assigned user and the administrator. 	Sugar does not differentiate between sent and received emails via the Status field, but users can find messages by direction by filtering the Emails list view using the Direction field.
Subject	The subject line for the email message.	

Tags	User-created keywords that can be used to identify records in filters, dashlets, and reports.	For more information on creating and using tags, please refer to the Tags documentation.
Teams	The Sugar team(s) whose users have access to the email record according to their role permissions.	

Archiving Emails

When a copy of a sent or received email message is stored in Sugar, it is considered an archived email. Users cannot edit an email's content, dates, or recipients once it has been archived. Users with appropriate role permissions can, however, edit the Assigned To, Teams, Related To, and Tags fields for archived emails.

Note: Assignment notifications, password-reset emails, scheduled reports, and workflow emails sent from Sugar will not be stored in Sugar as archived emails.

There are several ways that emails may be archived in Sugar, including:


- Manually creating an archived email via "[Create Archived Email](#)"
- Composing and sending an email from Sugar via the [Emails module](#)
- Sending an email campaign via the [Campaigns](#) module
- Receiving a message to a [Group Inbound Email](#) account in Sugar
- Archiving emails via the [Sugar Email Archiving service](#) (a.k.a. "SNIP")
- Archiving emails via a [connector](#), third-party application, or API (e.g., [Sugar Connect](#))

Note: When an email record is archived to Sugar, the service that imports the email may set the Teams field for the email record. If the team is not set at the time of archive, the email's team will default to "Global". Users with the appropriate permissions may update the Teams field after the email has been archived in Sugar.

Manually Creating Archived Emails

Users who do not have an email account configured in Sugar or who would like to log an email that was not automatically archived can manually create copies of email messages for archival purposes. To create an archived email in Sugar,

navigate to the Emails module and select "Create Archived Email" from the [Emails module tab](#) menu. Alternatively, navigate to the record that you would like to relate to the archived email and select "Create Archived Email" from the record's History dashlet.



The email composer window will open where you can manually copy the contents of an email you have already sent or received outside of Sugar. When creating an archived email, the Send button is hidden. Instead, there is an Archive button, which allows the user to log the message without actually transmitting it.

In addition to completing the standard email [fields](#), indicate the date and time that the email was sent or received in the fields labeled "Date Sent". After copying the contents of the message you want to archive, click the "Archive" button to save the record in Sugar.

Please note that, like other archived emails in Sugar, you cannot edit the message's content, dates, or recipients once it has been archived. Users with appropriate role permissions can, however, edit the Assigned To, Teams, Related To, and Tags fields for archived emails.


Composing Emails

There are several places in Sugar where you may create an email message, but this section focuses on the composition elements of the email message such as recipients, attachments, templates, and signatures. For more information on places you can create emails in Sugar, please refer to the [User Interface](#) documentation.

Working With Recipient Fields

Sugar allows multiple recipients for an email message using the To, Cc, and Bcc fields. To send a message, at least one of the three recipient fields must contain at least one valid recipient. For example, a user may send a message with recipients in only the Bcc field if they want to hide the recipients' email addresses from each other.

To include Cc or Bcc recipients, click the "Cc" or "Bcc" button to expand the recipient field. You can click the buttons again to hide them or simply click another area of the record such as the Body or Subject field.



Compose Email Cancel Save Draft Send

From: Jill Demo <jill.demouser@gmail.com> [smtp.gmail.com] Cc Bcc

To:

Bcc:

Note: When composing email messages via Quick Create, Sugar will automatically hide the recipient form fields and populate the message's "To" and "Related To" fields with the name and email address of the record you are viewing. To edit or override the default recipient, click directly on the hard-coded name above the Subject field and the area will transform into the standard From/To/Cc/Bcc form seen in the image above. For more information, please refer to the [User Interface](#) documentation.

You can type email addresses directly in the recipient fields or look up recipients in the Address Book. For more information, please refer to the [Freehand Address Entry](#) and [Using the Address Book](#) sections of this page. When adding recipients, keep in mind the following tips for working with recipient fields:


- To select a recipient, click the recipient's pill in the recipient field and it will turn blue to indicate that it is in a selected state.



To: Eric Stoltz mail.fakemail@example.com

Cc:

- To select multiple recipients within the same field, hold down the Shift or Command key then click the desired recipient pills.
- To move one or more recipients between the To, Cc, and Bcc fields, select the recipient(s) and drag your selection from one field to the other.



- To remove recipients from the message altogether, click the x inside the recipient's pill or select the recipient(s) and press the Delete key on your keyboard.
- To deselect recipient(s), click the blank space inside the field.

Using the Address Book

You can search across modules using the Address Book in the Emails module, which aggregates the users, contacts, leads, targets, and accounts in Sugar that have at least one valid email address.

To access the address book, click on the address book icon next to the recipient field you are working with.



You can search for and select multiple recipients from the Address Book and filter the Address Book's list view to restrict results to a specific module such as contacts or users.


Address Book Cancel Done

Selected Recipients [Charlsie Hundt](#)

Module **All** Search...

Module	Name	Email	Module	
Accounts	...Sell Holdings	support.beans@exam...	Accounts	
Contacts	Will Westin	will@example.com	Users	
Leads	Waverly Trading House	beans24@example.biz	Accounts	
Targets	Underwater Mining Inc.	beans.section.sugar@e...	Accounts	
Users	Maryam Tubbs	support.hr@example.tw	Contacts	

You can also tap into the Address Book by typing a first name, last name, email address, or account name directly in any of the recipient fields on the email message. Sugar will find potential matches as you type and you can select the correct recipient from the suggestions. Each matching recipient option will display a badge that indicates which module contains the record (e.g., "Le" for Leads).



Freehand Address Entry

In addition to using the address book, you may choose to click inside any of the recipient fields and type one or more email addresses freehand. Email addresses do not need to be stored in Sugar to be used as email recipients. If an email address already exists in the database, then Sugar will find it as you type and you can select it from the suggestions. If the email address is not yet stored in the database, then simply hit the Enter key to commit the new address to the recipient field.

Note: Sugar validates email addresses on-the-fly and warns the user when an invalid email address has been entered.

Adding Attachments

Sugar allows you to send attachments along with your email. Attachments can be files from your local computer or documents from within Sugar. Any user who has permission to view the email record can also access attachments for the message. To include an email attachment, simply click on the Attachment icon in the toolbar:




Note: To embed images directly into the email message, you can copy and paste the image source/image data or drag and drop the image into the body of the email.

The Attachment menu provides two options:

- **Upload From Local:** Opens your system's file navigator so you can find and attach a file that is saved on your computer. Hold the Shift or Ctrl key while selecting files to select and attach multiple files at once.
- **Sugar Document:** Opens the Search and Select screen so you can search for a file in Sugar's Documents module.

Note: File attachments from your computer are stored in the Notes module, so you must have permission to create notes to upload attachments. If you do not have permission to create notes, the Attachment option will be hidden. Similarly, users who do not have role permission to view records in the Documents module will not see the "Sugar Document" attachment option. For more information on configuring roles in Sugar, please refer to the [Role Management](#) documentation in the Administration Guide.


After selecting the documents you want to attach to the message, they will appear under the body field of the email message.



Each attachment will display an approximate file size in parentheses next to the file name. If the file you are attaching exceeds or causes the total size of attachments on the message to exceed the system's maximum upload size, the attachment will fail to upload. For more information on configuring the system's maximum upload size, please refer to the [System](#) documentation in the Administration Guide.

To remove an attachment before sending a message, simply click on the x next to the attachment's name.

When viewing draft and archived emails in list view, a paper clip icon next to a record's subject will indicate that the email contains one or more attachments. You can download an archived email's attachments from the email record's preview or record view by clicking on the file name.



Using a Template

Email templates can save time and reduce errors when composing common email messages. For more information on how to create an email template, please refer to the [Email Templates](#) section of this documentation.

As a best practice, send templates that contain variables to a single recipient only. If the template has any variable fields defined in it (i.e., \$contact_name), Sugar will replace the variables with corresponding values from a related record. If multiple records share the same email address or multiple recipients are on the email, Sugar will pick only one of the record's values to place in the email template to send to all of the email addresses. If no related record is found, Sugar will warn you that the variable fields will be blank before you send the message. For more information on how to send a dynamic variable to many recipients, please refer to the [Campaigns](#) documentation in the Application Guide.

To use an email template, [compose a new email message](#) and click on the Template icon in the toolbar before completing any other fields on the email.



After clicking the Template icon, the Search and Select window will appear where you can find the appropriate template for your message. Select the radio button next to the template to pull all of its content and any attachments into your current

message.

Search and Select Email Templates (2) Cancel >				
Filter	Email Templates ✕ Search by name...			
Select	Name	Created by	Date Modified	Variables
<input checked="" type="radio"/>	New Lead - Follow Up	Sally Bronsen	04-01-2020 09:21 am	<input checked="" type="checkbox"/>
<input type="radio"/>	New Lead - 1st Touch	Sally Bronsen	04-01-2020 09:20 am	<input checked="" type="checkbox"/>

Note: If the body or subject of the email contains any data before a template is selected, the body and subject will be removed and replaced with the template data. Similarly, if the message contains an attachment, the attachment will be removed and replaced with any attachments that the template may contain.


Once an email template has been inserted in the email editor, users are free to edit the subject and email body, add or remove [attachments](#), and insert a [signature](#) on the message.

Using an Email Signature

Email signatures are an easy way to standardize the messages you send with your contact details or other messaging. For more information on how to create an email signature, please refer to the [Email Signatures](#) section of this documentation.


Follow these steps to choose an email signature for a message:

1. First, create a new email or edit a saved draft.
 - If you have created a default signature, it will automatically appear in the body of the message and you can simply type your message above the signature.



- If you have not designated a signature as default or if you would like to select a different signature, continue to step 2.

2. Place your cursor inside the body of the message where you want the signature to appear.
3. Click on the Email Signature icon in the toolbar and select your preferred signature from the dropdown list.




To remove a chosen signature, simply select another signature to replace it. If you decide to use no signature at all after a signature has been added to the composer, you must delete it manually in the composition window.

Note: The Email Signature button is disabled when the cursor is not in the body of the email composer field and when there are no signatures defined for the user.


Saving and Editing Draft Emails

To save a draft of an email that you do not want to send right away, simply start [composing a new email message](#) and click "Save Draft" instead of using the Send button. Any content, recipients, templates, and signatures used in the email are saved with the draft. Only the administrator and the Assigned To user can view and edit emails in a Draft status.



Note: Draft emails cannot be re-assigned to another user, so mass updating the Assigned To field for emails will not re-assign drafts if they are selected.

Users can only access the draft emails that they have created. A user's drafts appear alongside archived emails in the Emails list view and can be isolated in list view using the "My Drafts" filter.




Click on the subject of a draft email to launch the Compose Email screen where


the email's assigned user can continue editing the email and save the email as a draft again or send the email, which will change the email's status to "Archived".

Sending Emails

To send an email to the recipients in an email's To, Cc, and Bcc fields, simply click the Send button.




Sent emails will use the settings configured for the From account to send the email. A copy of the sent email will be saved to Sugar as "Archived" in the Emails module and can be isolated in list view using the "My Sent" filter.



Replying to Emails

Users can access the "Reply" and "Reply All" functions from the record view of emails that have an Archived status. Select "Reply" to reply to only the sender of the selected email or select "Reply All" to reply to the sender and all other recipients of the original email.



When replying to an email, Sugar creates a new email while populating the body,

subject, and recipients of the email and carrying over the Related To, Assigned To, and Teams fields from the original email. The subject line of the email you are replying to carries over to the new email preceded by the letters "Re: ". The body of the email you are replying to is also carried over to the reply message with a line above the contents to separate the original email from the content you are adding to the reply.

Re: Initial discussion

Jill M User
Knowledge Collaborator
SUGARCRM

From: Jill Administrator <jdemo@sugarcrm.com>
Date: 2017-10-10 10:04pm
To: Stefanie Mccluney <the.sales@example.de>
Subject: Initial discussion
Important Meeting to discuss project plan and hash out the details of implementation.

Enter your reply above the divider line in the compose email screen. For more information on how to compose an email, please refer to the [Composing Emails](#) section.

Note: If the original email contained any attachments, they will not copy to the reply email.

Forwarding Emails

Users can access the Forward function from the record view of emails that have an Archived status. Select "Forward" to open a compose window where you can specify one or more recipients.

Em **Review needs** ☆

< > **Reply** ▾

From **Aurelio Galang**

Date 01-03-2020 01:00 pm

To

Reply All

Forward

Edit

Delete

Sarah Smith

Important Meeting to discuss project plan and hash out the details of implementation.

When forwarding an email, Sugar creates a new email while populating the body and subject of the email and carrying over the Related To, Assigned To, and Teams fields from the original email. The subject line of the email you are forwarding carries over to the new email preceded by the letters "FW: ". The body of the email you are forwarding is also carried over to the message with a line above the contents to separate the original email from the content you may optionally add to the message. The recipient fields must be completed by the user before the email can be forwarded. For more information on adding recipients, please refer to the [Working With Recipient Fields](#) section of this page.

From * SugarCRM <do_not_reply@example.com> [smtp.gmail.com] Cc Bcc

An asterisk (*) indicates the system account.

To

FW: Initial discussion

<> **B** *I* U ~~S~~ ☰ ☷ ☹ ☹ ☹ ☹ ☹ ☹ A ▾ A ▾

Font Sizes ▾ Paragraph ▾ Font Family ▾ 📎 ✎ 📄

From: Sarah Smith <sarah@example.com>
Date: 2017-10-26 11:45am
To: Edgar Cozart <phone32@example.tv>
Subject: Initial discussion

Important Meeting to discuss project plan and hash out the details of implementation.

Optionally, enter a message above the divider line in the compose email screen. For more information on how to compose an email, please refer to the [Composing Emails](#) section.


Note: If the original email contained any attachments, they will not copy to the forwarded email.

Relating Emails to Records

Emails in Sugar are implicitly related to records in Sugar that match an email address in the From, To, or Cc fields in the email. This implicit relationship is made for emails sent from Sugar as well as emails archived in Sugar via incoming email accounts or the [Sugar Email Archiving service](#). Implicitly related emails will show in the Emails subpanel and History dashlet of the related record.

While composing an email, users can set an explicit relationship via the Relates To field. This allows the user to relate the email to a Sugar record regardless of whether the record contains an email address related to the email.

In addition to using the Relates To field, you can link additional module records to emails via the related record subpanels on the email's record view.




The screenshot shows the 'Related' subpanels in Sugar CRM. At the top, there are filters for 'All' and 'All Records', and a search bar. Below the filters, there are two subpanels: 'ACCOUNTS (1)' and 'CONTACTS (1)'. The 'CONTACTS (1)' subpanel is expanded, showing a table with columns: Name, Account Name, Email, and a 'Link Existing Record' button. The button is highlighted with a red box. Below the table, there is a row for a contact named 'Aurelio Galang' with email 'beans14@example.com' and phone '(520) 912-'. There are also icons for a star, an eye, and a dropdown arrow.

Understanding Email Address Opt-Outs

Email addresses can be marked as opted out in Sugar to indicate that the owner has not consented to receive marketing campaigns. To mark an email address as opted out, simply click the button with a slashed circle to the right of the email address when editing the record (e.g., contact).

Administrators can configure whether new email addresses added to Sugar records default to opted-in or opted-out by using the "Opt-out new email addresses by default" option via Admin > System Email Settings. For more information regarding this option, refer to the [Email](#) documentation in the Administration guide.

When a recipient clicks the opt-out link in an email-type campaign, Sugar will automatically mark the recipient's email address as "Opted Out" in the corresponding record (e.g., contacts). For more information regarding opt-outs and campaigns, please refer to the [Campaigns](#) documentation as well as the [Understanding Campaign Opt Outs](#) article.



The screenshot shows an 'Email Address' field with the value 'johanne.b@example.com'. To the right of the field, there are several icons: a star, a slashed circle (highlighted with a red box), an information icon, and a minus sign. Above the slashed circle icon, there is a black button with the text 'Opted Out'.

Opted-out email addresses are indicated by a blue circle with a line through it. Opted-out email addresses also display a Link button in record view. Clicking this button will copy a link to your computer's clipboard which you can send to the email address owner to request that they confirm their desire to receive marketing emails from your organization. When the copied link is visited in a web browser, Sugar will automatically set the email address to opted-in.

Email Address

johnnydoe@gmail.com


 john.doe@example.com



Please keep in mind that although email addresses marked as opted out cannot receive campaign emails, users can continue to send them transactional emails in Sugar. The recipient pill will display an opt-out status to indicate that it is an opted-out email address.

From


An asterisk (*) indicates the system account.

To 

Unlinking Emails

When an email is explicitly related to a record, users have the option of unlinking the email record via the Emails subpanel. Please note that the unlink option is not available for email records that are implicitly related via a matching email address or automated email importing. As a result, the unlink option is not available when viewing the Emails subpanel in the following modules: Accounts, Contacts, Leads, Targets, Cases, and Opportunities. For more information on the different ways emails can be related to records in Sugar, please refer to the [Relating Emails to Records](#) section.

To delete the relationship between the record and the related email, simply navigate to the module record (e.g., Quotes) containing the related email and choose "Unlink" from the Actions menu on the far right of the desired record's row in the Emails subpanel. Please keep in mind that performing this action removes the relationship but does not delete the email record itself.

Em EMAILS (2) + ▾					
	From	Subject	Status	Date	
☆	Sally Bronsen	Contract Rates	Archived	04-01-2020 11:46 am	 ▾
☆	Sally Bronsen	Quote	Draft	04-01	Unlink

Email Templates

Email templates are used in Sugar to send simple form letters, automated email responses, or just commonly used emails to save time and prevent typos. They are also useful for ensuring a consistent style and voice for communications transmitted throughout your organization. Email templates can contain text, HTML content, images, and attachments. The content of templates may contain variables for field values like the recipient's name so that you can personalize the email for the recipient.

For information on using an existing template in an email message, please refer to the [Using a Template](#) section of this page.

Note: Sugar's core product includes several places where email templates can be created for different purposes. For more information on alternative types of email templates in Sugar, please refer to the [Understanding Email Templates for Campaigns, Workflows, and SugarBPM](#) article.


Viewing Email Templates

To view the list of available email templates, simply click the [Emails module tab](#) and select "View Email Templates". Please note that you will only be able to see email templates as allowed by your team membership, user access type, and assigned roles. For more information on teams and roles, please refer to the [Team Management](#) and [Role Management](#) documentation in the Administration Guide. By default, the system email templates are assigned to the private team of "Administrator", so they will not be accessible to any regular users.

Note: If you are logged in as an administrator, you can view and configure several out-of-the-box system email templates such as "Forgot Password email", "Call Notifications Emails", "Meeting Notifications Emails", "Assignment Notification Emails", "Scheduled Report Emails", etc.

Creating Email Templates

To create a new email template in Sugar, click the triangle on the Emails module tab and select "Create Email Template" from the module tab menu.



Refer to the [Email Template Fields](#) and [Inserting Template Variables](#) sections to complete the email template. For instructions on using templates in email messages, please refer to the [Using a Template](#) section of this page.

Email Template Fields

The Email Templates module contains the following fields:

Field	Description
Assigned To	The Sugar user assigned to the process email template.
Body	The content of the message including any text, HTML content, images, or variables. Note: Use the TinyMCE functions to add formatting to the content. For more information on using TinyMCE, please refer to the User Interface documentation. To insert content variables, please refer to the Inserting Template Variables section of this page. If images or advanced CSS are required in your email template, it is highly recommended to host the images or CSS file on a publicly available hosting service and link to it in the email template. For more information, please refer to the Using CSS in Email


	Templates article.
Date Created	The date the email template record was created.
Date Modified	The date the email template record or its content was last modified.
Description	A description or other information about the email template.
Name	A unique and descriptive name to help users find the template.
Subject	The subject that recipients will see in their email inbox.
Tags	User-created keywords that can be used to identify records in filters, dashlets, and reports. Note: For more information on creating and using tags, please refer to the Tags documentation.
Teams	The Sugar team(s) that should have access to the email template.
Type	The type of email template. Note: The Type field defaults to "Email" when creating email templates via the Emails module. For more information on how to create an email template for campaigns, please refer to the Campaigns documentation.

Inserting Template Variables


When constructing the subject and body of an email template, Sugar allows you to insert variables that correspond with Sugar fields on related records. The variables will be replaced with the related record's field values when the email is sent from Sugar. For example, you can insert a variable for the recipient's first name on a template that you plan to send to leads or contacts.

Use the following steps to insert a variable for the recipient's first name into an email template:


1. Click to place your cursor on the location in the subject or body where the recipient's first name should appear.




2. In the Insert Variable row, select the module you would like to insert a variable from.



3. Set the second dropdown to the desired field from the modules selected in the first dropdown. For our example, select "First Name".



4. Click "Insert" to insert the generated variable name to your subject or body at your cursor's location.



If there are no images, links, or formatting in your email, then sending it as text only may be a good option. Click the Send Text Only checkbox to remove the HTML formatting options. Alternatively, you can click "Edit Plain Text" at the bottom of the page to have the plain text option send differently than the HTML text.

Editing Email Templates

To edit a template, simply click the [Emails module tab](#) and select "View Email Templates". Click on the name of the template you wish to edit and modify the

content, [fields](#), and [variables](#) as needed. Please note that you will only be able to see and edit email templates as allowed by your team membership, user access type, and assigned roles. For more information on teams and roles, please refer to the [Team Management](#) and [Role Management](#) documentation in the Administration Guide.

Email Signatures

An email signature is a snippet of text positioned below the body of an email message that typically contains the contact information of the sender. Sugar allows users to create multiple signature variations that they can insert during email composition. Optionally, users can mark one email signature as their default signature. Sugar will automatically insert the default signature when a user composes a new email, but the user has the option to delete it or replace it with a non-default signature.

For steps to insert signatures in email messages, please refer to the [Using an Email Signature](#) section of this page.


Note: You must have role access to the Emails module to view and create email signatures. For more information on roles, please refer to the [Role Management](#) documentation in the Administration Guide.

Viewing Email Signatures

To view your saved signatures, navigate to the Emails module and select "View Email Signatures" from the [Emails module tab](#) menu. Please note that you will only be able to see email signatures that you have created.

Creating Email Signatures

To create a new email signature, click the triangle on the Emails module tab and select "Create Email Signature" from the module tab menu.



Give your new signature a descriptive name (e.g., "Sugarcon Promo Signature") and compose your signature in the Signature composition area just as you want it formatted for outgoing messages. Optionally, enable the "Default" checkbox to make this your automatic signature on all new emails. Each user can have one default signature. Marking a signature as your default will uncheck the Default field on any signature you may have previously designated.

A screenshot of the 'Create Email Signature' dialog box. At the top, there is a 'Name' field containing 'My Favorite Signature' and a 'Save' button. Below this is a 'Signature' composition area with a rich text editor toolbar (bold, italic, underline, strikethrough, bulleted list, numbered list, indent, outdent, justify, align left, align right) and dropdown menus for 'Font Sizes', 'Paragraph', and 'Font Family'. The signature text is: 'Nancy Wheeler', 'Director of Sales', and 'Stranger Things, Inc.' (in red). At the bottom left, there is a 'Default' checkbox which is checked. A 'Tags' field is located at the bottom right.

When you are satisfied with the signature you have created, click "Save" to add the signature to the Signatures dropdown on email compose views for your user. Other users cannot access the signatures that you have created.

For more information about the fields available on the email signature record, please refer to the [Email Signature Fields](#) section. For instructions on using signatures in email messages, please refer to the [Using a Signature](#) section of this page.

Email Signature Fields

The Email Signatures module contains the following fields:

Field	Description
Name	A unique and descriptive name to help users find the template.
Default	Designates the user's default email signature. Note: Each user can have one default signature. Marking a signature as your default will uncheck the Default field on any signature you may have previously designated.
Signature	The content of the email signature including any text, HTML content, and images. Note: Use the TinyMCE functions to add formatting to the signature. For more information on using TinyMCE, please refer to the User Interface documentation. If images or advanced CSS are required in your email signature, it is highly recommended to host the images or CSS file on a publicly available hosting service and link to it in the email signature. For more information, please refer to the Using CSS in Email Templates article.
Date Created	The date the email template record was created.
Date Modified	The date the email template record or its content was last modified.
Tags	User-created keywords that can be used to identify records in filters, dashlets, and reports. Note: For more information on creating and using tags, please refer to the Tags documentation.

Editing Email Signatures

To edit a signature, navigate to the Emails module and select "View Email

Signatures" from the [Emails module tab](#) menu. Click on the name of the signature you want to edit and adjust the content as needed. Please note that you can only view and edit the email signatures that you have created. Click "Save" to preserve your changes to the signature.

The edited signature will be available the next time you insert the signature into a new message. Any drafts that were saved with the signature before it was edited will retain the old signature. You can re-select the same signature from the draft's Signatures menu, which will replace the old version with the new one.

Sugar Email Archiving Service

Sometimes referred to as SNIP, the Sugar Email Archiving service allows users to easily archive email to Sugar records simply by sending the email to a special email address. The email archiving service monitors the email address, imports the email into your Sugar instance, and links related records without the use of a plug-in or other syncing process.

Note: Before you can use Sugar Email Archiving, an administrator must enable the service for your instance. For activation instructions, please refer to the [Email](#) documentation in the Administration Guide.

Features and Limitations

Anyone can send emails to the Sugar Email Archiving address, so the capability is not limited to users. Sugar Email Archiving will not import messages that are larger than 10 MB including attachments.

When an email record is archived via the Sugar Email Archiving service, the email's team will default to "Global". Users with the appropriate permissions may update the Teams field after the email has been archived in Sugar.

If the sender's email client is configured to use non-English From, To, and Cc fields, forwarding emails to Email Archiving may not work. Instead, send the email to Email Archiving directly using the Cc and Bcc fields or forward the email as an attachment. For a large volume of non-English emails that need to be archived using Email Archiving, set a rule in your email application to copy the emails to the Sugar Email Archiving address.

Relating Archived Emails to Sugar Records

Sugar will scan incoming emails that are sent to the Email Archiving Service for

the following relatable items:

- **From, To, and Cc fields:** The Sugar Email Archiving service scans the From, To, and Cc fields of the message and relates the email to any records it finds with a matching email address in Sugar. The archived email will appear in the Emails subpanel and History dashlet for any matching records in Sugar. Please note that Email Archiving cannot relate records based on email addresses in the Bcc field due to the field's hidden nature.
- **Message body:** The Sugar Email Archiving service scans the content in the body of the message and relates the email to any records it finds with a matching email address in Sugar. For an email address to be recognized in the body of an email, it must be preceded by "To:" and surrounded by opening and closing carets, for example, "To: <john@example.com>" or "To: John Smith <john@example.com>". The archived email will appear in the Emails subpanel and History dashlet for any matching records in Sugar.
- **Case Macro:** If an archived email's subject line contains a specially-formatted key known as the Case Macro, the message will automatically be associated with the corresponding case in Sugar's Cases module. For more information on using the case macro, please refer to the [Automatically Associating Emails With Cases](#) article.
- **Calendar invites (.ics):** If the email contains a calendar event, Sugar will archive the email as well as create a Meeting record. Any users, contacts, or leads that share an email address with the meeting's attendees will be added as meeting invitees in Sugar.

The Sugar Email Archiving Service will relate emails to records in the following modules:

- **Accounts, Contacts, Leads:** relates emails with a matching email address
- **Cases:** relates emails containing a matching case number via [Case Macro](#)
- **Meetings:** creates meetings from emails with calendar invites; relates matching invitees
- **Opportunities:** relates emails from related contacts if the admin has enabled [Related Contacts Emails](#) for opportunities

Note: Any relationships between archived emails and custom modules must be made manually.

Sugar Email Archiving creates an implicit relationship between the email and matching records via the email addresses on the email. This implicit relationship behaves differently than an explicit relationship. For example, an email implicitly related (i.e., via Sugar Email Archiving by matching email address) to Beth Roberts' contact record would appear in her Emails subpanel just like one that is explicitly related (i.e., manually created relationship via subpanels). However, if Beth's email address is updated in Sugar, the emails created via Sugar Email Archiving will no longer appear in her subpanel since the email addresses no


longer match. You can explicitly relate a contact to an email by navigating to the email's record view and selecting Beth Roberts in the email's Contacts subpanel.

Email Assignment

Like other records in Sugar, an email can only be assigned to one user. The Sugar Email Archiving service assigns emails to a user based on a match between the email address stored in the user's profile settings and an email address listed in the From, To, or CC fields. Sugar looks for users' email addresses in the From field first, then the To field, and then the CC field, and assigns the email record to the first user it finds with a matching email address. For example, if three Sugar users appear on an email, two in the To field and one in the CC field, the first user listed in the To field will be assigned the email record in Sugar.

Outgoing Email Accounts

Sugar users have the ability to [create outgoing email accounts](#) or [edit configured email accounts](#) by navigating to the Emails module and selecting "Email Settings" in the Emails module tab menu. The Outgoing Email Accounts list view displays all the outgoing email accounts to which the user has access in Sugar. Outgoing email accounts can include the default user email account, personal email accounts, as well as shared email accounts.



Note: The Outgoing Email Accounts list view does not support filtering, preview, or mass actions.

When the user first logs in to Sugar, the primary email address on their profile is created as a placeholder outbound account. Please note that you will need to

configure this email account before using it to send emails. If the admin has enabled the "[Allow users to use this account for outgoing email](#)" option in Admin > System Email Settings, you will not be able to configure the default email account and must instead utilize the system email account which will appear in the Outgoing Email Accounts list view with an asterisk to indicate that it is a system account.

When a user chooses to mark an email account as a favorite, that account will be set as the primary "From" address when composing an email in Sugar. If a user has marked multiple email accounts as favorites, they will display in the "From" dropdown in alphabetical order followed by accounts not marked as a favorite.

The three types of outgoing email accounts in Sugar are described below:

- **User Email Accounts:** User email accounts can be created by all users and can consist of the user's personal email accounts (e.g., jane@example.com) as well as any shared email accounts (e.g., support@example.com, sales@example.com). Please note that user email accounts can only be edited by the record owner. In addition, the "[Allow users to configure email accounts](#)" option must be enabled in Admin > System Email Settings for users to create new outgoing email accounts. Reach out to your Sugar administrator if you do not see the Create button in the Outgoing Email Accounts list view.
 - **Personal Email Accounts:** Sugar users can configure one or more personal email accounts (e.g., jane@example.com, jane.smith@mycompany.com) to send email messages through Sugar. Personal email accounts will only be available for the current user since it is assigned to their private team.
 - **Shared Email Accounts:** Shared email accounts can be created by any user and allows groups of users to send outbound email messages using the same email account (e.g., support@example.com). To share outgoing email accounts, the user must assign the email account to the specific team(s) who can use this account to send emails. Once created, the shared email account will appear in the Outgoing Email Accounts list view for all users belonging to at least one of the assigned teams.
- **Default User Email Account:** A default email account is automatically created by Sugar for each user and uses the primary email address stored in the user's profile. To use this account, users need to make sure that the Username and Password fields are configured properly.

Note: The users' default email accounts may be affected by the "[Allow users to use this account for outgoing email](#)" option in Admin > System Email Settings. If the administrator has enabled the option, users will not be able to configure their default email account and must instead utilize the system email account or create a new user email account. The system email account will display in the Outgoing Email Accounts list view with an

asterisk to indicate that it is a system account.

- **System Email Account:** The system's outbound email setting is configured by the administrator via Admin > System Email Settings. By default, administrators will see the system email account in the Outgoing Email Accounts list view. Though uncommon, the administrator may choose to allow users to send email using the system email account by enabling the "[Allow users to use this account for outgoing email](#)" option in Admin > System Email Settings. Once enabled, users will not be able to configure their default email account and must instead utilize the system email account or create a new user email account. In addition, users will see the system email account in the Outgoing Email Accounts list view with an asterisk to indicate that it is a system account.

Once the necessary outgoing email accounts have been configured, users will be able to send email messages through Sugar using one of the available accounts (e.g., jane@example.com, support@example.com). Please note that to send messages through the Sugar application, you must select "Sugar Email Client" from the Email Settings section of your user profile. For more information, please refer to the [Getting Started](#) documentation.


Note: Email messages sent from Sugar will be automatically archived and linked to existing records throughout the application.

Creating Outgoing Email Accounts

Sugar users have the ability to configure personal and shared email accounts by clicking the Create button in the Outgoing Email Accounts list view. You can also click the Copy option to duplicate an existing outgoing email account record if you are creating another email account with similar settings. Once created, you can mark one or more as a favorite that will be used by default when composing an email.

Use the following steps to add a new outgoing user email account:

1. Navigate to the Emails module and select "Email Settings" from the module tab.
2. Click "Create". If you do not see the Create button, talk to your administrator about enabling the system email setting "[Allow users to configure email accounts](#)".



Outgoing Email Accounts (1)						Create >
Name	Email Address	Server	Username	Primary Team		
* Sally Bronsen	sally@example...	smtp.gmail.com		Global		

3. Click on the appropriate Email Provider logo (e.g., Google, Exchange Online) to expose provider-specific fields pre-populated with their most common default settings. For accounts with any other email provider, select "Other".

The screenshot shows a configuration form for an email account. At the top, there is a 'Name' field with a 'Required' label and a 'Cancel' button. Below this is the 'Email Provider' section, which includes a row of icons for Google, Exchange Online, Outlook, Google Basic Authentication, Exchange Basic Authentication, and Other. A red box highlights these icons. Below the icons is an 'Authorize' button. The form is divided into two columns. The left column contains: 'Status' (Not Authorized), 'Server' (smtp.office365.com), 'Use SMTP Authent...' (checked), 'From Email Address' (admin@test.com), and 'Reply-To Email Ad...' (Select Email Address...). The right column contains: 'Authorized Email ...', 'Port' (587), 'Transport Encrypti...' (TLS), 'Reply-To Name', and 'Teams' (West).

Note: For Google Basic Authentication accounts, you may be required to enable less-secure app access within your Google account. For more information, please refer to [Google's help documentation](#).

4. Complete the following fields for your email account. All required fields are marked as such and must be completed prior to saving. If you are not familiar with these terms or their values, please check with your IT department or email provider.
 - **Name:** The name of the outgoing email account that will be used to identify it in list view and will appear as the "From" name on messages sent from Sugar via this account. Defaults to the first and last name in the user's profile.
 - **Email Provider:** Choose your mail provider to populate provider-specific values.
 - **Authorize:** Click this button to authorize the Google/Exchange Online mail account to be the outgoing email account. The Google or Microsoft connector must be [configured](#) via Admin > Connectors before you can authorize and set up the mail account.

Note: For Google mail, a "This app isn't verified" warning may appear after selecting your Gmail account to authorize. You can click the Advanced link then click the "Go to..." link at the bottom of the window to proceed and grant permission for the connection to occur. For more information on this warning, refer to the [Unverified apps](#) article on the Google Cloud Platform Console Help page.
 - **Status:** The status will display "Authorized" once the mail account is authorized.

Note: Only available for Google and Exchange Online tabs.
 - **Authorized Email Address:** The email address of the authorized mail account.

Note: Only available for Google and Exchange Online tabs.
 - **Server:** The web address of the external email server from which

emails will be viewed in Sugar.

- **Port:** The communication port number used for connecting to the email server.
- **Use SMTP Authentication:** Select this box to require server authentication for the account. For "Google" and "Exchange Online", this option is automatically enabled. Most email servers require authentication for security purposes. By default, authentication is required for Google, Exchange, and Outlook providers. If left unchecked, the SMTP server will accept anonymous connections, which is not recommended. The following fields are displayed when "Use SMTP Authentication" is enabled for Outlook, Google Less Secure Apps, Exchange, and Other providers:
 - **Username:** Enter the username for the external account. The username is often the email address.
 - **Password:** The Password field group contains a grayed-out field that cannot be edited and the following two required fields:
 - **New Password:** Enter the account's existing password.
 - **Confirm Password:** Re-type the account's existing password. This value must exactly match the "New Password" value in order to properly authenticate.
- **Transport Encryption:** Select the appropriate option from the dropdown to use Secure Socket Layer (SSL), Transport Layer Security (TLS), or no encryption (None) when connecting to the email server.
- **From Email Address:** The email address used to send messages for this account. Defaults to the primary email address stored in the user's profile.
 - If specifying a different address than the email address associated with the account you are authenticating, the email server being utilized may need to be configured to allow the email account to send email as the entered From Address.
 - For more information on configuring "Send As" permissions with Gmail, refer to [Gmail's Help documentation](#).
 - For Exchange Online, enter only the authorized email address, as it cannot send emails using a different email address unless the organization's Exchange admin has configured the account to allow this.
- **Reply-To Name:** To have replies to your email sent to a name and email address other than the From name and address, populate both the Reply-To Name and Reply-To Email Address.
- **Reply-To Email Address:** To have replies to your email sent to a name and email address other than the From name and address, populate both the Reply-To Name and Reply-To Email Address.

-
- **Teams:** The Sugar team(s) assigned to the outgoing email account. User email accounts are assigned to the user's private team by default. Adding teams to an email account allows the users belonging to the teams to also send from the account. The shared email account will appear in the Outgoing Email Accounts list view for all users belonging to at least one of the assigned teams.
5. Once the necessary information is entered, click "Save" to preserve the changes. Sugar will automatically validate the settings and alert you if there is an error.

Though uncommon, users may be able to use the system's outgoing email server if the administrator allows it. For more information on configuring the system outgoing email server settings and allowing users to use the system account, please refer to the [Email](#) documentation in the Administration Guide.

Editing Outgoing Email Accounts

To edit outgoing user email accounts that you created, navigate to the Emails module and select "Email Settings" from the module tab menu. Then in the Outgoing Email Accounts list view, click the pencil icon to the far right of the record's row you wish to edit. Alternatively, you can also click on the email account's name and then click the Edit button on its record view. Please note that outgoing user email accounts can only be edited by the record owner.


Outgoing Email Accounts (2)						Create
Name	Email Address	Server	Username	Primary Team		
Jane Smith	jsmith@example.com	smtp.gmail.com		Jane		
Support		smtp.gmail.com		West		

Note: If the administrator has exposed the system email account to users, it will be listed in the Outgoing Email Accounts list view with an asterisk and cannot be edited by regular users.

Deleting Outgoing Email Accounts

To delete an outgoing user email account that you created, navigate to the Emails module and select "Email Settings" from the module tab menu. Then in the Outgoing Email Accounts list view, click the Record Actions menu to the far right of the record's row and select "Delete". Alternatively, you can also click on the account's name and then select "Delete" from the Actions menu on its record view.

Please note that outgoing user email accounts can only be deleted by the record owner.



Note: If the administrator has exposed the system email account to users, it will be listed in the Outgoing Email Accounts list view with an asterisk and cannot be deleted. In addition, the default user email account that was created when the user's record was created cannot be deleted.

Email's Direction Field

The Direction field in the Emails module specifies the direction (e.g., Outbound, Inbound, Internal, Unknown) of the email based on the sender (e.g., user, customer) and the recipient(s) in the email message. Please note that this field is not visible on record views or as a list view column, and is available only as an available filter field in the Emails list view. Sugar automatically sets the direction for archived emails and determines the direction using the following criteria:

Direction	Sender	Recipient	Notes
Inbound	The sender is not a user/employee		
Outbound	The sender is a user/employee	At least one recipient is not a user/employee	
Internal	The sender is a user/employee	All recipients are a user/employee	
Unknown	The sender is blank		Draft emails have a direction of "Unknown".

To filter the emails by direction, simply [create a filter](#) using the Direction field then choose the value (e.g., Inbound) you wish to filter the list view by. In the example below, Sugar will return all inbound emails for Calm Sailing Inc. received in the last 30 days.

Emails (2) Compose Email >

Filter ▼ Create Search by subject... Refresh Grid Close

Direction ▼ is any of ▼ Inbound ▼ - +

Related To ▼ Account ▼ Calm Sailing Inc x ▼ - +

Date ▼ last 30 days ▼ - +

Enter new filter name... Reset Cancel Save

<input type="checkbox"/>	From	Subject	Status	Date	Assigned To	Related To	
<input type="checkbox"/>	Akilah Ludlow	Demo	Archived	2019-07-06 02:15	Sarah Smith	Calm Sailing Inc	▼
<input type="checkbox"/>	Isabell Sarkis	Follow-up on proposal	Archived	2019-06-29 02:00	Sarah Smith	Calm Sailing Inc	▼

Working With Sugar Modules


The Emails module uses Sugar's Sidecar user interface. The following sections detail menus, views, and actions common to Sidecar modules and contain links to additional information within the page or links to the User Interface documentation.

Email Menus

The Emails module contains various options and functionality which are available via menus in the module tab, list view, and record view. The following sections present each menu and their options with links to more information about each option in the User Interface documentation or, for emails-specific functionality, within this page.

Emails Module Tab Menu

The Emails module tab is typically located under the More tab on the navigation bar at the top of any Sugar screen. Depending on your settings, you may have to click "Show More" in order to see the Emails module tab. Click the tab to access the Emails list view. You can also click the triangle on the Emails module tab to display the Actions and Recently Viewed menus. The Actions menu allows you to perform important actions within the module. The Recently Viewed menu displays the list of emails you last viewed in the module.



The Actions menu allows you to perform the following operations:

Menu Item	Description
Compose Email	Opens the composition layout to compose and send a new email message or, optionally, save the message as a draft.
Create Archived Email	Opens the composition layout to create a historical record of an email message that was sent or received outside of the Sugar application.
View Emails	Opens the Emails list view to search and display email messages.
Create Email Template	Opens the Email Templates edit view layout to create a new email template.
View Email Templates	Opens the Email Templates list view to search and display email templates.
Create Email Signature	Opens the composition layout to create a new email signature.
View Email Signatures	Opens the Email Signatures list view to search and display email signatures.
Email Settings	Opens the Outgoing Email Accounts list

	view to display, edit, and create email accounts.
--	---


For more information on module tab menus including reasons a module may not be included in the menu, see the [User Interface](#) documentation.

List View Menus

The Emails list view displays all email records and allows for searching and filtering to locate specific emails. You can view the basic details of each record within the columns of the list view or click an email's name to open the record view. To access a module's list view, simply click the module's tab in the navigation bar at the top of any Sugar page.

List View Mass Actions Menu

The Mass Actions menu allows you to perform mass actions on all currently selected records. You can use the checkbox on each record's row to select individual email records or click the checkbox in the list header to select all records displayed on the current set of list view results.




The Mass Actions menu allows you to perform the following operations:

Menu Item	Description
Mass Update	Mass update one or more email records at a time.
Delete	Delete one or more emails at a time.
Export	Export one or more email records to a CSV file.

List View Record Actions Menu

The Record Actions menu to the far right of each record's row allows you to perform actions on the individual email directly from the list view.




The list view's Record Actions menu allows you to perform the following operations:

Menu Item	Description
Preview (Eye icon)	Preview this email in the intelligence pane.
Edit	Edit this email.
Delete	Delete this email.

Record View Actions Menu

The Emails record view displays a single email in full detail including its fields, subpanels of related records, and activity stream. To access an email's record view, simply click a hyperlinked email subject from anywhere within Sugar. The record view's Actions menu appears on the top right of the page and allows you to perform various operations on the current record.



[Justa Montesino](#)

Important Meeting to discuss project plan and hash out the details of implementation.

The Actions menu allows you to perform the following operations:

Menu Item	Description
Reply	Respond to the sender of this email.
Reply All	Respond to the sender and all other recipients of this email.
Edit	Edit this email.
Delete	Delete this email.

Common Views and Actions

The following links open specific sections of the User Interface documentation where you can read about views and actions that are common across most Sidecar modules.

Content Link	Description
Emailing Sugar Records Emailing via Emails Module Emailing via Quick Create	<p>Once an outgoing email account has been properly configured, Sugar allows users to compose email messages in the application and send them to recipients. Emails composed in Sugar utilize rich-text formatting utilizing the TinyMCE text editor.</p> <p>The links to the left will take you to the corresponding section of the User Interface documentation where you can learn about the various ways to send emails to records in Sugar.</p>
Viewing Emails Viewing via List View Viewing via Record View Viewing via Recently Viewed Viewing via Dashlets Viewing via Activity Streams Viewing via Preview Viewing via Reports	<p>The Viewing Records section describes the various methods of viewing archived email records, including via the Emails list view and record view, the Recently Viewed menu in the Emails module tab, list view dashlets showing email information, Activity Stream entries concerning email updates or where a user mentions an email, previewing emails in the right-hand side panel, and reports displaying email data.</p>

<p>Searching for Emails Global Search List View Search Creating a Filter Saving a Filter</p>	<p>The Searching for Records section provides an introduction to the two searching methods for locating emails: global search, which searches across all Sugar modules, and list view search, which searches and filters within the Emails module.</p> <p>Note: The "My Sent" filter on Emails list view shows all emails where the sender is the current user, regardless of which email account was used to send the message. To restrict search results by the Group Inbound account that received them, create a filter using the "Inbound Account" field.</p>
<p>Emails List View Total Record Count Create Button List View Search Checkbox Selection Mass Actions Menu Favorite Designation Column Reordering Column Resizing Column Sorting Column Selection Preview Record Actions Menu More Emails Activity Stream Intelligence Pane</p>	<p>The List View section walks through the many elements of the Emails List View layout which contains a filterable list of all email records in Sugar. While the generic menu options are described in the User Interface sections linked to the left, the options specifically available in the Emails list view are described in the List View Mass Actions Menu and List View Record Actions Menu sections of this page.</p>
<p>Emails Record View Favorite Designation Next or Previous Record Actions Menu Show More Subpanels Related Record Subpanels Filtering Subpanels Reordering Subpanels Activity Stream Intelligence Pane</p>	<p>The Record View section walks through the many elements of the Emails Record View layout which contains detailed information about a single email record. While the generic menu options are described in the User Interface sections linked to the left, the options specifically available in the Emails record view are described in the Record View Actions Menu section of this page.</p>
<p>Editing Emails Editing Inline via Record View Editing via Record View</p>	<p>The Editing Records section describes the various methods of editing existing email records, including inline via the</p>

<p>Editing Inline via Subpanels Editing Inline via List View Mass Editing via List View</p>	<p>Emails record view, in full edit mode on the record view, inline via the Emails subpanel on related module records, inline via the Emails list view, and via the Mass Update option on the list view. Note: Users cannot edit an email's content, dates, or recipients once it has been archived. Users with appropriate role permissions can, however, edit the Assigned To, Teams, Related To, and Tags fields for archived emails.</p>
<p>Deleting Emails Deleting via Record View Deleting via List View Mass Deleting via List View</p>	<p>The Deleting Records section describes the various methods of deleting unwanted emails, including via the Emails record view, an individual record's Actions menu on the Emails list view, and the Mass Actions menu on the list view. Note: Deleting an email will also delete any attachments for the email from the Notes module. To preserve attachments, download and save email attachments either locally or into the Sugar Documents module before deleting an email.</p>
<p>Exporting Emails</p>	<p>The Exporting Records section provides an introduction to the export functionality which allows you to download a list of emails and all their data as a .csv file for use outside of Sugar (e.g., in Microsoft Excel).</p>
<p>Favoriting Emails Favoriting via List View Favoriting via Record View Favoriting via Subpanel</p>	<p>The Favoriting Records section describes the various methods of marking emails as favorites, including via the Emails list view, Emails record view, or any Emails subpanel appearing on the record view of a related module. Favoriting an email allows you to easily access it from list views, dashlets, or the Emails module tab.</p>

Meetings

Overview

Sugar's Meetings module is used to track meetings which can be related to other Sugar records that represent the attendees or topic of discussion. You can schedule upcoming meetings that remind you when the scheduled time approaches or log meetings you have already held to keep a record of the discussion. Meeting records can have multiple attendees, both inside and outside Sugar, and include the ability to send invitations as well as reminder emails. When a meeting is repeated on a regular schedule, you can configure it to recur.

Sugar's Calendar module displays your meetings and allows you to create meetings directly from your calendar. Meetings can also be viewed and created via the Planned Activities dashlet on a contact or other related module record. For example, a contact record's Planned Activities dashlet displays Sugar meeting records that are related to the contact. Creating a meeting from the dashlet creates a relationship between the records automatically.

This documentation will cover using the Meetings module. For general usage instructions concerning views and actions that are common across most Sugar modules such as creating, editing, and deleting records, please refer to the [Working With Sugar Modules](#) section of this page.

Please note that you will only be able to see meeting records as allowed by your team membership, user access type, and assigned roles. For more information on teams and roles, please refer to the [Team Management](#) and [Role Management](#) documentation in the Administration Guide.

Meeting Fields

The Meetings module contains a number of stock fields that come out-of-the-box with Sugar. For information on using and editing various field types, refer to the [User Interface](#) documentation. The following definitions are suggested meanings for the fields, but the fields can be leveraged differently to meet your organization's needs. Users with administrator or developer access can alter, add, or remove fields via Admin > Studio. For more information on configuring fields, please refer to the [Studio](#) documentation in the Administration Guide.

Field	Description

Assigned To	The Sugar user assigned to the meeting. Note: The user in the "Assigned to" field cannot be removed from a meeting's guest list.
Comment Log	A shared log of messages, comments, or other text, including the name of the user that added the log entry and the date and time it was added. It is possible to tag other users and link to other Sugar records in Comment Log entries by inserting a clickable pill; see the User Interface documentation for more details.
Created By	The Sugar user who created the meeting.
Date Created	The date the meeting record was created.
Date Modified	The date the meeting record was last modified.
Display URL	The URL to access the meeting if hosted by an external application (e.g., WebEx, GoToMeeting, etc.). Note: This is a dependent field that appears when a value other than "Sugar" is selected as the meeting type.
Email Reminder Time	Send a reminder email to all meeting guests at a specified duration prior to the meeting's start time.
End Date	The end date and time of the meeting.
Integration Sync ID	The sync key field used by external integrations to identify Sugar records in the external application. See the Integrate REST API endpoints in the Developer Guide for more details on how to use this field.
Internal Notes	Notes about the meeting that are visible only to internal users.
Invitation Body	A description or other information about the meeting that is sent to meeting guests.

Location	The meeting location.
Meeting Password	The password to access the meeting via WebEx, GoToMeeting, etc. Note: This is a dependent field that appears when a value other than "Sugar" is selected as the meeting type.
Meeting Type	The application (e.g., Sugar, WebEx, GoToMeeting, etc.) hosting the meeting. Note: External meeting accounts (e.g., WebEx, GoToMeeting) are added to the Meeting Type field when users connect to their account via the External Accounts tab in their user preferences. For more information on connecting to external applications, please refer to the External Accounts Tab section in the Getting Started documentation.
Modified By Name	The name of the Sugar user who last modified the meeting record.
Popup Reminder Time	Trigger a reminder popup alert to all Sugar user guests at a duration prior to the meeting's start time. Note: Users must be logged into Sugar in an open browser window in order to receive the popup reminder.
Related To	The related module record associated with the meeting.
Repeat Type	For a recurring series of meetings, the timespan unit (e.g., Every x days = "Daily", Every x weeks = "Weekly") to use for the interval of time between recurrences.
Repeat Interval	Shown when Repeat Type does not equal "None", the number of units in the "Repeat Type" field that should pass between recurrences, for example: <ul style="list-style-type: none"> • Every three days: Repeat Type = "Daily"; Repeat Interval = "3" • Every other week: Repeat Type = "Weekly"; Repeat Interval = "2" • Each year: Repeat Type =

	Yearly; Repeat Interval = "1"
Repeat	Shown when Repeat Type does not equal "None"; Select "Until" to set a hard end date to recurrences or "Occurrences" to specify the number of times to repeat the meeting.
Repeat Until	Shown when "Repeat" equals "Until", the date of the last occurrence in the series.
Repeat Occurrences	Shown when "Repeat" equals "Occurrences", the number of meetings in the series.
Repeat on Days of Week	Shown when "Repeat Type" equals "Weekly", the day(s) of the week that the meetings will occur in the recurring series.
Custom Date (monthly)	Shown when "Repeat Type" equals "Monthly", select "Each" to specify a certain day(s) of the month or "On the" to set a variable such as the first Monday of each month.
Custom Date (yearly)	Shown when "Repeat Type" equals "Yearly", select "None" to repeat the meeting on the same day every year or "On the" to set a variable such as the last Friday of each year.
Start Date	The date and time that the meeting or first meeting in the series of recurring meetings is scheduled to begin.
Status	The current status (e.g., Scheduled, Held, Canceled) of the meeting record.
Subject	The subject of the scheduled meeting.
Tags	User-created keywords that can be used to identify records in filters, dashlets, and reports. Note: For more information on creating and using tags, please refer to the Tags documentation.
Teams	The Sugar team(s) assigned to the meeting record.

Meetings Color Codes

When viewing the Meetings list view and the Meetings dashlet, the start date may be highlighted in blue or red. This allows users to quickly view scheduled meetings that are either overdue or start within the next 24 hours. Please note that the start date will not be highlighted for meetings with a status of "Held" or with a start date in the future (beyond 24 hours from the current date and time).

Subject	Related to	Start Date	Status	User
Discuss pricing	Gifted Holdings AG	03-27-2020 03:00 pm	Canceled	Sally Bronsen
Review Needs	South Sea Plumbi...	03-30-2020 04:30 pm	Scheduled	Sally Bronsen
Check-In	Spend Thrift Inc	05-09-2020 02:00 ...	Held	Sarah Smith

The start dates in the Meetings list view are highlighted as follows:

- **Blue:** The meeting has not been held, and the start date occurs within the next 24 hours.
- **Red:** The meeting has not been held, and the start date has passed.

Please note that you can only see meeting records as allowed by your team membership, user access type, and assigned roles. For more information on teams and roles, please refer to the [Team Management](#) and [Role Management](#) documentation in the Administration Guide.

List View Filters

While [universal list view filters](#) are included with Sugar out-of-the-box, the following filters are unique to the Meetings list view:

- **My Meetings as Guest:** All meetings for which you are a guest, either because you are a non-removable guest by virtue of being the assigned-to user or because you have been invited and not declined the invitation. All meeting status types are included in this filter (scheduled, held, canceled).
- **My Meetings as Owner:** All meetings for which you are the assigned-to user. All meeting status types are included in this filter (scheduled, held, canceled).
- **Scheduled Meetings as Guest:** All meetings with a "Scheduled" status for which you are a guest, either because you are a non-removable guest by virtue of being the assigned-to user or because you have been invited and not declined the invitation.
- **Scheduled Meetings as Owner:** All meetings with a "Scheduled" status for which you are the assigned-to user.

Meeting Guests

The following guests are automatically added to a meeting's guest list:


Automatic Guest	To Remove the Guest
The lead or contact in the "Related to" field, if any	This guest can be removed from the guest list at any time. If a lead or contact record is related to a meeting but is not on the guest list, then you will not see the meeting in the person's Meetings subpanel.
The user who created the meeting	This guest can be removed from the guest list after initially saving the meeting. Create and save the meeting, click "Edit", and then click the Remove (-) button next to the created-by user's row in the Guests panel.
The user in the "Assigned to" field for the meeting record	The assigned user cannot be removed from the guest list. If you need to remove the assigned user from the guest list, you must first re-assign the meeting to a different user. Once the meeting record is assigned to a new user, the original user will remain a guest until removed via the Remove (-) button.

Users may add additional guests (e.g., contacts, leads, users) to meetings [via the Guests panel](#) in the meeting's record view.

Adding via the Guests Panel

Use the following steps to add attendees via the Guests panel:


1. Navigate to the Meetings module and create a new record or edit an existing record.
2. Scroll to the Guests panel and click on the Add (+) button located on the far right.



3. To add a guest, type in the name of the lead, contact, or user via the search


bar that appears or select "Search for more..." to search the Contacts list view. To remove a guest, click the Remove (-) button to the right of the guest's row.

Note: The user in the "Assigned to" field on the meeting record cannot be removed from a meeting. To remove the assigned user from the guest list, re-assign the meeting to a different user first.




4. Click "Save" or "Save and Send Invites" if you would like Sugar to send email invitations to the guests.

Note: Confirm that the guests' Sugar records have valid email addresses prior to clicking "Save and Send Invites". If a guest has no email address or their email address is marked as invalid, Sugar cannot email them an invitation to the meeting. A message and icon will alert you when adding the guest and when viewing the meeting's record view.



Once the guest has responded to the email invitation, their acceptance status will appear as a color-coded badge next to their name.



Adding via Create a Guest

Use the following steps to create a new contact and add them as a meeting guest:

1. Navigate to the Meetings module and create a new record or edit an existing record.
2. Scroll to the Guests panel, click on the Add (+) button, and then click on "Search for more..." to expand the Contacts list view.

The screenshot shows a meeting interface with a header for 'Guests' and a time slot grid from 8am to 4pm. A guest card for 'Will Westin' is shown with a green 'Attending' status. Below the guest list is a search bar with the text 'Search for more...' highlighted in a red box.

3. At the top of the list view, click the Create button and fill out the appropriate fields to create a new contact. Once completed, save the new contact record and Sugar will automatically add the contact to the guest list for the meeting.
4. Confirm the remaining fields and guests are configured appropriately and then save the meeting.

Recurring Meetings

Meetings can be saved as recurring events so that users do not have to create individual meeting records for regularly occurring events. Recurrences may occur daily, weekly, monthly, or yearly. When a recurring meeting is saved, Sugar creates a series of individual meeting records so that all recurrences appear in the [Meetings list view](#).

Note: If a user creates a recurring meeting but the start date does not match the specified recurrence day(s) of the week, the start date will reset to the first matching day after the meeting's Date Created.

Creating Recurring Meetings

To schedule a series of recurring meetings, follow the instructions below. As an example, we will schedule a 30-minute meeting that recurs every other Thursday until the end of the 2017 calendar year.

1. Navigate to the Meetings module and create a new record.
2. In the Start Date field, enter the date and time that the first Thursday meeting will occur and set the End Date for the same day but 30 minutes later.

The screenshot shows a meeting record form with the following fields: 'Me' (profile icon), 'Subject' (Check-In), 'Status' (Scheduled), 'Start Date' (05-11-2020 02:00 pm), and 'End Date' (05-11-2020 03:00 pm). The 'Start Date' and 'End Date' fields are highlighted with red boxes.

Note: If a recurring meeting's start date does not match the meeting's recurrence day(s) of the week, the start date will reset to the first matching

day-of-week after the meeting's Date Created.

3. To create a series of meetings, expand the field labeled "Repeat Type" and select an interval from the dropdown list. Our use case requires an interval of weeks (e.g., every two weeks), so we will select "Weekly" and specify our interval number in the next step.

A screenshot of a meeting form. The 'Subject' field contains 'Check-In'. The 'Status' is 'Scheduled'. The 'Start Date' is '05-11-2020' at '02:00 pm' and the 'End Date' is '05-11-2020' at '03:00 pm'. The 'Repeat Type' dropdown is expanded, showing 'W. x' selected. Below it, the 'Repeat Interval' is '1', 'Repeat on Days of Week' is 'Mon', and 'Repeat' is 'Until'. The 'Repeat Until' field is empty with a placeholder 'mm-dd-yyyy'.

4. Upon choosing a Repeat Type value, a new row of fields will appear on the form to gather the series information.

A screenshot of the same meeting form, but with a new row of fields highlighted in red. This row includes 'Repeat Interval' (1), 'Repeat on Days of Week' (Mon), 'Repeat' (Until), and 'Repeat Until' (mm-dd-yyyy).


The fields displayed are dependent upon the values you select as you go. Please refer to the [Meeting Fields](#) section for complete details on the available options. To schedule a meeting that recurs every other Monday until the end of the 2020 calendar year, set the following values:

- **Repeat Interval:** 2
 - **Repeat on Days of Week:** Mon
 - **Repeat:** Until
 - **Repeat Until:** 2020-12-31
5. Confirm that the remaining fields and guests are configured appropriately.
 6. Save the record and confirm that all recurrences appear as separate records in the Meetings module's list view.


Editing All Recurrences via Record View

Recurring activities will display the option to edit all occurrences of the activity in the record's actions menu. This option will affect all of the meeting records in a series, even if some of the meetings have been closed and set to "Held". Use the following steps to edit all recurrences in a series of meetings via the record view:

1. Navigate to the record view of any meeting in the series of recurring meetings.
2. Select "Edit All Recurrences" from the Actions menu.




3. Edit the meeting record as needed.
4. Then click on "Save" or "Save and Send Invites" to apply the changes to all held and unheld meetings in the series.



Deleting All Recurrences via Record View

Recurring activities will display the option to delete all occurrences of the activity in the record's actions menu. This option will affect all of the meeting records in a series, even if some of the meetings have been closed and set to "Held". Use the following steps to delete all recurrences in a series of meetings via the record view:

1. Navigate to the record view of any meeting in the series of recurring meetings.
2. Select "Delete All Recurrences" from the Actions menu.




3. A pop-up message will display asking for confirmation. Click "Confirm" to delete all held and unheld meetings in the series.

Deleting All Recurrences via List View

Recurring activities will display the option to delete all occurrences of the activity in the record's actions menu in the list view. This option will affect all of the meeting records in a series, even if some of the meetings have been closed and set to "Held". Use the following steps to delete all recurrences in a series of meetings

via the list view:

1. Navigate to the Meetings list view by clicking the Meetings module tab.
2. Use the [Module Search](#) to find the meeting in the series of recurring meetings that you wish to delete.
3. Click the Record Actions Menu to the far right of the record's row and select "Delete All Recurrences".



Meetings (20 of 21+)						Create		
Filter ▼ Create Search by subject...						Refresh	Calendar	Refresh
<input type="checkbox"/>	<input type="checkbox"/>	Subject	Status	Start Date	Related to	Settings		
<input type="checkbox"/>	<input type="checkbox"/>	Check-In	Scheduled	07-13-2020 02:...	Spend Thrift Inc	<input type="checkbox"/>		
<input type="checkbox"/>	<input type="checkbox"/>	Check-In	Scheduled	07-06-2020 02:...	Edit			
<input type="checkbox"/>	<input type="checkbox"/>	Check-In	Scheduled	06-29-2020 02:...	Close			
<input type="checkbox"/>	<input type="checkbox"/>	Check-In	Scheduled	06-22-2020 02:...	Delete			
<input type="checkbox"/>	<input type="checkbox"/>	Check-In	Scheduled	06-15-2020 02:...	Delete All Recurrences			

4. A pop-up message will display asking for confirmation. Click "Confirm" to delete all held and unheld meetings in the series.

Meeting Reminders

Sugar can remind guests when a meeting is scheduled to begin soon. Reminders can be sent via email to all of the guests or via pop-up to all user guests prior to the meeting's scheduled start date and time. By default, a user must set reminders when creating or editing the activity, but users can configure default reminders via their [User Preferences](#), which will automatically set a default reminder time for meetings they create in Sugar.

Note: The instance's outbound mail server must be configured via Admin > System Email Settings in order for email reminders to be sent out. For more information on setting up the system email settings, please refer to the [Email](#) documentation in the Administration Guide.

Email Reminders

Email reminders can be set for any meeting record relative to its start date and time. The reminders are emailed to all guests with valid email addresses including non-Sugar users.

To schedule email reminders, select a time interval from the meeting's Email Reminder Time field:

The screenshot shows a meeting titled "Review needs" with a status of "Held". The meeting is scheduled for 10-23-2020 from 01:00 pm to 02:45 pm (1 hour 45 minutes). The meeting is organized by "Sugar" and is associated with the "X-Sell Holdings" account. The description is "Meeting to discuss project plan and hash out the details of implementation".

The "Email Reminder Time" dropdown menu is open, showing the following options:


- None
- 1 minute prior
- 5 minutes prior
- 10 minutes pr...
- 15 minutes pr...
- 30 minutes pr...
- 1 hour prior

The "None" option is currently selected and highlighted with a red border. The "Popup Reminder Time" dropdown menu is also visible, showing "None" as the selected option.

Popup Reminders

Popup reminders can be set for any meeting record relative to its start date and time. Popup reminders appear for Sugar users on the meeting's guest list who are logged into Sugar in an open browser window at the time the reminder pops up.

To schedule popup reminders, select a time interval from the meeting's Popup Reminder Time field:



Closing Meetings

Once a meeting has taken place, a user can close the meeting record, which changes the meeting's status to "Held". The "Close" option only appears for meetings that are considered open, or not "Held". Open meetings are shown in the Planned Activities dashlet on the record view of related records and guests (e.g., Contacts, Leads, etc.). After closing a meeting, Sugar will move it from the Planned Activities dashlet to the History dashlet and the meeting record's status will display "Held" wherever it is viewed.

Closing via Record View

An open meeting's record view allows you to simply close the current meeting record or use "Close and Create New" to close the meeting and create a new meeting with the same details simultaneously. "Close and Create New" is often used when a user wants to log a completed meeting and easily schedule a follow-up meeting with the same people about the same topic.

To close a meeting record via its record view, click on the meeting to open its record view. Expand the record's Actions menu and select "Close" or "Close and Create New".

Depending on your selection, you will experience different results:

- **Close:** Instantly changes the meeting's status to "Held" and displays a Success message.
- **Close and Create New:** Instantly changes the meeting's status to "Held", displays a Success message, and opens a quick-create drawer for a new meeting record with the same values, guests, relationships. and other field values as the held meeting. The only field that is not copied from the original record is the status field, which will revert to "Scheduled" for the new meeting. Simply adjust the dates, times, and other information as needed, and save the new meeting as usual.

Once a meeting is closed, the closing options will no longer appear in the Actions menu.

Closing via List View

Use the following steps to close a meeting record via the list view:

1. Click the Meetings tab to navigate to the Meetings module's list view.
2. Use the [Module Search](#) to find the Meeting record(s) you wish to close.
3. Click the Record Actions Menu to the far right of the record's row and select "Close".

<input type="checkbox"/>	☆	Demo	Scheduled	06-21-2020 09:...	Slender Broad...	Sally		
<input type="checkbox"/>	☆	Follow-up on p...	Scheduled	12-05-2020 12:...	Kaos Tr			Edit
<input type="checkbox"/>	☆	Review needs	Held	03-08-2021 01:...	Coolvie			Close
<input type="checkbox"/>	☆	Follow-up on p...	Held	02-04-2021 11:...	J.K.M. C			Delete


Sugar instantly changes the meeting's status to "Held" and displays a Success message.

Closing via Dashlet

The Planned Activities dashlet is available for home page dashboards and on the record view's intelligence pane for Sidecar modules. From the home page dashboard, the Planned Activities dashlet displays all upcoming calls and meetings assigned to you or your team depending on your chosen filters. When viewing the Planned Activities dashlet from a record's intelligence pane, the calls and meetings shown are only those that are related to the record you are viewing. For example, when viewing the contact record for Joe Smith, the Planned Activities dashlet in the intelligence pane will show only the upcoming calls and meetings with Joe Smith on the guest list. For more information about the Planned Activities dashlet, please refer to the [Intelligence Pane](#) documentation.

Use the following steps to close a meeting record via the Planned Activities dashlet:

1. Navigate to your home page's dashboard or the record view that contains the Planned Activities dashlet showing the meeting you would like to close.
2. If necessary, click the Meetings tab on the Planned Activities dashlet to find the meeting.
3. Click the Held (x) button to the right of the meeting's row in the dashlet.



4. A pop-up message will display asking for confirmation. Click "Confirm" to move the meeting to the record's History dashlet with the status "Held".

Working With Sugar Modules


While the Meetings module has some features that only apply to meetings, it also uses the Sidecar user interface that most Sugar modules are based on. The following sections detail menus, views, and actions common to Sidecar modules and contain links to additional information within the page or links to the User Interface documentation.

Meeting Menus

The Meetings module contains various options and functionality which are available via menus in the module tab, list view, and record view. The following sections present each menu and its options with links to more information about each option in the User Interface documentation or, for Meetings-specific functionality, within this page.

Module Tab Menus

The Meetings module tab is typically found by clicking the "More" icon represented by three vertical dots to the right of the module tabs on the navigation bar. The additional modules will appear on the list, and you can click "Meetings" to access the list view. Once the Meetings tab displays on the navigation bar, you can click the triangle on the tab to display the Actions, Recently Viewed, and Favorites menus. The Actions menu allows you to perform certain actions within the module. The [Recently Viewed menu](#) displays the list of meetings you most recently viewed. The [Favorites menu](#) displays the list of meetings that you most recently marked as favorites.



The Actions menu allows you to perform the following operations:

Menu Item	Description
Schedule Meeting	Opens the record view layout to create a new meeting.
View Meetings	Opens the list view layout to search and display meetings.
Import Meetings	Opens the import wizard to create or update meetings using external data.


For more information on module tab menus including reasons a module may not be included in the menu, see the [User Interface](#) documentation.

List View Menus

The Meetings [list view](#) displays all meeting records and allows for searching and filtering to locate specific meetings. You can see the basic details of each record within the field columns of the list view or click a meeting's name to open the record view. To access a module's list view, simply click the module's tab in the navigation bar at the top of any Sugar page.

List View Mass Actions Menu

The Mass Actions menu to the right of the checkbox option in the list header allows you to perform mass actions on all currently selected records. You can use the checkbox on each record's row to select individual meeting records or click the checkbox in the list header to select all records displayed on the current set of list view results.



The Mass Actions menu allows you to perform the following operations:

Menu Item	Description
Mass Update	Mass update one or more meetings at a time.
Recalculate Values	Visible only if the module contains fields using Sugar Logic and only to System Administrators or users with Developer-level role access, this option will refresh the selected records' calculated values.
Delete	Delete one or more meetings at a time.
Export	Export one or more meetings to a CSV file.

List View Record Actions Menu

The Record Actions menu to the far right of each record's row allows you to perform actions on the individual meeting directly from the list view.


<input type="checkbox"/>	Subject	Related to	Start Date	Status	User	
<input type="checkbox"/>	Check-In	Spend Thrift Inc	05-09-2020 02:...	Held	Sarah Smith	
<input type="checkbox"/>	Review Needs	South Sea Plu...	03-30-2020 04:30 pm	Scheduled	Sally Bronsen	
<input type="checkbox"/>	Discuss pricing	Gifted Holding...	03-27-2020 03:00 pm	Canceled		
<input type="checkbox"/>	Review needs	X-Sell Holdings	10-23-2020 01:...	Held		
<input type="checkbox"/>	Demo	Slender Broad...	06-21-2020 09:...	Scheduled		

The list view's Record Actions menu allows you to perform the following operations:

Menu Item	Description
Preview (Eye icon)	Preview this meeting in the intelligence pane.
Edit	Edit this meeting.
Close	Close this meeting. Note: Shown only for meetings that do not have a status of "Held".
Follow	(Available if Activity Streams are enabled) Follow changes to this meeting in your activity stream.
Delete	Delete this meeting.
Delete All Recurrences	Delete this meeting and all other meeting records in this meeting's series. Note: Shown only for meetings that are one in a recurring series.

Record View Actions Menu

The Meetings [record view](#) displays a single meeting in full detail including its fields, subpanels of related records, and activity stream. To access a meeting's record view, simply click a hyperlinked meeting name from anywhere within Sugar. The record view's Actions menu appears above the record's details and allows you to perform various operations on the current record.



The Actions menu allows you to perform the following operations:

Menu Item	Description
Edit	Edit this meeting.
Edit All Recurrences	Edit this meeting and all other meeting records in this meeting's series. Note: Shown only for meetings that are one in a recurring series.
Share	Share a link to this meeting via email.
Copy	Duplicate this meeting to create a new meeting.
View Audit Log	View a record of changes to this meeting.
Delete	Delete this meeting.
Delete All Recurrences	Delete this meeting and all other meeting records in this meeting's series. Note: Shown only for meetings that are one of a recurring series.
Close and Create New	Close this meeting as "Held" and create a new copy of the meeting. Note: Shown only for meetings that do not have a status of "Held".
Close	Close this meeting as "Held". Note: Shown only for meetings that do not have a status of "Held".

Common Views and Actions

In the table below, the left column contains links to the User Interface page covering topics that are applicable to all Sidecar modules. The right column has links to sections of the current page that cover topics specific to meetings.

General Instructions for Working With Sugar Modules	Meetings-Specific Instructions
Use the links below to navigate to the User Interface page which covers topics generic to many Sugar modules.	When Meetings-specific help exists for each topic, use the links below to navigate to sections of the current page.
Creating Records	Creating Recurring Meetings Meeting Guests Meeting Reminders
Viewing Records	
Searching for Records	
List View	List View Mass Actions Menu List View Record Actions Menu
Record View	Record View Actions Menu
Intelligence Pane	
Editing Records	Editing All Recurrences of a Meeting via Record View
Deleting Records	Deleting All Recurrences of a Meeting via Record View Deleting All Recurrences of a Meeting via List View Closing Meetings
Exporting Records	
Favoriting Records	
Following Records	
Sharing Records	
Viewing Record Audit Logs	The Viewing Record Audit Logs section describes the View Audit Log record view option which displays a history of changes to the meeting's audited fields.

Calls

Overview

Sugar's Calls module is used to log phone calls which can be related to other Sugar records that may represent the attendees or topic for discussion. You can use call records to schedule and remind guests of future calls and to preserve a record of any other calls that you hold. Call records may have multiple guests and can even be scheduled to recur.

Calls logged in Sugar also show on your Sugar calendar, from which you can create calls directly. You can also view and create calls via the Planned Activities dashlet on a contact or other related module record. For example, a contact record's Planned Activities dashlet displays Sugar call records that are related to the contact. Creating a call from the dashlet creates a relationship between the records automatically.

This documentation covers using the Calls module. For general usage instructions concerning views and actions that are common across most Sugar modules such as creating, editing, and deleting records, please refer to the [Working With Sugar Modules](#) section of this page.

Please note that you can only see call records as allowed by your team membership, user access type, and assigned roles. For more information on teams and roles, please refer to the [Team Management](#) and [Role Management](#) documentation in the Administration Guide.

Call Fields

The Calls module contains a number of stock fields that come out of the box with Sugar. For information on using and editing various field types, refer to the [User Interface](#) documentation. The below definitions are suggested meanings for the fields, but the fields can be leveraged differently to meet your organization's needs. Administrators or users with developer-level role access have the ability to alter, add, or remove fields via Admin > Studio. For more information on configuring fields, please refer to the [Studio](#) documentation in the Administration Guide.

Field	Description
Assigned To	The Sugar user assigned to the call. Note: The user in the "Assigned to" field cannot be removed from a call's guest list.
Comment Log	A shared log of messages, comments, or other text, including the name of the user that added the log entry and the date and time it was added. It is possible to tag other users and link to other Sugar records in Comment Log entries by inserting a clickable pill; see the User Interface documentation for more details.
Created By	The Sugar user who created the call.
Date Created	The date the call record was created.
Date Modified	The date the call record was last modified.
Direction	Indication of whether the call is inbound or outbound.
Email Reminder Time	Send a reminder email to all call guests a specified duration before the call's start time.
End Date	The date and time the call is expected to end.
Integration Sync ID	The sync key field used by external integrations to identify Sugar records in the external application. See the Integrate REST API endpoints in the Developer Guide for more details on how to use this field.
Internal Notes	Notes about the meeting that are visible only to internal users.
Invitation Body	A description or other information about the meeting that is sent to meeting guests.
Modified By Name	The name of the user who last modified the call record.
Popup Reminder Time	Trigger a reminder popup alert to all Sugar user guests at a specified duration before the call's start time.

	Note: Users must be logged in to Sugar in an open browser window in order to receive the popup reminder.
Related To	The related module record associated with the call.
Repeat Type	For a recurring series of calls, the timespan unit (e.g., Every x days = "Daily", Every x weeks = "Weekly") to use for the interval of time between recurrences.
Repeat Interval	Shown when Repeat Type does not equal "None", the number of units in the "Repeat Type" field that should pass between recurrences, for example: <ul style="list-style-type: none"> • Every three days: Repeat Type = "Daily"; Repeat Interval = "3" • Every other week: Repeat Type = "Weekly"; Repeat Interval = "2" • Each year: Repeat Type = Yearly; Repeat Interval = "1"
Repeat	Shown when Repeat Type does not equal "None"; Select "Until" to set a hard end date to recurrences or "Occurrences" to specify the number of times to repeat the call.
Repeat Until	Shown when "Repeat" equals "Until", the date of the last occurrence in the series.
Repeat Occurrences	Shown when "Repeat" equals "Occurrences", the number of calls in the series.
Repeat on Days of Week	Shown when "Repeat Type" equals "Weekly", the day(s) of the week that the calls will occur in the recurring series.
Custom Date (monthly)	Shown when "Repeat Type" equals "Monthly", select "Each" to specify a certain day(s) of the month or "On the" to set a variable such as the first Monday of each month.

Custom Date (yearly)	Shown when "Repeat Type" equals "Yearly", select "None" to repeat the call on the same day every year or "On the" to set a variable such as the last Friday of each year.
Start Date	The date and time that the call or first call in the series of recurring calls is scheduled to begin.
Status	This is the current status of the call record. The out-of-the-box values are "Scheduled", "In Progress", "Held", and "Canceled".
Subject	The name or topic used to identify the call.
Tags	User-created keywords that can be used to identify records in filters, dashlets, and reports. Note: For more information on creating and using tags, please refer to the Tags documentation.
Teams	The Sugar team(s) assigned to the call record.

Calls Color Codes

When viewing the Calls list view and the Calls dashlet, the start date may be highlighted in blue or red. This allows users to quickly view scheduled calls that are either overdue or start within the next 24 hours. Please note that the start date will not be highlighted for calls with a status of "Held" or with a start date in the future (beyond 24 hours from the current date and time).

Subject	Related to	Start Date	Status	Direction
Need to call ba...	Sea Region Inc ...	2020-03-04 11:00	Scheduled	Inbound
Discuss Review	Anytime Air Su...	2020-03-27 10:00	Scheduled	Inbound
Bad time, will c...	Nimble Techno...	2020-04-05 02:...	Held	Outbound
Bad time, will c...	Chandler Logis...	2020-04-07 11:...	Canceled	Outbound

The start dates in the Calls list view are highlighted as follows:

- **Blue:** The call has not been held and the start date occurs within the next 24 hours.
- **Red:** The call has not been held and the start date occurred in the past.

Please note that you can only see call records as allowed by your team membership, user access type, and assigned roles. For more information on teams and roles, please refer to the [Team Management](#) and [Role Management](#) documentation in the Administration guide

List View Filters

While [universal list view filters](#) are included with Sugar out-of-the-box, the following filters are unique to the Calls list view:

- **My Calls as Guest:** All calls for which you are a guest, either because you are a non-removable guest by virtue of being the assigned-to user or because you have been invited and not declined the invitation. All call status types are included in this filter (scheduled, held, canceled).
- **My Calls as Owner:** All calls for which you are the assigned-to user. All call status types are included in this filter (scheduled, held, canceled).
- **Scheduled Calls as Guest:** All calls with a "Scheduled" status for which you are a guest, either because you are a non-removable guest by virtue of being the assigned-to user or because you have been invited and not declined the invitation.
- **Scheduled Calls as Owner:** All calls with a "Scheduled" status for which you are the assigned-to user.


Call Guests

The following guests are automatically added to a call's guest list:

Automatic Guest	To Remove the Guest
The lead or contact in the "Related to" field, if any	This guest can be removed from the guest list at any time. If a lead or contact record is related to a call but is not on the guest list, then you will not see the call in the person's Calls subpanel.
The user who created the call	This guest can be removed from the guest list after initially saving the call. Create and save the call, click "Edit", and then click the Remove (-) button

	next to the created-by user's row in the Guests panel.
The user in the "Assigned to" field for the call record	The assigned user cannot be removed from the guest list. If you need to remove the assigned user from the guest list, you must first re-assign the call to a different user. Once the call record is assigned to a new user, the original user will remain a guest until removed via the Remove (-) button.


Users may add additional guests (e.g., contacts, leads, users) to calls [via the Guests panel](#) in the call's record view.



Adding via the Guests Panel


Use the following steps to add attendees via the Guests panel:

1. Navigate to the Calls module and create a new record or edit an existing record.
2. Scroll to the Guests panel and click on the Add (+) button located on the far right.



3. To add a guest, type in the name of the lead, contact, or user via the search bar that appears or select "Search for more..." to search the Contacts list view. To remove a guest, click the Remove (-) button to the right of the guest's row.


Note: The user in the "Assigned to" field on the call record cannot be removed from a call. To remove the assigned user from the guest list, re-assign the call to a different user first.



4. Click "Save" or "Save and Send Invites" if you would like Sugar to send email invitations to the guests.

Note: Confirm that the guests' Sugar records have valid email addresses prior to clicking "Save and Send Invites". If a guest has no email address or their email address is marked as invalid, Sugar cannot email them an invitation to the call. A message and icon will alert you when adding the guest and when viewing the call's record view.


Once the guest has responded to the email invitation, their acceptance status will appear as a color-coded badge next to their name.



Adding via Create a Guest

Use the following steps to create a new contact and add them as a call guest:

1. Navigate to the Calls module and create a new record or edit an existing record.
2. Scroll to the Guests panel, click on the Add (+) button, and then click on "Search for more..." to expand the Contacts list view.



3. At the top of the list view, click the Create button and fill out the appropriate fields to create a new contact. Once completed, save the new contact record and Sugar will automatically add the contact to the guest list for the call.
4. Confirm the remaining fields and guests are configured appropriately and

then save the call.

Recurring Calls

Calls can be saved as recurring events so that users do not have to create individual call records for regularly occurring events. Recurrences may occur daily, weekly, monthly, or yearly. When a recurring call is saved, Sugar creates a series of individual call records so that all recurrences appear in the [Calls List View](#).

Creating Recurring Calls

To schedule a series of recurring calls, follow the instructions below. As an example, we will schedule a 30-minute call that recurs every other Thursday until the end of the 2017 calendar year.

1. Navigate to the Calls module and create a new record.
2. In the Start Date field, enter the date and time that the first Thursday call will occur and set the End Date for the same day but 30 minutes later.

The screenshot shows a form for a call with the subject 'Required'. The 'Start Date' field is set to '03-27-2020' at '12:00 pm'. The 'End Date' field is set to '03-27-2020' at '12:30 pm'. Both date and time fields have calendar and clock icons respectively.

Note: If a recurring call's start date does not match the call's recurrence day(s) of the week, the start date will reset to the first matching day-of-week after the call's Date Created.

3. To create a series of calls, expand the field labeled "Repeat Type" and select an interval from the dropdown list. Our use case requires an interval of weeks (e.g., every two weeks), so we will select "Weekly" and specify our interval number in the next step.

The screenshot shows a form for a call with the subject 'Weekly Safety Check In'. The 'Start Date' is '03-27-2020' at '12:00 pm' and the 'End Date' is '03-27-2020' at '12:30 pm'. The 'Repeat Type' dropdown is set to 'W. x'. Below this, there are fields for 'Repeat Interval' (set to '2'), 'Repeat on Days of Week' (set to 'Fri'), 'Repeat' (set to 'Until'), and 'Repeat Until' (set to 'mm-dd-yyyy').

4. Upon choosing a Repeat Type value, a new row of fields will appear on the form to gather the series information.

The fields displayed are dependent upon the values you select as you go. Please refer to the [Call Fields](#) section for complete details on the available options. To schedule a call that recurs every other Thursday until the end of the 2017 calendar year, set the following values:


- **Repeat Interval:** 2
 - **Repeat on Days of Week:** Thu
 - **Repeat:** Until
 - **Repeat Until:** 2017-12-31
5. Confirm that the remaining fields and guests are configured appropriately.
 6. Save the record and confirm that all recurrences appear as separate records in the Calls module's list view.

Editing All Recurrences via Record View

Recurring activities will display the option to edit all occurrences of the activity in the record's actions menu. This option will affect all of the call records in a series, even if some of the calls have been closed and set to "Held". Use the following steps to edit all recurrences in a series of calls via the record view:

1. Navigate to the record view of any call in the series of recurring calls.
2. Select "Edit All Recurrences" from the Actions menu.

3. Edit the call record as needed.




4. Then click on "Save" or "Save and Send Invites" to apply the changes to all held and unheld calls in the series.

Deleting All Recurrences via Record View

Recurring activities will display the option to delete all occurrences of the activity in the record's actions menu. This option will affect all of the call records in a series, even if some of the calls have been closed and set to "Held". Use the following steps to delete all recurrences in a series of calls via the record view:

1. Navigate to the record view of any call in the series of recurring calls.
2. Select "Delete All Recurrences" from the Actions menu.



3. A pop-up message will display asking for confirmation. Click "Confirm" to delete all held and unheld calls in the series.

Deleting All Recurrences via List View

Recurring activities will display the option to delete all occurrences of the activity in the record's actions menu in the list view. This option will affect all of the call records in a series, even if some of the calls have been closed and set to "Held". Use the following steps to delete all recurrences in a series of calls via the list view:

1. Navigate to the Calls list view by clicking the Calls module tab.
2. Use the [Module Search](#) to find the call in the series of recurring calls that you wish to delete.

3. Click the Record Actions Menu to the far right of the record's row and select "Delete All Recurrences".

The screenshot shows a table of calls with columns: Subject, Status, Start Date, and Related to. A dropdown menu is open for the 'Weekly Check In' record, showing options: Edit, Close, Delete, and Delete All Recurrences. The 'Delete All Recurrences' option is highlighted with a red box.

	Subject	Status	Start Date	Related to	
<input type="checkbox"/>	Discuss review ...	Scheduled	03-18-2020 03:15 am	Sea Region Inc	<input type="checkbox"/> <input type="checkbox"/>
<input type="checkbox"/>	Bad time, will c...	Scheduled	03-27-2020 02:15 pm	Coolview Net Ltd	<input type="checkbox"/> <input type="checkbox"/>
<input type="checkbox"/>	Weekly Check In	Canceled	04-06-2020 01:30 pm		<input type="checkbox"/> <input type="checkbox"/>
<input type="checkbox"/>	Weekly Check In	Scheduled	04-20-2020 01:30 pm		<input type="checkbox"/> <input type="checkbox"/>
<input type="checkbox"/>	Get more infor...	Held	04-24-2020 12:15 pm		<input type="checkbox"/> <input type="checkbox"/>
<input type="checkbox"/>	Weekly Check In	Scheduled	05-04-2020 01:30 pm		<input type="checkbox"/> <input type="checkbox"/>
<input type="checkbox"/>	Left a message	Held	05-10-2020 10:45 am		<input type="checkbox"/> <input type="checkbox"/>

4. A pop-up message will display asking for confirmation. Click "Confirm" to delete all held and unheld calls in the series.

Call Reminders

Sugar can remind guests when a call is scheduled to begin soon. Reminders can be sent via email to all of the guests or via pop-up to all user guests prior to the call's scheduled start date and time. By default, a user must set reminders when creating or editing the activity, but users can configure default reminders via their [User Preferences](#), which will automatically set a default reminder time for calls they create in Sugar.

Note: The instance's outbound mail server must be configured via Admin > Email Settings in order for email reminders to be sent out. For more information on setting up the system email settings, please refer to the [Email](#) documentation in the Administration Guide.

Email Reminders

Email reminders can be set for any call record relative to its start date and time. The reminders are emailed to all guests with valid email addresses including non-Sugar users.

To schedule email reminders, select a time interval from the call's Email Reminder Time field:

Subject: Discuss review process | Status: Scheduled | Cancel | Save

Start Date: 03-18-2020 03:15 to End Date: 03-18-2020 03:45 | Repeat: [v]

Directi...: Outbound | Popup Reminder Time: None | Email Reminder Time: None

Descri...: [Empty text area]

Relate...: Ac... | Sea ... x

Guests:

Guest	11pm	12am	1am	2am	3am	4am	5am	6am
Sally Bronsen	Attending							
Latoria Tubbs	No Reply							

Popup Reminders

Popup reminders can be set for any call record relative to its start date and time. Popup reminders appear for Sugar users on the call's guest list who are logged into Sugar in an open browser window at the time the reminder pops up.

To schedule popup reminders for logged-in Sugar users, select a time interval from the call's Popup Reminder Time field:

Subject: Discuss review process | Status: Scheduled | Cancel | Save

Start Date: 03-18-2020 03:15 to End Date: 03-18-2020 03:45 | Repeat: [v]

Directi...: Outbound | Popup Reminder Time: None | Email Reminder Time: None

Descri...: [Empty text area]

Relate...: Ac... | Sea ... x

Guests:

Guest	11pm	12am	1am	2am	3am	4am	5am	6am	7am
Sally Bronsen	Attending								
Latoria Tubbs	No Reply								


Closing Calls

Once a call has taken place, a user can close the call record, which changes the call's status to "Held". The "Close" option only appears for calls that are considered open, or not "Held". Open calls are shown in the Planned Activities dashlet on the record view of related records and guests (e.g., Contacts, Leads, etc.). After closing a call, Sugar will move it from the Planned Activities dashlet to the History dashlet and the call record's status will display "Held" wherever it is viewed.

Closing via Record View

An open call's record view allows you to simply close the current call record or use "Close and Create New" to close the call and create a new call with the same details simultaneously. "Close and Create New" is often used when a user wants to log a completed call and easily schedule a follow-up call with the same people about the same topic.

To close a call record via its record view, click on the call to open its record view. Expand the record's Actions menu and select "Close" or "Close and Create New".



Depending on your selection, you will experience different results:

- **Close:** Instantly changes the call's status to "Held" and displays a Success message.
- **Close and Create New:** Instantly changes the call's status to "Held", displays a Success message, and opens a quick-create drawer for a new call record with the same values, guests, relationships, and other field values as the held call. The only field that is not copied from the original record is the status field, which will revert to "Scheduled" for the new call. Simply adjust the dates, times, and other information as needed, and save the new call as usual.

Once a call is closed, the closing options will no longer appear in the Actions menu.

Closing via List View

Use the following steps to close a call record via the list view:

1. Click the Calls tab to navigate to the Calls module's list view.
2. Use the [Module Search](#) to find the Call record(s) you wish to close.
3. Click the Record Actions Menu to the far right of the record's row and select "Close".

<input type="checkbox"/>	Subject	Status	Start Date	Related to	⚙️
<input type="checkbox"/> ☆	Discuss review ...	Scheduled	03-18-2020 03:15 am	Sea Region Inc	👁️ ▼
<input type="checkbox"/> ☆	Bad time, will c...	Scheduled	03-27-2020 02:15 pm		Edit
<input type="checkbox"/> ☆	Weekly Check In	Canceled	04-06-2020 01:30 pm		Close
<input type="checkbox"/> ☆	Weekly Check In	Scheduled	04-20-2020 01:30 pm		Delete


Sugar instantly changes the call's status to "Held" and displays a Success message.

Closing via Dashlet

The Planned Activities dashlet is available for home page dashboards and on the record view's intelligence pane for Sidecar modules. From the home page dashboard, the Planned Activities dashlet displays all upcoming calls and meetings assigned to you or your team depending on your chosen filters. When viewing the Planned Activities dashlet from a record's intelligence pane, the calls and meetings shown are only those that are related to the record you are viewing. For example, when viewing the contact record for Joe Smith, the Planned Activities dashlet in the intelligence pane will show only the upcoming calls and meetings with Joe Smith on the guest list. For more information about the Planned Activities dashlet, please refer to the [Intelligence Pane](#) documentation.

Use the following steps to close a call record via the Planned Activities dashlet:

1. Navigate to your home page's dashboard or the record view that contains the Planned Activities dashlet showing the call you would like to close.
2. If necessary, click the Calls tab on the Planned Activities dashlet to find the call.
3. Click the Held (x) button to the right of the call's row in the dashlet.



4. A pop-up message will display asking for confirmation. Click "Confirm" to move the call to the record's History dashlet with the status "Held".

Working With Sugar Modules


While the Calls module has some features that only apply to meetings, it also uses the Sidecar user interface that most Sugar modules are based on. The following sections detail menus, views, and actions common to Sidecar modules and contain links to additional information within the page or links to the User Interface documentation.

Call Menus

The Calls module contains various options and functionality which are available via menus in the module tab, list view, and record view. The following sections present each menu and its options with links to more information about each option in the User Interface documentation or, for Calls-specific functionality, within this page.

Module Tab Menus

The Calls module tab is typically found by clicking the "More" icon represented by three vertical dots to the right of the module tabs on the navigation bar. The additional modules will appear on the list and you can click "Calls" to access the list view. Once the Calls tab is visible in the navigation bar, you can click the triangle on the tab to display the Actions, Recently Viewed, and Favorites menus. The Actions menu allows you to perform important actions within the module. The [Recently Viewed menu](#) displays the list of calls you most recently viewed. The [Favorites menu](#) displays the list of calls you most recently marked as favorites.



The Actions menu allows you to perform the following operations:

Menu Item	Description
Log Call	Opens the record view layout to create a new call.
View Calls	Opens the list view layout to search and display calls.
Import Calls	Opens the import wizard to create or update calls using external data.
Activities Report	Displays existing reports based on the Calls module.

For more information on module tab menus including reasons a module may not be included in the menu, see the [User Interface](#) documentation.


List View Menus

The Calls [list view](#) displays all call records and allows for searching and filtering to locate specific calls. You can view the basic details of each record within the field columns of the list view or click a call's name to open the record view. To access a module's list view, simply click the module's tab in the navigation bar at the top of any Sugar page.

List View Mass Actions Menu

The Mass Actions menu to the right of the checkbox option in the list header allows you to perform mass actions on all currently selected records. You can use

the checkbox on each record's row to select individual call records or click the checkbox in the list header to select all records displayed on the current set of list view results.




The Mass Actions menu allows you to perform the following operations:

Menu Item	Description
Mass Update	Mass update one or more calls at a time.
Recalculate Values	Visible only if the module contains fields using Sugar Logic and only to System Administrators or users with Developer-level role access, this option will refresh the selected records' calculated values.
Delete	Delete one or more calls at a time.
Export	Export one or more calls to a CSV file.

List View Record Actions Menu

The Record Actions menu to the far right of each record's row allows you to perform actions on the individual call directly from the list view.



The list view's Record Actions menu allows you to perform the following operations:

Menu Item	Description
Preview (Eye icon)	Preview this call in the intelligence pane.
Edit	Edit this call.
Close	Close this call. Note: Shown only for calls that do not have a status of "Held"
Follow	(Available if Activity Streams are enabled) Follow changes to this call in your activity stream.
Delete	Delete this call.
Delete All Recurrences	Delete this call and all other call records in this call's series. Note: Shown only for calls that are one in a recurring series

Record View Actions Menu

The Calls [record view](#) displays a single call in full detail including its fields, subpanels of related records, and activity stream. To access a call's record view, simply click a hyperlinked call name from anywhere within Sugar. The record view's Actions menu appears on the top right of the page and allows you to perform various operations on the current record.

The screenshot shows the record view for a call titled "Discuss review process". The call is scheduled for 11-02-2021 from 08:45 am to 09:15 am (30 minutes), repeating weekly on Tuesdays. The call is outbound and associated with the "X-Sell Holdings" account. An "Edit" button is visible in the top right corner, with a dropdown menu open showing the following actions: Edit All Recurrences, Share, Copy, View Audit Log, Delete, Delete All Recurrences, Close and Create New, and Close.

The Actions menu allows you to perform the following operations:

Menu Item	Description
Edit	Edit this call.
Edit All Recurrences	Edit this call and all other call records in this call's series. Note: Shown only for calls that are one in a recurring series
Share	Share a link to this call via email.
Copy	Duplicate this call to create a new call.
View Audit Log	View a record of changes to this call.
Delete	Delete this call.
Delete All Recurrences	Delete this call and all other call records in this call's series. Note: Shown only for calls that are one of a recurring series
Close and Create New	Close this call as "Held" and create a new copy of the call. Note: Shown only for calls that do not have a status of "Held"
Close	Close this call as "Held". Note: Shown only for calls that do not have a status of "Held"

Common Views and Actions

The following links will open specific sections of the User Interface documentation where you can read about views and actions that are common across most Sidecar modules.

Content Link	Description
Creating Calls Basic Call Creation Creating via Quick Create Creating via Subpanels Creating via Duplication Importing Calls	The Creating Records section covers the various methods of creating new call records, including via the Create button in the Calls module, the Quick Create menu on the upper right of every Sugar page, via the Calls subpanel on related module records, duplication of an existing call record, and importing a list

	of calls into Sugar using a .csv spreadsheet.
Viewing Calls Viewing via List View Viewing via Record View Viewing via Recently Viewed Viewing via Dashlets Viewing via Activity Streams Viewing via Preview Viewing via Reports	The Viewing Records section describes the various methods of viewing call records, including via the Calls list view and record view, the Recently Viewed menu in the Calls module tab, list view dashlets showing call information, activity stream entries concerning call updates or where a user mentions a call, previewing calls in the right-hand side panel, and reports displaying call data.
Searching for Calls Global Search List View Search Creating a Filter Saving a Filter	The Searching for Records section provides an introduction to the two searching methods for locating calls: global search, which searches across all Sugar modules, and list view search, which searches and filters within the Calls module.
Calls List View Total Record Count Create Button List View Search Checkbox Selection Mass Actions Menu Favorite Designation Column Reordering Column Resizing Column Sorting Column Selection Preview Record Actions Menu More Calls Activity Stream Dashboards	The List View section walks through the many elements of the Calls List View layout which contains a filterable list of all call records in Sugar. While the generic menu options are described in the User Interface sections linked to the left, the options specifically available in the Calls list view are described in the List View Mass Actions Menu and List View Record Actions Menu sections of this page.
Calls Record View Favorite Designation Following Designation Next or Previous Record Actions Menu Show More Subpanels Related Record Subpanels Filtering Subpanels	The Record View section walks through the many elements of the Calls Record View layout which contains detailed information about a single call record. While the generic menu options are described in the User Interface sections linked to the left, the options specifically available in the Calls record view are described in the Record View Actions

Reordering Subpanels Activity Stream Dashboards	Menu section of this page.
Editing Calls Editing Inline via Record View Editing via Record View Editing Inline via Subpanels Editing Inline via List View Mass Editing via List View	The Editing Records section describes the various methods of editing existing call records, including inline via the Calls record view, in full edit mode on the record view, inline via the Calls subpanel on related module records, inline via the Calls list view, and via the Mass Update option on the list view.
Deleting Calls Deleting via Record View Deleting via List View Mass Deleting via List View	The Deleting Records section describes the various methods of deleting unwanted calls, including via the Calls record view, an individual record's Actions menu on the Calls list view, and the Mass Actions menu on the list view.
Exporting Calls	The Exporting Records section provides an introduction to the export functionality which allows you to download a list of calls and all their data as a .csv file for use outside of Sugar (e.g., in Microsoft Excel).
Favoriting Calls Favoriting via List View Favoriting via Record View Favoriting via Subpanel	The Favoriting Records section describes the various methods of marking calls as favorites, including via the Calls list view, Calls record view, or any Calls subpanel appearing on the record view of a related module. Favoriting a call allows you to easily access it from list views, dashlets, or the Calls module tab.
Following Calls Following via List View Following via Record View	The Following Records section describes the various methods of marking calls as "Following" including via the Calls list view and record view. Following a call causes its activity stream updates to be included on your Home page and Calls list view activity streams so that you can easily keep up with changes and user posts on the record.
Sharing Calls	The Sharing Records section provides instructions for the Share record view option which composes an email with a

	link to the call record. If the recipient is logged into Sugar, clicking the link will bring them directly to the call's record view.
Viewing Call Audit Logs	The Viewing Record Audit Logs section describes the View Audit Log record view option which displays a history of changes to the call's audited fields.

Last Modified: 2021-12-21 01:07:23

Tasks

Overview

Sugar's Tasks module is used to track to-do or action items which can be related to various Sugar records to which the task is relevant. Tasks with due dates will display a [color coding](#) on list views and dashlets to help alert users when a task is overdue or will be due soon. You can view tasks in [specialized dashlets](#) on related records as well as in your [calendar](#) to help you plan your workday and complete important action items on time. As tasks are completed, they can be [closed](#) via various convenient methods throughout Sugar. This documentation will cover information and actions specific to the Tasks module. For instructions concerning views and actions which are common across most Sugar modules, such as creating, editing, and deleting calls, please refer to the [Working With Sugar Modules](#) section of this page.

Please note that you will only be able to see task records as allowed by your team membership, user access type, and assigned roles. For more information on teams and roles, please refer to the [Team Management](#) and [Role Management](#) documentation in the Administration Guide.

Task Fields

The Tasks module contains a number of stock fields that come out-of-the-box with Sugar. For information on using and editing various field types, refer to the [User Interface](#) documentation. The below definitions are suggested meanings for the

fields, but the fields can be leveraged differently to best meet your organization's needs. Administrators or users with developer-level role access have the ability to alter, add, or remove fields via Admin > Studio. For more information on configuring fields, please refer to the [Studio](#) documentation in the Administration Guide.

Field	Description
Assigned To	The Sugar user assigned to the task.
Comment Log	A shared log of messages, comments, or other text, including the name of the user that added the log entry and the date and time it was added. It is possible to tag other users and link to other Sugar records in Comment Log entries by inserting a clickable pill; see the User Interface documentation for more details.
Contact Name	The contact record the task is related to. Note: The task will appear in either the contact's Active Tasks dashlet or Inactive Tasks dashlet in the intelligence pane.
Date Created	The date the task record was created.
Date Modified	The date the task record was last modified.
Description	A description or other information about the task.
Due Date	The date and time the task is due to be completed. Note: The task will appear on the assigned user's Calendar per the date and time of the task.
Integration Sync ID	The sync key field used by external integrations to identify Sugar records in the external application. See the Integrate REST API endpoints in the Developer Guide for more details on how to use this field.
Priority	The priority or importance of the task (e.g., High, Medium, Low).

Related to	The module and record that is related to this task. Note: The task will appear in either the Active Tasks dashlet or Inactive Tasks dashlet of the selected module record's intelligence pane or the Activities subpanel or History subpanel (BWC modules only).
Start Date	The date and time the task is started.
Status	The current status of the task (e.g., Not Started, In Progress, Completed, etc.). Note: Closing a task will automatically set the status to "Completed".
Subject	The subject or a brief summary of the task.
Tags	User-created keywords that can be used to identify records in filters, dashlets, and reports. Note: For more information on creating and using tags, please refer to the Tags documentation.
Teams	The Sugar team(s) assigned to the task record.

Task Due Date Colors

When viewing the Tasks list view or Tasks dashlet, the due date will be highlighted in one of two colors: blue or red. This allows users to quickly recognize scheduled tasks that are either overdue or due within the next 24 hours.

Task due dates are highlighted in list view and dashlets as follows:

- **Blue:** Tasks with any status other than "Completed" with a due date in the next 24 hours.
- **Red:** Tasks with any status other than "Completed" with a due date that has passed.
- **No color:** Tasks with a status of "Completed" or with a due date 24 hours or more in the future.

Tasks (20 of 21+) Create >					
Filter ▼ Create Search by subject... ↻ 📅 ⌚					
<input type="checkbox"/>	Subject	Contact	Due Date	Assigned User	⚙️
<input type="checkbox"/> ☆	Close out support request	Portia Leatherman	2020-03-15 09:45	Chris Olliver	👁️ ▼
<input type="checkbox"/> ☆	Send literature	Shizuko Tomson	2020-03-27 06:30	Jim Brennan	👁️ ▼
<input type="checkbox"/> ☆	Assemble catalogs	Jeffrey Duffy	2020-04-01 15:15	Sarah Smith	👁️ ▼

Task Dashlets

Dashlets showing task records can be added to your Home page, list view intelligence panes, and record view intelligence panes. The List View dashlet is a basic dashlet that allows you to select the Tasks module and create a filter so that the dashlet displays tasks that meet your filter criteria. For more information on list view dashlets, please refer to the [Dashboards and Dashlets](#) documentation.

Sugar also offers two dashlets with specific task-related functionality: the [Active Tasks dashlet](#) and the [Inactive Tasks dashlet](#), which are briefly explained in the following sections.

Active Tasks Dashlet

The Active Tasks dashlet displays all tasks in a status of "Not Started", "In Progress", and "Pending Input" with the tasks broken into three tabs based on their due dates and adjacent buttons for performing actions on the tasks. When used on a related module's record view, the dashlet becomes contextual, and only shows tasks that are relevant to the current record.

For complete information regarding the Active Tasks dashlet, please refer to the [Dashboards and Dashlets](#) documentation.

Active Tasks
+
⚙️

Create Task
👤

2
Due Now

3
Upcoming

0
To Do

Send contract
Sarah Smith, in a day

⊕ 🔄


Ship product
Sally Bronsen, in 22 days

⊕ 🔄

Inactive Tasks Dashlet

The Inactive Tasks dashlet displays all tasks in a status of "Completed" or "Deferred" with the tasks broken into two tabs based on their statuses and adjacent buttons for performing actions on the tasks. When used on a related module's record view, the dashlet becomes contextual, and only shows tasks that are relevant to the current record.

For complete information regarding the Inactive Tasks dashlet, please refer to the [Dashboards and Dashlets](#) documentation.



Closing Tasks



Once a task has been completed, users can edit the Status field to "Completed" while on the record or list view. As a more convenient option, Sugar also allows users to close tasks, which automatically sets the status to "Completed".

Please note that the Close option will only appear if the task is not already in a status of "Completed". The following sections explain several ways to close tasks in Sugar.

Closing via List View

Use the following steps to close a task via the list view:


1. Navigate to the Tasks list view by clicking the Tasks module tab.
2. Use the [Module Search](#) to find the task records you wish to close.
3. Click the Record Actions menu to the far right of the record's row and select "Close".

<input type="checkbox"/>	★	Arrange introduction	Nima Block	2020-03-23 08:30	Sally Bronsen	 
<input type="checkbox"/>	☆	Schedule training	Rachal Seth	2020-03-26 10:15	S...	Edit
<input type="checkbox"/>	☆	Call to schedule meeting	Bradford Kroenke	2020-03-27 06:30	M...	Unfollow
<input type="checkbox"/>	☆	Send literature	Myrtice Kroenke	2020-03-29 11:30	M...	Close
<input type="checkbox"/>	☆	Schedule training	Sondra Seabury	2020-04-01 15:15	M...	Delete

Closing via Record View

Use the following steps to close a task via the record view:

1. Navigate to a task's record view.
2. Select "Close" from the Actions menu.




The screenshot shows a task record view for "Close out support request". The task is assigned to Chris Olliver, has a priority of High, and a status of Deferred. The "Edit" dropdown menu is open, and the "Close" option is highlighted with a red box.

Closing and Creating New via Record View

Use the following steps to close and duplicate a task via the record view:

1. Navigate to a task's record view.
2. Select "Close and Create New" from the Actions menu.



The screenshot shows a task record view for "Close out support request". The task is assigned to Chris Olliver, has a priority of High, and a status of Deferred. The "Edit" dropdown menu is open, and the "Close and Create New" option is highlighted with a red box.

3. The displayed record view is pre-populated with the original task's values. By default, the new task's status is set to "Not Started". Update the necessary fields then click "Save".

Subject: Close out support request

Start D...: yyyy-m hh:m Priority: High

Due D...: 2020-0 09:4! Status: Not Started

Assign...: Chris Olliver Relate...: Task Clos... x

Closing via Subpanels

Use the following steps to close a task from the Tasks subpanel on the record view of a related record:

1. Scroll to the Tasks subpanel on the record view of a related record.
2. Select "Close" from the Actions menu of the task record you wish to close.

Ts **TASKS (1)**

Subject	Status	Contact	Start Date
Call to schedule me...	Pending Input	Deedra Emmer	

Op **OPPORTUNITIES (1)**

Em **EMAILS (1)**


Nt **NOTES**

Closing via Dashlet

Tasks with statuses of "Not Started", "In Progress", or "Pending Input" appear in the [Active Tasks dashlet](#) on the record views of related records. Closing a task will cause it to move to the [Inactive Tasks dashlet](#) along with deferred tasks.

Use the following steps to close a task via the Active Tasks dashlet:

1. Navigate to the Active Tasks dashlet on your Home page or a module record view's (e.g., Accounts) intelligence pane.
2. Click the appropriate tab (Due Now, Upcoming, To Do) on the dashlet, then locate the task record you wish to close.
3. Click the X button to the right of the task's row in the dashlet.



4. A pop-up message will display asking for confirmation. Click "Confirm" to proceed.

Once the task is closed, the task record will be moved to the [Inactive Tasks dashlet](#) and the task's status will change to "Completed".

Working With Sugar Modules


The Tasks module uses Sugar's Sidecar user interface. The following sections detail menus, views, and actions common to Sidecar modules and contain links to additional information within the page or links to the User Interface documentation.

Task Menus

The Tasks module contains various options and functionality which are available via menus in the module tab, list view, and record view. The following sections present each menu and its options with a link to more information about the menu option either in the User Interface documentation or, for Tasks-specific functionality, within this page.

Module Tab Menus

The Tasks module tab is typically found by clicking the "More" icon represented by three vertical dots to the right of the module tabs on the navigation bar. The additional modules will appear on the list and you can click "Tasks" to access the list view. Once the Tasks tab displays on the navigation bar, you can click the triangle within the tab to display the Actions, Recently Viewed, and Favorites menu. The Actions menu allows you to perform important actions within the module. The [Recently Viewed menu](#) displays the list of tasks you last viewed in the module. The [Favorites menu](#) displays the list of tasks you most recently marked as favorites.



The Actions menu allows you to perform the following operations:

Menu Item	Description
Create Tasks	Opens the record view layout to create a new task.
View Tasks	Opens the list view layout to search and display tasks.
Import Tasks	Opens the import wizard to create or update tasks using external data.

For more information on module tab menus including reasons a module may not be included in the menu, see the [User Interface](#) documentation.


List View Menus

The Tasks [list view](#) displays all task records and allows for searching and filtering to locate specific tasks. You can view the basic details of each record within the field columns of the list view or click a task's name to open the record view. To access a module's list view, simply click the module's tab in the navigation bar at the top of any Sugar page.

List View Mass Actions Menu

The Mass Actions menu to the right of the checkbox option in the list header allows you to perform mass actions on all currently selected records. You can use the checkbox on each record's row to select individual task records or click the

checkbox in the list header to select all records displayed on the current set of list view results.




The Mass Actions menu allows you to perform the following operations:

Menu Item	Description
Mass Update	Mass update one or more tasks at a time.
Recalculate Values	Visible only if the module contains fields using Sugar Logic and only to System Administrators or users with Developer-level role access, this option will refresh the selected records' calculated values.
Merge	Merge one or more duplicate tasks.
Delete	Delete one or more tasks at a time.
Export	Export one or more tasks to a CSV file.

List View Record Actions Menu

The Record Actions menu to the far right of each record's row allows you to perform actions on the individual task directly from the list view.




The list view's Record Actions menu allows you to perform the following operations:

Menu Item	Description
Preview (Eye icon)	Preview this task in the intelligence pane.
Edit	Edit this task.
Follow	(Available if Activity Streams are enabled) Follow changes to this task in your activity stream.
Close	Close this task.
Delete	Delete this task.

Record View Actions Menu

The Tasks [record view](#) displays a single task in full detail including its fields, subpanels of related records, and activity stream. To access a task's record view, simply click a hyperlinked task name from anywhere within Sugar. The record view's Actions menu appears on the top right of the page and allows you to perform various operations on the current record.



The Actions menu allows you to perform the following operations:

Menu Item	Description
Edit	Edit this task.
Share	Share a link to this task via email. Note: To send emails through Sugar, users must first configure a default user

	email account via Emails > Email Settings .
Download PDF	<p>Download the record's information as a PDF file.</p> <ul style="list-style-type: none"> • This menu option is only visible if the administrator has created a PDF template for the Tasks module via Admin > PDF Manager. • Clicking on this menu item will expand and contract the menu to reveal or hide the available PDF templates.
Email PDF	<p>Email the record's information as a PDF attachment.</p> <ul style="list-style-type: none"> • This menu option is only visible if the administrator has created a PDF template for the Tasks module via Admin > PDF Manager. • Clicking on this menu item will expand and contract the menu to reveal or hide the available PDF templates. <p>Note: To send emails through Sugar, users must first configure a default user email account via Emails > Email Settings.</p>
Close and Create New	<p>Close this task as "Completed" and duplicate it to a new task.</p> <p>Note: This option only appears as long as the status does not equal "Completed".</p>
Close	<p>Close this task as "Completed".</p> <p>Note: This option only appears as long as the status does not equal "Completed".</p>
Copy	Duplicate this task to create a new task.
View Audit Log	View a record of changes to this task.
Delete	Delete this task.

Common Views and Actions

The following links will open specific sections of the User Interface documentation where you can read about views and actions that are common across most Sidecar modules.

Content Link	Description
Creating Tasks Basic Task Creation Creating via Quick Create Creating via Subpanels Creating via Duplication Importing Tasks	The Creating Records section covers the various methods of creating new task records, including via the Create button in the Tasks module, the Quick Create menu on the upper right of every Sugar page, via the Tasks subpanel on related modules, duplication of an existing task record, and importing a list of tasks into Sugar using a .csv spreadsheet.
Viewing Tasks Viewing via List View Viewing via Record View Viewing via Recently Viewed Viewing via Dashlets Viewing via Activity Streams Viewing via Preview Viewing via Reports	The Viewing Records section describes the various methods of viewing task records, including via the Tasks list view and record view, the Recently Viewed menu in the Tasks module tab, list view dashlets showing task information, activity stream entries concerning task updates or where a user mentions a task, previewing tasks in the right-hand side panel, and reports displaying task data. Note: There are also specialized dashlets for tasks, which are explained in detail in the Task Dashlets section of this page.
Searching for Tasks Global Search List View Search Creating a Filter Saving a Filter	The Searching for Records section provides an introduction to the two searching methods for locating tasks: global search, which searches across all Sugar modules, and list view search, which searches and filters within the Tasks module.
Tasks List View Total Record Count Create Button	The List View section walks through the many elements of the Tasks List View layout which contains a filterable list of

List View Search Checkbox Selection Mass Actions Menu Favorite Designation Column Reordering Column Resizing Column Sorting Column Selection Preview Record Actions Menu More Tasks Activity Stream Dashboards	<p>all task records in Sugar. While the generic menu options are described in the User Interface sections linked to the left, the options specifically available in the Tasks list view's menus are available in the List View Mass Actions Menu and List View Record Actions Menu sections of this page.</p>
Tasks Record View Favorite Designation Following Designation Next or Previous Record Actions Menu Show More Subpanels Related Record Subpanels Filtering Subpanels Reordering Subpanels Activity Stream Dashboards	<p>The Record View section walks through the many elements of the Tasks Record View layout which contains detailed information about a single task record. While the generic menu options are described in the User Interface sections linked to the left, the options specifically available in the Tasks record view's menu is available in the Record View Actions Menu section of this page.</p>
Editing Tasks Editing Inline via Record View Editing via Record View Editing Inline via Subpanels Editing Inline via List View Mass Editing via List View	<p>The Editing Records section describes the various methods of editing existing task records, including inline via the tasks record view, in full edit mode on the record view, inline via the Tasks subpanel on related module records, inline via the Tasks list view, and via the Mass Update option on the list view.</p>
Deleting Tasks Deleting via Record View Deleting via List View Mass Deleting via List View	<p>The Deleting Records section describes the various methods of deleting unwanted tasks, including via the Tasks record view, an individual record's Actions menu on the Tasks list view, and the Mass Actions menu on the list view.</p>
Exporting Tasks	<p>The Exporting Records section provides an introduction to the export functionality which allows you to download a list of tasks and all their data as a .csv file for use outside of</p>

	Sugar (e.g., in Microsoft Excel).
Recalculating Calculated Values	The Recalculating Calculated Values section provides instructions on utilizing the Recalculate Values list view option to update calculated field values in the module if the administrator has changed the field's formula via Admin > Studio.
Merging Tasks Merging via List View	The Merging Records section provides instructions for merging duplicate tasks which will combine field values and related records into a single task.
Viewing Task Audit Logs	The Viewing Record Audit Logs section describes the View Audit Log record view option which displays a history of changes to the task's audited fields.
Task PDFs Downloading Task PDFs Emailing Task PDFs	The Record PDFs section provides instructions for these record view options which allow you to download or email .pdf files of task information as configured by an administrator via Admin > PDF Manager.
Favoriting Tasks Favoriting via List View Favoriting via Record View Favoriting via Subpanel	The Favoriting Records section describes the various methods of marking tasks as favorites, including via the Tasks list view, Tasks record view, or any Tasks subpanel appearing on the record view of a related module. Favoriting a task allows you to easily access it from list views, dashlets, or the Tasks module tab.
Following Tasks Following via List View Following via Record View	The Following Records section describes the various methods of marking tasks as "Following", including via the Tasks list view and record view. Following a task causes its activity stream updates to be included on your Home page and Tasks list view activity streams so that you can easily keep up with changes and user posts on the record.
Sharing Tasks	The Sharing Records section provides instructions for the Share record view option which composes an email with a link to the task record. If the recipient is

logged into Sugar, clicking the link will bring them directly to the task's record view.
--

Last Modified: 2021-12-21 01:08:04

Notes

Overview

Sugar's Notes module consists of individual notes which contain text or attached files pertinent to the related record. The Related To flex-relate field is typically set to the module and record to which the note's contents are relevant. A contact record can also be related using the Contact field which will cause the note to be displayed when viewing the contact record. This documentation will cover information and actions specific to the Notes module. For instructions concerning views and actions which are common across most Sugar modules, such as creating, editing, and deleting notes, please refer to the [Working With Sugar Modules](#) section of this page.

Please note that you will only be able to see note records as allowed by your team membership, user access type, and assigned roles. For more information on teams and roles, please refer to the [Team Management](#) and [Role Management](#) documentation in the Administration Guide.

Note Fields

The Notes module contains a number of stock fields that come out-of-the-box with Sugar. For information on using and editing various field types, refer to the [User Interface](#) documentation. The definitions below are suggested meanings for the fields, but the fields can be leveraged differently to best meet your organization's needs. Administrators or users with developer-level role access have the ability to alter, add, or remove fields via Admin > Studio. For more information on configuring fields, please refer to the [Studio](#) documentation in the Administration Guide.

--	--

Field	Description
Assigned To	The Sugar user assigned to the note.
Attachments	One or more files attached to the note. Note: The Sugar administrator can specify the maximum file size allowed to be uploaded.
Comment Log	A shared log of messages, comments, or other text, including the name of the user that added the log entry and the date and time it was added. It is possible to tag other users and link to other Sugar records in Comment Log entries by inserting a clickable pill; see the User Interface documentation for more details.
Contact	The contact record the note is related to. Note: If populated, this note will show in the contact's History subpanel.
Display in Portal?	Notes related to cases, bugs, and/or knowledge base articles will display in the portal by default. Note: Administrators can have this field disabled by default via Admin > Studio.
Integration Sync ID	The sync key field used by external integrations to identify Sugar records in the external application. See the Integrate REST API endpoints in the Developer Guide for more details on how to use this field.
Is Attachment	A system-level checkbox that indicates if the note represents a file attachment to another record. Files attached to records are stored in Sugar as notes, so this field can be used to differentiate between an individual note or an attachment note. It is set to "true" on notes that are attachments to emails, knowledge base articles, or other notes. This field is not available in Studio or the user interface and is only available in reports.
Note	The details and content of the note.

Note Source	A system-level dropdown field that represents the origin of newly created notes. It is set to External on notes created via Portal and set to Internal on notes created in Sugar. This field is not available in Studio or the user interface.
Related to	The module and record that is related to this note. Note: This will decide which module this note will show in the History subpanel.
Subject	The subject or designation of the note.
Tags	User-created keywords that can be used to identify records in filters, dashlets, and reports Note: For more information on creating and using tags, please refer to the Tags documentation.
Teams	The Sugar team(s) assigned to the note record.

Note Attachments

You can attach one or more files to a note using the Attachments field. Click "Browse" to choose a file to upload from your computer or hold the Ctrl or Shift key on your keyboard to select multiple files to upload. Once you have uploaded your file(s), be sure to wait for the file name(s) to appear in the Attachments field before saving the record to ensure that the file has been fully uploaded.

When you create a note that has attached files, each attachment is each saved as an individual note. As a result, creating a note with two attachments, for example, creates three note records: the original note plus an additional note for each attachment file.

Note: Only parent note records, and not the attachment-only note records, are displayed in the Notes list view.

If there is only one image file attached to a note, a preview of the image is displayed in record view and in the preview. You can open files by clicking them or use the Download or Download All button to save them to your computer in a zip file.

Nt **More Account Information** ☆

+ Contact

Description This account could turn into a 3,000-user opportunity.

Attachments Account_Details.png Meeting_Minutes.png
Download All

Tags Global United States

When copying note records, file attachments are not carried over. To keep the file attachments in the copied note, save them to your computer and then upload them to the newly created note.

Working With Sugar Modules


While the Notes module has some features that only apply to notes, it also uses the Sidecar user interface that most Sugar modules are based on. The following sections detail menus, views, and actions common to Sidecar modules and contain links to additional information within the page or links to the User Interface documentation.

Note Menus

The Notes module contains various options and functionality which are available via menus in the module tab, list view, and record view. The following sections present each menu and its options with links to more information about each option in the User Interface documentation.

Module Tab Menus

The Notes module tab is typically located under the More tab on the navigation bar at the top of any Sugar screen to the right of the home cube icon. Depending on your settings, you may have to click "Show More" in order to see the Notes module tab. Click the tab to access the Notes list view. You may also click the triangle in the Notes tab to display the Actions, Recently Viewed, and Favorites menu. The Actions menu allows you to perform important actions within the module. The [Recently Viewed menu](#) displays the list of notes you most recently viewed. The [Favorites menu](#) displays the list of notes you most recently marked as favorites.



The module tab's Actions menu allows you to perform the following operations:

Menu Item	Description
Create Note or Attachment	Opens the record view layout to create a new note.
View Notes	Opens the list view layout to search and display notes.
Import Notes	Opens the import wizard to create or update notes using external data.


For more information on module tab menus including reasons a module may not be included in the menu, see the [User Interface](#) documentation.

List View Menus

The Notes [list view](#) displays parent note records, and not attachment-only note records, and allows for searching and filtering to locate specific notes. You can view the basic details of each record within the field columns of the list view or click a note's subject to open the record view. To access a module's list view, simply click the module's tab in the navigation bar at the top of any Sugar page.

List View Mass Actions Menu

The Mass Actions menu to the right of the checkbox option in the list header allows you to perform mass actions on all currently selected records. You can use the checkbox on each record's row to select individual note records or click the checkbox in the list header to select all records displayed on the current set of list view results.



The Mass Actions menu allows you to perform the following operations:

Menu Item	Description
Mass Update	Mass update one or more notes at a time.
Recalculate Values	Visible only if the module contains fields using Sugar Logic and only to System Administrators or users with Developer-level role access, this option will refresh the selected records' calculated values.
Merge	Merge two or more duplicate notes.
Delete	Delete one or more notes at a time.
Export	Export one or more notes to a CSV file.

List View Record Actions Menu

The Record Actions menu to the far right of each record's row allows you to perform actions on the individual note directly from the list view.

Subject	Related To	Contact	Date Created	Date Modified	Atta	Settings
Call Information	J.K.M. Corp (HA)	Latoria Tubbs	03-19-2020 07:...	04-01-2020 01:...		
Attended CRM ...	Kaos Trading Ltd	Van Prosperie	03-19-2020 07:...	04-	<div style="border: 1px solid red; padding: 2px;"> Edit Delete </div>	
Met at SugarC...	JJ Resources Inc	Georgeanna Ar...	03-19-2020 07:...	04-		


The list view's Record Actions menu allows you to perform the following operations:

Menu Item	Description
Preview (Eye icon)	Preview this note in the intelligence

	pane.
Edit	Edit this note.
Follow	(Available if Activity Streams are enabled) Follow changes to this note in your activity stream.
Delete	Delete this note.

Record View Actions Menu

The Notes [record view](#) displays a single note in full detail including its fields, subpanels of related records (if applicable), and activity stream. To access a note's record view, simply click a hyperlinked note name from anywhere within Sugar. The record view's Actions menu appears on the top right of the page and allows you to perform various operations on the current record.



The Actions menu allows you to perform the following operations:

Menu Item	Description
Edit	Edit this note.
Share	Share a link to this note via email.
Download PDF	Download note information as a PDF file.
Email PDF	Email note information as a PDF attachment.
Copy	Duplicate this note.
View Audit Log	View a record of changes to this note.
Delete	Delete this note.

Common Views and Actions

In the table below, the left column contains links to the User Interface page covering topics that are applicable to all Sidecar modules. The right column has links to sections of the current page that cover topics specific to notes.

General Instructions for Working With Sugar Modules	Notes-Specific Instructions
Use the links below to navigate to the User Interface page which covers topics generic to many Sugar modules.	When Notes-specific help exists for each topic, use the links below to navigate to sections of the current page.
Creating Records	
Viewing Records	
Searching for Records	
List View	List View Mass Actions Menu List View Record Actions Menu
Record View	Record View Actions Menu
Intelligence Pane	
Editing Records	
Deleting Records	
Exporting Records	
Recalculating Calculated Values	
Merging Records	
Record PDFs	
Favoriting Records	
Following Records	
Sharing Records	
Viewing Record Audit Logs	The Viewing Record Audit Logs section describes the View Audit Log record view option which displays a history of changes to the note's audited fields.

Opportunities

Overview

Sugar's Opportunities module allows you to track individual sales from start to finish. Each opportunity record represents a prospective sale and includes relevant sale data as well as relating to other important records such as quotes, contacts, etc. An opportunity will typically progress through several Sales Stages until it is marked either "Closed Won" or "Closed Lost". Opportunities can be leveraged even further by using Sugar's Forecasts module to understand and predict sales trends as well as focus work to achieve sales quotas. For more information on the Forecasts module, please refer to the [Forecasts](#) documentation.

You can view opportunity information in opportunity-based dashlets such as "My Closed Opportunities". Clicking an opportunity's name or bubble from any dashlet will open the Opportunities record view while hovering on the bubble will display key details in a tooltip. For more information on using dashlets and viewing opportunity records via dashlets, please refer to the [Dashboards and Dashlets](#) documentation.

This documentation will cover information and actions specific to the Opportunities module. For instructions concerning views and actions which are common across most Sugar modules, such as creating, editing, and deleting calls, please refer to the [Working With Sugar Modules](#) section of this page.

Please note that you will only be able to see opportunity records as allowed by your team membership, user access type, and assigned roles. For more information on teams and roles, please refer to the [Team Management](#) and [Role Management](#) documentation in the Administration Guide.

Opportunity Fields

The Opportunities module contains a number of stock fields that come out-of-the-box with Sugar. For information on using and editing various field types, refer to the [User Interface](#) documentation. The definitions below are suggested meanings for the fields, but the fields can be leveraged differently to best meet your organization's needs. Administrators or users with developer-level role access have the ability to alter, add, or remove fields via Admin > Studio. For more information on configuring fields, please refer to the [Studio](#) documentation in the Administration Guide.

Field	Description
Account Name	The account to which the opportunity belongs.
Assigned to	The Sugar user assigned to the opportunity.
Best	The opportunity's most optimistic total amount. The amount will display in the system default currency or, if your Show Preferred Currency option is enabled on your user profile, in your preferred currency. If the record's selected currency differs, you will also see a grey box with the value displayed using the record's selected currency. For more information, please refer to the Currencies and Opportunities section of this page.
Campaign	The campaign, if any, from which the opportunity originated. Note: This is an optional field as not all opportunities will have a campaign.
Comment Log	A shared log of messages, comments, or other text, including the name of the user that added the log entry and the date and time it was added. It is possible to tag other users and link to other Sugar records in Comment Log entries by inserting a clickable pill; see the User Interface documentation for more details.
Currency	The currency used to define the transaction amount.
Date Created	The date the opportunity record was created.
Date Modified	The date the opportunity record was last modified.
Description	A description or other information about the opportunity.
Expected Close Date	The opportunity's expected or actual close date.
Integration Sync ID	The sync key field used by external integrations to identify Sugar records in

	<p>the external application. See the Integrate REST API endpoints in the Developer Guide for more details on how to use this field.</p>
Forecast	<p>The opportunity's commit range for forecasting (e.g., "Include", "Exclude", etc.).</p> <p>Note: The available values are determined by the Ranges configuration in Admin > Forecasts. For more information on configuring forecasting ranges, please refer to the Forecasts documentation in the Administration Guide.</p>
Lead Source	<p>The source (e.g., Trade Show) from which the opportunity originated.</p>
Likely	<p>The opportunity's most likely total amount. The amount will display in the system default currency or, if your Show Preferred Currency option is enabled on your user profile, in your preferred currency. If the record's selected currency differs, you will also see a grey box with the value displayed using the record's selected currency. For more information, please refer to the Currencies and Opportunities section of this page.</p>
Next Step	<p>The succeeding stage of the opportunity's sales cycle.</p>
Opportunity Name	<p>The name of the opportunity.</p>
Probability (%)	<p>The opportunity's current likelihood of being won.</p> <p>Note: This value is calculated based on the selected Sales Stage and cannot be edited.</p>
Sales Stage	<p>The opportunity's current sales stage (e.g., Prospecting, Qualification, etc.).</p>
Teams	<p>The Sugar team(s) assigned to the opportunity record.</p>
Type	<p>The type (e.g., new business, existing business) of opportunity.</p>

Worst

The opportunity's least optimistic total amount. The amount will display in the system default currency or, if your Show Preferred Currency option is enabled on your user profile, in your preferred currency. If the record's selected currency differs, you will also see a grey box with the value displayed using the record's selected currency. For more information, please refer to the [Currencies and Opportunities](#) section of this page.

Sales Stages

A sales stage identifies the current stage (e.g., Prospecting, Qualification, etc.) that the opportunity is in during the sales cycle. When you select a sales stage in the opportunity record, the system automatically populates the corresponding probability value (e.g., 10, 20, etc.) in the Probability (%) field. These probability values are a useful tool as it helps calculate and predict your sales forecast for a specified time period. For more information on the Forecasts module, please refer to the [Forecasts](#) documentation. Administrators have the ability to configure the sales stage and probability values for each sales stage via Admin > Dropdown Editor. For more information, please refer to the [Adding Custom Sales Stages and Probabilities to Opportunities](#) article.

Please note that the below values are only guidelines for defining your sales stage and you can skip one or more stages based on your organization's needs.

Sales Stage	Probability	Suggested Definition
Prospecting	10	This is the first stage in the sales process and indicates that the opportunity or revenue line item with this prospect is new and needs to be qualified by a sales representative.
Qualification	20	The sales representative is currently interacting with the prospect to determine if a sales opportunity exists.

Needs Analysis	25	After determining that the prospect has an interest in the products or services, the sales representative now uncovers the prospect's business challenges.
Value Proposition	30	After uncovering the prospect's business challenges, the sales representative now maps the company's products and/or services to the prospect's business challenges and describes the value of the solution.
Id. Decision Makers	40	After determining that there is a match between the prospect's business challenges and the company's products and/or services, the sales representative now identifies the decision makers necessary to close this opportunity or revenue line item.
Perception Analysis	50	The sales representative analyzes the prospect's perceived value of the company's solution at this stage in order to prepare the appropriate combination of products and services for the sales quote.
Proposal/Price Quote	65	The sales representative delivers the proposal, sometimes called the price quote, to the prospect.
Negotiation/Review	80	The sales representative reviews and negotiates the proposal with the prospect.

Closed Won	100	The sales representative has won this opportunity or revenue line item and the company can now bill the customer.
Closed Lost	0	The sales representative has lost this opportunity or revenue line item.

SugarPredict

Customers interested in A.I.-powered opportunity insights may want to consider the Sugar Sell product line. SugarPredict in Sugar Sell uses your account data along with intelligence gathered from millions of other companies and contacts to accurately predict who is most likely to become your next customer. The predictions are surfaced in Sugar via badges and scoring in dashlets and list views, making it easy for Sugar Sell users to quickly benefit from the insights at a glance.

For more information on the products that use SugarPredict, refer to the [SugarPredict](#) documentation.

Product Catalog Quick Picks Dashlet

The Product Catalog Quick Picks dashlet, which can be added to the Opportunities record view intelligence pane, provides easy access to products that you marked as favorites via the [Product Catalog dashlet](#). Please note that you can also mark products as favorites via the [Product Catalog dashlet](#) or the [Product Catalog Quick Picks dashlet](#) in the Quotes module. If the Product Catalog Quick Picks dashlet is not displayed in the intelligence pane, you can add the dashlet by editing the dashboard. For more information on adding dashlets, refer to the [Dashboards and Dashlets](#) documentation. Once you mark a product as a favorite, it will appear in the dashlet in alphabetical order. By default, the dashlet displays 8 products per page, and you can use the arrows and page numbers to view additional favorited products. If you wish to view the record details of the product, simply hover over the product's name in the dashlet and click the preview icon.

Note: Only products with a status of "Active" are displayed in the Product Catalog Quick Picks dashlet.

The screenshot displays a CRM record for an opportunity. The main record shows the account name 'Spend Thrift Inc', status 'New', sales stage 'Proposal/Price Quote', and a forecast of '\$17,332.00' to '\$18,500.00'. A sidebar on the right, titled 'Product Catalog Quick Picks', lists several gadgets: Coretta Gadget, Nelson Gadget, Nolan Gadget, Reflective Mirror Widget (highlighted with a red box and a 'Preview' button), Rudolf Gadget, Sari Gadget, Shyla Gadget, and TK 1000 Desktop. A navigation bar at the bottom of the sidebar shows page numbers '1' and '2', with '1' being the active page.

Quotes and Opportunities


Quotes and opportunities both track sales throughout their lifecycle, but the two modules serve different purposes. Quotes allow you to communicate the details of a sale with customers while opportunities allow you to forecast potential sales and the possible ranges of their dollar amounts. To aid in using both modules, Sugar allows you to generate an opportunity from a quote.

Generating Opportunities From Quotes

To generate an opportunity from a quote, choose "Create Opportunity from Quote" from the quote record's Actions menu.

The screenshot shows a quote record for 'Computers for Smallville...'. The record has a 'Not Converted' badge and an 'Edit' dropdown menu. The dropdown menu is open, showing options: 'Share', 'Download PDF', 'Email PDF', and 'Create Opportunity from Quote' (highlighted with a red box). The main record shows a quote with ID '1' and a purchase order with ID '6011842'. A '+ Opp...' button is visible next to the quote ID.

Note: Quotes that are already "Converted" (as indicated by the badge adjacent to the quote's name in the example pictured here) cannot be re-converted into an opportunity. The "Create Opportunity from Quote" menu option will be grayed out when the quote's badge is Converted.



After selecting the Create Opportunity... option, you will be navigated to the newly created and saved opportunity, which will be pre-populated with the original quote's values in the Name, Account Name, Expected Close Date, Best, Likely, and Worst fields. In addition, the opportunity's Type will default to "New Business" and the Status to "In Progress". You can edit the opportunity record to modify any of these values as needed. The originating quote will be related to the new opportunity and can be found in the Quotes subpanel on the opportunity's record view.

For more information on creating an opportunity from a quote, please refer to the [Creating Opportunities from Quotes](#) section of the Quotes documentation.

Emails and Opportunities

Opportunities may be related to emails by being selected in the email's Related To field. These relationships allow the opportunity to display all relevant email correspondence in the [Emails subpanel](#) and [History dashlet](#) on an opportunity's record view. An opportunity's Emails subpanel and History dashlet may also display emails belonging to the contacts related to the opportunity.

Emails Subpanel

The Emails subpanel in the Opportunities module displays emails which are associated with the opportunity record in a variety of ways:

- **Related to the opportunity:** If the opportunity is selected in the email's Related To field, the email and opportunity are explicitly related, and the email will appear in the opportunity's Emails subpanel and History dashlet. Instructions for using this flex relate field are available in the [Emails](#) documentation.
- **Related to the opportunity's related contacts:** If the email is related, either explicitly or implicitly, to a contact record which is related to the

opportunity, the email will appear in the opportunity's Emails subpanel and History dashlet.

- **Note:** Administrators can enable or disable an opportunity from displaying related contact's emails via Admin > Related Contacts Emails. For more information, please refer to the [Email](#) documentation in the Administration Guide.

The Emails subpanel allows the following functions to be performed:

- **Email Details:** To view the details of an email, click the subject to open it in detail view.
- **Record Count:** Subpanel headers display the total count of related records (e.g., "5 of 6+") next to the module name. The count captures the number of records currently displayed with an additional, hyperlinked number (e.g., "6+") where there are more records than currently displayed. Click the hyperlinked number to see the total count of related records.
- **Collapse or Expand:** Click anywhere in the subpanel's header to collapse or expand it. Subpanels will remain collapsed or expanded on future visits to the module.
 - **Note:** Administrators can choose to disable collapse stickiness or to collapse all subpanels by default via Admin > System Settings. For more information, please refer to the [System](#) documentation in the Administration Guide.
- **Column Widths:** Place your cursor on the column divider. When the double arrow cursor appears, click and drag the column to the desired size. Please note that the column width will not be preserved when you navigate away from the page.
- **Column Sort:** Click a column header to sort the subpanel's items by that value. Clicking the same header again will reverse the sorting order (e.g., from ascending to descending).
- **Compose a New Email:** Click the Plus button on the upper right of a subpanel to create a new email with, by default, a relationship to the opportunity you are currently viewing. The email will automatically select the opportunity in the Related To field.
 - **Note:** To send email from Sugar, users must configure their outbound email server via [Emails > Email Settings](#) or, if using the system email account to send email, the system's outbound email server must be configured by an administrator in [Admin > System Email Settings](#).
 - **Note:** Because creating a new related record opens a drawer on top of the current record view, you should use the Cancel button to return to record view. Using the browser's back button will return you to the previous page.
- **More Records:** By default, Sugar displays up to five records in each subpanel, though administrators can alter the number via Admin > System Settings as described in the [System](#) documentation of the Administration

Guide. If additional related records exist, click "More {Module Name}..." (e.g., "More emails...") at the bottom of the subpanel to load the next set of records.

Related ▾ All Filter All Records Search...

Em EMAILS (5 of 6+) +

	From	Subject	Status	Date	
☆	Max Jensen	Introduce all players	Archived	2020-01-08 12:15	👁
☆	Sally Bronsen	Follow-up on proposal	Archived	2020-01-21 01:45	👁
☆	Will Westin	Introduce all players	Archived	2020-01-27 09:45	👁
☆	Jim Brennan	Review needs	Archived	2020-02-04 06:30	👁
☆	Admin Administra...	Follow Up	Draft	2020-03-23 17:12	👁

More emails...

Leads and Opportunities

Once a lead has been evaluated and qualified, it can be converted into an opportunity in addition to a contact and account. Depending on how your administrator has configured the Lead Conversion layout, it may be possible or even required to create an opportunity or relate to an existing opportunity during lead conversion. For more information on opportunities and lead conversion, please refer to the [Leads](#) documentation.

3 New Opportunity (optional): Search Create Opportunity

Op Opportunity Name
Required


Creating via Lead Conversion

Sugar enables you to create a new opportunity record during the lead conversion process. For more information about lead conversion, please refer to the [Leads](#) documentation.


Use the following steps to create an opportunity during lead conversion:

1. Navigate to a Leads record view.
2. Select "Convert" from the Actions menu or click the Unconverted button to initiate the lead conversion process.
 - **Note:** Sugar will automatically perform a duplicate check for the

modules (e.g., Contacts) on the Convert Lead page.



- If there are no duplicate records found for the required modules (Contacts, Accounts) in lead conversion, the new records will be automatically marked for creation on the Convert Lead page and associated to the lead. The panel will be collapsed as well, but you can click the header to open the panel and view the record's details.
 - Note:** If there are duplicate records detected for a module, you can either select an existing record or create a new record. For more information, please refer to the [Leads](#) documentation.
- Once the Contact and Account panels are completed, you can proceed to the Opportunity panel to create an opportunity record.
- Enter the relevant information on the displayed record view then click "Create Opportunity". Please note that some opportunity fields will not be editable as they are based on the revenue line item you entered.
 - Note:** Some opportunity fields (e.g., Expected Close Date, etc.) will not be editable as they are based on the related revenue line item(s).



- Once all the appropriate panels are complete, click "Save and Convert" to convert the lead.

Once the lead has been converted successfully, the lead's record view will display the Converted badge in the header and show the converted contact, account, and opportunity below the record's detail. You can click the Preview icon to the far right of each record's row to view the details of the converted opportunity and other records.

Le

Leilani Cassel ☆

Converted

< >

Edit ▼

Title	Director Sales	Mobile	(793) 641-4747
+ Web...		Do Not ...	<input type="checkbox"/>
Accoun...	A.D. Importing Com...	+ Busi...	
Email A...	i...		
+ Tags			

Show more...

Contact: Leilani Cassel	
Account: A.D. Importing Company Inc	
Opportunity: A.D. Importing - 500 Units	

Forecasts and Opportunities

Sugar's Forecasts module incorporates opportunity records to build forecasting worksheets and predict sales. Forecasts are based on the monetary value of the opportunities in Sugar. Users can work towards sales quotas at the individual, team, and sales organization level. Before users can access the Forecasts module to begin building forecasting worksheets, a user with administrator access must configure the Forecasts module with the organization's desired Time Periods, Ranges, and Scenarios. For more information on setting up the Forecasts module, please refer to the [Forecast Configuration](#) documentation in the Administration Guide.

Based on the chosen filters (include, exclude, etc.), you will see all or some of your assigned opportunities for the currently selected time period. The Forecast column displays an automatic category indicating whether or not the opportunity's amounts are included in the totals for the specified time period. You can work directly with your opportunity records by inline editing their probabilities and amounts from the Forecasts module or by clicking the Name field to open a record in record view where you can make additional edits. You can also view an opportunity's details directly from the forecast worksheet by clicking the Preview icon to the far right of each row. For more information on editing and managing forecasts, please refer to the [Forecasts](#) documentation.

Sally Bronsen Save Draft **Commit** ▾

In Forecast	Quota	Likely	Best
Time Period 2020 Q1 ▾	\$25,815.69	↑ \$35,267.12	↑ \$37,957.90
Last Commit: 22 days ago ▾		\$35,217.12	\$37,907.90

Filter by...

Forecast	Opportunity Name	Account Name	Expected Close Date	Stage	...
Include	24 month Service -...	Sea Region Inc	2020-02-23	Closed	👁
Exclude	Nelson Inc - 69 Units	Nelson Inc	2020-03-30	Value F	👁
Exclude	Nelson Inc - 229 Un...	Nelson Inc	2020-03-30	Prospe	👁

Contacts and Opportunities

Each opportunity can relate to one or more contacts that are displayed in a subpanel on the Opportunities record view. The Contacts subpanel allows users to select an opportunity-specific role (e.g., Primary Decision Maker, Business Evaluator, etc.) for each related contact to help you classify how each individual will ultimately factor into the buying decision for the current opportunity.

To select a role, simply choose "Edit" from the Actions menu on the far right of the record's row in the Contacts subpanel. The record's row will open up within the subpanel allowing you to edit the individual fields. Select the appropriate role for the contact then click "Save".

CONTACTS (2) + ▾

Name	Account Name	Role	Email
Cancel <input type="text" value="Select..."/> Antonia <input type="text" value="Konkol"/> Chandler Logistic... <input type="text" value="Primary Decision ..."/> <input type="text" value="sugar.se"/> Save			
☆ Aliza Tien	Tri-State Medical Corp	Primary Decision Maker	kid.dev@

The selected role will be displayed adjacent to the contact for only the current opportunity.

Currencies and Opportunities

Sugar allows your organization to perform business around the world by supporting multiple currencies. Administrators must first add desired currencies

and exchange rates to Sugar via Admin > Currencies. They also have the ability to set the instance's default currency via Admin > Locale. This is typically the currency of the country where the majority of business is conducted. For more information, please refer to the [System](#) documentation in the Administration Guide.

Users can specify their own preferred currency in their user profiles. If they choose to also enable the Show Preferred Currency option in their profiles, currency fields throughout Sugar will display in their chosen currency. For more information, please refer to the [Getting Started](#) documentation. Finally, each opportunity record has a Currency field where you will specify the currency being used for this particular business transaction.

Filtering on Currency Fields

Currency fields are filtered according to the record's set currency rather than being standardized to the user's preferred or system default currency. In the list view, filtering opportunities by a currency field allows you to specify the filter's currency. Only records matching both the chosen currency and amount range will be returned. For example, if you filter based on a Likely value that equals 500 in US Dollars, then the search result will return all opportunities with a Likely value of \$500 but will exclude values of €500 or other currency values which are equivalent to \$500.

The screenshot shows a filter interface with the following details:

- Filter type: Likely
- Operator: is equal to
- Value: 500.00
- Currency: \$ (USD) (highlighted with a red box)
- Buttons: Reset, Cancel, Save

Revenue Line It...	Sales Stage	Product	Likely	Product Catego...	C	
Chandler Logist...	Prospecting	Corazon Gadget	\$500.00 (highlighted with a red box)	Barter Widgets	8	
Cloud Cover Tr...	Closed Lost	TK 1000 Desktop	\$500.00 (highlighted with a red box)	Laptops	4	

Note: By contrast, when filtering values in the Reports module, any record matching the specified amount or range will be returned regardless of the record's currency. For example, if one revenue line item's Likely value is \$500 in US Dollars and another's is €500 in Euros, filtering a report for a Likely value of exactly 500 will return both records in the report.

Updating Currency Rates

When saving an opportunity in a currency that differs from the system-defined default currency, Sugar will store the conversion rate for that currency at the

record level. This conversion rate is used to calculate the converted Likely, Best, and Worst amounts when the field is set to use the system default currency (as opposed to the user's preferred currency which is explained below). To keep amounts historically accurate, the conversion rate will only update on an opportunity provided the sales stage is not set to "Closed Won" or "Closed Lost". If the opportunity is in any other sales stage, the conversion rate will update under the following scenarios:

- The opportunity undergoes a save event (e.g., mass update, manual save, etc.) and the record's currency has a different conversion rate defined in Admin > Currencies than is currently saved in the opportunity.
- An administrator updates the currency exchange rate under Admin > Currencies. This will trigger a scheduled job that updates all opportunities saved with that currency to the new rate.

When the viewing user's profile has the Show Preferred Currency option selected, the converted Likely, Best, and Worst amounts display in the user's preferred currency. In this case, the conversion rate used to calculate the converted amounts is drawn directly from the conversion rate at the system level rather than any conversion rate stored on the record. This means that the value will always use the current conversion rate regardless of the opportunity's sales stage. For this reason, the converted amount fields should not be considered historically accurate for closed opportunities when it is using the user's preferred currency. For information about setting a user's Preferred Currency and Show Preferred Currency options, please refer to the [Getting Started](#) documentation.

For more information about currency exchange rates, please refer to the [System](#) documentation in the Administration Guide.

Working With Sugar Modules


The Opportunities module uses Sugar's Sidecar user interface. The following sections detail menus, views, and actions common to Sidecar modules and contain links to additional information within the page or links to the User Interface documentation.

Opportunity Menus

The Opportunities module contains various options and functionality which are available via menus in the module tab, list view, and record view. The following sections present each menu and its options with links to more information about each option in the User Interface documentation or, for Opportunities-specific functionality, within this page.

Module Tab Menu

The Opportunities module tab is typically located on the navigation bar at the top of any Sugar screen. Click the tab to access the Opportunities list view. You may also click the triangle in the Opportunities tab to display the Actions, Recently Viewed, and Favorites menus. The Actions menu allows you to perform important operations within the module. The [Recently Viewed menu](#) displays the list of opportunities you most recently viewed. The [Favorites menu](#) displays the list of opportunities you most recently marked as favorites.



The module tab's Actions menu allows you to perform the following operations:

Menu Item	Description
Create Opportunity	Opens the record view layout to create a new opportunity.
View Opportunities	Opens the list view layout to search and display opportunities.
View Opportunity Reports	Displays existing reports based on the Opportunities module.
Import Opportunities	Opens the import wizard to create or update opportunities using external data.

For more information on module tab menus including reasons a module may not be included in the menu, see the [User Interface](#) documentation.

List View Menus

The Opportunities [list view](#) displays all opportunity records and allows for searching and filtering to locate specific opportunities. You can view the basic details of each record within the field columns of the list view or click an opportunity's name to open the record view. To access a module's list view, simply click the module's tab in the navigation bar at the top of any Sugar page.

List View Mass Actions Menu

The Mass Actions menu to the right of the checkbox option in the list header allows you to perform mass actions on all currently selected records. You can use the checkbox on each record's row to select individual opportunity records or click the checkbox in the list header to select all records displayed in the current set of list view results.




<input type="checkbox"/>	Name	Account Name	Status	Likely
<input type="checkbox"/>	Mass Update	Smith & Sons	In Progress	\$520.00
<input type="checkbox"/>	Recalculate Values	White Cross Co	In Progress	\$12,630.00
<input type="checkbox"/>	Merge	Chandler Logis...	In Progress	\$8,535.00
<input type="checkbox"/>	Delete	Cloud Cover Tr...	In Progress	\$4,996.00
<input type="checkbox"/>	Export	Super Star Hol...	In Progress	\$4,599.00

The Mass Actions menu allows you to perform the following operations:

Menu Item	Description
Mass Update	Mass update two or more opportunities at a time.
Recalculate Values	Visible only if the module contains fields using Sugar Logic and only to System Administrators or users with Developer-level role access, this option will refresh the selected records' calculated values.
Merge	Merge two or more duplicate opportunities.
Delete	Delete one or more opportunities at a time.
Export	Export one or more opportunities to a CSV file.

List View Record Actions Menu

The Record Actions menu to the far right of each record's row allows you to perform actions on the individual opportunity directly from the list view.


<input type="checkbox"/>	☆	Mirrors for Smi...	Smith & Sons	In Progress	\$520.00	 
<input type="checkbox"/>	☆	White Cross Co...	White Cross Co	In Progress		<div data-bbox="852 421 1123 600">Edit Follow Delete</div>
<input type="checkbox"/>	☆	Chandler Logis...	Chandler Logis...	In Progress		
<input type="checkbox"/>	☆	Cloud Cover Tr...	Cloud Cover Tr...	In Progress		
<input type="checkbox"/>	☆	Super Star Hol...	Super Star Hol...	In Progress	\$4,599.00	 

The list view's Record Actions menu allows you to perform the following operations:

Menu Item	Description
Preview (Eye icon)	Preview this opportunity in the intelligence pane.
Edit	Edit this opportunity.
Follow	(Available if Activity Streams are enabled) Follow changes to this contact in your activity stream.
Delete	Delete this opportunity.

Record View Actions Menu

The Opportunities [record view](#) displays a single opportunity in full detail including its fields, subpanels of related records, and activity stream. To access an opportunity's record view, simply click a hyperlinked opportunity name from anywhere within Sugar. The record view's Actions menu appears on the top right of the page and allows you to perform various operations on the current record



The Actions menu allows you to perform the following operations:

Menu Item	Description
Edit	Edit this opportunity.
Share	Share a link to this opportunity via email. Note: To send emails through Sugar, users must first configure a default user email account via Emails > Email Settings .
Download PDF	Download the opportunity information as a PDF file. <ul style="list-style-type: none"> This menu option is only visible if the administrator has created a PDF template for the Opportunities module via Admin > PDF Manager. Clicking on this menu item will expand and contract the menu to reveal or hide the available PDF templates.
Email PDF	Email the opportunity information as a PDF attachment. <ul style="list-style-type: none"> This menu option is only visible if the administrator has created

	<p>a PDF template for the Opportunities module via Admin > PDF Manager.</p> <ul style="list-style-type: none"> Clicking on this menu item will expand and contract the menu to reveal or hide the available PDF templates. <p>Note: To send emails through Sugar, users must first configure a default user email account via Emails > Email Settings.</p>
Find Duplicates	Locate potential duplicates of this opportunity.
Copy	Duplicate this opportunity.
Historical Summary	View a historical summary of activities (e.g., calls, meetings, etc.) related to this opportunity.
View Audit Log	View a record of changes to this opportunity.
Delete	Delete this opportunity.

Common Views and Actions

The following links will open specific sections of the User Interface documentation where you can read about views and actions that are common across most Sidecar modules.

Content Link	Description
Creating Opportunities Basic Opportunity Creation Creating via Quick Create Creating via Subpanels Creating via Duplication Importing Opportunities	The Creating Records section covers the various methods of creating new opportunity records, including via the Create button in the Opportunities module, the Quick Create menu on the upper right of every Sugar page, via the Opportunities subpanel on related module records, duplication of an existing opportunity record, and importing a list of opportunities into Sugar using a .csv spreadsheet.
Viewing Opportunities	The Viewing Records section describes

Viewing via List View Viewing via Record View Viewing via Recently Viewed Viewing via Dashlets Viewing via Activity Streams Viewing via Preview Viewing via Reports	<p>the various methods of viewing opportunity records, including via the Opportunities list view and record view, the Recently Viewed menu in the Opportunities module tab, list view dashlets showing opportunity information, activity stream entries concerning opportunity updates or where a user mentions an opportunity, previewing opportunities in the right-hand side panel, and reports displaying opportunity data.</p>
Searching for Opportunities Global Search List View Search Creating a Filter Saving a Filter	<p>The Searching for Records section provides an introduction to the two searching methods for locating opportunities: global search, which searches across all Sugar modules, and list view search, which searches and filters within the Opportunities module.</p>
Opportunities List View Total Record Count Create Button List View Search Checkbox Selection Mass Actions Menu Favorite Designation Column Reordering Column Resizing Column Sorting Column Selection Preview Record Actions Menu More Opportunities Activity Stream Dashboards	<p>The List View section walks through the many elements of the Opportunities List View layout which contains a filterable list of all opportunity records in Sugar. While the generic menu options are described in the User Interface sections linked to the left, the options specifically available in the Opportunities list view are described in the List View Mass Actions Menu and List View Record Actions Menu sections of this page.</p>
Opportunities Record View Favorite Designation Following Designation Next or Previous Record Actions Menu Show More Subpanels Related Record Subpanels Filtering Subpanels Reordering Subpanels	<p>The Record View section walks through the many elements of the Opportunities Record View layout which contains detailed information about a single opportunity record. While the generic menu options are described in the User Interface sections linked to the left, the options specifically available in the Opportunities record view are described in the Record View Actions Menu</p>

Activity Stream Dashboards	<p>section of this page.</p>
Editing Opportunities Editing Inline via Record View Editing via Record View Editing Inline via Subpanels Editing Inline via List View Mass Editing via List View	<p>The Editing Records section describes the various methods of editing existing opportunity records, including inline via the Opportunities record view, in full edit mode on the record view, inline via the Opportunities subpanel on related module records, inline via the Opportunities list view, and via the Mass Update option on the list view.</p>
Deleting Opportunities Deleting via Record View Deleting via List View Mass Deleting via List View	<p>The Deleting Records section describes the various methods of deleting unwanted opportunities, including via the opportunities record view, an individual record's Actions menu on the Opportunities list view, and the Mass Actions menu on the list view.</p> <p>Note: An opportunity may be deleted only if its Status field is not set to "Closed Won" or "Closed Lost". For data integrity purposes, closed opportunities may not be deleted.</p>
Exporting Opportunities	<p>The Exporting Records section provides an introduction to the export functionality which allows you to download a list of opportunities and all their data as a .csv file for use outside of Sugar (e.g., in Microsoft Excel).</p>
Recalculating Calculated Values	<p>The Recalculating Calculated Values section provides instructions on utilizing the Recalculate Values list view option to update calculated field values in the module if the administrator has changed the field's formula via Admin > Studio.</p>
Finding Duplicate Opportunities	<p>The Finding Duplicate Records section provides instructions for locating duplicate opportunity records. If searching on matching fields (e.g., Opportunity Name) identifies one or more duplicates, they can be merged</p>

	into a single record.
Merging Opportunities Merging via List View	The Merging Records section provides instructions for merging duplicate opportunities which will combine field values and related records into a single opportunity.
Viewing Opportunity Historical Summaries	The Viewing Record Historical Summaries section describes the Historical Summary record view option which displays quick details of the opportunity record's related calls, meetings, emails, notes, and tasks.
Viewing Opportunity Audit Logs	The Viewing Record Audit Logs section describes the View Audit Log record view option which displays a history of changes to the opportunity's audited fields.
Opportunity PDFs Downloading Opportunity PDFs Emailing Opportunity PDFs	The Record PDFs section provides instructions for these record view options which allow you to download or email .pdf files of opportunity information as configured by an administrator via Admin > PDF Manager.
Favoriting Opportunities Favoriting via List View Favoriting via Record View Favoriting via Subpanel	The Favoriting Records section describes the various methods of marking opportunities as favorites, including via the Opportunities list view, Opportunities record view, or any Opportunities subpanel appearing on the record view of a related module. Favoriting an opportunity allows you to easily access it from list views, dashlets, or the Opportunities module tab.
Following Opportunities Following via List View Following via Record View	The Following Records section describes the various methods of marking opportunities as "Following", including via the Opportunities list view and record view. Following an opportunity causes its activity stream updates to be included on your Home page and Opportunities list view activity streams so that you can easily keep up with changes and user posts on the record.

[Sharing Opportunities](#)

The Sharing Records section provides instructions for the Share record view option which composes an email with a link to the opportunity record. If the recipient is logged into Sugar, clicking the link will bring them directly to the opportunity's record view.

Last Modified: 2022-11-02 18:47:32

Quotes and Quoted Line Items

Overview

Sugar's Quotes and Quoted Line Items modules consist of quote records and quoted line item records, respectively, that specify all of the products that have already been sold or are in the process of being sold to clients. Each quote record serves as a header for the sale of products or services, and includes information about the entire transaction such as the billing address, total amounts, and stage. Each quote contains one or more quoted line items that represent each product or service that is being sold. Quoted line items include the quantity, prices, and discounts specific to a single product or service.

Since a quote is made up of one or more quoted line items, you will most often create quoted line items while creating the quote itself. You can create quotes in Sugar from the Quotes module by creating a new or copying an existing quote. You can select a product directly from the product catalog or manually enter a product that is not in the catalog during quote creation. Once created, you can generate the quote as a document in PDF format and send it to your clients.

This documentation covers the basics of the Quotes and Quoted Line Items modules as well as the various options available in performing the actions related to the modules. For instructions concerning views and actions which are common across most Sugar modules, such as creating, editing, and deleting quote or quoted line item records, please refer to the [Working With Sugar Modules](#) section of this page.

Please note that you will only be able to see quote and quoted line item records as

allowed by your [license type](#), [team membership](#), [assigned roles](#), and [user access type](#). For more information, please refer to the referenced documentation in the Administration Guide.

Quotes and Quoted Line Items

Quotes are often an integral part of an organization's negotiation and completion of sales. In Sugar, the Quotes module serves as a header for the sale and includes information about the entire transaction such as the billing address, total amounts, and stage. Each quote contains one or more quoted line items that represent each product or service that is being sold.

Quoted line items include the quantity, prices, and discounts specific to a single product. You can view the quoted line item's details in record view by clicking the line item in a quote or by navigating to it directly via the Quoted Line Items module if your administrator has enabled the module to appear in Sugar's navigation bar. For more information about how quotes and quoted line items interact, please refer to the [Building Quotes](#) section of this page.

Typically, you will use these two modules to produce the sales information you present to your clients (e.g., a PDF). Because of this fact, it is important to understand how these modules work together and with other parts of Sugar to get the best experience possible for you and your clients.

Note: Quoted line items created directly in the Quoted Line Items module via the Actions menu or Create button cannot be linked to a quote record.

Quote Fields

The Quotes module contains a number of stock fields that come out-of-the-box with Sugar. For information on using and editing various field types, refer to the [User Interface](#) documentation. The following definitions are suggested meanings for the fields, but some fields can be leveraged differently to meet your organization's needs. Users with administrator or developer access have the ability to alter, add, or remove some fields via Admin > Studio. For more information on configuring fields, please refer to the [Studio](#) documentation in the Administration Guide.

Field Name	Description
Actual Close Date	The date on which the quote is accepted or rejected.
Assigned User	The Sugar user assigned to the quote.
Billing Account Name	The Sugar account to which the quote

	should be billed.
Billing Address	The billing address of the account to be billed for the product or service. Note: This group of fields will automatically populate from the related billing account record but can be edited on the quote without affecting the address on the related account record.
Billing Contact Name	The primary contact at the billing account for this order.
Converted Amount	The quote's grand total amount converted to the system default currency as configured in Admin > Currencies and the viewing user's preferred currency (if the Show Preferred Currency option is enabled). Note: If the applied exchange rate is modified via Admin > Currencies, the Converted Amount value will be automatically updated by a scheduled process. For more information on how currency changes affect the Converted Amount value, refer to the Updating Currency Rates section. For more information on the Converted Amount field, refer to the Grand Total vs Converted Amount section.
Date Created	The date a user created the quote record in Sugar.
Date Modified	The date the quote record was last modified in Sugar.
Date Shipped	The date the order shipped to the buyer.
Description	A description or other information about the quote.
Discount	The discounted amount (if applicable) for the quote.
Discounted Subtotal	The sum of quoted line items after any discounts have been applied.
Display Line Numbers	A checkbox that controls whether the quote record's line items should be sequentially numbered.
Grand Total	The sum of groups and line items after

	any tax, discounts, or shipping charges are applied.
Integration Sync ID	The sync key field used by external integrations to identify Sugar records in the external application. See the Integrate REST API endpoints in the Developer Guide for more details on how to use this field.
Opportunity Name	The name of the opportunity related to the quote.
Order Stage	The current order stage (Pending, Confirmed, etc.) of the quote.
Original P.O. Date	The date on which a purchase order was issued.
Payment Terms	The time period within which the buyer must pay for the product or service.
Purchase Order Num	The purchase order (P.O.) number given by the buyer as proof of payment authorization.
Quote Number	The unique, system-generated number used to reference the quote.
Quote Stage	The current stage of the quote's life cycle (Draft, Closed Won, etc.).
Quote Subject	A brief summary of the product or service to be quoted.
Shipping	The shipping charge for the order. Note: Value must be manually added in the Shipping field at the bottom of the quote's worksheet and saved via the quote record's Save button at the top of the page.
Shipping Account Name	The Sugar account where the product or service will be delivered.
Shipping Address	The shipping address of the account that will receive the product or service. Note: This group of fields will automatically populate from the related shipping account record but can be edited on the quote without affecting the address on the related account record.

Shipping Contact Name	The primary contact at the shipping account for this order.
Shipping Provider	The shipping method for the order. Note: Shipping providers are configured by the administrator via Admin > Shipping Providers. Only shipping providers marked "Active" are displayed as options on the quote record.
Subtotal	The sum of quoted line items before any tax, discounts, or shipping charges are applied.
Tax	The tax rate to apply to the quote's taxable subtotal. Note: Tax rates are configured by the administrator via Admin > Tax Rates. Only tax rates marked "Active" are displayed as options on the quote record.
Teams	The Sugar team(s) assigned to the quote record.
Total Discount	The order's total discount as a currency amount.
Total Discount Percentage	The order's total discount as a percentage of the total amount. Note: This value is shown under the "Total Discount" label to the left of the Total Discount amount
Grand Total	The total sum of all the groups and line items in the quote using the quote's currency. Note: For more information, please refer to the Grand Total vs Converted Amount section.
Valid Until	The date that the quote expires.

Quote Stages

The Quote Stage field represents the quote's position in its life cycle. There are eight quote stages that come out-of-the-box with Sugar, and users with

administrator or developer access have the ability to modify the quote stages via the quote_stage_dom list in Admin > Dropdown Editor. For more information on modifying dropdown lists, please refer to the [Developer Tools](#) documentation in the Administration Guide. The following definitions are suggested meanings for each quote stage, but the stages can be leveraged differently to meet your organization's needs.

Quote Stage	Description
Draft	The quote is not yet final.
Negotiation	The quote has been presented to the client and the client has requested modifications.
Delivered	The quote has been presented to the client for consideration.
On Hold	Activity related to the quote has been temporarily suspended.
Confirmed	The quote has been approved for sale.
Closed Accepted	The client has accepted the terms of the quote and agreed to proceed with the sale.
Closed Lost	The client has not accepted the terms of the quote and the sale has been lost.
Closed Dead	The client has neither accepted nor rejected the terms of the quote, but the sale has been presumed lost.

Order Stages

The Order Stage field is typically used to track the status of an order resulting from a Closed Accepted quote. There are five order stages which come out-of-the-box with Sugar, but users with administrator or developer access have the ability to modify the order stages via the order_stage_dom list in Admin > Dropdown Editor. For more information on modifying dropdown lists, please refer to the [Developer Tools](#) documentation in the Administration Guide. The following definitions are suggested meanings for each order stage, but the stages can be leveraged differently to meet your organization's needs.

Order Stage	Description
Pending	The order has been sent to your internal production team or supplier.

Confirmed	The order has been accepted by your internal production team or supplier.
On Hold	Processing on this order has been paused.
Shipped	The order has been released to the customer.
Canceled	The customer has canceled this order.

Calculated Fields

A quote's worksheet area is located just above the subpanels on a quote's record view. Users can add line items to the worksheet and then Sugar applies Sugar Logic to calculate the sum of the line items relative to applicable tax rates and any shipping charges or discount amounts that the user has specified. Several calculated fields contribute to the bottom line of a quote. These fields are shown at the top of the worksheet in the Totals bar and will instantly adjust for user-inputted data. The calculated fields are Total Discount, Discounted Subtotal, Total Tax, and Grand Total. For more information on the worksheet's layout, please refer to the [Quote Worksheet Options and Menus](#) section of this page.

+		Total Discount 5.00%	Total Discount \$272.25	Discounted Subtotal \$5,172.75	Total Tax \$426.75	Shipping \$0.00	Grand Total \$5,599.50	
<input type="checkbox"/>	:	Quantity	Product	Part Number	Unit Price	Discount Amount	Line Item Total	
Use the + create menu to add a line item, comment, or group to this Quote.								
+ : 3 Year Service								
<input type="checkbox"/>	:	3 Year Service						
<input type="checkbox"/>	:	1	10.00	3 Year Service	LMNO9876543210	\$544.50	5.00%	\$5,172.75
Group Total							\$5,172.75	
Discounted Subtotal							\$5,172.75	
Tax							\$426.75	
Shipping							\$0.00	
Grand Total							\$5,599.50	

In addition to the quote's calculated fields, each line item displays a calculated value labeled "Line Item Total". The value of each "Line Item Total" field's value is stored in the database in the Quoted Line Items module as total_amount and labeled "Calculated Quoted Line Item Amount" by default.

Note: If the line item's currency is different from the quote's selected currency, the "Line Item Total" will display the transactional value (grey box) in the line item's currency and the converted amount value next to it in the quote's currency.

+		Total Discount	Discounted Subtotal	Total Tax	Shipping	Grand Total
0.00%		\$0.00	\$1,330.50	\$109.77	\$0.00	\$1,440.27
☐ ⋮	Quantity	Product	Part Number	Unit Price	Discount Amount	Line Item Total
☐ ⋮	1 3.00	Reflective Mirror Widget	2.0	€234.00 \$260.00	0.00%	€702.00 \$780.00
☐ ⋮	2 1.00	3 Year Service	LMNO9876543210	€495.45 \$550.50	0.00%	€495.45 \$550.50
Discounted Subtotal						\$1,330.50
Tax						\$109.77
Shipping						\$0.00
Grand Total						\$1,440.27

Note: The value for a quote's Shipping charge is not a calculated value. It must be manually entered in the lower portion of the quote worksheet and saved via the quote record's Save button. You can click on the field to edit it or you can click the "Edit" button at the top of the record view. To save the value, click the "Save" button at the top of the record view.

Quoted Line Item Fields

The Quoted Line Items module contains a number of stock fields that come out-of-the-box with Sugar. For information on using and editing various field types, refer to the [User Interface](#) documentation. The definitions below are suggested meanings for the fields, but the fields can be leveraged differently to best meet your organization's needs. Users with administrator or developer access have the ability to alter, add, or remove fields via Admin > Studio. For more information on configuring fields, please refer to the [Studio](#) documentation in the Administration Guide.

Field	Description
Account Name	The account related to the quoted line item's quote.
Assigned To	The Sugar user assigned to the quoted line item record.
Line Item Total	Displayed on the quoted line item's related quote worksheet, the Line Item Total after any discount is applied.
Comment Log	A shared log of messages, comments, or other text, including the name of the user that added the log entry and the date and time it was added. It is possible to tag other users and link to other Sugar records in Comment Log entries by inserting a clickable pill; see the User Interface documentation for more

	details.
Contact Name	The contact related to the quoted line item's quote.
Cost ^{1, 2}	The actual cost of the quoted line item's product.
Date Created	The date the quoted line item record was first saved.
Date Modified	The date the quoted line item record was last modified.
Description	A description or other information about the quoted line item.
Discount Amount	The discount percentage or amount provided for the quoted line item.
Integration Sync ID	The sync key field used by external integrations to identify Sugar records in the external application. See the Integrate REST API endpoints in the Developer Guide for more details on how to use this field.
List Price ^{1, 2}	The quoted list price of the product.
Name	The product's name as selected from the product catalog list or manually entered as new.
Part Number ¹	The manufacturer's part number for the quoted line item's product.
Product	The product catalog record, if any, related to the quoted line item.
Quantity	The number of products being purchased.
Quote Name	The quote to which the quoted line item relates. Note: Quoted line items will only be related to quotes when they are created from the quote's worksheet.
Status	The current status of the quoted line item.
Subtotal	The list price multiplied by the line item's quantity before any discount is applied.
Tags	User-created keywords that can be used

	to identify records in filters, dashlets, and reports. Note: For more information on creating and using tags, please refer to the Tags documentation.
Teams	The Sugar team(s) assigned to the quoted line item record.
Unit Price ²	The unit price of the product.

1. When a quoted line item is related to a product catalog record, this value automatically populates from the related product and cannot be modified on the quoted line item record. For more information on creating and managing records in the Product Catalog, please refer to the [Product Catalog](#) documentation in the Application Guide.
2. The displayed currency is based on the system's default currency as configured by administrators in Admin > Locale unless the user's preferred currency is defined in their [user profile](#). You can change the quoted line item's currency from these defaults as desired. If the user has enabled "Show Preferred Currency" in their preferences, then Sugar will display the value in their preferred currency. If the user has disabled "Show Preferred Currency" in their preferences, then Sugar will display the value in the system's default currency as configured by the Administrator.

In addition to the fields listed above, quoted line items that are related to a product catalog record inherit the following field values from the product:

- Asset Number
- Book Value
- Book Value Date
- Pricing Formula
- Product URL
- Serial Number
- Support Contact
- Support Description
- Support Expires
- Support Starts
- Support Term
- Support Title
- Tax Class
- Vendor Part Number
- Weight

For more information on Product Catalog fields, please refer to the [Product Catalog](#) documentation.

Building Quotes

When creating quotes in Sugar, the full edit view layout opens and includes all of the quote fields in expandable panels labeled "Business Card", "Billing and Shipping", "Quote Settings", and "Show More". Beneath the panels, there is a quote worksheet where product groups and quoted line items can be configured, rearranged, and tallied along with any discounts, taxes, or shipping fees.

Note: The quotes worksheet fields and field order can be modified by administrators via Admin > Quotes Configuration. The layouts for the panels above the worksheet can be configured by administrators via Admin > Studio. For more information on configuring these two layouts, please refer to the [Studio](#) and [Quotes Configuration](#) documentation in the Administration Guide.

Quote Worksheet Options and Menus









Below the quote record, the quote's worksheet contains several options and menus specific to the worksheet, its groups, and rows. In the following image, the blue section is the Totals bar, which displays the calculated totals for the worksheet; the yellow section contains the column headers for all of the quoted line items that you may add; and the pink section is an example of a group, which can contain any number of quoted line items and comments. The totals for all groups on the worksheet are added to the shipping charge and calculated tax to reach a grand total.

5.00%		Total Discount	Discounted Subtotal		Total Tax	Shipping	Grand Total
		\$103.03	\$1,957.58		\$0.00	\$0.00	\$1,957.58
Quantity	Product	Part Number	Unit Price	Discount Amount	Line Item Total		
Use the + create menu to add a line item, comment, or group to this Quote.							
Gadgets							
1	1.00	Jeana Gadget	RRR Advertising Inc. ...	\$560.61	5.00%	\$532.58	
2	1.00	Custom Product	123	\$ (USD) 1,500.00	5.00 %	\$1,425.00	
Group Total							\$1,957.58
Discounted Subtotal							\$1,957.58
Tax							\$0.00
Shipping							0.00
Grand Total							\$1,957.58

Note: If you are using Sugar Mobile, your administrator may need to take action for the quote worksheet configuration to be in sync. More information can be found in the [Quotes Configuration](#) documentation in the Administration Guide.

The following table describes the options and menus available on the example

quote worksheet pictured above:

	Option	Description
	Create on Worksheet	Add a new group or create ungrouped line items and comments.
	Select All	Select or deselect all rows on the worksheet.
	Mass Actions	Group or delete all selected rows.
	Create in Group	Add a new comment or line item to the group.
	Group Actions	Edit the group name or delete the group (does not delete the group's rows).
	Select Row	Select the line item or comment.
	Row Actions	Edit or delete the line item or comment.
	Row Save/Cancel	Save (□) a new or edited row or cancel (x) creating or editing the row.

Creating Quoted Line Items via Quote Worksheet

Since a quote is made up of one or more quoted line items, you will most often create quoted line items while creating or editing the quote itself. Quoted line items represent the specific products or services on the quote. The Quotes detail view layout allows you to add line items and select products. For more information about products, please refer to the [Products and Quoted Line Items](#) section of this page.

Each line added to a quote becomes a new quoted line item record upon save. You can create line items as independent rows on the quote or they may be included in a group, which typically contains additional, related line items. For more information on creating quote groups, please refer to the [Creating Groups](#) section of this page.

After adding a quoted line item to a quote, you can navigate to the quoted line item's record view by clicking its hyperlinked name on the quote worksheet.

+		Total Discount		Discounted Subtotal	
0.00%		\$0.00		\$1,621.00	
<input type="checkbox"/>	:	Quantity	Product	Part Number	
<input type="checkbox"/>	:	1	Alita Gadget	360 Vacations 422402...	
<input type="checkbox"/>	:	2	Daphne Gadget	Spindle Broadcast Co...	

Creating Quoted Line Items

When adding products as quoted line items, you may select a product from your database's Product Catalog directly in the line item or via [Product Catalog](#) or [Product Catalog Quick Picks](#) dashlets or you may [manually enter a new product](#) on the fly. Either way, each line item added to a quote will create a new record in the Quoted Line Items module.

To create a line item as an independent row on the quote worksheet, click on the Create (+) button to access the worksheet's available actions and select "+ Quoted Line Item":

+		Total Discount		Discounted Subtotal		Total Tax		Shipping		Grand Total		
0.00%		\$0.00		\$0.00		\$0.00		\$0.00		\$0.00		
<input type="checkbox"/>	:	Quantity	Product	Part Number	Unit Price	Discount Amount	Line Item Total					
+ Quoted Line Item												
+ Comment												
+ Group												
										Discounted Subtotal		\$0.00
										Tax		\$0.00
										Shipping		0.00
										Grand Total		\$0.00

To create a line item inside a group on the quote worksheet, click on the group's Create (+) button to access the group's available actions and select "+ Quoted Line Item":

+		Total Discount	Discounted Subtotal	Total Tax	Shipping	Grand Total	
0.00%		\$0.00	\$1,621.00	\$0.00	\$0.00	\$1,621.00	
☐	:	Quantity	Product	Part Number	Unit Price	Discount Amount	Line Item Total
Use the + create menu to add a line item, comment, or group to this Quote.							
+		Gadgets					
+		Quoted Line Item	Alita Gadget	360 Vacations 42240...	\$1,321.00	0.00%	
+		Comment	Daphne Gadget	Spindle Broadcast Co...	\$300.00	0.00%	
Group Total							
						Discounted Subtotal	\$1,621.00
						Tax	\$0.00
						Shipping	0.00
						Grand Total	\$1,621.00

Please note that line numbers are only visible next to quoted line items when the "Display Line Numbers" field is enabled in the quote record's Quote Settings panel. This option is enabled by default.

Quote Settings ^

Currency \$ (USD)	Tax Rate 8.25 - Cupertino, CA
<div style="border: 2px solid red; padding: 5px; display: inline-block;"> Display Line Numbers <input checked="" type="checkbox"/> </div>	

Please refer to the following sections for more information on [creating a new custom line item](#) and creating line items [via product catalog](#).

Creating Custom Quoted Line Items

If you need to add a line item for a product that is not in the Product Catalog, you can instantly create a custom line item directly from the quote worksheet. Custom line items are stored in Sugar as quoted line item records but are not added to the Product Catalog.

Follow these steps to create a custom line item for a quote:

1. Choose "+ Quoted Line Item" from the worksheet's Create (+) menu or from the group's Create (+) menu as desired.
2. Click on the Product dropdown field in the new row and begin typing the product that you would like to use as a line item. When you enter the first letter of a product, Sugar will begin to display recommendations from the Product Catalog that begin with the same letter. To ignore the

recommendations and create an entirely new product, completely type out the name of the product as you would like it to appear on the quote and then click on the New Quoted Line Item menu option or press the Enter key.

+		Total Discount	Discounted Subtotal	Total Tax	Shipping	Grand Total	
		0.00%	\$0.00	\$0.00	\$0.00	\$0.00	
x		Quantity	Product	Part Number	Unit Price		
		1	1.00	Required	\$ (USD)	0.00	
						Discounted Subtotal	\$0.00
						Tax	\$0.00
						Shipping	0.00
						Grand Total	\$0.00

3. Enter the quantity, unit price, and remaining line item fields as needed.

Note: By default, custom line items will use the quote's selected currency but you can change the line item's currency from these defaults as desired. When the line item's currency is different from the quote's selected currency, the Unit Price and Line Item Total fields will display the transactional amount in a grey box using the line item's currency and the converted amount next to it in the quote's currency.
4. Click the blue checkmark next to the row to save the line item.

+		Total Discount	Discounted Subtotal	Total Tax		
		0.00%	\$0.00	\$250.00		
☐		Quantity	Product	Part Number	Unit Price	
		1	1.00	Custom Item	A93765J7562	\$ (USD) 250.00

This will save the row to Sugar's database as a quoted line item record but will not affect the Product Catalog. After adding a quoted line item to a quote, you can navigate to the quoted line item's record view by clicking its hyperlinked name on the quote worksheet. For the list of fields available in the quoted line items record view, please refer to the [Quoted Line Item Fields](#) section.

Creating Quoted Line Items via Product Catalog


If you need to add a line item for a product that is in the Product Catalog, you can easily find and select the product directly from the Product Catalog dashlet or the Product Catalog Quick Picks dashlet, which is located next to the quote form when creating a new quote and also on a Quotes record view intelligence pane. For more information on interacting with these dashlets, refer to the [Product Catalog Dashlet](#) and the [Product Catalog Quick Picks Dashlet](#) sections of this documentation. In addition to the dashlets, you can also select the product directly from the Product dropdown field on the quote worksheet.

Note: The Product Catalog records must be created before users can select products when adding line items. The Product Catalog, Product Categories, Product Types, and Manufacturers modules are accessible by all users. For more information on adding and modifying products in the product catalog, please refer to the [Product Catalog](#) documentation. When you select an item from the Product Catalog dashlet, the line item's tax class, cost, and manufacturer information will be pre-filled by values set by your administrator and therefore cannot be edited.

The following steps cover adding a line item to the quote worksheet using the Product Catalog dashlet as an example:

Note: You can follow the same steps below to add a line item using the [Product Catalog Quick Picks dashlet](#).

1. Create a new quote record via any of the various creation methods explained in the [User Interface](#) documentation. For this example, we will select "Create Quote" from the Quote module's [tab menu](#).
Note: To view and use the Product Catalog dashlet with existing quote records, simply expand the quote's record-view dashboard (if needed) by clicking on the double-arrow icon next to the record's Edit button and then select the Quotes Record Dashboard or any other dashboard that has been configured to display the Product Catalog dashlet.



2. On the create screen, enter the general quote information in the form's [fields](#).
3. When completing the form fields, the [Product Catalog dashlet](#) will be displayed to the right of the quote form. When you are ready to create a new quoted line item, click on any product name in the dashlet to instantly add it as an editable line item to the quote's worksheet. The line item's fields will populate with the part number and unit price, which are copied from the Product Catalog. The Part Number field cannot be edited for line items created via Product Catalog. By default, line items created using the product catalog will use the product catalog item's currency but you can change the line item's currency from these defaults as desired. If the line item's currency is different from the quote's selected currency, the Unit Price and Line Item Total fields will display the transactional amount in a

grey box using the line item's currency and the converted amount next to it in the quote's currency

Note: If you wish to select the product directly from the line item on the quote worksheet instead of via the dashlet, you will need to first [create](#) a line item on the quote worksheet then click on the Product dropdown field to enter and select the desired product.

+		0.00%		Total Discount	Discounted Subtotal		Total Tax	Shipping		Grand Total
				\$0.00	\$813.78		\$0.00	\$0.00		\$813.78
<input type="checkbox"/>	:	Quantity	Product	Part Number	Unit Price	Discount Amount	Line Item Total			
<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	1	1.00	Wynona Gadget	JBC Banking Inc 20979	\$(USD) 813.78	0.00	%	\$813.78	

4. Modify the quantity field if the default value of "1" is not correct. Please note that users may enter line items with a quantity of zero to denote optional products, previously-paid items, or to handle other situations. Rows with zero quantity will not affect the value of the quote.
5. Optionally, apply a discount to the line item. By default, the discount field accepts a percentage value, but users can enter an absolute discount amount by toggling the Unit button from "%" to the currency symbol.

+		0.00%		Total Discount	Discounted Subtotal		Total Tax	Shipping		Grand Total
				\$0.00	\$813.78		\$0.00	\$0.00		\$813.78
<input type="checkbox"/>	:	Quantity	Product	Part Number	Unit Price	Discount Amount	Line Item Total			
<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	1	1.00	Wynona Gadget	JBC Banking Inc 20979	\$(USD) 813.78	0.00	%	\$813.78	
							Discounted Subtotal	\$ US Dollars	\$813.78	
							Tax	% Percent	\$0.00	
							Shipping		\$0.00	
Grand Total									\$813.78	

6. After completing the line item, click the blue checkmark next to the row to save the line item.

This will save the row to Sugar's database as a new quoted line item record.

Editing Quoted Line Items

To change the editable values of a quoted line item, click on the row's Actions button (three vertical dots to the left of the line item) and then select "Edit".

+		Gadgets								
<input type="checkbox"/>	:	Ship before April 1:								
<input type="checkbox"/>	<input checked="" type="checkbox"/>	1	1.00	Custom Product	n/a	\$1,500.00	€1,050.00			
<input type="checkbox"/>		<div style="border: 1px solid red; padding: 2px; display: inline-block;">Edit</div>								
<input type="checkbox"/>		<div style="border: 1px solid red; padding: 2px; display: inline-block;">Delete</div>								
				Eustolia Gadget	24/7 Couriers 184759...	\$809.00	€566.30			

Custom line items are fully editable. The quantity and discount are editable for line items from the product catalog, or you may change the selected product, which will reset the row's values appropriately. After updating the quoted line item, click


the blue checkmark to apply the changes or click the Cancel (x) icon to cancel any changes and revert the row's values. If the line item's value has changed, the quote's totals will automatically recalculate. If the edited line item is in a group, then the group's totals will recalculate, as well.

Moving Quoted Line Items

Users can move quoted line items to a new position on a worksheet. Simply save the row and then click and hold anywhere on the line item until the mouse tip changes to a four-directional arrow. Drag the row to the preferred position on the worksheet and then release the mouse button.


Note: Quoted line items cannot be moved when they are in edit mode.

Line items can be moved within a group, from one group to another group, or out of a group to an independent row. When you change the position of a line item, its line number will adjust accordingly and so will the line numbers for any other rows affected by the change. Upon moving line items into or out of a group, the group's totals will automatically recalculate.



Gadgets										
<input type="checkbox"/>	⋮	Ship before April 1:								
<input type="checkbox"/>	⋮	1	1.00	Custom ...	n/a		\$1,500.00	€1,050.00	.00%	
<input type="checkbox"/>	⋮	Ship before May 1:								
<input type="checkbox"/>	⋮	2	1.00	Eustolia Gadget		24/7 Couriers 184759...	\$809.00	€566.30		

Please note that line numbers are only visible when the "Display Line Numbers" field is enabled on the quote record.



Quote Settings	
Currency	Tax Rate
\$ (USD)	8.25 - Cupertino, CA
<input checked="" type="checkbox"/> Display Line Numbers	

Moving a quoted line item into or out of a group is audited by the quoted line item record's activity stream, but changing the position of a line item within a single group is not tracked.

Deleting Quoted Line Items

If you delete a line item from a quote's worksheet, you cannot get it back. You will delete the record from the Quoted Line Items module. The quote worksheet allows you to delete a single quoted line item or to use a mass action for deleting several line items at once. Upon deleting line items, the quote's totals will recalculate automatically. If the deleted line items were in a group, the group totals will recalculate, too.

To delete a single quoted line item, click on the line item row's Actions button (three vertical dots to the left of the line item's name) and then select "Delete".

+ ⋮		Hardware			
<input type="checkbox"/>	⋮	1	1.00	Eustolia Gadget	24/7 Couriers 184759... \$809.00
<input type="checkbox"/>	⋮	2	1.00	Custom item	\$100.00
<div style="border: 1px solid gray; padding: 2px;"> Edit <div style="border: 2px solid red; padding: 2px; display: inline-block; margin-left: 10px;">Delete</div> </div>					
Discounted Subtotal					\$868.55
Tax					\$71.66
Shipping					\$0.00
Grand Total					\$940.21

To delete multiple line items at once, identify the quoted line items that you would like to delete and place a checkmark in the empty checkbox next to each item's row. Click on the worksheet's Actions button (three vertical dots in the Totals bar) and select "Delete Selected".

+ ⋮		Total Discount	Discounted Subtotal	Total Tax	Shipping	Grand Total
		0.00%	\$0.00	\$455.69	\$0.00	\$5,979.14
<input type="checkbox"/>	⋮	Quantity	Product	Part Number	Unit Price	Disc
<div style="border: 1px dashed gray; padding: 5px;"> Use Group Selected line item, comment, or group to this Quote. </div>						
+ ⋮		Delete Selected				
<input checked="" type="checkbox"/>	⋮	1	5.00	48 Month Service	PQRS0123456789	\$909.09
<input checked="" type="checkbox"/>	⋮	2	1.00	Tamica Gadget	King Software Inc 86...	\$978.00

Quoted Line Item Groups

The quote's worksheet allows users to add products from the product catalog and arrange them in groups. Groups may also contain comments. Groups are optional for quote records so you can omit them altogether in favor of independent line items or create one or more groups to organize similar products or services together. For example, a quote for software might have a group labeled "Services" to contain the quoted line items for implementation and extended support.

Note: Creating a group of quoted line items adds a product bundle record in the database. For more information on the Quotes architecture in Sugar, refer to the [Quotes](#) page in the Developer Guide.

Creating Groups

Empty groups can be created via the worksheet's Create menu. Alternatively, users can create a group from existing comments and quoted line items. The next two sections explain each method.

Creating Empty Groups

Use the following steps to add a new group to the quote's worksheet:

1. After filling in and saving the quote's fields, scroll down to the quote's worksheet and click on the Create (+) button to access the worksheet's available actions and select "+ Group".

> SHOW MORE

+	Total Discount 0.00%	\$0.00	Discounted Subtotal \$0.00	Total Tax \$0.00	Shipping \$0.00	Grand Total \$0.00
+ Quoted Line Item	Quantity	Product	Part Number	Unit Price	Discount	
+ Comment Add a line item, comment, or group to this Quote.						
+ Group						
					Discounted Subtotal	\$0.00
					Tax	\$0.00
					Shipping	0.00
					Grand Total	\$0.00

2. Enter an optional name for the new group and then click the Save icon. To create an unnamed group, just click the Save icon without entering any text.

Note: To cancel without creating a new group, click on the Cancel (x) icon.

+	Total Discount 0.00%	\$0.00	Discounted Subtotal \$0.00
☐	⋮	Quantity	Product
Use the + create menu to add a line item, comment, or gr			
✕	✓	Licences	

You now have a new group and can start [adding line items](#) to the group.

Creating Groups from Quoted Line Items

If a quote already has line items and you want to move some or all of those line items into a new group together, follow these steps to create a new group from the quoted line items:

1. From the quote's worksheet area, identify the quoted line items that you would like to group together and place a checkmark in the empty checkbox next to each item's row.
2. Next, click on the worksheet's Actions button (three vertical dots in the Totals bar) and select "Group Selected".

+		Total Discount	Discounted Subtotal	Total Tax
		0.00%	\$0.00	\$1,621.00
				\$0.00
<input type="checkbox"/>	⋮	Quantity	Product	Part Number
<input checked="" type="checkbox"/>	Group Selected		Alita Gadget	360 Vacations 42240...
<input checked="" type="checkbox"/>	Delete Selected		Daphne Gadget	Spindle Broadcast Co...

3. Enter an optional name for the new group and then click the Save icon. To create an unnamed group, just click the Save icon without entering any text.

Note: To cancel without creating a new group, click on the Cancel (x) icon.


×	✓	Gadgets		
<input type="checkbox"/>	⋮	1	1.00	Alita Gadget
<input type="checkbox"/>	⋮	2	1.00	Daphne Gadget

4. The selected items now exist within the new group:

+		Gadgets		
<input type="checkbox"/>	⋮	1	1.00	Alita Gadget
<input type="checkbox"/>	⋮	2	1.00	Daphne Gadget

Editing Groups


To edit a group's name, click on the group's Actions button (three vertical dots to the left of the group name) and then select "Edit".



To edit the position of quoted line items and comments in a group, you can simply drag and drop the rows to the desired location. Line items and comments can be rearranged within the group, moved to a new group, or moved out of groups to independent lines on the quote worksheet. For more information, please refer to the [Moving Quoted Line Items](#) and [Moving Comments](#) sections.

Deleting Groups

When you delete a group from a quote's worksheet, any quoted line items that were in the deleted group will simply become ungrouped on the quote. To delete a group, click on the group's Actions button (three vertical dots to the left of the group name) and then select "Delete Group".



Comments

Comments are user-created notes on the quote worksheet. Comments are included on the default quote PDF templates. You can create comments as independent rows on the quote or they may be included in a group. For more information on creating quote groups, please refer to the [Creating Groups](#) section of this page. Because comments, like quoted line items, occupy rows on the worksheet, they can be added, edited, moved, and deleted from the sheet in the same way as quoted line items.

Creating Comments

To create a comment as an independent row on the quote worksheet, click on the Create (+) button to access the worksheet's available actions and select "+

Comment":

+		Total Discount	Discounted Subtotal	Total Tax	Shipping	Grand Total	
		0.00%	\$0.00	\$5,523.45	\$455.69	\$0.00	\$5,979.14
+ Quoted Line Item	Quantity	Product	Part Number	Unit Price	Discount		
+ Comment Add a line item, comment, or group to this Quote.							
+ Group							
<input type="checkbox"/>	:	1	5.00	48 Month Service	PQRS0123456789	\$909.09	
<input type="checkbox"/>	:	2	1.00	Tamica Gadget	King Software Inc 86...	\$978.00	

To create a comment inside a group on the quote worksheet, click on the group's Create (+) button to access the group's available actions and select "+ Comment":


+		Total Discount	Discounted Subtotal	Total Tax	Shipping	Grand Total	
		0.00%	\$0.00	\$5,523.45	\$455.69	\$0.00	\$5,979.14
<input type="checkbox"/>	:	Quantity	Product	Part Number	Unit Price	Discount	
Use the + create menu to add a line item, comment, or group to this Quote.							
<input type="checkbox"/>	:	48 Month Service					
<input type="checkbox"/>	:		48 Month Service	PQRS0123456789		\$909.09	
<input type="checkbox"/>	:		Tamica Gadget	King Software Inc 86...		\$978.00	

Type the comment into the text box and then click the blue checkmark to save the comment as a new row or click the Cancel (x) icon to remove the comment's row:


+		Gadgets				
<input type="checkbox"/>	:	Ship before April 1:				
<input type="checkbox"/>	:	1	1.00	Custom Product	n/a	\$1,500.00 €1,050.00 5.00% \$1,425.00
<input checked="" type="checkbox"/>	:	Ship before May 1:				
<input type="checkbox"/>	:	2	1.00	Eustolia Gadget	24/7 Couriers 184759X...	\$809.00 €566.30 5.00% \$768.55

Editing Comments

To edit a comment's text, click on the comment row's Actions button (three vertical dots to the left of the comment) and then select "Edit".



After updating the comment, click the blue checkmark to preserve the changes or click the Cancel (x) icon to cancel any changes and revert the text.



Moving Comments

Users can move comments to a new position on a worksheet. Simply save the comment and then click and hold anywhere on the comment row until the mouse tip changes to a four-directional arrow. Drag the comment to the preferred position on the worksheet and then release the mouse button. Comments can be moved within a group, from one group to another group, or out of a group to an independent row.


+		Total Discount	Discounted Subtotal	Total Tax
		0.00%	\$0.00	\$5,523.45
				\$455.69

	Quantity	Product	Part Number
Use the + create menu to add a line item, comment, or group to this Quote.			
48 Month Service			
		Ship before April 1:	
	1	5.00	48 Month Service PQRS0123456789
	2	1.00	Tamica Gadget King Software Inc 86...

Note: Comments cannot be moved when they are in edit mode.

Deleting Comments

To delete a comment from the quote worksheet, click on the comment row's Actions button (three vertical dots to the left of the comment) and then select "Delete".

<input type="checkbox"/>	 Ship before April 1:				
<input type="checkbox"/>	Edit	Custom Product	n/a	\$1,500.00	€1,050.00
<input type="checkbox"/>	Delete				

Products and Quoted Line Items

Sugar's Product Catalog module contains a list of all products or services that your organization sells. This module provides the Quoted Line Items module with the template used when creating products to be used for [Quotes](#) and [Opportunities](#), including pricing and cost information as well as information about the manufacturer. The Product Catalog, Product Categories, Product Types, and Manufacturers modules are accessible by all users. For information and actions specific to those modules, please refer to the [Product Catalog](#) documentation in the Application Guide.

When adding products as quoted line items, you may select a product from your database's Product Catalog module or you may manually enter a new product on the fly. Either way, each line item added to a quote will create a new record in the Quoted Line Items module. After adding a quoted line item to a quote, you can navigate to the quoted line item's record view by clicking its hyperlinked name on the quote worksheet.


If you selected a product from the product catalog, the Product field will be populated with the product's name on the quoted line item's record view. However, if you manually entered a custom product to your quoted line item, then the Product field will not be populated since the product does not exist in the product catalog.

QL	Reflective Mirror Widget ☆	Edit ▾
Product	Reflective Mirror Widget	Account Name Smallville Resources Inc
Quote Name	Mirrors for Smallville R...	Status Quoted

Product Catalog Dashlet

The Product Catalog dashlet provides users with a simple way to access the Product Catalog directly from the quote record and instantly add products from the catalog as line items on the quote worksheet. The Product Catalog dashlet is located next to the quote form when creating a new quote and also on the Quotes

Record Dashboard on a quote's record view.



The screenshot shows a quote record view for '3 Year Service for Waverly Trading House'. The 'Record Dashboard' is visible on the right side of the quote record. Below the dashboard, the 'Product Catalog' dashlet is displayed, featuring a search bar and a list of product categories: Desktops, Laptops, Haggins Widgets, Pina Widgets, and Roland Widgets. The 'Record Dashboard' and 'Product Catalog' dashlet are highlighted with red boxes in the original image.

The following sections explain the various features and components of the Product Catalog dashlet. For detailed steps on creating quoted line items via the Product Catalog dashlet, please refer to the [Creating Quoted Line Items via Product Catalog](#) section of this page.

Note: The Product Catalog records must be created before users can select products when adding line items. The Product Catalog, Product Categories, Product Types, and Manufacturers modules are accessible by all users. For more information on adding and modifying products in the product catalog, please refer to the [Product Catalog](#) documentation. When you select an item from the Product Catalog dashlet, the line item's tax class, cost, and manufacturer information will be pre-filled by values set by your administrator and therefore cannot be edited.

Viewing Products and Categories via Dashlet


In the Product Catalog dashlet, product categories are represented as folders and are organized to reflect the structure of the customer's category hierarchy. Users can [search for products and categories](#) and click on individual folders to reveal the products contained in each category. To close an expanded category folder, click on the open-folder icon.

Note: Only products with a status of "Active" are displayed in the Product Catalog dashlet.

Simply click on a card icon or product name to instantly add the product to the quote worksheet. The new line item will be pre-populated with values specific to the product and can be edited for quantity, discount, or unit price prior to saving. For more information, please refer to the [Creating Quoted Line Items via Product Catalog](#) section of this page.


Searching for Products and Categories via Dashlet

Users can also search for products using the Search field on the Product Catalog dashlet. Upon entering a search term, a list of matching product categories and matching products will be shown in the dashlet. If the user clicks on a category (e.g., a folder) in the list of search results, all products in the category are loaded, not only the products that match the search terms.



Previewing Products via Dashlet


Click on the Preview icon to the right of a product name to view the complete details of its Product Catalog record:



Note: You can click on the card icon or product name to add it as a quoted line item without reviewing the product.


After clicking the Preview icon, the record's detail view opens. Click the "Add"

button to add it to the quote as a quoted line item. To close the Product Catalog record's details without adding the product as a line item, click the "Cancel" button.



Favoriting Products via Dashlet


For products in the product catalog that you use often and would like easier access to, you can mark the product as a favorite when [viewing](#) the details of the record. Simply click the star icon to the right of the product's name in the upper left of the record view to designate it as a favorite. To close the product catalog record's details, simply click the Cancel button. If you wish to remove the product as a favorite, click the star again to revert it to white. After a product is marked as a favorite, it will appear under the Favorites tab of the [Product Catalog Quick Picks dashlet](#).



Product Catalog Quick Picks Dashlet

The Product Catalog Quick Picks dashlet provides easy access to active products in the product catalog that you recently used or marked as favorites. The dashlet consists of two tabs (Recently Used, Favorites) and is located next to the quote form when creating a new quote and also in the Quotes record view intelligence pane. If the dashlet is not displayed in the intelligence pane, you can add the dashlet by editing the dashboard. For more information on adding dashlets, refer


to the [Dashboards and Dashlets](#) documentation. The Recently Used tab allows you to see a list of active products from the product catalog that you most recently added as line items on a quote worksheet. While the Favorites tab displays a list of active products that you have marked as favorites. For more information on marking products as favorites, refer to the [Favoriting Products via Dashlet](#) section of this page.



You can select products directly from the [Product Catalog dashlet](#) or the Product Catalog Quick Picks dashlet to instantly add it as a line item on the quote worksheet. For more information, refer to the [Creating Quoted Line Items via Product Catalog](#) section of this page. Once the product is added as a quoted line item, you can refresh the page and it will appear under the Recently Used tab of the Product Catalog Quick Picks dashlet. Please note that the dashlet will display up to 10 products that you most recently used across quote records.


Previewing Products via Dashlet

If you wish to view the record details of the product prior to adding it as a quoted line item, you can hover over the product's name in the dashlet and click the preview icon. This will open the product catalog's record view.




Click the Add button on the record view to add the product as a quoted line item or

click "Cancel" to close the product catalog's record view without adding the product. Please note that you can also add the product as a quoted line item without viewing the record by clicking the card icon or the product name directly from the Product Catalog Quick Picks dashlet.




Favoriting Products via Dashlet

In addition to [favoriting](#) a product when viewing the details of the record via the Product Catalog dashlet, you can also mark a product listed in the Product Catalog Quick Picks dashlet as a favorite. Simply hover over the desired product's name (e.g., 3 Year Service) under the Recently Used tab and click the preview icon to access the product catalog record.




Click the star icon to the right of the product's name on the the upper left of the record view to designate it as a favorite. If you wish to remove the product as a favorite, click the star again to revert it to white. Click "Cancel" to close the product catalog record view.



After a product is marked as a favorite, it will appear under the Favorites tab in alphabetical order. By default, the dashlet displays 8 products per page, and you

can click the left and right arrow buttons or the page number to view the next or previous list of favorited products. You can also click the card icon or the product name under the tab to add it as a line item to new or existing quotes. For more information on adding line items using dashlets, refer to the [Creating Quoted Line Items via Product Catalog](#) section of this page.



Creating Opportunities from Quotes

Opportunity records in Sugar represent prospective sales. As you interact with your client and present the quote for your products and services, you can create an opportunity from the quote's detail view to track the quote's progression through your organization's sales stages. The new opportunity is populated with the original quote's values to reflect the opportunity name, account name, expected close date, best, likely, and worst amounts. Any other populated fields will be based on the default values as they are defined in Studio for the Opportunities module. On save, the new opportunity record will automatically be related to the quote record in Sugar, and the quote record will show that it has been converted.

To create an opportunity from a quote, navigate to a quote's record view. Select "Create Opportunity from Quote" from the Actions menu. If the option is grayed out in the menu, confirm that the quote's Opportunity Name field is empty and that the quote record is labeled "Not Converted". Quotes that already relate to an opportunity are considered converted and cannot be converted into another related opportunity.

Sugar will instantly create and save a new, related opportunity and redirect you to the opportunity's record view. You may update the opportunity if needed by clicking "Edit" and then saving the changes. The opportunity's Quotes subpanel will display the originating quote record. Click on the quote's name and the quote will now display the related opportunity's name in the Opportunity Name field and the quote's label will display "Converted".


Downloading Quotes as PDFs

Users can download Sugar quote records in PDF format via the quote's Actions menu or from any Quotes subpanel on a related record. By default, the quote can be formatted as either a quote or an invoice, but administrators may create new quote PDF templates or modify the default templates via Admin > PDF Manager. For more information, please refer to the [PDF Manager](#) documentation in the Administration Guide.


The Download PDF option enables you to easily download the quote to your machine and email or print and mail it to your client outside of the Sugar application. The default PDF formats list the details (e.g., quantity, product name, etc.) of the items or services for purchase as well as any comments and pricing information. Once the client approves the quote's terms and agrees to purchase your product or service, you can generate an invoice for payment.

To download a PDF from the quote's record view, find the Download PDF option in the quote record's Actions menu and the available PDF formats will be listed in the


subsequent rows. If the PDF options are hidden, simply click on "Download PDF" to expand the PDF options. Click on the PDF format that you prefer (e.g., Invoice or Quote).



To download a PDF from a related record's Quotes subpanel, expand the Actions menu for the quote record in the subpanel and find the Download PDF option. The available PDF formats will be listed in the subsequent rows. If the PDF options are hidden, simply click on "Download PDF" to expand the PDF options. Click on the PDF format that you prefer (e.g., Invoice or Quote).



After downloading the file, locate the PDF in your browser's footer or in your computer's Downloads folder. It will be named Quote_Name.pdf where Quote_Name is the name of the quote record with underscores in place of space characters (e.g., a quote named "300 Software Licenses" will export with the file name 300_Software_Licenses.pdf).



The .pdf document will contain all of the information from the quote's worksheet as well as the quote number, assigned user's name, and billing and shipping information.



10050 N Wolfe Rd
SW2-130
Cupertino, CA 95014

Quote

Quote number: 4
Sales Person: Will Westin
Valid until: 06-28-2020

Bill To | **Ship To**

Smallville Resources Inc
9 IBM Path
Denver, CA, 53571
USA

9 IBM Path
Denver, CA, 53571
USA

3 Year Service

Quantity	Part Number	Quoted Line Item	Duration	List Price	Unit Price	Ext. Price	Discount:
10.00	TekWare Inc. LMNO9876543210	3 Year Service	3 Year(s) Starts: 06-28-2020 Ends: 06-27-2023	\$550.00	\$544.50	\$5,445.00	0.00%

Subtotal: \$5,445.00
Discount: \$0.00
Discounted Subtotal: \$5,445.00
Total: \$5,445.00

Currencies and Quotes

Sugar allows your organization to perform business around the world by supporting multiple currencies. Administrators must first add desired currencies and exchange rates to Sugar via Admin > Currencies. They also have the ability to set the instance's default currency via Admin > Locale. This is typically the currency of the country where the majority of business is conducted. For more information, refer to the [System](#) documentation in the Administration Guide.

Each quote record has a Currency field in the Quote Settings panel where you can specify the currency being used for the particular business transaction. By default, the field displays the system default currency unless the [user's preferred currency](#) is defined in their user profile. When line items are added to the quote's worksheet, the default currency for each line item will vary depending on how it is entered (manually or via Product Catalog). Line items built from product catalog items will use the product catalog item's selected currency by default while custom line items will use the quote's selected currency. For more information on creating and managing the Product Catalog, refer to the [Product Catalog](#) documentation in the Application Guide. Please note that you can change each line item's currency from these defaults as desired.

By default, the Unit Price, Cost, and List Price fields will display using the system's default currency unless the user's preferred currency is defined in their user

profile. For more information on configuring your preferred currency, refer to the [Getting Started](#) documentation. Please note that the quoted line item's currency can be changed from these defaults to the specific currency being used for the particular business transaction.

Note: The [Show Preferred Currency](#) option in the user's profile will not affect the Quoted Line Items record view to convert the saved amounts using the user's preferred currency. This is different from how quoted line item currencies work in Sugar Mobile. See the Working With Quoted Line Items section of the [Android](#) and [iOS](#) User guides for more information.

For each line item in the quote's worksheet, the unit price and line item total values will display in the quote's selected currency. However, if the line item's currency differs from the quote's currency then the Unit Price and Line Item Total fields will display the transactional amount, in the line item's currency, in a grey box next to the converted amount in the quote's currency. Please note that the [Show Preferred Currency](#) option in the user's profile will not affect the line items in the quote's worksheet.

In the following example below, the quote's selected currency is Euros (€). The first line item is a [custom quoted line item](#) that was manually entered, so it uses the quote's selected currency (Euros) by default. The second line item (TK 1000 Desktop) was [created from a product catalog item](#), so its transactional value (grey box) uses the catalog item's currency, US Dollars. Now, since this line item's currency differs from the quote's currency, the converted amount will display next to the grey box using the quote's currency (Euros). Please note that if the second line item's base currency was changed to the quote's currency (Euros), then the unit price and line item total values would just display in the quote's currency.

+		Total Discount	Discounted Subtotal	Total Tax	Shipping	Grand Total
0.00%		€0.00	€1,380.20	€113.87	€0.00	€1,494.07
<input type="checkbox"/>	Quantity	Product	Part Number	Unit Price	Discount Amount	Line Item Total
<input type="checkbox"/>	1	Custom Quoted Line Item		€500.00	0.00%	€500.00
<input type="checkbox"/>	2	Tamica Gadget	King Software Inc 862...	\$978.00 €880.20	0.00%	\$978.00 €880.20
Discounted Subtotal						€1,380.20
Tax						€113.87
Shipping						€0.00
Grand Total						€1,494.07

In the Quotes list view, there are two currency-type fields where the values are displayed using different currencies:

- **Grand Total:** Displays the total sum of all the groups and line items in the quote using the quote's currency.
- **Converted Amount:** Displays the grand total amount converted to the system default currency (grey box) and the viewing user's preferred currency (if the [Show Preferred Currency](#) option is enabled).

Quotes (4) Create >							
Filter	Create Search by quote subject...						
Number	Subject	Account Name	Quote Stage	Grand Total	Converted Amount	Valid Until	
1	Computers for ...	Nimble Techno...	Draft	\$4,384.13	\$4,384.13 €3,945.71	2020-06-28	

For more information about converted currency amounts, refer to the [Updating Currency Rates](#) section of this page.

Note: Quote currencies work differently in Sugar Mobile. See the Totals and Shipping section of the [Android](#) and [iOS](#) User guides for more information on how the mobile application uses quote currencies.

Grand Total vs Converted Amount

The stock Quotes list view contains two fields, Grand Total and Converted Amount, that differ in functionality. The Grand Total field displays the total sum of all the groups and line items in the quote using the quote's selected currency while the Converted Amount field displays the grand total amount converted to the system default currency. If the viewing user's Show Preferred Currency option is enabled in their user profile, the Converted Amount field will also display the converted amount in the viewing user's preferred currency. For more information on setting a user's Preferred Currency and Show Preferred Currency options, refer to the [Getting Started](#) documentation.

The primary differences between these fields and options are as follows:

Field Name	Value Displayed	Method to Update Value
Grand Total	The total sum of all groups and line items in the quote using the quote's selected currency.	Updated by editing the quote record.
Converted Amount (system default currency)	Grand Total amount converted to the system default currency based on the system-defined conversion rate.	Updated by a scheduled process when the relevant exchange rate is modified via Admin > Currencies. For more information on how currency changes affect the Converted Amount value please see Updating Currency Rates .
Converted Amount (user's preferred currency)	Grand Total amount converted to the viewing	Updated by modifying the relevant exchange rate via

	user's preferred currency as specified in their user profile based on the system-defined conversion rate.	Admin > Currencies. For more information on how currency changes affect the Converted Amount value please see Updating Currency Rates .
--	---	---

Updating Currency Rates

When saving a quote in a currency that differs from the system-defined default currency, Sugar will store the conversion rate for that currency at the record level. This conversion rate is used to calculate the converted amounts when the quote's currency differs from the system default currency. To keep amounts historically accurate, the conversion rate will only update on a quote provided the quote stage is not set to "Closed Accepted", "Closed Lost", or "Closed Dead". If the quote is in any other stage, the conversion rate will update under the following scenarios:

- The quote undergoes a save event (e.g., mass update, manual save, etc.) and the record's currency has a different conversion rate defined in Admin > Currencies than is currently saved in the quote.
- An administrator updates the currency exchange rate under Admin > Currencies. This will trigger a scheduled job which updates all quotes saved with that currency to the new rate.

When the viewing user's profile has the Show Preferred Currency option enabled, the Converted Amount field displays the Grand Total amount in the user's preferred currency. In this case, the conversion rate used to calculate the Converted Amount's value is drawn directly from the conversion rate at the system level rather than any conversion rate stored on the record. This means that the value will always use the current conversion rate regardless of the opportunity's sales stage. For this reason, the Converted Amount field should not be considered historically accurate for closed quotes when it is using the user's preferred currency. For information about setting a user's Preferred Currency and Show Preferred Currency options, please refer to the [Getting Started](#) documentation.

For more information about currency exchange rates, please refer to the [System](#) documentation in the Administration Guide.

Filtering on Currency Fields

Currency fields are filtered according to the record's set currency rather than being standardized to the user's preferred or system default currency. In the list

view, filtering quotes by a currency field allows you to specify the filter's currency. Only records matching both the chosen currency and amount range will be returned. For example, if you filter based on a Grand Total value of 1,082.50 in US Dollars, then the search result will return a quote with a Grand Total value of \$1,082.50 but will exclude values of €1,082.50 or other currency values which are equivalent to \$1,082.50.

The screenshot shows the SugarCRM interface for the Quotes module. At the top, there's a 'Quotes (1)' header with a 'Create' button. Below it is a search bar with a 'Filter' dropdown and a 'Create' button. The filter is set to 'Grand Total is equal to \$ (USD) 1,082.50'. Below the filter is a table with columns: Number, Subject, Account Name, Quote Stage, and Grand Total. The table contains one record with Number 2, Subject 'Mirrors for Smallville Resources Inc', Account Name 'Smallville Resources Inc', Quote Stage 'Negotiation', and Grand Total '\$1,082.50'. The filter and the Grand Total value in the table are highlighted with red boxes.

Note: By contrast, when filtering values in the Reports module, any record matching the specified amount or range will be returned regardless of the record's currency. For example, if one quoted line item's Unit Price value is \$500 in US Dollars and another's is €500 in Euros, filtering a report for a Likely value of exactly 500 will return both records in the report.

Working With Sugar Modules

The Quotes module uses Sugar's Sidecar user interface. The following sections detail menus, views, and actions common to Sidecar modules and contain links to additional information within the page or links to the User Interface documentation.


Quote Menus

The Quotes module contains various options and functionality which are available via menus in the module tab, list view, and record view. The following sections present each menu and its options with links to more information about each option in the User Interface documentation or, for Quotes-specific functionality, on this page.

Module Tab Menus

The Quotes module tab is typically located on the navigation bar at the top of any Sugar screen. Click the tab to access the Quotes list view. You may also click the triangle in the Quotes tab to display the Actions, Recently Viewed, and Favorites

menus. The Actions menu displays options for creating and viewing quotes. The [Recently Viewed menu](#) displays the list of quotes you last visited. The [Favorites menu](#) displays the list of quotes you most recently marked as favorites.



The module tab's Actions menu allows you to perform the following operations:

Menu Item	Description
Create Quote	Opens the record view layout to create a new quote.
View Quotes	Opens the list view layout to search and display quotes.
View Quote Reports	Directs you to the Reports list view filtered to display only reports based on the Quotes module.

For more information on module tab menus including reasons a module may not be included in the menu, see the [User Interface](#) documentation.


List View Menus

The Quotes [list view](#) displays all quote records and allows for searching and filtering to locate specific quotes. You can view the basic details of each record within the field columns of the list view or click on a quote's name to open the record view. To access a module's list view, simply click the module's tab in the navigation bar at the top of any Sugar page.

List View Mass Actions Menu

The Mass Actions menu to the right of the checkbox option in the list header allows you to perform mass actions on all currently selected records. You can use

the checkbox on each record's row to select individual quote records or click the checkbox in the list header to select all records displayed on the current set of list view results.




The Mass Actions menu allows you to perform the following operations:

Menu Item	Description
Mass Update	Mass update one or more quotes at a time.
Recalculate Values	Visible only if the module contains fields using Sugar Logic and only to System Administrators or users with Developer-level role access, this option will refresh the selected records' calculated values.
Delete	Delete one or more quotes at a time.
Export	Export one or more quotes to a CSV file.

List View Record Actions Menu

The Record Actions menu to the far right of each record's row allows you to perform actions on a quote directly from the list view.




The list view's Record Actions menu allows you to perform the following

operations:

Menu Item	Description
Preview (Eye icon)	Preview this quote in the intelligence pane.
Edit	Edit this quote.
Delete	Delete this quote.

Record View Actions Menu

The Quotes [record view](#) displays a single quote in full detail including its fields, quote worksheet, and subpanels of related records. To access a quote's record view, simply click a hyperlinked quote name from anywhere within Sugar. The record view's Actions menu appears on the top right of the page and allows you to perform various operations on the current record.



The Actions menu allows you to perform the following operations:

Menu Item	Description
Edit	Edit this quote.
Share	Share a link to this quote via email.
Download PDF	Download the quote to your computer as a PDF file. Note: Clicking on this menu item will expand and contract the menu to reveal or hide the available PDF templates.

Email PDF	Send an email with a PDF copy of the quote as an attachment. Note: Clicking on this menu item will expand and contract the menu to reveal or hide the available PDF templates. To send emails through Sugar, users must first configure a default user email account via Emails > Email Settings .
Create Opportunity from Quote	Copy the details of this quote to a new opportunity record. Note: Quotes that are already "Converted" (as indicated by the badge adjacent to the quote's name in the example pictured here) cannot be re-converted into an opportunity. The "Create Opportunity from Quote" menu option will be grayed out when the quote's badge is Converted.
Copy	Duplicate this quote to create a new quote record. Note: The original quote's line items, groups, comments, and related account and opportunity data will carry over to the new quote.
Historical Summary	View a historical summary of activities (e.g., calls, meetings, etc.) related to this quote.
View Audit Log	View a record of changes to this quote.
Delete	Delete this quote.

Common Views and Actions

In the table below, the left column contains links to the User Interface page covering topics that are applicable to all Sidecar modules. The right column has links to sections of the current page that cover topics specific to quotes.

General Instructions for Working With Sugar Modules	Quotes-Specific Instructions
Use the links below to navigate to the User Interface page which covers topics generic to many Sugar modules.	When Quotes-specific help exists for each topic, use the links below to navigate to sections of the current page.

Creating Records	Building Quotes
Viewing Records	
Searching for Records	Filtering on Currency Fields
List View	List View Mass Actions Menu List View Record Actions Menu
Record View	Record View Actions Menu Quote Worksheet Options and Menus
Intelligence Pane	Product Catalog Dashlet Product Catalog Quick Picks Dashlet
Editing Records	
Deleting Records	
Emailing Records	
Exporting Records	
Recalculating Calculated Values	
Finding Duplicate Records	
Viewing Record Historical Summaries	
Viewing Record Audit Logs	
Record PDFs	Downloading Quotes as PDFs
Favoriting Records	
Sharing Records	

Last Modified: 2022-05-16 20:24:14

Product Catalog

Overview

Sugar's Product Catalog and its supporting modules allow you to define, categorize, and organize a list of all products or services that your organization sells or supports. Products within the Product Catalog can be broadly classified into product types, such as Software and Hardware. Each product type can be further organized into several product categories. For example, the software product type can contain product categories such as Spreadsheets and Word

Processors. You can also create sub-categories within a category. Users can define the details of their products within the following products-related modules:

Module	Description
Product Catalog	The list of products sold by your organization; used as a template for the Quoted Line Items module.
Product Categories	The categories by which products are organized in the Product Catalog.
Product Types	The Type dropdown list in the Product Catalog.
Manufacturers	The Manufacturer Name dropdown list in the Product Catalog.

This documentation will cover information and actions specific to the above modules. For instructions concerning views and actions which are common across most Sugar modules, such as creating, editing, and deleting records, please refer to the [Working With Records](#) section of this page.

Please note that you will only be able to see product-related records as allowed by your [license type](#), [team membership](#), [assigned roles](#), and [user access type](#). For more information, please refer to the referenced documentation in the Administration Guide.

Product Catalog

Sugar's Product Catalog module contains a list of all products or services that your organization sells and/or supports. This module provides the [Quoted Line Items](#) module with the template used when creating products to be used for [Opportunities](#) and [Quotes](#), including pricing and cost information and information about the [manufacturer](#). The Product Catalog also provides a list of products available for selection in the [Cases](#) and [Bugs](#) modules if your administrator has enabled the functionality in Studio. For more information on setting up a Product Catalog field for bugs and cases, please refer to the [Creating a Relate Field](#) article in the Knowledge Base.

Product Catalog Fields

The Product Catalog contains a number of stock fields that come out-of-the-box with Sugar. For information on using and editing various field types, refer to the [User Interface](#) documentation. The definitions below are suggested meanings for the fields, but the fields can be leveraged differently to best meet your organization's needs. Fields can be altered, added, or removed via Admin > Studio. For more information on configuring fields, please refer to the [Studio](#) documentation in the Administration Guide.

Field	Description
Availability	Select if the item is in stock or not from the dropdown list.
Category Name	The product category to which the new item belongs.
Cost	The actual cost of the item. This will not appear on printed quotes.
Currency	The currency of the given prices (Cost, List, Unit).
Date Available	Select the date of availability if the item is out of stock.
Date Created	The date the product catalog record was created.
Date Modified	The date the product catalog record was last modified.
Date-Cost-Price	The starting date that the cost is valid.
Default Pricing Formula	Select a formula from the dropdown list to arrive at the discount price for the Unit Price field. The formulas are as follows: <ul style="list-style-type: none">• Fixed Price: Allows you to enter a Unit Price without any calculation.• Profit Margin: Enter the points in the adjoining field to vary the percentage against the cost.• Markup over Cost: Choose a percentage to raise the price over the cost.• Discount from List: Enter the discount percentage from the

	<p>List Price in the adjoining field.</p> <ul style="list-style-type: none"> • Same as List: The Unit Price will be the same as the List Price.
Description	A description or other information about the product.
Integration Sync ID	The sync key field used by external integrations to identify Sugar records in the external application. See the Integrate REST API endpoints in the Developer Guide for more details on how to use this field.
List Price	The quotable list price of the product.
Manufacturer Name	The manufacturer of the product.
Part Number	The manufacturer's part number for the product.
Product Name	The name of the product.
Product Type	The specified product type .
Product URL	The web address of the product if it is available online.
Quantity in Stock	Enter the number of units that are in stock of the product. Note: Negative values are supported in this field.
Status	The status of the product and whether it is available by default to relate to records.
Support Contact	The support person's contact information, such as the phone number or email address.
Support Desc.	Brief description or other information regarding the support provided.
Support Name	The name of the Customer Support person.
Support Term	The term (e.g., six months, one year, etc.) in which support will be provided for the product.
Tags	User-created keywords that can be used to identify records in filters, dashlets, and reports.

	Note: For more information on creating and using tags, please refer to the Tags documentation.
Tax Class	Tax classification (e.g., taxable, non-taxable) for the product.
Teams	The Sugar team(s) assigned to the product catalog record.
Unit Price	The unit price of the product.
Vendor Part Number	The vendor's part number for the product.
Weight	The weight of the product. Note: Negative values are supported in this field.

Product Status

The Product Catalog module contains a Status field that controls the availability of each product catalog record when relating it to another record. By default, the Status field has three options: Active, Inactive, and Retired. When the status of a product record is "Active", it will be displayed in the Product Catalog and Product Catalog Quick Picks dashlets. Product Catalog relate fields are filtered to display records with a status of "Active". To select a record with a status of "Inactive" or "Retired", the filter can be removed via the Search and Select drawer.

Note: Sugar admin users can add or modify status values in Studio, but the Active status cannot be removed. For more information on editing dropdown values via the Dropdown Editor, please refer to the [Editing Dropdown Lists](#) section of the Developer Tools documentation.

Product Categories

The Product Categories module allows you to create categories to group records under a Product Type. This is one of the levels of organization you can use for the products and services that your organization offers, and will contain multiple entries from the [product catalog](#).

Product Category Fields

The Product Category module contains four stock fields that come out-of-the-box

with Sugar. For information on using and editing various field types, refer to the [User Interface](#) documentation. The definitions below are suggested meanings for the fields.

Field	Description
Product Category	The category's name as it will appear on the Product Category dropdown list.
Parent Category	Select a parent product category if this product category is a sub-set of another category. Note: A record should not be selected as its own parent category.
Description	A description or other information about the product category.
Order	Enter a number to specify the order in which this category will appear in the Product Category dropdown list.

Ordering Product Categories

The Order field in the Product Categories module defines the order in which the categories appear in the Product Catalog dashlet. When viewing the dashlet, the product category records without a value in the Parent Category field will display in ascending order based on the numbers entered in the Order field. Product category records with a parent category defined will display as sub-folders in ascending order based on the numbers entered in the Order field. If multiple categories have the same order number, they will display in alphabetical order. Records with an empty Order value will display alphabetically after the final ordered record.

Product Types

The Product Types module controls the Type dropdown list in the [Product Catalog fields](#). In addition to [product categories](#), the product type allows you to define the classification of a product or service that is being offered on a product catalog record.

Product Type Fields

The Product Types module contains three stock fields that come out-of-the-box with Sugar. For information on using and editing various field types, refer to the [User Interface](#) documentation. The definitions below are suggested meanings for the fields.

Field	Description
Product Type	The product type's name as it will appear on the Type dropdown list in the product catalog.
Description	A description or other information about the product type.
Order	Enter a number to specify the order in which this product type will appear in the Type dropdown list.

Ordering Product Types

The Order field in Product Types defines the order of the different type options when viewing the Type dropdown list of a [Product Catalog](#) record. The Order field allows you to organize what order the dropdown list will display, with 1 being the highest on the list and moving down as the order number rises. When [creating](#) new product type record options, the Order field will automatically increment to the next number in the list, thereby adding the new option to the bottom of the list. The Order field can be overwritten with another number if you would like to manually re-order the options.

Manufacturers

The Manufacturers module controls and maintains the Manufacturer Name field in the [Product Catalog](#) module. The Manufacturer Name field allows you to select from a list of the manufacturers you use to classify your products and specify from which manufacturer they are produced.

Manufacturer Fields

The Manufacturers module contains three stock fields that come out-of-the-box with Sugar. For information on using and editing various field types, refer to the [User Interface](#) documentation. The below definitions are suggested meanings for the fields.

Field	Description
Manufacturer	The manufacturer's name as it will appear in the Manufacturer Name field in the product catalog .
Status	Select "Active" or "Inactive" to indicate which manufacturers are displayed as options in the Manufacturer Name field.
Order	Enter a number to specify the order in which this category will appear in the Manufacturer Name field list.

Ordering Manufacturers

The Order field in the module defines the order in which the manufacturer options are displayed in the corresponding Manufacturer Name field of the [Product Catalog](#) module. Enter the numeric value (e.g., 1, 2, 3) in the manufacturer record's Order field to determine the order it will display in the corresponding field list (Manufacturer Name). For example, a manufacturer record with an order value of "1" will display at the top of the list followed by the next value (e.g., 2), and so forth. When creating new manufacturer records, the Order field will automatically increment to the next number in the list, thereby adding the new option to the bottom of the list. The Order field can be overwritten with another number if you would like to manually re-order the options.

Working With Products-Related Modules


The Product Catalog and supporting modules use Sugar's Sidecar user interface. The following sections detail menus, views, and actions common to Sidecar modules and contain links to additional information within the page or links to the User Interface documentation.

Menus

Sugar modules contain various options that are available via menus in the module tab, list view, and record view. The following sections present each menu type and its options with links to more information about each option in the User Interface documentation or, for module-specific functionality, within this page.

Module Tab Menus

The module tab is either displayed in the navigation bar or found by clicking the "More" icon represented by three vertical dots to the right of the module tabs on the navigation bar. Click the module name to access the module's [list view](#) or expand the module tab to display the Actions, [Recently Viewed](#), and [Favorites](#) menus.



From the Product Catalog's module tab menu, you can also access the supporting modules of Manufacturers, Product Categories, and Product Types. By navigating to any of these modules, you can access their respective module tabs, which in turn will offer the option to return to any of the other supporting modules.

The Actions menus in the module tab for the Product Catalog and its supporting modules will allow you to perform the following operations:

Menu Item	Description
Create [Record]	Opens the record view layout to create a new record in the module.
View Product Catalog	Opens the list view layout to search and display the product catalog.
View Manufacturers	Opens the Manufacturers list view.
View Product Categories	Opens the Product Categories list view.
View Product Types	Opens the Product Types list view.
Import [Records]	Opens the import wizard to create or update records in modules that support


importing.

List View Menus

The list view displays all records meeting the current search criteria. You can view the basic details of each record within the field columns. Users with administrator or developer access have the ability to change what fields are visible in the list view via Admin > Studio. For more information on editing layouts, please refer to the [Studio](#) documentation.

Mass Actions Menu

The Mass Actions menu to the right of the checkbox option allows you to perform various actions on the currently selected records.





The options in the Mass Actions menu allow you to perform the following operations:

Menu Item	Description
Mass Update	Mass update one or more records at a time.
Recalculate Values	Visible only if the module contains fields using Sugar Logic and only to System Administrators or users with Developer-level role access, this option will refresh the selected records' calculated values.
Merge	Merge two or more duplicate records.

Delete	Delete one or more records at a time.
Export	Export one or more records to a CSV file.

Record Actions Menu

The Record Actions menu to the right of each record's Preview button allows users to edit, follow, or delete specific records directly from the list view.

Product Name	Type	Category Name	
Mitchell Gadget	Devices	Kroenke Widgets	 
Twila Gadget	Devices	Kroenk	Edit
Lettie Gadget	Devices	Kroenk	Delete


The options in the Record Actions menu allow you to perform the following operations:

Menu Item	Description
Preview (Eye icon)	Preview this record in the intelligence pane.
Edit	Edit this record.
Delete	Delete this record.

Record View Actions Menu

The record view displays thorough record information including all record fields. The record view can be reached by clicking a record's link in the list view. You have the ability to change the record view by configuring the layout via Admin > Studio. For more information on editing layouts, please refer to the [Studio](#) documentation.

The Actions menu on the top right of each record view allows you to perform various actions on the current record.



The options in the Actions menu allow you to perform the following operations:

Menu Item	Description
Edit	Edit this record.
Share	Share a link to this record via email.
Download PDF	Download record information as a PDF file.
Email PDF	Email record information as a PDF attachment.
Find Duplicates	Locate potential duplicates of this record.
Copy	Duplicate this record.
View Audit Log	View a record of changes to this record.
Delete	Delete this record.

Common Views and Actions

The following links will open specific sections of the User Interface documentation where you can read about views and actions that are common across most Sidecar modules.

Content Link	Description
Creating Records Basic Record Creation Creating via Subpanels Creating via Duplication Importing Records	The Creating Records section covers the various methods of creating new records, including via the Create button in the module, via the subpanel on related module records, duplication of an existing record, and importing a list

	of records into Sugar using a .csv spreadsheet.
Viewing Records Viewing via List View Viewing via Record View Viewing via Recently Viewed Viewing via Preview Viewing via Reports	The Viewing Records section describes the various methods of viewing records, including via the list view and record view, the Recently Viewed menu in the module tab, previewing records in the right-hand side panel, and reports displaying the record's data.
Searching for Records Global Search List View Search Creating a Filter Saving a Filter	The Searching for Records section provides an introduction to the two searching methods for locating Sugar records: global search, which searches across all Sugar modules, and list view search, which searches and filters within the module.
List View Total Record Count Create Button List View Search Checkbox Selection Mass Actions Menu Favorite Designation Column Reordering Column Resizing Column Sorting Column Selection Preview Record Actions Menu More Records Dashboards	The List View section walks through the many elements of the List View layout, which contains a filterable list of all records in the current module. While the generic menu options are described in the User Interface sections linked to the left, the options specifically available in the list view are described in the List View Mass Actions Menu and List View Record Actions Menu sections of the module overviews below.
Record View Favorite Designation Next or Previous Record Actions Menu Show More Dashboards	The Record View section walks through the many elements of the Record View layout, which contains detailed information about a single record. While the generic menu options are described in the User Interface sections linked to the left, the options specifically available in the record view are described in the Record View Actions Menu sections of the module overview sections below.
Editing Records Editing Inline Via Record View	The Editing Records section describes the various methods of editing existing

Editing Via Record View Editing Inline Via Subpanels Editing Inline Via List View Mass Editing Via List View	<p>records, including inline via the record view, in full edit mode on the record view, inline via the subpanel on related module records, inline via the list view, and via the Mass Update option on the list view.</p>
Deleting Records Deleting Via Record View Deleting Via List View Mass Deleting Via List View	<p>The Deleting Records section describes the various methods of deleting unwanted records, including via the record view, an individual record's Actions menu on the list view, and the Mass Actions menu on the list view.</p>
Exporting Records	<p>The Exporting Records section provides an introduction to the export functionality, which allows you to download a list of records and all their data as a .csv file for use outside of Sugar (e.g., in Microsoft Excel).</p>
Recalculating Calculated Values	<p>The Recalculating Calculated Values section provides instructions on utilizing the Recalculate Values list view option to update calculated field values in the module if the administrator has changed the field's formula via Admin > Studio.</p>
Finding Duplicate Records	<p>The Finding Duplicate Records section provides instructions for locating duplicate records. If searching on matching fields (e.g., Name) identifies one or more duplicates, they can be merged into a single record.</p>
Merging Records Merging Via List View	<p>The Merging Records section provides instructions for merging duplicates, which combines field values and related records into a single record.</p>
Favoriting Records Favoriting via List View Favoriting via Record View	<p>The Favoriting Records section describes the various methods of marking records as favorites, including via the list view and record view. Note: You can only mark records as favorites via the Product Catalog module. Favoriting a product catalog record allows you to easily access the product from the list view, Product Catalog Quick Picks dashlet, the Product</p>

	Catalog module tab , or from within the search and select drawer. For more information on the Product Catalog Quick Picks dashlet, please refer to the Opportunities or Quotes documentation.
Sharing Records	The Sharing Records section provides instructions for the Share record view option, which composes an email with a link to the record. If the recipient is logged into Sugar, clicking the link will bring them directly to the record view.

Last Modified: 2022-01-13 16:39:10

Forecasts

Overview

Sugar's Forecasts module incorporates opportunity records to build forecasting worksheets and predict sales. Users can work towards sales quotas at the individual, team, and sales organization level.

Before users can access the Forecasts module to begin building forecasting worksheets, a user with administrator access must configure the Forecasts module with the organization's desired Time Periods, Ranges, and Scenarios. For more information on setting up the Forecasts module, please refer to the [Forecast Configuration](#) documentation in the Administration Guide.

Sales representatives use the Forecasts module to work with their assigned opportunities as the current time period progresses. These users will commit total predictions for their personal sales based on the opportunities they expect to close. For instructions specific to a sales representative's use of the module, please refer to the [Sales Representatives](#) section of this documentation.

Sales managers work with their own opportunity records similarly to other sales representatives. In addition, they aggregate their reportees' committed forecast amounts to predict their total team's sales and work towards the team's quota for each time period. In order for a user to have a designated manager that aggregates their forecast amounts, they must have the manager selected in the

Reports To field on their user record. For instructions specific to a sales manager's use of the module, please refer to the [Sales Managers](#) section of this documentation.

Additional insights are offered by the elements of the expandable Intelligence Pane including analysis for an individual's worksheet and analysis for a manager's team worksheets. For more information, please refer to the [sales representative Intelligence Pane](#) and the [sales manager Intelligence Pane](#) sections of this documentation.

Forecast Fields

The Forecasts module contains the following fields which enable users to work with opportunity records to forecast sales for a given time period. Users with administrator or developer access have the ability to enable fields for use in the Forecasts module via Admin > Forecasts. Many [opportunity fields](#) are available to be added to the forecasting worksheet. For more information please refer to the [Forecast Configuration](#) documentation in the Administration Guide.

Field	Description
Account Name	The account to which the opportunity belongs; cannot be in-line edited from the Forecasts module.
Best	The opportunity's Best field representing the most optimistic total amount; automatically set to match Likely when Sales Stage is "Closed - Lost" or "Closed - Won".
Best (Adjusted)	For managers, the Best value with an optional, manual adjustment above or below your reportee's committed Best total and your own worksheet's Best total; reported to your manager as the Best value when committing your forecast.
Expected Close Date	The opportunity's expected date of completion.
Forecast	The opportunity's commit range (e.g., "Include", "Exclude", etc.) based on the opportunity's initial probability and the user's edits; controls whether the opportunity is counted in the forecast's

	totals and allows for filtering; automatically set to "Included" when Sales Stage is "Closed - Won" and "Excluded" when Sales Stage is "Closed - Lost"
Likely	The opportunity's Likely field representing the most likely total amount.
Likely (Adjusted)	For managers, the Likely value with an optional, manual adjustment above or below your reportee's committed Likely total and your own worksheet's Likely total; reported to your manager as the Likely value when committing your forecast.
Opportunity Name	The opportunity's related opportunity; cannot be in-line edited from the Forecasts module.
Probability	The opportunity's current probability of being won. Note: This value is calculated based on the selected Sales Stage and cannot be edited.
Quota	For sales representatives, your individual quota for this sales time period as assigned by your manager. For managers, your quota for this sales time period as assigned by your manager.
Quota (Adjusted)	For mid-level managers, your team's quota with an optional, manual increase above your team's assigned quota; when assigning quota to your reportees, this is the quota value they will receive.
Opportunity Name	The opportunity's name; cannot be in-line edited from the Forecasts module.
Stage	The opportunity's current sales stage.
Tags	User-created keywords or phrases used to find, group, and classify data by common attributes.
Worst	The opportunity's Worst field

	representing the least optimistic total amount; automatically set to match Likely when Sales Stage is "Closed - Lost" or "Closed - Won".
Worst (Adjusted)	For managers, the Worst value with an optional, manual adjustment above or below your reportee's committed Worst total and your own worksheet's Worst total; reported to your manager as the Worst value when committing your forecast.

Forecasts Module Tab

The Forecasts module tab is typically located under the More tab on the navigation bar at the top of any Sugar screen to the right of the home cube icon. Depending on your settings, you may have to click "Show More" in order to see the Forecasts module tab. Click the tab to access the Forecasts module. A user with administrator access must first configure the Forecasts module before it can be accessed and used. For more information on setting up the Forecasts module, please refer to the [Forecast Configuration](#) documentation in the Administration guide.

For more information on module tab menus including reasons a module may not be included in the menu, see the [User Interface](#) documentation.

Forecast Actions

Forecast actions are available at the top of the Forecasts module page and allow users to perform the following operations:

Menu Item	Description
Save Draft	Saves changes to the user's worksheet but does not make these changes available to the user's manager.
Commit	Saves changes to the current worksheet and pushes these changes to the user's manager's team worksheet or, in the case of a manager committing a personal worksheet, to his or her own team worksheet. For managers viewing

	a team worksheet, the Commit button will be enabled after any committed change to his or her own worksheet or a reportee's worksheet.
Assign Quota	For managers, pushes quota changes to reportees' forecasting worksheets.
Export CSV	Exports the rows of the current forecasts worksheet.
Settings	For users with administrator access, opens the Forecast Configurations wizard.


Sales Representatives

Sales representatives use the Forecasts module to work with their assigned opportunities as the current time period progresses. These users will commit total predictions for their personal sales based on the opportunities they expect to close.

When you access the Forecasts module as a sales representative, you will see your name at the top left of the screen. Sales representatives who do not have any reportees will only be able to see and work with his or her own opportunities. Below your name, you will see a [time period](#) selection, [summary and commit history](#), [filter](#), and [worksheet](#). On the right side of each page is an expandable [Intelligence Pane](#) which offers additional insight into your forecasting worksheet.

Time Periods

Below your name, you will see the current time period for which you are forecasting opportunities to meet a quota. The length and the start date of this time period depend on the [Time Periods](#) configuration set up by your administrator. Clicking the arrow to the right of the current time period allows you to choose a future or past time period, the availability of which is also determined by the administrator's [Time Periods](#) configuration. Select a past or future time period to work with opportunities and forecast for those periods.



Summary and Commit History

To the right below the Time Period selection, you will see a summary of your current forecasting numbers for the time period currently in view. The large numbers are your current worksheet's Quota, Likely, Best, and Worst predictions. The smaller numbers show your most recent commit's Likely, Best, and Worst predictions. Any red or green arrows next to the large numbers show whether you worksheet's current (uncommitted) numbers are higher or lower than your most recent commit.

Note: You may or may not see the Best and Worst options depending on how your administrator has configured the Forecasts module. By default, the Worst field is disabled and must be enabled by the administrator via Admin > Forecasts > [Scenarios](#).

Quota	Worst	Likely	Best
\$12,241.33	↑ \$10,116.33	↑ \$12,001.11	↑ \$13,885.89
	\$8,316.33	\$10,201.11	\$12,085.89

Last Commit: 15 days ago ▾

2016-03-29 08:50 Updated Forecast worst up ↑ \$1,386.06 to \$8,316.33, likely up ↑ \$1,700.19 to \$10,201.11, and best up ↑ \$2,014.31 to \$12,085.89

2016-03-29 08:50 Setup Forecast worst up ↑ \$6,930.28 to \$6,930.28, likely up ↑ \$8,500.93 to \$8,500.93, and best up ↑ \$10,071.57 to \$10,071.57


To the left of these summary numbers, you will see the date of your most recent commit. There will be no date shown if you have not yet committed for this time period. By clicking the arrow to the right of the latest commit date, a dark grey panel will appear showing the timestamp of the last commit with a history of your commits for this time period along with the changes for each forecasting number from the previous commit.

Filters

Below the summary and commit history, you will see a filter bar which controls what kinds of opportunities are displayed. By default, the "Include" filter will be active, meaning that only the opportunities with a probability falling within the Include range specified during the administrator's [Ranges](#) configuration will be displayed. To add additional filters, click on the Filters bar and choose additional ranges. The filter(s) (e.g., Include, Exclude) added to the Filters bar will be preserved when you navigate away from the module. Returning to the Forecasts module will automatically display the opportunities based on the filter(s) you last

applied.


Please note the Upside range may or may not be available depending on the administrator's [Ranges](#) configuration. To remove ranges from the filter, click the "x" for each filter name. Removing all filters will display all of your assigned opportunities.



Column Resizing

You can easily adjust the size of columns in the forecasting worksheet based on your viewing preference. Simply place your cursor on the column divider, and when the left-and-right arrow appears, click and drag the column to the desired size. The set column width will be preserved when you navigate away from the page. Sugar will render the preferred column size across sessions until the user removes or resets the relevant browser cookies.

Note: Sugar enforces a minimum width for currency fields (e.g., Best, Likely, etc.) in list view columns which prevents the columns from being collapsed beyond this limit.



Column Sorting

List view provides the ability to sort all of the current search results by a field column in either ascending or descending order. To sort by a field or switch the sort direction, click the column header noting that the fields which allow sorting will have a pair of arrows. Please note that the list view may only be sorted by one column at a time.

Forecast	Expected Close Date	Stage	Probability	Likely	Best	
Include	2013-10-14	Qualification	50	\$758.00	\$758.00	
Include	2013-10-16	Id. Decision ...	40	\$3,459.00	\$3,854.00	
Include	2013-10-14	Prospecting	10	€662.00 \$735.56	€931.00 \$1,034.44	
Total				\$4,952.56	\$5,646.44	

Column Selection

Sugar gives users the ability to personalize the list view by specifying which fields they want to be displayed in the list view. You can click the three-dots menu to the far right of the list view column headers to see the list of available fields. Click a field name to toggle whether or not it is included as a column in your list view. Please note that administrators have the ability to configure what fields are available to display on the forecasting worksheet. For more information, please refer to the [Forecast Configuration](#) documentation in the Administration Guide.

Forecast	Revenue Line Item ...	Account Name	Expected Close Date	Stage	
Include	6 month Service	Jungle Systems ...	2021-07-14		<ul style="list-style-type: none"> <input checked="" type="checkbox"/> Forecast <input checked="" type="checkbox"/> Revenue Line Item Name <input checked="" type="checkbox"/> Account Name
Include	Jungle Systems ...	Jungle Systems ...	2021-07-13		
Include	Overhead & Un...	Overhead & Un...	2021-07-28		

Line Items and Totals

Based on the chosen filters, you will see all or some of your assigned opportunities for the currently selected time period listed below the Filters bar. On the far left of each row, a blue bar will appear to indicate whether or not the row's amounts are included in the totals for this time period. The presence of the blue bar indicates the row is being counted. In addition to the range called "Include", multiple forecast ranges may be counted towards your totals depending on how your administrator has configured forecast ranges for the instance. For more information about making more than one range included in totals, please refer to the [Forecast Configuration](#) documentation in the Administration Guide. The range and thus the inclusion of each row can be [changed manually](#) via this view. You can work directly with your opportunity records by in-line [editing their probabilities and amounts](#) from the Forecasts module or by clicking the Name field to open a record in the Opportunities module where you can make additional edits. To the right of each row is a preview button which will allow you to view details about the opportunity record in your intelligence pane.

Forecast	Revenue Line Item Name	Expected Close Date	Stage	Probability	Worst	Likely	Best	...
Include	5D Investments	10/20/2014	Negotia...	80	\$4,100.00	\$4,500.00	\$5,100.00	
Include	Airline Maintenance ...	10/24/2014	Negotia...	80	\$6,672.00	\$7,398.00	\$8,124.00	
Include	A.D. Importing Com...	10/29/2014	Negotia...	80	\$40,100.33	\$47,216.33	\$48,316.33	
Displayed Total					\$50,872.33	\$59,114.33	\$61,540.33	
Overall Total					\$81,396.60	\$99,457.27	\$111,701.93	

At the bottom of the list, the "Displayed Total" and "Overall Total" rows display sums of the Worst, Likely, and Best amount columns. The Displayed Total row shows the sum of the Worst, Likely, and Best amounts (both included and excluded) displayed on the worksheet based on the filters currently applied. The Overall Total row displays the totals (both included and excluded) of all opportunities' amounts in this time period regardless of any filters currently applied.

Editing Forecast Inclusion

The first time an opportunity is loaded to a worksheet, Sugar will assign it a category of either "Include", "Exclude", or "Upside" (optional) based on the [Ranges](#) configured by your administrator. The opportunities with a higher probability of being won are typically assigned to the Include range while those with a lower probability of being won are designated for the Exclude range. Your administrator may have chosen to use the Upside range each with their own non-overlapping range of probabilities.

Since one or more ranges may be considered as included depending on your administrators' configuration, the blue bars to the left of each row will update to reflect which items are included and which are excluded based on your updates to each's forecast range.

You may wish to alter the category automatically assigned to your opportunities by these administrator-configured ranges especially as each opportunity moves forward in the sales process and becomes more likely to be won. To do this, simply click on the opportunity's current category in the Forecast column and choose the desired category from the dropdown menu.


Exclude	Beretti - 375 Widgets	03/08/2013	Id. Decision Makers	40
Include	Sonara - 550 Widgets	03/19/2013	Value Proposition	30

Changing an opportunity's Forecast column to an included range such as "Include" will cause its Likely, Best, and Worst fields to be added to your totals while choosing an excluded range such as "Exclude" will remove the opportunity's numbers from your totals. Changing which opportunities are included on your worksheet requires you to [save a draft](#) or [commit](#) in order to preserved.

Note: All opportunities in a Closed Won stage will be included in the worksheet and cannot have their Forecast column altered. All opportunities in a Closed Lost stage will be excluded from the worksheet and cannot have their Forecast column altered.

Editing Opportunity Fields

In addition to editing the inclusion, you can make in-line changes to each opportunity's fields including Sales Stage, Likely, Best, and Worst. To do so, simply click any field which shows a pencil icon when being hovered over, and enter the new amount. Keep in mind that your worksheet may or may not include "Best" and "Worst" depending on your administrator's [Scenarios](#) configuration.



Clicking outside the text box or pressing Enter/Return will save your change to the line and update the worksheet's totals, summary, and [Intelligence Pane](#). Clicking the [Save Draft](#) or [Commit](#) button will also update the opportunity records themselves and make your changes visible when viewing the opportunity in other places in Sugar. Saving a draft or committing is also required to preserve these changes to your worksheet and, in the case of committing, make the changes visible in your manager's Forecasts module.

Currency Support

If you use a currency different from your Sugar instance's default currency, your Likely, Best, and Worst amounts will be displayed in the system's default currency in the Forecasts module. Clicking to edit these amount values will, however, display and allow for editing in your chosen currency.

Intelligence Pane

To the right of the forecasting worksheet, you will find an expandable intelligence pane which provides additional insights for planning and forecasting. If the pane is hidden, click the double-arrow button to expand it. Clicking the button again will hide it when you wish to see your worksheet at full width. The out-of-the-box

default dashboard, "Forecasts Dashboard", contains two default dashlets which help provide additional insight into your forecasting worksheet, the [In Forecast](#) and [Forecast Bar Chart](#) dashlets. You can click the [floating actions button](#) on the intelligence pane to access the available options (e.g., Create Dashboard) in the floating actions menu. For more information on using dashboards, refer to the [Dashboards and Dashlets](#) documentation.

The screenshot shows the Salesforce interface for Max Jensen. At the top, there are navigation tabs for Accounts, Contacts, Opportunities, and Forecasts. A search bar and user profile are also visible. The main content area is titled 'Forecasts Dashboard' and features an 'In Forecast' dashlet. This dashlet contains a table with columns for Quota, Likely, and Best, and rows for Quota, Closed Won, and Surplus. Below the table, there are two green boxes indicating 'Exceed by 554%' and 'Exceed by 577%'.

	Quota	Likely	Best
Quota	\$4,710.00	\$30,802.83	\$31,883.83
Closed Won		\$30,802.83	\$31,883.83
Surplus			\$22,167.83

Summary:

	Likely	Best
	\$3,925.00	\$5,006.00
Exceed by 554%	(\$26,092.83)	
Exceed by 577%		(\$27,173.83)

In Forecast Dashlet

The In Forecast dashlet appears at the top of the Intelligence Pane and gives a breakdown of how your opportunities match up to your quota. Keep in mind that your In Forecast dashlet may or may not include "Best" and "Worst" depending on your administrator's [Scenarios](#) configuration.

The screenshot shows the 'In Forecast' dashlet with a deficit of \$9,667.00. Below the deficit, there are three scenarios: Worst, Likely, and Best, each with a corresponding value and a red box indicating the shortfall.

Scenario	Value	Shortfall
Worst	\$3,657.80	Short by 20% (\$6,009.20)
Likely	\$7,424.44	Short by 7% (\$2,242.56)
Best	\$8,584.11	Short by 4% (\$1,082.89)

The In Forecast dashlet's values are calculated based on the most recent updates to your worksheet even if the changes have not yet been saved as a draft or

committed. The values take all of your opportunities into account regardless of any filters currently being used in your worksheet. Their meanings are as follows:


Field	Description
Quota	Your personal quota for this sales time period as assigned by your manager.
Closed Won	The total amount of your Closed Won opportunities.
Deficit	The difference between your quota and the total amount of your Closed Won opportunities; the additional revenue needed to be won in order to meet your quota.
Likely	The total of the Likely amounts for the included opportunities which are not yet Closed Won.
(Likely Colored Box)	When summing your Closed Won amounts and your Likely amounts for included opportunities, in red, the remaining quota shortage and percentage of quota still outstanding or, in green, the quota overage and percentage exceeded above quota.
Best	(Optional) The total of the Best amounts for the included opportunities which are not yet Closed Won.
(Best Colored Box)	(Optional) When summing your Closed Won amounts and your Best amounts for included opportunities, in red, the remaining quota shortage and percentage of quota still outstanding or, in green, the quota overage and percentage exceeded above quota.
Worst	(Optional) The total of the Worst amounts for the included opportunities which are not yet Closed Won.
(Worst Colored Box)	(Optional) When summing your Closed Won amounts and your Worst amounts for included opportunities, in red, the remaining quota shortage and percentage of quota still outstanding or, in green, the quota overage and

percentage exceeded above quota.

Forecast Bar Chart Dashlet


The Forecast Bar Chart appears on the bottom of the Intelligence Pane and provides a configurable chart showing different cuts of your forecasting data over the course of the selected time period. Each opportunity's Expected Close Date field determines in which sub-period it appears. Only the opportunities currently appearing on your worksheet will appear in your chart meaning that the chart respects your current filters. The Forecast Bar Chart dashlet's values are calculated based on the most recent updates to your worksheet even if the changes have not yet been saved as a draft or committed. Throughout all chart configurations, the dotted black line represents your quota for the given time period and can be hovered over to view the quota amount.

Use the two dropdown menus to control what is displayed in the chart.



When "Likely" is chosen, each green point represents the total Likely amounts for all opportunities currently appearing in your filtered worksheet for that sub-period and any previous sub-periods falling within the selected time period. Choosing "Best" or "Worst" shows the same points using the opportunities' Best or Worst amounts instead. A green line connects these points showing the change in your possible cumulative amounts.

Each sub-period also displays bars which represent the Likely, Best, or Worst amounts (depending on the chosen dropdown option) for the opportunities currently appearing in your filtered worksheet. Choosing "In Forecast" will color code segments of these bars according to each opportunity's Forecast field (i.e., "Include", "Exclude", etc). Choosing "Sales Stage" will color code the bars according to the Stage field of each opportunity. Choosing "Probability" will color code the bars according to the Probability field of each opportunity.



Note: You may or may not see "Best" and "Worst" as options in the second dropdown depending on your administrator's [Scenarios](#) configuration.

Sales Managers

Sales managers work with their own opportunity records similarly to other sales representatives. In addition, they aggregate their reportees' committed forecast amounts to predict their total team's sales and work towards the team's quota for each time period. The Reports To field on the user record specifies a user's manager; this relationship is what determines who a sales representative reports to and, conversely, who a sales manager's reportees are.

When you access the Forecasts module as a sales manager, you will see your name at the top left of the page along with an arrow which allows you to [drill down](#) into your personal worksheet, your team worksheet, and your reportees' worksheets hierarchically. While working with your personal worksheet works similarly to how a regular sales representative works with their opportunity, you will also have options such as [time period](#) selection, [summary and commit history](#), and [filters](#) when working with your team worksheet and your reportees' forecasting data. On the right side of each page is an expandable [intelligence pane](#) which offers additional insight into your forecasting worksheet.

Note: Only administrators can edit the Reports To field. For more information on the field and how it is used in Sugar, refer to the [User Management](#)


documentation.

Forecast Drilldown

Because sales managers are able to see and work with their reportees' opportunities in addition to their own, these users will see an arrow next to their name at the top left of the Forecasts module. This allows them to drill into team forecasting data and individual sales representatives' opportunities. By default, Aaron will enter the Forecasts module viewing his team worksheet which includes the total committed amounts and quotas for each immediate reportee and himself.

Own Line Items

As a manager, Aaron can see and work with his own opportunities by selecting "Aaron Johnson (me)" from the menu next to his name or from the Name column in his team worksheet below.



While working with his own opportunities, he will have the same options on his worksheet as a regular sales representative has. For more information on working with a manager's forecasting worksheet, please refer to the [Line Items and Totals](#) section of this documentation. Aaron will need to commit his new opportunities or changes to his opportunities on his worksheet before the amounts will be reflected on his team worksheet.

Reportee's Line Items

Since Aaron is Ellen's manager, Aaron also has the ability to work with Ellen's committed forecast and opportunities. He can navigate to her committed worksheet by selecting "Ellen Smith" from the menu next to his name or from the Name column in his team worksheet below.

Aaron Johnson

Time Period
Q1 (01/01/2013 - 03/31/2013)
Latest Commit: 03/04/2013

Name

Opportunities (Aaron Johnson)

Ellen Smith

While viewing his reportee's worksheet, Aaron will not be able to edit any of the opportunities' amounts or probabilities. He is able to [filter](#) for various ranges, change the [time period](#), and view Ellen's [summary and commit history](#) for each time period.

Team Worksheet

Aaron can return to his team worksheet by choosing his own name from the Drilldown menu.

Ellen Smith

Time Period
Q1 (01/01/2013 - 03/31/2013)
Latest Commit: 03/04/2013

Aaron Johnson

Opportunities (Aaron Johnson)

Ellen Smith

While viewing his team worksheet, he has the ability to set each team member's quota as well as to set adjusted Likely, Best, and Worst amounts. Please note that your worksheets may or may not include "Best" and "Worst" depending on your administrator's [Scenarios](#) configuration. To edit an adjusted amount or quota, click on the number, enter a new value, and click outside the text box or press Return/Enter. Clicking "Save Draft" will preserve these changes in the worksheet but will not push the changes to other Sugar users. Upon clicking "Commit", these adjusted amounts will be pushed to Aaron's manager thus appearing in Joy's worksheet as his committed amounts. Any changes to quotas will also be pushed to his reportees' worksheets.


Likely Case	Likely (Adjusted)	Best Case	Best (Adjusted)	Worst Case	Worst (Adjusted)	
\$40,000.00	\$ 0.00	\$40,000.00	\$0.00	\$30,000.00	\$0.00	
\$46,500.00	\$46,500.00	\$49,500.00	\$49,500.00	\$37,500.00	\$37,500.00	
\$86,500.00	\$46,500.00	\$89,500.00	\$49,500.00	\$67,500.00	\$37,500.00	

From the team worksheet, managers will see an "i" icon on the far right of each row where there are newly committed changes. Clicking the "i" opens the most recent commit history for that team member.


Note: Although it is possible for Aaron to set or alter his own personal quota, it is recommended that intermediate managers not make changes to their personal quota. Rather, Aaron's manager, Joy, should set the quota for his entire team from her team worksheet.

Management Hierarchy

The ability to drill into a reportee's team worksheet and opportunities continues up the management chain. Joy is Aaron's manager and views her own team worksheet by default when first opening the Forecasts module. She is also able to drill into her own opportunities by clicking her own name, Aaron's team worksheet by clicking his name, or her other reportee's team worksheet.




When Joy navigates to her reportee Aaron's team worksheet, Aaron's name now appears and his team worksheet is displayed in read-only mode. Joy can further drill down to see the worksheets of Aaron's team's members in read-only mode. This drilling can continue recursively down through the management chain as needed. Clicking "Parent" will move up one level of the hierarchy, bringing Joy back to her own team worksheet.



Time Periods

Below the currently selected drilldown name, you will see the time period for which you are forecasting to meet the time period's quota for your team. The length and the start date of this time period depend on the [Time Periods](#) configuration set up by your administrator. At every level of drilldown, sales managers can click the arrow to the right of the current time period and choose a

future or past time period, the availability of which is also determined by the administrator's [Time Periods](#) configuration. Select a past or future time period to work with opportunities and forecast for those periods.



Summary and Commit History

To the right below the Time Period selection, you will see a summary of the current forecasting numbers for the time period and drilldown level currently in view. The large numbers are your current worksheet's Quota, Likely, Best, and Worst predictions. The smaller numbers show your most recent commit's Likely, Best, and Worst predictions. Any red or green arrows next to the large numbers on a manager's personal worksheet or own team worksheet show whether your worksheet's current (uncommitted) numbers are higher or lower than the most recent commit. Please note that you may or may not see a Best and Worst depending on your administrator's [Scenarios](#) configuration.

Quota	Worst	Likely	Best
\$12,241.33	↑ \$10,116.33	↑ \$12,001.11	↑ \$13,885.89
	\$8,316.33	\$10,201.11	\$12,085.89

Last Commit: 15 days ago

2016-03-29 08:50 Updated Forecast worst up ↑ \$1,386.06 to \$8,316.33, likely up ↑ \$1,700.19 to \$10,201.11, and best up ↑ \$2,014.31 to \$12,085.89


2016-03-29 08:50 Setup Forecast worst up ↑ \$6,930.28 to \$6,930.28, likely up ↑ \$8,500.93 to \$8,500.93, and best up ↑ \$10,071.57 to \$10,071.57

To the left of these summary numbers, you will see the date of the most recent commit. On a manager's personal worksheet and own team's worksheet, there will be no date shown if you have not yet committed for this time period. By clicking the arrow to the right of the latest commit date, a dark grey panel will appear showing the timestamp of the last commit with a history of the commits for the worksheet currently in view for this time period along with the changes for each forecasting number from the previous commit.

Column Resizing

You can easily adjust the size of columns in the forecasting worksheet based on your viewing preference. Simply place your cursor on the column divider, and when the left-and-right arrow appears, click and drag the column to the desired size. The set column width will be preserved when you navigate away from the page. Sugar will render the preferred column size across sessions until the user removes or resets the relevant browser cookies.


Note: Sugar enforces a minimum width for currency fields (e.g., Best, Likely, etc.) in list view columns which prevents the columns from being collapsed beyond this limit.



Forecast	Revenue Line Item Name	Opportunity Name	Account Name	Expected Close Date	...
Include	Calm Sailing Inc	Calm Sailing Inc	Calm Sailing Inc	03/16/2015	👁
Include	JAB Funds Ltd.	JAB Funds Ltd.	JAB Funds Ltd.	01/25/2015	👁
Include	Nimble Technologies Inc	Nimble Technologies Inc	Nimble Technologies...	03/22/2015	👁

Column Sorting

List view provides the ability to sort all of the current search results by a field column in either ascending or descending order. To sort by a field or switch the sort direction, click the column header noting that the fields which allow sorting will have a pair of arrows. Please note that the list view may only be sorted by one column at a time.



Forecast	Expected Close Date	Stage	Probability	Likely	Best	...
Include	2013-10-14	Qualification	50	\$758.00	\$758.00	👁
Include	2013-10-16	Id. Decision ...	40	\$3,459.00	\$3,854.00	👁
Include	2013-10-14	Prospecting	10	€662.00 \$735.56	€931.00 \$1,034.44	👁
Total				\$4,952.56	\$5,646.44	

Column Selection

Sugar gives users the ability to personalize the list view by specifying which fields they want to be displayed in the list view. You can click the three-dots menu to the far right of the list view column headers to see the list of available fields. Click a field name to toggle whether or not it is included as a column in your list view.


Please note that administrators have the ability to configure what fields are available to display in the list view via Admin > Studio. For more information on configuring fields to display in the list view, please refer to the [Studio](#) documentation in the Administration guide.

Forecast	Revenue Line Item ...	Account Name	Expected Close Date	Stage	
Include	6 month Service	Jungle Systems ...	2021-07-14	Forecast	✓ Forecast
Include	Jungle Systems ...	Jungle Systems ...	2021-07-13	Forecast	✓ Revenue Line Item Name
Include	Overhead & Un...	Overhead & Un...	2021-07-28	Forecast	✓ Account Name

Filters

Below the summary and commit history of each worksheet, managers will see a filter bar which controls what kinds of opportunities are displayed. By default, the "Include" filter will be active, meaning that only the opportunities with a probability falling within the Include range specified during the administrator's [Ranges](#) configuration will be displayed. To add additional filters, click on the Filters bar and choose additional ranges. The filter(s) (e.g., Include, Exclude) added to the Filter bar will be preserved when you navigate away from the module. Returning to the Forecasts module will automatically display the opportunities based on the filter(s) you last applied.

Please note the Upside range may or may not be available depending on the administrator's [Ranges](#) configuration. To remove ranges from the filter, click the "x" for each filter name. Removing all filters will display all of your assigned opportunities. Please note that when viewing your reportee's worksheets, only the opportunities they have committed as included will be visible.



Intelligence Pane

To the right of the forecasting worksheet, you will find an expandable Intelligence Pane which provides additional insights for planning and forecasting. If the pane is hidden, click the double-arrow button to expand it. Clicking the button again will hide it when you wish to see your worksheets at full width. The out-of-the-box

default dashboard, Forecasts Dashboard, contains two default dashlets which help provide additional insight into your forecasting worksheet, the [In Forecast](#) and [Forecast Bar Chart](#) dashlets. You can click the [floating actions button](#) on the intelligence pane to access the available options (e.g., Create Dashboard) in the floating actions menu. For more information about using dashboards, refer to the [Dashboards and Dashlets](#) documentation.

The screenshot shows the 'Forecasts Dashboard' interface. At the top, there is a header with the user name 'Sarah Smith', 'Save Draft' and 'Commit' buttons, and a right-side menu with 'Forecasts Dashboard' and a star icon. A red box highlights a floating actions button (a right-pointing chevron) between the 'Commit' button and the dashboard title.

The main content area is divided into two panes. The left pane, titled 'In Forecast', shows the 'Time Period' as '2020 Q4'. Below this is a table with columns for 'Quota', 'Likely', and 'Best'. The values are: Quota (\$20,606.69), Likely (\$68,610.44), and Best (\$72,676.49). Below the table, it says 'Last Commit: 6 hours ago'. At the bottom of the left pane is a table with columns: Name, Quota (Adjusted), Likely, Likely (Adjusted), and an info icon.

The right pane, also titled 'In Forecast', shows a breakdown of values: Quota (\$20,606.69), Quota (Adjusted) (\$25,758.37), Closed Won (\$52,605.90), and a green 'Surplus' of \$26,847.53. At the bottom of this pane, it shows 'Likely' (\$16,004.53) and 'Best' (\$20,070.59).

	Quota	Likely	Best
Quota	\$20,606.69	\$68,610.44	\$72,676.49
Quota (Adjusted)	\$25,758.37	\$68,610.44	\$72,676.49
Closed Won	\$52,605.90		
Surplus	\$26,847.53		
Likely	\$16,004.53		\$20,070.59

Name	Quota (Adjusted)	Likely	Likely (Adjusted)	Info
Sarah Smith (me)	\$2,608.59	\$10,814.01	\$7,700.00	!

In Forecast Dashlet

The In Forecast dashlet appears at the top of the Intelligence Pane and gives a breakdown of how your team's opportunities match up to your quota. Please keep in mind that the In Forecast dashlet may or may not include "Best" and "Worst" depending on your administrator's [Scenarios](#) configuration.

In Forecast ^ ⚙		
Quota	\$23,043.06	
Quota (Adjusted)	\$28,803.83	
Closed Won	\$20,333.00	
Deficit	\$8,470.83	
Worst \$24,106.91	Likely \$27,873.56	Best \$29,033.22
Exceed by 54% (\$15,636.08)	Exceed by 67% (\$19,402.73)	Exceed by 71% (\$20,562.39)

The In Forecast dashlet's values are calculated based on the most recent updates to the worksheet even if the changes have not yet been saved as a draft or committed. The values take all of your and your team's opportunities into account regardless of any filters currently being used in your worksheet. Their meanings are as follows:

Field	Description
Quota	Your team's quota for this sales time period as assigned by your manager.
Quota (Adjusted)	For mid-level managers, your team's quota with an optional, manual increase above your team's assigned quota; when assigning quota to your reportees, this is the quota value they will receive.
Closed Won	The total amount of your team's Closed Won opportunities.
Deficit	The difference between your team's adjusted quota and the total amount of your team's Closed Won opportunities; the additional revenue needed to be won in order to meet your adjusted quota.
Likely	The total of the Likely amounts for the included opportunities which are not yet Closed Won.
(Likely Colored Box)	When summing your team's Closed Won

	amounts and Likely amounts for included opportunities, in red, the remaining quota shortage and percentage of quota still outstanding or, in green, the quota overage and percentage exceeded above quota.
Best	(Optional) The total of the Best amounts for the included opportunities which are not yet Closed Won.
(Best Colored Box)	(Optional) When summing your team's Closed Won amounts and Best amounts for included opportunities, in red, the remaining quota shortage and percentage of quota still outstanding or, in green, the quota overage and percentage exceeded above quota.
Worst	(Optional) The total of the Worst amounts for the included opportunities which are not yet Closed Won.
(Worst Colored Box)	(Optional) When summing your team's Closed Won amounts and Worst amounts for included opportunities, in red, the remaining quota shortage and percentage of quota still outstanding or, in green, the quota overage and percentage exceeded above quota.

When drilled into your own or a reportee's forecasting worksheet, the Quota (Adjusted) row will not be displayed and the dashlet will function as it does for sales representatives without reportees. For more information on the meanings and configuration of the table while viewing you or a reportee's worksheet, please refer to the [In Forecast](#) dashlet section within the Sales Representatives section of this documentation.

Forecast Bar Chart Dashlet


The Forecast Bar Chart appears on the bottom of the Intelligence Pane and provides a configurable chart showing different cuts of your team members' forecasting data. Throughout all chart configurations, the dotted black line represents your adjusted quota for the given time period and can be hovered over to view the quota amount.

While viewing your or a reportee's worksheet, the charts will display the relevant


opportunities over the course of the selected time period. In these views, the charts function in the same way as they do for support representatives without reportees. For more information on the meanings and configuration of the chart while viewing your or a reportee's worksheet, please refer to the [Forecast Bar Chart](#) section within the Sales Representative section of this documentation.

While viewing your or a reportee's team worksheet, the charts will display the current worksheet's totals in bars grouped by user. Throughout all chart configurations, the dotted black line represents the worksheet's adjusted quota for the given time period and can be hovered over to view the quota amount.

Use the dropdown menu to configure what is displayed in the chart.



When "Likely" is chosen, each dark blue bar represents the total committed Likely amount for each user within the current team worksheet. Each light blue bar represents the total adjusted Likely amounts for each user. The dark green dots show the cumulative Likely total of the team built user-by-user from left to right with the rightmost point representing the total Likely amount for the entire team. The light green dots and line do the same using the adjusted Likely team total.



Choosing "Best" shows similar chart elements except that the Best and adjusted Best amounts are used. Choosing "Worst" does the same with Worst and adjusted Worst amounts.

Note: You may or may not see "Best" and "Worst" as options in the second dropdown depending on your administrator's [Scenarios](#) configuration.

Saving Forecast Drafts

Whenever new information is added or changes are made to your current forecasting worksheet, the Save Draft button will become activated. Click this button to save your changes to the current worksheet without submitting these changes to your manager. This provides an opportunity to work with your forecast data before pushing more finalized amounts up the management chain. Clicking "Save Draft" will also cause any changes to your personal opportunities' amounts and/or probability to alter the opportunity record itself, making these new numbers visible on the opportunity in other areas of Sugar.



Committing Forecasts


Whenever new information is added or changes are made to your current forecasting worksheet, the Commit button will become activated. Click this button to save your changes to the current worksheet and to submit these changes to your manager or to the team worksheet if you are a manager working on your personal worksheet. Clicking "Commit" will also cause any changes to your personal opportunity' amounts and/or probability to alter the opportunity record itself, making these new numbers visible on the opportunity in other areas of Sugar.

For sales managers, changes to your reportees' quotas will appear in their Forecasts module when you perform a commit or when using the Assign Quota option. Either action will also update your quota and your reportees' quotas in the [In Forecasts dashlet](#).




Assigning Quotas

After a manager makes changes to the quotas for his or her reportees, the new quota will become visible in the reportee's Forecasts module when the manager clicks Assign Quota from the Actions menu in addition to when they commit their forecast. Either action will also cause changes to your quota and your reportees' quotas to be reflected in the [In Forecasts dashlet](#).




Exporting Forecasts

The Export option is available on every forecasting page and exports every line of the current worksheet. The resulting CSV file can be used in other programs such as Microsoft Excel to view and manipulate your forecasting data. To export your current worksheet, click "Export CSV" in the Actions menu.



Configuring Forecasts

Users with administrator access will have a Settings option available within the Forecasts module. Choosing "Settings" will open the Forecast Configuration wizard which is also available by navigating to Admin > Forecasts. For more information on configuring the Forecasts module, please refer to the [Forecast Configuration](#) documentation in the Administration Guide.



Last Modified: 2021-12-21 01:40:10

Contracts

Overview

Sugar's Contracts module consists of individual business arrangements your organization has with vendors, customers, or associations. There are various ways you can create contracts in Sugar such as via the Contracts module, importing contracts, duplication, etc. Once the contract record is created, you can view and edit information pertaining to the contract via the Contracts module. Each contract record may then relate to other Sugar records such as opportunities, documents, quotes, and many others. This documentation will cover the basics of the Contracts module as well as the various options available in performing the actions related to the module. For instructions concerning views and actions that are common across most Sugar modules, such as creating, editing, and deleting contract records,

please refer to the [Working With Sugar Modules](#) section of this page.

Please note that you will only be able to see contract records as allowed by your team membership, user access type, and assigned roles. For more information on teams and roles, please refer to the [Team Management](#) and [Role Management](#) documentation in the Administration Guide.

Note: By default, the Contracts module is hidden in Sugar and the system administrator must enable the module via Admin > Display Modules and Subpanels. For more information on displaying modules in Sugar, please refer to the [Developer Tools](#) documentation in the Administration Guide.

Contract Fields

The Contracts module contains a number of stock fields that come out-of-the-box with Sugar. For information on using and editing various field types, refer to the [User Interface](#) documentation. The below definitions are suggested meanings for the fields, but the fields can be leveraged differently to best meet your organization's needs. Users with administrator or developer access have the ability to alter, add, or remove fields via Admin > Studio. For more information on configuring fields, please refer to the [Studio](#) documentation in the Administration Guide.

Field	Description
Account Name	The account to which the contract belongs.
Assigned To	The Sugar user assigned to the contract.
Comment Log	A shared log of messages, comments, or other text, including the name of the user that added the log entry and the date and time it was added. It is possible to tag other users and link to other Sugar records in Comment Log entries by inserting a clickable pill; see the User Interface documentation for more details.
Company Signed Date	Date when your organization signed the contract.
Contract Name	The name or designation of the contract.
Contract Term	Calculation of days between the start and end date of the contract.
Contract Value	The value of the contract for the

	specified currency.
Customer Signed Date	Date when the account signed this contract.
Date Created	The date the contract record was created.
Date Modified	The date the contract record was last modified.
Description	A description or other information about the contract.
End Date	Date when this contract expires.
Expiration Notice	Date and time to send a reminder to the assigned user indicating that this contract will expire shortly Note: Assignment notifications must be turned on and the "Process Workflow Tasks" scheduler must be running.
Integration Sync ID	The sync key field used by external integrations to identify Sugar records in the external application. See the Integrate REST API endpoints in the Developer Guide for more details on how to use this field.
Opportunity Name	The opportunity, from which the contract originated or is related, if any.
Reference Code	The internal designation used to refer to this contract.
Start Date	Date when this contract takes effect.
Status	The current status of the contract (e.g., Not Started, In Progress, Signed).
Tags	User-created keywords that can be used to identify records in filters, dashlets, and reports Note: For more information on creating and using tags, please refer to the Tags documentation.
Teams	The Sugar team(s) assigned to the contract record.
Type Name	The contract type assigned to the record. Note: Contract types can be created and managed via Admin > Contract

Working With Sugar Modules

The Contracts module uses Sugar's Sidecar user interface. The following sections detail menus, views, and actions common to Sidecar modules and contain links to additional information within the page or links to the User Interface documentation.

Contract Menus


The Contracts module contains various options and functionality that are available via menus in the module tab, list view, and record view. The following sections present each menu and its options with links to more information about each option in the User Interface documentation or, for Contracts-specific functionality, within this page.

Module Tab Menus

The Contracts module tab is typically located under the More tab on the navigation bar at the top of any Sugar screen. Sugar normally displays the top six modules shown in the Display Modules list of your user preferences with the remaining displayed modules grouped under the More tab. For more information on displayed modules for the navigation bar, please refer to the [Layout Options](#) section of the Getting Started documentation.

Note: By default, the Contracts module is hidden in Sugar and the system administrator must enable the module via Admin > Display Modules and Subpanels. For more information on displaying modules in Sugar, please refer to the [Developer Tools](#) documentation in the Administration Guide.

Click the tab to access the Contracts list view. You may also click the triangle in the Contracts module tab to display the Actions, Recently Viewed, and Favorites menus. The Actions menu allows you to perform important operations within the module. The [Recently Viewed](#) menu displays the list of contracts you most recently viewed. The [Favorites menu](#) displays the list of contracts you most recently marked as favorites.



The module tab's Actions menu allows you to perform the following operations:

Menu Item	Description
Create Contract	Opens the record view layout to create a new contract.
View Contracts	Opens the list view layout to search and display contracts.
Import Contracts	Opens the import wizard to create or update contracts using external data.


By default, the Contracts module is hidden in Sugar and the system administrator must enable the module via Admin > Display Modules and Subpanels. For more information on displaying modules in Sugar, please refer to the [Developer Tools](#) documentation in the Administration Guide. For more information on module tab menus including other reasons a module may not be included in the menu, see the [User Interface](#) documentation.

List View Menus

The Contracts [list view](#) displays all contract records and allows for searching and filtering to locate specific contracts. You can view the basic details of each record within the field columns of the list view or click on a contract's name to open the record view. To access a module's list view, simply click the module's tab in the navigation bar at the top of any Sugar page.

List View Mass Actions Menu

The Mass Actions menu to the right of the checkbox option in the list header allows you to perform mass actions on all currently selected records. You can use the checkbox on each record's row to select individual contract records or click the checkbox in the list header to select all records displayed on the current set of list view results.




The Mass Actions menu allows you to perform the following operations:

Menu Item	Description
Mass Update	Mass update one or more contracts at a time.
Recalculate Values	Visible only if the module contains fields using Sugar Logic and only to System Administrators or users with Developer-level role access, this option will refresh the selected records' calculated values.
Merge	Merge two or more duplicate contracts.
Delete	Delete one or more contracts at a time.
Export	Export one or more contracts to a CSV file.

List View Record Actions Menu

The Record Actions menu to the far right of each record's row allows you to perform actions on the individual contract directly from the list view.



The list view's Record Actions menu allows you to perform the following

operations:

Menu Item	Description
Preview (Eye icon)	Preview this contract in the intelligence pane.
Edit	Edit this contract.
Follow	Follow this contract.
Delete	Delete this contract.

Record View Actions Menu

The Contracts [record view](#) displays a single contract in full detail including its fields, subpanels of related records, and activity stream. To access a contract's record view, simply click a hyperlinked contract name from anywhere within Sugar. The record view's Actions menu appears on the top right of the page and allows you to perform various operations on the current record.

The screenshot shows the record view for 'Ion Engines for Auto Plant'. The top right corner features an 'Edit' button with a dropdown arrow. The dropdown menu is open, showing the following options: Share, Find Duplicates, Copy, View Audit Log, and Delete. The menu is highlighted with a red border.

Reference Code EMP-7277	Status Signed
Account Name Income Free Investing LP	Start Date 2010-05-15
+ Opportunity Name	End Date 2020-05-15

The Actions menu allows you to perform the following operations:

Menu Item	Description
Edit	Edit this contract record.
Share	Share a link to this contract via email. Note: To send emails through Sugar, users must first configure a default user email account via Emails > Email Settings .
Download PDF	Download the record's information as a PDF file.

	<ul style="list-style-type: none"> • This menu option is only visible if the administrator has created a PDF template for the Contracts module via Admin > PDF Manager. • Clicking on this menu item will expand and contract the menu to reveal or hide the available PDF templates.
Email PDF	<p>Email the record's information as a PDF attachment.</p> <ul style="list-style-type: none"> • This menu option is only visible if the administrator has created a PDF template for the Contracts module via Admin > PDF Manager. • Clicking on this menu item will expand and contract the menu to reveal or hide the available PDF templates. <p>Note: To send emails through Sugar, users must first configure a default user email account via Emails > Email Settings.</p>
Find Duplicates	Locate potential duplicates of this contract record.
Copy	Duplicate this record to create a new contract.
View Audit Log	View a record of changes to this contract record.
Delete	Delete this contract.

Common Views and Actions

In the table below, the left column contains links to the User Interface page covering topics that are applicable to all Sidecar modules. The right column has links to sections of the current page that cover topics specific to contracts.

General Instructions for Working With Sugar Modules	Contracts-Specific Instructions
Use the links below to navigate to the User Interface page that covers topics generic to many Sugar modules.	When Contracts-specific help exists for each topic, use the links below to navigate to sections of the current page.
Creating Records	
Viewing Records	
Searching for Records	
List View	List View Mass Actions Menu List View Record Actions Menu
Record View	Record View Actions Menu
Intelligence Pane	
Editing Records	
Deleting Records	
Exporting Records	
Recalculating Calculated Values	
Finding Duplicate Records	
Merging Records	
Viewing Record Audit Logs	
Record PDFs	
Favoriting Records	
Following Records	
Sharing Records	

Last Modified: 2021-12-21 13:29:13

Documents

Overview

Sugar's Documents module gives your users a way to access and update company-specific files. You can create a library of documents and graphics that you can

share with other users and contacts, ranging from marketing collateral, contracts, internal policies, and customer-distributed content. There are various ways you can create documents in Sugar such as via the Documents module and via the quick-create menu. Once the document record is created, you can view and edit information pertaining to the document via the Documents record view. Each document record may then relate to other Sugar records such as accounts, contacts, and many others. This documentation will cover information and actions specific to the Documents module. For instructions concerning views and actions that are common across most Sugar modules, such as creating, editing, and deleting documents, please refer to the [Working With Sugar Modules](#) section of this page.

Document Fields

The Documents module contains a number of stock fields that come out-of-the-box with Sugar. For information on using and editing various field types, refer to the [User Interface](#) documentation. The definitions below are suggested meanings for the fields, but the fields can be leveraged differently to best meet your organization's needs. Administrators or users with developer-level role access have the ability to alter, add, or remove fields via Admin > Studio. For more information on configuring fields, please refer to the [Studio](#) documentation in the Administration Guide.

Field	Description
Assigned To	The Sugar user assigned to the document.
Category	Primary category for locating documents.
Description	A description or other information about the document.
Document Name	The name or designation of the Document (Defaults to the filename of the Document).
Document Type	The type of the Document (e.g., NDA, Mail Merge, License Agreement, etc.).
Expiration Date	The date the Document expires.
File Name	Click "Choose File" to navigate to the location to upload a Document.
Integration Sync ID	The sync key field used by external integrations to identify Sugar records in the external application. See the

	Integrate REST API endpoints in the Developer Guide for more details on how to use this field.
Is a Template	Classifies a Document as a template. Note: This is a legacy field that was previously used in conjunction with deprecated functionality.
Last Revision Create Date	The date the last revision related to the document record was created.
Publish Date	The date the Document is published (Defaults to today).
Related Document	A Document record that is related to this document.
Related Document Revision	The related document's current revision.
Revision	The most recent revision number for the document. Note: The Revision field becomes read-only after the initial save.
Source	Where the Document is stored (i.e, Sugar, Google, IBM SmartCloud, etc.).
Status	The current status of the document (e.g., Active, Draft, Expired, etc.).
Sub Category	Secondary category for locating documents.
Tags	User-created keywords that can be used to identify records in filters, dashlets, and reports. Note: For more information on creating and using tags, please refer to the Tags documentation.
Teams	The Sugar team(s) assigned to the document record.

Documents and Google Drive

Sugar comes with Google Docs (Google Drive) integration by default. In order to be able to create a document in Sugar from a Google doc in your Google Drive you will first need to link your Google account with your user profile in Sugar. For more information on setting up external accounts in your user profile, please refer


to the [Getting Started](#) documentation.

Creating via Google Drive

Users have the ability to create a Sugar document linked to a document stored in their Google Drive or Google Docs. In addition, you can upload documents from your local computer to these external sources (e.g., Google Drive).

Use the following steps to create a Sugar document linked to a document stored in Google Drive via the Documents module:


1. Click the triangle in the Documents module tab to open the actions menu and select "Create Document".
2. Select "Google Drive" in the Source field, and the External Source option will appear below the File Name field's Browse button.



The screenshot shows a form for creating a document. At the top, there is a 'Name' field with a 'Required' label and a red 'Do' icon. To the right are 'Cancel' and 'Save' buttons, and a double arrow icon. Below this, the 'File Name' field has a 'Browse' button and the text 'No file selected.'. To the right of this is the 'Source' dropdown menu, which is set to 'Google Drive' and is highlighted with a red box. Below the 'File Name' field, there is a button labeled '> Upload to external source' which is also highlighted with a red box. Below that are 'Tags' and 'Status' (set to 'Active') and 'Revision' (set to '1') fields.

Note: If Google Docs is not an option in the Source dropdown, then you most likely need to connect your Sugar account to your Google Id through your user profile. For more information on how to connect to your Google Id in Sugar, please refer to the [Getting Started](#) documentation

3. To upload documents to Google Drive, click the Browse button in the File Name field to select a file from your local computer. For more information on supported file types, please refer to this [Google Drive](#) help article on the Google Help website.
4. Alternatively, you can link Google Drive documents to the Documents module by toggling the "Upload to external source" option to reveal the "Link from external source" option.



The screenshot shows the same form as above, but the 'Source' dropdown menu is still set to 'Google Drive'. The button below the 'File Name' field is now labeled '< Link from external source' and is highlighted with a red box.

5. Click the Browse button in the File Name field, and a pop-up window will appear showing the 20 most recently modified documents in your Google Drive.

Note: This will only show documents owned by you in your Google Drive, and will show documents from all folders in your drive.

6. Use the Search box to locate a specific document then select the document by clicking on the document's file name.

Document Search

File Name:

The first 20 most recently modified files are displayed in descending order in the list below. Use the Search to find other files.

File Name	Date
Team Info.docx	2021-06-23T15:58:43.198Z
Template - License Agreement	2021-06-23T15:46:43.588Z
Product Launch	2021-06-23T15:46:11.598Z

7. Enter appropriate values for the remaining [fields](#) in the record view layout. All required fields are marked with a red asterisk and must be completed prior to saving.
8. Once the necessary information is entered, click "Save".

Do Name »

File Name X Source

Tags

Status v Revision

Note: Documents that link to an external account (e.g., Google Docs, IBM Smart Cloud) cannot be used as attachments in emails composed through the Sugar Email Client.

Document Revisions

Users can easily revise documents in Sugar by creating revision records via the Document Revisions subpanel. The subpanel lists all the document revisions for the parent document record and sorts the records in descending order by the revision number by default. Each revision retains a copy of the uploaded document in that revision, which allows users to easily look back at the history of the document to compare revisions. Please note that this does not work as expected with external documents (e.g., Google Docs, IBM Smart Cloud) as these documents are not stored in Sugar, and only a link to the document exists. To retain the change history, either utilize Google Doc's change features or select a different document for every revision.

DR DOCUMENT REVISIONS (2) +					
	File	Revision	Created by	Change Log	
☆	US Terms Agreement (Signed Copy).docx	2	Administrator	Updating the doc with a new file	⊞
☆	US Terms Agreement.docx	1	Administrator	Document Created	⊞

To create a revision of the document you are currently viewing, simply click the Create button on the Document Revisions subpanel. The document revision record's name will be automatically populated with the parent document's name. The Revision field will also be automatically populated with the latest revision number plus one, but the value can be modified. If you skip numbers in the Revision field, Sugar will not go back and fill in the missing numbers when additional revisions are created. Please note that the Revision field will become read-only once the document revision record is saved. You can upload a new file for the document, and enter a short description of the change being made for the revision in the Change Log field. Once you have entered the necessary information, click "Save" to preserve your changes.

DR US Terms Agreement
Cancel **Save** >>

Latest Revision 2

File Browse No file selected.

Change Log

Date Created by

Revision 3

Source Sugar ▼

Note: When the parent document record is deleted in Sugar, all document revisions related to that document will be deleted as well.

Downloading Documents

[Exporting](#) a document from Sugar will only export the document record with the metadata about the document, but the document itself will not be included in the export. In order to download a document from the Documents module, simply click on the File Name link in the list view or the record view and the document will be downloaded to your computer. If the document is linked to an external source (e.g., Google Docs, IBM Smart Cloud), then the file name link will open directly to the doc via a new window or browser tab.

From Documents list view:

Documents (4)			
Filter ▼ Build Filter Search by document name...			
<input type="checkbox"/> ▼	Name	File	Source
<input type="checkbox"/> ☆	US Terms Agreement	US Terms Agreement.docx	Sugar
<input type="checkbox"/> ☆	Q221 Expense Report	Q221 Expense Report.xlsx	Sugar

From Documents record view:

Do US Terms Agreement ☆ < > Edit ▼			
File Name	US Terms Agreement.docx	Source	Sugar
+ Tags			
Status	Active	Revision	1

Working With Sugar Modules

While the Documents module has some features that only apply to documents, it also uses the Sidecar user interface that most Sugar modules are based on. The following sections detail menus, views, and actions common to Sidecar modules and contain links to additional information within the page or links to the [User Interface](#) documentation.


Document Menus

The Documents module contains various options and functionality that are available via menus in the module tab, list view, and record view. The following sections present each menu and its options with links to more information about each option in the [User Interface](#) documentation or, for Documents-specific functionality, within this page.

Module Tab Menus

The Documents module tab is typically located on the navigation bar at the top of any Sugar screen. Click the tab to access the Documents list view. You may also click the triangle in the Documents tab to display the Actions, Recently Viewed,

and Favorites menus. The Actions menu allows you to perform important operations within the module. The [Recently Viewed menu](#) displays the list of documents you most recently viewed. The [Favorites menu](#) displays the list of documents you most recently marked as favorites.



The module tab's Actions menu allows you to perform the following operations:

Menu Item	Description
Create Document	Opens the record view layout to create a new document.
View Documents	Opens the list view layout to search and display documents.

For more information on module tab menus including reasons a module may not be included in the menu, see the [User Interface](#) documentation.


List View Menus

The Documents [list view](#) displays all document records and allows for searching and filtering to locate specific documents. You can view the basic details of each record within the field columns of the list view or click a document's name to open the record view. To access a module's list view, simply click the module's tab in the navigation bar at the top of any Sugar page.

List View Mass Actions Menu

The Mass Actions menu to the right of the checkbox option in the list header allows you to perform mass actions on all currently selected records. You can use

the checkbox on each record's row to select individual document records or click the checkbox in the list header to select all records displayed on the current set of list view results.



The Mass Actions menu allows you to perform the following operations:

Menu Item	Description
Mass Update	Mass update one or more documents at a time.
Merge	Merge two or more duplicate documents.
Delete	Delete one or more documents at a time. Note: All document revisions related to the parent document record will be deleted when the document is deleted.
Export	Export one or more documents to a CSV file.
Recalculate Values	Visible only if the module contains fields using Sugar Logic and only to System Administrators or users with Developer-level role access, this option will refresh the selected records' calculated values.

List View Record Actions Menu

The Record Actions menu to the far right of each record's row allows you to perform actions on the individual document directly from the list view.


<input type="checkbox"/>	Name	File	Source	⋮
<input type="checkbox"/> ★	US Terms Agreement	US Terms Agreement.docx	Sugar	 
<input type="checkbox"/> ★	Q221 Expense Report	Q221 Expense Report.xlsx	S	<div style="border: 1px solid red; padding: 2px;"> Edit Delete </div>
<input type="checkbox"/> ☆	Internal Team Doc	Team Info.docx	S	

The list view's Record Actions menu allows you to perform the following operations:

Menu Item	Description
Preview (Eye icon)	Preview this document in the intelligence pane.
Edit	Edit this document.
Delete	Delete this document. Note: All document revisions related to the parent document record will be deleted when the document is deleted.

Record View Actions Menu

The Documents [record view](#) displays a single document in full detail including its fields and subpanels of related records. To access a document's record view, simply click a hyperlinked document name from anywhere within Sugar. The record view's Actions menu appears on the top right of the page and allows you to perform various operations on the current record.



The screenshot shows the record view for 'US Terms Agreement'. At the top right, there is an 'Edit' button with a dropdown arrow. A red box highlights the dropdown menu, which contains the following options: 'Share', 'Copy', 'Find Duplicates', and 'Delete'. The record details below show the file name 'US Terms Agreement...', source 'S', status 'Active', and revision '1'.

The Actions menu allows you to perform the following operations:

Menu Item	Description
-----------	-------------

Edit	Edit this document.
Share	Share a link to this document via email.
Copy	Duplicate this document. Note: Only the last document revision record related to the original document will copy over to the new document, and the "Change Log" will display "Document Created".
Find Duplicates	Locate potential duplicates of this document.
Delete	Delete this document. Note: All document revisions related to the current document will be deleted when the document record is deleted.

Common Views and Actions

In the table below, the left column contains links to the User Interface page covering topics that are applicable to all Sidecar modules. The right column has links to sections of the current page that cover topics specific to documents.

General Instructions for Working With Sugar Modules	Documents-Specific Instructions
Use the links below to navigate to the User Interface page that covers topics generic to many Sugar modules.	When Documents-specific help exists for each topic, use the links below to navigate to sections of the current page.
Creating Records	Creating via Google Docs
Viewing Records	
Searching for Records	
List View	List View Mass Actions Menu List View Record Actions Menu
Record View	Record View Actions Menu
Intelligence Pane	
Editing Records	
Deleting Records	
Exporting Records	
Recalculating Calculated Values	

Finding Duplicate Records	
Merging Records	
Favoriting Records	
Following Records	
Sharing Records	

Last Modified: 2021-12-21 13:36:53

Cases

Overview

Sugar's Cases module is used to track and manage customer requests for assistance with products or services. As a case is opened, worked on, and resolved, its progress will be denoted by the Status field. Each case record may relate to other Sugar records such as calls, contacts, and bugs, making it easy to get the full picture of a customer's issues and history. Cases can be automatically created from incoming emails, and a case macro can be employed to automatically relate emails to existing cases. This documentation will cover information and actions specific to the Cases module. For instructions concerning views and actions which are common across most Sugar modules, such as creating, editing, and deleting cases, please refer to the [Working With Sugar Modules](#) section of this page.

Please note that you will only be able to see case records as allowed by your team membership, user access type, and assigned roles. For more information on teams and roles, please refer to the [Team Management](#) and [Role Management](#) documentation in the Administration Guide.

Case Fields

The Cases module contains a number of stock fields that come out-of-the-box with Sugar. For information on using and editing various field types, refer to the [User Interface](#) documentation. The definitions below are suggested meanings for the fields, but the fields can be leveraged differently to best meet your organization's needs. Administrators or users with developer-level role access have the ability to

alter, add, or remove fields via Admin > Studio. For more information on configuring fields, please refer to the [Studio](#) documentation in the Administration Guide.

Field	Description
Account Name	The account that submitted the case.
Assigned To	The Sugar user assigned to the case. Note: Case owners receive an email whenever a case is assigned to them if the administrator has enabled email notification.
Attachments	One or more files attached to the case. Note: The Sugar administrator can specify the maximum file size allowed to be uploaded via Admin > System settings.
Case Number	An automatically incremented number to identify every case, which cannot be edited through Sugar.
Comment Log	A shared log of messages, comments, or other text, including the name of the user that added the log entry and the date and time it was added. It is possible to tag other users and link to other Sugar records in Comment Log entries by inserting a clickable pill; see the User Interface documentation for more details.
Date Created	The date the case was created.
Date Modified	The date the case was last modified.
Description	Explanation of the cause and details of the case when submitted.
Integration Sync ID	The sync key field used by external integrations to identify Sugar records in the external application. See the Integrate REST API endpoints in the Developer Guide for more details on how to use this field.
Primary Contact	The primary contact for the case. This field is kept in sync with the Contacts subpanel on the case. As a result, setting the primary contact also adds

	the contact to the subpanel. Conversely, if the Primary Contact field is blank, the first contact that is related to the case is set as the primary contact. Clearing the value of the Primary Contact field unlinks that record from the case and likewise, unlinking the primary contact via the subpanel clears the Primary Contact field.
Priority	Specify the urgency of the problem from this dropdown list.
Resolution	Results of the investigation into the problem.
Source	The method in which the case was submitted (e.g., internal, customer email, etc.).
Status	Specifies the status of the case as the support representative moves the case along the process from submission to resolution.
Subject	A brief statement of the problem.
Tags	User-created keywords that can be used to identify records in filters, dashlets, and reports. Note: For more information on creating and using tags, please refer to the Tags documentation.
Teams	The Sugar team(s) assigned to the case.
Type	Type of categorization that this case falls into.
Work Log	Freeform field to add activities and notable events while working on the case.

Case Attachments

You can attach one or more files to a case using the Attachments field. Click "Browse" to choose a file to upload from your computer or hold the Ctrl or Shift key on your keyboard to select multiple files to upload. Once you have uploaded a file, be sure to wait for the file name to appear in the Attachments field before

saving the record to ensure that the file has been fully uploaded. You can open files by clicking them or use the Download or Download All button to save them to your computer in a zip file.

Cs Having trouble adding new items ☆

Number 243

Account Name [Stark Industries](#)

Show in Portal

+ Source

+ Follow Up D...

Assigned to [Chris Olliver](#)

+ Description

+ Comment Log

Attachments **purchase.png** ↓ Download

When copying case records, file attachments are not carried over. To keep the file attachments in the copied case, save them to your computer and then upload them to the newly created case.

Emails and Cases

Emails offer important functionality for working with cases in Sugar. Inbound emails can [automatically generate new cases](#). Once the case exists, Sugar can automatically relate emails to a relevant case when the [case macro](#) is used. Emails can also be manually related to cases using the email's Related To field. These relationships allow the case's record view to display all relevant email correspondence in the [Emails subpanel](#) and [History dashlet](#).

Creating Cases via Inbound Email

Creating cases via emails provides users with added convenience in the case creation process and helps expedite the amount of time before the support team can begin working on the issue. Cases can be automatically created when emails are sent to a group mailbox account which is monitored by Sugar.

Administrators can create group mail accounts via Admin > Inbound Email. Group mail accounts periodically poll an email account for new emails and import the emails into Sugar. The group mail account can be configured to automatically create a new case for each incoming email as well as to send an automatic reply email including the generated case's number. For more information, please refer to the [Email](#) documentation in the Administration Guide.

Email Case Macro

Sugar has the ability to automatically relate emails to their relevant cases using a case macro. The case macro is placed in the subject line of the email and contains the case number. Administrators have the ability to alter the macro's format via Admin > Inbound Email, but the default format is "[CASE:{number}]". The formatting of the macro in email subjects is imperative for Sugar to properly create the relationship. For example, a valid email subject line using the default macro would be "Re: [CASE:123] System not responding". For more information on configuring the case macro, please refer to the [Email](#) documentation in the Administration Guide.

When Sugar automatically relates an email to a case because of a case macro match, the case will be set in the email's Related To field. When viewing the case in record view, the email will appear in both the [History dashlet](#) and [Emails subpanel](#).

Sugar will recognize the case macro and automatically relate the email to the relevant case for any email entering Sugar in the following ways:

- **Group mail account:** A group mail account is a monitored inbound mailbox that is created via Admin > Inbound Email. This is a mailbox on your company's mail server that Sugar is granted the ability to read. For example, creating "support@mycompany.com" as a group mail account means that any email with "support@mycompany.com" in the To or CC list will be checked for a case macro and automatically related to the case in Sugar. Support representatives can CC the address when corresponding with customers to have the emails automatically archived and related to the case in Sugar. Please note that if the account is configured to not automatically import emails, the relationship to the case will not be formed until a user imports it from the group inbox in the Emails module. //mention on Admin Emails documentation. For more information on configuring a group mail account, please refer to the [Email](#) documentation in the Administration Guide.
- **Sugar Email Archiving:** Sugar Email Archiving must be configured and enabled by administrators in Sugar via Admin > System Email Settings. Once configured, an email address will be generated that is specific to your instance of Sugar. When this email address receives an email, it scans the

email for any email addresses. The email is then imported into Sugar, where the email is associated with any contact, lead, etc. containing an email address on the email. When a case macro is included in the email's subject, Sugar will also relate the email to the referenced case. For more information on setting up Email Archiving, please refer to the [Email](#) documentation in the Administration Guide.

- **Sent from within Sugar:** Composing and sending an email from anywhere within Sugar, including via the Emails module, clicking an email address on any record, from the History dashlet, etc., will cause Sugar to automatically search the subject for a case macro and relate the email to the relevant case. For more information on composing emails within Sugar, please refer to the [Emails](#) documentation.

Emails Subpanel

The Emails subpanel in the Cases module displays emails which are associated with the case record in a variety of ways:

- **Related to the case:** If the case is selected in the email's Related To field, the email and case are related, and the email will appear in the case's Emails subpanel and History dashlet. Instructions for using this flex relate field are available in the [Emails](#) documentation.
- **Related to the case's related contacts:** If the email is related, either explicitly or implicitly, to a contact record which is related to the case, the email will appear in the case's Emails subpanel and History dashlet.

Note: Administrators can enable or disable a case from displaying related contact emails via Admin > Related Contacts Emails. For more information, please refer to the [Email](#) documentation in the Administration Guide.

Contacts and Cases

On a case's record view, the Contacts subpanel is uniquely configured with an intelligent filter. Sugar presumes that any contacts related to a case will belong to the account already related to the case. Therefore, a filter for the case's account is automatically applied to search results in the Contacts subpanel.

Cs Having trouble adding new items ☆ Follow Edit

Number 245 Priority Medium

Account Name **Jungle Systems Inc** + Business Cente...

Show in Portal Type Administration

Source Web Status Assigned

Follow Up Date 2020-03-25 18:10 + Resolved Date

Assigned to Max Jensen + Primary Contact

Description Can't add new items to the queue

Show more...

Related All Filter All Records Search...

CONTACTS (0) +

Name	Account Name	Email	Link Existing Record

The available contacts are automatically filtered to show those related to the case's account:

Search and Add Contacts (5) Cancel Add

Selected: (0) Reset

Filter **Jungle Systems Inc** Search by first name, last name...

Account Name is any of **Jungle Syst...**

<input type="checkbox"/>	Name	Title	Account Name	Email Address	
<input type="checkbox"/>	Dwana Motz	Senior Product Manager	Jungle Systems Inc	info.sales.phone@example.cn	<input type="checkbox"/>
<input type="checkbox"/>	Cari Galang	VP Operations	Jungle Systems Inc	vegan.hr.hr@example.co.jp	<input type="checkbox"/>


In the event that a case should be linked to a contact from a different account, you may override the default account filter by clicking on the X next to the account name filter in the search bar or by removing the filter line item:

Filter **Jungle Systems Inc** X Search by first name, last name...

Account Name is any of **Jungle Syst...** - +

Knowledge Base Articles and Cases

You can create Knowledge Base articles based on a bug or case. This is particularly useful when the bug fix or situation will not be resolved until a later date, but a workaround currently exists. Simply click "Create Article" in the Case record view's Actions menu. The Knowledge Base record view layout will open and include all of the relevant fields for your organization's articles. For more information on creating knowledge base articles, please refer to the [Knowledge Base](#) documentation.



Working With Sugar Modules

The Cases module uses Sugar's Sidecar user interface. The following sections detail menus, views, and actions common to Sidecar modules and contain links to additional information within the page or links to the User Interface documentation.


Case Menus

The Cases module contains various options and functionality which are available via menus in the module tab, list view, and record view. The following sections present each menu and its options with links to more information about each option in the User Interface documentation or, for Cases-specific functionality, within this page.

Module Tab Menus

The Cases module tab is typically found by clicking the "More" icon represented by three vertical dots to the right of the module tabs on the navigation bar. The additional modules will appear on the list and you can click "Cases" to access the list view. Once the Cases tab displays on the navigation bar, you can click the triangle within the tab to display the Actions, Recently Viewed, and Favorites menu. The Actions menu allows you to perform important operations within the module. The [Recently Viewed](#) menu displays the list of cases you most recently viewed. The [Favorites menu](#) displays the list of cases you most recently marked as

favorites.



The module tab's Actions menu allows you to perform the following operations:

Menu Item	Description
Create Case	Opens the record view layout to create a new case.
View Cases	Opens the list view layout to search and display cases.
View Case Reports	Displays existing reports based on the Cases module.
Import Cases	Opens the import wizard to create or update cases using external data.


For more information on module tab menus including reasons a module may not be included in the menu, see the [User Interface](#) documentation.

List View Menus

The Cases [list view](#) displays all case records and allows for searching and filtering to locate specific cases. You can view the basic details of each record within the field columns of the list view or click a case's name to open the record view. To access a module's list view, simply click the module's tab in the navigation bar at the top of any Sugar page.

List View Mass Actions Menu

The Mass Actions menu to the right of the checkbox option in the list header allows you to perform mass actions on all currently selected records. You can use the checkbox on each record's row to select individual case records or click the checkbox in the list header to select all records displayed on the current set of list view results.



The Mass Actions menu allows you to perform the following operations:

Menu Item	Description
Mass Update	Mass update one or more cases at a time.
Recalculate Values	Visible only if the module contains fields using Sugar Logic and only to System Administrators or users with Developer-level role access, this option will refresh the selected records' calculated values.
Merge	Merge two or more duplicate cases.
Delete	Delete one or more cases at a time.
Export	Export one or more cases to a CSV file.

List View Record Actions Menu

The Record Actions menu to the far right of each record's row allows you to perform actions on the individual case directly from the list view.

<input type="checkbox"/>	<input type="checkbox"/>	Num.	Subject	Account Name	Priority	⋮
<input type="checkbox"/>	☆	250	Warning mess...	Income Free I...	Medium	<input type="checkbox"/> <input type="checkbox"/>
<input type="checkbox"/>	☆	249	Warning mess...	Income Free I...		Edit
<input type="checkbox"/>	☆	248	Warning mess...	Income Free I...		Delete

The list view's Record Actions menu allows you to perform the following operations:

Menu Item	Description
Preview (Eye icon)	Preview this case in the intelligence pane.
Edit	Edit this case.
Follow	(Available if Activity Streams are enabled) Follow changes to this case in your activity stream.
Delete	Delete this case

Record View Actions Menu

The Cases [record view](#) displays a single case in full detail including its fields, subpanels of related records, and activity stream. To access a case's record view, simply click a hyperlinked case name from anywhere within Sugar. The record view's Actions menu appears on the top right of the page and allows you to perform various operations on the current record.

Cs

Having trouble adding new it... ☆

Follow

<
>

Edit
▼

Number	245	Priority	Medium
Accoun...	Jungle Systems Inc	+ Busi...	
Show in...	<input checked="" type="checkbox"/>	Type	Administrat
Source	Web	Status	Assigned
Follow ...	2020-03-25 18:10	+ Reso...	
Assigne...	Max Jensen	+ Prim...	

- Share
- Create Article
- Find Duplicates
- Copy
- Historical Summary
- View Audit Log
- Delete

The Actions menu allows you to perform the following operations:

Menu Item	Description
Edit	Edit this case.
Share	Share a link to this case via email. Note: To send emails through Sugar, users must first configure a default user email account via Emails > Email Settings .
Download PDF	Download the record's information as a PDF file. <ul style="list-style-type: none"> • This menu option is only visible if the administrator has created a PDF template for the Cases module via Admin > PDF Manager. • Clicking on this menu item will expand and contract the menu to reveal or hide the available PDF templates.
Email PDF	Email the record's information as a PDF attachment. <ul style="list-style-type: none"> • This menu option is only visible if the administrator has created a PDF template for the Cases module via Admin > PDF Manager. • Clicking on this menu item will expand and contract the menu to reveal or hide the available PDF templates. <p>Note: To send emails through Sugar, users must first configure a default user email account via Emails > Email Settings.</p>
Create Article	Converts information from the case to the record view of a Knowledge Base article. Please refer to the Knowledge Base documentation for more information.

Find Duplicates	Locate potential duplicates of this case.
Copy	Duplicate this case to create a new case record.
Historical Summary	View a historical summary of activities (e.g., calls, meetings, etc.) related to this case.
View Audit Log	View a record of changes to this case.
Delete	Delete this case.

Common Views and Actions

The following links will open specific sections of the User Interface documentation where you can read about views and actions that are common across most Sidecar modules.

Content Link	Description
Creating Cases Basic Case Creation Creating via Quick Create Creating via Subpanels Creating via Duplication Importing Cases	The Creating Records section covers the various methods of creating new case records, including via the Create button in the Cases module, via the Quick Create menu on the upper right of every Sugar page, via the Cases subpanel on related module records, via duplication of an existing case record, and via importing a list of cases into Sugar using a .csv spreadsheet.
Viewing Cases Viewing via List View Viewing via Record View Viewing via Recently Viewed Viewing via Dashlets Viewing via Activity Streams Viewing via Preview Viewing via Reports	The Viewing Records section describes the various methods of viewing case records, including via the Cases list view and record view, the Recently Viewed menu in the Cases module tab, list view dashlets showing case information, activity stream entries concerning case updates or where a user mentions a case, previewing cases in the right-hand side panel, and reports displaying case data.
Searching for Cases Global Search List View Search Creating a Filter	The Searching for Records section provides an introduction to the two searching methods for locating cases: global search, which searches across all

Saving a Filter	<p>Sugar modules, and list view search, which searches and filters within the Cases module.</p>
Cases List View Total Record Count Create Button List View Search Checkbox Selection Mass Actions Menu Favorite Designation Column Reordering Column Resizing Column Sorting Column Selection Preview Record Actions Menu More Cases Activity Stream Dashboards	<p>The List View section walks through the many elements of the Cases List View layout which contains a filterable list of all case records in Sugar. While the generic menu options are described in the User Interface sections linked to the left, the options specifically available in the Cases list view are described in the List View Mass Actions Menu and List View Record Actions Menu sections of this page.</p>
Cases Record View Favorite Designation Following Designation Next or Previous Record Actions Menu Show More Subpanels Related Record Subpanels Filtering Subpanels Reordering Subpanels Activity Stream Dashboards	<p>The Record View section walks through the many elements of the Cases Record View layout which contains detailed information about a single case record. While the generic menu options are described in the User Interface sections linked to the left, the options specifically available in the Cases record view are described in the Record View Actions Menu section of this page.</p> <p>Note: When linking a record via the Contacts subpanel, the Search and Add Contacts drawer will automatically be filtered to only display contact records associated with the case's parent account.</p>
Editing Cases Editing Inline via Record View Editing via Record View Editing Inline via Subpanels Editing Inline via List View Mass Editing via List View	<p>The Editing Records section describes the various methods of editing existing case records, including inline via the Cases record view, in full edit mode on the record view, inline via the Cases subpanel on related module records, inline via the Cases list view, and via the Mass Update option on the list view.</p>

Deleting Cases Deleting via Record View Deleting via List View Mass Deleting via List View	<p>The Deleting Records section describes the various methods of deleting unwanted cases, including via the Cases record view, an individual record's Actions menu on the Cases list view, and the Mass Actions menu on the list view.</p>
Exporting Cases	<p>The Exporting Records section provides an introduction to the export functionality which allows you to download a list of cases and all their data as a .csv file for use outside of Sugar (e.g., in Microsoft Excel).</p>
Recalculating Calculated Values	<p>The Recalculating Calculated Values section provides instructions on utilizing the Recalculate Values list view option to update calculated field values in the module if the administrator has changed the field's formula via Admin > Studio.</p>
Finding Duplicate Cases	<p>The Finding Duplicate Records section provides instructions for locating duplicate case records. If searching on matching fields (e.g., Subject) identifies one or more duplicates, they can be merged into a single record.</p>
Merging Cases Merging via List View	<p>The Merging Records section provides instructions for merging duplicate cases which will combine field values and related records into a single case.</p>
Viewing Cases Historical Summaries	<p>The Viewing Record Historical Summaries section describes the Historical Summary record view option which displays quick details of the case record's related calls, meetings, emails, notes, and tasks.</p>
Viewing Cases Audit Logs	<p>The Viewing Record Audit Logs section describes the View Audit Log record view option which displays a history of changes to the case's audited fields.</p>
Cases PDFs Downloading Cases PDFs Emailing Cases PDFs	<p>The Record PDFs section provides instructions for these record view options which allow you to download or email .pdf files of case information as configured by an administrator via</p>

	Admin > PDF Manager.
Favoriting Cases Favoriting via List View Favoriting via Record View Favoriting via Subpanel	<p>The Favoriting Records section describes the various methods of marking cases as favorites, including via the Cases list view, Cases record view, or any Cases subpanel appearing on the record view of a related module. Favoriting a case allows you to easily access it from list views, dashlets, or the Cases module tab.</p>
Following Cases Following via List View Following via Record View	<p>The Following Records section describes the various methods of marking cases as "Following", including via the Cases list view and record view. Following a case causes its activity stream updates to be included on your Home page and Cases list view activity streams so that you can easily keep up with changes and user posts on the record.</p>
Sharing Cases	<p>The Sharing Records section provides instructions for the Share record view option which composes an email with a link to the case record. If the recipient is logged into Sugar, clicking the link will bring them directly to the case's record view.</p>

Last Modified: 2022-01-13 20:33:07

Bugs

Overview

Sugar's Bugs module is used to track and manage product-related problems, commonly referred to as bugs, defects, or feature requests, either found internally or reported by customers. As a bug is reported, worked on, and resolved, the process may be facilitated by adding the found-in and fixed-in release, status, and other information. Each bug record may relate to other Sugar records such as

calls, contacts, and cases, making it easy to get the full picture of a customer's issues and history. This documentation will cover information and actions specific to the Bugs module. For instructions concerning views and actions which are common across most Sugar modules, such as creating, editing, and deleting bugs, please refer to the [Working With Sugar Modules](#) section of this page.

Please note that you will only be able to see bug records as allowed by your team membership, user access type, and assigned roles. For more information on teams and roles, please refer to the [Team Management](#) and [Role Management](#) documentation in the Administration Guide.

Bug Fields

The Bugs module contains a number of stock fields that come out-of-the-box with Sugar. For information on using and editing various field types, refer to the [User Interface](#) documentation. The definitions below are suggested meanings for the fields, but the fields can be leveraged differently to best meet your organization's needs. Administrators or users with developer-level role access have the ability to alter, add, or remove fields via Admin > Studio. For more information on configuring fields, please refer to the [Studio](#) documentation in the Administration Guide.

Field	Description
Assigned To	The Sugar user assigned to the bug.
Category	The general area of the product or service where the bug was discovered.
Comment Log	A shared log of messages, comments, or other text, including the name of the user that added the log entry and the date and time it was added. It is possible to tag other users and link to other Sugar records in Comment Log entries by inserting a clickable pill; see the User Interface documentation for more details.
Date Created	The date the bug was created.
Date Modified	The date the bug was last modified.
Description	Explanation of the details and reproduction steps of the bug when submitted.
Fixed in Release	The version of product where the bug

	was fixed.
Found in Release	The version of product where the bug was found.
Integration Sync ID	The sync key field used by external integrations to identify Sugar records in the external application. See the Integrate REST API endpoints in the Developer Guide for more details on how to use this field.
Number	An automatically incremented number to identify every bug, which cannot be edited through Sugar.
Priority	Specify the urgency of the bug from this dropdown list.
Resolution	Results of the investigation of the bug and how it can be fixed.
Source	The method in which this bug was submitted, (e.g., internal, customer email, etc.).
Status	Specify the status of the bug as it moves along the process from submission to resolution.
Subject	Brief statement of the problem.
Tags	User-created keywords that can be used to identify records in filters, dashlets, and reports. Note: For more information on creating and using tags, please refer to the Tags documentation.
Teams	The Sugar team(s) assigned to the bug.
Type	Type of categorization that this bug falls in to (e.g., Defect, Feature, etc.).
Work Log	Free form field to add activities and actions while working on the bug.

Emails and Bugs

Bugs may be related to emails by being selected in the email's Related To field. These relationships allow the bug to display all relevant email correspondence in

the [Emails subpanel](#) and in the [History dashlet](#) on a bug's record view.

Emails Subpanel

The Emails subpanel in the Bugs module displays emails that are related to the bug record via the email's Related To field. These emails will also appear in the [History dashlet](#) on a bug's record view.

The Emails subpanel allows the following functions to be performed:

- **Email Details:** To view the details of an email, click the subject to open it in detail view.
- **Record Count:** Subpanel headers display the total count of related records (e.g., "5 of 6+") next to the module name. The count captures the number of records currently displayed with an additional, hyperlinked number (e.g., "6+") where there are more records than currently displayed. Click the hyperlinked number to see the total count of related records.
- **Collapse or Expand:** Click anywhere in the subpanel's header to collapse or expand it. Subpanels will remain collapsed or expanded on future visits to the module.
 - **Note:** Administrators can choose to disable collapse stickiness or to collapse all subpanels by default via Admin > System Settings. For more information, please refer to the [System](#) documentation in the Administration Guide.
- **Column Widths:** Place your cursor on the column divider. When the double arrow cursor appears, click and drag the column to the desired size. Please note that the column width will not be preserved when you navigate away from the page.
- **Column Sort:** Click a column header to sort the subpanel's items by that value. Clicking the same header again will reverse the sorting order (e.g., from ascending to descending).
- **Compose a New Email:** Click the Plus button on the upper right of a subpanel to create a new email with, by default, a relationship to the bug you are currently viewing. The email will automatically select the bug in the Related To field.
 - To send email from Sugar, users must configure their outbound email server via [Emails > Email Settings](#) or, if using the system email account to send email, the system's outbound email server must be configured by an administrator in [Admin > System Email Settings](#).
 - Because creating a new related record opens a drawer on top of the current record view, you should use the Cancel button to return to record view. Using the browser's back button will return you to the previous page.
- **More Records:** By default, Sugar displays up to five records in each

subpanel, though administrators can alter the number via Admin > System Settings as described in the [System](#) documentation of the Administration Guide. If additional related records exist, click "More {Module Name}..." (e.g., "More emails...") at the bottom of the subpanel to load the next set of records.

	From	Subject	Status	Date	
☆	Sally Bronsen	Demo	Archived	2017-07-14 05:45am	👁️ ▼
☆	Administrator	Discuss pricing	Draft	2017-12-29 02:05pm	👁️ ▼
☆	Sally Bronsen	Introduce all players	Archived	2017-10-12 08:00am	👁️ ▼
☆	Administrator	Demo	Draft	2017-12-29 02:05pm	👁️ ▼
☆	Will Westin	Demo	Archived	2017-03-07 01:00pm	👁️ ▼

More emails...

Escalations and Bugs

The Escalations module is used to track the escalation of a specific record, such as a bug. Use the Escalate option in the bug's record view Actions menu to create an escalation for the bug. As long as the bug has at least one open escalation in its Escalations subpanel, the Escalated field is displayed as a red badge with the text "Escalated" at the top of record view and the preview. It can also be displayed in the Record View dashlet and list view. See the [Escalations](#) page for more details on how escalations work.

Bu Error occurs while running count query ☆ **Escalated** Edit

Number 47 Priority Medium

Status Rejected + Follow Up ...

Type Feature + Source

+ Category + Resolution

Escalate

Share


Create Article

Find Duplicates

Copy

Creating a Knowledge Base Article

You can create knowledge base articles based on a bug or case. This is particularly useful when the bug fix or situation will not be resolved until a later date, but a workaround currently exists. Simply click "Create Article" in the Bug record view's Actions menu. The Knowledge Base record view layout opens and includes all of the relevant fields for your organization's articles. For more information on creating knowledge base articles, please refer to the [Knowledge Base](#) documentation.



Working With Sugar Modules


The Bugs module uses Sugar's Sidecar user interface. The following sections detail menus, views, and actions common to Sidecar modules and contain links to additional information within the page or links to the User Interface documentation.

Bug Menus

The Bugs module contains various options and functionality which are available via menus in the module tab, list view, and record view. The following sections present each menu and its options with links to more information about each option in the User Interface documentation or, for Bugs-specific functionality, within this page.

Module Tab Menus

The Bugs module tab is typically found by clicking the arrow to the right of the module tabs on the navigation bar. The additional modules will appear on the list and you can click "Bugs" to access the list view. Once the Bugs tab displays on the navigation bar, you can click the triangle within the tab to display the Actions, Recently Viewed, and Favorites menu. The Actions menu allows you to perform important operations within the module. The [Recently Viewed menu](#) displays the list of bugs you most recently viewed. The [Favorites menu](#) displays the list of bugs you most recently marked as favorites.



The module tab's Actions menu allows you to perform the following operations:

Menu Item	Description
Report Bug	Opens the record view layout to create a new bug.
View Bugs	Opens the list view layout to search and display bugs.
View Bug Reports	Displays existing reports based on the Bugs module.
Import Bugs	Opens the import wizard to create or update bugs using external data.


For more information on module tab menus including reasons a module may not be included in the menu, see the [User Interface](#) documentation.

List View Menus

The Bugs [list view](#) displays all bug records and allows for searching and filtering to locate specific bugs. You can view the basic details of each record within the field columns of the list view or click a bug's name to open the record view. To access a module's list view, simply click the module's tab in the navigation bar at the top of any Sugar page.

List View Mass Actions Menu

The Mass Actions menu to the right of the checkbox option in the list header allows you to perform mass actions on all currently selected records. You can use the checkbox on each record's row to select individual bug records or click the checkbox in the list header to select all records displayed on the current set of list view results.




The Mass Actions menu allows you to perform the following operations:

Menu Item	Description
Mass Update	Mass update one or more bug at a time.
Recalculate Values	Visible only if the module contains fields using Sugar Logic and only to System Administrators or users with Developer-level role access, this option will refresh the selected records' calculated values.
Merge	Merge two or more duplicate bug.
Delete	Delete one or more bug at a time.
Export	Export one or more bugs to a CSV file.

List View Record Actions Menu

The Record Actions menu to the far right of each record's row allows you to perform actions on the individual bug directly from the list view.



The list view's Record Actions menu allows you to perform the following operations:

Menu Item	Description
Preview (Eye icon)	Preview this bug in the intelligence pane.
Edit	Edit this bug.
Follow	(Available if Activity Streams are enabled) Follow changes to this contact in your activity stream.
Delete	Delete this bug.

Record View Actions Menu

The Bugs [record view](#) displays a single bug in full detail including its fields, subpanels of related records, and activity stream. To access a bug's record view, simply click a hyperlinked bug name from anywhere within Sugar. The record view's Actions menu appears on the top right of the page and allows you to perform various operations on the current record.

The screenshot shows a bug report titled "Fatal error during installation" with a red "Bu" icon. The bug number is 46, priority is Urgent, and status is Pending. The assigned user is Sally Bronsen. A dropdown menu is open, listing actions: Share, Create Article, Find Duplicates, Copy, Historical Summary, View Audit Log, and Delete. The menu is highlighted with a red border.

The Actions menu allows you to perform the following operations:

Menu Item	Description
Edit	Edit this bug.
Share	Share a link to this bug via email. Note: To send emails through Sugar, users must first configure a default user email account via Emails > Email Settings .
Download PDF	Download the record's information as a PDF file. <ul style="list-style-type: none"> This menu option is only visible if the administrator has created a PDF template for the Bugs module via Admin > PDF Manager. Clicking on this menu item will expand and contract the menu to reveal or hide the available PDF templates.
Email PDF	Email the record's information as a PDF attachment. <ul style="list-style-type: none"> This menu option is only visible if the administrator has created a PDF template for the Bugs module via Admin > PDF

	<p>Manager.</p> <ul style="list-style-type: none"> Clicking on this menu item will expand and contract the menu to reveal or hide the available PDF templates. <p>Note: To send emails through Sugar, users must first configure a default user email account via Emails > Email Settings.</p>
Create Article	Converts information from the case to the record view of a Knowledge Base article. Please refer to the Knowledge Base documentation in the Application Guide.
Find Duplicates	Locate potential duplicates of this bug.
Copy	Duplicate this bug.
Historical Summary	View a historical summary of activities (e.g., calls, meetings, etc.) related to this bug.
View Audit Log	View a record of changes to this bug.
Delete	Delete this bug.
Merge to Doc	Select or create a DOCX template to merge record data into documents that will be accessible in the Doc Merge widget.
Merge to PDF	Select or create a DOCX, XLSX, or PPTX template to merge record data into PDF documents that will be accessible in the Doc Merge widget.

Common Views and Actions

The following links will open specific sections of the User Interface documentation where you can read about views and actions that are common across most Sidecar modules.

Content Link	Description
Creating Bugs Basic Bug Creation	The Creating Records section covers the various methods of creating new bug

<p>Creating via Quick Create Creating via Subpanels Creating via Duplication Importing Bugs</p>	<p>records, including via the Create button in the Bugs module, via the Quick Create menu on the upper right of every Sugar page, via the Bugs subpanel on related module records, via duplication of an existing bug record, and via importing a list of bugs into Sugar using a .csv spreadsheet.</p>
<p>Viewing Bugs Viewing via List View Viewing via Record View Viewing via Recently Viewed Viewing via Dashlets Viewing via Activity Streams Viewing via Preview Viewing via Reports</p>	<p>The Viewing Records section describes the various methods of viewing bug records, including via the Bugs list view and record view, the Recently Viewed menu in the Bugs module tab, list view dashlets showing bug information, activity stream entries concerning bug updates or where a user mentions a bug, previewing bugs in the right-hand side panel, and reports displaying bug data.</p>
<p>Searching for Bugs Global Search List View Search Creating a Filter Saving a Filter</p>	<p>The Searching for Records section provides an introduction to the two searching methods for locating bugs: global search, which searches across all Sugar modules, and list view search, which searches and filters within the Bugs module.</p>
<p>Bugs List View Total Record Count Create Button List View Search Checkbox Selection Mass Actions Menu Favorite Designation Column Reordering Column Resizing Column Sorting Column Selection Preview Record Actions Menu More Bugs Activity Stream Dashboards</p>	<p>The List View section walks through the many elements of the Bugs List View layout which contains a filterable list of all bug records in Sugar. While the generic menu options are described in the User Interface sections linked to the left, the options specifically available in the Bugs list view are described in the List View Mass Actions Menu and List View Record Actions Menu sections of this page.</p>
<p>Bugs Record View Favorite Designation</p>	<p>The Record View section walks through the many elements of the Bugs Record</p>

Next or Previous Record Actions Menu Show More Subpanels Related Record Subpanels Filtering Subpanels Reordering Subpanels Activity Stream Dashboards	<p>View layout which contains detailed information about a single bug record. While the generic menu options are described in the User Interface sections linked to the left, the options specifically available in the Bugs record view are described in the Record View Actions Menu section of this page.</p>
Editing Bugs Editing Inline via Record View Editing via Record View Editing Inline via Subpanels Editing Inline via List View Mass Editing via List View	<p>The Editing Records section describes the various methods of editing existing bug records, including inline via the Bugs record view, in full edit mode on the record view, inline via the Bugs subpanel on related module records, inline via the Bugs list view, and via the Mass Update option on the list view.</p>
Deleting Bugs Deleting via Record View Deleting via List View Mass Deleting via List View	<p>The Deleting Records section describes the various methods of deleting unwanted bugs, including via the Bugs record view, an individual record's Actions menu on the Bugs list view, and the Mass Actions menu on the list view.</p>
Exporting Bugs	<p>The Exporting Records section provides an introduction to the export functionality which allows you to download a list of bugs and all their data as a .csv file for use outside of Sugar (e.g., in Microsoft Excel).</p>
Recalculating Calculated Values	<p>The Recalculating Calculated Values section provides instructions on utilizing the Recalculate Values list view option to update calculated field values in the module if the administrator has changed the field's formula via Admin > Studio.</p>
Finding Duplicate Bugs	<p>The Finding Duplicate Records section provides instructions for locating duplicate bug records. If searching on matching fields (e.g., Subject) identifies one or more duplicates, they can be merged into a single record.</p>
Merging Bugs Merging via List View	<p>The Merging Records section provides instructions for merging duplicate bugs which will combine field values and</p>

	related records into a single bug.
Viewing Bug Historical Summaries	The Viewing Record Historical Summaries section describes the Historical Summary record view option which displays quick details of the bug record's related calls, meetings, emails, notes, and tasks.
Viewing Bug Audit Logs	The Viewing Record Audit Logs section describes the View Audit Log record view option which displays a history of changes to the bug's audited fields.
Bug PDFs Downloading Bug PDFs Emailing Bug PDFs	The Record PDFs section provides instructions for these record view options which allow you to download or email .pdf files of bug information as configured by an administrator via Admin > PDF Manager.
Favoriting Bugs Favoriting via List View Favoriting via Record View Favoriting via Subpanel	The Favoriting Records section describes the various methods of marking bugs as favorites, including via the Bugs list view, Bugs record view, or any Bugs subpanel appearing on the record view of a related module. Favoriting a bug allows you to easily access it from list views, dashlets, or the Bugs module tab.
Sharing Bugs	The Sharing Records section provides instructions for the Share record view option which composes an email with a link to the bug record. If the recipient is logged into Sugar, clicking the link will bring them directly to the bug's record view.

Last Modified: 2021-12-21 14:10:28

Knowledge Base

Overview

Sugar's Knowledge Base module provides the ability to create, maintain, and publish information in the form of articles. Knowledge base articles can cover a variety of topics such as troubleshooting or frequently asked questions. Articles can be accessed via the Sugar instance by Sugar users within your organization.

Articles can be rated based on their usefulness to help you determine which articles should be improved or updated and which should be promoted as valuable information. As you work to improve articles, you can create revisions to keep a history of versions as well as to make changes without immediately affecting published content. Articles can also be localized to reach new audiences using a variety of languages. This documentation will cover information and actions specific to the Knowledge Base module. For instructions concerning views and actions which are common across most Sugar modules, such as creating, editing, and deleting accounts, please refer to the [Working With Sugar Modules](#) section of this page.

Please note that you will only be able to see account records as allowed by your team membership, user access type, and assigned roles. For more information on teams and roles, please refer to the [Team Management](#) and [Role Management](#) documentation in the Administration Guide.

Article Fields

The Knowledge Base module contains a number of stock data fields that come out-of-the-box with Sugar. For information on using and editing various field types, refer to the [User Interface](#) documentation. The definitions below are suggested meanings for the fields, but the fields can be leveraged differently to best meet your organization's needs. Users with administrator or developer access have the ability to alter, add, or remove fields via Admin > Studio. For more information on configuring fields, please refer to the [Studio](#) documentation in the Administration Guide.

Field	Description
Active Revision	Denotes the most up-to-date, unpublished revision of an article. This box is automatically set when a new revision is created for an unpublished article so that only the newest revision will have it checked. Only revisions with "Active Revision" checked will appear in the Knowledge Base list view.


	Note: If a revision is published, it will retain the Active Revision designation until a subsequent revision is published in its place.
Approved By	The Sugar user who is appointed to approve the article. Note: When setting an article's status to "Approved", the Approved By field will automatically be populated with your name.
Attachments	External files uploaded to the article which are available for download.
Author	The Sugar user who owns the article. Note: The author defaults to the current user.
Body	The HTML content of the article.
Category	The category, or topic, the article belongs to.
Created By	The Sugar user who created the article.
Date Created	The date that a user created the article.
Date Modified	The last date that a user modified the article.
Description	A brief description of the article's content.
Expiration Date	The date on which the article information expired or will expire in the future. Note: The status for published articles will automatically change to "Expired" on the specified expiration date.
Integration Sync ID	The sync key field used by external integrations to identify Sugar records in the external application. See the Integrate REST API endpoints in the Developer Guide for more details on how to use this field.
View Count	How many times the published article has been viewed in the Sugar instance.
Language	The language used in the article.
Modified By	The Sugar user who last modified the article.

Publish Date	The date the article was published or will be published in the future. Note: The Publish Date field will automatically default to today's date when an article's status is set to "Published".
Related Case	The case record that inspired and is associated with the article. Note: Creating an article from a case causes the case to automatically populate this field.
Status	The current status of the article (e.g., Draft, Expired, In Review, Published).
Tags	User-created keywords that can be used to identify records in filters, dashlets, and reports. Note: For more information on creating and using tags, please refer to the Tags documentation.
Teams	The Sugar team(s) assigned to the article.
Title	The name of the article. Note: This field will be visible to readers when the article is published.

Article Statuses

When viewing an article's record view or the Knowledge Base list view, the Status field will show a different color for each status. Administrators have the ability to configure the status values via Admin > Dropdown Editor. For more information on configuring the status values, please refer to the [Developer Tools](#) documentation in the Administration Guide.

Please note that the below values are only guidelines for defining your status and that you can skip one or more statuses based on your organization's needs.

Color	Status	Label	Description
White	Draft		The article is currently undergoing changes.

Yellow	In Review	In Review	The article is being reviewed by the designated approver. Note: When the status changes to "In Review", a notification email is automatically sent to the user who is designated in the Approver field.
Blue	Approved	Approved	The article has been approved for publish.
Green	Published	Published	The article is live in the knowledge base.
Gray	Expired	Expired	The article's expiration date is in the past. Note: The status of published articles will automatically change to "Expired" on the specified expiration date, but they will remain visible in the knowledge base.


Publishing Articles

For knowledge base consumers within your organization who are Sugar users, publishing changes the article's status and designates that version as the active revision, making it available in the knowledge base list view until a subsequent revision is published. This enables your internal users to access knowledge base content within Sugar by browsing the [Knowledge Base Categories & Published Articles dashlet](#) or the Knowledge Base list view.

Articles can be published manually or scheduled to be published automatically on a future date. Publishing will check the article's Active Revision checkbox, making it available in the Knowledge Base list view even if a related revision was previously considered the active revision. Once an article has been published, the published version will retain the Active Revision designation when new revisions are created. Only when another revision is published in its place will the Active Revision designation be transferred. If an article is already published, publishing a related revision will also cause the original article's status to be changed to "Expired". For more information about revisions, please refer to the [Article Revisions](#) section of this page.

Publishing Articles Immediately


To publish an article, simply edit the Status field to "Published" and save the record. The Publish Date field will automatically set to today's date.



The screenshot shows the article editor for "Resetting the device". The Status field is currently set to "In Review" and a dropdown menu is open, showing options: Draft, In Review, Approved, Published, and Expired. The "Published" option is highlighted with a red box. Other elements include a "Save" button, a "Cancel" button, and fields for "Language" (English) and "Revision" (1).

Scheduling a Future Publish

To schedule an article to publish in the future, set the Publish Date field to a date in the future, change the Status field to "Published", and save the record. On the specified publish date, the article's status will change to "Published" and the article will automatically become visible.




The screenshot shows the article details view for "Resetting the device". The Status field is set to "Approved" and is highlighted with a red box. The Publish Date field is set to "2020-05-01" and is also highlighted with a red box. Other fields include View Count (3), Assigned to (Will Westin), Date Created (2020-03-09 19:00), Date Modified (2020-03-09 19:00), and Created By (Administrator). There are buttons for "+ Approved By" and "+ Related Case".

Viewing Published Articles by Category

While the Knowledge Base list view allows you to locate articles using traditional search, filter, and sorting, Sugar also allows you to navigate the hierarchical structure of categories to locate published articles. The Knowledge Base Categories & Published Articles dashlet can be added to the Knowledge Base list view and record view intelligence panes. When it is included on the Knowledge Base record view and you are viewing a published article, it will automatically open to display the current article. This is a convenient way to confirm the placement of a published article in your category hierarchy.

Folder icons represent categories while document icons represent articles. Blue folders indicate that a category contains child categories or published articles; clicking the blue folder will expand it to display the category's contents. White folders, on the other hand, may not be expanded since they indicate that the category has no child categories or published articles. To collapse an expanded category, simply click the open folder icon. Clicking an article's name will open the article in record view.




Creating Articles via Cases

Sugar allows you to create an article based on the details of a case record. This is useful when a resolution to a problem is documented in a case. Creating an article from such records enables you to make this information available without manually copying from the case. The new article's Title field is based on the case's Subject field, and the article's body is automatically populated with the case's number, subject, description, and resolution. The case will automatically be set in the new article's Related Case field. For more information on working with cases, please refer to the [Cases](#) documentation.

Use the following steps to create an article from a case record:

1. Navigate to a case's record view.
2. Select "Create Article" from the Actions menu.




3. Update the necessary fields and then click "Save".

Article Templates

Administrators have the ability to create templates to improve consistency or ease access to common or brand elements across your organization's knowledge base. Knowledge Base templates can contain text, HTML content, and images including embedded .jpg or .png image files. Existing templates can then be used by regular users when creating articles to improve article consistency and quality while reducing the amount of time they must spend. For more information on how administrators can work with article templates, please refer to the [Knowledge Base Administration](#) documentation in the Administration Guide.

Applying Templates to Articles

You can apply an existing template when creating or editing a Knowledge Base article. From the article's record view, click on the Templates button located in the editing toolbar for the Body field. A Search and Select drawer will appear where you can choose the desired template record. The selected template's content will then appear in the Body field of the knowledge base article.



Note: If the Body field already contains content prior to selecting a template, you will receive a message requesting confirmation before the selected template can

be applied. Select "Cancel" to disregard the template or "Confirm" to overwrite any existing content with the template's content.


Article Ratings

Reader feedback is important to gather and consider when working on knowledge base articles. Users will find the Useful and Not Useful buttons on the article's record view. Each time a new revision is created, it starts with zero votes, effectively wiping the slate for your improved or updated content.

Expiration Date

2015-07-22

[Show less](#)



Viewing Article Ratings

As users vote an article as useful or not useful, the clicks are tallied within Sugar and can be viewed via a dashlet on the article's record view. The Usefulness for Articles dashlet may be added to the Knowledge Base record view's intelligence pane to display the aggregated usefulness of the current article. It totals the Useful and Not Useful votes that the article has received and shows the percentage of Useful votes on top of a visual depiction of the ratio. The red portion represents Not Useful votes while the Useful votes are shown in green. Hovering on the green or red portions displays the exact percentage and number of corresponding votes.

KB
Connecting to the Internet ☆ Published Edit ▾
Knowl... ▾ ☆

Body To connect your device to the Internet, use any application that accesses the Internet. You can connect using either Wi-Fi or Bluetooth.

+ Atta...

+ Tags

[Show more...](#)

🗨 Not Useful
👍 Useful

Related ▾ All Filter All Records Search...
🔄 📅 ⌵

Lo LOCALIZATIONS (1) + ▾

	Name	Language	Date Created	Date M	
☆	Verbinden mit dem ...	Deutsch	2020-03-09 19:00	2020-0	👁 ▾

Re REVISIONS + ▾

Usefulness for Articles ^

Viewing Useful Published Articles

The Most Useful Published Knowledge Base Articles dashlet displays a list of top-rated published articles based on usefulness ratings and view count. Article usefulness is tallied via clicks on the Useful and Not Useful icons. The view count is the total number of views an article has received as shown in the View Count field. This dashlet displays the top three articles in descending order according to their rating. Click "More most useful published knowledge base articles" at the bottom of the dashlet to see additional articles. To view the details of an article listed in this dashlet, click on the article's name to navigate to its record view.

My Dashboard ▾
★

Most Useful Published Knowledge Base Articles ^ ⚙

[How to print](#)
Administrator 7 hours ago

[Resetting the device](#)
Administrator 7 hours ago

Article Attachments

Articles can include attached files which will then be available for download by the article's viewers. In an article's record view, one or more files can be uploaded to the Attachments field. To select multiple attachments at a time, hold the Ctrl or Shift key on your keyboard while selecting the files. Then, when users view the published article, they will have the option to download a single attachment by either clicking the pill that contains the name of the attached file or by clicking "Download".

When multiple attachments exist on a single article, users viewing the article will have the option to download a single attachment or all attachments at once. They may click the pill that contains the name of the single file for download or click "Download All" to download a .zip file containing all of the attachments to their computer.

Article Localizations


A localization is a copy of an article that has been adapted for a different audience, usually via translation to another language. Administrators must first add desired languages to the Knowledge Base module as described in the [Knowledge Base Administration](#) documentation. Once languages are configured in your instance, users may create localizations that will copy all populated fields from the original article except for the Status and Language fields. This allows users to re-write the article's contents in various languages to accommodate different target audiences.

Note: If an administrator deletes a language from the Knowledge Base module's Settings page, all localization articles associated with the deleted language will also be deleted.

Creating Localization Articles

A localization article can be created from the Knowledge Base list view, the article's record view, or the Localizations subpanel. There are many ways users can create a new localization:

- To create a localization article from a Knowledge Base article's record view, click the Actions menu and select "Create Localization".



- To create a localization article from the Knowledge Base article list view,

click the article row's Actions menu and select "Create Localization".

<input type="checkbox"/>	Name	Language	Status	Category	
<input type="checkbox"/>	Resetting the device	English	Approved	Email	<input type="checkbox"/> <input type="checkbox"/>
<input type="checkbox"/>	Connecting to the Int...	English	Published	Help	<input type="checkbox"/> <input type="checkbox"/>
<input type="checkbox"/>	How to change the la...	English	Published	Help	<input type="checkbox"/> <input type="checkbox"/>
<input type="checkbox"/>	How to print	English	Draft	Help	<input type="checkbox"/> <input type="checkbox"/>
<input type="checkbox"/>	Charging the battery -...	English	Approved	Tutorial	<input type="checkbox"/> <input type="checkbox"/>

- To create a localization article from the [Localizations subpanel](#) on a Knowledge Base article's record view, click the Plus icon.

Name	Language	Date Created	Date Modified	Status
Verbinden mit dem I...	Deutsch	2020-03-09 19:00	2020-03-09 19:00	

A drawer will appear with a copy of the original article details except for the Language and Status fields. The Status field will automatically be set to "Draft". Users should choose the appropriate language and, optionally, edit the status and any other desired field. Clicking "Save" will finalize the new localization article, and it will appear within the Knowledge Base list view and on the parent article's record view within the Localizations subpanel.

Name: Status: Draft Cancel Save

Body

If your device is not set to your preferred language, please make sure you have completed the setup. In the Settings screen, select Languages. Select the language you prefer.

Tags:

Attachments:

Language: English

Category: Help

View Count: 6

Assigned to: Will Westin

Date Created: 2021-12-09 13:54

Revision: 1

Active Revi...:

Teams: Global

External Art...:

Created By: Administrator

Localizations Subpanel

A localization article is a copy of an article that has been adapted for a different audience via translation to another language. The Localizations subpanel displays all localizations related to the article and allows the following operations to be performed:

Related All Filter All Records Search...					
Lo LOCALIZATIONS (1)					+
Name	Language	Date Created	Date Modified	Stat	
☆ How to change the la...	Deutsch	2020-03-09 19:00	2020-03-11 23:36	👁	Create Revision Edit

Re REVISIONS

Nt NOTES

- **Localization Details:** To view the details of a related localization article, click the article's name in the subpanel to open it in record view.
- **Record Count:** Subpanel headers display the total count of related records

(e.g., "5 of 6+") next to the module name. The count captures the number of localizations currently displayed with an additional, hyperlinked number (e.g., "6+") where there are more localizations than currently displayed. Click the hyperlinked number to see the total count of related records.


- **Collapse or Expand:** Click anywhere in the subpanel's header to collapse or expand it. Subpanels will remain collapsed or expanded on future visits to the module.
 - **Note:** Administrators can choose to disable the sticky feature and collapse all subpanels by default via Admin > System Settings. For more information, please refer to the User Interface section of the [System](#) documentation in the Administration Guide.
- **Column Widths:** Place your cursor on the column divider and, when the double arrow cursor appears, click and drag the column to the desired size. Please note that the column width will not be preserved when you navigate away from the page.
- **Column Sort:** Click a column header to sort the subpanel's items by that value. Clicking the same header again will reverse the sorting order (e.g., from ascending to descending).
- **Create a New Localization:** Click the Plus button on the upper right of a subpanel to create a new localization for the article you are currently viewing.
 - **Note:** Because creating a new related record opens a draw on top of the current record view, you should use the Cancel button to return to record view. Using the browser's back button will return you to the previous page.
- **Favorites Designation:** Click the star on the left of a record's row to toggle it as a favorite. A dark grey star indicates that the record is a favorite while a white star indicates it is not. For more information, please refer to the [User Interface](#) page.
- **Hyperlink Fields:** Blue field values, such as record names, may be clicked to open the record in record view. Record view provides a complete picture of the record and is described in detail in the [User Interface](#) page. Email addresses also appear in blue and can be clicked to compose an email to that recipient.
- **Record Actions Menu:** Click the triangle on the right of a record's row to access the Record Actions Menu which includes the following options:
 - **Preview:** To preview a record by displaying its fields and activity stream in the right-hand side drawer, click the Eye icon to the far right of the record's row. For more information, please refer to the [User Interface](#) page.
 - **Create Revision:** To create a new revision of the localized article, choose "Create Revision" from the actions menu on the far right of the record's row, then complete the record view layout and click "Save".
 - **Edit:** To inline edit the record directly within the subpanel, choose "Edit" from the Actions menu on the right of the record's row and

click "Save" to preserve the changes.

- **More Records:** By default, Sugar displays up to five records in each subpanel though administrators can alter the number via Admin > System Settings as described in the [System](#) documentation in the Administration. If additional related records exist, click "More <Module Name>..." (e.g., "More Accounts...") at the bottom of the subpanel to load the next set.

Published Articles in Other Languages Dashlet

The Published Articles in Other Languages dashlet displays all published localization articles related to the current article you are viewing. From this dashlet, you can view who created each localization and when they created it, as well as which language is related to each localization via the language code icon located to the right of the article's name. This two-letter icon corresponds with the language code you administrator has specified in the [Settings](#). To access an article's record view, click on the article's name directly from the dashlet.



Article Revisions


As you improve or update your knowledge base content, Sugar allows you to create revisions. Revisions are a set of articles that are versions of the same content. They allow you to keep a history of past versions as well as to make content changes without affecting the published version. One revision of each set of related revisions will be designated as the active revision using the Active Revision checkbox. Only article revisions with the Active Revision field checked are

displayed in the Knowledge Base list view while the others will only be visible in the Revisions subpanel. If an article is not yet published, creating a new revision will cause the Active Revision designation to transfer to the newest revision. Once an article has been published, the published version will retain the Active Revision designation when new revisions are created. Only when another revision is published in its place will the Active Revision designation be transferred. For more information about how publishing affects revisions, please refer to the [Publishing Articles](#) section of this documentation.


Creating Revision Articles

When a revision is created, it duplicates all fields from the original article except for the Status field, which will default to "Draft". Please note that the Date Created field of all revisions will match the date the original article was created. The Date Modified fields will, however, reflect the most recent edit of the particular revision. A revision can be created from the Knowledge Base list view, the article's record view, the Revisions subpanel, or the Localizations subpanel.

To create a revision from an article's record view, click the Actions menu and select "Create Revision".



To create a revision from the list view, click the record Actions menu and select "Create Revision".



To create a revision from the [Revisions subpanel](#), click the Plus icon.

Related ▾ All Filter All Records Search...						
Re REVISIONS (2)						+ ▾
	Name	Language	Revision	Active Revision	Date	
☆	Charging the batter...	English	2	<input type="checkbox"/>	2020	👁 ▾
☆	Charging the battery	English	1	<input type="checkbox"/>	2020	👁 ▾

To create a revision from the [Localizations subpanel](#), click the record Actions menu and select "Create Revision".

Related ▾ All Filter All Records Search...						
Lo LOCALIZATIONS (1)						+ ▾
	Name	Language	Date Created	Date Modified	Sta	
☆	How to change the l...	Deutsch	2020-03-09 19:00	2020-03-11 23:36		👁 ▾

Re REVISIONS (0)						
	Name	Language	Revision	Active Revisic		
						Create Revision Edit

Deleting Revision Articles

Deleting an article from the Knowledge Base list view only deletes the active revision. Another revision, if available, is then promoted to be the active revision. In order to delete an article revision which is not marked as the active revision, you must click on its name in the revisions subpanel, then select "Delete" in the record view's actions menu.

KB Charging the battery - revision 2 ☆ Approved
Edit

Body To charge the battery, try the following:

- Connect device to a power outlet using the included cable and the U
- Connect to a high-power USB 2.0 port using the included cable.

+ Attachme...

+ Tags

Language English Revision 2

Create Localization

Create Revision

Share

Copy

View Audit Log

Delete

Revisions Subpanel

The Revisions subpanel is available on each article's record view and displays all revisions related to the article. The subpanel allows the following operations to be performed:

Re REVISIONS (2) +						
	Name	Language	Revision	Active Revision	Date	
<input checked="" type="checkbox"/>	Charging the batter...	English	3	<input checked="" type="checkbox"/>	2020	<input type="checkbox"/> <input type="checkbox"/>
<input type="checkbox"/>	Charging the battery	English	1	<input type="checkbox"/>		<input type="text" value="Edit"/>

- **Revision Article Details:** To view the details of a related revision, click the article's name in the subpanel to open it in record view.
- **Record Count:** Subpanel headers display the total count of related revisions (e.g., "5 of 6+") next to the module name. The count captures the number of revisions currently displayed with an additional, hyperlinked number (e.g., "6+") where there are more revisions than currently displayed. Click the hyperlinked number to see the total count of related revisions.
- **Collapse or Expand:** Click anywhere in the subpanel's header to collapse or expand it. Subpanels will remain collapsed or expanded on future visits to the module.
 - **Note:** Administrators can choose to disable collapse stickiness or to collapse all subpanels by default via Admin > System Settings. For more information, please refer to the [System](#) documentation in the Administration Guide.
- **Column Widths:** Place your cursor on the column divider. When the double arrow cursor appears, click and drag the column to the desired size. Please note that the column width will not be preserved when you navigate away from the page.
- **Column Sort:** Click a column header to sort the subpanel's items by that value. Clicking the same header again will reverse the sorting order (e.g., from ascending to descending).
- **Create a New Revision:** Click the Plus button on the upper right of the subpanel to create a new revision for the article you are currently viewing.
 - **Note:** Because creating a new revision opens a draw on top of the current record view, you should use the Cancel button to return to record view. Using the browser's back button will return you to the previous page.
- **Favorites Designation:** Click the star on the left of a revision's row to [toggle it as a favorite](#). A dark grey star indicates that the revision is a favorite while a white star indicates it is not.
- **Record Actions Menu:** Click the triangle on the right of a revision's row to access the Record Actions Menu which includes the following options:
 - **Preview:** To [preview](#) a revision by displaying its fields and activity

stream in the right hand side drawer, click the Eye icon to the far right of the revision's row.


- **Edit:** To inline edit the revision directly within the subpanel, choose "Edit" from the Actions menu on the right of the revision's row and click "Save" to preserve the changes.
- **Note:** The new subpanel order will reset when the user's browser cache is cleared.
- **More Records:** By default, Sugar displays up to five revisions in each subpanel, though administrators can alter the number via Admin > System Settings as described in the [System](#) documentation of the Administration Guide. If additional related revisions exist, click "More {Module Name}..." (e.g., "More Emails...") at the bottom of the subpanel to load the next set of records.

For more information on revisions, please refer to the [Revisions](#) section of this documentation.


Article Categories

Categories List View

Click the triangle in the Knowledge Base module tab then select "View Categories" from the menu to open the Categories list view.



In the Categories list view, you can view all knowledge base categories and their subcategories by expanding the Categories tree view or search for categories by title in the search bar. Grey folder icons indicate that a category contains subcategories while white folder icons represent categories with no children. Clicking the grey folders, as opposed to the category name, will reveal its subcategories. You can perform actions on an individual category by clicking the triangle to the right of a category's row in the list view.



Each category's Record Actions menu allows you to perform the following operations:

Menu Item	Description
Add Subcategory (Plus icon)	Create a new category as a child of this category.
Edit	Edit the name of the category.
Delete	Delete the category.
Move Down	Move the category down in the tree.
Move To	Move the category to a parent folder.
Move Up	Move the category up in the tree.


Creating Categories

Categories and subcategories can be created from the [Categories list view](#), and top-level categories can be created from the Category field within an article's record view.


Creating via Categories List View

Use the following steps to create a category from the Categories list view:


1. Select "View Categories" from the Knowledge Base module tab's Actions menu.



2. Click "Create" and enter the category name in the new row which appears. Press the Enter key to save.




3. To create a subcategory, select the "+" to the far right of the category's row and enter the name of the new child row which appears. Press the Enter key to save.



Creating via Category Field


Use the following steps to create a top-level category from the Category field while creating or editing a knowledge base article. Please note that this method does not allow for creating subcategories:

1. Create a new article or edit an existing article in the Knowledge Base module.
2. Click the Categories field and select "Create a category" in the bottom left corner of the dropdown.



Alternatively, select the expand icon located in the bottom right corner to open the Search and Select Categories drawer and click "Create" in the top-right corner of the drawer that opens.


3. Type the desired category's name into the open text box which appears and press the Enter key to save the new category.




4. Select the new category's name in the dropdown to select it for the current knowledge base article. If you do not wish to change the category of the current article, click outside of the Category field's dropdown.

Renaming Categories

Categories may be renamed via the Categories list view and the Categories field in an article's record view. To rename a category from the [Categories list view](#), simply click the triangle to the far right of the category row and select "Edit". Type the new category name followed by the Enter key to save your change.



You can also rename categories while editing or creating an article. Click the category field to open the dropdown and select the Expand icon located in the bottom right corner. The drawer that opens allows categories to be renamed similarly to the list view. After renaming desired categories, you can click "Cancel" or select a category to relate to the current article.



Moving Categories

Users can change the order and hierarchy of categories via the [Categories list view](#). Categories and subcategories can be moved up, down, or into a different folder. This can be accomplished through the drag and drop method or through the move options in the Record Actions menu.

Moving via Drag and Drop

To drag and drop a category to a new position in the Categories tree view, click and hold the category and drag it to the desired location. A category can be moved into a new position in the main tree view or into a different folder. A checkmark will appear beside the category name when the category is in a successful drop


position.



Moving via Record Actions Menu

To move a category using the Record Actions menu, click the triangle located on the right of the category's row. The menu presents the following three options for moving categories:

- **Move Up:** Moves the category up one position within its current folder
- **Move Down:** Moves the category down one position within its current folder
- **Move To:** Moves the category to be the child of another category




Deleting Categories

Categories can be deleted via the Categories list view and the Category field in an article's record view. Use caution when deleting a category because it will not only delete the current category, it will also delete all of its subcategories. When a category is deleted, any articles belonging to the category will have empty Category fields. While the Category field is not required, it is useful for organizing


articles. It is recommended to associated articles be assigned a new category using mass update prior to the deletion.

Note: When a parent category is deleted, all subcategories are automatically deleted as well.

To delete a category and its child subcategories from the [Categories list view](#), simply click the triangle to the far right of the category row and select "Delete".



You can also delete categories while editing or creating an article. Click the category field to open the dropdown and select the Expand icon located in the bottom right corner. The drawer that opens allows categories to be deleted similarly to the list view. After deleting unwanted categories, you can click "Cancel" or select a category to relate to the current article.



Working With Sugar Modules


While the Knowledge Base module has some features that only apply to knowledge base records, it also uses the Sidecar user interface that most Sugar modules are based on. The following sections detail menus, views, and actions common to Sidecar modules and contain links to additional information within the page or links to the User Interface documentation.

Article Menus

The Knowledge Base module contains various options and functionality which are available via menus in the module tab, list view, and record view. The following sections present each menu and its options with links to more information about each option in the User Interface documentation or, for Knowledge Base-specific functionality, within this page.

Module Tab Menus

The Knowledge Base module tab is typically found by clicking the "More" icon represented by three vertical dots to the right of the module tabs on the navigation bar. The additional modules will appear on the list and you can click "Knowledge Base" to access the list view. Once the Knowledge Base tab is visible in the navigation bar, you may click the triangle in the tab to display the Actions, Recently Viewed, and Favorites menus. The Actions menu allows you to perform important actions within the module. The [Recently Viewed menu](#) displays the list of articles you most recently viewed. The [Favorites menu](#) displays the list of Knowledge Base records you most recently marked as favorites.



The module tab's Actions menu allows you to perform the following operations:

Menu Item	Description
Create Article	Opens the record view layout to create a new article.
Create Template	Opens the record view layout to create a new template.

	Note: This option is only available to administrators.
View Articles	Opens the list view layout to search and display articles.
View Categories	Opens the list view layout to search and display categories.
View Templates	Opens the list view layout to search and display templates. Note: This option is only available to administrators.
Settings	Opens the Knowledge Base language-configuration settings. Note: This option is only available to administrators.


For more information on module tab menus including reasons a module may not be included in the menu, see the [User Interface](#) documentation.

List View Menus

The Knowledge Base [list view](#) displays all knowledge base records and allows for searching and filtering to locate specific articles. You can view the basic details of each record within the field columns of the list view or click an article's name to open the record view. To access a module's list view, simply click the module's tab in the navigation bar at the top of any Sugar page.

List View Mass Actions Menu

The Mass Actions menu to the right of the checkbox option in the list header allows you to perform mass actions on all currently selected records. You can use the checkbox on each record's row to select individual article records or click the checkbox in the list header to select all records displayed on the current set of list view results.




[Delete](#)

Delete this article.

Record View Actions Menu

The Knowledge Base [record view](#) displays a single article in full detail including its fields, subpanels of related records, and activity stream. To access an article's record view, simply click a hyperlinked article name from anywhere within Sugar. The record view's Actions menu appears on the top right of the page and allows you to perform various operations on the current record.



The Actions menu allows you to perform the following operations:

Menu Item	Description
Edit	Edit this article.
Create Localization	Copy this article in order to adapt it for a different audience via another language.
Create Revision	Create a new or corrected version of the original article
Share	Share a link to this article via email. Note: To send emails through Sugar, users must first configure a default user email account via Emails > Email Settings .
Download PDF	Download the record's information as a PDF file. <ul style="list-style-type: none">• This menu option is only visible if the administrator has created

	<p>a PDF template for the Knowledge Base module via Admin > PDF Manager.</p> <ul style="list-style-type: none"> Clicking on this menu item will expand and contract the menu to reveal or hide the available PDF templates.
Email PDF	<p>Email the record's information as a PDF attachment.</p> <ul style="list-style-type: none"> This menu option is only visible if the administrator has created a PDF template for the Knowledge Base module via Admin > PDF Manager. Clicking on this menu item will expand and contract the menu to reveal or hide the available PDF templates. <p>Note: To send emails through Sugar, users must first configure a default user email account via Emails > Email Settings.</p>
Copy	Duplicate this article.
View Audit Log	View a record of changes to this article's fields.
Delete	Delete this article.

Common Views and Actions

In the table below, the left column contains links to the User Interface page covering topics that are applicable to all Sidecar modules. The right column has links to sections of the current page that cover topics specific to knowledge base articles.

General Instructions for Working With Sugar Modules	Knowledge-Base-Specific Instructions
Use the links below to navigate to the User Interface page which covers topics generic to many Sugar modules.	When Knowledge-Base-specific help exists for each topic, use the links below to navigate to sections of the current

	page.
Creating Records	Creating Articles via Cases Article Templates Creating Categories
Viewing Records	Viewing Published Articles by Category
Searching for Records	Article Categories
List View	List View Mass Actions Menu List View Record Actions Menu Categories List View
Record View	Record View Actions Menu
Intelligence Pane	Viewing Article Ratings Viewing Useful Published Articles Published Articles in Other Languages Dashlet
Editing Records	Publishing Articles Article Attachments Article Localizations Article Revisions Renaming Categories Moving Categories
Deleting Records	Deleting Revision Articles Deleting Categories
Viewing Record Audit Logs	
Record PDFs	
Favoriting Records	
Following Records	
Sharing Records	
Using the TinyMCE Text Editor	

Last Modified: 2022-01-11 19:19:15

Targets

Overview

Sugar's Targets module consists of individual people who are unqualified prospects that you have some information on but who are not yet qualified leads. Information (e.g., name, email address) regarding these targets are normally acquired from business cards you receive while attending various trades shows, conferences, etc. Targets in Sugar are stand-alone records as they are not related to contacts, leads, accounts, or opportunities. Once the target is qualified according to your organization's practices, it can be [converted](#) into a lead record.

This documentation will cover information and actions specific to the Targets module. For instructions concerning views and actions that are common across most Sugar modules, such as creating, editing, and deleting targets, please refer to the [Working With Sugar Modules](#) section of this page.

Please note that you will only be able to see target records as allowed by your team membership, user access type, and assigned roles. For more information on teams and roles, please refer to the [Team Management](#) and [Role Management](#) documentation in the Administration Guide.

Target Fields

The Targets module contains a number of stock fields that come out-of-the-box with Sugar. For information on using and editing various field types, refer to the [User Interface](#) documentation. The definitions below are suggested meanings for the fields, but the fields can be leveraged differently to best meet your organization's needs. Administrators or users with developer-level role access have the ability to alter, add, or remove fields via Admin > Studio. For more information on configuring fields, please refer to the [Studio](#) documentation in the Administration Guide.

Field	Description
Account Name	The account to which the target belongs.
Alternate Address	The target's alternate address (e.g., billing or shipping).
Assigned To	The Sugar user assigned to the target.
Assistant	The name of the target's assistant within his or her company.
Assistant Phone	The assistant's phone number. If an admin has turned on the Enable Click-to-Call setting in Admin > System

	Settings , phone number fields are displayed as links that can be opened to dial them using the default computer telephony integration software on the user's computer.
Birthdate	The target's date of birth.
Comment Log	A shared log of messages, comments, or other text, including the name of the user that added the log entry and the date and time it was added. It is possible to tag other users and link to other Sugar records in Comment Log entries by inserting a clickable pill; see the User Interface documentation for more details.
D&B Principal ID	Unique ID number associated to the individual in D&B.
Date Created	The date the target record was created.
Date Modified	The date the target record was last modified.
Department	The target's department within their company.
Description	A description or other information about the target.
Do Not Call	Indication that the target should not be called.
Email Address	The target's email address.
Email Opt Out	Indication that the target has opted out of receiving emails.
Facebook Account	The target's Facebook account information.
Fax	The target's fax number.
First Name	The target's first name.
Google Plus ID	The target's Google Plus ID.
Home	The target's residence number. If an admin has turned on the Enable Click-to-Call setting in Admin > System Settings , phone number fields are displayed as links that can be opened to dial them using the default computer

	telephony integration software on the user's computer.
Integration Sync ID	The sync key field used by external integrations to identify Sugar records in the external application. See the Integrate REST API endpoints in the Developer Guide for more details on how to use this field.
Last Name	The target's last name.
Mobile	The target's mobile number. If an admin has turned on the Enable Click-to-Call setting in Admin > System Settings , phone number fields are displayed as links that can be opened to dial them using the default computer telephony integration software on the user's computer.
Name	When viewing, the target's full name.
Office Phone	The target's office number. If an admin has turned on the Enable Click-to-Call setting in Admin > System Settings , phone number fields are displayed as links that can be opened to dial them using the default computer telephony integration software on the user's computer.
Other Phone	The target's alternate phone number. If an admin has turned on the Enable Click-to-Call setting in Admin > System Settings , phone number fields are displayed as links that can be opened to dial them using the default computer telephony integration software on the user's computer.
Primary Address	The target's primary address.
Salutation	Standard greeting for the target (e.g., Mr., Ms., Mrs., etc.).
Tags	User-created keywords that can be used to identify records in filters, dashlets, and reports. Note: For more information on creating and using tags, please refer to the Tags


	documentation.
Teams	The Sugar team(s) assigned to the target record.
Title	The target's business title.
Twitter Account	The target's Twitter account information.

Converting Targets to Leads


Sugar enables you to convert targets to leads as you determine they qualify for your organization's definition of a lead (e.g., after an evaluation/qualification process) and becomes a valid sales prospect. Please note that targets are only converted into leads in Sugar, and the new lead record will have a relationship to the original target record. Once the lead is qualified as a sales opportunity, they can be converted into contacts, opportunities, and accounts. For more information on lead conversions, please refer to the [Leads](#) documentation.

Use the following steps to convert a qualified target to a lead:

1. Navigate to a target's record view.
2. Select "Convert Target" from the Actions menu.



3. Enter appropriate values for the fields in the Leads record view layout then click "Save".
 - Since targets only convert to a lead, the Leads record view displays all lead fields that are grouped by default into the Overview, More Information, and Other panels. Administrators have the ability to determine what fields are displayed on the Leads record view via Admin > Studio. For more information on configuring layouts, please refer to the [Studio](#) documentation in the Administration Guide.
4. Once the conversion is complete, the target record will display the converted lead name at the top of the record view page. You can click the record's name to view the detail of the converted lead.



Emails and Targets

Targets include an email address that can be used to email the target as a recipient. The methods for doing so are covered in the [Emailing Records](#) section of the User Interface documentation. Targets may also be recipients of campaigns that allow you to send email messages to a large group of recipients as well as to track the results of that message. Please refer to the [Campaigns and Targets](#) section of this page for more information. In addition to being a recipient or sender of an email, targets may be related to emails by being selected in the email's Related To field. These relationships allow the target to display all relevant email correspondence in the [Emails subpanel](#) and [History dashlet](#) on a target's record view.

Emails Subpanel

The Emails subpanel under the Targets record displays emails that are related to the target record in a variety of ways:

- **Explicitly related to the target:** If the target is selected in the email's Related To field, the email and target are explicitly related, and the email will appear in the target's Emails subpanel and History dashlet. Instructions for using this flex relate field are available in the [Emails](#) documentation.
- **Implicitly related to the target:** If one of the target's email addresses appears in the email's From, To, or Cc fields, the email and target are implicitly related, and the email will appear in the target's Emails subpanel and History dashlet. This implicit relationship is made for emails sent from Sugar as well as any email imported into Sugar via Inbound email targets or email archiving.

For more information on working with records in subpanels, refer to the [User Interface](#) documentation.

Campaigns and Targets

Sugar's Campaigns module can be used to send mass emails or a series of newsletter emails to Sugar accounts, contacts, leads, and targets. The results of each campaign are recorded to measure its impact. Targets are not related directly to campaigns. Rather, each campaign is related to several target list records, and each target list is related to targets and other recipients. To send a campaign email to a target, the target should belong to a default-type target list related to the campaign. To prevent a target from receiving emails from a campaign, the target should belong to the campaign's suppression list-type target list. Once a campaign is sent, the results specific to a particular target will appear in the Campaign Log Subpanel on the target's record view as described in the [Campaign Log Subpanel](#) section of this page.

Targets can be added to target lists via the target list record itself, from the Targets list view using the Add To Target List option, or from the Targets record view using the Manage Subscriptions option. Instructions for using the [Add To Target List](#) and [Manage Subscriptions](#) options in the Targets module are provided in the sections below. For instructions on other available methods of adding to target lists, please refer to the [Target Lists](#) documentation.

Adding to a Target List via Targets List View

A target list consists of a group of individuals or organizations to be included or excluded from a mass marketing campaign. These targets are typically identified based on a set of predetermined criteria such as being a prospect or existing customer, age group, industry, etc. There are various ways to add targets to a target list in Sugar including using the Add To Target List option from the Target list view's Mass Actions Menu. For more information on target lists and other methods of adding target, please refer to the [Target Lists](#) documentation.

You can use the [Select All](#) feature in the list view when adding to a target list, which will allow you to easily select the first 1000 records in the result set. To add more than 1000 records or add a specific group of records to the target list, please use the [filter option](#) in list view search to perform the additions in smaller batches.

Use the following steps to add targets to a target list via the Targets list view:

1. Navigate to the Targets list view by clicking the Targets module tab.
2. Use the [List View Search](#) to find the Target records to add to a target list.
3. Select the desired target records then choose "Add to Target List" from the Mass Actions menu.

<input type="checkbox"/>	Name	Title	Email
		VP Operations	sugar.kid.hr@e..
		IT Developer	the.hr@examp...
		President	vegan42@exa...
		VP Operations	sugar.vegan.p...
		Senior Product...	sales.im@exa...
		Director Opera...	beans.hr.im@e..
<input checked="" type="checkbox"/>	Veta Puryear	Mgr Operations	section.hr.sup...
<input checked="" type="checkbox"/>	Bronwyn Nisw...	Mgr Operations	support.im.ph...

- Below the search bar, locate and select the desired target list in the dropdown list or click "Create new target list" to add the targets to a new target list. Click "Update" to add the record(s) to the target list.

Filter Search by first name, last name...

Add To Target List

Required

month

Monthly News

Search and Select...

Name	Phone	Date Creat
...kid.hr@e...	(252) 932-0935	2018-0
...@examp...	(026) 198-4430	2018-0

In order to view the targets that have been added, you can navigate to the Target Lists module. Click the target list's name to open the record view, and you will see the target records within the Targets subpanel.

Related Filter Search...

Co CONTACTS (5 of 6+)

Ta TARGETS (3)

Name	Title	Email	Phone
Joseph Technicolor	President	amazing@coats.com	
Charmaine Paper	Team Lead	ohsosoft@gmail.com	
Cat Stevens	Spoonmaker	cstevens@cradle.com	


For more information on working with records in subpanels, refer to the [User Interface](#) documentation.

Managing Target Subscriptions

Targets who receive newsletter-type campaign emails from your Sugar instance are considered subscribers to that newsletter. Users can manage these newsletter subscriptions from a target's record view using the Manage Subscriptions option in the Actions menu. Please note that you can only manage subscriptions for newsletter-type campaigns. A newsletter campaign you have created will have one or more default-type target lists. Targets are added to these target lists in order to receive your newsletter. The Manage Subscriptions option allows you to add a target to the default-type or suppression-type target lists of your newsletter campaigns without leaving the Targets module. For more information on newsletter subscriptions, please refer to the [Campaigns](#) documentation.

Use the following steps to manage target subscriptions via a target's record view:

1. Navigate to a target record's record view.
2. Select "Manage Subscriptions" from the Actions menu.



3. To add the target to a newsletter subscription mailing list, select the newsletter from the Available/Newsletters Unsubscribed To list and drag it to the Newsletters Subscribed To list. This will add the target to the campaign's default target list.
4. To remove the target from the newsletter subscription mailing list, select the newsletter from the Newsletters Subscribed To list and drag it to the Available/Newsletters Unsubscribed To list. This will add them to the suppression-type unsubscription target list for the newsletter campaign, which will prevent the target from receiving the newsletter. Please note that the target will not be removed from the campaign's default target list.

Manage Subscriptions

The screenshot shows a web interface for managing subscriptions. At the top left, there is a 'Save' button with a dropdown arrow. Below it, the interface is divided into two columns: 'Newsletters Subscribed To' and 'Available/Newsletters Unsubscribed To'. The 'Available' column has an information icon (i) next to its title. In the 'Subscribed To' column, the text 'Summer Newsletter' is highlighted with a red box. A red arrow points from this box to the 'Available' column. At the bottom of the interface, there is another 'Save' button with a dropdown arrow.

5. Click "Save" to preserve your changes.

Campaign Log Subpanel

The Campaign Log subpanel contains historical information regarding a target's interaction with all Sugar campaigns. When a mass marketing campaign is sent to a target (or manually marked as sent in the case of non-email campaigns), the related campaign activity information will appear within the Campaign Log subpanel on the target's record view. This information mirrors the "View Status" page available from within each individual campaign and shows activities such as when a campaign was sent, when the recipient viewed the campaign message, when the recipient clicked a tracked link within the campaign, etc. Since this subpanel contains historical campaign interactions for the target, it cannot be used to associate a target with a campaign or otherwise manage a campaign or target list. For more information on associating a target with a campaign, please refer to the [Adding to a Target List via Targets List View](#) section of this page. For more information on campaigns, please refer to the [Campaigns](#) documentation.

For more information on working with records in subpanels, refer to the [User Interface](#) documentation.


vCards and Targets

vCards are electronic business cards that are exchanged between applications such as email and web browsers. Targets may be [created from vCards](#) generated by another application or [saved as vCards](#) for use in other software.


Creating Targets via vCard

Use the following steps to create a target in Sugar via vCard:

1. Click the triangle in the Targets module and select "Create Target From vCard".




2. Choose the vCard file from your computer and click "Create".




Downloading a Target's vCard

The following steps cover downloading a vCard and saving it as a target in Microsoft Outlook as an example:

1. Navigate to a Targets record view.
2. Select "Download vCard" from the Actions menu to download the vCard file.



3. Open the downloaded file in your mail or address book application. For this example, double-clicking opens the vCard in Outlook.
4. Make any necessary changes to the information, then click "Save & Close" to save this lead in Outlook.



Working With Sugar Modules


The Targets module uses Sugar's Sidecar user interface. The following sections detail menus, views, and actions common to Sidecar modules and contain links to additional information within the page or links to the User Interface documentation.

Target Menus

The Targets module contains various options and functionality that are available via menus in the module tab, list view, and record view. The following sections present each menu and its options with a link to more information about the menu option either in the User Interface documentation or, for Targets-specific functionality, within this page.

Module Tab Menus

The Targets module tab is typically located under the More tab of the navigation bar at the top of any Sugar screen. Sugar normally displays the top six modules shown in the Display Modules list of your user preferences, so the remaining displayed modules are grouped under the More tab. For more information on displayed modules for the navigation bar, please refer to the User Preferences section of the Getting Started documentation. Click the tab to access the Targets list view. You may also click the triangle in the Targets tab to display the Actions, Recently Viewed, and Favorites menu. The Actions menu allows you to perform important operations within the module. The [Recently Viewed menu](#) displays the list of targets you most recently viewed. The [Favorites Menu](#) displays the list of targets you most recently marked as favorites.



The module tab's Actions menu allows you to perform the following operations:

Menu Item	Description
Create Target	Opens the record view layout to create a new target.
Create Target From vCard	Opens the record view layout and populates fields from a vCard.
View Targets	Opens the list view layout to search and display targets.
Import Targets	Opens the import wizard to create or update targets using external data.

For more information on module tab menus including reasons a module may not be included in the menu, see the [User Interface](#) documentation.


List View Menus

The Targets [list view](#) displays all target records and allows for searching and filtering to locate specific targets. You can view the basic details of each record within the field columns of the list view or click a target's name to open the record view. To access a module's list view, simply click the module's tab in the navigation bar at the top of any Sugar page.

List View Mass Actions Menu

The Mass Actions menu to the right of the checkbox option in the list header allows you to perform mass actions on all currently selected records. You can use

the checkbox on each record's row to select individual target records or click the checkbox in the list header to select all records displayed in the current set of list view results.



The Mass Actions menu allows you to perform the following operations:

Menu Item	Description
Email	Email one or more targets at a time.
Mass Update	Mass update one or more targets at a time.
Merge	Merge two or more duplicate targets.
Add to Target List	Add one or more targets to a target list.
Delete	Delete one or more targets at a time.
Export	Export one or more targets to a CSV file.
Recalculate Values	Visible only if the module contains fields using Sugar Logic and only to System Administrators or users with Developer-level role access, this option will refresh the selected records' calculated values.

List View Record Actions Menu

The Record Actions menu to the far right of each record's row allows you to perform actions on the individual target directly from the list view.

<input type="checkbox"/>	<input type="checkbox"/>	Title	Email	Phone	Date Created		
<input type="checkbox"/>	★	ons	IT Developer	support96@ex...	(810) 272-0185	2018-01-03 11:...	
<input type="checkbox"/>	☆	e	Mgr Operations	info.kid@exam...	(794) 676-6672		<ul style="list-style-type: none"> Edit Delete
<input type="checkbox"/>	☆	ohn	President	kid.kid.qa@exa...	(889) 770-7858		

The list view's Record Actions menu allows you to perform the following operations:

Menu Item	Description
Preview (Eye icon)	Preview this target in the intelligence pane.
Edit	Edit this target.
Delete	Delete this target.

Record View Actions Menu

The Targets [record view](#) displays a single target's fields and subpanels of related records. To access a target's record view, simply click a hyperlinked target name from anywhere within Sugar. The record view's Actions menu appears on the top right of the page and allows you to perform various operations on the current record.

Ta
Joseph Technicolor
☆

Edit
▼

Account Na...	Amazing Coats LLC	Title	President
Email Adre...		Department	Executive
Mobile	412-456-1234	Do Not Call	<input type="checkbox"/>
Tags	fabulous		
Primary Ad...	115 Smith Rd Omaha, NE 12356 USA	+ Alternate...	
+ Office Ph...		Assigned to	Administrator
+ Twitter A...		D&B Princip...	
+ Descripti...			

- Share
- Download PDF
- Convert Target
- Manage Subscriptions
- Download vCard
- Find Duplicates
- Copy
- Historical Summary
- View Audit Log
- View Personal Info
- Delete

The Actions menu allows you to perform the following operations:

Menu Item	Description
Edit	Edit this target record.
Share	Share a link to this target record via email.
Download PDF	<p>Download the target information as a PDF file.</p> <ul style="list-style-type: none"> • This menu option is only visible if the administrator has created a PDF template for the Targets module via Admin > PDF Manager. • Clicking on this menu item will expand and contract the menu to reveal or hide the available PDF templates.
Email PDF	<p>Email the target information as a PDF attachment.</p> <ul style="list-style-type: none"> • This menu option is only visible if the administrator has created a PDF template for the Targets module via Admin > PDF Manager. • Clicking on this menu item will expand and contract the menu to reveal or hide the available PDF templates. <p>Note: To send emails through Sugar, users must first configure a default user email account via Emails > Email Settings.</p>
Convert Target	Convert this target to a lead.
Manage Subscriptions	Manage this target's newsletter campaign subscriptions.
Download vCard	Download a vCard from Sugar and transfer this target's information to another application (e.g., Outlook).
Find Duplicates	Locate potential duplicates of this target record.

Copy	Duplicate this target's information to create a new target record.
Historical Summary	View a historical summary of activities (e.g., calls, meetings, etc.) related to this target.
View Audit Log	View a record of changes to this target.
View Personal Info	Display this record's fields that an admin has designated as personal information.
Delete	Delete this target record.

Common Views and Actions

The following links will open specific sections of the User Interface documentation where you can read about views and actions that are common across most Sidecar modules.

Content Link	Description
Creating Targets Basic Target Creation Creating via Quick Create Creating via Subpanels Creating via Duplication Importing Targets	The Creating Records section covers the various methods of creating new target records, including via the Create button in the Targets module, the Quick Create menu on the upper right of every Sugar page, via the Targets subpanel on related module records, via duplication of an existing target record, and importing a list of targets into Sugar using a .csv spreadsheet.
Viewing Targets Viewing via List View Viewing via Record View Viewing via Recently Viewed Viewing via Preview Viewing via Reports	The Viewing Records section describes the various methods of viewing target records, including via the Targets list view and record view, the Recently Viewed menu in the Targets module tab, previewing targets in the right hand side panel, and reports displaying target data.
Searching for Targets Global Search List View Search Creating a Filter Saving a Filter	The Searching for Records section provides an introduction to the two searching methods for locating targets: global search, which searches across all Sugar modules, and list view search,

	which searches and filters within the Targets module.
Targets List View Total Record Count Create Button List View Search Checkbox Selection Mass Actions Menu Favorite Designation Column Reordering Column Resizing Column Sorting Column Selection Preview Record Actions Menu More Targets Dashboards	The List View section walks through the many elements of the Targets List View layout, which contains a filterable list of all target records in Sugar. While the generic menu options are described in the User Interface sections linked to the left, the options specifically available in the Targets list view are described in the List View Mass Actions Menu and List View Record Actions Menu sections of this page.
Targets Record View Favorite Designation Next or Previous Record Actions Menu Show More Subpanels Related Record Subpanels Filtering Subpanels Reordering Subpanels Dashboards	The Record View section walks through the many elements of the Targets Record View layout, which contains detailed information about a single target record. While the generic menu options are described in the User Interface sections linked to the left, the options specifically available in the Targets record view are described in the Record View Actions Menu section of this page.
Editing Targets Editing Inline via Record View Editing via Record View Editing Inline via Subpanels Editing Inline via List View Mass Editing via List View	The Editing Records section describes the various methods of editing existing target records, including inline via the Targets record view, in full edit mode on the record view, inline via the Targets subpanel on related module records, inline via the Targets list view, and via the Mass Update option on the list view.
Deleting Targets Deleting via Record View Deleting via List View Mass Deleting via List View	The Deleting Records section describes the various methods of deleting unwanted targets, including via the Targets record view, an individual record's Actions menu on the Targets list view, and the Mass Actions menu on the list view.
Emailing Targets	The Emailing Records section describes

Emailing via Email Address Fields Emailing via List View Emailing via Quick Create Emailing via Emails Module Emailing via Workflows	<p>the various methods of emailing target records as recipients, including clicking any email address within Sugar, via the Mass Actions menu on the Targets list view, via the Quick Create menu, via the Emails module using the Related To field, and via workflows that can automatically send emails according to conditions configured by administrator users.</p>
Exporting Targets	<p>The Exporting Records section provides an introduction to the export functionality, which allows you to download a list of targets and all their data as a .csv file for use outside of Sugar (e.g., in Microsoft Excel).</p>
Recalculating Calculated Values	<p>The Recalculating Calculated Values section provides instructions on utilizing the Recalculate Values list view option to update calculated field values in the module if the administrator has changed the field's formula via Admin > Studio.</p>
Finding Duplicate Targets	<p>The Finding Duplicate Records section provides instructions for locating duplicate target records. If searching on matching fields (e.g., Last Name) identifies one or more duplicates, they can be merged into a single record.</p>
Merging Targets Merging via List View	<p>The Merging Records section provides instructions for merging duplicate targets, which will combine field values and related records into a single target.</p>
Viewing Target Historical Summaries	<p>The Viewing Record Historical Summaries section describes the Historical Summary record view option, which displays quick details of the target record's related calls, meetings, emails, notes, and tasks.</p>
Viewing Target Audit Logs	<p>The Viewing Record Audit Logs section describes the View Audit Log record view option, which displays a history of changes to the target's audited fields.</p>
Target PDFs	<p>The Record PDFs section provides</p>

Downloading Target PDFs Emailing Target PDFs	<p>instructions for these record view options, which allow you to download or email .pdf files of target information as configured by an administrator via Admin > PDF Manager.</p>
Favoriting Targets Favoriting via List View Favoriting via Record View Favoriting via Subpanel	<p>The Favoriting Records section describes the various methods of marking targets as favorites, including via the Targets list view, Targets record view, or any Targets subpanel appearing on the record view of a related module. Favoriting a target allows you to easily access it from list views, dashlets, or the Targets module tab.</p>
Sharing Targets	<p>The Sharing Records section provides instructions for the Share record view option that composes an email with a link to the target record. If the recipient is logged into Sugar, clicking the link will bring them directly to the target's record view.</p>

Last Modified: 2022-02-24 18:33:46

Target Lists

Overview

Target lists are used by Sugar's Campaigns module as collections of individuals or organizations you want to include or exclude in a campaign. Each campaign may relate to several target lists, and each target list can relate to any number and combination of targets, contacts, leads, users, and accounts. In turn, each of these records can be a part of multiple target lists, each of which may represent a grouping of recipients based on relevant criteria such as age group, geographical location, or industry.

This documentation will cover information and actions specific to the Target Lists module.

- For instructions concerning views and actions which are common across most Sugar modules, such as creating, editing, and deleting target lists, please refer to the [Working With Sugar Modules](#) section of this page.
- For instructions on how to send an email campaign to a target list, please refer to the [Campaigns](#) documentation as well as the [Creating a Campaign](#) and other campaign-related articles in our [Knowledge Base](#).

Please note that you will only be able to see target list records as allowed by your team membership, user access type, and assigned roles. For more information on teams and roles, please refer to the [Team Management](#) and [Role Management](#) documentation in the Administration Guide.

Target Lists Fields

The Target Lists module contains a number of stock fields, which come out-of-the-box with Sugar. The definitions below are suggested meanings for the fields, but the fields can be leveraged differently to best meet your organization's needs. For information on using and editing various field types, refer to the [User Interface](#) documentation.

Field	Description
Assigned To	The Sugar user assigned to the target list.
Date Created	The date the target list record was created.
Date Modified	The date the target list record was last modified.
Description	A description or other information about the target list.
Name	The name or designation of the target list.
Tags	User-created keywords that can be used to identify records in filters, dashlets, and reports. Note: For more information on creating and using tags, please refer to the Tags documentation.
Teams	The Sugar team(s) assigned to the target list.
Total Entries	The total count of records (contacts, leads, targets, users, and accounts)

	<p>belonging to a target list. This number will update automatically and cannot be edited manually.</p> <p>Note: You must refresh the record view page to update the Total Entries field after adding records to the target list.</p>
Type	The type of the target list (e.g., default, test, etc.).
Domain Name	<p>The name of the domain to exclude from the campaign recipient list (e.g., "example.com"). All email addresses containing the domain name will not receive the campaign email.</p> <p>Note: This field only displays when "Suppression List - By Domain" is selected for the Type field.</p>

Target List Types

A target list can specify individuals or organization who need to be included in a campaign or excluded from a campaign depending on the following target list types:

Target List Type	Description
Default	A list of people who are the primary recipients of the campaign email.
Seed	<p>A list of people who need to receive the campaign email but not be tracked in the campaign statistics.</p> <p>Note: This list is typically used for internal purposes where the individuals in this group need to approve the campaign before it is launched. The seed list is ignored in the campaign's View Status page.</p>
Suppression List - By Domain	<p>A list of people who should be excluded from the campaign email recipient list and whose email addresses share a common domain name, such as "website.com".</p> <p>Note: Suppression by domain can be</p>

	used to prevent marketing to entire organizations such as competitors.
Suppression List - By Email Address	A list of people who should be excluded from the campaign email recipient list. Note: This list typically consists of people who chose to opt out from receiving your campaign message.
Suppression List - By Id	A list of people who should be excluded from a Newsletter-type campaign email recipient list. Note: The "Suppression List - By Id" must be related to the Newsletter campaign in order for the message's opt-out link to function properly.
Test	A list of people who receive test email campaigns to make sure that the message's layout is displayed properly before the campaign is finalized and sent to the default list. Note: A campaign may be sent to the test list multiple times by using the Delete Test Entries button on the View Status page between re-sends.

For more information on sending campaigns, please refer to the [Campaigns](#) documentation.

Populating Target Lists

A target list consists of a group of individuals or organizations (e.g., targets, contacts, accounts, etc.) you wish to be included or excluded from a mass marketing campaign. These targets are typically identified based on a set of predetermined criteria such as being a prospect or existing customer, age group, industry, etc. There are various ways to populate a target list in Sugar including using the Add to Target List option from a module's list view, selecting records from the subpanel in the Target Lists record view, etc. You can use the [Select All](#) feature in the module's list view when adding to a target list, which will allow you to easily select the first 1000 records in the result set. If you wish to add more than 1000 records or add a specific group of records to the target list, please use the [filter option](#) in the list view search to perform the additions in smaller batches.

Please note that if you have multiple targets with the same email address, Sugar will send the campaign email to only one of the targets, chosen at random. The

other email addresses which are considered duplicates will be suppressed even though they are not on the opt-out list.

For more information on sending campaigns, please refer to the [Campaigns](#) documentation.

Populating via Individual Selection

The record view of each target list will display the Targets, Contacts, Leads, Users, and Accounts subpanels. Users have the option to select and add the desired targets directly via these subpanels.

The following steps cover populating a target list with contacts via the Target Lists record view as an example:

1. Navigate to a target list's record view.
2. Scroll to the Contacts subpanel and choose "Link Existing Record" from the subpanel's Action menu.
3. Locate and select the desired record from the Search and Select Contacts page.


Once the contacts have been selected, you will see the records within the Contacts subpanel of your target list's record view.

Populating via Reports

The record view of each target list will display the Targets, Contacts, Leads, Users, and Accounts subpanels. You can select and add the desired targets from an existing report directly to the target list via these subpanels.

The following steps cover populating a target list by selecting a report based on the Leads module as an example:

1. Navigate to a target list's record view.
2. Scroll to the Leads subpanel and choose "Select from Reports" from the subpanel's Action menu.



3. Reports based on the Leads module will display on the Search and Select

Reports page. Select the report you wish to add to the target list by clicking the radio button to the left of the report's name.

Once the report has been selected, the lead records from the report results will display in the Leads subpanel. To add more records to the target list, simply use the Select from Reports option again and choose a different report.

Populating via Module List View

You can select records directly from the Accounts, Contacts, Leads, and Targets list views to add them to a target list.


The following steps cover populating a target list by selecting records from the Accounts list view as an example:

1. Navigate to the Accounts list view by clicking the Accounts module tab.
2. Use the [List View Search](#) to find the Account record(s) you wish to add.
3. Select the desired account record(s) then choose "Add to Target List" from the Actions menu.

4. The Add To Target List panel will appear below the search bar. Search and select the desired target list from the dropdown list or create a new target

list by clicking "Create new target list".

- If creating a new target list, enter appropriate values for the fields in the record view layout. All required fields will indicate "Required" in the field and must be completed prior to saving.



The screenshot shows the 'Accounts (20 of 21+)' subpanel. At the top right is a 'Create' button. Below it is a search bar with a 'Filter' dropdown and a 'Create' button. The 'Add To Target List' section contains a dropdown menu currently set to 'Required', which is highlighted with a red box. To the right of this dropdown are three buttons: 'Create new target list' (highlighted with a red box), 'Cancel', and 'Update' (highlighted with a red box).

5. Once the appropriate target list is selected or created, click "Update" to add the account records to the target list.

The selected account records will appear in the Accounts subpanel of the target list record.

Populating via Importing Targets

The Target Lists module does not have an import option, but you can import targets via the Targets module. While performing the import, users have the option to add the targets to a target list. For more information on how to import records into Sugar, please refer to the [Import](#) documentation.

Use the following steps to populate a new or existing target list with newly imported targets:

1. Click the triangle in the Targets module tab and select "Import Targets".
2. In Step 1, select the source of the data you are importing. Click "Next".
3. In Step 2, select the import file and choose "Create new records only". Click "Next".
4. In Step 3, confirm the import file properties. Click "Next".
5. In Step 4, confirm the field mappings for the import. Click "Next".
6. On Step 6 of the import process, click the Add to Target List button.

Step 6: View Import Results

Summary

20 records were created




The screenshot shows four buttons: 'Undo Import', 'Import Again', 'Exit', and 'Add To Target List'. The 'Add To Target List' button is highlighted with a red box.



The screenshot shows three buttons: 'Created Records', 'Duplicates', and 'Errors'. The 'Created Records' button is highlighted with a red box.

Targets



The screenshot shows a dropdown menu with 'Email' selected. Below it is a table with two columns: 'Name' and 'Title'. Both columns have a small triangle icon next to them, indicating they are sortable.

-
7. A popup window will open with the option to select an existing target list or create a new target list.
 - If adding to an existing target list, search and select the desired target list from the window.
 - If creating a new target list, enter appropriate values for the fields in the record view layout. All required fields will indicate "Required" in the field and must be completed prior to saving.

Target Lists Search

Target List

Type

My Items

My Favorites

Target Lists

Target List	Type	Description	User
Direct Marketing-Indiana	Default	Direct marketing prospects for the state of Indiana	Administrator


Once the appropriate target list is selected or created, the newly imported targets will appear in the Targets subpanel of the target list record.

Exporting Target List Members

In addition to exporting target list records from the Target Lists list view, Sugar allows you to export the members of a target list from the Target Lists record view. This allows users to download all fields for the members of the selected target list to their computers in a CSV format.

Use the following steps to export the members of a target list via the target lists record view:

1. Navigate to a target list's record view.
2. Click the Actions menu and select "Export".



Please note that your ability to export target list members from Sugar may be restricted by a role. For more information on roles, please refer to the [Role Management](#) documentation in the Administration Guide. Check with your system administrator if you do not see the Export option.

Working With Sugar Modules


The Target Lists module uses Sugar's Sidecar user interface. The following sections detail menus, views, and actions common to Sidecar modules and contain links to additional information within the page or links to the User Interface documentation.

Target Lists Menus

The Target Lists module contains various options and functionality which are available via menus in the module tab, list view, and record view. The following sections present each menu and its options with links to more information about each option in the User Interface documentation or, for Target Lists-specific functionality, within this page.

Module Tab Menus

The Target Lists module tab is typically found by clicking the "More" icon represented by three vertical dots to the right of the module tabs on the navigation bar. The additional modules will appear on the list and you can click "Target Lists" to access the list view. Once the Target Lists tab is visible in the navigation bar, you can click the triangle within the tab to display the Actions, Recently Viewed, and Favorites menus. The Actions menu allows you to perform important actions within the module. The [Recently Viewed menu](#) displays the list of target lists you most recently viewed. The [Favorites menu](#) displays the list of target lists you most recently marked as favorites.



The Actions menu allows you to perform the following operations:

Menu Item	Description
Create Target List	Opens the record view layout to create a new target list.
View Target Lists	Opens the list view layout to search and display target lists.


For more information on module tab menus including reasons a module may not be included in the menu, see the [User Interface](#) documentation.

List View Menus

The Target Lists [list view](#) displays all call records and allows for searching and filtering to locate specific target lists. You can view the basic details of each record within the field columns of the list view or click a target list's name to open the record view. To access a module's list view, simply click the module's tab in the navigation bar at the top of any Sugar page.

List View Mass Actions Menu

The Mass Actions menu to the right of the checkbox option in the list header allows you to perform mass actions on all currently selected records. You can use the checkbox on each record's row to select individual target list records or click the checkbox in the list header to select all records displayed in the current set of list view results.




The Mass Actions menu allows you to perform the following operations:

Menu Item	Description
Mass Update	Mass update one or more target lists at a time.
Merge	Merge two or more duplicate target lists.
Delete	Delete one or more target lists at a time.
Export	Export one or more target lists to a CSV file.

List View Record Actions Menu

The Record Actions menu to the far right of each record's row allows you to perform actions on the individual target list directly from the list view.




The list view's Record Actions menu allows you to perform the following operations:

Menu Item	Description

Preview (Eye icon)	Preview this target list in the intelligence pane.
Edit	Edit this target list.
Delete	Delete this target list.
Export	Export one or more target lists to a CSV file.

Record View Actions Menu

The Target Lists [record view](#) displays a single target list in full detail including its fields and subpanels of related records. To access a target list's record view, simply click a hyperlinked target list name from anywhere within Sugar. The record view's Actions menu appears on the top right of the page and allows you to perform various operations on the current record.



The Actions menu allow you to perform the following operations:

Menu Item	Description
Edit	Edit this target list.
Share	Share a link to this target list via email.
Export	Export the members (i.e., contacts, leads, targets, users, and accounts) of this target list to a .csv file.
Copy	Duplicate this target list to create a new target list.
Delete	Delete this target list.

Common Views and Actions

The following links will open specific sections of the User Interface documentation where you can read about views and actions that are common across most Sidecar

modules.

Content Link	Description
Creating Target Lists Basic Target List Creation Creating via Subpanels Creating via Duplication	<p>The Creating Records section covers the various methods of creating new target list records, including via the Create button in the Target Lists module, via the Target Lists subpanel on campaigns, and via duplication of an existing target list record.</p>
Viewing Target Lists Viewing via List View Viewing via Record View Viewing via Recently Viewed Viewing via Preview	<p>The Viewing Records section describes the various methods of viewing target list records, including via the Target Lists list view and record view, the Recently Viewed menu in the Target Lists module tab, and previewing target lists in the right-hand side panel.</p>
Searching for Target Lists Global Search List View Search Creating a Filter Saving a Filter	<p>The Searching for Records section provides an introduction to the two searching methods for locating target lists: global search, which searches across all Sugar modules, and list view search, which searches and filters within the Target Lists module.</p>
Target Lists List View Total Record Count Create Button List View Search Checkbox Selection Mass Actions Menu Favorite Designation Column Reordering Column Resizing Column Sorting Column Selection Preview Record Actions Menu More Target Lists Dashboards	<p>The List View section walks through the many elements of the Target Lists List View layout which contains a filterable list of all target list records in Sugar. While the generic menu options are described in the User Interface sections linked to the left, the options specifically available in the Target Lists list view are described in the List View Mass Actions Menu and List View Record Actions Menu sections of this page.</p>
Target Lists Record View Favorite Designation Next or Previous Record Actions Menu Subpanels	<p>The Record View section walks through the many elements of the Target Lists Record View layout which contain detailed information about a single target list record. While the generic</p>

[Related Record Subpanels](#)
[Filtering Subpanels](#)
[Reordering Subpanels](#)
[Dashboards](#)

menu options are described in the User Interface sections linked to the left, the options specifically available in the Target Lists record view are described in the [Record View Actions Menu](#) section of this page.

Note: In the Users subpanel on a target list record view, regular users can link or unlink any active user record but can only inline edit their own user record. Administrators can inline edit, link, and unlink any active user record via the Users subpanel.

[Editing Target Lists](#)
[Editing Inline via Record View](#)
[Editing via Record View](#)
[Editing Inline via List View](#)
[Mass Editing via List View](#)

The Editing Records section describes the various methods of editing existing target list records, including inline via the Target Lists record view, in full edit mode on the record view, inline via the Target Lists list view, and via the Mass Update option on the list view.

[Deleting Target Lists](#)
[Deleting via Record View](#)
[Deleting via List View](#)
[Mass Deleting via List View](#)

The Deleting Records section describes the various methods of deleting unwanted target lists, including via the Target Lists record view, an individual record's Actions menu on the Target Lists list view, and the Mass Actions menu on the list view.

[Exporting Target Lists](#)

The Exporting Records section provides an introduction to the export functionality which allows you to download a list of target lists and all their data as a .csv file for use outside of Sugar (e.g., in Microsoft Excel).

[Merging Target Lists](#)
[Merging via List View](#)

The Merging Records section provides instructions for merging duplicate target lists which will combine field values and related records into a single target list.

[Favoriting Target Lists](#)
[Favoriting via List View](#)
[Favoriting via Record View](#)

The Favoriting Records section describes the various methods of marking target lists as favorites, including via the Target Lists list view or Target Lists record view. Favoriting a target list allows you to easily access it

	from list views, dashlets, or the Target Lists module tab.
Sharing Target Lists	The Sharing Records section provides instructions for the Share record view option which composes an email with a link to the target list record. If the recipient is logged into Sugar, clicking the link will bring them directly to the target list's record view.

Last Modified: 2021-12-21 14:31:19

Campaigns

Overview

Sugar's Campaigns module can be used to create and manage email and non-email marketing and advertisement campaigns for your organization. Email-based campaigns can be used to send mass emails or a series of newsletter emails to individuals with whom you have an active or growing relationship. The results of each campaign are recorded to measure the success of your campaigns.

Note: Email addresses that are marked as opted-out cannot receive campaign emails. For more information, refer to the [Emails](#) documentation.

Email Address

[section.phone@example.info](#)
[support50@example.it](#)

Campaign Fields


The Campaigns module contains a number of stock fields, which come out-of-the-box with Sugar. The below definitions are suggested meanings for the fields, but the fields can be leveraged to best meet your organization's needs. Users with administrator or developer access have the ability to alter, add, or remove fields via Admin > Studio. For more information on configuring fields, please refer to the [Studio](#) documentation in the Administration Guide.

Field	Description
Actual Cost	The total cost of the campaign.
Assigned To	The Sugar user assigned to the campaign record.
Budget	The budgeted amount for the campaign's cost.
Currency	The currency of the campaign costs.
Description	A description or other information about the campaign.
Date Created	The date the campaign record was created.
Date Modified	The date the campaign record was last modified.
End Date	The date the campaign is expected to end.
Expected Cost	The expected cost of the campaign.
Expected Revenue	The expected revenue stemming from the campaign.
Frequency	For newsletter-type campaigns, the frequency the campaign is expected to be sent.
Impressions	The expected number of recipient views.
Integration Sync ID	The sync key field used by external integrations to identify Sugar records in the external application. See the Integrate REST API endpoints in the Developer Guide for more details on how to use this field.
Name	The name of the campaign record.
Objective	The objective or purpose of the campaign.
Start Date	The date the campaign is expected to start.
Status	The current status of the campaign. Note: This field is manually set, not automatic.
Teams	The Sugar team(s) assigned to the campaign.

Type	The campaign's format or type (e.g., email, web).
------	---

Campaigns Module Tab

The Campaigns module tab is typically found by clicking the "More" icon represented by three vertical dots to the right of the module tabs on the navigation bar. The additional modules will appear on the list and you can click "Campaigns" to access the list view. Once the Campaigns tab displays on the navigation bar, you can click the triangle within the tab to display the Actions, Recently Viewed, and Favorites menu. The Actions menu allows you to perform important actions within the module. The [Recently Viewed menu](#) displays the campaigns, target lists, and targets you last viewed in the module. The [Favorites menu](#) displays the list of campaigns you most recently marked as favorites in the module.



The options in the Actions menu allow you to perform the following operations:

Menu Item	Description
Create Campaign (Wizard)	Opens the campaign wizard to create a

	new campaign.
Create Campaign (Classic)	Opens the edit view layout to create a new campaign.
View Campaigns	Opens the list view layout to search and display campaigns.
View Newsletters	Opens the list view layout to search and display newsletter-type campaigns.
Create Email Template	Opens the Email Templates edit view layout to create a new email template.
View Email Templates	Opens the Email Templates list view layout to search and display email templates.
View Diagnostics	Displays your system's configuration status for sending email-based campaigns.
Create Lead Form	Opens the Lead Form wizard to generate a web-to-lead form.

For more information on module tab menus including reasons a module may not be included in the menu, see the [User Interface](#) documentation.

Prerequisites

There are several key components involved when executing an email or newsletter campaign in Sugar. Before sending out an email-based campaign, an administrator must make sure the following items are set up properly:

- **Outbound Emails:** Configure Sugar to send outbound emails via Admin > System Email Settings. For more information on configuring outbound email, please refer to the [Email](#) documentation in the Administration Guide.
- **Campaign Batch Size:** Specify the number of emails sent per batch via Admin > Campaign Email Settings. Due to some email providers throttling the number of emails allowed to be sent at one time, we recommend setting this to 200 and adjusting as necessary. For more information on configuring the campaign batch size, please refer to the [Email](#) documentation in the Administration Guide.
- **Bounce Handling Account:** Create the bounce-handling inbox for bounced campaign emails via Admin > Inbound Email. For more information on configuring the bounce handling account, please refer to the [Email](#) documentation in the Administration Guide.
- **Campaigns Scheduler:** Configure the scheduler job that automatically sends campaign emails via Admin > Schedulers > Run Nightly Mass Email

Campaigns Scheduler. The frequency of this scheduler should be determined in conjunction with the campaign batch size to ensure you do not exceed sending limitations imposed by your email provider. For more information on configuring schedulers, please refer to the [Schedulers](#) documentation in the Administration Guide.

- **Bounced Emails Scheduler:** Configure the scheduler job to process the bounced campaign emails via Admin > Schedulers > Run Nightly Process Bounced Campaign Emails Scheduler. For more information on configuring schedulers, please refer to the [Schedulers](#) documentation in the Administration Guide.


Note: The Run Nightly Mass Email Campaigns and Run Nightly Processed Bounced Campaign Emails schedulers are configured by default to run every night on the hour from 2:00 AM to 6:00 AM for the time zone of the admin user (User Id = 1). For quicker processing of campaign information, we recommend changing both schedulers to run every 10 minutes throughout the day. Please note that if your email provider throttles the number of emails allowed to be sent in a given time period, you may need to reduce the frequency of sending.

Campaign Diagnostic Tool

The campaign diagnostic tool enables you to check if all pending administrative tasks have been completed before you attempt to launch the campaign. It is recommended that the Campaign Diagnostic tool be run prior to sending out campaigns to ensure any issues get resolved before the campaign emails need to be sent.

Use the following steps to run the campaign diagnostic tool:

1. Click the Actions menu in the Campaigns module tab and select "View Diagnostics".



2. Sugar will check your instance's email and scheduler configuration and display warnings if any additional configuration is necessary. Administrator users will also see links (e.g., Launch Email Setup) to appropriate sections of the Administration page to correct the issues.
 - **Note:** If you are not an administrator user, please reach out to your system administrator to have the issues looked into and resolved accordingly. For more information on the required elements for campaigns, please refer to the [Prerequisites](#) section above.



Email Components

Please configure your system email address. E-mail Settings have not been configured or are invalid.

1 Mail account(s) with bounce handling detected: .

Mail Account Name:	User Name	Monitored Folder	Mail Server Address	Status
Bounce Handling	sugartest	INBOX	imap.gmail.com	Active

[Launch Email Setup](#)



Scheduler Components

Schedulers detected

Scheduler	Status
Run Nightly Process Bounced Campaign Emails	Active
Run Nightly Mass Email Campaigns	Active

[Re-Check](#)

3. Once all necessary configurations have been completed, click the Re-Check button to re-run the campaign diagnostic tool.

Campaign Types

Sugar supports many different types of campaigns. The main types and their differences are as follows:

- **Newsletter:** A series of mass emails sent to a consistent or growing target list periodically or on a regular basis. Each newsletter is intended to be managed on a subscription basis and is normally targeted towards individuals with whom you have an existing relationship. The Frequency field is only available for campaigns with the type set to "Newsletter". Recipients opting out of newsletter-type campaigns are added to that campaign's unsubscription list but will still be able to receive other campaigns' emails.
- **Email Campaign:** A one-time or series of mass emails sent to a target list. Email campaigns are typically targeted towards a wide audience with the intention of lead generation. Recipients opting out of email-type campaigns have their email address marked as "opt-out" and are prevented from receiving any future campaign emails.
- **Non-email based Campaign:** A non-email mass marketing effort delivered via mail, web, radio, television, print, or telesales. These campaigns are not executed through Sugar, but you can create a campaign record and manually update send dates and results for record-keeping and to assess return on investment.
 - **Note:** Non-email based campaigns will not display Tracker URLs and Email Marketing subpanels in the detail view.

Creating Campaigns


There are two primary methods for creating a campaign in Sugar: the Create Campaign (Classic) option and the Create Campaign (Wizard) option. When using the classic option, you will create the campaign record then add the target list and create tracker URLs as well as an email marketing record via the related subpanels below the campaign's detail. The classic option is recommended for simplicity and empowering users to make modifications to the campaign later. The campaign wizard option will walk you through getting the campaign created step-by-step. Each step of the campaign set-up process will guide users on the items (Tracker URLs, Target List, Marketing, etc.) that need to be completed.

Creating Via Classic Option

Creating a campaign using the classic method opens the Campaigns edit view where you may enter the basic campaign information. Use the following steps to


create a campaign via the classic option:

1. Click the Actions menu in the Campaigns module tab and select "Create Campaign (Classic)".



2. Enter appropriate values for the [fields](#) in the edit view layout which will help identify the campaign. All required fields are marked with a red asterisk and must be completed prior to saving.
 - **Note:** The status, start date, and end date entered on this screen are for your records only and will not control when the actual email campaign will be executed.
3. Once the necessary information is entered, click "Save".

Create



Once the campaign record is created, scroll to the related subpanels below the campaign's detail to add the [target list](#) and create the [tracker URLs](#) as well as an [email marketing](#) record.

Creating Via Duplication

You can also create a new campaign by duplicating an existing campaign record. The Copy option is useful if the campaign you are creating has similar information to an existing campaign. When duplicating a campaign, the campaign data, and the related target lists will copy over, but the original campaign's tracker URLs and Email Marketing records will not be related to the new campaign.


Use the following steps to create a campaign by duplicating an existing campaign record:

1. Navigate to a campaign record's detail view.
2. Click the Actions menu and select "Copy".

Direct Marketing-New York ☆



3. The displayed edit view is pre-populated with the original campaign's values. Update the necessary fields, then click "Save".



Once the campaign record has been created, scroll to the related subpanels below the campaign's detail to add the [target list](#) and create the [tracker URLs](#) as well as an [email marketing](#) record.

Creating Target Lists

A target list consists of a collection of individuals or organizations you want to include or exclude in a mass marketing campaign. Target lists can contain any number and combination of contacts, leads, targets, users, and accounts. You have the option to associate existing target lists with your new campaign or to create new target lists during the campaign creation process.

The target list type determines some specific functionality within the campaign. The available target list types are "Default", "Seed", "Suppression List", and "Test". Default and Seed-type target lists will receive emails when campaigns are sent. Test-type target lists will receive emails when campaigns are tested.

Sugar will also create some target lists for you by default. For example, when selecting a campaign type of "Newsletter", Sugar automatically generates three target lists for the campaign: default-type "Subscription List", suppression by ID-type "Unsubscription List", and test-type "Test List". Please note that these three target list types are required for the Newsletter campaign. You may add additional target list types to the campaign as necessary. If you wish to remove the system-generated target list types (e.g., suppression by ID-type "Unsubscription List"), please keep in mind that you must replace it with the same target list type (e.g., Suppression List - By Id).


For more information about target lists, please refer to the [Target Lists](#) documentation.

Use the following steps to add an existing target list to your campaign via the Target List subpanel on the Campaigns detail view:

1. Navigate to the Target List subpanel.
2. Choose "Select" from the Actions menu.
 - **Note:** Click the Create button if you wish to create a new target list for the campaign.



3. Locate and select the name of the desired target list in the pop-up window. To add several target lists at once, mark the specific record's corresponding checkbox then click "Select".



Creating Tracker URLs

Tracker URLs are special links for your email template that you can insert in place of standard links to help you understand how your recipients are engaging with the campaign message. If you choose to create your links as tracker links, then Sugar will log your recipients' clicks by assigning each tracker link a unique key and routing the link through Sugar before loading the final URL in their browser. The

click-through results are reportable and visible via the [Campaign Status](#) page for your email campaign.

Tracker URLs can [redirect recipients](#) to public URLs such as a page on your website, to a Sugar [web-to-lead form](#), or to an [opt-out](#) page that suppresses the recipient's email address from future mailings from the current list in Sugar. Once you send a campaign that contains tracker URLs, you can see how many recipients clicked each link and who those recipients are via the [Campaign Response Subpanel](#) on the View Status page for the campaign.

The following sections explain how to create different types of tracker URLs (i.e., [redirect](#) and [opt-out](#)) and [insert them into your email template](#).


Creating Redirect Tracker URLs

Tracker URLs pass clicks from the email message through your Sugar instance before arriving at their final destination. This allows the clicks to be tracked by your campaign, which provides visibility into how your recipients are responding to the campaign.

Redirect tracker URLs can appear as text or images in your campaign email and, when clicked, will steer your recipient to the URL of your choice: a page on your website, a targeted advertisement, or even a web-to-lead form where they can provide details that will be saved as a Sugar lead record. For more information on web-to-lead forms, please refer to the [Web To Lead Forms](#) documentation.


Use the following steps to create a redirect URL via your campaign's detail view:

1. Navigate to the Tracker URLs subpanel.
2. Click the Create button to create a new tracker URL.



3. Enter appropriate values in the fields on the page. All required fields are marked with a red asterisk and must be completed.
Tracker Name: Enter an internal name for the tracker URL.
Opt-out Link: Leave this box unchecked.
Tracker URL: Enter the destination URL where recipients will be directed after clicking the link in the email.
4. Click "Save" to create the tracker URL record.

Campaign Trackers



The screenshot shows a form titled "Campaign Trackers". At the top left are "Save" and "Cancel" buttons. Below them are three input fields: "Campaign Name: Holiday Specials", "Tracker Name: * Holiday Special Redirect", and "Tracker URL: * http://www.my-website.com/holiday-specials". To the right of the Tracker Name field is a checkbox labeled "Opt-out Link?".

You can now insert this tracker URL into the email template of your choice. For more information on adding redirect URL links to your template, please refer to the [Inserting Tracker URLs](#) section of this documentation.

Creating Opt-Out Tracker URLs


You can create an opt-out tracker URL to embed an Unsubscribe link in the campaign email which will allow the targets to opt-out of your campaign mailing list. Please note that you will need to manually add the opt-out link by [inserting the tracker URL](#) in the email template. If an opt-out link is not included in the email template, Sugar will add a default opt-out link to the bottom of your campaign email.

Please note that both the newsletter-type and email-type campaigns include opt-out links, but the behavior of each is different. For more information on how the opt-outs work for each campaign type, please refer to the [Understanding Campaign Opt Outs](#) article.

When a recipient clicks the opt-out link in the email, a new browser tab will open to confirm that the recipient has elected to opt-out of receiving campaign emails. Please note that administrators can modify the confirmation message that appears by changing the LBL_ELECTED_TO_OPTOUT label via Admin > Studio > Campaigns > Labels. For more information on modifying labels, please refer to the [Studio](#) documentation in the Administration Guide. Any recipients who have elected to opt-out of receiving campaign emails will be listed in the [Opted Out subpanel](#) of the Campaign Status page.

Use the following steps to create an opt-out link via your campaign's detail view:


1. Navigate to the Tracker URLs subpanel.
2. Click the Create button to create a new tracker URL.



The screenshot shows the "Tracker URLs" subpanel. At the top left is a "Create" button. Below it is a table with two columns: "Name" and "URL". The table currently contains the text "No data".

-
3. Enter appropriate values in the fields on the page. All required fields are marked with a red asterisk and must be completed.
 - **Tracker Name:** Enter an internal name for the tracker URL.
 - **Opt-out Link:** Mark the checkbox so that this link will be used to allow recipients to opt-out.
 - **Tracker URL:** This is defaulted and disabled for opt-out links.

Campaign Trackers



The screenshot shows a form titled "Campaign Trackers". At the top left are "Save" and "Cancel" buttons. Below them are three input fields: "Campaign Name" with the value "Holiday Specials", "Tracker Name" with the value "Unsubscribe", and "Tracker URL" with the value "index.php?entryPoint=removeme". To the right of the "Tracker Name" field is a checkbox labeled "Opt-out Link?" which is checked. Red boxes highlight the "Save" button, the "Tracker Name" field, and the "Opt-out Link?" checkbox.

4. Click "Save" to create the opt-out tracker URL record.

You can now insert this tracker URL into the email template of your choice. For more information on adding an opt-out link to your template, please refer to the [Inserting Tracker URLs](#) section of this documentation.

Creating Email Marketing Records

When you create an email campaign, you must also create an Email Marketing record that specifies the body of the message in the form of an email template, which bounce-handling account will catch automated replies from invalid email addresses, and which target lists will receive this particular mass email of your campaign.

When you are sending more than once from a single campaign, both newsletter-type and email-type campaigns will need a new Email Marketing for each subsequent send. For example, a monthly newsletter campaign will have 12 Email Marketing records created in a year, each one with a different email template with the same target lists. Or, to send an introductory email to all of your newest prospects every 3 months, this email-type campaign will have 4 Email Marketing records created in a year, each one using the same email template but different target lists. Sugar will not allow the same Email Marketing record to be sent to a recipient more than once.

Use the following steps to create an Email Marketing record via your campaign's detail view:

1. Click the Create button to create a new email marketing record.

⤴ Email Marketing

Create	
Name ⤴	Start Date ⤴
No data	

2. Complete the fields as follows. All required fields are marked with a red asterisk and must be completed.
 - **Name:** Enter an internal name for the email marketing record.
 - **Status:** Select "Active" from the dropdown. Only active Email Marketing records may be sent.
 - **Start Date & Time:** Enter a date and time when the emails need to begin sending. This start date and time must have passed before the campaign may be queued for delivery.
 - **Email Template:** Select or create an email template. For more information on creating an email template, please refer to the [Creating Email Templates](#) section of this documentation.
 - **Send This Message To:** Check this box to send this email to all target lists that are associated with this campaign or select individual target lists via the multiselect box below.

Send This Message To: * Select to choose all Target List(s) in the Campaign.

Use Mailbox:

From Name: *

"Reply-to" Name:

- Newsletter Subscription List
- Newsletter Test List
- Internal Newsletter Subscription List

- **Use Mailbox:** Select the bounce handling account that will catch automated replies from invalid email addresses.
- **From Name:** This will automatically populate based on the selected bounce handling account. You can enter a different name that will appear as the email's From name.
- **From Email Address:** This will automatically populate based on the selected bounce handling account. You can override the field to enter a different email address that the campaign will be sent from. Please note that your system outbound email account may need to grant specific 'Send As' permissions if you wish to use a From email address that differs from the address set up in Admin > System Email Settings. If these permissions are not granted, emails may fail to send or the authenticated email account will be imposed in place of the address depending on your mail server settings. Also, if the From address entered is not configured as a bounce handling email address in Sugar, you will not see the results of the bounced emails in your campaign's [Status page](#).

- **"Reply-to" Name:** This field will automatically populate if a Reply-to name is provided on the bounce handling account. You can override the Reply-to name to a different one so that any replies on the email campaign can be addressed to this name on the email.
 - **"Reply-to" Address:** This field will automatically populate if a Reply-to address is provided on the bounce handling account. Please note that if any recipients reply back to the email campaign, it will be sent to this email address on the bounce handling account by default. You can override the Reply-to address for the campaign to a different one so that any replies can be sent to a specific email address where it can be better monitored.
3. Click the Save button to complete the creation of the Email Marketing record.

Create Email Marketing

The screenshot shows a form titled "Create Email Marketing". At the top left, there are two buttons: "Save" and "Cancel". The "Save" button is highlighted with a red rectangular box. Below the buttons is a form field labeled "Name: *" with a red asterisk indicating it is a required field. The text "Holiday Sales WK1" is entered into this field.

Creating Email Templates

Email templates contain the design and content of the emails your campaign will send. Placeholder variables can be added to the template for field values like the target name so you can personalize the email to your recipients. Creating an email template through the Campaigns module rather than via the Emails module sets the template's type to "Campaign" and allows you to add redirect and opt-out tracker URLs.

Use the following steps to create an email template from the Email Marketing record:

1. While creating or editing your campaign's Email Marketing record, click "Create" to the right of the Email Template dropdown.

Create Email Marketing

The screenshot shows the "Create Email Marketing" form with several fields. At the top left are "Save" and "Cancel" buttons. A red asterisk indicates required fields. The "Name" field contains "Holiday Sales WK1". The "Status" dropdown is set to "Active". The "Start Date & Time" field is set to "12/02/2013 5:00 pm". The "Email Template" dropdown is set to "-none-". A red rectangular box highlights the "Create" button at the bottom right of the form. A legend in the top right corner states "* Indicates required fie".

2. Enter the appropriate values for the fields in the pop-up window. The required field is marked with a red asterisk and must be completed.
 - **Name:** Enter an internal name for the email template.
 - **Teams:** Select the Sugar team(s) assigned to the email template.
 - **Type:** This will automatically populate as "Campaign".

- **Description:** Enter a description or other information about the template.
 - **Insert Variable:** Insert variables or placeholders into the template. For more information regarding inserting variables, please refer to the [Inserting Variables](#) section.
 - **Insert Tracker URL:** Insert a tracker URL or opt-out link into the template. For more information regarding inserting tracker URLs, please refer to the [Inserting Tracker URLs](#) section.
 - **Subject:** Enter the subject of the emails that will be sent.
 - **Body:** Enter the body of the emails that will be sent.
3. Using the TinyMCE functions, add simple formatting to your email's content. For more advanced customization you can click the HTML button in the top left to access and edit the generated HTML code.

Note: Only inline CSS may be used in email templates. Inline CSS is a method of using CSS within your HTML content instead of storing it in an external CSS file. So, every HTML element must be styled using inline CSS by virtue of the "style=" declaration.



4. Click "Save" to preserve your changes to the email template.


Create

Inserting Variables


When constructing the subject and body of your email, Sugar allows you to insert variables, or placeholders, into the template that will be populated with the record's information for that variable.

Use the following steps to insert a variable for the recipient's first name into the template:


1. Click to place your cursor on the location in the subject or body where the recipient's first name should appear.



2. In the Insert Variable row, the first dropdown defaults to "Contact/Lead/Target" which will allow you to insert fields from the associated person-type recipient's record.
3. Set the second dropdown to the desired field (e.g., First Name) from the modules selected in the first dropdown.



4. Click the Insert button to insert the generated variable name to your subject or body at your cursor's location.




Inserting Tracker URLs


When constructing the body of your email, Sugar also allows you to insert redirect or opt-out tracker URLs.

Use the following steps to insert a tracker URL or opt-out link into the template.


1. Click to place your cursor on the location in the body where the link should appear.




2. Select the link you wish to add from the Insert Tracker URL dropdown.
 - **Note:** For more information on creating tracker URLs, please refer to the [Creating Tracker URLs](#) section.



3. Type the text you wish to appear as a link between the curly brackets in the text box to the right of the dropdown.



4. Click the Insert URL Reference button to place the link in the body of the email where your cursor is located.



After sending the email campaign, you can see how many people and who exactly clicked on which links in your email message via the [campaign's View Status page](#).

Testing Campaigns


Before you launch an email or newsletter campaign, it is recommended that you perform tests to check how different email clients display the campaign message. A test-type target list must be selected under the Target Lists subpanel as well as in the Email Marketing record in order to test the campaign.

Note that in test mode, the system disables your suppression lists allowing the campaign message to be sent to targets on your suppression-type target lists. The system also disables checks for duplicate email addresses thereby allowing users to send a message multiple times to the same recipients.

Use the following steps to test an email-based campaign:


1. Navigate to a campaign record's detail view.
2. Select "Send Test" from the Actions menu.

Holiday Specials ☆



3. Select the Email Marketing record and test target list combination that you would like to test and click "Send".
 - **Note:** If an Email Marketing record does not have a test-type target list associated to it, then the Targeted Lists section will remain empty and no test emails will be sent.

Campaign: Send Test



You can send the campaign to the test target list multiple times by clicking the Delete Test Entries button on the [View Status](#) page. You will need to do this after each test in order to delete the log entries on the campaign status and allow Sugar to send to the test list recipients again. Please note that sending to these recipients again will be prevented until the previous test's entries have been deleted. Also, please be sure that the test entries are all deleted once the campaign is ready to be sent so that the statistics from the test will not be included in the actual campaign's results.


Sending Campaigns

Once the Sugar email settings are configured and your campaign has been tested successfully, you are now ready to send the campaign. Upon sending a campaign, the emails are queued to be sent out at intervals. The administrator can configure how many emails are sent and when to send them. For more information on the relevant configurations, please refer to the [Prerequisites](#) section.

Use the following steps to send an email-based campaign:


1. Navigate to a campaign record's detail view.
2. Select "Send Emails" from the Actions menu.

Holiday Specials 2013 ☆



3. Select the Email Marketing record and default target list that you would like to receive the email campaign then click "Send".
 - **Note:** If the email marketing record does not have a default-type target list associated with it, then the Targeted Lists section will remain empty and no emails will be sent.

Campaign: Send Emails



The specified start date and time on the email marketing record must have passed before the campaign will be queued for delivery. Once the emails enter the queue in Admin > Email Queue, the relevant scheduler will send the emails in set batches on an interval configured by an administrator. For more information on the email queue, please refer to the [Email](#) documentation in the Administration Guide. For more information on the schedulers used by the Campaigns module, please refer to the [Prerequisites](#) section.

Note: When a campaign is sent to a target list, deleting that target list or unlinking it from the campaign will not remove the recipients from the email queue, and the emails will be sent when the scheduler runs. Administrators can delete emails via the email queue before they are sent.

Viewing Campaign Status

After you launch a campaign, you can view its results on the Campaign Status page to gauge its impact and progress. The Campaign Status page includes several subpanels, which display information such as the recipients who viewed the message, the recipients [who clicked a tracker URL in the email](#), how many leads and contacts were created from the campaign, etc. This enables you to evaluate the effectiveness of the campaign.

Use the following steps to view the Campaign Status page:


1. Navigate to a campaign record's detail view.
2. Click the View Status button on the upper right of the page.

Holiday Specials 2013 ☆



Campaign Status Chart

This is a visual representation of the counts of your recipient's activities which are also detailed in the below subpanels. Use the dropdown to view a particular Email Marketing record's data or choose "--None--" to view the cumulative results of all of this campaign's sends.



Message Queue Subpanel

The Message Queue subpanel shows the campaign emails waiting to be sent in the email queue. The emails will remain in the queue until the start time of the Email Marketing record has passed and the scheduler picks up and sends them in batches as specified in Admin > Campaign Email Settings. For more information on batch size, please refer to the [Prerequisites](#) section. For more information on monitoring this queue, please refer to the [Email](#) documentation of the Administration Guide.

Message Queue

Recipient Name	Recipient Email	Marketing Id	Send On
Carmella Belew	Carmella.Belew@email.co	2013 Holiday Sale WK1	02/11/2013 01:00am
Robert Smith	robert.smith@email.co	2013 Holiday Sale WK1	02/11/2013 01:00am

Campaign Response Subpanels

The success of a campaign can be determined by analyzing the response statistics. Knowing how many of your targets saw your email, clicked its links, and became leads or contacts, for example, can provide insight into your campaign strategy.

Message Sent/Attempted

Recipient Name	Recipient Email	Marketing Id	Activity Type	Activity Date
Robert Smith	robert.smith@email.co	2013 Holiday Sale WK1	Message Sent/Attempted	02/26/2013 12:14pm

The following subpanels measure different aspects of your recipient's responses to the campaign or a specific send of the campaign based on your selection in the Filter Chart By dropdown at the top of the page:

- **Message Sent/Attempted:** The list of campaign emails that were sent out to targets.
- **Viewed Message:** The list of targets who viewed the emails that were delivered. Sugar includes a very small, invisible image in each email. Each time the recipient downloads this image, Sugar records that they viewed the email.
- **Click-thru Link:** The list of targets who clicked on a redirect tracker URL in the email. This does not include opt-outs. For more information on redirect tracker URLs, please refer to the [Creating Tracker URLs](#) section.
- **Leads Created:** The list of leads who have been generated from a web-to-lead form assigned to this campaign record.
- **Contacts Created:** The list of contacts who have been converted from a lead generated from a web-to-lead form assigned to this campaign record.
- **Bounced Messages, Invalid Email:** The list of campaign emails that bounced back due to invalid email addresses.
- **Bounced Messages, Other:** The list of campaign emails that failed to send despite having valid email addresses. After six failed attempts, these messages will be removed from the queue.
- **Opted Out:** The list of targets who chose to opt-out of receiving campaign emails by clicking the opt-out link.

Note: Opt-out links for newsletter-type and email-type campaigns behave differently. When a target clicks an opt-out for a newsletter-type campaign, they are prevented from receiving future emails from that specific campaign by being added to the campaign's suppression-type list. When clicking an opt-out for an email-type campaign, they are prevented from receiving future emails from any campaign by having their email address marked as "Opted Out" on their Sugar record. For more information, refer to the [Understanding Campaign Opt Outs](#) article.

- **Suppressed by Email Address or domain:** The list of email addresses that were not sent the campaign email because the email address was marked as opted out, belonged to a suppression list, or was an invalid address.

Note: If you do not see the campaign response subpanels, the administrator may have disabled the Campaign Log subpanels for your entire Sugar instance. Reach out to your Sugar administrator to have the Campaign Log subpanels displayed. For more information on displaying and hiding subpanels throughout Sugar, please refer to the [Developer Tools](#) documentation in the Administration Guide.

Campaign Results Subpanels

The last three subpanels on the Campaign Status page can be used to demonstrate the broader effects of the campaign by showing what new accounts, leads, and opportunities were generated as a result of the effort.

^ Accounts

Name	City	Billing Country:	Phone	
XY&Z Funding Inc	Cupertino	USA	(233) 381-4991	edit
Tortoise Corp	Ohio	USA	(471) 905-7799	edit
T-Cat Media Group Inc	Santa Fe	USA	(992) 954-1698	edit
NW Bridge Construction	Los Angeles	USA	(021) 980-0180	edit

- **Accounts:** The list of accounts that are related to this campaign record either through lead generation and then conversion or manually related through the Campaign field on the account's record view.
- **Leads:** The list of leads that are related to this campaign record either through lead generation or manually related through the Campaign field on the lead's record view.
- **Opportunities:** The list of opportunities that are related to this campaign record either through lead generation and then conversion or manually

related through the Campaign field on the opportunity's record view.

Viewing Campaign ROI

For campaigns (Email and Newsletter) that are executed through Sugar, you can view the campaign's return on investment by clicking the View ROI button in the Campaigns detail view. The return on investment chart displays the actual revenue you earned through the campaign versus the estimated expected revenue. It also reflects the actual cost you incurred by executing the campaign versus the budget that you set for the campaign. The budget, actual cost, and expected revenue amount entered in the campaign overview screen are displayed as bars in the campaign return on investment chart. The actual revenue is calculated from the campaign's related opportunities that have a sales stage of "Closed Won".

Use the following steps to view a campaign's ROI:

1. Navigate to a campaign record's detail view.
2. Click the View ROI button on the upper right of the page.

WebtoLead ☆

Edit ▾

Launch Wizard

View Status

View ROI

Viewing Campaigns

There are various options available for viewing campaign records in Sugar including via Campaigns list view, Campaigns detail view, Campaigns Recently Viewed menu, dashlets, and reports. Please note that you will only be able to see campaign records as allowed by your team membership, user access type, and assigned roles. For more information on teams and roles, please refer to the [Team Management](#) and [Role Management](#) documentation in the Administration Guide.

Viewing Via List View

The Campaigns list view displays all campaign records meeting the current search criteria. To access the list view, simply click the Campaigns tab. While list view shows key campaign fields, you can click the campaign's name to open the record in detail view. For more information on viewing campaigns via list view, please refer to the [Campaigns List View](#) section.

Viewing Via Detail View


The Campaigns detail view displays thorough campaign information including all campaign fields followed by subpanels of the campaign's related records. The detail view can be reached by clicking a contact record's link from anywhere in the application including from the Campaigns list view. For more information on viewing campaigns via detail view, please refer to the [Campaigns Detail View](#) section.

Viewing Via Recently Viewed

As you work, Sugar will keep track of which campaigns you have recently viewed. Click the Actions menu in the [Campaigns Module Tab](#) to see a list of your most recently viewed campaigns and click each name to open the Campaigns detail view.

Viewing Via Dashlets

Sugar dashlets allow users to get a quick view of various records, reports, etc. Dashlets may be added to a user's Home page or to the intelligence pane for modules (e.g., Accounts) using the Sidecar user interface. You can view campaign information in List View dashlets specific to the Campaigns modules (e.g., My Campaigns dashlet), as well as List View dashlets based on other modules such as "My Contacts". Clicking a campaign's name from any dashlet will open the Campaigns detail view. For more information on using dashlets and viewing campaign records via dashlets, please refer to the [Dashboards and Dashlets](#) documentation.



My Dashboard Create

My Campaigns							My Contacts				
Name	Status	Type	End Date	Team	User	Date C	Name	Title	Account Name	Email	Campaign
Direct Marke...	Active	Email	06/20/2014	Global	Max Jensen	05/14	Tonya Abhram	IT Developer	Powder Supp...	sugar.qa.inf...	Direct Marke...

Viewing Via Reports

Users with access to the Reports module have the option to build, generate, and manage various reports in Sugar. You can generate reports to gather key data regarding your campaigns plus information for related records. You also have the option to filter the report based on the campaign and related module(s) to only include records that is of importance. The display columns will only show data for fields (e.g., campaign name, type, related leads, etc.) that you choose specifically when creating the report. Once the report is run, you will be able to view the

campaign record's detail view by clicking the campaign's name in the report results. Please note that you can only click into campaign records for Rows and Columns Report and Summation Report with Details Report type. The other two report types (Summation Report, Matrix Report) are summation reports and do not include display columns with hyperlinks (e.g., Campaign Name) to allow for navigating to campaign record detail views. For more information on viewing campaign records via the Reports module, please refer to the [Reports](#) documentation.

Searching Campaigns

The Campaigns list view includes a Basic and Advanced Search to help you find your records easily and effectively in a module-specific manner. Once the search is performed, the relevant search results will be displayed in the Campaigns list view below. Global Search allows users to search for information across their entire Sugar database as opposed to restricting search within a specific module. Please note that Sugar automatically appends the wildcard character (%) to the end of your search phrase. This allows the system to retrieve all records that start with the keyword entered in the search. If you would like to broaden the search, you can use the wildcard at the beginning of your text as well (e.g., %offer). This will pull up any record that has the word "offer" in the name, regardless of how it starts or ends.

For more information on using the various search methods as well as how wildcards are used in the different methods, please refer to the Search documentation.


Basic Search

Basic search offers a few, commonly used fields for a simplified search experience. From the Basic Search panel, you can click "Advanced Search" to access additional search functionality as needed.

The buttons and checkboxes available in the Basic Search panel have the following functions:

- **Search:** Click the Search button or hit Return/Enter key to perform the search.
- **Clear:** Click the Clear button to clear all criteria from the searchable fields.
- **My Items:** Select this box to return only records assigned to you.
- **My Favorites:** Select this box to return only records you have marked as favorites.

Search Campaigns



The screenshot shows a search panel with a text input field labeled 'Name'. To the right of the input field are two checkboxes: 'My Items' and 'My Favorites'. Further right are two buttons: 'Search' and 'Clear'. To the right of the 'Clear' button is a link labeled 'Advanced Search' with a small question mark icon to its right.

When you perform a search, Sugar will return records matching all (as opposed to any) of the fields and checkboxes for which you have given a value. For example, if you select "My Items" and enter a campaign's name, Sugar will only return campaign records with matching names that are assigned to you. Once the search is complete, the relevant results will populate in the [list view](#) below the search panel. To see all campaign records to which you have access, simply click "Clear" and then "Search" to perform a blank search with no filters.

Please note that you will only be able to see campaign records as allowed by your team membership, user access type, and assigned roles. For more information on teams and roles, please refer to the [Team Management](#) and [Role Management](#) documentation in the Administration Guide.

Administrators can configure what fields appear on the Campaigns Basic Search via Admin > Studio. For more information on editing layouts, please refer to the [Studio](#) documentation in the Administration Guide.

Advanced Search

Advanced search offers a more in-depth search experience than Basic Search including additional fields, layout options, and saved search capability. From the Advanced search panel, you can click "Basic Search" for simplified searching.

The buttons, checkboxes, and dropdowns available in Advanced Search have the following functions:

- **Search:** Click the Search button or press your Return/Enter key to perform the search.
- **Clear:** Click the Clear button to clear all criteria from the searchable fields.
- **My Favorites:** Select this box to return only records you have marked as favorites.
- **Layout Options:** Use the expandable Layout Options section to configure your list view. For more information, please refer to the [Layout Options](#) section of the Search documentation.
- **Saved Searches:** Save, recall, update, and delete searches that you use often. For more information, please refer to the [Saved Search](#) section of the Search documentation.

Search Campaigns

The screenshot shows the 'Search Campaigns' interface. It features several input fields and dropdown menus. The 'Name' field is a text input. The 'Start Date' and 'End Date' fields have a dropdown menu set to 'Equals' and a date picker icon. The 'Status' field is a dropdown menu with options: Planning, Active, Inactive, Complete, In Queue. The 'Type' field is a multiselect menu with options: Telesales, Mail, Email, Print, Web. The 'Assigned to' field is a multiselect menu with options: Administrator, Chris Olliver, Jim Brennan, Max Jensen, Sally Bronsen, Sarah Smith. Below the form are buttons for Search, Clear, Basic Search, and Saved Searches. There are also buttons for Save search as, Save, Modify current search, Update, and Delete.

When you run a search, Sugar will return records matching all (as opposed to any) of the fields for which you have given a value. For example, if you select "My Favorites" and enter a campaign's name to search, Sugar will only return campaign records with a matching name that you have marked as favorites. When searching by a multiselect or dropdown field (e.g., "Assigned to"), however, Sugar will return records matching any of these selections. Once the search completes, the relevant results will populate in the [list view](#) below the search panel. To see all campaign records to which you have access, simply click "Clear" and then "Search" to perform a blank search with no filters.

Please note that you will only be able to see campaign records as allowed by your team membership, user access type, and assigned roles. For more information on teams and roles, please refer to the [Team Management](#) and [Role Management](#) documentation in the Administration Guide. Administrators can configure what fields appear on the Campaigns Advanced Search via Admin > Studio. For more information on editing layouts, please refer to the [Studio](#) documentation in the Administration Guide.

Global Search

Global Search allows users to search for information across their entire Sugar database as opposed to restricting search within a specific module. Full-Text Search may be used with Global Search to search throughout nearly all fields and modules for an enhanced search experience. The Global Search bar is located on the top right-hand side of Sugar. You can click the magnifying glass icon or hit Return/Enter to perform your search once the text string is entered in the search box.

To use global search, you need to first enter the keyword into the search box and the pop-up results will begin appearing once you enter in at least one character. Clicking the magnifying glass icon or hitting your Return/Enter key will cause Sugar to return exact matches for your keyword rather than matches with words beginning with your keyword.

For more information on using and configuring Global Search, please refer to the [Global Search](#) section of the Search documentation.

Regular Sugar users can configure some aspects of global search such as what modules are displayed in the search results by clicking the down arrow within the Search box then selecting the module(s) to include in the search. For more information on configuring your Global Search, please refer to the [Search](#) documentation.

Administrators can control additional elements of global search via Admin > Search and Admin > Studio. For more information on administrator configuration of Global Search, please refer to the [Field Options](#) section of the Studio documentation as well as the [Search](#) section of the System documentation in the Administration Guide.

Campaigns List View

The Campaigns list view displays all campaign records meeting the current search criteria to which your user has access. You can view the basic details of each campaign within the field columns. Please note that you will only be able to see campaign records as allowed by your team membership, user access type, and assigned roles.


For more information on teams and roles, please refer to the [Team Management](#) and [Role Management](#) documentation in the Administration Guide. You have the option to change what fields are displayed in list view by configuring your layout options in the Campaigns Advanced Search.

For more information on configuring your list view, please refer to the [Layout Options](#) section of the Search documentation. Users with administrator or developer access also have the ability to change what fields are visible in the list view via Admin > Studio. For more information on editing list view layouts, please refer to the [Studio](#) documentation in the Administration Guide.

Pagination

List view displays the current search results broken into pages that you can scroll through rather than displaying potentially thousands of rows at once. To the right just below the search panel, you can see which records of the total results set are currently being displayed. The two single-arrow Next and Previous buttons can be used to scroll through the records page-by-page. The two double-arrow First Page and Last Page buttons allow you to skip to the beginning or the end of your current results.


By default, Sugar displays 20 records per list view page, but administrators can change the number of records displayed via Admin > System Settings. For more information on changing the number of displayed records, please refer to the [System](#) documentation in the Administration Guide.



Checkbox Selection


You can perform several actions on campaign records directly from the list view by first selecting the desired records. To select individual campaign records on the Campaigns list view, mark the checkbox on the left of each row. To select or deselect multiple campaign records on the list view, use the options in the checkbox dropdown menu:

- **Select This Page:** Selects all records shown on the current page of campaign results.
- **Select All:** Selects all records in the current search results across all pages of campaign results.
- **Deselect All:** Deselects all records that are currently selected.



Actions Menu

The Actions menu to the right of the checkbox dropdown allows you to perform various actions on the currently selected records.




The options in the actions menu allow you to perform the following operations:

Menu Item	Description
Delete	Delete one or more campaigns at a time.
Mass Update	Mass update one or more campaigns at a time.
Export	Export one or more campaigns to a CSV file.

Favorite Designation

Users have the option to mark campaign records as favorites via the list view as well as the detail view. This allows users to designate records that are important or will be viewed often as they can easily be accessed via search or from the Campaigns module tab. In the Campaigns list view, the star on the left of each campaign's row is yellow once marked to indicate a favorite campaign. For more information on marking records as favorites, please refer to the [Favoriting Campaigns](#) section of this documentation.



Campaign Status

Each campaign's status page may be accessed directly from the list view by clicking the Chart icon on the right of each list view row. For more information on the campaign status page, please refer to the [Campaign Status](#) section of this documentation.

Campaign	Status	Type	End Date	User	Date Created
Newsletter	Active	Newsletter	03/29/2013	Administrator	03/26/2013 12:06pm

Campaign Wizard

The Campaign Wizard may be directly accessed from the list view by clicking the Wand icon on the right far right of each list view row. For more information regarding the Campaign Wizard, please refer to the [Using the Campaign Wizard](#) section of this documentation.

Campaign	Status	Type	End Date	User	Date Created
Newsletter	Active	Newsletter	03/29/2013	Administrator	03/26/2013 12:06pm

More Information

Additional details for each campaign can be viewed by clicking the "i" to the far right of each list view row. This provides users a quick view of additional campaign information in addition to what appears in the display column fields. The resulting pop-up window will show the Start Date, Description, and Objective fields by default. The list of fields appearing here may only be configured through a code-level customization.

Campaign	Status	Type	End Date	User	Date Created
Newsletter	Active	Newsletter	03/29/2013	Administrator	03/26/2013 12:06pm

Column Sorting

List view provides the ability to sort all of the current search results by a field column in either ascending or descending order. To sort by a field or switch the sort direction, click the column header noting that the fields which allow sorting will have a pair of arrows. The list view may be sorted by only one column at a time. You can also set a default order-by column using the layout options in Advanced Search. For more information on setting a default column sort, please refer to the [Layout Options](#) section of the Search documentation.

	Document Name	File Name
<input type="checkbox"/> ☆ ✎	2013-04-Flight Plan	2013-04-Flight Plan.docx
<input type="checkbox"/> ☆ ✎	2013-05-Flight Plan	2013-05-Flight Plan.docx

Campaigns Detail View

The Campaigns detail view displays thorough campaign information including all campaign fields which are grouped by default into the Overview and Other panels. You can also view a campaign's related records which appear in [subpanels](#) beneath the campaign fields. The detail view can be reached by clicking a campaign record's link from anywhere in the application including from the Campaigns list view.

Please note that you will only be able to view a campaign record according to your team membership, user type, and role restrictions. For more information on teams and roles, please refer to the [Team Management](#) and [Role Management](#) documentation in the Administration Guide. Users with administrator or developer access have the ability to change the detail view by configuring the layout via Admin > Studio. For more information on editing layouts, please refer to the [Studio](#) documentation in the Administration Guide.

Actions Menu

The actions menu on the top left of each campaign's detail view allows you to perform various actions on the current record. Administrator users can change the action items to be displayed as separate buttons instead of a dropdown menu via Admin > System Settings. For more information on configuring the actions menu, please refer to the [System](#) documentation in the Administration Guide.

Direct Marketing-Washington ☆

Edit ▾

- Share
- Copy
- Delete
- Send Test
- Send Emails
- Mark As Sent
- View Change Log

e: Direct Marketing-Washington

e:

e: 06/20/2014

^

The options in the actions menu allow you to perform the following operations:

Menu Item	Description
Edit	Edit this campaign.
Share	Share a link to this campaign via email.
Copy	Duplicate this campaign.
Delete	Delete this campaign.
Send Test	Send test emails for this campaign.
Send Emails	Send all emails for this campaign.
Mark As Sent	Mark a non-email campaign as being sent.
View Change Log	View a record of changes to this campaign.

Favorite Designation

Users have the option to mark campaign records as a favorite via the detail view as well as the list view. This allows users to group records that are important or will be viewed often as they can easily be accessed via search or from the Campaigns module tab. In the Campaigns detail view, the star on the right of the campaign's name is yellow once marked to indicate a favorite campaign. For more information on marking records as favorites, please refer to the [Favoriting Via Detail View](#) section of this documentation.

2013 Yearly Support 

Edit ▾

^ Overview


Contract Name: 2013 Yearly Support

Next or Previous Record

On the upper right of the Campaigns detail view, there are two buttons that allow you to page through each campaign in the Campaigns list view's current search results. Clicking the Previous button displays the previous campaign of the current search results while clicking the Next button displays the next campaign of the current search results. The text in between shows which campaign result you are

currently viewing within the total number of current results.

Direct Marketing-Ohio 

Edit 

 (1 of 2) 

Related Record Subpanels

Every campaign record's detail view will display subpanels that list related records from other modules. Users with administrator or developer access have the ability to change the fields (e.g., Name, Assigned User, etc.) and labels of each subpanel by configuring the layout via Admin > Studio to provide visibility to the most important fields. For more information on modifying subpanels, please refer to the [Studio](#) documentation in the Administration Guide.

Related record subpanels allow the following operations to be performed. Please note that administrators in Sugar can change the subpanel's Action menu to be displayed as separate buttons instead of a dropdown via Admin > System Settings. For more information, please refer to the [System](#) documentation in the Administration Guide.

- To view the details of a related record, click the record's name in the subpanel to open it in detail view.
- To relate an existing record to the campaign, choose "Select" from the subpanel's Action menu, then locate and select the desired record.
- To relate a new record to the campaign, click "Create" on the upper left of the subpanel, then complete the Record View layout and click "Save".
- To edit the campaign's related record, click either the record's name or the View button to the far right of the record's row to open the record view and edit as necessary.
- To delete the campaign's relationship to a record, choose "Unlink" from the Actions menu on the far right of the record's row. This removes the relationship but does not delete the record itself.
- To collapse or expand the subpanel, click the double arrow to the left of the subpanel's name.
- To move the subpanel to a new location on the detail view, drag and drop the subpanel's header.

Target List				
Create				
Select				
	Description	Type	Targets in List	
Default Target List		Default	20	view

Please note that administrators can prevent users from moving subpanels to different locations in the detail view. For more information on preventing rearranging of subpanels, please refer to the [System](#) documentation in the Administration Guide. Check with your system administrator if you are not able to rearrange your subpanels.

Editing Campaigns

Campaigns may be edited at any time to update or add information to the record. You can make changes to existing campaign records via the Campaigns edit view. Edit view is available within the Campaigns module and includes all of the Campaign fields you should need.

[New Product Announcement](#) » Edit

Save	Cancel	View Change Log	Save and Continue
Overview			
Name: *	New Product Announcement	Status: *	Planning
Start Date:	<input type="text"/> (mm/dd/yyyy)	Type: *	Email
End Date: *	02/28/2013 (mm/dd/yyyy)		
Currency:	US Dollars : \$	Impressions:	0


Please note that your ability to edit campaigns in Sugar may be restricted by a role. For more information on roles, please refer to the [Role Management](#) documentation. Check with your system administrator if you do not see the Edit options.

Administrators in Sugar may configure the Campaigns edit view via Admin > Studio. For more information on configuring these layouts, please refer to the [Studio](#) documentation in the Administration Guide.

Editing Via Detail View

You can edit campaigns via the [detail view](#) by clicking the Edit button on the upper left of the page. Once the edit view layout is open, update the necessary field, then click "Save" to preserve your changes.

Direct Marketing-Washington ☆




⤴ Overview

Name: Direct Marketing-Washington

Editing Via List View

You can edit campaigns via the [list view](#) by clicking the pencil icon to the left of each campaign's name. The edit view layout will open and you can update the necessary fields then click "Save" to preserve your changes.

Campaign	Status
<input type="checkbox"/> ☆  Newsletter	Active

Deleting Campaigns

If a campaign record is invalid or should no longer appear in your organization's Sugar instance, it may be deleted from either the Campaigns detail view or list view. Deleting via the detail view allows you to delete a single record while the list view allows for mass deleting multiple records at once. Deleting campaign records will not delete the related records and will only remove the relationship, so you may wish to also delete any related records to avoid orphaned records.

Please note that your ability to delete campaigns may be restricted by a role.

For more information on roles, please refer to the [Role Management](#) documentation in the Administration Guide. Check with your system administrator if you do not see the Delete options.

Deleting Via Detail View

Use the following steps to delete a campaign record via the detail view:

1. Navigate to a campaign record's detail view.
2. Select "Delete" from the Actions menu.

Direct Marketing-New York ☆




3. A pop-up message will display asking for confirmation. Click "Ok" to proceed.

Mass Deleting Via List View

Use the following steps to delete one or more campaign records via the list view:

1. Navigate to the Campaigns list view by clicking the Campaigns module tab.
2. Use the [Basic](#) or [Advanced Search](#) to find the campaign records you wish to delete.
3. Select the desired campaign records individually or using the [checkbox dropdown's](#) options.
4. Choose "Delete" from the Actions menu.




5. A pop-up message will display asking for confirmation. Click "Ok" to proceed.

Exporting Campaigns

Sugar's Export option allows users to download all fields for the selected campaigns to their computers as a CSV (comma-separated values) file. This may be useful when needing to use campaign data with other software such as Microsoft Excel. Due to PHP memory limitations on the server, there may be occasions when the application times out while exporting a large number of campaign records. If you encounter an error when performing this action, we recommend selecting the records in smaller batches.

Campaigns may be exported from the Campaigns list view by selecting "Export" from the Actions menu. Users with access to the Reports module also have the option of creating or accessing reports containing specifically chosen fields for campaigns and their related record(s). Please note that only Rows and Columns-

type reports have the ability to be exported. For more information on exporting records in Sugar, please refer to the [Export](#) documentation.



Please note that your ability to export campaigns from Sugar may be restricted by a role. For more information on roles, please refer to the [Role Management](#) documentation in the Administration Guide. Check with your system administrator if you do not see the Export option.


Mass Updating Campaigns

Mass Updating allows users to make the same change to multiple campaign records at once from the Campaigns list view. Users with administrator or developer access can control which fields are available to change during mass update via Admin > Studio. Currently, only fields with the data type of date, datetime, dropdown, multiselect, and radio may be altered during a mass update. For more information on configuring mass update, please refer to the [Studio](#) documentation in the Administration Guide. Due to the PHP memory limitations on the server, there may be occasions when the application times out while mass updating a large number of campaign records. If you encounter an error when performing this action, we recommend selecting the records in smaller batches.

Please note that your ability to mass update campaigns may be restricted by a role. For more information on roles, please refer to the [Role Management](#) documentation in the Administration Guide. Check with your system administrator if you do not see the Mass Update option.

Use the following steps to mass update campaign records from the list view:

1. Navigate to the Campaigns list view by clicking the Campaigns module tab.
2. Use the list view's [Basic](#) or [Advanced Search](#) to find campaigns you wish to modify.
3. Select the desired campaigns individually or using the [checkbox](#) [dropdown's](#) options.
4. Choose "Mass Update" from the Actions menu.



5. Scroll to the Mass Update panel and set values for the fields you wish to alter.
 - **Note:** For the Teams field, use "Replace" to remove existing team assignments before adding those specified here. Use "Add" to add the teams specified here to any existing team assignments.

6. Click "Update" to save the changes to all of the currently selected campaign records.


Favoriting Campaigns





Each Sugar user has the option to designate their own favorite campaigns which are important or will be viewed often. Favorite records can then be easily accessed via search or from the Campaigns module tab. Once records are marked as favorites, use the My Favorites checkbox in the Campaigns [Basic](#) or [Advanced Search](#) to retrieve your favorites or select from your most recent favorites directly from the [Campaigns module tab](#).

Favoriting Via List View

Use the following steps to mark records as favorites via the Campaigns list view:

-
1. Navigate to the Campaigns list view by clicking the Campaigns module tab.
 2. Use the [Basic](#) or [Advanced Search](#) to find the campaign records you wish to mark as favorites.
 3. Click the star icon on the left of each desired campaign's row.
 4. To remove the campaign as a favorite, click the star again to revert it to white.




Target List	Type
<input type="checkbox"/>   Current Clients-California	Default
<input type="checkbox"/>   Current Clients-Indiana	Default

Favoriting Via Detail View

Use the following steps to mark records as favorites via the Campaigns detail view:


1. Navigate to a campaign record's detail view.
2. Click the star icon to the right of the campaign's name in the upper left of the detail view to designate it as a favorite.
3. To remove the campaign as a favorite, click the star again to revert it to white.



Sharing Campaigns

Individual Campaign records can be shared with other users in your organization by sending an email with the record's link directly from the detail view. In the campaign's detail view, select "Share" from the Actions menu which will open a Compose Email window including the URL of the campaign record. Enter the recipient(s) email address in the To field then click "Send".

Direct Marketing-Washington ☆




Users can simply click the link in the email to access the campaign record in Sugar. Please note that the user must be logged in to Sugar in order to access the record. Users will only be able to view the shared record as allowed by their team membership, user access type, and assigned roles. For more information on teams and roles, please refer to the [Team Management](#) and [Role Management](#) documentation in the Administration Guide.

Marking Campaigns As Sent

When launching a non-email campaign such as a telesales or mail campaign, Sugar will need to be told that the campaign has been sent since the sending is performed outside of the application. Once you mark the campaign as "sent," the Campaigns subpanel on the detail view of each member of the campaign's target populates with a row indicating an activity of "Message Sent" to indicate that the campaign material was sent to that individual. The Campaign's status page will then display these recipients in the Message Sent/Attempted subpanel. For more information on the Campaigns status page, please refer to the [Viewing Campaign Status](#) section of this documentation.

Use the following steps to mark a campaign as sent via the Campaigns detail view:


1. Navigate to a campaign record's detail view.
2. Select "Mark As Sent" from the Actions menu.



Viewing Campaign Change Logs

Changes made to each campaign record are tracked over time, and users are able to view the history of changes via the change log in each campaign's detail view. To view the change log, navigate to a campaign in detail view and select "View Change Log" from the Actions menu. Please note that only fields marked as "Audit" in Admin > Studio will be displayed in the change log. For more information on designating for audit, please refer to the [Studio](#) documentation in the Administration Guide.

Direct Marketing-Washington ☆



Using the Campaign Wizard

You can use the Campaign Wizard to guide you through the process of creating a campaign, however, it is recommended to create and modify campaigns using the classic interface instead. For instructions on creating and editing campaign records using the classic interface, please refer to the [Creating Campaigns](#) and [Editing Campaigns](#) sections of this documentation.

Last Modified: 2021-12-21 14:37:09

Web-To-Lead Forms

Overview


Sugar provides a simple way to allow visitors to your website or other online locations to become leads in your Sugar instance. You can generate a web-to-lead form in Sugar and place the form on an external website. When a visitor to your site completes and submits the form, their information is entered into Sugar as a

new lead record. You can use this lead information to generate more opportunities for your organization.

Creating Web-To-Lead Forms

The Sugar Campaigns module contains a lead form wizard to assist in generating a custom web-to-lead form. Use the following steps to create a web-to-lead form via the Campaigns module:

1. Click the triangle in the Campaigns module tab and select "Create Lead Form".



2. Click and drag the desired fields from the Available Fields list to the Lead Form (First Column) or Lead Form (Second Column) lists.
Note: You can also choose to add all fields to either column by clicking the Add All Fields button.
3. All required fields marked with an asterisk must be added to a column on the lead form prior to continuing.
4. Once the desired fields have been moved to the appropriate columns, click the Next button to continue.

Lead Form Wizard

Drag and drop lead fields in column 1 & 2

Available Fields	Lead Form (First Column)	Lead Form (Second Column)
Description	First Name	Last Name *
Salutation	Title	Department
Facebook Account	Office Phone	Email Address
Twitter Account	Other Phone	Other Email
Google Plus ID		
Do Not Call		
Home Phone		
Mobile		
Fax		
Primary Address Street		
Primary Address City		


5. Enter appropriate values for the fields on the next page of the wizard:

- **Form Header:** This will be the title at the top of your form. A generic title has been populated; modify or remove this to suit your needs.
- **Form Description:** This will be a brief description of the form and will show below the form header, but before the form begins. A generic description has been populated; modify or remove this to suit your needs.
- **Submit Button Label:** Enter in the label for the button that will be used to complete the form. "Submit" is the default label but you can change this label (e.g., "Sign Up", "Save", "Complete") to best suit your needs. When the visitor clicks this button, the lead's data is first sent to your Sugar instance, and then the visitor is redirected to a new page, which can be configured via the Redirect URL field.
- **Post URL:** This is the location the form will send the data entered and is defaulted to your instance of Sugar. Enable the "Edit Post URL?" checkbox to edit this field.
Note: If you change this location to be anything other than your Sugar instance then a lead will not be generated when the form is completed.
- **Redirect URL:** This is the location your visitors will be directed to after completing the form. You may enter the location of your corporate website, a custom "Thanks for signing up" page, or any URL to suit your needs.
Note: Leaving this field empty will display a message that says: "Thank You For Your Submission".
- **Redirect Request Type:** Choose how the redirect will be performed. This field is editable only if "Redirect URL" is populated.

-
- "GET" will send the data that the visitor entered into the form fields as URL parameters. This means that the values can be read by programming done on your website, which may be helpful if you want to create a custom "Thank you" page that displays the answers that the visitor submitted. However, the answers would also be visible to anyone who can see the web history for the person who completes the form. In other words, if your Redirect URL is set to `www.mycompany.biz/thankyou`, then the browser will append the form values entered to the URL for each visitor like so: `www.mycompany.biz/thankyou?name=Joe%20Smith&phone=412-555-1234&message=Please%20call%20me%20back` This method is not recommended for forms that collect sensitive or personally identifiable information. In addition, the number of characters that can be sent via GET is limited to the length that the URL can handle, so it is not recommended for long forms or those with many text-area fields, which may contain a lot of content. Please research the risks associated with each request method before deciding which is best for your use case.
 - "POST" will send the form's data through the request body, which is hidden from the casual web viewer. This is generally considered the more secure method when compared with GET.
 - **Include Form Results in Redirect:** Choose whether the resulting form values are sent as parameters along with the request to the Redirect URL. If this box is unchecked, you will not receive the form data with the redirect request. This field is editable only if "Redirect URL" is populated.
 - **Related Campaign:** Use the Select button to choose an existing campaign that is related to this lead form. Leads generated from this form will automatically be associated to this campaign.
 - **Assigned to:** Use the Select button to choose the Sugar user that should be assigned to the new lead record when the form is submitted. By default, this field is populated with the current user who is generating the form.
 - **Team:** Enter the name of the team that is allowed access to the leads generated from this form. To change the primary team, either enter the team name here or select the team. By default the primary team selected will be Global. More than one team can be assigned simultaneously. For more information on teams, please refer to the [Team Management](#) documentation.
 - **Form Footer:** The form footer displays the text entered here below the form inputs, but before the submit button.
6. All required fields are marked with a red asterisk and must be completed

prior to continuing.

7. Once the necessary information is entered, click "Generate Form".
8. Sugar will generate the HTML needed for your form and show you a preview in a TinyMCE editor. If you desire, you can add additional text and images as well as change the layout of the form per your preference. You can click the HTML button to make advanced customizations and edit the generated HTML code.



9. Once any additional changes have been completed, click "Save Web To Lead Form".

Including Email Addresses on Forms

If the lead form contains any email address fields, an opt-in checkbox field (i.e., By checking this box, you agree to receive future marketing emails) will appear on the form which allows visitors to explicitly indicate that they wish to receive marketing emails. Please keep in mind that when the opt-in checkbox is enabled, this setting will apply to all email addresses entered on the form. In addition, if the global [opt-out setting](#) has been enabled via Admin > System Email Settings and the visitor enables the opt-in checkbox on the lead form, the opt-in setting will take precedence over the global opt-out setting when the lead record is created in Sugar. For more information about email address opt-outs, refer to the [Emails](#) documentation.


Saving Web-To-Lead Forms

Since your web-to-lead form will be hosted outside of Sugar, you will need to save the generated HTML to a different hosting location. Your generated form will not be saved or accessible through Sugar after leaving this screen. If you need to add

or remove fields to your form after generation, you will have to go through the steps to generate a new form.

Use the following steps to save your generated web-to-lead form:

1. You may download the generated HTML file by clicking on the Web to Lead Form link.
2. This will download the HTML file to your local computer. Simply transfer this file to the final hosting destination.
3. Alternatively, you may copy the HTML directly out of the text box on this screen and add it to a preexisting HTML file of your choosing.



The screenshot shows a text box with the following content:

```
Please download your Web To Lead form
Web To Lead Form

Or copy and paste the html below into an existing page
NOTE: Please make sure that the page containing the web-to-lead form has the following lines in the
<head>
...
<meta http-equiv="Content-Type" content="text/html; charset=UTF-8">
...
</head>

<html lang='en_us'><head><meta http-equiv="Content-Type" content="text/html;
charset=UTF-8"></head><body><script type="text/javascript"
src="http://localhost:8888/ult661/cache/include/javascript/sugar_grp1.js?
v=7BljkPOM4hPkrVGe1sCXsA"></script>
<script type="text/javascript"
src="http://localhost:8888/ult661/cache/include/javascript/calendar.js?"
```

4. Once the web-to-lead form is accessible to your potential customers, include a link to the form on your corporate website, social media websites, or add as a tracker URL in a campaign. For more information regarding adding tracker URLs to a campaign, please refer to the [Campaigns](#) documentation.

Lead Generation

Once a web-to-lead form is submitted, the data entered on the form becomes a lead record in your Sugar instance. Leads can be converted to contacts, accounts, and opportunities. For more information on the Leads module, please refer to the [Leads](#) documentation.

The campaign selected during form generation is linked to the created lead via the Campaign field under the More Information panel as well as the Campaigns subpanel.

More Information panel:

^ More Information	
Status:	Converted
Status Description:	
Opportunity Amount:	
Campaign:	WebtoLead

Campaigns subpanel:

^ Campaigns			
Campaign	Activity Type	Activity Date	Related
WebtoLead	Leads Created		Robert Smith

Leads created from the web-to-lead form can also be tracked on the Campaigns status page via the status chart and the Leads Created subpanel.

Status chart:



Leads Created subpanel:

^ Leads Created					
<input type="button" value="Add To Target List"/>					
Recipient Name	Recipient Email	Marketing Id	Activity Type	Activity Date	Rel
Chris Cornell			Leads Created		Chr
Edie M...			Leads Created		F...

If a lead that was generated from a web-to-lead form is converted to a contact, this will be shown in the Campaigns status page as well:

1 Contacts Created: 1					
^ Contacts Created					
<input type="button" value="Add To Target List"/>					
Recipient Name	Recipient Email	Marketing Id	Activity Type	Activity Date	Rel
Robert Smith			Contacts Created	02/14/2013 11:14am	Rob

For more information regarding the Campaigns status page, please refer to the [Viewing Campaign Status](#) section in the Campaigns documentation.

Reports

Overview

Sugar's Reports module allows users to build, generate, and manage reports for modules such as Accounts, Contacts, Calls, etc. Reporting is a valuable tool in Sugar as users can gather data from various modules to generate vital information for their organization.

There are four types of reports (Rows and Columns Report, Summation Report with Details, Summation Report, Matrix Report) available in Sugar. Some reports can be rendered as charts that allow you to drill through to see the corresponding records. This page covers functionality specific to the Reports module. For instructions concerning views and actions which are common across most Sugar modules, such as viewing, editing, etc., please refer to the [Working With Sugar Modules](#) section of this page.

Report Fields

The Reports module contains a number of stock fields that come out-of-the-box with Sugar. For information on using and editing various field types, refer to the [User Interface](#) documentation. The definitions below are suggested meanings for the fields, but the fields can be leveraged differently to best meet your organization's needs. The following fields are available when viewing the Reports list view.

Field	Description
Accessed On	The date the report record was last opened.
Chart Type	The chart type (if applicable) defined for the report.
Date Created	The date the report record was created.
Date Modified	The date the report record was last modified.
Description	A description or other key information about the report. Note: The Description field is only

	viewable and editable via the list view preview .
Integration Sync ID	The sync key field used by external integrations to identify Sugar records in the external application. See the Integrate REST API endpoints in the Developer Guide for more details on how to use this field. Note: This field is not visible in the user interface.
Module	The target module (e.g., Accounts) associated with the report.
Name	The name of the report.
Report Type	The report type (Rows and Columns Report, Summation Report, Summation Report with Details, Matrix Report) specific to the report.
Tags	User-created keywords that can be used to identify, organize, and group report records by common attributes. Note: The reports module contains over 100 stock reports that are pre-tagged using a combination of the following out-of-the-box tags: <ul style="list-style-type: none"> • Stock Report • Sales and Marketing • Customer Service • Data Privacy • Administrative For more information on tags in Sugar, please refer to the Tags documentation. For more information on stock reports, please refer to the Stock Reports documentation.
Team	The Sugar team(s) assigned to the report record.
User	The Sugar user assigned to the report record.

Report Types

There are four types of reports (Rows and Columns Report, Summation Report, Summation Report with Details, Matrix Report) available for users to create in Sugar. Please note that each report type provides users with information for records that meet the specified criteria, but each type displays the report results in different layouts.

Rows and Columns

The Rows and Columns report is the most basic report to create out of the four report types. The report results display the data in a simple rows-and-columns format displaying values for the selected display column fields for all records meeting the specified criteria. For more information on creating a Rows and Columns report, please refer to the [Rows and Columns Report](#) section.

Summation

The Summation Report provides computed data based on the selected fields for records meeting the specified criteria. You can group the report based on one or more fields from the target or related module. The report result displays the data in groups, summarized using computed derivatives (e.g., SUM, AVG, MAX, MIN) from numeric-type field values (e.g., Likely) as well as weighted amounts. Summation Reports can be viewed in a chart format and displayed as a Sugar Dashlet on your Home page as well. For more information on creating a Summation Report, please refer to the [Summation Report](#) section.

Summation Report with Details

The Summation Report with Details is a combination of the Summation-type and Rows and Columns-type report as you can group the data, get the total count of records, and choose display columns (e.g., Contact Name, Account Name, Email Address) as well. You can group the report based on one or more fields from the target or related module. Summation Report with Details can be viewed in a chart format and displayed as a Sugar Dashlet on your Home page. For more information on creating a Summation Report with Details, please refer to the [Summation Report with Details](#) section.

Matrix

The Matrix Report is also similar to the Summation-type report as it provides an

overview of the computed data and displays the total summary count. The report results display in a grid table with row and column headers. The numeric field values for all display summaries appear on the table along with the total amounts for each row and column. Matrix Reports can be viewed in a chart format and displayed as a Sugar Dashlet on your Home page. For more information on creating a Matrix Report, please refer to the [Matrix Report](#) section.

Creating Reports

There are various types of reports (e.g., Rows and Columns Report, Summation Report with Details, Summation Report, Matrix Report) you can create via the Reports module. The first step of creating a report via the Report Wizard is to choose the report type, and the steps to create the report vary slightly depending on the report type chosen. Please note that you can create reports in Sugar via the Reports module itself using the Create options as well as by duplicating an existing report via the Copy option.

Creating via Reports Module


The most common method of report creation is via the Reports module using the Create button in the list view or the Create Report option in the module tab. This opens the Report Wizard which allows you to build the necessary report and generate the results accordingly. The following sections cover creating the four different report types via the Reports module.

Creating a Rows and Columns Report



Of the four report types, the Rows and Columns report is the most basic one to create in Sugar. Users can simply define filters to determine which records the report will include or exclude then choose the fields (e.g., Name, Email Address) they would like displayed in the report result. The Rows and Columns report creates a tabular report containing the values of selected display column fields for all records meeting the specified criteria.

The following steps cover creating a Rows and Columns report for calls with a status of "Held" as an example:

1. Click the triangle in the Reports module tab and select "Create Report".
2. Choose "Rows and Columns Report" as the report type and "Calls" as the target module in the following step.




3. To filter on a field related to the target module, select it from the Available Fields list on the bottom left to add it to the list of filters. In this example, select "Status" to filter the report based on call records already held. Click "Next".
 - For more information on report filters, please refer to the [Report Filters](#) section.




4. On the Choose Display Columns step, select the fields you would like included in the report results from the Available Fields list then click "Next". We are adding the following fields as an example: Subject, Status, Description, Date Created, User Name, Contacts Name, and Account Name.
 - For more information on selecting display column fields, please refer to the [Report Display Columns](#) section.
5. Select "Subject", "Date Created", "Status", and "Description" in the "Available Fields: Calls" list, as these are fields contained in the Calls module. By default, the target module's fields display in the Available Fields list.
 - **Note:** You can designate the generated report to be sorted by a specific display column field in either ascending or descending

order. Simply mark the radio button next to the field label then select "Ascending" or "Descending" in the corresponding dropdown list.



6. For the User Name field, click "Assigned to User" from the Related Modules list at the top left then select "User Name" from the "Available Fields : Assigned to User" list.
 - **Note:** User names are stored in their own table in the database and are related to the modules in Sugar. So even though the Assigned User field appears in various module layouts, they are not direct fields in those modules.



7. For the Contact Name field, click "Contacts" from the Related Modules list then select "Name" from the "Available Fields : Contacts" list.
 - By default, the label for the Name field displays "Name", but you can change the label to "Contact Name" to differentiate the field

between accounts and contacts. For more information on changing display column labels, please refer to the [Changing Display Column Labels](#) section.

8. For the Account Name field, click "Account" from the Related Modules list then select "Name" from the "Available Fields : Account" list.
 - Change the label for the Name field to display "Account Name". For more information on changing display column labels, please refer to the [Changing Display Column Labels](#) section.
9. To place the fields in a different order on the report, drag and drop the field rows within the display column list.
 - The first field (Subject) on the display columns list represents the first column of the report, the second field (Date Created) is the second column, and so forth. For more information on changing the display column order, please refer to the [Changing Display Column Order](#) section.
10. Click "Next" after adding all of the appropriate fields.
11. On the Report Details step, enter the report name and assign it to the desired user and team.
 - Please note that if you want your report to include all held calls whether or not they have an assigned user, related contact, or account, you must mark the Optional Related Modules boxes. For more information on marking related modules as optional, please refer to the [Optional Related Modules](#) section.

The screenshot shows a form with a navigation bar at the top containing buttons: "< Back", "Save", "Preview", "Save and Run", and "Cancel". The "Save and Run" button is highlighted with a red box. Below the navigation bar is the "Report Details" form. The "Report Name" field contains "Calls with Held Status". The "Assigned to" field contains "max" and a "Select" button. The "Teams" field contains a "+" button, a "Global" field, a "-" button, and a "Primary" label with a blue circle icon. The "Optional Related Modules" section has an information icon and three checked checkboxes: "Calls > Assigned to User", "Calls > Contacts", and "Calls > Account". This section is also highlighted with a red box.

12. After entering the report details, click "Save and Run" to save and generate the report immediately.
 - Clicking the Preview button allows you to preview the report before saving.
 - Clicking the Save button saves the report without running it immediately.

Name: Calls with Held Status Modules: Calls, Calls > Assigned to User, Calls > Contacts, Calls > Account Display Columns: Subject, Date Created, Status, Description, User Name, Contacts Name, Account Name Schedule: None Filters: ^				Type: Rows and Columns Report Teams: Global Assigned to: Max Jensen		
(1 - 4 of 4)						
Subject	Date Created	Status	Description	User Name	Contacts Name	Account Name
Follow up call	02/28/2013 03:20pm	Held	Call with Sheena regarding new account.	max	Sheena Rathbone	
Contract Renewal	03/04/2013 11:21am	Held	Call with Waverly Trading House regarding contract renewal.	max		Waverly Trading House

Creating a Summation Report

The Summation Report groups and provides computed data for records that meet the specified criteria. You can choose a number of group-by columns to group the data in the report and can define group-by data for related modules as well. You can also drag and drop the group-by fields to a different order in the Define Group By step to change the layout in the report results. Please note that the Summation Report does not provide detailed information like [Summation Report with Details](#) and will not include any display columns in the report.

The following steps cover creating a report to capture closed won opportunities for Q2 2017 grouped by assigned user and the month it was closed as an example:

1. Click the triangle in the Reports module tab and select "Create Report".
2. Choose "Summation Report" as the report type and "Opportunities" as the target module.

Click an icon to select a Report Type.



Rows and Columns Report

Create a tabular report that contains the values of selected display fields for records matching the specified criteria.



Summation Report with Details

Create a summation report that displays additional data related to the records in the results.



Summation Report

Create a tabular report that provides computed data for records matching the specified criteria. The data can also be represented within a chart.



Matrix Report

Create a summation report that displays results in a grid format and grouped by a maximum of three fields.

3. Next, define the [report filters](#) as follows then click "Next":
 - Select "Expected Close Date" from the Available Fields panel, then choose "Is Between" and select "04/01/2017 and 06/30/2017" from the options appearing to the right of the Expected Close Date filter.
 - Select "Sales Stage" from the Available Fields panel, then choose "Is" and "Closed Won" in the dropdowns appearing to the right of the Sales Stage filter.

Report Wizard

Summation Report : [Select Module](#) > [Define Filters](#) > [Define Group By](#) > [Choose Display Summaries](#) > [Chart Options](#) > [Report Details](#)

< Back **Next >** Save Preview Save and Run Delete Cancel

Related Modules <i>i</i>	Define Filters <i>i</i>											
<ul style="list-style-type: none">OpportunitiesAccountsAssigned to UserCallsCampaign OpportunityContactsContractsCreated UserDocumentsEmails	Select Operator: AND \updownarrow											
Available Fields : Opportunities <i>i</i>	Opportunities > Expected Close Date Is Between \updownarrow 04/01/2017 📅 and 06/30/2017 📅											
<input type="text" value="Search for Field"/> <input type="button" value="Clear"/>	Opportunities > Sales Stage Is \updownarrow Closed Won \updownarrow <input type="checkbox"/> Run-time <i>i</i>											
<table border="1"><thead><tr><th>Field Name</th></tr></thead><tbody><tr><td>Expected Close Date</td></tr><tr><td>Forecast</td></tr><tr><td>ID</td></tr><tr><td>Lead Source</td></tr><tr><td>Likely</td></tr><tr><td>Marketo Lead ID</td></tr><tr><td>Next Step</td></tr><tr><td>Opportunity Name</td></tr><tr><td>Probability (%)</td></tr><tr><td>Sales Stage</td></tr></tbody></table>	Field Name	Expected Close Date	Forecast	ID	Lead Source	Likely	Marketo Lead ID	Next Step	Opportunity Name	Probability (%)	Sales Stage	
Field Name												
Expected Close Date												
Forecast												
ID												
Lead Source												
Likely												
Marketo Lead ID												
Next Step												
Opportunity Name												
Probability (%)												
Sales Stage												

4. On the [Define Group By](#) step, select "User Name" and "Month: Expected Close Date", which will group the closed won opportunity records by the assigned user and month it was closed. Click "Next".

Related Modules <i>i</i>	Define Group By <i>i</i>		
<ul style="list-style-type: none">OpportunitiesAccountsAssigned to UserCallsCampaign OpportunityContactsContractsCreated UserDocumentsEmails	Column Name		
Available Fields : Assigned to User <i>i</i>	Opportunities > Assigned to User > User Name \ominus		
<input type="text" value="Search for Field"/> <input type="button" value="Clear"/>	Opportunities > Month: Expected Close Date \ominus		
<table border="1"><thead><tr><th>Field Name</th></tr></thead><tbody><tr><td>User Name</td></tr></tbody></table>	Field Name	User Name	
Field Name			
User Name			


- On the Choose Display Summaries step, select "SUM: Likely" to summarize the report based on the opportunity's likely total amounts. Click "Next". Please note that the field(s) selected in the Define Group By step are automatically included in the Choose Display Summaries step.

- Note:** You can sort results by a specific field column in either ascending or descending order. Simply select the radio button next to the field label (e.g., Month: Expected Close Date) then select "Ascending" or "Descending" in the corresponding dropdown list.

- On the Chart Options step, select the type of chart, if any, that you wish to display in the report as well as how the data should be summarized on the chart, then click "Next". For more information on setting up the chart options, please refer to the [Report Chart Options](#) section.
- On the Report Details step, enter a name for the report and assign it to the appropriate user and team.
 - Note:** Enable the "Optional Related Modules" box to include all closed won opportunities whether or not they are assigned to a user. For more information regarding this option, please refer to the [Optional Related Modules](#) section.

- After entering the report details, click "Save and Run" to save and generate the report immediately.
 - Click the Preview button to preview the report before saving.

- Click the Save button to save the report without running it immediately.
- To view the values corresponding to a section of the chart, hover your mouse over the section.
- To view the list records corresponding to a section of the chart, simply click the bar in the chart. For more information, refer to the [Drilling Through Charts](#) section.



User Name ⇅	Month: Expected Close Date ⇅	SUM: Likely ⇅
sally	June 2017	\$50,337.00
chris	June 2017	\$30,790.00

Creating a Summation Report with Details

The Summation Report with Details groups and summarizes data with detailed information related to records in the report. You can group the report based on one or more fields from the target or related module. Grouping the report by particular fields allows the report results to display data in categories by the specified field values. You can also drag and drop the group-by fields to a different order in the Define Group By step to change the layout in the report results.

The following steps cover creating a Summation Report with Details to capture closed won opportunities in 2016 grouped by month as an example:

1. Follow Steps 1-5 of the [Summation Report](#) section and complete the report

criteria as follows:

- **Report Type:** Select "Summation Report with Details"
 - **Target Module:** Choose "Opportunities"
 - **Define Filters:** Define the [report filters](#) as follows then click "Next":
 - Select "Expected Close Date" from the Available Fields panel, then choose "Is Between" and select "01/01/2016" and "12/31/2016" from the options appearing to the right of the Expected Close Date filter.
 - Select "Sales Stage" from the Available Fields panel, then choose "Is" and "Closed Won" in the dropdowns appearing to the right of the Sales Stage filter.
 - **Define Group By:** Select "Month: Expected Close Date" from the Available Fields panel then click "Next".
 - **Choose Display Summaries:** Select "SUM: Likely" from the Available Fields panel then click "Next".
 - **Note:** The field(s) selected in the Define Group By step are automatically included in the Choose Display Summaries step.
2. On the Choose Display Columns step, select the fields (e.g., "Opportunity Name", "Expected Close Date", "Likely", "Sales Stage", and "User Name") you would like included on the report from the Available Fields panel then click "Next".
- Refer to Steps 5-10 of the [Rows and Columns Report](#) section for instructions on adding fields as display columns.
 - For more information on selecting display column fields, please refer to the [Report Display Columns](#) section.

< Back **Next >** Save Preview Save and Run Delete Cancel

Related Modules ⓘ

- Opportunities
 - Accounts
 - Assigned to User
 - Calls
 - Campaign Opportunity
 - Contacts
 - Contracts
 - Created User
 - Documents
 - Emails

Available Fields :
Opportunities ⓘ

Search for Field


Field Name

- Sales Stage
- Probability (%)
- Opportunity Name

Choose Display Columns ⓘ

Column Name	Label	○
Opportunities > Opportunity Name	Opportunity Name	○
Opportunities > Expected Close Date	Expected Close Date	○
Opportunities > Likely	Opportunity Amount	○
Opportunities > Sales Stage	Sales Stage	○
Opportunities > Assigned to User > User Name	User Name	○

3. On the [Chart Options](#) step, select the type of chart, if any, that you wish to display in the report as well as how the data should be summarized on the chart and then click "Next".
4. On the Report Details step, enter a name for the report and assign it to the appropriate user and team.
 - **Note:** Select the "Optional Related Modules" box to include all closed won opportunities whether or not they are assigned to a user. For more information regarding this option, please refer to the [Optional Related Modules](#) section.
5. After entering the report details, click "Save and Run" to save and generate the report immediately.
 - Click the Preview button to preview the report before saving.
 - Click the Save button to save the report without running it immediately.
 - To view the corresponding chart values, simply hover your mouse over the bar in the report chart.



Collapse All

Month: Expected Close Date = January 2016, SUM: Likely = \$208,272.56				
Opportunity Name	Expected Close Date	Opportunity Amount	Sales Stage	User Name
Spindle Broadcast Corp.	01/30/2016	\$50,950.00	Closed Won	will
Chandler Logistics Inc	01/27/2016	\$51,683.00	Closed Won	chris

Creating a Matrix Report


The Matrix Report provides an overview of the data and displays the total for display summaries in a grid format. The numeric field values for all display summaries appear on the table along with the total amounts for each row and column. You can choose a maximum of three group-by columns to group the data in the report.

You can also choose specific [layout options](#) (e.g., 1x2 and 2x1) on the Report Details step of the Report Wizard if you selected three group-by columns on the Define Group By step. The 1x2 layout option displays the data for the first group-by field in a row and displays the data for the other two group-by fields in columns. The 2x1 layout option displays the data for the first two group-by fields in rows and displays the data for the third group-by field in a column. If you only have two group-by columns, you can manually change the report layout by dragging and dropping the group-by fields to a different order on the Define Group By step. Please note that the Matrix Report does not provide detailed information like Summation Report with Details and will not include display columns in the report.

The following steps cover creating a Matrix Report to capture closed won opportunities in 2016 grouped by assigned user and the month it was closed as an example:

-
1. Follow Steps 1-5 of the [Summation Report](#) section and complete the report criteria as follows:
 - **Report Type:** Select "Matrix Report"
 - **Target Module:** Choose "Opportunities"
 - **Define Filters:** Define the [report filters](#) as follows then click "Next":
 - Select "Expected Close Date" from the Available Fields panel, then choose "Is Between" and select "01/01/2016" and "12/31/2016" from the options appearing to the right of the Expected Close Date filter.
 - Select "Sales Stage" from the Available Fields panel, then choose "Is" and "Closed Won" in the dropdowns appearing to the right of the Sales Stage filter.
 - **Define Group By:** Select "Month: Expected Close Date" and "User Name" from the Available Fields panel then click "Next"
Note: You must click the related Assigned to User module to select the User Name field as user names are not direct fields of the Opportunities module.
 - **Choose Display Summaries:** Select "SUM: Likely" from the Available Fields panel then click "Next"
Note: The field(s) selected in the Define Group By step are automatically included in the Choose Display Summaries step.
 2. On the Chart Options step, select the chart type that you wish to display in the report as well as how the data should be summarized on the chart, then click "Next". For more information on setting up the chart options, please refer to the [Report Chart Options](#) section.
 3. On the Report Details step, enter a name for the report and assign it to the appropriate user and team.
 4. Mark the "Optional Related Modules" box to include all closed won opportunities whether or not they are assigned to a user. For more information regarding this option, please refer to the [Optional Related Modules](#) section.
 - **Note:** The [Layout Options dropdown list](#) (1x2 and 2x1) will appear if you selected three group-by columns on the Define Group By step. Select the appropriate layout depending on how you want the data to be displayed on the report grid.
 5. After entering the report details, click "Save and Run" to save and generate the report immediately.
 - Click the Preview button to preview the report before saving.
 - Click the Save button to save the report without running it immediately.

When viewing the report's chart, hover your mouse over the bar in the report chart to see the corresponding chart values.



SUM: Likely

Month: Expected Close Date	User Name					Grand Total
	chris	max	sally	sarah	will	
January 2016	\$51,683.00	\$27,472.00	\$36,522.00	\$41,645.56	\$50,950.00	\$208,272.56
February 2016		\$82,423.33	\$80,942.22	\$38,284.00		\$201,649.55


Creating Reports via Duplication

You can also create a new report by duplicating an existing report in Sugar. The Copy option is useful if the report you are creating has similar information to an existing report. You can also copy a report if you would like to view the same or similar data as a different report type. This option is presented when the user clicks "Copy" from the report's Actions menu.

Note: If any report schedule records have been created and related to the original report, they will not copy over to the new report. For more information on creating report schedule records, please refer to the [Scheduling Reports](#) section.

The following steps cover creating a report by duplicating an existing Rows and Columns-type report as an example:

1. Navigate to a report's detail view.
2. Click the Actions menu and select "Copy".
3. Choose the report type you would like to create from the Copy-As submenu. To keep the new report's type the same, choose "As Original Type".



4. Go through the Report Wizard to select and enter new data as described in the sections under [Report Options](#). If you selected a report type other than the original type, there may be additional or fewer steps in the Report Wizard to complete and you may need to edit the report to meet the new report type's requirements.
5. In the final step, enter a new name for the report and click "Save and Run".

Report Options


There are various steps involved when creating reports in Sugar and the steps can vary slightly depending on the report type (e.g., Summation report versus Rows and Columns). The following sections provide details concerning the steps involved when creating reports.

Report Filters


The Define Filters step of the Report Wizard determines which records the report includes or filters out. Filter groups and operators allow for additional levels of complexity as you combine filters to get the precise result set you desire.

Target Module Filters

By default, the fields for the Target Module you are creating the report on will be displayed in the Available Fields list. To filter on the field related to the target module, select it from the Available Fields list on the bottom left, and it will be added to the list of filters. Please note that only fields marked as "Reportable" in Studio will display in the Available Fields list. For more information on marking fields as reportable, please refer to the [Studio](#) documentation in the Administration Guide.




You can also use the search feature above the Available Fields list to easily locate a field. Enter the appropriate keyword (e.g., billing, date) in the search field and the matching results will display in the Available Fields list. Sugar automatically appends the wildcard character (%) to the beginning and end of your search phrase, so the system will return all fields that contain the keyword.




Related Module Filters

The Related Modules list shows all modules that have a relationship with the target module. To filter on a field in a related module, choose the name of the module (e.g., Documents) in the Related Modules list, and the Available Fields list below will display fields belonging to the related module. You can select the desired field(s) from the related module to add as a filter for your report. Please note that only fields marked as "Reportable" in Studio will display in the Available Fields list. For more information on marking fields as reportable, please refer to the [Studio](#) documentation in the Administration Guide.




You can also use the search feature above the Available Fields list to easily locate a field. Enter the appropriate keyword (e.g., billing, date) in the search field and the matching results will display in the Available Fields list. Sugar automatically appends the wildcard character (%) to the beginning and end of your search phrase, so the system will return all fields that contain the keyword.



Filter Values

Once the filter has been created, you can specify what field values constitute a match for the report in the Define Filters section. Select the appropriate value from the corresponding dropdown list and enter the relevant value in the open text box (if applicable).



Please note that if the assigned user or a member of your team changes or adds a new filter, the system alerts you that the report filters have been modified since the last run when you save and run the report.

Customer Account List ☆

Title: Customer Account List

Run Report ▾

Report filters have been modified since last run.

Hide Details

Name: Customer Account List

Run-Time Filters

The run-time option in the Define Filters step allows you to make the filter(s) available on the saved report, which enables you to quickly change your filter values without having to edit the report. Simply mark the Run-time box for any filter(s) you wish to view on the saved report.

Define Filters ⓘ

Select Operator: AND ▾ Add Filter

Accounts > Date Created Before ▾ 03/31/2013 Run-time

Accounts > Documents > Date Created Last 7 Days ▾ Run-time ⓘ

Once the report is created and saved, the run-time filter (e.g., "Accounts > Date Created") will appear on the generated report view. You can change the filter values directly from the report view by selecting the new filter values from the dropdown list and clicking "Apply" or "Run Report" at the top of the report's detail view. Clicking the Reset button will reset the run-time filter back to the original filter value you set.

Run-time Filters: ⓘ

Accounts > Date Created > Before ▾ 03/31/2013


Apply Reset

Please note that the Report Wizard retains the original filter value(s) you set when building the report regardless of the changes you or other users make on the run-time filters on the report's detail view. If the report is shared by a team, then each user can run the report with different run-time filter values to meet their individual needs. The run-time filter values set by each user will be preserved for future

viewing until they change or reset the value.


Operators

When building the report, you have the option to choose between two operators, "AND" and "OR", using dropdowns within the Define Filters section. By default, operators are set to "AND" which will cause the filters to work cumulatively. All filters or groups of filters under an AND operator will need to be true for a record in order for that record to appear in the report result. Changing an operator to "OR" will mean that if any single filter under that "OR" is true for a record, the record will be included in the report results. The OR operator accepts records matching any of the filters while the AND operator accepts records matching all filters.




Filter Groups

By default, all filters will be added to a single group. To split filters into multiple groups, use the Add Filter Group button.



When you have more than one filter group and click a new filter field, Sugar will prompt for which filter group the new field should belong.



Filter groups and operators can be combined to achieve complex filtering situations. For example, if we need a report for documents belonging to accounts

created prior to the first quarter where the document is either new this week or new this month is connected to a lead, we would use the following filter groups with an OR operator joining the two together:

The screenshot shows the 'Define Filters' interface. At the top, the 'Select Operator' is set to 'OR'. Below this, there are two filter groups, 'Filter.1.1' and 'Filter.1.2', both with an 'AND' operator. Filter.1.1 includes: 'Accounts > Date Created' (Before 03/31/2013) and 'Accounts > Documents > Date Created' (Last 7 Days). Filter.1.2 includes: 'Accounts > Date Created' (Before 03/31/2013), 'Accounts > Documents > Date Created' (Last 30 Days), and 'Accounts > Documents > Leads > Last Name' (Is Not Empty). Each filter group has 'Run-time' checkboxes and 'Remove Filter Group'/'Add Filter Group' buttons.

Filters on Tag Fields

If a report's target module contains the Tags field, the report can be filtered by tags via the Related Modules filters. To filter by tags, click on the Tags module name in the Related Modules list. The Available Fields list below will display fields belonging to the Tags module. Select the Name field to create a tag filter. Please note that you can select any field(s) from the Tags module as a filter for your report, but this example will only demonstrate filtering by the tag's name.

The screenshot shows the 'Define Filters' interface with the 'Tags' module selected in the 'Related Modules' list. The 'Available Fields' list for 'Tags' shows the 'Name' field selected. The filter configuration shows 'Accounts > Tags > Name' with the operator 'Equals' and the value 'tradeshow'. A dropdown menu is open over the operator, showing options: 'Equals', 'Does Not Equal', 'Contains', and 'Does Not Contain'. The 'tradeshow' text field is highlighted with a red box.

After clicking on the Name field, a line item will appear in the Filters view that allows you to select an operator and specify a tag name in its adjacent text field. This text field is not a type-ahead style like the Tags field is in the Sidecar modules and can only contain a single tag phrase (e.g., tradeshow, hot lead). While the field

is case-insensitive, you must know the precise spelling of the tag name that you wish to use as a filter.

To filter a report by more than one tag, click on the Name field again for each additional tag. This will produce additional filter rows where you can specify the appropriate operator and its corresponding tag. In the following example, the report will display a list of account records that are tagged with any one or more of the three specified tags (manufacturing, laser, or hot prospect).

When the Tags field is used as a related-module display column in a [Rows and Columns](#) report or [Summation Report with Details](#), the Tags column will display a separate line item for each tag that a record contains. For example, an account tagged as both "manufacturing" and "laser" will be displayed twice in an Accounts report if the report displays the Tags column. Also, note that the Tag column will only display a single tag even if the record contains multiple tags. This will be the tag that matches the filter criteria.

Name	Tag	Office Phone	Type
Cumberland Trails Inc	laser	(190) 868-0957	Customer
Cumberland Trails Inc	manufacturing	(190) 868-0957	Customer

Please note that clicking on a hyperlinked tag name from report results will take you to the tag's record view. For more information on tags in Sugar, please refer to the [Tags](#) documentation.

Filters on Date and Datetime Fields

When creating reports in Sugar, specifying a range of time is a useful way to isolate your desired results. Sugar provides a set of pre-defined options to help you easily target the most common date ranges:

Date Range Filter	Definition
On	A specific day.
Before	Any value before the specified date.

After	Any value after the specified date.
Is Between	Any values after a specified start date but before a specified end date.
Not On	Any values except the specified date.
Is Empty	No date set for the field.
Is Not Empty	Any date set for the field.
Yesterday	A value set to the prior day.
Today	A value set to the current day.
Tomorrow	A value set to the following day.
Last # Days	Any values within the last X days including the current day.
Next # Days	Any values within the next X days including the current day.
Last 7 Days	Any values within the last 7 days including the current day (e.g., Running on Monday includes the previous Tuesday morning through the end of the current Monday).
Next 7 Days	Any values within the next 7 days including current day (e.g., Running on Monday includes the current Monday morning through the end the following Sunday).
Last Month	Any values that fall within the prior calendar month.
This Month	Any values that fall within the current calendar month.
Next Month	Any values that fall within the next calendar month.
Last 30 Days	Any values within the last 30 calendar days including the current day.
Next 30 Days	Any values within the next 30 calendar days including the current day.
Last Quarter	Any values within the prior quarter defined by the calendar year (e.g., January - March, April - June).
This Quarter	Any values within the current quarter defined by the calendar year (e.g., January - March, April - June).

Next Quarter	Any values within the upcoming quarter defined by the calendar year (e.g., January - March, April - June).
Last Year	Any values within the prior calendar year.
This Year	Any values within the current calendar year.
Next Year	Any values within the upcoming calendar year.

Additionally, if your administrator has configured the Forecasts module via Admin > Forecasts, additional options based on your organization's fiscal year will be available. If your fiscal year follows a traditional calendar year, these options will function in the same way as the corresponding options above:


Date Range Filter	Definition
Previous Fiscal Year	Any values within the prior fiscal year.
Previous Fiscal Quarter	Any values within the prior quarter defined by the fiscal year.
Current Fiscal Year	Any values within the current fiscal year.
Current Fiscal Quarter	Any values within the current quarter defined by the fiscal year.
Next Fiscal Year	Any values within the upcoming fiscal year.
Next Fiscal Quarter	Any values within the upcoming quarter defined by the fiscal year.

For more information about configuring the Forecasts module, please refer to the [Forecast Configuration](#) documentation in the Administration Guide.

Note: When generating reports with datetime filters, Sugar will always adjust the results to ensure they are accurate according to the time zone settings of the user accessing the report. For instance, a user on Eastern Standard Time (-5 GMT) may see a different set of results for a report than would a user on Pacific Standard Time (-8 GMT) because the date ranges are adjusted for the user's time zone.

Group By Fields

Summation Reports and Summation Reports with Details allow you to group records by one or multiple fields within a module. Select a module in the Related Modules pane to display the fields by which you can group. Note that some module fields may not be displayed since only field types that contain set values can be used for grouping (e.g., text fields cannot be used).



Click field names individually to add them to the Define Group By list, or use the Search field to locate specific fields. There is no limit to the number of fields you can include; however, including too many fields may make the report difficult to read. When there are multiple Group By fields, drag and drop field names to reorder this list. The first field in the list determines the Y-axis of a chart and the remaining fields appear as different colors in the chart legend.

Report Display Columns

The display columns step allows users to select which field(s) they would like included when generating the report. The system will pull data specific to these fields based on the report criteria for the associated module record. When you select a field from the Available Fields list, they will be added to the right of the list with the displayed path of the field (e.g., Contacts > Assigned to User > User Name). The displayed field paths show users where the field is originating from to retrieve the value for the report. For example, although "Email Address" appears as a field in several modules (e.g., Accounts, Contacts, Leads), email addresses are actually stored in their own table and are related to the modules where they appear as opposed to being direct fields of those modules. So, the corresponding displayed path will show the primary module record, then the related module followed by the field name (e.g., Contacts > Email Address > Email Address) since the email address field is a field of the related Email Address module.

To remove any unnecessary fields from the display column list, simply click the "-" sign to the far right of the displayed field path row.

Changing Display Column Labels

By default, the selected display column fields will display stock labels that can be changed if you desire. To change the label, simply enter the new label name in the open text field then click outside of the text box to preserve the change.

Column Name	Label
Contacts > Assigned to User > User Name	Assigned User Name
Contacts > Email Address > Email Address	Email Address

Changing Display Column Order

You can change the left-to-right order of the display columns by dragging and dropping the displayed field paths in the Choose Display Columns section.

Column Name	Label
Contacts > Email Address > Email Address	Email Address
Contacts > Assigned to User > User Name	Assigned User Name
Contacts > First Name	First Name
Contacts > Last Name	Last Name

Click the displayed field path then drag and drop up or down the list.

Defining Column Sort

You can also designate the generated report to be sorted by a specific field column in either ascending or descending order. Simply mark the radio button next to the field label then select "Ascending" or "Descending" in the corresponding dropdown list. Please note that only one display column can be designated to sort by default in the report.

Column Name	Label	Sort By
Contacts > First Name	First Name	<input type="radio"/>
Contacts > Last Name	Last Name	<input type="radio"/>
Contacts > Email Address > Email Address	Email Address	<input type="radio"/>
Contacts > Assigned to User > User Name	Assigned User Name	<input checked="" type="radio"/> Ascending

Optional Related Modules

The Optional Related Modules option will appear on the Report Details step if you add fields from related modules to the display column. Please note that if you want your report to include records whether or not they have data in the fields, you will need to mark the displayed module relationship(s) in the Optional Related Modules section. For example, if you add the email address field as a display column for the New Leads report, the Optional Related Modules section will display "Leads > Email Address". Check the box for the Email Address relationship in order to include all applicable results even if the lead record does not contain an email address. By default, Sugar treats all related modules in a report as mandatory meaning that an email address will be required for a lead record to be included.

Rows and Columns Report : [Select Module](#) > [Define Filters](#) > [Choose Display Columns](#) > **Report Details**

[< Back](#) [Save](#) [Preview](#) [Save and Run](#) [Delete](#) [Cancel](#)

Report Name: * Customer Account List

Show Query:

Assigned to: * Max Jensen [Select](#)

Teams: * [+](#) Primary [-](#) Global [+](#)

Optional Related Modules: [i](#) Accounts > Assigned to User

Leaving this box unchecked will exclude all lead records from your report that do not have an email address associated with them.

This holds true for all related modules. You will need to check the box for any relationship you do not wish to be treated as mandatory when Sugar is generating your report. In order to report on records with no related records of a particular module (e.g., Contacts without a related Account) using a filter such as Contacts > Accounts > Name > Is Empty, the Optional Related Modules will also need to be checked.

Show Query

The Show Query option is only visible to system administrators and displays as a checkbox on the Report Details step. If the Show Query box is checked and the Preview button is clicked, the generated report will display all the SQL queries at the bottom of the page for administrators to use and analyze how the specific data was retrieved in the system.

[< Back](#) [Save](#) [Preview](#) [Save and Run](#) [Delete](#) [Cancel](#)

Report Name: *	<input type="text" value="Customer Account List"/>
Show Query:	<input type="checkbox"/>
Assigned to: *	<input type="text" value="Max Jensen"/> Select

Reports Detail View

The Reports detail view displays thorough report information including display column fields (if applicable), charts (if applicable), etc. The detail view can be reached by clicking a report record's link from anywhere in the application including from the Reports list view. The detail view's [Actions](#) menu appears on the top left of the page and allows you to perform various actions on the current report.

Please note that your access to reports and the displayed results in a report will vary according to your team membership, user type, and role restrictions. For more information on teams and roles, please refer to the [Team Management](#) and [Role Management](#) documentation in the Administration Guide.

Favorite Designation

Users have the option to mark reports as a favorite via the detail view as well as the list view. This allows users to designate reports that are important or will be viewed often so that they can easily be accessed via Advanced search or from the Reports module tab. In the Reports detail view, the star on the right of the report's name is yellow once marked to indicate a favorite report. For more information on how to mark reports as favorites, please refer to the [Favoriting Reports](#) section.

Customer Account List 

Title: Customer Account List

[Run Report](#) ▼

Run-time Filters

Run-time filters allow you to quickly change the filter values on the report without having to edit the report. Please note that run-time filters only appear if filters are

set in the Define Filters step when building the report. The report will be filtered based on the original filter value, but you can change the value via the Run-time filter and click "Apply" or "Run Report" to re-generate the report result. For more information on run-time filters, please refer to the [Run-Time Filters](#) section.

Title: 2013 Accounts Report

Run Report ▾

Report filters have been modified since last run.

Hide Details

Name: 2013 Accounts Report
Modules: Accounts, Accounts > Assigned to User, Accounts > Documents, Accounts > Documer
Display Columns: Name, User Name
Schedule: None
Filters: ⤴

Run-time Filters: ⓘ

Accounts > Date Created > Before ▾ 03/31/2013 📅

Apply

Reset

Report Details

By default, the report details box will appear displaying the report's name, display columns, report type, team(s) assigned to report, etc. To hide the report details, simply click the Hide Details button on the upper left of the report's detail view. Once the report details are hidden, the Show Details button will appear in place of the Hide Details button. Click the Show Details button to display the report details again.

Hide Details


Name: Open Cases by User by Status	Type: Matrix Report
Modules: Cases, Cases > Assigned to User	Teams: Global (<i>Primary</i>)
Display Columns:	Assigned to: Administrator
Group By: User Name, Status	Summary Columns: User Name, Status, Count
Create Schedule: None	
Filters: ⤴	

Report Chart

Users have the option to display the data as a chart which then allows users to [drill into each segment](#) to display the associated records. The chart option is available for Summation with Details-type, Summation-type, and Matrix-type reports. You can choose a type of chart for display via the [Chart Options](#) step of the Report

Wizard. Please note that at least one group-by and one calculated display summary (e.g., Count, AVG: Likely, SUM: Likely) must be selected in order to be able to display a chart.

The chart is displayed with the report by default and its visibility can be toggled using the Hide/Show Chart button. After running the report, you can hover on a segment of the chart to view the corresponding chart values. Clicking on a segment will open a drawer containing a list of the records making up that segment. For more information, refer to the [Drilling Through Report Charts](#) section below.



User Name	Month: Expected Close Date	SUM: Likely
sally	June 2017	\$50,337.00
chris	June 2017	\$30,790.00

Note: When you make a chart in the Reports module, there is a limit to the number of groups allowed. The limit is 50 groups for all charts except funnel, for which the limit is 16. The limit only applies to charts. If the number of elements is more than 50 (or 16 for funnel), then an error message is displayed at runtime.

Report charts can also be added and displayed as a Sugar dashlet on your Home page. These Saved Report Chart dashlets also allow for drilling through to access the associated records. For more information on adding report charts as dashlets, refer to the [Home](#) documentation. Please note that at least one group-by and one Display Summary column is required to generate a chart.

Drilling Through Report Charts

In order for drill-through to work for a given report chart, the following conditions must be met:

- When viewing from the Reports module, the report has been run by navigating to the report's detail view, clicking the Run button, or clicking "Save and Run" after editing.
- When viewing from a dashboard, you are viewing a [Saved Reports Chart dashlet](#). Drill-through is not supported for other dashlets containing charts (e.g., Pipeline dashlet).
- The base module of the report is a Sidecar module. For more information, refer to the [User Interface](#) documentation.
- The report is not grouped by a DateTime-type field such as Date Created or a Multiselect-type field. Reports grouped by aggregate DateTime-fields (e.g., Month: Date Created) do support drill-through. For more information on field types, refer to the [Studio](#) documentation.

Clicking a segment of a report chart will open a drawer containing a filtered list view showing the records belonging to that segment. To the right of the list view is the chart with the currently selected segment highlighted. The segment's applied filter will also be noted above the list view (e.g., "Industry: Communications").

The screenshot shows a report interface with a list of accounts and a bar chart. The list view is titled "Accounts (9)" and has filters for "Type: Customer" and "Industry: Communications". A drawer is open over the list view, displaying a filtered list of accounts. The chart on the right is titled "Accounts By Type By Industry" and shows a bar for "Customer" with a value of 44. A red arrow points from the "Customer" bar to the "Cancel" button in the drawer.

Name	City	Phone	Billing Country	User
Santa Fe	Santa Fe	(650) 624-5252	USA	Max Jensen
Santa Monica	Santa Monica	(603) 183-0316	USA	Sarah Smith
St. Petersburg	St. Petersburg	(603) 995-6451	USA	Chris Olliver
Salt Lake City	Salt Lake City	(806) 130-2861	USA	Sally Bronsen
Kansas City	Kansas City	(440) 255-3199	USA	Max Jensen
Kansas City	Kansas City	(589) 685-0571	USA	
Alabama	Alabama	(094) 158-0575	USA	
Denver	Denver	(415) 089-2406	USA	
Sunnyvale	Sunnyvale	(880) 872-3881	USA	Sarah Smith

The following operations are available when drilling through a report chart:

- **Select a new segment:** Click a different chart segment to update the list view filters and show the new segment's associated records.
- **Cancel:** Click the Cancel link to close the drawer and return to the previous view.
- **Refresh list and chart:** Click the Refresh button above the report chart to update and reload the filtered list view results and chart.
- [Display columns:](#) Click the three-dots menu to the far right of the list view

column headers to choose which fields to display.


- **Open records:** Click the name of a record in the list to open it in record view.
- [Preview records](#): Click the Preview button (eye icon) to the right of any row to preview that record. Refer to the [User Interface](#) page for information on editing via the record's preview.
- [Favorite designation](#): Click the star on the left of a record's row to toggle it as a favorite. A dark-gray star indicates that the record is a favorite while a white star indicates it is not.
- [Record Actions menu](#): Click the triangle to the right of any row to access the Record Actions menu to edit, follow, or delete specific records from the list view.
- [Edit records](#): Double-click on a row to enable inline editing or use the Edit option from the row's Actions menu.
- [Checkbox selection](#): Mark the checkbox on the left of each record row to select individual records from the list view. Click the checkbox to the left of the Mass Actions menu to select all records displayed on the current set of list view results.
- [Mass Actions menu](#): Click the triangle to the right of the checkbox option to access the Mass Actions menu to perform various actions (e.g., Mass Updates, Delete) on the currently selected records.

Report Chart Options

The Chart Options step of the Report Wizard allows users to choose the chart type that they want to be displayed on the generated report as well as how to summarize the data within the chart. Please note that at least one of the calculated fields (e.g., Count, AVG: Amount, SUM: Amount) in the Choose Display Summaries step must be selected in order to be able to select a chart type in the Chart Options step.

The following options are available in the Chart Options step of the Report Wizard:

- **Chart Type:** Select the type of chart that you want to display on your report. The available chart types are:



- **No Chart:** The report will not have a chart.
- **Horizontal/Vertical Bar (Stacked):** Categorical data will be displayed as rectangular bars with heights or lengths proportional to the values that they represent. When a secondary grouping exists, the values will be proportionally stacked within the bars as color blocks.
 - **Note:** For the Saved Reports Chart Dashlet, this chart type can be used by selecting the chart type "[Horizontal/Vertical] Bar Grouped Chart" and leaving "Stack Data Series" disabled in the bar chart display options.
- **Horizontal/Vertical Bar (Grouped):** Categorical data will be displayed as rectangular bars with heights or lengths proportional to the values that they represent. When a secondary grouping exists, clusters of bars will be proportionally organized within each primary grouping.
 - **Note:** For the Saved Reports Chart Dashlet, this chart type can be used by selecting the chart type "[Horizontal/Vertical] Bar Grouped Chart" and enabling "Stack Data Series" in the bar chart display options.
- **Pie:** Most useful for visualizing numerical proportions, a pie chart will depict data as proportional sections where the sum of all data is 100%.
- **Funnel:** Most useful for visualizing values across multiple stages in a linear process, funnel charts should be used to show values in decreasing order as data points are filtered out at each stage. When visualizing dates, values are sorted in chronological order. When visualizing dropdown values, values are sorted based on the order of the dropdown field. For more information on editing the order of dropdown lists in Studio, please see the [Administration Guide](#).
- **Line:** Line charts are only available when a report has two or more group-by columns. Line charts will comprise a series of data points

connected by line segments and are useful for displaying data trends over time.

- **Donut:** Donut charts are similar to pie charts but with the center cut out. This chart is most useful for visualizing numerical proportions. The donut chart will depict data as proportional sections where the sum of all data is 100%.
 - **Treemap:** Treemap charts display data as a set of rectangles whose area is proportional to the total area of all rectangles. This treemap chart displays one group-by column and additional group-by columns are ignored.
- **Data Series:** Select the data that you want to be summarized by the chart. The field(s) you selected in the Choose Display Summaries step will be available to choose in this dropdown list.

At least one Group By and one Summary column are required to render a chart.

Chart Type: Horizontal Bar (Stacked) ▾

Data Series: i Count ▾

- **Description:** Enter a brief description to label the chart.
- **Round Numbers Over 100000:** Enable this option if you want numbers over 100,000 to be rounded to the nearest thousand in the report charts. For example, 150,000 will be displayed as 150K.

Report Results

The report's detail view will display the report results with relevant data and report chart (if applicable) for all records that meet the specified criteria. Please note that each report type will display the report results differently and users should consider how they would like to view the data prior to creating the report.

Rows and Columns Report Result

The report results for this report type display the data in simple rows and columns format. The display column field values for all records that meet the specified criteria will appear on the report result. You can view a record's details by clicking on the record's name. You can also sort the report results by a display column in either ascending or descending order. To sort by a field or switch the sort direction, click the column header noting that the fields which allow sorting will have a pair of arrows. Please note that the report may be sorted by only one column at a time. To view an example Rows and Columns report result, please refer to the creating [Rows and Columns Report](#) section.

Subject	Status	Date Created	User Name
Discuss review process	Scheduled	04/10/2017 16:43	chris

Summation Report Result

The Summation Report provides an overview of the selected field data(s) grouped by specific criteria(s). The report result displays the data in groups summarized using computed derivatives (e.g., SUM, AVG, MAX, MIN) from numeric-type field values (e.g., Likely) as well as weighted amounts. Each field you select in the Define Group By and Choose Display Summaries steps will be displayed as a column in the report result. The field(s) in the Define Group By list determines how the data will be grouped on the report results table and the chart. For example, if you group the opportunity report by "User Name" then "Month: Expected Close Date" on the Define Group By list, the opportunity records will be grouped by the user assigned to the opportunity and each user will be broken up by the month of the expected close date in the report results. The grand total of the summarized field values will display at the bottom of the report results page.

You can sort the report results by a field column in either ascending or descending order. To sort by a field or switch the sort direction, click the column header noting that the fields which allow sorting will have a pair of arrows. Please note that the report may be sorted by only one column at a time. To view an example Summation report result, please refer to the [Creating Summation Report](#) section.

User Name	Month: Expected Close Date	SUM: Likely
sally	June 2017	\$50,337.00
chris	June 2017	\$30,790.00

Summation Report with Details Result

The Summation Report with Details groups the data and displays the total summary count for records in the report result. Unlike the Summation Report, this report type includes display columns for fields related to the target and related module. The report result will group the data in different categories based on the specified field values. If you choose to display the data as a chart, it will appear at the top of the report results page. The field values for all records that meet the specified criteria will be displayed in a rows and columns type table broken up into grouped panels. You can sort the report results by a field column in either ascending or descending order. To sort by a field or switch the sort direction, click the column header (e.g., Expected Close Date) noting that the fields which allow

sorting will have a pair of arrows. Please note that the report may be sorted by only one column at a time. You can also view the record's details by clicking the record name.

Each panel header will display the grouped by field value(s) along with the total summary count for the group. You can collapse the grouped panels individually by clicking the double up arrow to the far left of the header or click "Collapse All" to collapse all panels. Collapsed panels will display the header with the display summaries for each group and you can click the double down arrow to open the panels again. The grand total for the summarized field values will appear at the bottom of the report results page. To view an example Summation with Details report result, please refer to the [Creating Summation Report with Details](#) section.

Collapse All

Month: Expected Close Date = January 2016, SUM: Likely = \$208,272.56			
Opportunity Name	Expected Close Date	Opportunity Amount	Sales Stage
Spindle Broadcast Corp.	01/30/2016	\$50,950.00	Closed Won
Chandler Logistics Inc	01/27/2016	\$51,683.00	Closed Won
Complete Holding	01/29/2016	\$36,522.00	Closed Won
Cumberland Trails Inc	01/29/2016	\$41,645.56	Closed Won
Tortoise Corp	01/29/2016	\$27,472.00	Closed Won

Month: Expected Close Date = February 2016, SUM: Likely = \$201,649.55			
--	--	--	--

Matrix Report Result

The Matrix report groups the fields based on the group-by fields and displays the summary for specific numeric-type field values that you select. The report result displays the data in a grid table with row and column headers. If you selected three group-by columns, then you will have the option to choose specific report layouts (e.g., 1x2 and 2x1) on the Report Details step. The 1x2 layout option will display the data for the first group-by field in a row and display the data for the other two group-by fields in columns. The 2x1 layout option will display the data for the first two group-by fields in rows and display the data for the third group-by field in a column. The report results will show the grand total for each field row on the table as well as for each column. To view an example Matrix report result, please refer to the [Creating Matrix Report](#) section.

User Name	Month: Expected Close Date			Grand Total
	February 2013	January 2013	March 2013	
chris	\$155,000.00			\$155,000.00
max		\$75,000.00	\$100,000.00	\$175,000.00
sally		\$50,000.00		\$50,000.00
Grand Total	\$155,000.00	\$125,000.00	\$100,000.00	\$380,000.00

Viewing Currency Fields

When the viewing user's profile has the Show Preferred Currency option selected, all currency values will be displayed in reports using the user's preferred currency. The values will use the current conversion rate set in Admin > Currencies at the time the report is run. This means that the displayed value may not be historically correct for closed business since the conversion rate of the user's preferred currency may have changed since the purchase was completed.

When the user does not have this option selected, reports will display all currency values in the system's default currency. To keep amounts historically accurate, the conversion rate will only update on on currency fields when the business is still open and under the following scenarios:

- The record undergoes a save event (e.g., mass update, manual save) and the record's currency has a different conversion rate defined in Admin > Currencies than is currently saved.
- An administrator updates the currency exchange rate under Admin > Currencies. This will trigger a scheduled job which updates all records saved with that currency to the new rate.

For more information about currency exchange rates, please refer to the [System](#) documentation in the Administration Guide.

Running Reports

Once the reports are generated and saved in Sugar, you can view the report results at any time. While viewing the report's detail view, there may be times when you need to re-run the report to generate new report results. The Run Report button on the upper left of the report's detail view allows you to refresh and run the report to re-generate report results. For example, if you make a change to the run-time filter on the report, you can click "Run Report" to generate the report based on the new filter values. For more information on run-time filters, please refer to the [Run-Time Filters](#) section. You can also click "Run Report" each time you want to re-generate the report to capture new records not included in the current report results.

Title: Open Meetings Report

Run Report

Show Details

Run-time Filters: i

Meetings > Start Date > This Month

Meetings > Assigned to User > User Name > Is One Of

- Administrator
- Chris Olliver
- Jim Brennan
- Max Jensen
- Sally Bronsen

Apply Reset

Editing Reports

Reports may be edited at any time to refine or adjust the report's details or criteria. There are various methods of editing the report from the Reports detail view and [Reports list view](#). Regardless of where you initiate the edit, you will always go through the Report Wizard to make the necessary changes to your report.

You can edit the report by going through the Report Wizard step-by-step using the Back and Next button or by clicking the step's link (e.g., Define Filters, Choose Display Columns, Choose Display Summaries) in the breadcrumbs at the top of the Report Wizard. When ready, click "Save and Run" to preserve the changes made and generate the report. If any users have created a [scheduled report](#) based on the edited report, the changes will automatically be reflected the next time they receive a copy of the report.

Report Wizard

Rows and Columns Report [Select Module](#) > [Define Filters](#) > [Choose Display Columns](#) > [Report Details](#)

< Back Next > Save Preview Save and Run Cancel

Related Modules i

- Accounts
- Assigned to User


Define Filters i

Select Operator: OR

Please note that your ability to edit reports in Sugar may be restricted by a role. For more information on roles, please refer to the [Role Management](#) documentation in the Administration Guide. Check with your system administrator if you do not see the Edit options.

Editing via Detail View

You can edit reports via the [detail view](#) by clicking "Edit" in the Actions menu on the upper left of the page. This will open the Report Wizard where you can make the necessary updates to the various steps (e.g., Define Filters, Define Group By, Choose Display Columns, Choose Display Summaries). Once the changes are complete, click "Save and Run" to preserve the changes made and generate the report again.



Deleting Reports


If a report is invalid or should no longer appear in your organization's Sugar instance, it may be deleted from either the Reports detail view or [list view](#). Deleting via the detail view allows you to delete a single report while the list view allows for deleting one or more records at a time. Deleting a report from Sugar will also delete any [report schedule](#) records related to the report.

Please note that your ability to delete reports in Sugar may be restricted by a role. For more information on roles, please refer to the [Role Management](#) documentation in the Administration Guide. Check with your system administrator if you do not see the Delete options.

Deleting via Detail View

Use the following steps to delete a report via the detail view:


1. Navigate to a report's detail view.
2. Select "Delete" from the Actions menu.



3. A pop-up message will display asking for confirmation. Click "Ok" to proceed.

Exporting Reports

The Export option allows users to export a report's results as a CSV file. For more information on exporting records in Sugar, please refer to the [Export](#) documentation. Please note that your ability to export reports from Sugar may be restricted by a role. For more information on roles, please refer to the [Role Management](#) documentation in the Administration Guide. Check with your system administrator if you do not see the Export option.



Exporting reports is useful when you need to use Sugar data with other software such as Microsoft Excel. You can also use exported report results to update existing Sugar records by creating a report (including Record IDs), exporting, making changes, then importing the altered data back into Sugar. For more information on updating existing records via import, please refer to the [Import](#) documentation.

Note: Due to PHP memory limitations on the server, there may be occasions when the application times out while exporting a report with a large amount of data. If you encounter an error when performing this action, we recommend breaking up the report into smaller batches.


Printing Reports as PDFs

Sugar's Print as PDF option in the Reports module allows users to download the reports to PDF files onto their local machine. This may be useful when needing to email the file to other members of the team to share the report data or to keep track of key historical data from the system. You can also view charts on the downloaded PDF files for Report types (e.g., Summation Report with Details, Summation Report, Matrix Report) with chart options.

Please note that your ability to print PDF reports from Sugar may be restricted by a role preventing the export of data. For more information on roles, please refer to the [Role Management](#) documentation in the Administration Guide. Check with your system administrator if you do not see the Print as PDF option.

Use the following steps to download a copy of a report as a PDF file via the Reports detail view:

1. Navigate to a report's detail view.
2. Select "Print as PDF" from the Actions menu.



3. Open the downloaded PDF file to view the report and save it to your local machine if you wish.

Scheduling Reports

Users can schedule regular email deliveries of Sugar reports using the Reports Schedule module. A scheduled report will be delivered as a PDF or CSV file attachment to the user's primary email address in Sugar. Users must schedule their own reports in Sugar and cannot schedule reports to be sent to other users. When scheduling a report, you can choose the date and time to start sending reports and at what interval you wish to continue receiving them. If you choose to receive the report at a specified time and day, Sugar will output the report and email it to you at that time according to the time zone set in your user profile.

Note: Scheduled reports may arrive after the set time based on the cycle increment set by your administrator for the Run Report Generation Scheduled

Tasks scheduler. For more information, please refer to the [Report Schedule Requirements](#) section.

Please note that your ability to schedule reports from Sugar may be restricted by your role settings. For more information on roles, please refer to the [Role Management](#) documentation in the Administration Guide. Check with your system administrator if you do not see the option to schedule a report.

Note: Reports that contain charts in Sugar will not have a chart in the PDF or CSV version of the scheduled report.

Report Schedule Requirements

The Report Schedules module requires the following configurations:

- **User email settings:** A personal outgoing email account must be configured by the user scheduling a report. For more information on setting up individual email accounts, please refer to the [Emails](#) documentation in the Application Guide.
- **System mail server:** The outgoing mail server for the Sugar system must be configured by an administrator. For more information on setting up the system email settings, please refer to the [Email](#) documentation in the Administration Guide.
- **Scheduler activation:** The Run Report Generation Scheduled Tasks scheduler must be activated by an administrator (default is inactive) and configured to run at proper intervals. For example, if the scheduler is set to trigger once per day and a user schedules a report to be delivered every hour, the report will only be delivered once each day due to the interval set in the scheduler. The administrator must change the interval for the scheduler to run at least every hour for the user's report to be delivered hourly. For more information on configuring schedulers, please refer to the [Schedulers](#) section of the System documentation.

Report Schedule Fields

The Report Schedules module contains the following fields:

Field	Description
Active	The enabled (Active = true) or disabled (Active = false) state of the scheduled report event. Note: Disabled report schedule records

	will not send emails.
Assigned to	The Sugar user assigned to the report schedule record. Note: The Assigned To user is not always the same user as the recipient of the scheduled report.
Created by	The Sugar user who created the report schedule record.
Date Created	The date and time that the report schedule record was created.
Date Modified	The date and time that the report schedule record was last modified.
Description	A description or other information about the scheduled report event.
File Type(s)	The format of the related Report that will be emailed. You can send the report as a PDF, CSV, or both a PDF and CSV.
Name	A unique and descriptive name for the scheduled report event.
Next Email Scheduled For	The date and time that the next report will be emailed to the recipient(s).
Repeat Type	The interval of time between recurrences.
Report	The related Report that will be emailed as a PDF or CSV file attachment to the recipient(s).
Start Date	The date and time that the first report will be emailed as a PDF or CSV file attachment to the recipient(s).
Teams	The Sugar team(s) with access the scheduled report record (subject to role permissions).

In addition to the Report Schedule fields, the Users subpanel under a report schedule record contains the following User module fields:

Field	Description
Department	The department where the user works as saved in their user profile.
Full Name	The user's first and last name.


Status	The status of the user's record (e.g., Active or Inactive).
Title	The user's title as saved in their user profile.
User Name	The user's Sugar username.

Please note that the Report Schedule fields and the fields in the Users subpanel cannot be edited via Studio.

Creating Report Schedules

Use the following steps to schedule an automated report for delivery to your email inbox:


1. Navigate to the Reports module and create a new report schedule via one of the following methods:
 - The actions menu on a report's detail view:



- The report's actions menu in the Reports list view:

<input type="checkbox"/>	<input type="checkbox"/>	Name	Module	Report Type	
<input type="checkbox"/>	☆	Cases with No Calls, Meetings, Tasks, or Emails	Cases	Matrix	<input type="checkbox"/> <input type="checkbox"/>
<input type="checkbox"/>	☆	Leads with No Calls, Meetings, Tasks, or Emails	Leads	Summation	<input type="checkbox"/> <input type="checkbox"/>
<input type="checkbox"/>	☆	Open Calls	Calls	Rows and Col..	<input type="checkbox"/> <input type="checkbox"/>
<input type="checkbox"/>	☆	Open Opportunities and Number of Calls	Opportunities		Edit
<input type="checkbox"/>	☆	Opportunities with No Calls, Meetings, Tasks, or E...	Opportunities		Edit Report
<input type="checkbox"/>	☆	Upcoming Calls Scheduled by Account	Calls		Create Schedule
<input type="checkbox"/>	☆	Weekly Calls Held this Quarter by User	Calls		View Schedules
<input type="checkbox"/>	☆	Weekly Calls Scheduled this Quarter by User	Calls		Delete
					Doc Merge
					Doc Merge to PDF

- Via the Report Schedules module directly:
 - Use the Report Schedules link in the Reports module tab and then click the Create button at the top of the list view:



2. If necessary, use the Search and Select functionality to choose a report in the Report field. This will only be necessary when scheduling a report via the Create button in the Report Schedules module.
3. Give the scheduled event a descriptive name that you can find later. For example, "Will's daily call list - 9am".
4. Complete the Repeat Type and Start Date fields with the frequency of delivery and desired date and time to receive your first emailed report. Optionally, add a description. Choose whether to receive a PDF or CSV report. For more information on the available fields, please refer to the [Report Schedule Fields](#) section.

RS Name Will's daily call list - 9am Cancel Save

Report Open Calls Start Date 2021-12-20 09:15

Repeat Type Daily Active

Next Email ... 2021-12-20 09:15 Assigned to Administrator

Description List of my open calls emailed daily at 9am.

File Type(s) PDF


Show more...

5. Click "Save".


After saving, you can [view the report schedule](#) record to edit, disable (i.e., set "Active" to false), or delete the scheduled email as your role permits.

Viewing Report Schedules


You can navigate directly to the Report Schedules module to access the Report Schedules list view. There is a link to the Report Schedules module in the Reports module tab menu:



In addition, you can view only the scheduled reports related to a given report using the "View Schedules" option on the report's actions menu in list view or detail view.



When using "View Schedules" from a report's actions menu, Sugar will automatically filter the Report Schedules list view to show only records related to that report.



Click on the name of a record to view its details and optionally [edit](#) the report schedule. To disable a report schedule, deselect its Active checkbox and save. For more information on working with list views and editing records in Sugar, please refer to the [User Interface](#) documentation.

Favoriting Reports

Users have the option to mark records as favorites via the report's detail view. This allows users to designate records that are important or will be viewed often so that they can easily be accessed via the [search filter](#) or from the [Reports module tab](#).

Favoriting via Detail View

Use the following steps to mark records as favorites via the Reports detail view:

1. Navigate to a report's detail view.
2. Click the star icon to the right of the report's name on the upper left of the detail view to designate it as a favorite.
3. To remove the report as a favorite, click the star again to revert it to white.


Total Sales by Quarter 

Title: Total Sales by Quarter

Run Report 

Sharing Reports

Individual reports can be shared with other users in your organization by sending an email containing the record's link directly from the detail view. In the report's detail view, select "Share" from the Actions menu. This will open a Compose Email window that includes the URL of the report in Sugar. Enter the recipient(s) email address in the To field then click "Send".



Users can simply click the link in the email to access the report in Sugar. Please note that the user must be logged in to Sugar in order to access the record, and its visibility will depend upon their team membership, user access type, and assigned roles. For more information on teams and roles, please refer to the [Team Management](#) and [Role Management](#) documentation in the Administration Guide.


Note: To send emails through Sugar, users must first configure a default user email account via [Emails > Email Settings](#).

Adding Report Results to Target Lists

A target list consists of a group of individuals or organizations you wish to be included or excluded from a mass marketing campaign. These targets are typically

identified based on a set of predetermined criteria such as being a prospect or existing customer, age group, industry, etc. The Reports module gives users the ability to add a large number of records (e.g., Contacts, Leads, Accounts) to a target list at once instead of selecting them one-by-one.

For example, if you need to add all leads in the state of California to a target list, you can create a report based on the Leads module filtered by the Primary Address State field (e.g., CA). After saving the report, navigate to the Target Lists module and select the desired target list record you wish to add the report results to. Scroll down to the Leads subpanel, click the Actions menu, and choose "Select from Reports". Select the saved lead report from the Search and Select Reports drawer and all lead records from the report will be added to the target list.



For more information on adding records to target lists, please refer to the [Target Lists](#) documentation. Please note that Sugar allows up to 1000 records to be added at a time when adding to a target list. If you desire to add more than 1000 records to a target list, you will need to create the reports in several batches.

Working With Sugar Modules

The Reports module uses Sugar's Sidecar user interface. The following sections detail menus, views, and actions common to sidecar modules and contain links to additional information within the page or links to the User Interface documentation.


Report Menus

The Reports module contains various options and functionality which are available via menus in the module tab, list view, and detail view. The following sections present each menu and its options with links to more information about each option in the User Interface documentation or, for Reports-specific functionality, within this page.

Module Tab Menus

The Reports module tab is typically located on the navigation bar at the top of any Sugar screen. Click the tab to access the Reports list view. You may also click the

triangle in the Reports tab to display the Actions, Recently Viewed, and Favorites menu. The Actions menu allows you to perform important operations within the module. The [Recently Viewed menu](#) displays the list of reports you last viewed. The [Favorites menu](#) displays the list of reports you most recently marked as favorites in the module.



The Actions menu allows you to perform the following operations:

Menu Item	Description
Create Report	Opens the Report Wizard to create a new report.
View Reports	Opens the list view layout to search and display reports.
Report Schedules	Opens the Report Schedules module to create and view scheduled reports.

For more information on module tab menus including reasons a module may not be included in the menu, see the [User Interface](#) documentation.


List View Menus

The Reports [list view](#) displays all report records and allows for searching and filtering to locate specific reports. You can view the basic details of each record within the field columns of the list view or click a report's name to open the detail view. To access a module's list view, simply click the module's tab in the navigation

bar at the top of any Sugar page.

List View Mass Actions Menu

The Mass Actions menu to the right of the checkbox option in the list header allows you to perform mass actions on all currently selected records. You can use the checkbox on each record's row to select individual report records or click the checkbox in the list header to select all records displayed in the current set of list view results.



The Mass Actions menu allows you to perform the following operations:

Menu Item	Description
Mass Update	Mass update one or more reports at a time.
Delete	Delete one or more reports at a time.

List View Record Actions Menu

The Record Actions menu to the far right of each record's row allows you to perform actions on the individual report directly from the list view.

<input type="checkbox"/>	<input type="checkbox"/>	Name	Module	Report Type	User	
<input type="checkbox"/>	☆	Opportunities ...	Opportunities	Matrix	Administr	▼
<input type="checkbox"/>	☆	Open Opportu...	Opportunities	Matrix		<ul style="list-style-type: none"> Edit Edit Report Create Schedule View Schedules Delete
<input type="checkbox"/>	☆	Sales per Quar...	Opportunities	Matrix		
<input type="checkbox"/>	☆	Open Opportu...	Opportunities	Summation		
<input type="checkbox"/>	☆	Wins and Loss...	Opportunities	Matrix		
<input type="checkbox"/>	☆	Revenue Line It...	Revenue Line It...	Summation		

The list view's Record Actions menu allows you to perform the following operations:


Menu Item	Description
Preview (eye icon)	Preview this report in the intelligence pane.
Edit	Inline edit this report.
Edit Report	Edit the report via the Report Wizard.
Create Schedule	Send a copy of this report to your email inbox on a recurring basis.
View Schedules	View any scheduled reports for this report in the Report Schedules list view.
Delete	Delete this report.

Detail View Actions Menu

The Reports [detail view](#) displays a single report in full detail including display column fields (if applicable), charts (if applicable), etc. To access a report's detail view, simply click a hyperlinked report name from anywhere within Sugar. The Actions menu appears on the top left of each report's detail view and allows you to perform various operations on the current report. Administrator users can change the action items to be displayed as separate buttons instead of a dropdown menu via Admin > System Settings. For more information on configuring the actions menu, please refer to the [System](#) documentation in the Administration Guide.

Tasks Due This week

Title: Tasks Due This week



The Actions menu allows you to perform the following operations:

Menu Item	Description
Run Report	Run this report to generate the result.
Share	Share a link to this report via email. Note: To send emails through Sugar, users must first configure a default user email account via Emails > Email Settings .
Edit	Edit this report.
Copy	Duplicate this report to create a new report.
Create Schedule	Send a copy of this report to your email inbox on a recurring basis.
View Schedules	View any scheduled reports for this report in the Report Schedules list view.
Print as PDF	Download this report as a PDF file.
Export	Export this report's result to a CSV file.
Delete	Delete this report.

Common Views and Actions

The following links will open specific sections of the User Interface documentation

where you can read about views and actions that are common across most Sidecar modules.

Content Link	Description
Viewing Reports Viewing via List View Viewing via Recently Viewed Viewing via Dashlets Viewing via Preview	<p>The Viewing Records section describes the various methods of viewing report records, including via the Reports list view, the Recently Viewed menu in the Reports module tab, list view dashlets showing report information, and previewing reports in the right-hand side panel.</p>
Searching for Reports List View Search Creating a Filter Saving a Filter	<p>The Searching for Records section provides an introduction to list view search, which searches and filters within the Reports module.</p> <p>Note: The Report module's Filter option also includes the following filters out-of-the-box:</p> <ul style="list-style-type: none"> • Stock Reports: Filter the list view to show only the reports that were included with Sugar. • Non-Stock Reports: Filter the list view to show only user-created reports. • With Charts: Filter the list view to show only reports that are designed with charts. <p>For more information on stock reports, please refer to the Stock Reports documentation.</p>
Reports List View Total Record Count Create Button List View Search Checkbox Selection Mass Actions Menu Favorite Designation Column Reordering Column Resizing Column Sorting	<p>The List View section walks through the many elements of the Reports List View layout which contains a filterable list of all report records in Sugar. While the generic menu options are described in the User Interface sections linked to the left, the options specifically available in the Reports list view are described in the List View Mass Actions Menu and List View Record Actions Menu sections</p>

Column Selection Preview Record Actions Menu More Reports Intelligence Pane	of this page.
Editing Reports Editing Inline via List View Editing via Preview Mass Editing via List View	The Editing Records section describes the various methods of editing existing report records, including inline via the Reports list view, via the List View preview, and via the Mass Update option on the list view.
Deleting Reports Deleting via List View Mass Deleting via List View	The Deleting Records section describes the various methods of deleting unwanted reports, including via an individual record's Actions menu on the Reports list view and the Mass Actions menu on the list view.
Favoriting Reports Favoriting via List View	The Favoriting Records section describes marking reports as favorites via the Reports list view. Favoriting a report allows you to easily access it from list views, dashlets, or the Reports module tab.

Last Modified: 2023-01-11 17:46:39

Stock Reports

Overview

Sugar's Reports module comes with a number of pre-built, stock reports. These reports display information from Sugar modules (e.g., Accounts, Contacts, Opportunities, etc.) that will help provide insights into your CRM data. This page lists each of the stock reports that come out-of-the-box with the current version of Sugar and helps explain the type of information provided in each report.

Please note that Sugar ships with over 100 stock reports, which may vary by version. For descriptions of stock reports that shipped with previous versions of

Sugar, please refer to the [Understanding Legacy Stock Reports](#) article. In addition to stock reports, users can create their own reports. For more information on creating reports, please refer to the [Reports](#) documentation.

Viewing Stock Reports

All of Sugar's stock reports can be accessed via the Reports module. From the Reports list view, stock reports can be identified using [stock report tags](#) and [stock report filters](#). You may also preview a stock report from list view to read its description and other information from the [report's fields](#). For more information on previewing reports, please refer to the [User Interface](#) documentation.

If you do not see the Reports module tab in the navigation bar, please check your user profile to see if the module may be marked as hidden. For more information on hiding and displaying modules, please refer to the [Getting Started](#) documentation. If the Reports module is not marked as hidden in your user profile, then check with your administrator to confirm that the module is enabled for your instance. Please note that team and role restrictions also apply to report results and affect what records users can see when they run the reports. For more information on teams and roles, please refer to the [Team Management](#) and [Role Management](#) documentation.

Stock Report Tags

Stock reports are automatically tagged in Sugar with the "Stock Report" tag. Each report also has a category tag such as "Administrative" or "Sales and Marketing". The reports listed on this page under [Stock Reports by Category](#) are organized by the reports' category tags in Sugar. Users can filter the Reports list view by tag as explained in the [User Interface](#) documentation.

Stock Report Filters

The Reports list view search provides a filter option that allows users to narrow the list of visible reports. In addition to the [default module filters](#), the following filters are available for the Reports module:

- **Stock Reports:** Filter the list view to show only stock reports.
- **Non-Stock Reports:** Filter the list view to hide all stock reports.
- **With Charts:** Filter the list view to show only reports designed with charts.

Users can further refine the results by typing a search query in the search bar and can create and save their own custom filters. For more information on searching

and filtering the list view, please refer to the [Search](#) documentation.

Editing Stock Reports

Any user with the proper team and role permissions may edit a stock report as they would [edit any other report](#), but it is not recommended. Instead, we recommend [duplicating the report](#) and saving the edited copy with a new name and description. This will preserve the stock report's state as it was made by Sugar. To copy a stock report, simply follow the steps in the [Reports](#) documentation to create a report via duplication. For more information on restoring deleted stock reports, please refer to the [Restoring Deleted Stock Reports](#) section of this page.

Stock Reports by Category

The reports on this page have been shipped with the current version. For more information on reports that shipped with previous versions but are no longer being shipped in current versions of Sugar, please refer to the [Understanding Legacy Stock Reports](#) article.

Administration Reports

The following reports were designed for administrators to gain insight into teams and users, usage patterns, and the performance of their Sugar instance. The reports in this section are tagged "Stock Report" and "Administrative" in the Reports module.

Note: The tracker settings must be enabled via Admin > Trackers before tracker data becomes reportable in Sugar. Please refer to the [Understanding Tracker Reports](#) article for in-depth descriptions of each stock tracker report.

Name	Module	Type	Chart Type	Description
Active User Sessions (Last 7 Days)	Tracker Sessions	Rows and Columns		Lists the duration of all user sessions over the last 7 days
Licensed User List	Users	Rows and Columns		Administrators can refer to this report in order to

				periodically check the number of active users counting against their license and ensure that they are not close to exceeding their limit.
List of Teams and Licensed Users	Teams	Summation with details		Provides the list of teams and the number of users in the team. Group and portal users are excluded from this list.
Modules Used By My Direct Reports (Last 30 Days)	Trackers	Summation	Horizontal Bar	Displays a summary of module usage in the past 30 days for all users who report to the user who is running the report
My Module Usage (Last 30 Days)	Trackers	Summation	Horizontal Bar	Displays a summary of module usage in the last 30 days for the current user
My Module Usage (Last 7 Days)	Trackers	Summation	Horizontal Bar	Displays a summary of module usage in the last 7 days for the current user

My Module Usage (Today)	Trackers	Summation	Horizontal Bar	Displays a summary of module usage so far today for the current user
My Recently Modified Records (Last 30 Days)	Trackers	Rows and Columns		Lists records assigned to the current user that were saved in the last 30 days
My Records Modified (Last 7 Days)	Trackers	Rows and Columns		Lists records assigned to the current user that were saved in the last 7 days
My Usage Metrics (Last 30 Days)	Tracker Performance	Summation		Shows the total server response time in seconds, total number of database round trips, and total number of files accessed for the user who is running the report in the last 30 days
My Usage Metrics (Last 7 Days)	Tracker Performance	Summation		Shows the total server response time in seconds, total number of database round trips, and total number of files accessed for the user who is running the report in the last 7 days

My Usage Metrics (Today)	Tracker Performance	Summation		Shows the total server response time in seconds, total number of database round trips, and total number of files accessed for the user who is running the report so far today
Records Modified By My Direct Reports (Last 30 Days)	Trackers	Rows and Columns		Lists records saved in the last 30 days by users who report to the user who is running the report
Slow Queries	Tracker Queries	Rows and Columns		Lists the details for queries that took longer than the query threshold limit defined in Admin > Trackers
User Sessions Summary (Last 7 Days)	Tracker Sessions	Summation		Summarizes the number of session roundtrips and total active time for each user over the last 7 days
Users Usage Metrics (Last 30 Days)	Tracker Performance	Summation		Shows the total server response time in seconds, total number of database round

				trips, and total number of files accessed for each user in the last 30 days
Users Usage Metrics (Last 7 Days)	Tracker Performance	Summation		Shows the total server response time in seconds, total number of database round trips, and total number of files accessed for each user in the last 7 days

Customer Service Reports

The following reports will help customer service users and managers gather important information about cases and bugs in Sugar. The reports in this section are tagged "Stock Report" and "Customer Service" in the Reports module.

Name	Module	Type	Chart Type	Description
Bugs by Product Category by Status	Bugs	Matrix	Horizontal Bar	Number of bugs created by category and their current status. This report gives a sense of which area of the product generates bugs. The time period can be adjusted in the report using run-time filters.
Bugs Created by Month By Category	Bugs	Matrix	Vertical Bar	Number of bugs created each month

				summarized by the category. This report provides a trend on the number of bugs being generated across the category.
Bugs Created by Month By Priority	Bugs	Matrix	Vertical Bar	Number of bugs created each month summarized by their priority. This report provides a trend on the number of bugs.
Cases with No Calls, Meetings, Tasks, or Emails	Cases	Matrix		Summary count of cases where no activity has taken place or is scheduled. Those cases are counted that have no calls, meetings or tasks scheduled or completed.
My Open Bugs by Priority	Bugs	Summation	Pie	List of open bugs assigned to the user who is running the report summarized by priority.
My Open Cases by Priority	Cases	Summation	Horizontal Bar	List of open cases assigned to the user who is running the report

				summarized by priority.
New Cases By Month	Cases	Summation	Vertical Bar	List of new cases opened by month
Open Bugs by User by Priority	Bugs	Matrix		Number of bugs assigned to each user grouped by priority of the bug. This report gives a sense of which bugs need attention the most.
Open Bugs by User by Status	Bugs	Matrix		Number of bugs assigned to each user and the priority of the bug. This report gives a sense of the workload of users working on the bugs.
Open Cases By Month By User	Cases	Summation	Vertical Bar	List of open cases by created month and grouped by user.
Open Cases by User by Priority	Cases	Matrix	Horizontal Bar	Number of cases assigned to each user and the priority of the bug. This report gives a sense of the workload of users working on the cases.
Open Cases by User by Status	Cases	Matrix	Horizontal Bar	Number of cases assigned to each user

				and the current status of the bug. This report gives a sense of which cases need attention the most.
Summary of Bugs by Priority by Week Created	Bugs	Matrix	Vertical Bar	Number of bugs created each week by priority. The time period can be adjusted in the report using the run-time filters.
Summary of Bugs by Source by Week Created	Bugs	Matrix	Vertical Bar	Number of bugs created each week by source. The time period can be adjusted in the report using the run-time filters.
Summary of Bugs by Status by Week Created	Bugs	Matrix	Vertical Bar	Number of bugs created each week by status. The time period can be adjusted in the report using the run-time filters.
Summary of Cases by Priority by Week Created	Cases	Matrix	Vertical Bar	Number of cases created each week by priority. The time period can be adjusted in the report using the run-time filters.

Summary of Cases by Source by Week Created	Cases	Matrix	Vertical Bar	Number of cases created each week by source. The time period can be adjusted in the report using the run-time filters.
Summary of Cases by Status by Week Created	Cases	Matrix	Vertical Bar	Number of cases created each week by status. The time period can be adjusted in the report using the run-time filters.
Summary of Open Cases by Priority	Cases	Summation	Horizontal Bar	Number of cases that are still open summarized by priority of bug.
All Cases Due Today and Overdue*	Cases	Summation	Horizontal Bar	All cases with a follow-up date that has passed or is today. Defaults to all cases with a follow-up date in the past 30 days.
All Open Cases by Followup Date*	Cases	Summation with details	Vertical Bar	Number of open cases grouped by the follow-up date.
Average Difference From Follow-Up Date by Week by Agent*	Cases	Matrix	Vertical Bar	The average difference from the targeted follow-up date in business hours by week for each agent. Includes cases

				created in the last 30 days, but this range can be changed using the run-time filter. A run-time filter can also be used to filter by cases that either met or missed their first response SLA.
Average Time on Cases by Status by Type*	Change Timers	Matrix	Horizontal Bar	<p>The average time in business hours spent on cases in each open status by case type. Includes cases created in the last 30 days, but this range can be changed using the run-time filter.</p> <p>Note: The average is calculated using the number of Change Timer records, not the number of Case records. Therefore, this report captures the average time spent per occurrence of each status, not per status.</p>
Average Time	Change Timers	Summation	Vertical Bar	The average

Spent on Cases by Week by Case Type*				<p>time in business hours spent on cases for each week by case type. Includes cases created in the last 30 days, but this range can be changed using the run-time filter.</p> <p>Note: The average is calculated using the number of Change Timer records, not the number of Case records. Therefore, this report captures the average time spent per occurrence of each status, not per status.</p>
Average Time to First Response by Agent*	Cases	Summation	Horizontal Bar	<p>The average time in business hours until the first response on a case, per agent. Includes cases created in the last 30 days, but this range can be changed using the run-time filter.</p>
Average Time to Resolution by Week by	Cases	Summation	Horizontal Bar	<p>The average time in business hours</p>

Agent*				it takes to resolve cases by week for each agent. Includes cases resolved in the last 30 days, but this range can be changed using the run-time filter.
Average Time to Resolution by Week by Type*	Cases	Summation	Horizontal Bar	The average time in business hours it takes to resolve cases by week for each case type. Includes cases resolved in the last 30 days, but this range can be changed using the run-time filter.
Cases That Missed the First Response SLA*	Cases	Matrix	Vertical Bar	The number of cases that missed their first response SLA in the last 7 days. The time period can be changed using the run-time filter.
Daily Average Time to First Response*	Cases	Summation	Horizontal Bar	The daily average time in business hours until the first response on a case. Includes cases created in the last 7 days, but this range can be

				changed using the run-time filter.
First Response SLA Success Rate*	Cases	Summation	Pie	All cases created in the last 30 days, separated by whether or not their first response SLA was met. The run-time filters can be used to change the time period or narrow the results to only cases assigned to a specific agent.
List of Changes to Case Status*	Change Timers	Rows and Columns		List of all changes to case status. Includes cases created in the last 30 days, but this range can be changed using the run-time filter.
List of Recently Resolved Cases*	Cases	Rows and Columns		A list of recently closed cases across all business centers. The time period can be adjusted in the report.
My Average Difference From Follow-Up Date by Week*	Cases	Summation	Vertical Bar	The average difference from the targeted follow-up date in business hours by week

				for the current user. Includes cases created in the last 30 days, but this range can be changed using the run-time filter. A run-time filter can also be used to filter by cases that either met or missed their first response SLA.
My Cases Due Today and Overdue*	Cases	Summation	Horizontal Bar	All cases assigned to the user who is running the report with a followup date that has passed or is today. Defaults to all cases with follow-up date in the past 30 days.
My Cases in the Last Week by Status*	Cases	Summation	Horizontal Bar	Cases modified by the user who is running the report in the last 7 days, grouped by the status of the case. The time period can be adjusted in the report. This report makes it easy to identify recently worked on cases.

My Cases Resolved this Month by Week*	Cases	Summation	Vertical Bar	This report displays a chart for all cases that were closed in the selected time period and groups them by week
My Open Cases by Followup Date*	Cases	Summation with details	Vertical Bar	Number of open cases assigned to the user who is running the report grouped by the follow-up date.
My Open Cases by Status*	Cases	Summation	Pie	This pie chart shows the percent of cases that are open by status for the user who is running the report.
My SLA Success Rate*	Cases	Summation	Vertical Bar	The history of cases the current user responded to that either met or missed their first response SLA. Includes cases in the last 30 days, but this range can be changed using the run-time filter.
New Cases by Business Center by Week*	Cases	Summation	Vertical Bar	Number of cases created for each business center by week. The

				time period can be adjusted in the report.
New Cases by Customer Tier by Week*	Cases	Summation	Vertical Bar	Number of cases created by the service level of the customer (customer tier) by week. The time period can be adjusted in the report.
New Portal Users Awaiting Activation*	Contacts	Rows and Columns		A list of portal users created but not yet activated. Includes contacts created in the last 7 days, but this range can be changed using the run-time filter.
Open Cases Awaiting First Response That Missed SLA*	Cases	Rows and Columns		All open cases that missed the first response SLA and are still awaiting first response.
Open Cases Awaiting First Response Within SLA*	Cases	Rows and Columns		All open cases that are within their SLA and awaiting first response.
Open Cases by Customer Tier and Priority*	Cases	Matrix	Horizontal Bar	A summary of open cases grouped by the service level of the customer (customer tier) and priority.
Recently	Cases	Rows and		A list of all

Created Cases*		Columns		recently created cases across all business centers. The time period can be adjusted in the report.
Status of Open Tasks Assigned by Me*	Tasks	Summation with details	Vertical Bar	Open tasks that the user who is running the report has assigned to others. This report helps users know who to follow up with.
Total Cases Resolved this Month by Agent*	Cases	Summation	Horizontal Bar	Number of cases that were resolved during the month grouped by agent and priority. The time period can be adjusted in the report.
Total Cases Resolved this Month by Business Center*	Cases	Matrix	Horizontal Bar	Number of cases that were resolved during the month grouped by business center and priority. The time period can be adjusted in the report.
Total Time Spent on Cases by Week by Case Type*	Change Timers	Summation	Vertical Bar	The total time in business hours spent on cases for each week by case

				type. Includes cases created in the last 30 days, but this range can be changed using the run-time filter.
--	--	--	--	--

*This report is only available for Sugar Serve users.

Data Privacy Reports

The following reports will help data privacy managers and marketing users make privacy-related insights and identify leads, contacts, and targets who have opted in to or out of marketing communications. The reports in this section are tagged "Stock Report" and "Data Privacy" in the Reports module.

Name	Module	Type	Chart Type	Description
Count of Contacts by Country	Contacts	Summation		Total count of existing contacts grouped by country.
Count of Leads (unconverted) by Country	Leads	Summation		Total count of existing leads (unconverted) grouped by country.
Count of Targets by Country	Targets	Summation		Total count of existing targets grouped by country.
Data privacy activity completed and rejected each month	Data Privacy	Matrix	Vertical Bar	Number of data privacy activities completed or rejected each month. The month is based on date closed.

Data Privacy Activity Due Now	Data Privacy	Summation with details	Horizontal Bar	List of all Data Privacy Activity that is due shortly. Use the run-time filter to adjust the time period.
Data Privacy Activity Overdue	Data Privacy	Summation with details	Horizontal Bar	List of all Data Privacy Activity that are still open and the due date is in the past.
List of Contacts with No Consent	Contacts	Rows and Columns		List of all contacts who have not provided any consent for any business purpose.
List of Emails Opted In	Email Address	Rows and Columns		List of all emails currently opted in.
List of Emails Opted Out	Email Address	Rows and Columns		List of all emails currently opted out.
List of Leads with no Consent	Leads	Rows and Columns		List of all leads who have not provided any consent for any business purpose.
List of Open Data Privacy Activities	Data Privacy	Rows and Columns		A list of all data privacy activities that have a status of open.
List of Open Data Privacy Activities	Data Privacy	Rows and Columns		List of open data privacy activity

assigned to me				assigned to me
Number of Data Privacy Activity created each month by type	Data Privacy	Matrix	Vertical Bar	Number of data privacy activity created each month by activity type
Open Data Privacy Activities by Type	Data Privacy	Summation with details	Horizontal Bar	List of all open data privacy activity grouped by activity type
Recently Created Data Privacy Activity	Data Privacy	Rows and Columns		A list of all recently created data privacy activity. The time period can be adjusted in the report using the run-time filters.

Sales and Marketing Reports

The following reports will help sales and marketing professionals manage sales activities and identify key performance indicators (KPIs). The reports in this section are tagged "Stock Report" and "Sales and Marketing" in the Reports module.

Name	Module	Type	Chart Type	Description
Accounts by Assigned to User	Accounts	Summation		Number of accounts for each assigned user. This report helps in making sure that account workload is optimized across the sales team. Use

				run-time filters to narrow down by type or industry.
Accounts By Type By Industry	Accounts	Summation	Horizontal Bar	Number of accounts summarized by account type and industry
Accounts Created by User by Month	Accounts	Matrix	Vertical Bar	Number of accounts created by month by assigned user during the current year. The time period can be adjusted in the report using the run-time filters.
My Customers by Area	Accounts	Rows and Columns		A list of customers in a given area (City or Zip Code). This report only lists accounts that are assigned to the person viewing the report. You can use this report to create a trip plan.
My New Customer Accounts	Accounts	Rows and Columns		List of new customers recently opened and assigned to me.
Open Call List	Calls	Rows and Columns		
Upcoming Calls	Calls	Summation		Number of

Scheduled by Account		with details		calls scheduled by account in the coming weeks.
Weekly Calls Held This Quarter by User	Calls	Matrix	Vertical Bar	Number of calls held by each user by week in this quarter. The time period can be adjusted in the report using the run-time filter.
Weekly Calls Scheduled This Quarter by User	Calls	Matrix	Vertical Bar	Number of calls scheduled by each user by week in this quarter. The time period can be adjusted in the report using the run-time filter.
Contacts Created by User by Month	Contacts	Matrix	Vertical Bar	Count of all contacts created this year by each assigned user by month. The time period can be adjusted in the report using the run-time filters.
Leads By Lead Source	Leads	Summation	Vertical Bar	Number of leads created by lead source
Leads Converted - Lost by Month	Leads	Matrix	Vertical Bar	Number of leads converted and lost each month. The time period can

				be adjusted in the report using the run-time filters.
Leads Converted by User	Leads	Summation		This report provides the number of leads converted by each user in the current quarter. The time period can be adjusted in the run-time filter.
Leads Created by Source per Month	Leads	Matrix	Vertical Bar	Leads created each month by source. The time period can be adjusted in the report using the run-time filters.
Leads Created by User per Month	Leads	Matrix	Vertical Bar	Leads created each month by user. The time period can be adjusted in the report using the run-time filters.
Leads with No Calls, Meetings, Tasks, or Emails	Leads	Summation		Summary count of leads where no activity has taken place or is scheduled. Those leads are counted that have no calls, meetings or tasks scheduled or completed.

My Open Leads	Leads	Rows and Columns		List of all leads assigned to me.
Number of Leads Created by Week	Leads	Summation	Vertical Bar	Number of leads created for each week this year. The time period can be adjusted in the report using the run-time filters.
Open Leads by User	Leads	Summation	Horizontal Bar	List of open leads grouped by assigned user.
Open Meetings	Meetings	Rows and Columns		List of Open Meetings
Upcoming Meetings Scheduled by Account	Meetings	Summation with details		Number of meetings scheduled by account in the coming weeks.
Weekly Meetings Held This Quarter by User	Meetings	Matrix	Vertical Bar	Number of meetings held by each user by week in this quarter. The time period can be adjusted in the report using the run-time filter.
Weekly Meetings Scheduled This Quarter by User	Meetings	Matrix		Number of meetings scheduled by each user by week.
All Closed Opportunities	Opportunities	Rows and Columns		List of all closed opportunities
All Open Opportunities	Opportunities	Rows and Columns		List of open opportunities

My Open Opportunities	Opportunities	Rows and Columns		List of Opportunities assigned to me that are still open and are expected to close this month. The time period can be adjusted in the report using the run-time filters.
Number of Opportunities Created by Team by Month	Opportunities	Matrix	Vertical Bar	Summary of the number of all opportunities created this year grouped by primary team assigned. This gives a sense of which teams are generating the opportunities. The time period can also be adjusted in the run-time filters.
Number of Opportunities created by User by Month	Opportunities	Matrix	Vertical Bar	Summary of the number of all opportunities created this year by each user. This gives a sense of which sales persons are generating the opportunities. The time period can also

				be adjusted in the run-time filters.
Open Opportunities and Number of Calls	Opportunities	Summation		A list of all open opportunities and the number of calls currently scheduled for each. Use the run-time filters to select only scheduled or held meetings. Select the opportunity status to filter on opportunities that are closed won or lost.
Open Opportunities and Number of Meetings	Opportunities	Summation		A list of all open opportunities and the number of meetings currently scheduled for each. Use the run-time filters to select only scheduled or held meetings. Select the opportunity status to filter on opportunities that are closed won or lost.
Open Opportunities by Expected	Opportunities	Summation	Vertical Bar	Summary of all open opportunities

Close Month				by expected close month. Details of the opportunities are also listed in this report.
Open Opportunities by Type by Expected Closed Month	Opportunities	Matrix	Vertical Bar	Summary of opportunities by expected close month grouped by type.
Open Opportunities by User by Expected Close Month	Opportunities	Matrix	Vertical Bar	Summary of opportunities for each user by expected close month.
Opportunities Created by Lead Source by Month	Opportunities	Matrix	Vertical Bar	Monthly summary of all opportunities created this year grouped by lead source. This report gives a sense of which source are generating most opportunities. You can also toggle between open or closed won opportunities. Use the run-time filter to change time period.
Opportunities with No Calls, Meetings, Tasks, or Emails	Opportunities	Summation	Horizontal Bar	Summary count of opportunities where no activity has taken place or

				is scheduled. Those opportunities are counted that have no calls, meetings or tasks scheduled or completed.
Pipeline By Team By User	Opportunities	Summation	Horizontal Bar	Summary count of opportunities where no activity has taken place or is scheduled. Those opportunities are counted that have no calls, meetings or tasks scheduled or completed.
Pipeline By Type By Team	Opportunities	Summation	Horizontal Bar	Summarizes the open pipeline by team.
Sales per Quarter by Lead Source	Opportunities	Matrix	Vertical Bar	This report provides a summary of all closed won sales for each quarter this year grouped by the lead source. This provides an indication of which sources of leads are generating sales. The time period can be adjusted on the

				report using the run-time filter.
Top Sales Reps This Quarter	Opportunities	Summation		This report summarizes total sales by each assigned user for the current quarter. The time period can be adjusted in the report using the run-time filters.
Total Sales by Quarter	Opportunities	Matrix	Vertical Bar	This report provides a chart of total sales broken down by type for each quarter of this year. The time period can be adjusted in the report using the run-time filters.
Total Sales by Quarter by User	Opportunities	Matrix	Vertical Bar	This report summarizes total sales by each assigned user for each quarter of this year. This report can be used to compare sales person performance. The time period can be adjusted in the report using the run-time

				filters.
Wins and Losses by Users this Quarter	Opportunities	Matrix		The total amount of opportunities won vs lost by each assigned user in the current quarter. The time period can be adjusted in the run-time filters.
Number of Quotes created by Users by Month	Quotes	Matrix	Vertical Bar	Number of quotes created by each user by month. The time period can be adjusted in the report using the run-time filter.
Open Quotes by Stage	Quotes	Summation	Pie	A list of all open quotes summarized by stage.
Open Quotes by Stage by Close Month	Quotes	Matrix	Vertical Bar	Summary of quoted amounts that are open by their expected close month and grouped by stage. This report indicates which quotes to prioritize and close.
Open Quotes by Stage by User	Quotes	Matrix		Summary of quoted amounts that are open for each assigned

				user grouped by stage. This report gives a sense of where the quotes are in terms of stages for each sales person.
Open Quotes Expiring This Month	Quotes	Rows and Columns		A list of quotes that are expiring this month. The time period can be adjusted in the report using the run-time filter.
Quotes Created by Users by Month	Quotes	Matrix	Vertical Bar	Total quote amount created by each user by month. The time period can be adjusted in the report using the run-time filter.
Quotes Won Lost by Month	Quotes	Matrix	Vertical Bar	Quoted amounts won and lost each month this year. The time period can be adjusted in the report using the run-time filter.
Quotes Won Lost by User	Quotes	Matrix		Quoted amounts won and lost this quarter by each assigned user. The time period can be adjusted in the

				report using the run-time filter.
Recently Closed Quotes	Quotes	Rows and Columns		A list of all recently closed quotes.
My Open Tasks by Priority and Status	Tasks	Matrix	Horizontal Bar	My open tasks grouped by priority and status. This report allows one to focus on higher priority tasks that are near completion.
Number of Open Tasks by Users by Week	Tasks	Matrix		Number of open tasks by each user by week due.
Open Tasks	Tasks	Rows and Columns		List of Open Tasks
Tasks Completed by Users by Week this Quarter	Tasks	Matrix		Number of tasks completed by each user by week in this quarter. The time period can be adjusted in the report using the run-time filter.
Tasks Due This week	Tasks	Rows and Columns		List of tasks due this week. The time period can be adjusted in the report using the run-time filter.

Restoring Deleted Stock Reports

If a user deletes a stock report, it is marked with a deleted flag in the instance's database. Should you need to recover the deleted report, a person with access to your instance's file system can locate the report in the saved_reports table and change the Deleted field from "1" to "0" for this specific report record. Upon doing so, the report will be restored in your Sugar instance. If the stock report has been deleted from the database and cannot be recovered, you must manually recreate the report from scratch in the Reports module.

To hide one or more stock reports from your users, consider mass updating the team to the Administrator's private team because deleted reports cannot be restored via the user interface.

Note: Customers with instances hosted on Sugar's cloud service do not have direct access to the database and, therefore, cannot restore stock reports once they have been deleted. A support-authorized contact for your organization can [file a case](#) with the Sugar Support team for assistance in trying to restore the report that has been deleted from your Sugar instance.

Last Modified: 2021-12-21 14:52:09

Export

Overview

There may be times in which users will want to access, review, or manipulate information from their Sugar database in another format outside of Sugar. To facilitate this process, users have two options on ways to export their data from Sugar. Upon exporting data from Sugar, a CSV ("Comma Separated Value") format file will be downloaded to the user's computer. This file can be reviewed in Microsoft Excel, Notepad, or other spreadsheet tools and text editors.

Exporting restrictions can be controlled by a System Administrator via Admin > Locale. For more information on the Locale menu, please refer to the [Locale](#) section of the Administration guide. An administrator also has the option to create a Role hindering regular users' access to the export functionality. Please refer to the [Role Management](#) section of the Administration Guide for more information on setting roles for users.

Exporting From Module List Views

The first type of export that will be covered is exporting from the module list view. When exporting this way, the downloaded file contains every field from the database within the given module for the specified record or records. This export will not include any information from records which are associated via relationships to this module. Please note that the export method varies slightly between modules using the Sidecar user interface (e.g., Accounts, Contacts, Leads, etc.) and Legacy user interface (e.g., Projects).

This export method is most useful when performing a type of data migration, needing an excess of detail, or performing a comprehensive import and update of the data, since this method exports all fields within a module. It is recommended the [Export From Reports](#) functionality be used for any other export use case to isolate the specific information needed.

Due to PHP memory limitations on the server, there may be occasions when the application times out while exporting a large number of records. If you encounter an error when performing this action, we recommend selecting the records in smaller batches.

Exporting From Sidecar Module List Views

The following steps cover exporting from the Accounts module as an example:

1. Navigate to the Accounts list view by clicking the Accounts module tab.
2. Use the [Module Search](#) to find the Account records you wish to export.
3. Select the desired account records individually by marking the checkbox on the left of each row.
 - **Note:** You can also use the [Select All](#) feature in the list view to select the first 1000 records in the result set. If you wish to export more than 1000 records or export a specific group of records on the list view, please use the [filter option](#) in module search to perform the exports in smaller batches.

<input checked="" type="checkbox"/>	Name	City	Billing Country	Phone	User
You have selected all 20 records in this view. Select all records in the result set.					
<input checked="" type="checkbox"/>	360 Vacations	Persistence	USA	(777) 954-2...	Max Jensen
<input checked="" type="checkbox"/>	5D Investme...	Salt Lake City	USA	(405) 569-3...	Max Jensen

4. Choose "Export" from the Actions menu.

<input checked="" type="checkbox"/>	Name	City	Billing Country	Phone	User
Mass Update You have selected all 58 records in the result set. Clear selections.					
<input type="checkbox"/>	Persistence		USA	(777) 954-2...	Max Jensen
<input type="checkbox"/>	Salt Lake City		USA	(405) 569-3...	Max Jensen
<input type="checkbox"/>	Alabama		USA	(814) 408-2...	Sarah Smith
<input type="checkbox"/>	Los Angeles		USA	(008) 217-7...	Sarah Smith

The CSV file will be downloaded to your local machine to a location defined by your browser settings. The file can be read and manipulated as necessary.

Exporting From Legacy Module List Views

The following steps cover exporting from the Calls module as an example:

1. Navigate to the Calls list view by clicking the Calls module tab.
2. Use the [Basic](#) or [Advanced Search](#) functionality to find the records you wish to export.
3. Select the desired call records individually or by using the checkbox dropdown's options.

Search Calls

Subject		My Items <input type="checkbox"/>	My Favorites <input type="checkbox"/>	Open Items <input type="checkbox"/>
<input type="checkbox"/>	Delete	Selected: 3		
Select This Page (11) Select All (11+) Deselect All		Direction	Subject	
<input type="checkbox"/>		Outbound	Left a message	
<input checked="" type="checkbox"/>		Outbound	Discuss review process	
<input checked="" type="checkbox"/>		Outbound	Get more information on the proposed deal	

4. Choose "Export" from the Actions menu.

Subject		My Items <input type="checkbox"/>	My Favorites <input type="checkbox"/>	Open Items <input type="checkbox"/>
<input type="checkbox"/>	Delete	Selected: 3		
Mass Update Export		Direction	Subject	
<input checked="" type="checkbox"/>		Outbound	Left a message	
<input checked="" type="checkbox"/>		Outbound	Discuss review process	
<input checked="" type="checkbox"/>		Outbound	Get more information on the proposed deal	

The CSV file will be downloaded to your local machine to a location defined by your browser settings. The file can be read and manipulated as necessary.

Exported Files From List View

When data is exported from Sugar, the file that is produced is a CSV, or "Comma Separated Value" file. When viewed in a plain text editor, a CSV file looks like a long string of text with groupings of text separated with quotation marks and commas (e.g., "First Name","Last Name","Title"). The file first lists out all columns that are in the file, and then the corresponding rows follow, also separated by quotation marks and commas (e.g., "Dusty","Connor","IT Developer").

However, most spreadsheet software, such as Microsoft Excel, will read this file and convert the quotation marks and commas into rows and columns. This makes your data much easier to read and turns it into a useful format that can be manipulated and re-purposed as need be.

	A	B	C
1	First Name	Last Name	Title
2	Dusty	Connor	IT Developer

The records that appear in your spreadsheet are dependent on what type of search, if any, you did prior to your export.

When exporting from list view, the user is left with every part of the module database information, which is often not all readable by the user. This file will only contain information specific to the module where the export was performed. This exported data will be comprised of all stock and custom fields from the module. No data that would normally be found in a subpanel will appear on this export.

Exports from modules with [team-based permissions](#) enabled will contain two additional columns:

- **Selected Teams:** A comma-delimited list of the team names that are selected for extra access
- **Selected Team Set ID:** A unique identifier that references the group of teams contained in the Selected Teams field

Exporting From Reports

In addition to exporting from a list view, users also have the option to export data from a report. Because reports allow you to select the specific fields you would like to see, users can narrow down what they see on the export file and filter the module data however they would like. The advantage to using reports is that users


will only be presented with the data that they need, and no excess data. In addition, users can also export data from related modules using reports, which is not possible when [Exporting From Module List Views](#). Finally, because the reports are much more focused and specific, there is a higher threshold of the number of records that can be exported before encountering a timeout or any other such issues.

Due to PHP memory limitations on the server, there may be occasions when the application times out while exporting a report with a large amount of data. If you encounter an error when performing this action, we recommend breaking up the report in smaller batches.

For more information on creating your report, please refer to the [Reports](#) documentation.

Use the following steps to complete an export from a report:

1. Select an existing report from the Report module's list view, or create a new one based on the information that you would like to export.
2. Click on the actions menu of the report details and select "Export".



3. The CSV file will be downloaded to your computer to a location defined by your browser settings. The file can then be read and manipulated at will.

When exporting from a report, the data is more well-rounded for a user to review. The user can determine which fields should be included on the export by configuring the report. This means that while reviewing it in a spreadsheet, the information appears exactly as it does in Sugar. This makes for a more positive user experience and a more focused export file. In addition, the user is able to use modules related to the reported-on module. This makes the report more useful in a business sense for individual users.

Exported Files From Reports

When data is exported from Sugar, the file that is produced is a CSV, or "Comma Separated Value" file. When viewed in a plain text editor, a CSV file looks like a long string of text with groupings of text separated with quotation marks and

commas (e.g., "First Name","Last Name","Title"). The file first lists out all columns that are in the file, and then the corresponding rows follow, also separated by quotation marks and commas (e.g., "Dusty","Connor","IT Developer").

However, most spreadsheet software, such as Microsoft Excel, will read this file and convert the quotation marks and commas into rows and columns. This makes your data much easier to read and turns it into a useful format that can be manipulated and repurposed as need be.

	A	B	C
1	First Name	Last Name	Title
2	Dusty	Connor	IT Developer

The information that appears in your spreadsheet is dependent on which filters and display columns you added to your report. Only the information shown in the display columns when you view your final report will be included in your CSV export.

Last Modified: 2021-12-21 17:19:57

Import

Overview

For most modules, Sugar allows users to transfer data from an external source (usually a comma-separated-values file) into the database via import. Sugar's import wizard is a quick and easy way to create or update many records at once. The import tool can be used to add a list of new customers or leads to the database, update existing data, migrate from a previous CRM system, or for any process that requires manipulating many records at once.

Your system's Sugar administrator may enable importing for the following modules:

- Accounts
- Bugs
- Calls
- Campaigns
- Cases
- Contacts
- Contracts

-
- Custom modules (if applicable)
 - Leads
 - Manufacturers
 - Meetings
 - Notes
 - Opportunities
 - Product Catalog
 - Product Categories
 - Product Types
 - Quoted Line Items
 - Targets
 - Tasks

Users with an administrator or developer role can import records into the following modules:

- Tags
- Tax Rates
- Users

Note: The import option can only be used to update existing user records for instances that use SugarIdentity. Administrators can access SugarIdentity via the SugarCloud Settings console to [import](#) a list of new users using a CSV file.

When importing through any of the above modules, Sugar presents users with a wizard to help guide users through the process of creating and updating records.

Import Guidelines

Importing is a very important process for both new Sugar users and those who have been using Sugar for years. Depending on your business needs, you may run imports anywhere from multiple times per week to only once or twice per year. Regardless of the import frequency, all users follow the same import guidelines:

- **File Delimitation:** Sugar accepts files that are delimited by a given separator, such as commas or tabs. The most common type of import will be using a CSV (Comma Separated Value) file, but Sugar will accept other file types as long as it recognizes the delimiter.
- **Imposed Limitations:** Sugar, by default, does not impose any type of import limitations. However, System Administrators can impose a limit on the number of rows or records that can be imported at one time. This limitation is found in Admin > System Settings > Advanced > Import - Maximum Number of Rows. Administrators can also limit what modules

users are allowed to import into through the use of [Roles](#).


- **Scrub Data Before Import:** It is strongly recommended that all data is reviewed and scrubbed before importing. It is much easier to see if you are importing good data or that you have removed all duplicates before importing than finding them after they are already in Sugar and are already in use by other users. In addition, you want to ensure standardized fields such as dates, phone numbers, etc. adhere to a common format so that the import will run as smoothly as possible.
- **Parent Records First:** When importing any records that use a relationship to another module, such as the Account - Contact relationship, it is best to try importing the parent, or higher level, records first. This is demonstrated with a one-to-many relationship between the two modules. In this case, it is best to import accounts first and then contacts, which rely on account records.

Importing New Records

The first type of import that will be covered is importing new records. Whether you are just starting a migration from another CRM to Sugar or if you are adding a new list of records that you have received, such as a new list of leads or accounts, this process will help to get the data into Sugar without having to manually enter each record. After preparing your import file, follow these steps to import the list into Sugar:

Note: For instances that use SugarIdentity, administrators need to access SugarIdentity via the SugarCloud Settings console to [import](#) a list of new users using a CSV file.

1. Navigate to the module tab for the module that you are importing into and select the import option. This will open the Import Wizard and bring you to the "Upload Import File" screen.



2. If you would like to review the Import File Template, you can download it from this page. This will give you a template of the format Sugar is going to

be using to import your data. For more information on the template, please review the [Import File Template](#) section of this documentation.

3. Select the import file that you are going to use to import by clicking the Choose File button. When prompted, select the file from your computer and it will appear in this box.

Select file: No file chosen i

4. Ensure that "Create new records only" is selected.
5. If you have performed imports before and have previously saved your import settings, you can select your setting at the bottom of the page using the "To use pre-set import settings, select from below" option. If you do not have any saved import settings, this section will not appear. For more information on saving mapping, please review the [Saving Field Mappings](#) section of this documentation.

To use pre-set import settings, select from below: i

None

Standard Account Import


6. Click "Next" to access the "Confirm Import File Properties" screen.
7. This screen will show you the first two rows that Sugar is going to try to import as an example to let you know that your file was read properly by Sugar.
8. The Import Wizard automatically detects the properties of the file that has been uploaded to ensure the best import possible. If you notice any mistakes or need to set up any advanced configuration, click "View Import File Properties". These changes are specific to the import and do not affect your standard user preferences.

i

File Encoding:	<input type="text" value="UTF-8"/>	Fields Delimited By:	<input type="text" value=","/> i
Fields Qualified By:	<input)"="" type="text" value="Double Quote ("/> i	Header Row:	<input checked="" type="checkbox"/> i
Date Format:	<input type="text" value="12/23/2010"/>	Time Format:	<input type="text" value="11:00 pm"/>
Time Zone:	<input type="text" value="America/Los Angeles (GMT-7:00)"/>	Currency:	<input type="text" value="US Dollars : \$"/>
Currency Significant Digits:	<input type="text" value="2"/>	Example:	<input type="text" value="123,456,789.00"/>
1000s separator:	<input type="text" value=","/>	Decimal symbol:	<input type="text" value="."/>
Name Display Format:	<input type="text" value="s f l"/> <small>"s" Salutation, "f" First Name, "l" Last Name</small>	Example:	

9. If the file was exported from either Salesforce.com or Microsoft Outlook, select the corresponding option under "If the import file data was exported from any of the following sources, select which one". If not, leave this as "None". This option will set up your mapping properly on the next screen.
10. Click "Next" to access the Confirm Field Mappings screen.

-
11. Click the View Notes button for any relevant information, specific to this module, to the import that you are performing.



12. This screen presents you with four columns:
- **Header Row:** This is the column header from your import file. This column will let you reference your file to make sure your column mapping is correct. If your import file does not have a header row, this column will not show.
 - **Module Field:** This column contains a dropdown list of all importable fields for the module. The Import Wizard tries to match the Header Row with the corresponding Sugar field. If the suggested mapping is incorrect, use the dropdown list to change the mapping. Required fields are marked with an asterisk (*).
 - **Row 1:** This column contains the values from the first row of data in your import file. This is another aid to help ensure you have your mapping correct, so that you can see the mapping using real data and not just the headers. If your import file does not have column headers, there will be an additional column for Row 2.
 - **Default Value:** This column is hidden by default, but can be expanded if needed. When expanded, you have the option to fill in a value that will populate all records where a value for that field does not exist. For example, if you do not have anything populated in the Accounts Industry field, but you know this is a list of Technology companies, you can populate all blank values in the Industry field



13. Click "Add Field" if any data needs to be added to the import that is not on your import file. This can be used if you would like to assign a value to a record when the column is not on your import file. This is used in conjunction with the Default Value column. For example, if you are importing these accounts, but would like to assign them all to another user, John Smith, you would click the Add Field button, select the field from the Module Field column, and populate the desired value in the Default Value column. Now, all records will be assigned to John Smith upon import.

Header Row	Module Field	Row 1	Default Value
Name	Name *	Southern Realty	
Billing City	Billing City	Cupertino	
Billing State	Billing State	CA	
Billing Postal Code	Billing Postal Code	72197	
Billing Country	Billing Country	USA	
	Assigned User Name		Will Westin


- Click "Next" to access the Check for Possible Duplicates screen.
- This menu allows users to check if there are duplicated values on the import to records that already exist in Sugar. This menu will vary depending on what module you are importing into as the fields will be specific to this module. The fields available to the Import Wizard are determined based on the system-defined indexes. This is why you will not see all fields shown on this list, but only a subset of fields from the module. If you would like to cross reference existing Sugar records against what is being imported, simply drag and drop the field name from the right column, "Available Fields", to the left column, "Fields to Check". For more information on duplicate checking, please review the [Detecting Duplicates](#) section of this documentation.

Fields to Check	Available Fields
Name	Assigned To
	Email Address
	Parent Account ID

- If the import configuration that you have set up is going to be used again in the future for additional imports, add a name at the bottom of the page so that it can be referenced later. For more information on saved field mappings, please review the [Saving Field Mappings](#) section of this documentation.

To save the import settings, provide a name for the saved settings: ?

- When your duplicate checking settings are complete, click "Import Now" to begin the import.
- After the import completes, you are brought to the "View Import Results" page. Here, you are provided with a summary of the import.




19. The summary will tell you how many records were created, how many were not created due to an error, and how many were found as duplicates.
20. There are three buttons below the Summary:


- **Undo Import:** If there was a mistake in the import that you realized after importing, you can check this button. All records that were created via the import will be deleted. This button cannot be re-accessed for this import. As soon as you navigate away from this page, the import is considered complete.
- **Import Again:** Click this button if you would like to go back to the first step of the Import Wizard and perform additional imports. Clicking this button will consider the import to be complete.
- **Exit:** This button will also consider the import to be complete, but will bring you back to the module's list view to be able to further review or search your records.

21. There are also three tabs on the summary page under the buttons:

- **Created Records:** This tab will show you a list view of all of the records that were properly imported on this import.
- **Duplicates:** This tab will present you with any records that were not imported due to the Import Wizard finding duplicates from Step 15. There is an option to download a list of the duplicates, which produces a new CSV file. You have the option to download this list, make any changes, and import again following this same process.



- **Errors:** This tab will show you any records that were not imported due to an error during the import process. This is usually seen when there is a problem with data that is on one of the records or rows in the CSV file. For instance, if you are missing a value for a required field, or a field is formatted incorrectly.



Note: Similar to the option to download duplicate records, you also have the option to download the list of errors using the two links

provided:

- The "Download list of errors" option will produce a new CSV file with columns showing (from left to right) the error, the field affected, the value, and the line in your original import file where the error occurred.

	A	B	C	D
1	Invalid datetime	Date Modified: (date_modified)	Yesterday	2
2	Required value missing	Name: (name)	NULL	3

- The "Download list of rows that were not imported" option will download a new CSV file with the same format of your original one, containing only the rows that were not imported so that you can clean them up and then re-import.

	A	B	C	D	E	F
1	Name	Billing City	Billing State	Billing Postal	Billing Count	Date_modified
2	SugarCRM	New York	NY	14402	USA	Yesterday
3		Los Angeles	CA	69904	USA	

	A	B	C	D	E	F
1	Name	Billing City	Billing State	Billing Postal Code	Billing Country	Date_modified
2	SugarCRM	New York	NY	14402	USA	Yesterday
3		Los Angeles	CA	69904	USA	

Error: Invalid datetime
Field Name: Date Modified: (date_modified)
Value: Yesterday

Error: Required value missing
Field Name: Name: (name)
Value: NULL

22. Once you have downloaded the desired lists and reviewed the import, the buttons mentioned in Step 20 can be used to complete your import.

Importing Updates to Existing Records

In addition to importing new records, Sugar's Import Wizard also has the functionality to use an import file to update existing Sugar records. The process runs very similarly to the new value record import process described above.

The most important aspect to importing updates to existing records is that Sugar will only update records where there is a matching ID in the import file. Every Sugar record, regardless of what module it is in, is defined with an alphanumeric ID field. This field is typically a 36-character alphanumeric value but may be less if imported from a previous CRM. This field is the only way that the Import Wizard will know which record to update.

Note: All other fields (name, email address, etc.) are not considered unique and can have duplicates, so only the ID field will work to differentiate records for an


update from import.

The ID field is not usually shown in Sugar and must be found either by running a report or an export within the module.

During the import, if there are any other records without ID fields and they are in the import file, they will create new records, which will create duplicates in your database.

To import updates, follow the steps below.

1. To prepare the import file, you must have the ID numbers for all of the records that you are going to be updating. The most common methods are either by exporting a list of records from the module list view or by running a report and exporting the results. For more information on exporting, please review the [Export](#) documentation.
 - **Export from List View:** This option will include the record ID field, but it is recommended that you open the file in a spreadsheet editor (Microsoft Excel) and delete any columns that you are not updating. Be sure to leave the ID field and any required fields, such as Name, as the import will not complete without these.
 - **Export from Report:** If you choose to run a report, be sure to include the ID field in your display columns so that the records can be matched up. You will also want to include any required fields, such as Name, as the import will not complete without these. Please note that only Rows and Columns reports can be used for exports. After you have your file ready for import, you can proceed with working through the Import Wizard.
2. Navigate to the module tab for the module that you are updating and select the import option. This will open the Import Wizard and bring you to the "Upload Import File" screen.



3. If you would like to review the Import File Template, you can download it from this page. This will give you a template of the format Sugar is going to be using to import your data. For more information on the template, please review the [Import File Template](#) section of this documentation.

4. Select the import file that you are going to use to import by clicking the "Choose File" button. When prompted, select the file from your computer and it will appear in this box.

Select file: No file chosen i

5. Select the option "Create new records and update existing records".
6. If you have performed imports before and have previously saved your import settings, you can select your setting at the bottom of the page using the "To use pre-set import settings, select from below" option. If you do not have any saved import settings, this section will not appear. If your CSV file was exported from Sugar, this is likely not a necessary step. For more information on saving mapping, please review the [Saving Field Mappings](#) section of this documentation.

To use pre-set import settings, select from below: i

None

Standard Account Import

7. Click "Next" to access the "Confirm Import File Properties" screen. Before the "Confirm Import File Properties" screen opens, you will be prompted with an alert informing you that updates made to existing records cannot be undone. Read, and then click "OK" to proceed.
8. This screen will show you the first two rows that Sugar is going to try to import as an example to let you know that your file was read properly by Sugar.
9. The Import Wizard automatically detects the properties of the file that has been uploaded to ensure the best import possible. If you notice any mistakes or need to set up any advanced configuration, click "View Import File Properties". These changes are specific to the import and do not affect your standard user preferences.


i

File Encoding:	<input type="text" value="UTF-8"/>	Fields Delimited By:	<input type="text" value=","/> i
Fields Qualified By:	<input)"="" type="text" value="Double Quote ("/> i	Header Row:	<input checked="" type="checkbox"/> i
Date Format:	<input type="text" value="12/23/2010"/>	Time Format:	<input type="text" value="11:00 pm"/>
Time Zone:	<input type="text" value="America/Los Angeles (GMT-7:00)"/>	Currency:	<input type="text" value="US Dollars : \$"/>
Currency Significant Digits:	<input type="text" value="2"/>	Example:	<input type="text" value="123,456,789.00"/>
1000s separator:	<input type="text" value="."/>	Decimal symbol:	<input type="text" value="."/>
Name Display Format:	<input type="text" value="s f l"/> <small>"s" Salutation, "f" First Name, "l" Last Name</small>	Example:	

10. If the file was exported from either Salesforce.com or Microsoft Outlook, select the corresponding option under "If the import file data was exported from any of the following sources, select which one". If not, leave this as

"None". This option will set up your mapping properly on the next screen. If this file was exported from Sugar, keep it set to "None".

11. Click "Next" to access the Confirm Field Mappings screen.
12. Click the View Notes button for any relevant information, specific to this module, to the import that you are performing.



13. This screen presents you with four columns:
 - **Header Row:** This is the column header from your import file. This column will let you reference your file to make sure your column mapping is correct. If your import file does not have a header row, this column will not show.
 - **Module Field:** This column contains a dropdown list for each row that contains the name of a field in Sugar. The Import Wizard tries to match the Header Row with the corresponding Sugar field. If the suggested mapping is incorrect, use the dropdown list to change the mapping. Required fields are marked with an asterisk (*).
 - **Row 1:** This column contains the values from the first row of data in your import file. This is another aid to help ensure you have your mapping correct, so that you can see the mapping using real data and not just the headers. If your import file does not have column headers, there will be an additional column for Row 2.
 - **Default Value:** This column is hidden by default, but can be expanded if needed. When expanded, you have the option to fill in a value that will populate all records where a value for that field does not exist. For example, if you do not have anything populated in the Accounts Industry field, but you know this is a list of Technology companies, you can populate all blank values in the Industry field



14. Click "Add Field" if any data needs to be added to the import that is not on your import file. This can be used if you would like to assign a value to a record when the column is not on your import file. This is used in conjunction with the Default Value column. For example, if you are importing these accounts, but would like to assign them all to another user, John Smith, you would click Add Field button, select the field from the Module Field column, and populate the desired value in the Default Value column. Now, all records will be assigned to John Smith upon import.

Header Row	Module Field	Row 1	Default Value
Name	Name *	Southern Realty	
Billing City	Billing City	Cupertino	
Billing State	Billing State	CA	
Billing Postal Code	Billing Postal Code	72197	
Billing Country	Billing Country	USA	
	Assigned User Name	Will Westin	

15. Click "Next" to access the Check for Possible Duplicates screen.
16. This menu allows users to check if there are duplicated values on the import to records that already exist in Sugar. Duplicate checking will only apply to new records created by the import. For more information on detecting duplicates, please review the [Detecting Duplicates](#) section of this documentation.
17. If the import configuration that you have set up is going to be used again in the future, add a name at the bottom of the page so that it can be referenced later. For more information on saving mapping, please review the [Saving Field Mappings](#) section of this documentation.

To save the import settings, provide a name for the saved settings: ?

18. Click "Import Now" to begin the import.
19. After the import completes, you are brought to the "View Import Results" page. Here, you are provided with a summary of the import.

Summary

5 records were created


20. The summary will tell you how many records were updated, how many were created, how many were not created due to an error, and how many were found as duplicates, as applicable.
21. There are three buttons below the Summary:
 - **Undo Import:** If there was a mistake in the import of any new records that you realized after importing, you can check this button. All new records that were created via the import will be deleted. After updating, no changes to updated records can be reverted. This

button cannot be re-accessed for this import. As soon as you navigate away from this page, the import is considered complete. This button will not show if there were no new records created.


- **Import Again:** Click this button if you would like to go back to the first step of the Import Wizard and perform additional imports. Clicking this button will consider the import to be complete.
- **Exit:** This button will also consider the import to be complete, but will bring you back to the module's list view to be able to further review or search your records.

22. There are also three tabs on the summary page under the buttons:

- **Created Records:** This tab will show you a list view of all of the records that were properly imported on this import. If this was only an update, there will not be any records showing on this tab as it does not show updated records.
- **Duplicates:** This tab will present you with any records that were not imported due to the Import Wizard finding duplicates from Step 16. There is an option to download a list of the duplicates, which produces a new CSV file. You have the option to download this list, make any changes, and import again following this same process. If you did not use any duplicate settings, this tab will be empty.



- **Errors:** This tab will show you any records that were not imported due to an error during the import process. This is usually seen when there is a problem with data that is on one of the records or rows in the import file. For instance, if you are missing a value for a required field, or a field is formatted incorrectly.



Here are the rows in the import file that were not imported due to errors.



Note: Similar to the option to download duplicate records, you also have the option to download the list of errors using the two links provided:

- The "Download list of errors" option will produce a new CSV file with columns showing (from left to right) the error, the field affected, the value, and the line in your original import file where the error occurred.

	A	B	C	D
1	Invalid datetime	Date Modified: (date_modified)	Yesterday	2
2	Required value missing	Name: (name)	NULL	3

- The "Download list of rows that were not imported" option

will download a new CSV file with the same format of your original one, containing only the rows that were not imported so that you can correct the errors and then re-import.

	A	B	C	D	E	F
1	Name	Billing City	Billing State	Billing Postal	Billing Count	Date_modified
2	SugarCRM	New York	NY	14402	USA	Yesterday
3		Los Angeles	CA	69904	USA	



- Once you have downloaded the desired lists and reviewed the import, the buttons mentioned in Step 21 can be used to complete your import.

Updating the 'Date Modified' and 'Modified By ID' Fields

If the Date Modified and Modified By ID field values are blank in the import file or are set to "Do not map" during import, "Date Modified" will be set to the date and time that the record is imported and "Modified By ID" will be set to the ID of the user performing the import.

To make changes to records without affecting the Date Modified and Modified By ID fields, first export the data including the Date Modified and Modified by ID columns, and then import with the desired changes, including the original values in the Date Modified and Modified by ID columns. For example, if you want to mark half of your RLIs for purchase generation, but you do not want to affect the historical values of these fields, do an import to update the Purchase Generation field value to "Yes" and include the exported Date Modified and Modified By ID fields to preserve their values.

Updating the 'Date Created' and 'Created By ID' Fields

If the Date Created and Created By ID field values are blank in the import file or are set to "Do not map" during import, "Date Created" will be set to the date and time that the record is imported for new records. For existing records, the original time will be preserved. "Modified By ID" will be set to the ID of the user


performing the import for new records. For existing records, the original user will be preserved.

Importing Fields With Multiple Values

Multiselect fields allow for the input of multiple values. When importing data to these fields, it is possible to import multiple field values using a comma delimiter within the field.

Importing Multiselect Fields to New Records

To import multiple values to a multiselect field on a new record, the import data file's mapped column should contain exact character matches to existing dropdown values separated by commas. For example, a multiselect field for Flavors contains the options Chocolate, Pistachio, Rocky Road, Spumoni, and Vanilla.



To import a new record that contains both "Vanilla" and "Chocolate" in the Flavors field, the import data file's Flavors column should contain Vanilla,Chocolate with a comma separating the values and no extra spaces. If one of the imported multiselect options is a phrase, such as "Rocky Road", then the imported data field should contain a space character only within that value: Vanilla,Chocolate,Rocky Road.

	A	B	C
1	First Name	Last Name	Flavors
2	Justine	Cambra	Vanilla,Chocolate,Rocky Road
3	Hugo	Bork	Vanilla,Pistachio,Chocolate
4	Jewell	Haas	Vanilla,Pistachio,Spumoni,Chocolate
5	Beulah	Randel	Chocolate
6	Abdul	Ducote	Chocolate

Note: The dropdown option display labels are not required to be unique, so best practice is to import the database values if they are known. For more information about how admin users can see database values and display labels for dropdown options, please refer to the [Dropdown Editor](#) documentation.

Importing Multiselect Fields to Existing Records

Importing updates to a multiselect field of a record already existing in Sugar will erase any previous values and replace them with the imported values. If you wish to append new values to the existing values via import, you must first export the contents of the field for each record you will be updating, add the desired values to the existing values in by modifying the exported CSV file, then import the modified export file to Sugar.

For example, imagine you would like to update 100 existing contact records. Each of the 100 contacts should have "Chocolate" added to the multiselect field "Flavors" without losing the data that is stored in the multiselect field already. The following steps explain how to append a multiselect field via import:

1. Export the list of 100 contacts that need to be updated.
2. Preserve (at least) the Last Name, ID, and Flavors fields in the export file. The other field columns may be deleted.
3. Sort the spreadsheet data by the Flavors column.
4. Remove any rows from the file that already contain "Chocolate" as a value in the Flavors column.

	A	B	C	D
1	First Name	Last Name	ID	Flavors
2	Benny	Blackmore	aa7fb471-d90d-3beb-3b03-5488b9f99170	Chocolate
3	Wes	Lathrop	aaf2441d-6598-4db5-300b-5488b99e6636	Chocolate
4			477d8200-55f1-f310-5c43-5488b90a4462	Chocolate, Rocky Road
5			4717-60c8-01dd-5488b93b4c65	Chocolate, Rocky Road
6			36bf-107b-bf88-5488b91f1f1f	Chocolate, Rocky Road
7			8cbd-912a-eab2-5488b98dc7dc	Chocolate, Rocky Road
8			d8d7-15ad-6054-5488b919ba23	Chocolate, Rocky Road
9			df10-9560-5354-548f6440dd91	Vanilla
10			ad5a-b55e-e325-548f64ff3f9a	Vanilla
11			b391-ef04-1adf-548f64973ede	Vanilla
12			5a4-9972-52de-548f646d3850	Vanilla
13			73e-c429-d9e2-548f644fd267	Vanilla
14			789f-b3f1-45b0-5488b9a2236d	Vanilla
15			0052-10e9-bfca-5488b98c6fa4	Vanilla
16			2572-bbed-91ff-5488b9969bcd	Vanilla
17			58cf-0241-d686-5488b9001c7d	Vanilla
18			cbc6-e1f9-e265-5488b99fb2b7	Vanilla
19			e3b4-f925-069a-5488b92062c0	Vanilla
20			fe2d-364b-9726-5488b96e0e6c	Vanilla

5. If the Flavors column contains any empty cells, type the word Chocolate in those cells. In the remaining cells of the Flavors column, add ,Chocolate (with a leading comma but no extra spaces) to the end of the existing character string.

	A	B	C	D
1	First Name	Last Name	ID	Flavors
2	Justine	Cambra	f3192b55-09ce-65a7-8a57-5488b9595d78	Vanilla,Chocolate
3	Hugo	Bork	e6280f35-6c18-1b8a-f786-5488b95a56a3	Vanilla,Pistachio,Chocolate
4	Jewell	Haas	f0eae66-a073-6209-4c29-5488b965d593	Vanilla,Pistachio,Spumoni,Chocolate
5	Beulah	Randel	d1cb0162-83da-2fb2-1b1f-5488b91ba650	Chocolate
6	Abdul	Ducote	d3c422fd-105a-8f74-5bed-5488b9aee0db	Chocolate
7	Royal	Dockins	d789f052-968d-8ae0-c781-5488b9465c56	Chocolate
8	Toney	Denman	dc9ae08d-6c17-94ee-3fe7-5488b948499e	Chocolate
9	Hilda	Mire	dcc7362b-fb2c-24e0-78c7-5488b950e1ab	Chocolate

6. Save this file for import.
7. Follow the steps in the [Importing Updates to Existing Records](#) section of this documentation to complete the import and update process.

Importing Relationships

There are many situations where imports need to forge a relationship between two modules. A common example of this would be how importing contacts without an account name would leave the contacts orphaned and not linked to any parent account. To solve this problem, Sugar allows one-to-many and one-to-one relationships to be imported during the standard import process. The available fields will vary depending on the module being imported and will show on the [Import Template](#).

When importing a relationship, Sugar will need the related record's unique ID, or, in some cases, will accept the record's Name field. Examples of the fields that relate one module to another are explained below. For additional tips and steps to import related records, please refer to the [Importing Related Records](#) article.

Module	Module Related To	Field(s) Used For Relationship	Instructions For Import
Accounts	Accounts	Member Of	<p>On the import file, add a column for "Member Of". You can use either the Sugar record ID or the exact name of the parent account. This will cause the imported record to be related to the parent account on the "Member Of" field.</p> <p>Using an account name that Sugar does not recognize will create an additional new account record.</p> <p>Note: If you are using the account</p>

		<p>name, it must be exactly as it shows in Sugar. For example, if your account in Sugar is "SugarCRM", but your import file contains "Sugar CRM" or "SugarCRN", the account will not relate properly.</p>
	<p>Parent Account Id</p>	<p>On the import template, there is a column for "Parent Account". Use the existing Sugar record ID of the parent account. The dropdown option for this is Parent Account Id. This will cause the imported record to be related to the parent account on the "Member Of" field.</p>
<p>Campaigns</p>	<p>Campaign</p>	<p>Use the existing Sugar campaign name or campaign record ID to relate the account to the campaign record. Note: If you are using the campaign name, it must be exactly as it shows in Sugar. For example, if your campaign in Sugar is "End of Year Newsletter", but your import file contains "End of</p>

			Year News" or "End of Year Promotion", the account will not relate properly.
		Campaign ID	Use the existing Sugar campaign record ID number to connect the campaign name into the new account record.
Calls	Contacts	Contact ID	Use the existing Sugar contact record ID number to connect the contact name into the new call record.
	Flex Relate	Related To Module Related To ID	On the import template, there are columns for both "Related To Module" and "Related To ID". Both need to be used to form the proper relationship. Related To Module: The Sugar module's plural name for the record that you are going to relate (Accounts, Contacts, etc.). Related To ID: The ID for the record you are relating.
Cases	Accounts	Account ID	Use the existing Sugar account record ID to relate the case to the

			account record.
		Account Name	Use the existing Sugar account name or record ID to relate the contact to the account record. Note: If you are using the account name, it must be exactly as it shows in Sugar. For example, if your account in Sugar is "SugarCRM", but your import file contains "Sugar CRM" or "SugarCRN", the account will not relate properly.
Contacts	Accounts	Account ID	Use the existing Sugar account record ID to relate the contact to the account record.
		Account Name	Use the existing Sugar account name or record ID to relate the contact to the account record. Using an account name that Sugar does not recognize will create a new account record with a relationship to the contact. Note: If you are using the account name, it must be exactly as it shows

		in Sugar. For example, if your account in Sugar is "SugarCRM", but your import file contains "Sugar CRM" or "SugarCRN", the account will not relate properly.
Campaigns	Campaign	Use the existing Sugar campaign name or campaign record ID to relate the contact to the campaign record. Note: If you are using the campaign name, it must be exactly as it shows in Sugar. For example, if your campaign in Sugar is "End of Year Newsletter", but your import file contains "End of Year News" or "End of Year Promotion", the contact will not relate properly.
	Campaign ID	Use the existing Sugar campaign record ID number to connect the campaign name into the new contact record.
Contacts	Reports To	Use the existing Sugar contact record ID number to connect the new contact and the existing one.

	Emails	<p>Email Address</p> <p>Non-Primary Email Address</p>	<p>Importing an existing email address into Sugar's Contacts module will cause all email messages related to that email address may match the contact's primary or non-primary email address and must be exact for the relationship to form properly.</p> <p>Note: Importing an update to a contact with an existing email address, the Opt-Out and Invalid checkboxes will not be disabled if they are checked on the existing email address.</p>
Leads	Accounts	Account ID	<p>Use the existing Sugar account record ID to relate the lead to an existing account record. This is not a relationship that can be forged from the Leads module in Sugar. This can be created from an Account record, though. This relationship is usually formed through the Lead Conversion process.</p>
		Account Name	<p>In Leads, this is just a text field.</p>

		This will not create any relationships. Upon conversion, an Account can be created. For more information on converting leads, please review the Lead Conversion documentation.
Campaigns	Campaign	Use the existing Sugar campaign name or campaign record ID to relate the lead to the campaign record. Note: If you are using the campaign name, it must be exactly as it shows in Sugar. For example, if your campaign in Sugar is "End of Year Newsletter", but your import file contains "End of Year News" or "End of Year Promotion", the lead will not relate properly.
	Campaign ID	Use the existing Sugar campaign record ID number to connect the campaign name into the new lead record.
Contacts	Contact ID	Use the existing Sugar contact record ID to relate the lead to an existing contact record. This is not a relationship that

		<p>can be forged from the Leads module in Sugar. This can be created from a contact record, though. This relationship is usually formed through the Lead Conversion process. For more information on converting leads, please review the Lead Conversion documentation.</p>
	Opportunities	<p>Opportunity ID</p> <p>Use the existing Sugar opportunity record ID to relate the lead to an existing opportunity record. This is not a relationship that can be forged from the Leads module in Sugar. This can be created from an opportunity record, though. This relationship is usually formed through the Lead Conversion process. For more information on converting leads, please review the Lead Conversion documentation.</p>
		<p>Opportunity Name</p> <p>In Leads, this is just a text field. This will not create any relationships. Upon conversion,</p>

			an opportunity can be created. For more information on converting leads, please review the Lead Conversion documentation.
	Emails	Email Address Non-Primary Email Address	Importing an existing email address into Sugar's Leads module will cause all email messages related to that email address may match the lead's primary or non-primary email address and must be exact for the relationship to form properly. Note: Importing an update to a contact with an existing email address, the Opt-Out and Invalid checkboxes will not be disabled if they are checked on the existing email address.
Meetings	Contacts	Contact ID	Use the existing Sugar contact record ID number to connect the contact name into the new meeting record.
	Flex Relate	Related To Module Related To ID	On the import template, there are columns for both

			<p>"Related To Module" and "Related To ID". Both need to be used to form the proper relationship.</p> <p>Related To Module: The Sugar module's plural name for the record that you are going to relate (Accounts, Contacts, etc.).</p> <p>Related To ID: The ID for the record you are relating.</p>
Notes	Contacts	Contact ID	Use the existing Sugar contact record ID number to connect the contact name into the new note record.
	Flex Relate	<p>Related To Module</p> <p>Related To ID</p>	<p>On the import template, there are columns for both "Related To Module" and "Related To ID". Both need to be used to form the proper relationship.</p> <p>Related To: The Sugar module's plural name for the record that you are going to relate (Accounts, Contacts, etc.).</p>

			Related To ID: The ID for the record you are relating.
Opportunities	Accounts	Account ID	Use the existing Sugar account record ID to relate the opportunity to the account record.
		Account Name	Use the existing Sugar account name or record ID to relate the opportunity to the account record. Using an account name that Sugar does not recognize will create a new account record with a relationship to the opportunity. Note: If you are using the account name, it must be exactly as it shows in Sugar. For example, if your account in Sugar is "SugarCRM", but your import file contains "Sugar CRM" or "SugarCRN", the account will not relate properly.
	Campaigns	Campaign	Use the existing Sugar campaign name or campaign record ID to relate the opportunity to the campaign record.

			<p>Note: If you are using the campaign name, it must be exactly as it shows in Sugar. For example, if your campaign in Sugar is "End of Year Newsletter", but your import file contains "End of Year News" or "End of Year Promotion", the opportunity will not relate properly.</p>
		Campaign ID	Use the existing Sugar campaign record ID number to connect the campaign name into the new opportunity record.
Targets	Accounts	Account Name	In Targets, this is just a text field. This will not create any relationships.
	Campaigns	Campaign ID	Use the existing Sugar campaign record ID number to connect the campaign name into the new target record.
	Leads	Lead ID	Use the existing Sugar lead record ID to relate the target to an existing lead record. This is not a relationship that can be forged from either module in Sugar. This relationship is

			usually formed through the target conversion process. For more information on converting targets, please review the Lead Conversion documentation.
Tasks	Contacts	Contact ID	Use the existing Sugar contact record ID number to connect the contact name into the new Task record.
	Flex Relate	Related To ID Related To Module	On the import template, there are columns for both "Related To ID" and "Related To Module". Both need to be used to form the proper relationship. Related To ID: The ID for the record you are relating. Related To Module: The Sugar module's plural name for the record that you are going to relate (Accounts, Contacts, etc.).

Importing Team-Based Permissions

Modules with [team-based permissions](#) enabled support two additional columns for imports:

- **Selected Teams:** A comma-delimited list of the team names that are selected for extra access
- **Selected Team Set ID:** A unique identifier that references the group of teams contained in the Selected Teams field

When importing a list of new records or record updates, include one of these columns in the import file to set record-level access to the records. If known, the Selected Team Set ID field is the most efficient way to communicate the data to Sugar. In the more common scenario that the ID is unknown, simply insert the name of the selected team (or teams separated by commas) in the Selected Teams field.

Import File Template

The Import File Template is a very useful tool for building your import file from another source or from scratch. The template for any module can be found on the Upload Import File page, which is either the first or second page of the wizard, depending on the module.

The purpose of this file is to let you know what format Sugar is going to be looking for when you perform your import. The file contains all fields for a given module, regardless of if they show on any of your layouts. For instances that use SugarIdentity, there are a number of [user fields](#) that are read-only which can only be edited in SugarIdentity via the SugarCloud Settings console. So, including any read-only fields in the import file will not update the user records with the updated values. The file is also properly formatted and all settings are ready for the import. Upon opening the template, you will see a few example lines of either actual records from your instance, or, "demo data" if you have not yet performed an import. The template also contains instructions on how it is used.

It is best to use the format supplied in this template whenever possible to make your import process as seamless as possible.

Saving Field Mappings

When importing data, there can be times where you will be using the same import file format. If this file was not exported from Sugar, that likely means that you have to re-map most of the fields on the Confirm Field Mappings screen of the Import Wizard. To save time in the future, you can use the Import Wizard's pre-set import settings.

To use pre-set import settings, select from below: i

None
 Standard
Account Import

On the "Check for Possible Duplicates" page of the wizard, which is the last page before performing your import, there is a text box where you can name the import settings that you have used on this import.

To save the import settings, provide a name for the saved settings: i

Once you click "Import Now", this mapping will be saved and available for your use in future imports.

This mapping is now saved for your user and will appear on the Upload Import File page of the Import Wizard. This will include two buttons for "Publish" and "Delete".

To use pre-set import settings, select from below: i

None
 Standard
Account Import

- **Publish:** Clicking this option will make your mapping available to all users. The Publish button will change to "Un-Publish" so that you can stop other users from using the template mapping. When it is published, it will appear as an option in the same section for other users when they perform an import.
- **Delete:** This button will remove the pre-set import mapping for all users. This action cannot be undone.

Detecting Duplicates

During an Import, Sugar's Import Wizard includes the functionality to check for duplicate records. When enabled, Sugar will check to see if a record already exists in Sugar with the given criteria. When checking for duplicates, Sugar will mark any record as a duplicate if it cross-references against any of the duplicate fields. For example, when importing Contacts, if you select Last Name and Email Address as your duplicate check fields, any record that has a matching last name or a

matching email address to an existing contact in Sugar will be marked as a duplicate.

Fields to Check	Available Fields
Last Name	Assigned User ID
Email Address	First Name
	Full Name
	Reports To ID

The duplicate check fields used in each module differ depending on what fields are available to the module. Not all fields are used or available in the duplicate check and are pre-determined based on system-defined indexes.

If your import file has any duplicate records based on the fields you elect to verify against, the first record will be imported, and then all subsequent records in the file matching the duplicate criteria will be flagged.

Any duplicates will show as such on the final page of the import. You will also have the option to download the duplicates so that they can be manually cross-referenced to verify if they are actually duplicates. If they are not, simply re-run the import process without selecting any fields on the "Check for Possible Duplicates" page.


External Data Sources

When importing data to Sugar, there are other options than importing a data file exported from another source. Sugar offers an option to directly connect to an outside application or service through the Import Wizard and have Sugar pull the information directly from the source. This functionality is currently only available for Google Contacts.


The import process is very similar to what is described above, but with some differences to speed up the process for users who would like to import all contact data into Sugar

Importing Data From Google


1. Navigate to the module tab for the person-type module (e.g., Contacts) that you are importing into and select the import option. This will open the Import Wizard and bring you to the "Select Data Source" screen.




2. On the Select Data Source screen, navigate to the "My data is in:" section and choose the option for "an external application or service". This will activate a "Sign In" button for you to sign in to your Google account.



3. Fill in your user name and password for the Google account you would like to connect to and click "Connect".




4. Upon connecting, you will be brought to your user profile, on the "External Accounts" tab. Navigate back to the import screen, repeating steps 1 and 2 above. Click "Next" this time, instead of Sign In.



5. This will direct you to the "Confirm External Source Properties" page, which is very similar to the mapping screen from a data import from a file on your computer. Change any mapping necessary specific to your Google account and your Sugar instance. Any field in the Module Field column marked with an asterisk (*) is a required field and must be imported.
6. There is no duplicate check for this type of import, but names and email addresses are automatically checked for duplicates.


-
7. Click "Import Now" after you have completed your mapping.
 8. On the "View Import Results" screen, you will see that all of your Google contacts have been successfully imported into Sugar.
 9. Any records that were not imported due to error can be exported from Sugar and then re-imported if need be using the "Download list of rows that were not imported" link



10. To review the standard import process to re-import any additional records please review the [Importing New Records](#) section of this documentation.

Admin Import Wizard

Administrators have special functionality available in Sugar that may not be available for all other users. One of these is access to the Admin Import Wizard. In the "Admin" menu, under the "System" panel, there is a link for "Import Wizard".



Clicking this option will bring you to the Import Wizard, similar to the one for specific modules. However, the first step here is for "Select Data Source", where you will need to select the module you wish to import data. The dropdown provided includes options for all importable modules in one convenient location. Once you select the module from the list, click "Next" and you will be directed to the standard import wizard where you can [import new records](#) or [update existing ones](#). Please note that the import option can only be used to update existing user records for instances that use SugarIdentity. Administrators can access SugarIdentity via the SugarCloud Settings console to [import](#) a list of new users using a CSV file.

Last Modified: 2022-01-13 20:41:07

Data Privacy

Overview

The Data Privacy module allows users to record and take action on data privacy requests and events in Sugar. This module is one portion of a feature set aimed at supporting your ability to carry out your organization's data privacy policies. Sugar's [Data Privacy Guide](#) provides information which spans the entire data privacy feature set and presents consolidated information and instructions for leveraging these tools to accomplish your organization's data privacy procedures. This Data Privacy Guide will describe these enhancements, the configuration steps an admin must complete before users can access the new functionality, as well as provide guidance for end users and Data Privacy Managers. This documentation will instead focus on the mechanics of using the module including its fields, options, menus, and how to perform common actions on data privacy records.

Data Privacy Fields

The Data Privacy module contains a number of stock fields that come out-of-the-box with Sugar. For information on using and editing various field types, refer to the [User Interface](#) documentation. The definitions below are suggested meanings for the fields, but the fields can be leveraged differently to best meet your organization's needs. Administrators or users with developer-level role access have the ability to alter, add, or remove fields via Admin > Studio. For more information on configuring fields, please refer to the [Studio](#) documentation in the Administration Guide.

Field	Description
Assigned To	The Sugar user assigned to the data privacy record.
Business Purposes Consented for	Available when Type is set to "Consent to Process" or "Withdraw Consent, the various business purposes the individual is being asked to consent to or for which the individual is withdrawing consent. For more information about tracking consent, refer to the Data Privacy Guide .
Comment Log	A shared log of messages, comments, or other text, including the name of the user that added the log entry and the

	date and time it was added. It is possible to tag other users and link to other Sugar records in Comment Log entries by inserting a clickable pill; see the User Interface documentation for more details.
Date Closed	User-populated recording of when the data privacy record was rejected or completed.
Date Created	The date the data privacy record was created.
Date Modified	The date the data privacy record was last modified.
Date Opened	The date the data privacy record was created. This field will default to today's date upon creation but can be modified by users if the actual request date differs from the creation date of the record.
Description	A description or other information about the data privacy record.
Due Date	For request types with time limits, the date by which the request must be completed.
Integration Sync ID	The sync key field used by external integrations to identify Sugar records in the external application. See the Integrate REST API endpoints in the Developer Guide for more details on how to use this field.
Number	An automatically incremented number, uneditable by users, which identifies each data privacy record.
Priority	The relative importance of the request or data privacy activity.
Requested By	For request types, the individual who made the request to your organization.
Resolution	Freeform field to record how the request or activity was handled.
Source	How the request or data privacy need originated (e.g., "Email from subject",

	"Gaining consent per policy", etc.).
Status	The status of the record which is automatically changed from "Open" to "Rejected" or "Completed" when an admin or a user in the Data Privacy Manager role clicks the "Complete" or "Reject" buttons at the top of the record.
Subject	A brief description of the request of activity that appears at the top of the record.
Tags	User-created keywords that can be used to identify records in filters, dashlets, and reports. Note: For more information on creating and using tags, please refer to the Tags documentation.
Teams	The Sugar team(s) assigned to the data privacy record.
Type	The type of request or activity being handled in this record. For more information, refer to the Data Privacy Types section below.
Work Log	Free form field to add activities and notable events while working on the request or activity.

Data Privacy Types

The Data Privacy module includes a Type field that captures the nature of the privacy event or request. You may wish to add, edit, or remove Type field values in order to match the kinds of activities and requests you will need to process and record, according to your organization's needs.

Three of the out-of-the-box Type values enable additional functionality in the Data Privacy module. You can edit their display labels, but the Item Name portions of the following options must remain unchanged in order to retain the full capabilities of the module:

Item Name*	Display Label	Functionality Enabled
Request to Erase	Request to Erase	Allows users in the Data

Information	Information	Privacy Manager role to permanently erase personal information fields on records related to the data privacy record.
Consent to Process	Consent to Process	Enables the "Business Purposes Consented for" field on the data privacy record.
Withdraw Consent	Withdraw Consent	Enables the "Business Purposes Consented for" field on the data privacy record.

* The item names cannot be changed.

For more information about modifying the available type values, refer to the [Data Privacy Guide](#).

Managing Data Privacy in Sugar

The Data Privacy module is one portion of a feature set aimed at supporting your ability to carry out your organization's data privacy policies. Sugar's [Data Privacy Guide](#) provides information that spans the entire data privacy feature set and presents consolidated information and instructions for leveraging these tools to accomplish your organization's data privacy procedures. This guide will describe these enhancements, the configuration steps an admin must complete before users can access the new functionality, as well as provide guidance for end users and Data Privacy Managers.

Working With Sugar Modules

While the Data Privacy module has some features that only apply to data privacy records, it also uses the Sidecar user interface that most Sugar modules are based on. The following sections detail menus, views, and actions common to Sidecar modules and contain links to additional information within the page or links to the User Interface documentation.

Data Privacy Menus

The Data Privacy module contains various options and functionality which are


available via menus in the module tab, list view, and record view. The following sections present each menu and its options with links to more information about each option in the User Interface documentation or, for Data Privacy-specific functionality, within this page.

Module Tab Menus

The Data Privacy module tab is typically located under the More tab on the navigation bar at the top of any Sugar screen. Sugar normally displays the top six modules shown in the Display Modules list of your user preferences with the remaining displayed modules grouped under the More tab. For more information on displayed modules for the navigation bar, please refer to the [Layout Options](#) section of the Getting Started documentation.

Note: By default, the Data Privacy module is hidden in Sugar and the system administrator must enable the module via Admin > Display Modules and Subpanels. For more information on displaying modules in Sugar, please refer to the [Developer Tools](#) documentation in the Administration Guide.

Click the tab to access the Data Privacy list view. You may also click the triangle in the Data Privacy module tab to display the Actions, Recently Viewed, and Favorites menus. The Actions menu allows you to perform important operations within the module. The [Recently Viewed](#) menu displays the list of data privacy activities you most recently viewed. The [Favorites menu](#) displays the list of data privacy activities you most recently marked as favorites.



The module tab's Actions menu allows you to perform the following operations:

Menu Item	Description

Create Data Privacy Activity	Opens the record view layout to create a new data privacy activity.
View Data Privacy Activities	Opens the list view layout to search and display data privacy activities.


For more information on module tab menus including reasons a module may not be included in the menu, see the [User Interface](#) documentation.

List View Menus

The Data Privacy [list view](#) displays all data privacy records and allows for searching and filtering to locate specific data privacy activities. You can view the basic details of each record within the field columns of the list view or click a data privacy activity's name to open the record view. To access a module's list view, simply click the module's tab in the navigation bar at the top of any Sugar page.

List View Mass Actions Menu

The Mass Actions menu to the right of the checkbox option in the list header allows you to perform mass actions on all currently selected records. You can use the checkbox on each record's row to select individual data privacy activities or click the checkbox in the list header to select all records displayed on the current set of list view results.





The Mass Actions menu allows you to perform the following operations:

Menu Item	Description
Mass Update	Mass update one or more data privacy records at a time.
Export	Export one or more data privacy records to a CSV file.

List View Record Actions Menu

The Record Actions menu to the far right of each record's row allows you to perform actions on the individual data privacy record directly from the list view.

Number	Subject	Type	Status	
50	Would like to request the ...	Restrict Processing	Open	 
49	Change company and title	Rectify Information	Open	Edit

The list view's Record Actions menu allows you to perform the following operations:

Menu Item	Description
Preview (Eye icon)	Preview this data privacy in the intelligence pane.
Edit	Edit this data privacy.

Record View Actions Menu

The Data Privacy [record view](#) displays a single data privacy in full detail including its fields and subpanels of related records. To access a data privacy's record view, simply click a hyperlinked data privacy name from anywhere within Sugar. The record view's Actions menu appears on the top right of the page and allows you to perform various operations on the current record.

DP

Would like to request the processing be stopped

☆ < >

Complete
Reject
Edit

Share

View Audit Log

Number	50	Status	Open
Type	Restrict Processing	Priority	High
		Source	Email
Reques...	By the person themselves	Assigne...	Sarah Smith
		Date O...	2021-12-09

The Actions menu allows you to perform the following operations:

Menu Item	Description
Edit	Edit this data privacy.
Share	Share a link to this data privacy via email.

View Audit Log	View a record of changes to this data privacy.
--------------------------------	--

Common Views and Actions

In the table below, the left column contains links to the User Interface page covering topics that are applicable to all Sidecar modules. The right column has links to sections of the current page that cover topics specific to data privacy.

General Instructions for Working With Sugar Modules	Data-Privacy-Specific Instructions
Use the links below to navigate to the User Interface page which covers topics generic to many Sugar modules.	When Data-Privacy-specific help exists for each topic, use the links below to navigate to sections of the current page.
Creating Records	
Viewing Records	
Searching for Records	
List View	List View Mass Actions Menu List View Record Actions Menu
Record View	Record View Actions Menu
Intelligence Pane	
Editing Records	
Deleting Records	
Exporting Records	
Viewing Record Audit Logs	
Favoriting Records	
Following Records	
Sharing Records	

Last Modified: 2021-12-21 21:20:13

Employees


Overview

Sugar's Employees module consists of individual people within your organization. The Employees module allows you to see a list of all employees, their contact information, and their employment status in one convenient location. Employee records are typically created when a user record is created, but users with administrative access can also add non-user employees. This means that, typically, all users will be listed as employees, but not all employees are necessarily Sugar users.

For more information on having administrators create employee records in Sugar, please refer to the [Employee Management](#) documentation in the Administration Guide.

For more information on having administrators create user records in Sugar, please refer to the [User Management](#) documentation in the Administration Guide.

To access the Employees module, click your profile icon on the upper right of any page in Sugar then select "Employees" in the user menu.



Employee Fields

The Employees module contains a number of stock fields which come out-of-the-box with Sugar. The below definitions are suggested meanings for the fields, but the fields can be leveraged differently to best meet your organization's needs. Users with administrator or developer access have the ability to alter, add, or remove fields via Admin > Studio. For more information on configuring fields, please refer to the [Studio](#) documentation in the Administration Guide.


Field	Description
City	The city of the employee's address.
Country	The country of the employee's address.

Department	The department where this employee works.
Email Address	The employee's email address.
Employee Status	The employee's employment status in the organization, either: Active, Terminated, or Leave of Absence.
Fax	The employee's fax number.
First Name	The employee's first name.
Home Phone	The employee's home phone number.
IM Name	The employee's instant message screen name.
IM Type	The employee's instant message client type.
Last Name	The employee's last name.
Mobile	The employee's mobile phone number.
Notes	A description or other information about this employee.
Office Phone	The employee's office phone number and extension.
Other	An additional phone number for the employee.
Picture	A picture, headshot, or identifying image of the employee.
Primary Address	The number and street of the employee's address.
Postal Code	The postal code of the employee's address.
Reports to	This field can be related to the Sugar user who is the employee's supervisor.
State	The state of the employee's address.
Title	The employee's job title.

Employees Module Tab

The Employees module tab can be accessed by clicking your profile icon and selecting "Employees" in the user menu. Once in the Employees list view, you can click the triangle in the Employees module tab to display the Actions and Recently

Viewed menus. The Actions menu allows you to perform important actions within the module. The [Recently Viewed menu](#) displays the list of employees you last viewed in the module.



Viewing Employees

There are various options available for viewing employee records in Sugar including via Employees list view, Employees detail view, and the Employees Recently Viewed menu. Please note that you will only be able to access these views by first clicking on the Employees button after clicking on your user name on the top right side of Sugar.

Viewing Via List View

The Employees list view displays all employee records meeting the current search criteria. To access the list view, simply click the Employees option under your user name on the module tab bar. While list view shows key employee fields, you can click the employee's name to open the record in detail view. For more information on viewing employees via list view, please refer to the [Employees List View](#) section of this documentation.

Viewing Via Detail View

The Employees detail view displays thorough employee information by showing all employee fields. The detail view can be reached by clicking an employee record's link from the Employees list view. For more information on viewing employees via detail view, please refer to the [Employees Detail View](#) section of this documentation.

Viewing Via Recently Viewed

As you work, Sugar will keep track of which employees you have recently viewed. Click the triangle in the [Employees module tab](#) to see a list of the 3 records you most recently viewed in the module. Clicking the record's name (e.g., Will Westin) within the list will open the record in detail view.

Searching Employees

The Employees list view includes a Basic and Advanced Search to help you locate records easily and effectively in a module-specific manner. Once the search is performed, the relevant results will be displayed in the Employees list view below. Please note that Sugar automatically appends the wildcard character (%) to the end of your search phrase. This allows the system to retrieve all records that start with the keyword entered in the search. If you would like to broaden the search, you can use the wildcard at the beginning of your text as well (e.g., %services). This will pull up any record that has the word "services" in the name, regardless of how it starts or ends.

For more information on using the various search methods as well as how wildcards are used in the different methods, please refer to the [Search](#) documentation.


Basic Search

Basic search offers a few, commonly used fields for a simplified search experience. From the Basic Search panel, you can click "Advanced Search" to access additional search functionality as needed.

The buttons and checkboxes available in Basic Search panel have the following functions:

- **Search:** Click the Search button or press your Return/Enter key to perform the search.
- **Clear:** Click the Clear button to clear all criteria from the searchable fields.
- **Active Employees:** Select this box to return only records where Employee Status is Active.

Search Employees



The screenshot shows a search interface with a text input field labeled "Name", a checkbox labeled "Active Employees", and three buttons: "Search", "Clear", and "Advanced Search".

When you run a search, Sugar will return records matching all (as opposed to any) of the fields and checkboxes for which you have given a value. For example, if you select "Active Employees" and enter an employee's name, Sugar will only return

employee records with a matching name that are active. Once the search is complete, the relevant results will populate in the [list view](#) below the search panel. To see all employee records, simply click "Clear" and then "Search" to perform a blank search with no filters.

Administrators can configure what fields appear on the Employees Basic Search via Admin > Studio. For more information on editing layouts, please refer to the [Studio](#) documentation in the Administration Guide.

Advanced Search

Advanced Search offers a more in-depth search experience than Basic Search including additional fields, layout options, and saved search capability. From the Advanced search panel, you can click "Basic Search" for simplified searching.

The buttons, checkboxes, and dropdowns available in Advanced Search have the following functions:

- **Search:** Click the Search button or press your Return/Enter key to perform the search.
- **Clear:** Click the Clear button to clear all criteria from the searchable fields.
- **Active Employees:** Select this box to return only records where Employee Status is Active.
- **Layout Options:** Use the expandable Layout Options section to configure your list view. For more information, please refer to the [Layout Options](#) section of the Search documentation.
- **Saved Searches:** Save, recall, update, and delete searches which you use often. For more information, please refer to the [Saved Search](#) section of the Search documentation.

The screenshot displays the Advanced Search interface. It features several input fields for search criteria: First Name, Last Name, Employee Status (a dropdown menu with options: Active, Terminated, Leave of Absence), Title, Any Phone, Department, Any Email, Any Address, City, State, Postal Code, and Country. Below these fields is an expandable section for 'Layout Options'. At the bottom, there are buttons for 'Search', 'Clear', 'Basic Search', 'Saved Searches', and a dropdown menu showing '-none-'. Additionally, there are 'Save', 'Update', and 'Delete' buttons for managing saved searches.

When you run a search, Sugar will return records matching all (as opposed to any) of the fields and checkboxes for which you have given a value. For example, if you select "Active Employees" and enter an employee's name, Sugar will only return

employee records with a matching name that are active. Once the search is complete, the relevant results will populate in the [list view](#) below the search panel. To see all employee records, simply click "Clear" and then "Search" to perform a blank search with no filters.

Administrators can configure what fields appear on the Employees Basic Search via Admin > Studio. For more information on editing layouts, please refer to the [Studio](#) documentation in the Administration Guide.

Employees List View


The Employees list view displays all employee records meeting the current search criteria. You can view the basic details of each employee within the field columns.

You have the option to change what fields are displayed in list view by configuring your layout options in the Employees Advanced Search. For more information on configuring your list view, please refer to the [Layout Options](#) section of the Search documentation. Users with administrator or developer access also have the ability to change what fields are visible in the list view via Admin > Studio. For more information on editing layouts, please refer to the [Studio](#) documentation in the Administration Guide.

Pagination

List view displays the current search results broken into pages that you can scroll through rather than displaying potentially thousands of rows at once. To the right just below the search panel you can see which records of the total results set are currently being displayed. The two single-arrow Next and Previous buttons can be used to scroll through the records page-by-page. The two double-arrow First Page and Last Page buttons allow you to skip to the beginning or the end of your current results.

By default, Sugar displays 20 records per list view page, but administrators can change the number of records displayed via Admin > System Settings. For more information on changing the number of displayed records, please refer to the [System](#) documentation in the Administration Guide.



Column Sorting

List view provides the ability to sort all of the current search results by a field column in either ascending or descending order. To sort by a field or switch the sort direction, click the column header, noting that the fields which allow sorting will have a pair of arrows. The list view may be sorted by only one column at a time. You can also set a default order-by column using the layout options in Advanced Search. For more information on setting a default column sort, please refer to the [Layout Options](#) section of the Search documentation.

Name ↕	Department ↕	Title ↕	Reports To
Jim Brennan	Sales	VP Sales	Chris Olliver

Employees Detail View


The Employees detail view displays thorough employee information by way of all employee fields grouped into one page.

Users with administrator or developer access have the ability to change the detail view by configuring the layout via Admin > Studio. For more information on editing layouts, please refer to the [Studio](#) documentation in the Administration Guide.

Next or Previous Record

On the upper right of the Employees detail view, there are two buttons that allow you to page through each employee in the Employees list view's current search results. Clicking the Previous button displays the previous employee of the current search results while clicking the Next button displays the next employee of the current search results. The text in between shows which employee result you are currently viewing within the total number of current results.

» Jim Brennan



Employee Status: Active	Picture: 
Name: Jim Brennan	

Last Modified: 2021-12-21 17:49:26

Mobile Browser

Sugar can be accessed via browsers on mobile devices (i.e., Android, iOS) as a means of working with your Sugar instance without installing the Sugar mobile app. To access your Sugar instance via browsers in a mobile view, simply enter your instance URL and append `/?mobile=1` to the end of the URL as follows:
`https://example.sugarondemand.com/?mobile=1`.

For more information on navigating and utilizing your Sugar instance in a mobile view, please refer to the [Sugar Mobile User Guide](#) for your specific mobile device (i.e., Android, iOS).

Note: Please be aware that some features covered in the Sugar Mobile user guides may be unavailable in the mobile browser view.

Last Modified: 2021-12-21 17:50:01

Projects

Overview

Sugar's Projects module is used to track a variety of tasks in order for a project manager to properly organize and complete a given project. Projects are tracked using both a project grid and a Gantt chart. Resources (e.g., contacts and users) can be allocated to the tasks of each project to help ensure your deadlines are met. Projects are also able to be associated to different [accounts](#), [contacts](#), [opportunities](#), or other modules so that if a project is a direct result of one of these modules, such as the project being performed that was purchased through an opportunity, the relationship will show and alternate details be made available.

Note: This module is hidden by default. The administrator must [enable it](#) for your use.


Project Fields

The Projects module contains the following fields which enable users to create and properly organize projects.

Field	Description
Assigned to	Enter the name of the user who has ownership of the project, which is assigned to you by default.
Date Created	The date the project record was created.
Date Modified	The date the project record was last modified.
Description	Enter a brief description of the project.
End Date	The date when the project will be completed.
Name	Enter a name for the project.
Priority	Select the importance of the project from the dropdown list, such as Low, Medium, or High.
Start Date	Click the Calendar icon and select the project start date.
Status	Select a value from the dropdown list such as Draft, In Review, or Published to show the approval status of the project.
Team	The Sugar team(s) assigned to the project.

Projects Module Tab

The Projects module tab is typically located on the navigation bar at the top of any Sugar screen. Click the tab to access the Projects list view. You may also click the triangle on the tab to display the Actions and Recently Viewed menus. The Actions menu allows you to perform important actions within the module. The [Recently Viewed](#) menu displays the list of projects you last viewed in the module.



The Actions menu allows you to perform the following operations:

Menu Item	Description
Create Project	Opens the edit view layout to create a new project.
Create Project Template	Opens the edit view layout to create a new project template.
View Project List	Opens the list view layout to search and display projects.
View Project Templates	Opens the list view layout to display project templates.
View Project Tasks	Opens the list view layout to search and display project tasks.
View My Projects Dashboard	Opens the Projects Dashboard.

For more information on module tab menus including reasons a module may not be included in the menu, see the [User Interface](#) documentation.

Creating Projects

There are three methods for creating projects in Sugar including via the Projects module, quick create, and Project Templates. The full edit view layout opens when creating the project directly from the Projects menu as well as via the Quick Create menu and includes all of the relevant fields for your organization. You can quick create a project while viewing an existing record (e.g., Accounts) of another module and Sugar will automatically create a relationship between both records. For example, if you are viewing an account record (e.g., ABC Company) and create a new project via the Projects subpanel, the project record's Accounts subpanel will automatically populate with "ABC Company", thus creating the relationship. Please note that administrators can configure both the Edit View and Quick Create layouts via Admin > Studio. For more information on configuring layouts, please refer to the [Studio](#) documentation in the Administration Guide.

Creating via Projects Module


One of the most common methods of project creation is via the Create Project option in the Projects module tab. This opens up the edit view layout, which allows you to enter all the relevant information for the project.

Use the following steps to create a project via the Projects module:

1. Click the triangle on the Projects module and select "Create Project".

2. Enter appropriate values for the [fields](#) in the edit view layout. All required fields are marked with a red asterisk and must be completed prior to saving.
3. Once the necessary information is entered, click "Save".

Create



Save Cancel

Overview

Name: * Top Secret Project


Start Date: * 01/25/2013

Creating via Quick Create

The Quick Create menu allows you to easily create new records from anywhere in Sugar. Simply click the quick create button on the upper right of all Sugar pages to access the menu. You can also easily create new records from any Projects subpanel on related module records.


Use the following steps to create a project via Quick Create:

1. Open the Quick Create menu on the upper right of any Sugar page and select "Create Project". You can also quick-create projects using the following methods:
 - From Projects Subpanel (Sidecar modules):



Name	Assigned To	Start Date	End Date
Quarterly Sales Project	Max Jensen	10/01/2014	11/03/2014

- From Projects Subpanel (Legacy modules):



Projects

Create


Name	Assigned To	Start Date
Quarterly Sales Project	Max Jensen	10/01/2014

2. Enter appropriate values in the [fields](#) in the edit view layout. All required

fields are marked with a red asterisk and must be completed prior to saving.

3. If creating the project via the Projects subpanel in a Legacy module and additional fields are desired, click the Full Form button to use edit view instead.
4. Once the necessary information is entered, click "Save".

[4th Quarter Marketing Project](#) » Edit



Save Cancel

Overview

Name: * 4th Quarter Marketing Project


Start Date: * 10/06/2014

Creating via Project Template

Project Templates are used when a similar project is going to be configured time and time again. See [Project Templates](#) for more information. After you have a template already created, you can use the template to create additional projects, following these steps:

1. Click the triangle on the Projects module tab and select "View Project Templates".
2. While on the Project Template list view, click the name of your template to open the template's detail view.
3. Select "Save as Project" from the Actions menu.

[Top Secret Project](#) » Project Template



Edit

Delete

View Gantt

Save as Project

Export to MS Project

Name: Top Secret Project

Start Date: 07/2014

End Date: 10/15/2014

4. Change the name of your new project as need be and click "Save as New Project", where you will be brought to the detail view of your new project.

Viewing Projects

There are various options available for viewing projects in Sugar including via Projects list view, Projects detail view, Projects Recently Viewed menu, the Project Dashboard, dashlets, and reports. Please note that you will only be able to see projects records as allowed by your team membership, user access type, and assigned roles. For more information on teams and roles, please refer to the [Teams](#) and [Roles](#) documentation in the Administration Guide.

Viewing via List View

The Projects list view displays all project records meeting the current search criteria. To access the list view, simply click the Projects module tab. While list view shows key project fields, you can click the project's name to open the record in detail view. For more information on viewing project via list view, please refer to the [Projects List View](#) section.

Viewing via Detail View

The Projects detail view displays thorough projects information including all project fields followed by subpanels of the project's related records belonging to various modules. The detail view can be reached by clicking a project record's link from anywhere in the application including from the Projects list view. For more information on viewing projects via detail view, please refer to the [Projects Detail View](#) section.

Viewing via Recently Viewed

As you work, Sugar will keep track of which projects and project templates you have recently viewed. Click the triangle on the [Projects module tab](#) to see a list of your most recently viewed projects and click each name to open the project in detail view.

Viewing via Project Dashboard

The Project Dashboard allows users to view upcoming and overdue project tasks, as well as any support cases related to projects the user is assigned to. It also allows an option for users to view any upcoming or overdue project tasks that are assigned to the user. The Project Dashboard can be reached by clicking the appropriate link in the [Projects module tab](#).

The "My Projects Dashboard" panel shows four columns, showing projects that are assigned to you, any overdue project tasks where the Finish Date is in the past,

any upcoming project tasks where the Start Date is within the next week, and any cases that are open related to the project.

The "My Project Tasks" panel shows two columns, showing any overdue project tasks assigned to you where the Start Date is in the past, any upcoming project tasks assigned to you where the Finish Date is within the next week.

All record references, for projects, project tasks, or cases, on either panel, are clickable and will bring you to either the detail view for the specific record or the Gantt chart of the parent project.

My Projects Dashboard

Project	Overdue Tasks	Upcoming Tasks (1 Week)	Open Cases
Top Secret Project 01/25/2014	Receive funding 02/28/2013	Prepare draft 07/05/2013 Execute proposal 10/29/2013	
Create new plan for the annual audit 12/31/2014	Perform field studies to collect data 03/28/2013 Create draft of the plan 04/01/2013	Update draft of the plan 04/04/2013 Gather data from meetings 04/04/2013	57 149 59

My Project Tasks

Overdue Tasks	Upcoming Tasks (1 Week)
Review requirements 03/14/2013	Identify resources 04/03/2013 Secure workspace 04/03/2013

Viewing via Dashlets

Sugar Dashlets allow users to get a quick view of various records, activities, reports, etc. Dashlets may be added to a user's Home page or to the intelligence pane of any module. You can view account information in List View dashlets specific to the Projects module (e.g., My Projects dashlet). Clicking a project's name from any dashlet will open the Project record view. For more information on using dashlets and viewing account records via dashlets, please refer to the [Intelligence Pane](#) documentation.

Viewing via Reports

Users with access to the Reports module can build, run, and manage reports to gather key data regarding projects and their related records. In addition to only displaying desired fields and relationships, reports can also incorporate complex filters to only display specific subsets of your records. Once the report is run, you will be able to view the project record's detail view by clicking the project's name in the report results. Please note that you can only directly access project detail

views with Rows and Columns-type and Summation with Details-type reports as Summation-type and Matrix-type reports do not include hyperlinks in their display columns. For more information on using reports, please refer to the [Reports](#) documentation.

All Project Tasks ☆

Title: All Project Tasks

Run Report ▾

Hide Details

Name: All Project Tasks
Modules: Project Tasks
Display Columns: Name, % Complete, Duration, Duration Unit, Start Date, Finish Date
Schedule: None
Filters: None

Type: Rows and Columns Report
Teams: Global
Assigned to: Administrator

(1 - 2 of 2)

Name	% Complete	Duration	Duration Unit	Start Date	Finish Date
Gather data from meeting	50	3	Days	10/13/2014	10/15/2014
Update draft of plan	0	5	Days	10/13/2014	10/17/2014

Please note that your ability to access reports may be restricted by a role. For more information on roles, please refer to the [Roles](#) documentation in the Administration Guide. Check with your system administrator if you cannot access the Reports module.

Searching Projects

The Projects list view includes a Basic and Advanced Search to help you locate records easily and effectively in a module-specific manner. Once the search is performed, the relevant results will be displayed in the Projects list view below. Global Search allows users to search for information across their entire Sugar database as opposed to restricting search within a specific module. Please note that Sugar automatically appends the wildcard character (%) to the end of your search phrase. This allows the system to retrieve all records that start with the keyword entered in the search. If you would like to broaden the search, you can use the wildcard at the beginning of your text as well (e.g., %services). This will pull up any record that has the word "services" in the name, regardless of how it starts or ends.

For more information on using the various search methods as well as how wildcards are used in the different methods, please refer to the [Search](#) documentation.

Note: Projects is hidden from Global Search by default. The administrator must [enable it](#) for your use.


Basic Search

Basic search offers a few, commonly used fields for a simplified search experience. From the Basic Search panel, you can click "Advanced Search" to access additional search functionality as needed.

The buttons and checkboxes available in Basic Search panel have the following functions:

- **Search:** Click the Search button or press your Return/Enter key to perform the search.
- **Clear:** Click the Clear button to clear all criteria from the searchable fields.
- **My Items:** Select this box to return only records assigned to you.
- **My Favorites:** Select this box to return only your favorite records.

Search Projects

A screenshot of the Basic Search panel interface. It features a text input field labeled "Name" on the left. To its right are two checkboxes: "My Items" and "My Favorites", both of which are currently unchecked. Further right are three buttons: "Search", "Clear", and "Advanced Search". The "Advanced Search" button is highlighted in blue.

When you run a search, Sugar will return records matching all (as opposed to any) of the fields and checkboxes for which you have given a value. For example, if you select "My Items" and enter a project name, Sugar will only return projects with a matching name that are assigned to you. Once the search is complete, the relevant results will populate in the [list view](#) below the search panel. To see all projects to which you have access, simply click "Clear" and then "Search" to perform a blank search with no filters. Please note that you will only be able to see projects as allowed by your team membership, user access type, and assigned roles. For more information on teams and roles, please refer to the [Teams](#) and [Roles](#) documentation in the Administration Guide.

Administrators can configure what fields appear on the Projects Basic Search via Admin > Studio. For more information on editing layouts, please refer to the [Studio](#) documentation in the Administration Guide.

Advanced Search

Advanced Search offers a more in-depth search experience than Basic Search including additional fields, layout options, and saved search capability. From the Advanced search panel, you can click "Basic Search" for simplified searching.

The buttons, checkboxes, and dropdowns available in Advanced Search have the following functions:

- **Search:** Click the Search button or press your Return/Enter key to perform the search.
- **Clear:** Click the Clear button to clear all criteria from the searchable fields.
- **Layout Options:** Use the expandable [Layout Options](#) section to configure your list view. For more information, please refer to the Layout Options section of the Search documentation.
- **Saved Searches:** Save, recall, update, and delete searches that you use often. For more information, please refer to the [Saved Search](#) section of the Search documentation.

The screenshot displays the SugarCRM search interface. It features several input fields and dropdown menus for filtering search results. The fields include 'Name', 'Start Date', 'End Date', 'Status' (with a dropdown menu showing 'Draft', 'In Review', and 'Published'), and 'Priority' (with a dropdown menu showing 'High', 'Medium', and 'Low'). There is also a 'My Favorites' checkbox. Below these fields is a 'Layout Options' section with a 'Save search as:' field and a 'Save' button. At the bottom, there are buttons for 'Search', 'Clear', 'Basic Search', 'Saved Searches', and a dropdown menu showing '-none-'. On the right side, there are buttons for 'Modify current search: Update' and 'Delete'.

When you run a search, Sugar will return records matching all (as opposed to any) of the fields for which you have given a value. For example, if you select "My Items" and enter in a project name to search, Sugar will only return projects with a matching name that are assigned to you. When searching by a multiselect or dropdown field (e.g., "Status"), however, Sugar will return records matching any of these selections. Once the search completes, the relevant results will populate in the [list view](#) below the search panel. To see all projects to which you have access, simply click "Clear" and then "Search" to perform a blank search with no filters. Please note that you will only be able to see projects as allowed by your team membership, user access type, and assigned roles. For more information on teams and roles, please refer to the [Teams](#) and [Roles](#) documentation in the Administration Guide.

Administrators can configure what fields appear on the Projects Advanced Search via Admin > Studio. For more information on editing layouts, please refer to the [Studio](#) documentation in the Administration Guide.

Global Search

Global Search allows users to search for information across their entire Sugar database as opposed to restricting search within a specific module. Beginning with version 6.5.0, Full Text Search may be used with Global Search to search throughout nearly all fields and modules for an enhanced search experience. The Global Search bar is located on the top right hand side of Sugar. You can click the magnifying glass icon or hit Return/Enter to perform your search once the text string is entered in the search box.

To use global search, you need to first enter the keyword into the search box. With Full Text Search enabled, pop-up results will begin appearing once you input three or more characters. Clicking the magnifying glass icon or hitting your

Return/Enter key will cause Sugar to return exact matches for your keyword rather than matches with words beginning with your keyword. When Full Text Search is not enabled, results starting with your keyword will appear after clicking the magnifying glass icon or hitting your Return/Enter key. For more information on using and configuring Global Search, please refer to the [Global Search](#) section of the Search documentation.

Regular Sugar users can configure some aspects of global search such as what modules are displayed in the search results. For more information on configuring your Global Search, please refer to the [Search](#) documentation. Administrators can control additional elements of global search via Admin > Search and Admin > Studio. For more information on administrator configuration of Global Search, please refer to the [Studio](#) documentation as well as the [Search](#) section of the System documentation in the Administration Guide.

Projects List View

The Projects list view displays all projects meeting the current search criteria and to which your user has access. You can view the basic details of each project within the field columns. Please note that you will only be able to see projects as allowed by your team membership, user access type, and assigned roles. For more information on teams and roles, please refer to the [Teams](#) and [Roles](#) documentation in the Administration Guide.


You have the option to change what fields are displayed in list view by configuring your layout options in the Projects Advanced Search. For more information on configuring your list view, please refer to the [Layout Options](#) section of the Search documentation. Users with administrator or developer access also have the ability to change what fields are visible in the list view via Admin > Studio. For more information on editing layouts, please refer to the [Studio](#) documentation in the Administration Guide.

Pagination

List view displays the current search results broken into pages that you can scroll through rather than displaying potentially thousands of rows at once. To the right just below the search panel you can see which records of the total results set are currently being displayed. The two single-arrow Next and Previous buttons can be used to scroll through the records page-by-page. The two double-arrow First Page and Last Page buttons allow you to skip to the beginning or the end of your current results.

By default, Sugar displays 20 records per list view page, but administrators can


change the number of records displayed via Admin > System Settings. For more information on changing the number of displayed records, please refer to the [System](#) documentation in the Administration Guide.



Checkbox Selection


You can perform several actions on projects directly from the list view by first selecting the desired records. To select individual projects on the Projects list view, mark the checkbox on the left of each row. To select or deselect multiple projects on the list view, use the options in the checkbox dropdown menu:

- **Select This Page:** Selects all records shown on the current page of project results.
- **Select All:** Selects all records in the current search results across all pages of project results.
- **Deselect All:** Deselects all records that are currently selected.



Actions Menu

The Actions menu to the right of the checkbox dropdown allows you to perform various actions on the currently selected records.



The options in the Actions menu allow you to perform the following operations:

Menu Item	Description


Delete	Delete one or more projects at a time.
Mass Update	Mass update one or more projects at a time.
Export	Export one or more projects to a CSV file.

Favorite Designation

Users have the option to mark project records as favorites via the list view as well as the detail view. This allows users to designate records that are important or will be viewed often so that they can easily be accessed via search or from the Projects module tab. In the Projects list view, the star on the left of each record's row is yellow once marked to indicate a favorite project. For more information on how to mark records as favorites, please refer to the [Favoriting Projects](#) section of this documentation.

More Information

Additional details for each project can be viewed by clicking the "i" icon to the far right of each list view row. This provides users a quick view of additional project information in addition to what appears in the display column fields. The resulting pop-up window will show the Description field by default. The list of fields appearing here may only be configured through a code-level customization.

Name	Start Date	End Date	Status	Assigned To
Create new plan for the annual audit	11/01/2010	12/31/2014	Draft	Administrator 

Column Sorting

List view provides the ability to sort all of the current search results by a field column in either ascending or descending order. To sort by a field or switch the sort direction, click the column header noting that the fields which allow sorting will have a pair of arrows. The list view may be sorted by only one column at a time. You can also set a default order-by column using the layout options in Advanced Search. For more information on setting a default column sort, please refer to the [Layout Options](#) section of the Search documentation.

Name	Start Date	End Date	Status
<input type="checkbox"/>  Create new plan for the annual audit	11/01/2010	12/31/2014	Draft

Projects Detail View


The Projects detail view displays thorough project information including all project fields, which are grouped by default into the Overview and Other panels. You can also view a project's related records (Activities, Opportunities, Cases, etc.), which appear in [subpanels](#) beneath the project fields. The detail view can be reached by clicking a project's link from anywhere in the application including from the Projects list view.

Please note that you will only be able to view a project record according to your team membership, user type, and role restrictions. For more information on teams and roles, please refer to the [Teams](#) and [Roles](#) documentation in the Administration Guide. Users with administrator or developer access have the ability to change the detail view by configuring the layout via Admin > Studio. For more information on editing layouts, please refer to the [Studio](#) documentation in the Administration Guide.

Actions Menu

The Actions menu on the top left of each project's detail view allows you to perform various actions on the current record. Administrator users can change the action items to be displayed as separate buttons instead of a dropdown menu via Admin > System Settings. For more information on configuring the actions menu, please refer to the [System](#) documentation in the Administration Guide.

Create new plan for the annual audit



The options in the Actions menu allow you to perform the following operations:

Menu Item	Description
Edit	Edit this project.
Delete	Delete this project.
View Gantt	View the project's Gantt chart.
Save As Template	Save this project as a template for

	future use.
Export To MS Project	Export this project to an MPX file for use with Microsoft Project.

Favorite Designation

Users have the option to mark project records as a favorite via the detail view as well as the list view. This allows users to designate records that are important or will be viewed often as they can easily be accessed via search or from the Projects module tab. In the Projects detail view, the star on the right of the record's name is yellow once marked to indicate a favorite project. For more information on how to mark records as favorites, please refer to the [Favoriting Projects](#) section of this documentation.

Next or Previous Record

On the upper right of the Projects detail view, there are two buttons that allow you to page through each project in the Project list view's current search results. Clicking the Previous button displays the previous project of the current search results while clicking the Next button displays the next project of the current search results. The text in between shows which project result you are currently viewing within the total number of current results.

Create new plan for the annual audit

Edit ▾

◀ (1 of 123) ▶

Overview

Name: Create new plan for the annual audit Status: Draft

Subpanels

Beneath a project's fields are subpanels containing all of the users and contacts that are working on the project, the project's tasks that need to be done, any holidays or days off of the project so they will not be included in the date and time calculations, and related records from various modules.

Please note that administrators can prevent users from moving subpanels to different locations in the detail view. For more information on preventing rearranging of subpanels, please refer to the [System](#) documentation in the Administration Guide. Check with your system administrator if you are not able to

rearrange your subpanels.

Resources Subpanel

The Resources subpanel is used to add specific Sugar users and contacts to the project. When these users and contacts are added to the project, they will be available to be added as resources on project tasks via the Gantt chart, meaning they are the responsible party for the task. For more information on project resources, please review the [Project Resources](#) section of this documentation.

The Resources subpanel allows the following operations to be performed:

- To view the details of a related user or contact, click the Users or Contacts icon in the subpanel to open it in detail view.
- To relate an existing user or contact to the project, choose the appropriate "Select" option from the subpanel's Action menu, then locate and select the desired record.
- To remove the resource from the project, click "Unlink" from the dropdown on the far right of the record's row. This removes the relationship, but does not delete any actual records.
- To collapse or expand the subpanel, click the double arrow to the left of the subpanel's name.
- To move the subpanel to a new location on the detail view, drag and drop the subpanel's header.



Note: If you are not able to view this subpanel, the administrator may have disabled the Projects subpanel for your entire Sugar instance. Reach out to your Sugar administrator to have the subpanel displayed. For more information on displaying and hiding subpanels throughout Sugar, please refer to the [Developer Tools](#) documentation in the Administration Guide.

Project Tasks Subpanel

The Project Tasks subpanel lists all of the project's Project Tasks and basic details of each task. When a task is added to the project via the Gantt chart, the project

task will appear on this subpanel. The Project Tasks subpanel allows the following operations to be performed:

- To view the details of a project task, click the record's name in the subpanel to open it in detail view.
- To add additional tasks to the project, click the "View Gantt" button from the subpanel's header and follow the information provided in [Creating Project Tasks](#) section of this documentation.
- To collapse or expand the subpanel, click the double arrow to the left of the subpanel's name.
- To move the subpanel to a new location on the detail view, drag and drop the subpanel's header.

Project Holidays Subpanel

The Project Holidays subpanel lists all of the resources' days that they will not be working. The subpanel includes columns showing the resource's name, the date of the holiday, and a description of the holiday. For more information on Project Holidays, please refer to the [Project Holidays](#) section of this documentation. The Project Holiday's subpanel allows the following operations to be performed:

- To add additional holidays to the project, click the "Create" button from the subpanel's header and fill in the necessary fields.
- To remove the holiday from the project, click "Unlink" from the dropdown on the far right of the record's row.
- To collapse or expand the subpanel, click the double arrow to the left of the subpanel's name.
- To move the subpanel to a new location on the detail view, drag and drop the subpanel's header.

Activities and History Subpanels

The Activities subpanel lists open or upcoming tasks, calls, and meetings that are related to the project. Once the activities have taken place or are completed, they will instead appear within the History subpanel. The History subpanel also includes notes and emails associated with the project. For more information on the history and activities subpanel, please refer to the [User Interface](#) documentation.

Activities

Create Task ▾

- Schedule Meeting
- Log Call
- Compose Email

Status	Contact	Due Date	Assigned User
Planned	Joseph Kelly	05/04/2013 11:00am	Administrator

History

Create Note or Attachment ▾

Subject	Status	Contact	Date Modified	Date Created	Assigned User
New product specs	Note		04/04/2013 03:50pm	04/04/2013 03:50pm	Administrator

Related Record Subpanels


The most common type of subpanels displayed on a project's detail view contain the project's related records belonging to various modules. The relationship type determines whether a related record will be displayed in the field listing or in a subpanel. Out-of-the-box, the Projects module does not include any relationships to other modules that would cause a related record to be displayed in the field listing. However, for example, a project may be related to multiple cases. This means that the cases will be displayed in a subpanel beneath the fields listing.

Users with administrator or developer access have the ability to change the fields (e.g., Name, Assigned User, etc.) and labels of each subpanel by configuring the layout via Admin > Studio to provide visibility to the most important fields. For more information on modifying subpanels, please refer to the [Studio](#) documentation in the Administration Guide.

Related record subpanels allow the following operations to be performed. Please note that administrators in Sugar can change the subpanel's Action menu to be displayed as separate buttons instead of a dropdown via Admin > System Settings. For more information, please refer to the [System](#) documentation in the Administration Guide.

- To view the details of a related record, click the record's name in the subpanel to open it in record view (for Sidecar modules) or detail view (for Legacy modules).
- To relate an existing record to the project, choose "Select" from the subpanel's Action menu, then locate and select the desired record.
- To relate a new record to the project, choose the Create option (e.g., Create Task) from the subpanel's Action menu, then complete the record view layout and click "Save".
- To edit the project's related record, choose "Edit" on the far right of the record's row.

- To delete the project's relationship to a record, choose "Unlink" from the dropdown on the far right of the record's row. This removes the relationship, but does not delete the record itself.
- To collapse or expand the subpanel, click the double arrow to the left of the subpanel's name.
- To move the subpanel to a new location on the detail view, drag and drop the subpanel's header.



Editing Projects

Projects may be edited at any time to update or add information to the record. You can make changes to existing project records via the Projects edit view and quick create forms (for Legacy modules). Edit view is available within the Projects module and includes all of the Project fields you should need. To edit the Project Tasks related to this project, please refer to the [Editing Project Tasks](#) section of this documentation.

[Top Secret Project](#) » Edit

The screenshot shows the 'Edit' form for a project. At the top left, there are 'Save' and 'Cancel' buttons, with 'Save' highlighted by a red box. At the top right, there is a pagination indicator '(1 of 1+)'. The form is titled 'Overview' and contains the following fields:

- Name: Top Secret Project
- Start Date: 10/08/2014
- End Date: 10/21/2014
- Description: (empty text area)
- Status: In Review
- Priority: High

Quick create is available for editing projects from outside the Projects module and opens as a pop-up without navigating away from your current page. It generally contains fewer fields, but the Full Form button may be used to access the full edit view should you need to edit additional fields. Please note that the quick create form is only available when viewing Legacy module records (e.g., Quotes).

Projects

Save Cancel Full Form

Name: *	Create new plan for the annual .	Status:	Draft
Start Date: *	12/01/2013	End Date: *	01/25/2014
Priority:	Medium	Teams: *	
Assigned to:	Administrator		Global
Description:	The annual audit is coming up next month.		

Save Cancel Full Form

Name	Assigned To	Start Date:	End Date:
Create new plan for the annual audit	Administrator	12/01/2013	01/25/2014

Please note that your ability to edit projects in Sugar may be restricted by a role. For more information on roles, please refer to the [Role Management](#) documentation in the Administration Guide. Check with your system administrator if you do not see the Edit options.

Administrators in Sugar may configure both the Projects edit view and quick create via Admin > Studio. For more information on configuring layouts, please refer to the [Studio](#) documentation in the Administration Guide.

Editing via Detail View

You can edit projects via the [detail view](#) by clicking the Edit button on the upper left of the page. Once the edit view layout is open, update the necessary fields, then click "Save" to preserve your changes.


Create new plan for the annual audit

Edit

Overview	
Name:	Create new plan for the annual audit
Start Date:	12/01/2013

Editing via List View

You can edit projects via the [list view](#) by clicking the Pencil icon to the left of each project's name. Once the edit view layout is open, update the necessary fields, then click "Save" to preserve your changes.

Name	Start Date	End Date	Status
 Create new plan for the annual audit	12/01/2013	01/25/2014	Draft

Deleting Projects

If a project record is invalid or should no longer appear in your organization's Sugar instance, it may be deleted from either the Projects detail view or list view. Deleting via the detail view allows you to delete a single record while the list view allows for mass deleting multiple records at once. Deleting projects will not delete related records and will only remove the relationship, so you may wish to also delete any related records to avoid orphaned records if necessary.


Please note that your ability to delete projects may be restricted by a role. For more information on roles, please refer to the [Role Management](#) documentation in the Administration Guide. Check with your system administrator if you do not see the Delete options.

Deleting via Detail View

Use the following steps to delete a project via the detail view:

1. Navigate to a project's detail view.
2. Select "Delete" from the Actions menu.

Create new plan for the annual audit




3. A pop-up message will display asking for confirmation. Click "Ok" to proceed.

Mass Deleting via List View

Use the following steps to delete one or more projects via the list view:

1. Navigate to the Projects list view by clicking the Projects module tab.
2. Use the [Basic](#) or [Advanced Search](#) to find the project records you wish to delete.
3. Select the desired project records individually or using the [Checkbox Dropdown's](#) options.
4. Choose "Delete" from the Actions menu.




5. A pop-up message will display asking for confirmation. Click "Ok" to proceed.

Due to PHP memory limitations on the server, there may be occasions when the application times out while deleting a large number of project records. If you encounter an error when performing this action, we recommend selecting the records in smaller batches.

Exporting Projects

Sugar's Export option allows users to download all fields for the selected projects to their computers as a .CSV (comma-separated values) file. This may be useful when needing to use Project data with other software such as Microsoft Excel. Due to PHP memory limitations on the server, there may be occasions when the application times out while exporting a large number of project records. If you encounter an error when performing this action, we recommend selecting the records in smaller batches.

Projects may be exported from the Projects list view by selecting "Export" from the Actions menu. Users with access to the Reports module also have the option of creating or accessing reports containing specifically chosen fields for projects and their related record(s). Please note that only Rows and Columns-type reports have the ability to be exported. For more information on exporting records in Sugar, please refer to the [Export](#) documentation.



Please note that your ability to export projects from Sugar may be restricted by a role. For more information on roles, please refer to the [Role Management](#) documentation in the Administration Guide. Check with your system administrator if you do not see the Export option.

Exporting to Microsoft Project


Sugar includes the functionality to export projects not just in CSV format, but also in .MPX format. MPX is the standard format used by Microsoft Project. Upon exporting this file, you will be able to open the file in Microsoft Project, which allows people who are not Sugar users to be able to view this project information.

Note: MPX file format is not supported by MS Project 2013.

The following steps cover exporting a project to Microsoft Project:

1. Navigate to a project's detail view.
2. Select "Export to MS Project" from the Actions menu.

Create new plan for the annual audit



3. Open the downloaded file in Microsoft Project.

Mass Updating Projects


Mass Updating allows users to make the same change to multiple projects at once from the Projects list view. Users with administrator or developer access can control which fields are available to change during mass update via Admin > Studio. Currently, only fields with the data type of date, datetime, dropdown, multiselect, and radio may be altered during a mass update. For more information

on configuring mass update, please refer to the [Studio](#) documentation in the Administration Guide. Due to the PHP memory limitations on the server, there may be occasions when the application times out while mass updating a large number of project records. If you encounter an error when performing this action, we recommend selecting the records in smaller batches.

Please note that your ability to mass update projects may be restricted by a role. For more information on roles, please refer to the [Role Management](#) documentation in the Administration Guide. Check with your system administrator if you do not see the Mass Update option.

Use the following steps to mass update projects from the list view:

1. Navigate to the Projects list view by clicking the Projects module tab.
2. Use the list view's [Basic](#) or [Advanced Search](#) to find projects you wish to modify.
3. Select the desired project individually or using the [Checkbox Dropdown's](#) options.
4. Choose "Mass Update" from the Actions menu.



5. Scroll to the Mass Update panel and set values for the fields you wish to alter.

Note: For the Teams field, use "Replace" to remove existing team assignments before adding those specified here. Use "Add" to add the teams specified here to any existing team assignments.

A screenshot of the 'Mass Update' panel. It contains several input fields: 'Assigned To', 'Created by', 'Start Date', 'End Date', 'Status', and 'Priority'. The 'Status' field is set to '-none-'. Below these fields is a 'Teams' section with a text input field, a 'Primary' label, and radio buttons for 'Replace' (selected) and 'Add'. At the bottom of the panel, there are 'Update' and 'Cancel' buttons. The 'Update' button is highlighted with a red box.

6. Click "Update" to save the changes to all of the currently selected project.

Favoriting Projects

Each Sugar user has the option to designate their own favorite projects which are important or will be viewed often so that they can easily be accessed via search or from the Projects module tab. Once records are marked as favorites, use the My Favorites checkbox in the Projects [Basic](#) or [Advanced Search](#) to retrieve your favorites or select from your most recent favorites directly from the [Projects module tab](#).

Favoriting via List View

Use the following steps to mark records as favorites via the Projects list view:

1. Navigate to the Projects list view by clicking the Projects module tab.
2. Use the [Basic](#) or [Advanced Search](#) to find the Project records you wish to mark as favorites.
3. Mark the star icon on the left of each desired project's row.
4. To remove the project as a favorite, click the star again to revert it to gray.

Favoriting via Detail View

Use the following steps to mark records as favorites via the Projects detail view:

1. Navigate to a project's detail view.
2. Click the star icon to the right of the project's name in the upper left of the detail view to designate it as a favorite.
3. To remove the project as a favorite, click the star again to revert it to gray.

Favoriting via Subpanel

Use the following steps to mark project records as favorites via the subpanel in related modules:

1. Navigate to a related module's record view (e.g., Contacts).
2. Click the star icon to the left of the desired record's row in the Projects subpanel.
3. To remove the project as a favorite, click the star again to revert it to gray.


Project Templates

Project Templates are used when a similar project is used multiple times. Project

Templates will save you from recreating the project each time. Instead, the template can be used to create a new project which will have the same information from the detail view and the same [Project Tasks](#). Templates can be reused as often as need be. They can be created using two different ways:

- The module tab's Action Menu
- Replicating an existing project using the Detail View's Action Menu

Create new plan for



Choosing this option will bring you to a screen to define a new name for the template so that it can be made unique before saving the template and being mixed with others.

When creating a project from a Project Template, the [Project Tasks](#) carry over from the template to the new project. In addition, all of the fields within the module carry over.

To see a list of all project templates, navigate to the Project Templates list view. To access the list view, simply click the triangle over the Projects [module tab](#) and select "View Project Templates".


While list view shows key project template fields, you can click the project template's name to open the record in detail view. For more information on the Project Template's list view, please review the [Projects List View](#) section of this documentation.

To create a project from a template, please review the [Creating via Project Template](#) section of this documentation.

Project Resources

Project Resources are a list of users and contacts that can be assigned [Project Tasks](#). On a project where you are the assigned user, you will see a subpanel on

the [Projects detail view](#) called "Resources". The subpanel will provide options to Select User, Select Contact, or unlink an existing relationship. In addition any related user or contact resource will have a corresponding icon allowing you to view the [user's detail view](#) or contact's record view. For more information on viewing a contact's record view, please refer to the [Viewing via Record View](#) section of the User Interface documentation.



When a resource has been added to the project, the resource will show on the Gantt chart as an available option for Project Tasks to be assigned. For more information on the Gantt chart, please review the [Project Tasks Gantt Chart](#) section of this documentation.


Note: If you are not able to view project resources, the administrator may have disabled the Projects subpanel for your entire Sugar instance. Reach out to your Sugar administrator to have the subpanel displayed. For more information on displaying and hiding subpanels throughout Sugar, please refer to the [Developer Tools](#) documentation in the Administration Guide.

Project Resource Reports

From the Gantt chart, a resource report can be created showing a specific user's or contact's assigned tasks across all projects and the user or contact's workload for a given timeframe.

[Audit Preparation](#)

View Gantt



The report is filtered by each resource and filters for tasks starting or finishing after a date, and before another given date. This allows an overall view of the resource's time relative to all projects, not just one specific project.

Resource Report

Resource:** Joseph Kelly

Tasks that Start or Finish After:** 04/01/2013

And Before:** 04/05/2013

Report

This report shows the following information:

- **Daily Report:** This section shows a daily breakdown of all weekday dates for the report for the resource. The section also shows a "% Busy" section showing what percentage of an 8 hour day is being taken up for this resource by project tasks. If the resource has a Project Holiday scheduled, the % Busy will show as "Holiday".

Daily Report

Date	% Busy
04/01/2013	0
04/02/2013	100
04/03/2013	100
04/04/2013	Holiday
04/05/2013	Holiday

- **Project Tasks:** This section shows a list of all [project tasks](#) associated with the resource in the given timeframe. This includes tasks across all projects, not just the project from which the report was generated. This shows details for each task so that you can see each task assigned to the user, as well as the project that the task is for.

Project Tasks

ID	Project	Task Name	% Complete	Duration	Start	Finish
1	Create new plan for the annual audit	Communicate with internal stakeholders	100	3 Days	04/02/2013	04/04/2013

- **Holidays:** This section shows a list of all of the resource's [project holidays](#) for the given timeframe. This will show all holidays, regardless of which project they are associated.

Holidays

Date	Project
04/04/2013	Audit Preparation
04/05/2013	Create new plan for the annual audit


Project Holidays

The Project Holidays subpanel allows you to list any days that a user or contact resource will not be working on a given project. This links with the project tasks to ensure that timing of tasks is not affected by a resource taking a holiday. The holidays are marked for specific days for specific project resources. Project Holidays contain three fields:

Field	Description
Description	A brief description or reason for the holiday.
Holiday Date	The holiday or vacation date for this resource on the project.
Resource Name	The user or contact taking the holiday, selected from a dependent dropdown list.

Holidays created from this subpanel are specific to the project. Holiday records can be deleted and removed from the project by clicking "Unlink" on the corresponding line on the subpanel.

Project Holidays



Resource Name	Holiday Date	Description	
Joseph Kelly	04/05/2013	Joseph off project	unlink
Will Westin	04/10/2013	Will off project	unlink

Project Tasks

Project Tasks are a list of each task that needs to be performed to complete the project. Project Tasks is a separate module than the Projects module, but it can only be accessed via Projects. Each task can be tracked and monitored via the Gantt chart. Each task can also be assigned a specific [resource](#) and is given a planned start and finish date allowing the timing to be tracked and planned.

Project Task Fields

The Project Tasks module contains the following fields, which enable users to properly organize and track each task.

Field	Description
% Complete	A numerical value to indicate what percentage of the task has been completed.
Actual Duration	After the task is completed, enter a numerical value for the actual duration of the task.
Description	Found only in the edit and detail views, enter a brief description of the task and any necessary details.
Duration	Only editable from the Gantt chart, enter a numerical value to indicate how long it would take to complete the task which can be specified in days or in hours. Note: Changes to this field will affect the Finish Date as well.
Estimated Effort (hrs)	Found only in the edit and detail views, enter a numerical value for the estimated amount of work needed for this task.
Finish Date	Only editable from the Gantt chart, this field will populate based on the Start Date and Duration. Clicking on this field on the Gantt chart will produce a calendar popup to easily select a date. Note: Changes to this field will affect the Duration as well, and will be affected by changes to the Start Date and/or Duration fields.
Milestone	Mark tasks as milestones if they are an important and measureable landmark on the way to completing the project. Tasks can be marked with a checkbox on the edit view or by clicking the task ID to highlight the entire row and then right clicking in the Gantt chart. Milestone tasks will include an asterisk next to the task ID on the Gantt chart.
Order	The project task's detail view and edit view display an Order field. This field, which was used in the application prior to version 5.0, has been replaced by the

	Task ID field. If you are not using an order number, you can safely remove this field from the Project Task layouts in Studio.
Predecessors	If the completion of this task depends on the completion of other tasks, enter the Task ID in this column. This field must be edited and viewed from the Gantt chart. Note: Multiple tasks can be predecessors and the IDs can be separated by commas.
Priority	Choose a value of Low, Medium, or High for the task which can be edited and viewed from the edit and detail views.
Project	The name of the parent project that can be viewed from both the edit and detail views. This value cannot be edited.
Resource	Select the individual who is assigned to the task from the Resources dropdown list.
Start Date	Only editable from the Gantt chart, this field will automatically populate with today's date. Clicking on this field on the Gantt chart will produce a calendar popup to easily select a date.
Status	Found only in the edit and detail view, choose a value representing the current stage of the task. This field also shows on the Project Tasks subpanel .
Task ID	When viewing the Gantt chart, the tasks are ordered by Task ID. Task IDs cannot be directly edited from the Gantt chart or the edit and detail views. To move a task to a different section of the list, and therefore change its Task ID, click on the existing ID to highlight the row, then right click to "Cut" and then "Paste" it in the new location.
Task Name	Enter the name for the project task here.
Task Number	The project task's detail view and edit

	view display a Task Number field. This field, which was used in the application prior to 5.0, has been replaced by the Task ID field. If you are not using task number, you can safely remove this field from the Project Task layouts in Studio.
Teams	The Sugar team(s) assigned to the task. This is only viewable from the edit and detail view.
Utilization (%)	From the dropdown list, select the percentage of a day that the resource should dedicate their work hours towards the assigned task. This field is only found in the edit and detail views of the project task. Note: The value of this field is not reflected in the Resource Report.

Project Tasks Module Tab

The Project Tasks module tab is located on the navigation bar at the top of the Project Task detail view, Project Task edit view, or Project Task list view. Click the tab to access the Project Task list view. You may also click the triangle on the tab to display the Actions and Recently Viewed menus. The Actions menu allows you to perform important actions within the module. The [Recently Viewed](#) menu displays the list of project tasks you last viewed in the module.

The Actions menu allows you to perform the following operations:


Menu Item	Description
Create Project	Opens the edit view layout to create a new project.
Project List	Opens the list view layout to search and display projects.
Project Tasks	Opens the list view layout to search and display project tasks.

Creating Project Tasks


Project Tasks can only be created from the Gantt chart's project grid. The tasks are specific to each project, so they must be created directly from the project. When creating a Project Task from the grid, you will be able to put in basic information about the task. To add additional information later, please review the [Editing Project Tasks](#) section of this documentation.

Use the following steps to create a project task via the Projects module:

1. Navigate to the [detail view](#) of the project where you would like to add tasks.
2. From the detail view, select "View Gantt" from either the Project Tasks subpanel or the Action Menu.



3. Add a row to the grid next to the Gantt chart. This can be done using the icon in the toolbar or by right clicking on the grid.



4. Fill in the grid columns on the new row that you created. When complete, click the save icon the toolbar.

View Gantt

ID	% Complete	Task Name	Duration
1	0	Prepare initial filings	2 Days

Viewing Project Tasks

There are various options available for viewing project tasks in Sugar including via the grid and Gantt chart, the My Projects Dashboard, Project Tasks list view, Project Tasks detail view, Project Tasks Recently Viewed menu, dashlets, and reports.

Viewing Project Tasks via Gantt Chart

The Projects module includes a grid and Gantt chart, which allows you to view all project tasks related to a specific project in one place. The grid, on the left of the screen, outlines each task with pertinent information regarding each project task. The Gantt chart, on the right, shows a timeline of each task and how they overlap. For more information on the Gantt chart, please review the [Project Tasks Gantt Chart](#) section of this documentation.

[Create new plan for the annual audit](#)

View Gantt

ID	% Complete	Task Name	Duration	Start	Finish	Predecessors	Res
1	100	Communicate with internal stakeholders	2 Days	04/15/2013	04/16/2013		Joseph
2	38	Create draft of the plan	7 Days	04/17/2013	04/25/2013	1	Joseph
3	75	Perform field studies to collect data	18 Days	04/18/2013	05/13/2013		Will We
4	0	Update draft of the plan	6 Days	04/26/2013	05/03/2013	2	Admini
5	50	Gather data from meetings	2 Days	05/14/2013	05/15/2013	3	Joseph

Viewing Project Tasks via My Projects Dashboard

The Project Dashboard allows for users to view any upcoming or overdue project tasks that are assigned to the user, or are related to any projects for which the user is the assigned user. The Project Dashboard can be reached by clicking the appropriate link in the [Projects module tab](#).

The "My Projects Dashboard" panel shows four columns, showing projects that are

assigned to you, any overdue project tasks where the Finish Date is in the past, any upcoming project tasks where the Start Date is within the next week, and any cases that are open related to the project.

The "My Project Tasks" panel shows two columns, showing any overdue project tasks assigned to you where the Start Date is in the past, any upcoming project tasks assigned to you where the Finish Date is within the next week.

Any project task link is clickable and will take you to the grid and Gantt chart for the given project. Next to the task name, Sugar also displays the Finish Date for the task.

My Projects Dashboard

Project	Overdue Tasks
Audit Preparation 01/25/2014	Perform field studies to collect data 03/28/2013 Create draft of the plan 04/01/2013 Gather data from meetings 04/04/2013

Viewing Project Tasks via List View

The Project Tasks list view displays all project records meeting the current search criteria. To access the list view, click the "View Project Tasks" option from the Projects module tab. While list view shows key project fields, you can click the project task's name to open the record in detail view. For more information on viewing project via list view, please refer to the [Project Tasks List View](#) section.

Viewing Project Tasks via Detail View

The Project Tasks detail view displays thorough project task information including all project task fields followed by subpanels of the project task's related records belonging to various modules. The detail view can be reached by clicking a project task record's link from anywhere in the application including from the Projects detail view. For more information on viewing project tasks via detail view, please refer to the [Project Tasks Detail View](#) section.

Viewing Project Tasks via Recently Viewed

As you work, Sugar will keep track of which project tasks you have recently viewed. Click the triangle on the [Project Tasks module tab](#) to see a list of your most recently viewed project tasks and click each name to open the project task in

detail view.

Viewing Project Tasks via Dashlets

Sugar Dashlets allow users to get a quick view of various records, activities, reports, etc. Dashlets may be added to a user's Home page or to the intelligence pane of any module. You can view project task information in List View dashlets specific to the Project Tasks module (e.g., My Project Tasks dashlet), as well as List View dashlets based on other modules such as "My Calls". Clicking a project task's name from any dashlet will open the Project Tasks detail view. For more information on using dashlets and viewing project task records via dashlets, please refer to the [Intelligence Pane](#) documentation.

My Project Tasks			My Calls		
Name	Project Name	Start Date	Subject	Related to	Start Date
Create Draft of the...	My Test Project	2015-06-11	Call with John (Pro...	Create Draft of the...	2015-06-15 11:00

Viewing Project Tasks via Reports

Users with access to the Reports module can build, run, and manage reports to gather key data regarding projects and their related records. In addition to only displaying desired fields and relationships, reports can also incorporate complex filters to only display specific subsets of your records. Once the report is run, you will be able to view the project task record's detail view by clicking the project's name in the report results. Please note that you can only directly access project task detail views with Rows and Columns-type and Summation with Details-type reports as Summation-type and Matrix-type reports do not include hyperlinks in their display columns. For more information on using reports, please refer to the [Reports](#) documentation.

All Project Tasks ☆

Title: All Project Tasks

Run Report ▼

Hide Details

Name: All Project Tasks
Modules: Project Tasks
Display Columns: Name, % Complete, Duration, Duration Unit, Start Date, Finish Date
Schedule: None
Filters: None

Type: Rows and Columns Report
Teams: Global
Assigned to: Administrator

Name	% Complete	Duration	Duration Unit	Start Date	Finish Date
Gather data from meeting	50	3	Days	10/13/2014	10/15/2014
Update draft of plan	0	5	Days	10/13/2014	10/17/2014

Please note that your ability to access reports may be restricted by a role. For more information on roles, please refer to the [Role Management](#) documentation in the Administration Guide. Check with your system administrator if you cannot access the Reports module.

Searching Project Tasks

The Project Tasks list view includes a Basic and Advanced Search to help you locate records easily and effectively in a module-specific manner. Once the search is performed, the relevant results will be displayed in the Project Tasks list view below. Global Search allows users to search for information across their entire Sugar database as opposed to restricting search within a specific module. Please note that Sugar automatically appends the wildcard character (%) to the end of your search phrase. This allows the system to retrieve all records that start with the keyword entered in the search. If you would like to broaden the search, you can use the wildcard at the beginning of your text as well (e.g., %services). This will pull up any record that has the word "create" in the name, regardless of how it starts or ends.

For more information on using the various search methods as well as how wildcards are used in the different methods, please refer to the [Search](#) documentation.

Note: Project Tasks is hidden from Global Search by default. The administrator must [enable it](#) for your use.


Project Tasks Basic Search

Basic search offers a few, commonly used fields for a simplified search experience. From the Basic Search panel, you can click "Advanced Search" to access additional search functionality as needed.

The buttons and checkboxes available in Basic Search panel have the following functions:

- **Search:** Click the Search button or press your Return/Enter key to perform the search.
- **Clear:** Click the Clear button to clear all criteria from the searchable fields.
- **My Items:** Select this box to return only records assigned to you.

Project Task: Home



The image shows a search interface with a text input field labeled "Name", two checkboxes labeled "My Items" and "My Favorites", and three buttons: "Search", "Clear", and "Advanced Search".

When you run a search, Sugar will return records matching all (as opposed to any) of the fields and checkboxes for which you have given a value. For example, if you select "My Items" and enter a project task name, Sugar will only return project tasks with a matching name that are assigned to you. Once the search is complete, the relevant results will populate in the [list view](#) below the search panel. To see all project tasks to which you have access, simply click "Clear" and then "Search" to perform a blank search with no filters. Please note that you will only be able to see projects as allowed by your team membership, user access type, and assigned roles. For more information on teams and roles, please refer to the [Teams](#) and [Roles](#) documentation in the Administration Guide.

Administrators can configure what fields appear on the Project Tasks Basic Search via Admin > Studio. For more information on editing layouts, please refer to the [Studio](#) documentation in the Administration Guide.

Project Tasks Advanced Search

Advanced Search offers a more in-depth search experience than Basic Search including additional fields, layout options, and saved search capability. From the Advanced search panel, you can click "Basic Search" for simplified searching.

The buttons, checkboxes, and dropdowns available in Advanced Search have the following functions:

- **Search:** Click the Search button or press your Return/Enter key to perform the search.
- **Clear:** Click the Clear button to clear all criteria from the searchable fields.

- **Layout Options:** Use the expandable [Layout Options](#) section to configure your list view. For more information, please refer to the Layout Options section of the Search documentation.
- **Saved Searches:** Save, recall, update, and delete searches that you use often. For more information, please refer to the [Saved Search](#) section of the Search documentation.

Project Task: Home

When you run a search, Sugar will return records matching all (as opposed to any) of the fields for which you have given a value. For example, if you select a Project Name and enter in a project task name to search, Sugar will only return project tasks with a matching name that related to that specific project. When searching by a multiselect or dropdown field (e.g., "Assigned to"), however, Sugar will return records matching any of these selections. Once the search completes, the relevant results will populate in the [list view](#) below the search panel. To see all project tasks to which you have access, simply click "Clear" and then "Search" to perform a blank search with no filters. Please note that you will only be able to see project tasks as allowed by your team membership, user access type, and assigned roles. For more information on teams and roles, please refer to the [Teams](#) and [Roles](#) documentation in the Administration Guide.

Administrators can configure what fields appear on the Projects Advanced Search via Admin > Studio. For more information on editing layouts, please refer to the [Studio](#) documentation in the Administration Guide.

Project Tasks List View

The Project Tasks list view displays all project tasks meeting the current search criteria and to which your user has access. You can view the basic details of each project task within the field columns. Please note that you will only be able to see project tasks as allowed by your team membership, user access type, and assigned roles. For more information on teams and roles, please refer to the [Teams](#) and [Roles](#) documentation in the Administration Guide.


You have the option to change what fields are displayed in list view by configuring your layout options in the Project Tasks Advanced Search. For more information on configuring your list view, please refer to the [Layout Options](#) section of the Search documentation. Users with administrator or developer access also have the ability to change what fields are visible in the list view via Admin > Studio. For more

information on editing layouts, please refer to the [Studio](#) documentation in the Administration Guide.

Project Tasks Pagination

List view displays the current search results broken into pages that you can scroll through rather than displaying potentially thousands of rows at once. To the right just below the search panel you can see which records of the total results set are currently being displayed. The two single-arrow Next and Previous buttons can be used to scroll through the records page-by-page. The two double-arrow First Page and Last Page buttons allow you to skip to the beginning or the end of your current results.


By default, Sugar displays 20 records per list view page, but administrators can change the number of records displayed via Admin > System Settings. For more information on changing the number of displayed records, please refer to the [System](#) documentation in the Administration Guide.



Project Tasks Checkbox Selection


You can perform several actions on project task records directly from the list view by first selecting the desired records. To select individual project tasks on the Project Tasks list view, mark the checkbox on the left of each row. To select or deselect multiple project tasks on the list view, use the options in the checkbox dropdown menu:

- **Select This Page:** Selects all records shown on the current page of project results.
- **Select All:** Selects all records in the current search results across all pages of project results.
- **Deselect All:** Deselects all records that are currently selected.



Project Tasks Actions Menu

The Actions menu to the right of the checkbox dropdown allows you to perform various actions on the currently selected records.



The options in the Actions menu allow you to perform the following operations:

Menu Item	Description
Delete	Delete one or more project tasks at a time.
Mass Update	Mass update one or more project tasks at a time.
Export	Export one or more project tasks to a CSV file.

Favorite Designation

Users have the option to mark project tasks records as favorites via the list view as well as the detail view. This allows users to designate records that are important or will be viewed often so that they can easily be accessed via search or from the Project Tasks module tab. In the Project Tasks list view, the star on the left of each record's row is yellow once marked to indicate a favorite record. For more information on how to mark records as favorites, please refer to the [Favoriting Projects Tasks](#) section of this documentation.

Project Tasks More Information

Additional details for each project task can be viewed by clicking the "i" icon to the far right of each list view row. This provides users a quick view of additional project task information in addition to what appears in the display column fields. The resulting pop-up window will show the Description field by default. The list of fields appearing here may only be configured through a code-level customization.

Name	Project Name	Start Date	Finish Date	Priority	% Complete	Assigned To	
Gather data from meetings	Create new plan for the annual audit	05/15/2013	05/15/2013	Low	50	Administrator	

Project Tasks Column Sorting

List view provides the ability to sort all of the current search results by a field column in either ascending or descending order. To sort by a field or switch the sort direction, click the column header noting that the fields which allow sorting will have a pair of arrows. The list view may be sorted by only one column at a time. You can also set a default order-by column using the layout options in Advanced Search. For more information on setting a default column sort, please refer to the [Layout Options](#) section of the Search documentation.

Name	Project Name	Start Date	Finish Date
<input type="checkbox"/>  Gather data from meetings	Create new plan for the annual audit	05/15/2013	05/15/2013

Project Tasks Detail View


The Project Tasks detail view displays thorough project task information including all project task fields which are grouped by default into one panel. You can also view a project task's related records (Activities, History, etc.), which appear in [subpanels](#) beneath the project task fields. The detail view can be reached by clicking a project task's link from within Sugar including from the Project Tasks list view.

Please note that you will only be able to view a project task record according to your team membership, user type, and role restrictions. For more information on teams and roles, please refer to the [Teams](#) and [Roles](#) documentation in the Administration Guide. Users with administrator or developer access have the ability to change the detail view by configuring the layout via Admin > Studio. For more information on editing layouts, please refer to the [Studio](#) documentation in the Administration Guide.

Project Tasks Actions Menu

The Actions menu on the top left of each project's detail view allows you to perform two actions on the current record. Administrator users can change the action items to be displayed as separate buttons instead of a dropdown menu via Admin > System Settings. For more information on configuring the actions menu, please refer to the [System](#) documentation in the Administration Guide.

Gather data from meetings



The options in the Actions menu allow you to perform the following operations:

Menu Item	Description
Edit	Edit this project task.
Edit Task In Grid	View the project task's parent project's Grid and Gantt chart.

Favorite Designation

Users have the option to mark project tasks records as a favorite via the detail view as well as the list view. This allows users to designate records that are important or will be viewed often as they can easily be accessed via search or from the Project Tasks module tab. In the Project Tasks detail view, the star on the right of the record's name is yellow once marked to indicate a favorite record. For more information on how to mark records as favorites, please refer to the [Favoriting Projects Tasks](#) section of this documentation.

Next or Previous Project Task Record

On the upper right of the Project task's detail view, there are two buttons that allow you to page through each project in the Project Task list view's current search results. Clicking the Previous button displays the previous project task of the current search results while clicking the Next button displays the next project task of the current search results. The text in between shows which project task result you are currently viewing within the total number of current results.

Gather data from meetings



Project Tasks Subpanels

Beneath a project task's fields are subpanels containing containing related records from various modules, including different activities such as calls and meetings, as well as a history of notes and emails.

Please note that administrators can prevent users from moving subpanels to different locations in the detail view. For more information on preventing rearranging of subpanels, please refer to the [System](#) documentation in the Administration Guide. Check with your system administrator if you are not able to rearrange your subpanels.

Project Tasks Related Record Subpanels

The most common type of subpanels displayed on a project task's detail view contain the project task's related records belonging to various modules. The relationship type determines whether a related record will be displayed in the field listing or in a subpanel. Out-of-the-box, the Project tasks module does not include any relationships to other modules that would cause a related record to be displayed in the field listing. However, a project task may be related to multiple notes which means that the related notes will be displayed in a subpanel beneath the fields. Please note that the Project Tasks module displays the Activities and History subpanels by default. Administrators can create new relationships between various modules in Sugar to create additional subpanels. For more information on creating relationships, please refer to the [Studio](#) documentation in the Administration Guide.


Users with administrator or developer access have the ability to change the fields (e.g., Subject, Assigned User, etc.) and labels of each subpanel by configuring the layout via Admin > Studio to provide visibility to the most important fields. For more information on modifying subpanels, please refer to the [Studio](#) documentation in the Administration Guide.

Related record subpanels allow the following operations to be performed. Please note that administrators in Sugar can change the subpanel's Action menu to be displayed as separate buttons instead of a dropdown via Admin > System Settings. For more information, please refer to the [System](#) documentation in the Administration Guide.

- To view the details of a related record, click the record's name in the subpanel or choose "View" from the Actions menu on the far right of the record's row to open it in record view.
- To relate a new record to the project task, choose the Create option (e.g., Create Task) from the subpanel's Action menu, then complete the record view layout and click "Save".
- To delete the project task's relationship to a record, choose "unlink" from

the Actions menu on the far right of the record's row. This removes the relationship, but does not delete the record itself.


- To close an activity (e.g., Tasks) from the Activities subpanel, choose "close" from the Actions menu on the far right of the record's row. This moves the record to the History subpanel within the Project Tasks record.
- To collapse or expand the subpanel, click the double arrow to the left of the subpanel's name.
- To move the subpanel to a new location on the detail view, drag and drop the subpanel's header.



Please note that administrators can prevent users from moving subpanels to different locations in the detail view. For more information on preventing rearranging of subpanels, please refer to the [System](#) documentation in the Administration Guide. Check with your system administrator if you are not able to rearrange your subpanels.

Project Tasks Activities and History Subpanels

The Activities subpanel lists open or upcoming tasks, calls, and meetings that are related to the project task record. Once the activities have taken place or are completed, they will instead appear within the History subpanel. The History subpanel also includes notes and emails associated with the project task record. For more information on the history and activities subpanel, please refer to the [User Interface](#) documentation.



Project Tasks Gantt Chart

The Projects module includes a grid and Gantt chart to allow you to visualize, track, and easily make changes to your project tasks all in one place. This menu is accessible from each project's detail view through the [Actions Menu](#) or the [Project Tasks](#) subpanel. The page consists of a grid which shows each project task, as well as information on the timing, % complete, preceding tasks, and who is responsible for completing the task. Project tasks on the grid can be edited by clicking on the specific cell and making in-line changes. Whole rows can be selected by clicking the Task ID number in the ID column on the far left column. The Gantt chart shows a timeline of each task represents which tasks are being worked on at a given time.

[Create new plan for the annual audit](#)

View Gantt



Gantt Chart Toolbar

The Gantt Chart Toolbar allows you to make changes to both what tasks are showing on the grid, but also how they are displayed. The icons and menus perform the following actions, from left to right:

Toolbar Option	Description
Add New Row	Adds a new row to the end of the task list, unless a row is selected, when the button will add the row above the selection.
Indent Row	When a row is selcted, this button will make it a subordinate function of the above row, causing any subordinate tasks to be grouped under the parent task.
Outdent Row	When a row is selcted and already indented, this button will move it out from being a subordinate function of the

	above row and making it its own task.
Copy Row	When a row is selected, the Copy button will allow the data in the row to be placed in another row while keeping the original intact.
Cut Row	When a row is selected, the Cut button will delete the entire row, but allow it to be pasted into another as an ensuing action.
Paste Row	Adds currently copied or cut row to the end of the task list, unless a row is selected, when the button will place the row above the selection.
Delete Row	When a row is selected, the Delete button will remove the entire row and delete the project task.
Expand All	This button will affect the entire grid by expanding all hidden rows created by indenting to show all rows on the grid.
Collapse All	This button will affect the entire grid by collapsing all visible indented rows on the grid.
Save	Saves all changes to the grid and updates the related project task records.
Week View	Changes the Gantt chart to show one week of events at a time.
2 Week View	Changes the Gantt chart to show two weeks of events at a time.
Month View	Changes the Gantt chart to show one month of events at a time.
View...	Dropdown list to provide filters to change which project tasks are showing on the grid.
Export to PDF	Exports a PDF from Sugar containing the information shown in the task grid.
Resource Report	Opens the Resource Report popup.
Grid	Changes the view of the page to only show the task grid and related toolbar buttons.
Gantt	Changes the view of the page to only

	show the Gantt chart and related toolbar buttons.
Grid/Gantt	Changes the view of the page to show both the task grid and Gantt chart.

Editing Project Tasks

Project Tasks may be edited at any time to update or add information to the record. You can make changes to existing project task records via the Gantt chart and Project Tasks edit view. Edit view is available within the Project Tasks module and includes all of the Project Task fields you should need.

[Gather data from meetings](#) » Edit

Save Cancel View Change Log Save and Continue

Name: * Task ID: 5

Duration: * 2 Days

Start Date: 05/15/2013 Finish Date: 05/15/2013

Status: Priority:

% Complete: 50

Please note that your ability to edit project tasks in Sugar may be restricted by a role. For more information on roles, please refer to the [Role Management](#) documentation in the Administration Guide. Check with your system administrator if you do not see the Edit options.

Administrators in Sugar may configure the Project Tasks edit view via Admin > Studio. For more information on configuring layouts, please refer to the [Studio](#) documentation in the Administration Guide.

Editing Project Tasks via Detail View

You can edit project tasks via the [Detail View](#) by clicking the Edit button on the upper left of the page. Once the edit view layout is open, update the necessary fields, then click "Save" to preserve your changes.

Gather data from meetings



Name:	Gather data from meetings
Start Date:	05/15/2013

Editing Project Tasks via Gantt Chart


Project Tasks can be edited one at a time via the task grid and Gantt Chart. The Gantt chart can be accessed via the [Projects detail view](#) and [Project Tasks detail view](#). Project Task fields can be edited by clicking on the field, either if it is empty or if it contains existing data, and edits can be made directly inline on the grid. Selecting the entire row can be done by clicking the ID number for the row of each project task. Multiple tasks can be selected by holding the Shift key on your keyboard while clicking.

The following [fields](#) can be edited from the task grid and Gantt chart:

- % Complete
- Task Name
- Duration
- Start
- Finish
- Predecessors
- Resource
- Actual Duration

Editing Project Tasks via List View

You can edit project tasks via the list view by clicking the Pencil icon to the left of each project task's name. Once the edit view layout is open, update the necessary fields, then click "Save" to preserve your changes.



Deleting Project Tasks

If a project task is invalid or should no longer appear in your organization's Sugar instance, it may be deleted from either the project's Gantt chart or the Project Tasks list view. Deleting via the Gantt chart allows you to delete a single record while the list view allows for mass deleting multiple records at once. Deleting projects will not delete related records and will only remove the relationship, so you may wish to also delete any related records to avoid orphaned records if necessary.


Please note that your ability to delete project tasks may be restricted by a role. For more information on roles, please refer to the [Role Management](#) documentation in the Administration Guide. Check with your system administrator if you do not see the Delete options.

Deleting Project Tasks via Gantt Chart

Use the following steps to delete a project task via the Gantt chart:

1. Navigate to the project's Gantt chart
2. Select the project task's row by clicking on the ID number for the task


View Gantt



ID	% Complete	Task Name	Duration	Start	Finish
1	50	Gather data from meeting	3 Days	10/13/2014	10/15/2014
2	0	Update draft of plan	5 Days	10/13/2014	10/17/2014

3. Right click on the selected row and select the "Delete" option from the action menu, or click the "Delete" button from the Gantt toolbar

View Gantt




4. Save the Gantt chart to confirm the change to the project.

Mass Deleting Project Tasks via List View

Use the following steps to delete one or more project tasks via the list view:

1. Navigate to the Project Tasks list view by clicking the triangle on the Projects module tab and selecting "View Project Tasks".
2. Use the [Basic](#) or [Advanced Search](#) to find the project task records you wish to delete.
3. Select the desired project tasks individually or using the [checkbox dropdown's](#) options.
4. Choose "Delete" from the Actions menu.




5. A pop-up message will display asking for confirmation. Click "Ok" to proceed.

Due to PHP memory limitations on the server, there may be occasions when the application times out while deleting a large number of project task records. If you encounter an error when performing this action, we recommend selecting the records in smaller batches.

Exporting Project Tasks

Sugar's Export option allows users to download all fields for the selected project tasks to their computers as a .CSV (comma-separated values) file. This may be useful when needing to use Project data with other software such as Microsoft Excel. Due to PHP memory limitations on the server, there may be occasions when the application times out while exporting a large number of project tasks. If you encounter an error when performing this action, we recommend selecting the records in smaller batches.

Project tasks may be exported from the Project Tasks list view by selecting "Export" from the Actions menu. Users with access to the Reports module also have the option of creating or accessing reports containing specifically chosen fields for project tasks and their related record(s). Please note that only Rows and Columns-type reports have the ability to be exported. For more information on exporting records in Sugar, please refer to the [Export](#) documentation.



Please note that your ability to export projects from Sugar may be restricted by a role. For more information on roles, please refer to the [Role Management](#) documentation in the Administration Guide. Check with your system administrator if you do not see the Export option.

Mass Updating Project Tasks


Mass Updating allows users to make the same change to multiple project tasks at once from the Project Tasks list view. Users with administrator or developer access can control which fields are available to change during mass update via Admin > Studio. Currently, only fields with the data type of date, datetime, dropdown, multiselect, and radio may be altered during a mass update. For more information on configuring mass update, please refer to the [Studio](#) documentation in the Administration Guide. Due to the PHP memory limitations on the server, there may be occasions when the application times out while mass updating a large number of project tasks. If you encounter an error when performing this action, we recommend selecting the records in smaller batches.

Please note that your ability to mass update project tasks may be restricted by a

role. For more information on roles, please refer to the [Role Management](#) documentation in the Administration Guide. Check with your system administrator if you do not see the Mass Update option.

Use the following steps to mass update projects from the list view:

1. Navigate to the Project Tasks list view by clicking the triangle on the Projects module tab and selecting "View Project Tasks".
2. Use the list view's [Basic](#) or [Advanced Search](#) to find project tasks you wish to modify.
3. Select the desired project tasks individually or using the [checkbox dropdown's](#) options.
4. Choose "Mass Update" from the Actions menu.



5. Scroll to the Mass Update panel and set values for the fields you wish to alter.

Note: For the Teams field, use "Replace" to remove existing team assignments before adding those specified here. Use "Add" to add the teams specified here to any existing team assignments.

A screenshot of the 'Mass Update' panel in the application. The panel contains several input fields: 'Status' (dropdown menu), 'Finish Date' (calendar icon), 'Assigned To' (text input), 'Created by' (text input), 'Start Date' (calendar icon), 'Due Date' (calendar icon), 'Priority' (dropdown menu), and 'Milestone' (dropdown menu). The 'Teams' section has a text input, a 'Primary' radio button, and 'Replace' and 'Add' radio buttons. At the bottom, there are 'Update' and 'Cancel' buttons. The 'Update' button is highlighted with a red box.

6. Click "Update" to save the changes to all of the currently selected project tasks.

Favoriting Project Tasks

Each Sugar user has the option to designate their own favorite project tasks which are important or will be viewed often so that they can easily be accessed via search

or from the Project Tasks module tab. Once records are marked as favorites, use the My Favorites checkbox in the Project Tasks [Basic](#) or [Advanced Search](#) to retrieve your favorites or select from your most recent favorites directly from the [Project Tasks module tab](#).

Favoriting via List View

Use the following steps to mark records as favorites via the Project Tasks list view:

1. Navigate to the Project Tasks list view by clicking "View Project Tasks" from the Projects module tab.
2. Use the [Basic](#) or [Advanced Search](#) to find the Project Tasks records you wish to mark as favorites.
3. Mark the star icon on the left of each desired record's row.
4. To remove the record as a favorite, click the star again to revert it to gray.

Favoriting via Detail View

Use the following steps to mark records as favorites via the Project Tasks detail view:

1. Navigate to a Project Task's detail view.
2. Click the star icon to the right of the record's name in the upper left of the detail view to designate it as a favorite.
3. To remove the record as a favorite, click the star again to revert it to gray.

Last Modified: 2021-12-21 18:05:11